NC DENR			Environmenta
DENR USE ONLY:	☐Paper Report	□Electronic Data - Email CD (data loaded: Yes / No)	Doc/Event #:

Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- Prepare one form for each individually monitored unit.
- Please type or print legibly.
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste

Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.							
Solid Waste Monitoring Data Submittal Information Name of entity submitting data (laboratory, consultant, facility owner):							
E		rer's name, telephone numb Phone:					
Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)			
Environmental Status: (Check a Initial/Background Monitorin	··· • · · · · · · · · · · · · · · · · ·	g Assessment N	Monitoring	Corrective Action			
Type of data submitted: (Check a Groundwater monitoring da Groundwater monitoring data Leachate monitoring data Surface water monitoring d	ta from monitoring wells ta from private water supply wells	Methane gas mon Corrective action Other(specify)					
Yes, a notification of values monitoring points, dates, ar preliminary analysis of the	ace water standards were exceeded exceeding a groundwater or surfactal values, NC 2L groundwate cause and significance of any concest exceeding an explosive methane ane gas limits.	ace water standard is attached er standard, NC 2B surface wa entration.	ter standard or NC So	olid Waste GWPS and			
Certification To the best of my knowledge, the Furthermore, I have attached collevels, and a preliminary analysis are significant penalties for making the significant penalties.	mplete notification of any samp s of the cause and significance	oling values meeting or exc of concentrations exceedin	eeding groundwater g groundwater stand	standards or explosive gas dards. I am aware that there			
Facility Representative Name (Print)	Title	(Area Co	de) Telephone Numbe Affix NC Licensed	r // Professional Geologist Seal			
Signature		Date		-			
Facility Representative Address							

NC PE Firm License Number (if applicable effective May 1, 2009)