

# LIMIT VIOLATION DISCHARGE MONITORING REPORT (DMR) – WASTEWATER

## SUBMIT TO REGIONAL OFFICE\*

### General Permit No. NCG020000

\*Use this form if any wastewater samples have EXCEEDED A WASTEWATER LIMIT for any parameter.  
Send sample results to the DEMLR Regional Office *within 30 days of receipt from the laboratory.*

Certificate of Coverage No. NCG02

Facility Name: \_\_\_\_\_ Sample Collection Period: Qtr 1  Qtr 2  Qtr 3  Qtr 4  Calendar Year \_\_\_\_\_

County: \_\_\_\_\_ If Monthly Monitoring: Month \_\_\_\_\_

Phone Number: (\_\_\_\_) \_\_\_\_\_ Person Collecting Samples: \_\_\_\_\_

Certified Laboratory: \_\_\_\_\_ Lab # \_\_\_\_\_

\_\_\_\_\_ Lab # \_\_\_\_\_

Is this an industrial sand mine? Yes  No

Discharge to HQW or ORW waters? Yes  No

Discharge to SA waters? Yes  No

Discharge to Tr (Trout) waters? Yes  No

Discharge to SB or PNA waters? Yes  No

If HQW, what is the 7Q10 flow rate? \_\_\_\_\_ or Tidal, 7Q10 not available

#### Wastewater Monitoring Requirements

Outfall No.	Date Sample Collected	Daily Flow Rate, cfs	pH, SU	Total Suspended Solids (TSS), mg/l	Settleable Solids, ml/l <i>if applicable</i>	Discharge Turbidity, NTU	Upstream (U) Turbidity, NTU	Downstream (D) Turbidity, NTU	Fecal Coliform, col/100 ml (SA)
-	mo/dd/yr or "NO FLOW"	HQW or ORW 50% of 7Q10  <i>Indicate NO FLOW if applicable</i>	freshwater 6.0-9.0 saltwater 6.8-8.5	Industrial Sand 25/45 HQW or ORW 20/30 HQW or ORW and Tr or PNA 10/15	HQW, ORW, SA, SB, PNA, or any Trout 0.1/0.2	No Limit Circle Water Quality Standard that applies: 50/25/10	N/A Water Quality Standard applies	N/A Water Quality Standard applies	N/A

Wastewater Monitoring Requirements, cont.

Outfall No.	Date Sample Collected	Daily Flow Rate, cfs	pH, SU	Total Suspended Solids (TSS), mg/l	Settleable Solids, m/l <i>if applicable</i>	Discharge Turbidity, NTU	Upstream (U) Turbidity, NTU	Downstream (D) Turbidity, NTU	Fecal Coliform, col/100 ml (SA)
-	mo/dd/yr or "NO FLOW"	HQW or ORW <b>50% of 7Q10</b>  <i>Indicate NO FLOW if applicable</i>	freshwater <b>6.0-9.0</b> saltwater <b>6.8-8.5</b>	Industrial Sand <b>25/45</b> HQW or ORW <b>20/30</b> HQW or ORW and Tr or PNA <b>10/15</b>	HQW, ORW, SA, SB, PNA, or any Trout <b>0.1/0.2</b>	<b>No Limit</b> Circle Water Quality Standard that applies: <b>50/25/10</b>	<b>N/A</b> Water Quality Standard applies	<b>N/A</b> Water Quality Standard applies	<b>N/A</b>

## CERTIFICATION

"I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations." *[Required by 40 CFR §122.22]*

Signature \_\_\_\_\_

Date \_\_\_\_\_

### Mail Limit Violation DMR to Your DEMLR Regional Office Land Quality Section:

<p><b>ASHEVILLE REGIONAL OFFICE</b>                  2090 US Highway 70                  Swannanoa, NC 28778                  (828) 296-4500</p>	<p><b>FAYETTEVILLE REGIONAL OFFICE</b>                  225 Green Street                  Systel Building Suite 714                  Fayetteville, NC 28301-5043                  (910) 433-3300</p>	<p><b>MOORESVILLE REGIONAL OFFICE</b>                  610 East Center Avenue/Suite 301                  Mooresville, NC 28115                  (704) 663-1699</p>
<p><b>RALEIGH REGIONAL OFFICE</b>                  3800 Barrett Drive                  Raleigh, NC 27609                  (919) 791-4200</p>	<p><b>WASHINGTON REGIONAL OFFICE</b>                  943 Washington Square Mall                  Washington, NC 27889                  (252) 946-6481</p>	<p><b>WILMINGTON REGIONAL OFFICE</b>                  127 Cardinal Drive Extension                  Wilmington, NC 28405-2845                  (910) 796-7215</p>
<p><b>WINSTON-SALEM REGIONAL OFFICE</b>                  450 Hanes Mill Road, Suite 300                  Winston-Salem, NC 27103                  (336) 776-9800</p>	<p><b>CENTRAL OFFICE</b>                  Questions for The Central Office                  Stormwater Permitting Program?                  (919) 707-9220</p>	

