

**SUPPLEMENTAL INFORMATION REQUIRED FOR RENEWAL OF INDIVIDUAL
NPDES STORMWATER PERMIT**

Two copies of each of the following shall accompany this submittal in order for the application to be considered complete:

(Do **not** submit the site Stormwater Pollution Prevention Plan)

Initials

- _____ 1. A current Site Map from the Stormwater Pollution Prevention Plan. The location of industrial activities (including storage of materials, disposal areas, process areas and loading and unloading areas), drainage structures, drainage areas for each outfall, building locations and impervious surfaces should be clearly noted.
- _____ 2. A summary of Analytical Monitoring results during the term of the existing permit (if your permit required analytical sampling). Do not submit individual lab reports. The summary can consist of a table including such items as outfall number, parameters sampled, lab results, date sampled, and storm event data.
- _____ 3. A summary of the Visual Monitoring results. Do not submit individual monitoring reports. The summary can consist of a table including such items as outfall number, parameters surveyed, observations, and date monitoring conducted.
- _____ 4. A summary of the Best Management Practices utilized at the permitted facility. Summary should consist of a short narrative description of each BMP's in place at the facility. If the implementation of any BMP's is planned, please include information on these BMP's.
- _____ 5. A short narrative describing any significant changes in industrial activities at the permitted facility. Significant changes could include the addition or deletion of work processes, changes in material handling practices, changes in material storage practices, and/or changes in the raw materials used by the facility.
- _____ 6. Certification of the development and implementation of a Stormwater Pollution Prevention Plan for the permitted facility (Sign and return attached form).

If the final year analytical monitoring of the existing permit term has not been completed prior to filing the renewal submittal, then the last years monitoring results should be submitted within 30 days of receipt of the laboratory reports. (i.e. do not withhold renewal submittal waiting on lab results)