EF-14A

## **Management Review Minutes**

Page _1_ of	_ pgs
-------------	-------

Date:	20-Sep-06	Time	9:00 AM	Location	New Bern , NC			
Meeting Chairman	Roy Rogers							
Attendance Roster								
Name		Job Title/Function		EMS Fu	EMS Function			
Roy Rogers		<b>Quality En</b>	gineer	EMR				
Dale Evans		EHS Mana	_	•	nce Coordinator			
Tonto Rogers		Plant Manager		Top Mar	nagement			
Inputs to Meeting	Commonts /	Action Itom	ne					
•	Comments	Action iter	113					
Audit results	Audits are being performed in-adequately. 13 NCs nad 5 OFIs indicate the system work							
Compliance Evaluations	Only EPCRA has been evaluatied for compliance. Need to conduct additional compliance evaluations before year's end							
External Communications	Compliants regarding unsightly trash containers - from 3 neighbors were logged. No response has been made yet.							
Environmental Performance (Key Characteristics)	voc emissions are decreasing, however wastewater discsharges to the sewer (from floor washers) is increasing.							
Objectives and Targets Status	Pilot Scale test of the new charcoal adsorber is planned for next month							
CARs and PARs Status	2 outstanding CARs and no PARs are currently in the system							
Followup Actions from Previous	- Compliance Evaluations (still not done) - Management Review had to be rescheduled several times.							
Changing Circumstances (esp Legal Reqt's)	No changes in regulations (as per Bobby Jones from the local							
Recommendations for Improvements	Roy recommened completing the compliance evaluation							
Management Review Declaration Statement								
1) Is the EMS suitable, a	adequate and	effective?		Yes ☑	No □			
2) Have opportunities be	for improve	ment?	Yes ☑	No □				
<ol><li>Does the EMS need t targets.objectives, other)</li></ol>	(policy,		Yes 🗸	No □				
Comments:								
Next Meeting Schedule	ed.							

Date	20-Sep-07	Time:	9:00 AM	Location	New Bern, NC	
Topic	Compliance Evaluation Results					