Article 3B.

Conservation of Energy, Water, and Other Utilities in Government Facilities.

Part 1. Energy Policy and Life-Cycle Cost Analysis.

§ 143-64.10. Findings; policy.

- (a) The General Assembly finds all of the following:
 - (1) That the State shall take a leadership role in aggressively undertaking the conservation of energy, water, and other utilities in North Carolina.
 - (2) That State facilities and facilities of State institutions of higher learning have a significant impact on the State's consumption of energy, water, and other utilities.
 - (3) That practices to conserve energy, water, and other utilities that are adopted for the design, construction, operation, maintenance, and renovation of these facilities and for the purchase, operation, and maintenance of equipment for these facilities will have a beneficial effect on the State's overall supply of energy, water, and other utilities.
 - (4) That the cost of the energy, water, and other utilities consumed by these facilities and the equipment for these facilities over the life of the facilities shall be considered, in addition to the initial cost.
 - (5) That the cost of energy, water, and other utilities is significant and facility designs shall take into consideration the total life-cycle cost, including the initial construction cost, and the cost, over the economic life of the facility, of the energy, water, and other utilities consumed, and of operation and maintenance of the facility as it affects the consumption of energy, water, or other utilities.
 - (6) That State government shall undertake a program to reduce the use of energy, water, and other utilities in State facilities and facilities of the State institutions of higher learning and equipment in those facilities in order to provide its citizens with an example of energy-use, water-use, and utility-use efficiency.
- (b) It is the policy of the State of North Carolina to ensure that practices to conserve energy, water, and other utilities are employed in the design, construction, operation, maintenance, and renovation of State facilities and facilities of the State institutions of higher learning and in the purchase, operation, and maintenance of equipment for these facilities. (1975, c. 434, s. 1; 1993, c. 334, s. 2; 2001-415, s. 1; 2006-190, s. 8; 2007-546, s. 3.1(b).)

§ 143-64.11. Definitions.

For purposes of this Article:

- (1) "Economic life" means the projected or anticipated useful life of a facility.
- (2) "Energy-consumption analysis" means the evaluation of all energy- consuming systems, including systems that consume water or other utilities, and components of these systems by demand and type of energy or other utility use, including the internal energy load imposed on

- a facility by its occupants, equipment and components, and the external energy load imposed on the facility by climatic conditions.
- (2a) "Energy Office" means the State Energy Office of the Department of Environmental Quality.
- (2b) "Energy-consuming system" includes but is not limited to any of the following equipment or measures:
 - a. Equipment used to heat, cool, or ventilate the facility;
 - b. Equipment used to heat water in the facility;
 - c. Lighting systems;
 - d. On-site equipment used to generate electricity for the facility;
 - e. On-site equipment that uses the sun, wind, oil, natural gas, liquid propane gas, coal, or electricity as a power source; and
 - f. Energy conservation measures, as defined in G.S. 143-64.17, in the facility design and construction that decrease the energy, water, or other utility requirements of the facility.
- (3) "Facility" means a building or a group of buildings served by a central distribution system for energy, water, or other utility or components of a central distribution system.
- (4) "Initial cost" means the required cost necessary to construct or renovate a facility.
- (5) "Life-cycle cost analysis" means an analytical technique that considers certain costs of owning, using, and operating a facility over its economic life, including but not limited to:
 - a. Initial costs;
 - b. System repair and replacement costs;
 - c. Maintenance costs;
 - d. Operating costs, including energy costs; and
 - e. Salvage value.
- (6) Repealed by Session Laws 1993, c. 334, s. 3, effective July 13, 1993.
- (7) "State agency" means the State of North Carolina or any board, bureau, commission, department, institution, or agency of the State.
- (8) "State-assisted facility" means a facility constructed or renovated in whole or in part with State funds or with funds guaranteed or insured by a State agency.
- (9) "State facility" means a facility constructed or renovated, by a State agency.
- (10) "State institution of higher learning" means any constituent institution of The University of North Carolina. (1975, c. 434, s. 2; 1989, c. 23, s. 1; 1993, c. 334, s. 3; 2001-415, s. 2; 2006-190, ss. 9, 10, 11; 2007-546, s. 3.1(c); 2009-446, s. 1(f); 2013-360, s. 15.22(o); 2015-241, s. 14.30(u).)

§ 143-64.12. Authority and duties of the Department; State agencies and State institutions of higher learning.

- (a) The Department of Environmental Quality through the State Energy Office shall develop a comprehensive program to manage energy, water, and other utility use for State agencies and State institutions of higher learning and shall update this program annually. Each State agency and State institution of higher learning shall develop and implement a management plan that is consistent with the State's comprehensive program under this subsection to manage energy, water, and other utility use, and that addresses any findings or recommendations resulting from the energy audit required by subsection (b1) of this section. The energy consumption per gross square foot for all State buildings in total shall be reduced by twenty percent (20%) by 2010 and thirty percent (30%) by 2015 based on energy consumption for the 2002-2003 fiscal year. Each State agency and State institution of higher learning shall update its management plan biennially and include strategies for supporting the energy consumption reduction requirements under this subsection. Each community college shall submit to the State Energy Office a biennial written report of utility consumption and costs. Management plans submitted biennially by State institutions of higher learning shall include all of the following:
 - (1) Estimates of all costs associated with implementing energy conservation measures, including pre-installation and post-installation costs.
 - (2) The cost of analyzing the projected energy savings.
 - (3) Design costs, engineering costs, pre-installation costs, post-installation costs, debt service, and any costs for converting to an alternative energy source.
 - (4) An analysis that identifies projected annual energy savings and estimated payback periods.
- (a1) State agencies and State institutions of higher learning shall carry out the construction and renovation of facilities in such a manner as to further the policy set forth under this section and to ensure the use of life-cycle cost analyses and practices to conserve energy, water, and other utilities.
- (b) The Department of Administration shall develop and implement policies, procedures, and standards to ensure that State purchasing practices improve efficiency regarding energy, water, and other utility use and take the cost of the product over the economic life of the product into consideration. The Department of Administration shall adopt and implement Building Energy Design Guidelines. These guidelines shall include energy-use goals and standards, economic assumptions for life-cycle cost analysis, and other criteria on building systems and technologies. The Department of Administration shall modify the design criteria for construction and renovation of facilities of State buildings and State institutions of higher learning buildings to require that a life-cycle cost analysis be conducted pursuant to G.S. 143-64.15.
- (b1) The Department of Administration, as part of the Facilities Condition and Assessment Program, shall identify and recommend energy conservation maintenance and operating procedures that are designed to reduce energy consumption within the facility of a State agency or a State institution of higher learning and that require no significant expenditure of funds. Every State agency or State institution of higher learning shall implement these recommendations. Where energy management equipment is proposed for

any facility of a State agency or of a State institution of higher learning, the maximum interchangeability and compatibility of equipment components shall be required. As part of the Facilities Condition and Assessment Program under this section, the Department of Administration, in consultation with the State Energy Office, shall develop an energy audit and a procedure for conducting energy audits. Every five years the Department shall conduct an energy audit for each State agency or State institution of higher learning, and the energy audits conducted shall serve as a preliminary energy survey. The State Energy Office shall be responsible for system-level detailed surveys.

- (b2) The Department of Administration shall submit a report of the energy audit required by subsection (b1) of this section to the affected State agency or State institution of higher learning and to the State Energy Office. The State Energy Office shall review each audit and, in consultation with the affected State agency or State institution of higher learning, incorporate the audit findings and recommendations into the management plan required by subsection (a) of this section.
 - (c) through (g) Repealed by Session Laws 1993, c. 334, s. 4.
- (h) When conducting a facilities condition and assessment under this section, the Department of Administration shall identify and recommend to the State Energy Office any facility of a State agency or State institution of higher learning as suitable for building commissioning to reduce energy consumption within the facility or as suitable for installing an energy savings measure pursuant to a guaranteed energy savings contract under Part 2 of this Article.
- (i) Consistent with G.S. 150B-2(8a)h., the Department of Administration may adopt architectural and engineering standards to implement this section.
- (j) The State Energy Office shall submit a report by December 1 of every odd-numbered year to the Joint Legislative Energy Policy Commission describing the comprehensive program to manage energy, water, and other utility use for State agencies and State institutions of higher learning required by subsection (a) of this section. The report shall also contain the following:
 - (1) A comprehensive overview of how State agencies and State institutions of higher learning are managing energy, water, and other utility use and achieving efficiency gains.
 - (2) Any new measures that could be taken by State agencies and State institutions of higher learning to achieve greater efficiency gains, including any changes in general law that might be needed.
 - (3) A summary of the State agency and State institutions of higher learning management plans required by subsection (a) of this section and the energy audits required by subsection (b1) of this section.
 - (4) A list of the State agencies and State institutions of higher learning that did and did not submit management plans required by subsection (a) of this section and a list of the State agencies and State institutions of higher learning that received an energy audit.
 - (5) Any recommendations on how management plans can be better managed and implemented. (1975, c. 434, s. 3; 1993, c. 334, s. 4; 2000-140, s.

76(f); 2001-415, s. 3; 2006-190, s. 12; 2007-546, s. 3.1(a); 2008-198, s. 11.1; 2009-446, s. 1(e); 2010-31, s. 14.3; 2010-196, s. 2; 2013-360, s. 15.22(p); 2014-120, s. 55; 2015-241, s. 14.30(u).)

§ 143-64.13: Repealed by Session Laws 1993, c. 334, s. 5.

§ 143-64.14: Recodified as § 143-64.16 by Session Laws 1993, c. 334, s. 7.

§ 143-64.15. Life-cycle cost analysis.

- (a) A life-cycle cost analysis shall be commenced at the schematic design phase of the construction or renovation project, shall be updated or amended as needed at the design development phase, and shall be updated or amended again as needed at the construction document phase. A life-cycle cost analysis shall include, but not be limited to, all of the following elements:
 - (1) The coordination, orientation, and positioning of the facility on its physical site.
 - (2) The amount and type of fenestration and the potential for daylighting employed in the facility.
 - (3) Thermal characteristics of materials and the amount of insulation incorporated into the facility design.
 - (4) The variable occupancy and operating conditions of the facility, including illumination levels.
 - (5) Architectural features that affect the consumption of energy, water, and other utilities.
- (b) The life-cycle cost analysis performed for any State facility shall, in addition to the requirements set forth in subsection (a) of this section, include, but not be limited to, all of the following:
 - (1) An energy-consumption analysis of the facility's energy-consuming systems in accordance with the provisions of subsection (g) of this section.
 - (2) The initial estimated cost of each energy-consuming system being compared and evaluated.
 - (3) The estimated annual operating cost of all utility requirements.
 - (4) The estimated annual cost of maintaining each energy-consuming system.
 - (5) The average estimated replacement cost for each system expressed in annual terms for the economic life of the facility.
- (c) Each entity shall conduct a life-cycle cost analysis pursuant to this section for the construction or the renovation of any State facility or State-assisted facility of 20,000 or more gross square feet. For the replacement of heating, ventilation, and air-conditioning equipment in any State facility or State-assisted facility of 20,000 or more gross square feet, the entity shall conduct a life-cycle cost analysis of the replacement equipment pursuant to this section when the replacement is financed under a guaranteed energy savings contract or financed using repair and renovation funds.
- (d) The life-cycle cost analysis shall be certified by a registered professional engineer or bear the seal of a North Carolina registered architect, or both. The engineer or architect shall be particularly qualified by training and experience for the type of work involved, but shall not be employed directly or indirectly by a fuel provider, utility company, or group supported by fuel

providers or utility funds. Plans and specifications for facilities involving public funds shall be designed in conformance with the provisions of G.S. 133-1.1.

- (e) In order to protect the integrity of historic buildings, no provision of this Article shall be interpreted to require the implementation of measures to conserve energy, water, or other utility use that conflict with respect to any property eligible for, nominated to, or entered on the National Register of Historic Places, pursuant to the National Historic Preservation Act of 1966, P.L. 89-665; any historic building located within an historic district as provided in Chapters 160A or 153A of the General Statutes; any historic building listed, owned, or under the jurisdiction of an historic properties commission as provided in Chapter 160A or 153A; nor any historic property owned by the State or assisted by the State.
- (f) Each State agency shall use the life-cycle cost analysis over the economic life of the facility in selecting the optimum system or combination of systems to be incorporated into the design of the facility.
- (g) The energy-consumption analysis of the operation of energy-consuming systems utilities in a facility shall include, but not be limited to, all of the following:
 - (1) The comparison of two or more system alternatives.
 - (2) The simulation or engineering evaluation of each system over the entire range of operation of the facility for a year's operating period.
 - (3) The engineering evaluation of the consumption of energy, water, and other utilities of component equipment in each system considering the operation of such components at other than full or rated outputs. (1993, c. 334, s. 6; 2001-415, ss. 4, 5; 2006-190, s. 13; 2007-546, s. 4.1.)

§ 143-64.15A. Certification of life-cycle cost analysis.

Each State agency and each State institution of higher learning performing a life-cycle cost analysis for the purpose of constructing or renovating any facility shall, prior to selecting a design option or advertising for bids for construction, submit the life-cycle cost analysis to the Department for certification at the schematic design phase and again when it is updated or amended as needed in accordance with G.S. 143-64.15. The Department shall review the material submitted by the State agency or State institution of higher learning, reserve the right to require an agency or institution to complete additional analysis to comply with certification, perform any additional analysis, as necessary, to comply with G.S. 143-341(11), and require that all construction or renovation conducted by the State agency or State institution of higher learning comply with the certification issued by the Department. (2001-415, s. 6; 2007-546, s. 4.2.)

§ 143-64.16. Application of Part.

The provisions of this Part shall not apply to municipalities or counties, nor to any agency or department of any municipality or county; provided, however, this Part shall apply to any board of a community college. Community college is defined in G.S. 115D-2(2). (1975, c. 434, s. 5; 1989, c. 23, s. 2; 1993, c. 334, s. 7; 1993 (Reg. Sess., 1994), c. 775, s. 2.)