

User ID: XJLSTEGER

RAW DATA REPORT

Report Request ID: 1657122

Report Code: AMP350

May. 30, 2018

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

37

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	42602		

AGENCY SELECTIONS

North Carolina Dept Of Environmental Quality

SELECTED OPTIONS

Option Type	Option Value
INCLUDE NULLS	YES
DAILY STATISTICS	MAXIMUM
UNITS	STANDARD
RAW DATA EVENTS	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2015 01 01	2015 12 31

APPLICABLE STANDARDS

Standard Description
NO2 Annual 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	28.0	29.0	27.0	25.0	25.0	25.0	22.0	20.0	22.0	16.0	8.0	5.0	4.0	4.0	5.0	6.0	6.0	9.0	9.0	8.0	10.0	10.0	10.0	9.0	24	29.0	
2	9.0	10.0	9.0	12.0	16.0	26.0	29.0	26.0	23.0	22.0	17.0	12.0	13.0	17.0	13.0	12.0	10.0	16.0	21.0	27.0	21.0	22.0	25.0	22.0	24	29.0	
3	18.0	16.0	12.0	9.0	9.0	7.0	6.0	5.0	6.0	6.0	5.0	5.0	5.0	5.0	5.0	6.0	7.0	7.0	7.0	8.0	8.0	5.0	5.0	5.0	24	18.0	
4	5.0	7.0	10.0	11.0	8.0	5.0	7.0	9.0	7.0	8.0	8.0	8.0	7.0	7.0	8.0	7.0	6.0	4.0	4.0	4.0	3.0	3.0	4.0	3.0	24	11.0	
5	3.0	4.0	4.0	3.0	3.0	4.0	6.0	11.0	10.0	5.0	3.0	3.0	4.0	4.0	4.0	4.0	6.0	19.0	27.0	18.0	10.0	12.0	13.0	15.0	24	27.0	
6	14.0	16.0	19.0	15.0	17.0	20.0	21.0	26.0	24.0	BF	BF	BF	8.0	6.0	6.0	6.0	7.0	8.0	12.0	13.0	11.0	13.0	13.0	18.0	21	26.0	
7	14.0	12.0	9.0	6.0	6.0	7.0	7.0	9.0	6.0	6.0	5.0	5.0	4.0	5.0	5.0	6.0	6.0	7.0	7.0	6.0	6.0	6.0	5.0	5.0	24	14.0	
8	5.0	4.0	5.0	8.0	6.0	8.0	14.0	14.0	12.0	7.0	5.0	4.0	4.0	6.0	6.0	5.0	6.0	10.0	17.0	16.0	14.0	13.0	11.0	7.0	24	17.0	
9	7.0	8.0	8.0	8.0	7.0	8.0	17.0	17.0	13.0	10.0	9.0	6.0	5.0	5.0	5.0	5.0	6.0	12.0	12.0	9.0	8.0	7.0	8.0	11.0	24	17.0	
10	14.0	12.0	10.0	6.0	5.0	5.0	5.0	6.0	4.0	4.0	3.0	3.0	3.0	3.0	4.0	5.0	6.0	11.0	19.0	35.0	33.0	30.0	26.0	27.0	24	35.0	
11	24.0	28.0	30.0	29.0	27.0	26.0	23.0	22.0	19.0	20.0	16.0	13.0	9.0	7.0	7.0	9.0	11.0	14.0	20.0	27.0	31.0	20.0	10.0	8.0	24	31.0	
12	7.0	7.0	5.0	7.0	4.0	5.0	8.0	9.0	12.0	10.0	9.0	10.0	12.0	22.0	25.0	24.0	19.0	19.0	21.0	20.0	20.0	18.0	16.0	16.0	24	25.0	
13	13.0	7.0	5.0	6.0	8.0	4.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	6.0	6.0	4.0	4.0	4.0	4.0	24	13.0	
14	5.0	4.0	4.0	4.0	3.0	3.0	3.0	4.0	6.0	4.0	4.0	4.0	4.0	3.0	4.0	5.0	7.0	11.0	13.0	18.0	24.0	21.0	21.0	16.0	24	24.0	
15	15.0	18.0	14.0	14.0	13.0	16.0	14.0	13.0	14.0	17.0	14.0	14.0	14.0	9.0	8.0	11.0	13.0	13.0	14.0	14.0	14.0	13.0	13.0	13.0	24	18.0	
16	12.0	13.0	13.0	12.0	13.0	13.0	15.0	22.0	20.0	8.0	5.0	4.0	3.0	4.0	4.0	5.0	6.0	13.0	18.0	16.0	14.0	18.0	19.0	15.0	24	22.0	
17	18.0	17.0	22.0	13.0	17.0	12.0	9.0	13.0	15.0	10.0	5.0	5.0	4.0	5.0	5.0	6.0	7.0	10.0	12.0	7.0	7.0	7.0	10.0	19.0	24	22.0	
18	17.0	13.0	8.0	8.0	10.0	12.0	11.0	11.0	11.0	9.0	6.0	5.0	4.0	4.0	4.0	5.0	4.0	5.0	11.0	13.0	10.0	6.0	7.0	7.0	24	17.0	
19	8.0	12.0	11.0	13.0	14.0	12.0	16.0	23.0	17.0	15.0	13.0	7.0	6.0	6.0	6.0	7.0	8.0	10.0	17.0	20.0	21.0	21.0	14.0	11.0	24	23.0	
20	14.0	17.0	19.0	16.0	19.0	23.0	27.0	31.0	28.0	BF	BF	11.0	9.0	10.0	9.0	10.0	13.0	24.0	32.0	31.0	33.0	38.0	33.0	35.0	22	38.0	
21	29.0	17.0	9.0	11.0	7.0	8.0	6.0	7.0	8.0	8.0	7.0	6.0	6.0	5.0	6.0	7.0	8.0	11.0	21.0	18.0	25.0	18.0	27.0	23.0	24	29.0	
22	16.0	13.0	18.0	22.0	22.0	20.0	19.0	25.0	23.0	23.0	21.0	10.0	6.0	5.0	4.0	5.0	6.0	15.0	11.0	8.0	8.0	7.0	6.0	5.0	24	25.0	
23	10.0	8.0	5.0	4.0	4.0	5.0	6.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	8.0	9.0	8.0	9.0	8.0	8.0	8.0	7.0	7.0	6.0	24	10.0	
24	5.0	5.0	5.0	9.0	6.0	4.0	4.0	7.0	11.0	10.0	6.0	5.0	5.0	4.0	4.0	5.0	5.0	6.0	8.0	7.0	7.0	6.0	7.0	8.0	24	11.0	
25	13.0	14.0	14.0	14.0	14.0	20.0	20.0	19.0	16.0	13.0	8.0	4.0	4.0	6.0	5.0	5.0	5.0	6.0	8.0	7.0	5.0	5.0	6.0	8.0	24	20.0	
26	8.0	6.0	6.0	6.0	8.0	9.0	14.0	15.0	12.0	7.0	6.0	8.0	16.0	13.0	10.0	8.0	8.0	9.0	8.0	7.0	6.0	7.0	6.0	5.0	24	16.0	
27	4.0	4.0	7.0	6.0	6.0	8.0	13.0	12.0	9.0	6.0	5.0	4.0	4.0	4.0	5.0	5.0	6.0	6.0	10.0	9.0	7.0	6.0	6.0	5.0	24	13.0	
28	5.0	5.0	4.0	5.0	5.0	10.0	20.0	18.0	13.0	7.0	5.0	3.0	3.0	3.0	4.0	5.0	5.0	12.0	21.0	36.0	31.0	26.0	31.0	23.0	24	36.0	
29	18.0	18.0	24.0	20.0	24.0	24.0	24.0	23.0	31.0	24.0	13.0	10.0	10.0	12.0	15.0	14.0	10.0	14.0	25.0	26.0	29.0	25.0	16.0	12.0	24	31.0	
30	10.0	12.0	13.0	8.0	6.0	5.0	5.0	6.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	6.0	7.0	7.0	7.0	10.0	14.0	15.0	24	15.0	
31	21.0	20.0	13.0	9.0	21.0	23.0	24.0	17.0	17.0	10.0	6.0	3.0	3.0	3.0	4.0	5.0	5.0	8.0	19.0	33.0	32.0	20.0	16.0	13.0	24	33.0	
NO.:	31	31	31	31	31	31	31	31	31	29	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	29.0	29.0	30.0	29.0	27.0	26.0	29.0	31.0	31.0	24.0	21.0	14.0	16.0	22.0	25.0	24.0	24.0	24.0	32.0	36.0	33.0	38.0	33.0	35.0			
AVG:	12.55	12.13	11.68	10.94	11.39	12.16	13.55	14.55	13.90	10.41	7.86	6.40	6.26	6.52	6.68	7.16	7.58	10.58	14.32	15.58	15.06	13.74	13.26	12.55			

MONTHLY OBSERVATIONS: 739 MONTHLY MEAN: 11.13 MONTHLY MAX: 38.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	15.0	14.0	13.0	21.0	21.0	20.0	21.0	22.0	20.0	15.0	8.0	6.0	6.0	6.0	6.0	7.0	7.0	6.0	6.0	8.0	8.0	13.0	7.0	4.0	24	22.0	
2	3.0	4.0	3.0	3.0	3.0	3.0	4.0	5.0	5.0	6.0	BF	BF	BF	BF	BF	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	10	6.0
3	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
4	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
5	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
6	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
7	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
8	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
9	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
10	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
11	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
12	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
13	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
14	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
15	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
16	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
17	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
18	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
19	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
20	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
21	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
22	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
23	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
24	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
25	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
26	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
27	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
28	5.0	6.0	.0	.0	.0	2.0	2.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	2.0	2.0	3.0	5.0	8.0	9.0	11.0	8.0	4.0	3.0	24	11.0
29																										0	
30																										0	
31																										0	
NO.:	3	3	3	3	3	3	3	3	3	3	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3		
MAX:	15.0	14.0	13.0	21.0	21.0	20.0	21.0	22.0	20.0	15.0	8.0	6.0	6.0	6.0	6.0	7.0	7.0	6.0	6.0	8.0	9.0	13.0	8.0	4.0			
AVG:	7.67	8.00	5.33	8.00	8.00	8.33	9.00	9.33	8.67	7.33	4.00	3.00	3.50	3.50	2.67	3.00	3.00	3.33	4.33	6.33	5.67	8.00	6.33	3.67			

MONTHLY OBSERVATIONS: 68 MONTHLY MEAN: 5.97 MONTHLY MAX: 22.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	3.0	2.0	2.0	3.0	3.0	3.0	1.0	2.0	1.0	3.0	1.0	4.0	7.0	3.0	1.0	3.0	8.0	10.0	8.0	8.0	6.0	3.0	4.0	2.0	24	10.0
2	1.0	1.0	1.0	1.0	2.0	4.0	5.0	7.0	5.0	4.0	1.0	.0	.0	.0	.0	2.0	3.0	1.0	3.0	1.0	2.0	4.0	8.0	3.0	24	8.0
3	8.0	8.0	3.0	.0	.0	1.0	3.0	6.0	7.0	3.0	3.0	2.0	4.0	4.0	5.0	9.0	11.0	11.0	9.0	7.0	6.0	6.0	4.0	4.0	24	11.0
4	3.0	5.0	6.0	6.0	4.0	4.0	4.0	5.0	4.0	2.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	.0	24	6.0
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
6	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	3.0	3.0	5.0	9.0	14.0	21.0	26.0	22.0	18.0	24	26.0
7	25.0	30.0	25.0	29.0	24.0	21.0	25.0	23.0	18.0	9.0	5.0	2.0	1.0	1.0	2.0	1.0	2.0	3.0	7.0	17.0	20.0	15.0	9.0	9.0	24	30.0
8	12.0	19.0	23.0	18.0	24.0	26.0	26.0	22.0	13.0	1.0	.0	.0	1.0	2.0	3.0	4.0	4.0	4.0	12.0	13.0	19.0	17.0	21.0	15.0	24	26.0
9	14.0	9.0	20.0	18.0	26.0	33.0	28.0	15.0	18.0	4.0	2.0	1.0	1.0	2.0	2.0	3.0	3.0	6.0	6.0	10.0	7.0	15.0	11.0	17.0	24	33.0
10	21.0	16.0	7.0	5.0	6.0	17.0	19.0	BA	BA	26.0	12.0	5.0	2.0	2.0	1.0	1.0	2.0	4.0	13.0	22.0	19.0	12.0	10.0	8.0	22	26.0
11	5.0	3.0	4.0	5.0	4.0	5.0	11.0	16.0	15.0	11.0	4.0	1.0	.0	1.0	5.0	9.0	12.0	16.0	21.0	18.0	9.0	8.0	4.0	6.0	24	21.0
12	1.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	4.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	3.0	5.0	4.0	1.0	2.0	4.0	24	5.0
13	3.0	2.0	3.0	4.0	3.0	2.0	3.0	5.0	3.0	BF	BF	BF	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	.0	.0	.0	.0	21	5.0
14	.0	2.0	1.0	.0	1.0	.0	1.0	5.0	10.0	16.0	18.0	18.0	11.0	4.0	6.0	4.0	2.0	1.0	3.0	5.0	3.0	2.0	3.0	5.0	24	18.0
15	7.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	4.0	6.0	5.0	11.0	7.0	7.0	24	11.0
16	8.0	15.0	13.0	24.0	26.0	26.0	26.0	24.0	25.0	27.0	18.0	6.0	3.0	2.0	1.0	1.0	.0	3.0	11.0	5.0	1.0	3.0	7.0	7.0	24	27.0
17	11.0	16.0	7.0	10.0	24.0	20.0	37.0	20.0	5.0	1.0	.0	.0	.0	2.0	4.0	5.0	5.0	3.0	4.0	6.0	5.0	1.0	.0	.0	24	37.0
18	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	2.0	3.0	3.0	5.0	8.0	15.0	22.0	24.0	20.0	24	24.0
19	16.0	14.0	8.0	9.0	5.0	3.0	5.0	10.0	2.0	6.0	5.0	BA	1.0	2.0	4.0	4.0	4.0	3.0	2.0	1.0	.0	.0	.0	.0	23	16.0
20	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	3.0	3.0	1.0	2.0	4.0	4.0	2.0	5.0	10.0	16.0	20.0	16.0	16.0	24	20.0
21	14.0	13.0	7.0	7.0	7.0	6.0	5.0	6.0	7.0	9.0	3.0	.0	.0	.0	.0	.0	3.0	8.0	9.0	18.0	27.0	32.0	35.0	24	35.0	
22	25.0	21.0	24.0	21.0	14.0	19.0	18.0	13.0	7.0	2.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	11.0	15.0	15.0	14.0	7.0	3.0	24	25.0
23	3.0	3.0	4.0	2.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	3.0	7.0	4.0	4.0	3.0	1.0	24	7.0
24	1.0	1.0	.0	1.0	3.0	8.0	13.0	10.0	4.0	3.0	4.0	5.0	4.0	1.0	1.0	2.0	3.0	8.0	7.0	3.0	1.0	.0	.0	.0	24	13.0
25	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	.0	.0	.0	1.0	2.0	2.0	6.0	11.0	15.0	6.0	3.0	3.0	2.0	2.0	2.0	24	15.0
26	.0	.0	.0	.0	1.0	3.0	16.0	16.0	17.0	9.0	4.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	3.0	1.0	.0	.0	24	17.0
27	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	1.0	9.0	14.0	3.0	2.0	1.0	21	14.0
28	.0	.0	.0	.0	1.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	.0	.0	24	2.0
29	4.0	2.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	7.0	8.0	5.0	2.0	1.0	24	8.0
30	1.0	.0	1.0	2.0	3.0	5.0	6.0	7.0	5.0	3.0	4.0	2.0	.0	.0	.0	.0	1.0	2.0	5.0	10.0	20.0	8.0	7.0	7.0	24	20.0
31	13.0	5.0	4.0	9.0	15.0	24.0	22.0	29.0	15.0	6.0	1.0	AZ	AZ	AZ	AZ	AZ	2.0	2.0	3.0	4.0	3.0	5.0	3.0	6.0	19	29.0
NO.:	31	31	31	31	31	31	31	30	29	29	29	28	30	30	30	30	31	31	31	31	31	31	31	31	31	
MAX:	25.0	30.0	25.0	29.0	26.0	33.0	37.0	29.0	25.0	27.0	18.0	18.0	11.0	4.0	6.0	9.0	12.0	16.0	21.0	22.0	21.0	27.0	32.0	35.0		
AVG:	6.42	6.10	5.26	5.61	6.32	7.45	9.03	8.27	6.38	5.14	2.93	1.82	1.43	1.03	1.43	2.23	3.03	3.55	5.45	7.61	8.23	7.74	6.68	6.35		

MONTHLY OBSERVATIONS: 730 MONTHLY MEAN: 5.26 MONTHLY MAX: 37.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	6.0	5.0	4.0	2.0	.0	24	6.0	
2	.0	.0	2.0	4.0	3.0	8.0	11.0	14.0	2.0	.0	.0	.0	.0	1.0	1.0	2.0	3.0	6.0	12.0	7.0	3.0	6.0	5.0	5.0	24	14.0	
3	3.0	2.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	3.0	3.0	2.0	1.0	2.0	24	3.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	4.0	8.0	9.0	11.0	24	11.0	
5	9.0	5.0	6.0	5.0	6.0	7.0	10.0	8.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	10.0	16.0	21.0	23.0	22.0	24	23.0	
6	18.0	7.0	6.0	7.0	9.0	11.0	17.0	20.0	13.0	4.0	.0	.0	.0	.0	.0	.0	1.0	2.0	5.0	8.0	12.0	14.0	12.0	10.0	24	20.0	
7	1.0	.0	.0	.0	1.0	2.0	9.0	9.0	5.0	4.0	3.0	4.0	4.0	6.0	4.0	1.0	.0	.0	3.0	6.0	14.0	16.0	18.0	16.0	24	18.0	
8	6.0	10.0	7.0	4.0	4.0	8.0	9.0	11.0	9.0	6.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	8.0	8.0	5.0	6.0	1.0	24	11.0	
9	1.0	.0	.0	1.0	.0	.0	1.0	1.0	2.0	4.0	3.0	2.0	3.0	1.0	1.0	.0	1.0	5.0	5.0	4.0	1.0	1.0	.0	.0	24	5.0	
10	.0	1.0	1.0	3.0	6.0	6.0	3.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	2.0	4.0	5.0	14.0	12.0	4.0	21	14.0	
11	1.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	1.0	2.0	1.0	24	3.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	6.0	4.0	2.0	1.0	24	6.0
13	.0	.0	.0	.0	3.0	12.0	14.0	11.0	4.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	4.0	.0	.0	.0	.0	24	14.0	
14	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	1.0	.0	.0	2.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
16	.0	.0	.0	.0	.0	.0	1.0	6.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	24	6.0	
17	.0	.0	.0	.0	.0	1.0	1.0	3.0	1.0	.0	1.0	3.0	2.0	.0	.0	.0	1.0	2.0	3.0	5.0	7.0	6.0	6.0	5.0	24	7.0	
18	3.0	3.0	2.0	2.0	.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	7.0	4.0	6.0	5.0	24	7.0	
19	3.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
20	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	.0	24	2.0	
21	.0	.0	.0	.0	.0	6.0	15.0	7.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	11.0	7.0	10.0	24	15.0	
22	17.0	11.0	8.0	5.0	2.0	6.0	15.0	6.0	3.0	1.0	1.0	.0	.0	1.0	2.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	24	17.0	
23	.0	.0	.0	.0	.0	.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	7.0	12.0	7.0	1.0	3.0	24	12.0	
24	7.0	4.0	4.0	3.0	11.0	24.0	26.0	7.0	BF	BF	BF	.0	.0	.0	.0	.0	1.0	.0	7.0	13.0	16.0	16.0	21.0	23.0	21	26.0	
25	11.0	6.0	6.0	6.0	4.0	4.0	5.0	2.0	2.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	11.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	6.0	24	6.0	
27	5.0	1.0	4.0	8.0	7.0	9.0	9.0	7.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	5.0	15.0	15.0	24	15.0	
28	1.0	.0	.0	2.0	4.0	5.0	9.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	11.0	15.0	12.0	15.0	15.0	24	15.0	
29	12.0	8.0	6.0	13.0	17.0	15.0	11.0	17.0	18.0	8.0	.0	.0	.0	.0	1.0	.0	.0	1.0	3.0	11.0	9.0	9.0	5.0	2.0	24	18.0	
30	2.0	4.0	4.0	6.0	9.0	16.0	18.0	11.0	7.0	8.0	3.0	2.0	.0	.0	.0	.0	2.0	2.0	9.0	10.0	4.0	.0	.0	.0	24	18.0	
31																											0
NO.:	30	30	30	30	30	30	30	29	28	28	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	18.0	11.0	8.0	13.0	17.0	24.0	26.0	20.0	18.0	8.0	3.0	4.0	4.0	6.0	4.0	2.0	3.0	6.0	12.0	13.0	16.0	21.0	23.0	23.0			
AVG:	3.43	2.20	1.97	2.33	2.90	4.77	6.47	5.07	2.50	1.29	.48	.40	.30	.47	.43	.17	.30	.70	2.37	4.53	5.23	5.67	5.73	5.20			

MONTHLY OBSERVATIONS: 714 MONTHLY MEAN: 2.71 MONTHLY MAX: 26.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	1.0	5.0	7.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	7.0	11.0	4.0	3.0	3.0	24	11.0	
2	8.0	4.0	5.0	5.0	4.0	3.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	7.0	14.0	28.0	32.0	23.0	24	32.0	
3	21.0	25.0	18.0	17.0	14.0	14.0	7.0	5.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	7.0	6.0	3.0	3.0	2.0	24	25.0	
4	3.0	1.0	1.0	3.0	4.0	12.0	21.0	8.0	5.0	3.0	.0	.0	.0	.0	.0	.0	2.0	2.0	4.0	10.0	14.0	9.0	7.0	1.0	24	21.0	
5	.0	1.0	.0	3.0	4.0	6.0	6.0	5.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	6.0	13.0	12.0	10.0	24	13.0	
6	6.0	8.0	7.0	6.0	8.0	16.0	10.0	7.0	7.0	7.0	7.0	2.0	.0	.0	.0	1.0	.0	.0	1.0	6.0	5.0	12.0	7.0	7.0	24	16.0	
7	6.0	3.0	3.0	2.0	3.0	5.0	2.0	9.0	8.0	9.0	15.0	7.0	.0	.0	.0	.0	.0	.0	.0	4.0	4.0	4.0	2.0	3.0	24	15.0	
8	2.0	.0	.0	.0	.0	1.0	2.0	.0	BF	BF	9.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	6.0	4.0	4.0	5.0	22	9.0	
9	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	.0	1.0	1.0	.0	24	4.0	
10	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	24	2.0	
11	.0	.0	.0	1.0	4.0	1.0	3.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	6.0	2.0	.0	24	6.0	
12	.0	1.0	1.0	2.0	6.0	6.0	6.0	4.0	3.0	2.0	.0	.0	.0	.0	.0	.0	2.0	3.0	2.0	3.0	5.0	4.0	3.0	3.0	24	6.0	
13	3.0	1.0	1.0	1.0	2.0	13.0	8.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	5.0	.0	.0	.0	24	13.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	BC	BC	BC	BC	6.0	6.0	6.0	7.0	11.0	14.0	15.0	14.0	12.0	17	15.0	
15	10.0	9.0	8.0	8.0	10.0	9.0	12.0	17.0	14.0	10.0	7.0	7.0	5.0	5.0	5.0	6.0	6.0	6.0	7.0	7.0	7.0	7.0	7.0	9.0	24	17.0	
16	10.0	8.0	7.0	7.0	6.0	7.0	7.0	6.0	6.0	5.0	5.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	7.0	10.0	12.0	15.0	13.0	12.0	24	15.0	
17	8.0	7.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	9.0	11.0	15.0	12.0	8.0	24	15.0	
18	8.0	7.0	8.0	8.0	8.0	10.0	13.0	17.0	12.0	6.0	5.0	4.0	4.0	4.0	4.0	5.0	5.0	7.0	7.0	6.0	7.0	13.0	13.0	10.0	24	17.0	
19	7.0	8.0	8.0	11.0	14.0	16.0	13.0	12.0	10.0	9.0	6.0	5.0	5.0	5.0	4.0	4.0	5.0	5.0	6.0	9.0	13.0	12.0	12.0	9.0	24	16.0	
20	7.0	10.0	9.0	16.0	19.0	34.0	21.0	14.0	7.0	5.0	6.0	5.0	6.0	5.0	5.0	5.0	5.0	5.0	7.0	9.0	11.0	8.0	6.0	5.0	24	34.0	
21	5.0	10.0	8.0	6.0	10.0	11.0	13.0	12.0	10.0	11.0	10.0	5.0	4.0	4.0	5.0	5.0	5.0	10.0	13.0	8.0	8.0	6.0	5.0	5.0	24	13.0	
22	6.0	5.0	5.0	7.0	9.0	13.0	12.0	7.0	4.0	4.0	4.0	3.0	4.0	4.0	4.0	5.0	5.0	9.0	6.0	6.0	10.0	21.0	12.0	10.0	18.0	24	21.0
23	22.0	28.0	23.0	19.0	16.0	15.0	12.0	7.0	6.0	9.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	6.0	6.0	10.0	10.0	9.0	10.0	9.0	24	28.0	
24	7.0	7.0	8.0	10.0	9.0	8.0	7.0	6.0	5.0	4.0	4.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	8.0	9.0	8.0	9.0	24	10.0	
25	6.0	4.0	5.0	5.0	5.0	7.0	7.0	5.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	5.0	6.0	9.0	9.0	11.0	8.0	24	11.0	
26	8.0	4.0	4.0	5.0	6.0	7.0	8.0	7.0	5.0	BF	BF	4.0	5.0	5.0	5.0	5.0	5.0	4.0	4.0	6.0	6.0	6.0	5.0	4.0	22	8.0	
27	5.0	5.0	7.0	8.0	9.0	9.0	9.0	8.0	8.0	9.0	7.0	5.0	4.0	4.0	4.0	5.0	5.0	5.0	6.0	8.0	9.0	9.0	7.0	7.0	24	9.0	
28	7.0	8.0	8.0	7.0	7.0	10.0	11.0	8.0	8.0	7.0	6.0	6.0	5.0	5.0	4.0	4.0	4.0	5.0	5.0	6.0	7.0	9.0	8.0	8.0	24	11.0	
29	9.0	8.0	8.0	8.0	16.0	18.0	16.0	14.0	9.0	7.0	6.0	6.0	6.0	5.0	6.0	10.0	10.0	16.0	12.0	10.0	10.0	11.0	10.0	11.0	24	18.0	
30	11.0	9.0	9.0	11.0	11.0	11.0	10.0	7.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	10.0	8.0	6.0	24	11.0	
31	7.0	7.0	6.0	6.0	5.0	6.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	3.0	4.0	4.0	4.0	5.0	6.0	6.0	7.0	9.0	8.0	6.0	24	9.0	
NO.:	31	31	31	31	31	31	31	31	29	28	29	30	30	30	30	31	31	31	31	31	31	31	31	31	31		
MAX:	22.0	28.0	23.0	19.0	19.0	34.0	21.0	17.0	14.0	11.0	15.0	7.0	6.0	5.0	6.0	10.0	10.0	16.0	13.0	11.0	21.0	28.0	32.0	23.0			
AVG:	6.29	6.10	5.58	6.06	6.94	8.87	8.16	6.71	5.38	4.54	4.03	2.87	2.50	2.40	2.50	2.94	3.19	3.71	4.26	6.61	8.23	8.84	7.74	6.90			

MONTHLY OBSERVATIONS: 733 MONTHLY MEAN: 5.50 MONTHLY MAX: 34.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	7.0	7.0	9.0	10.0	11.0	13.0	11.0	8.0	6.0	6.0	6.0	5.0	5.0	5.0	5.0	5.0	5.0	6.0	6.0	7.0	8.0	7.0	6.0	6.0	24	13.0	
2	6.0	6.0	7.0	7.0	9.0	14.0	14.0	15.0	14.0	AZ	AZ	AZ	AZ	AZ	AZ	AZ	AZ	5.0	4.0	6.0	6.0	5.0	5.0	4.0	16	15.0	
3	5.0	5.0	5.0	6.0	6.0	7.0	7.0	6.0	6.0	5.0	5.0	5.0	6.0	8.0	6.0	5.0	6.0	6.0	6.0	6.0	5.0	4.0	4.0	4.0	24	8.0	
4	4.0	4.0	4.0	4.0	5.0	4.0	5.0	4.0	4.0	5.0	5.0	7.0	5.0	7.0	7.0	9.0	9.0	8.0	6.0	5.0	5.0	4.0	4.0	4.0	24	9.0	
5	4.0	4.0	4.0	3.0	4.0	4.0	5.0	6.0	7.0	8.0	4.0	4.0	3.0	4.0	4.0	5.0	7.0	7.0	5.0	9.0	11.0	14.0	14.0	13.0	24	14.0	
6	17.0	20.0	12.0	13.0	13.0	11.0	8.0	6.0	6.0	5.0	4.0	4.0	4.0	4.0	6.0	6.0	6.0	7.0	8.0	8.0	7.0	7.0	7.0	5.0	24	20.0	
7	5.0	5.0	5.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	7.0	8.0	7.0	5.0	5.0	24	8.0	
8	4.0	6.0	5.0	5.0	5.0	6.0	7.0	6.0	7.0	6.0	5.0	5.0	5.0	5.0	4.0	6.0	5.0	5.0	7.0	7.0	7.0	7.0	6.0	6.0	24	7.0	
9	5.0	5.0	4.0	6.0	5.0	7.0	10.0	10.0	8.0	BF	BF	5.0	5.0	5.0	5.0	5.0	5.0	5.0	7.0	10.0	17.0	17.0	16.0	21.0	22	21.0	
10	20.0	15.0	13.0	13.0	12.0	13.0	12.0	13.0	9.0	6.0	5.0	4.0	5.0	5.0	6.0	6.0	6.0	10.0	11.0	8.0	8.0	7.0	9.0	11.0	24	20.0	
11	10.0	9.0	9.0	8.0	12.0	14.0	12.0	11.0	7.0	7.0	5.0	4.0	5.0	5.0	5.0	5.0	5.0	8.0	9.0	8.0	9.0	10.0	13.0	13.0	24	14.0	
12	12.0	13.0	9.0	8.0	7.0	8.0	10.0	9.0	6.0	6.0	6.0	5.0	5.0	5.0	5.0	5.0	5.0	6.0	7.0	12.0	12.0	11.0	9.0	7.0	24	13.0	
13	7.0	7.0	6.0	7.0	7.0	7.0	7.0	6.0	5.0	4.0	4.0	4.0	4.0	6.0	4.0	4.0	4.0	6.0	8.0	6.0	5.0	6.0	7.0	9.0	24	9.0	
14	10.0	12.0	10.0	8.0	10.0	11.0	7.0	6.0	4.0	4.0	4.0	4.0	4.0	3.0	4.0	4.0	4.0	4.0	4.0	5.0	7.0	11.0	11.0	8.0	8.0	24	12.0
15	7.0	14.0	15.0	13.0	13.0	14.0	11.0	9.0	6.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	8.0	11.0	13.0	16.0	10.0	24	16.0	
16	10.0	9.0	9.0	9.0	10.0	14.0	14.0	9.0	6.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	6.0	9.0	10.0	9.0	8.0	8.0	24	14.0	
17	7.0	12.0	12.0	14.0	10.0	10.0	9.0	7.0	8.0	5.0	7.0	6.0	5.0	4.0	4.0	4.0	6.0	8.0	9.0	10.0	10.0	9.0	5.0	6.0	24	14.0	
18	5.0	5.0	5.0	6.0	7.0	7.0	8.0	9.0	10.0	8.0	8.0	5.0	4.0	4.0	5.0	6.0	6.0	6.0	6.0	6.0	8.0	7.0	5.0	6.0	24	10.0	
19	8.0	7.0	9.0	9.0	8.0	12.0	10.0	8.0	7.0	6.0	6.0	5.0	5.0	5.0	5.0	6.0	7.0	9.0	9.0	9.0	9.0	14.0	17.0	19.0	24	19.0	
20	11.0	9.0	10.0	13.0	14.0	13.0	8.0	7.0	6.0	6.0	5.0	5.0	5.0	4.0	4.0	5.0	4.0	6.0	7.0	9.0	10.0	11.0	15.0	13.0	24	15.0	
21	8.0	7.0	8.0	7.0	7.0	7.0	7.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	7.0	9.0	8.0	9.0	24	9.0	
22	8.0	12.0	7.0	8.0	9.0	14.0	13.0	7.0	5.0	4.0	5.0	6.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	8.0	11.0	12.0	12.0	24	14.0	
23	12.0	9.0	11.0	10.0	10.0	12.0	9.0	8.0	BF	BF	BF	5.0	5.0	5.0	6.0	6.0	5.0	5.0	6.0	7.0	9.0	9.0	9.0	8.0	21	12.0	
24	8.0	9.0	8.0	8.0	9.0	13.0	12.0	5.0	4.0	BA	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	7.0	8.0	8.0	7.0	8.0	23	13.0	
25	8.0	8.0	8.0	8.0	8.0	8.0	7.0	10.0	9.0	8.0	7.0	6.0	6.0	5.0	5.0	5.0	5.0	5.0	6.0	8.0	11.0	17.0	12.0	13.0	24	17.0	
26	15.0	9.0	9.0	8.0	10.0	14.0	16.0	11.0	5.0	4.0	4.0	5.0	5.0	5.0	6.0	9.0	9.0	7.0	9.0	11.0	11.0	8.0	7.0	5.0	24	16.0	
27	5.0	6.0	6.0	5.0	5.0	6.0	6.0	6.0	6.0	6.0	6.0	5.0	6.0	5.0	6.0	8.0	7.0	8.0	9.0	10.0	10.0	10.0	9.0	8.0	24	10.0	
28	6.0	5.0	5.0	4.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	10.0	16.0	22.0	12.0	11.0	24	22.0	
29	9.0	11.0	11.0	9.0	12.0	12.0	8.0	6.0	5.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	5.0	6.0	6.0	8.0	10.0	15.0	16.0	11.0	24	16.0	
30	14.0	16.0	12.0	9.0	11.0	15.0	16.0	15.0	10.0	7.0	5.0	5.0	5.0	5.0	5.0	6.0	7.0	11.0	14.0	16.0	14.0	10.0	8.0	7.0	24	16.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	29	26	27	29	29	29	29	29	29	29	30	30	30	30	30	30	30		
MAX:	20.0	20.0	15.0	14.0	14.0	15.0	16.0	15.0	14.0	8.0	8.0	6.0	6.0	8.0	7.0	9.0	9.0	11.0	14.0	16.0	17.0	22.0	17.0	21.0			
AVG:	8.57	8.87	8.23	8.13	8.60	10.03	9.23	7.87	6.52	5.46	5.11	4.69	4.66	4.72	4.86	5.21	5.45	6.20	6.90	8.17	9.37	9.97	9.30	9.00			

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 7.34 MONTHLY MAX: 22.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	7.0	8.0	8.0	9.0	9.0	13.0	15.0	20.0	14.0	7.0	6.0	5.0	5.0	5.0	5.0	6.0	7.0	8.0	9.0	11.0	12.0	14.0	11.0	9.0	24	20.0
2	8.0	7.0	7.0	8.0	9.0	11.0	13.0	12.0	10.0	6.0	4.0	5.0	4.0	4.0	5.0	5.0	4.0	4.0	9.0	5.0	6.0	8.0	9.0	10.0	24	13.0
3	9.0	8.0	8.0	8.0	8.0	8.0	7.0	5.0	6.0	5.0	5.0	5.0	4.0	5.0	5.0	4.0	5.0	7.0	8.0	7.0	13.0	10.0	7.0	24	13.0	
4	6.0	5.0	5.0	5.0	5.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	4.0	5.0	5.0	6.0	7.0	9.0	7.0	8.0	24	9.0
5	10.0	9.0	8.0	9.0	8.0	9.0	8.0	7.0	7.0	7.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	6.0	5.0	6.0	6.0	8.0	24	10.0
6	7.0	5.0	4.0	6.0	7.0	6.0	7.0	7.0	6.0	6.0	4.0	5.0	4.0	4.0	4.0	5.0	6.0	9.0	6.0	7.0	11.0	10.0	8.0	8.0	24	11.0
7	8.0	7.0	11.0	16.0	16.0	17.0	13.0	12.0	9.0	10.0	8.0	BF	BF	BF	5.0	5.0	5.0	6.0	6.0	12.0	14.0	11.0	12.0	10.0	21	17.0
8	10.0	9.0	8.0	8.0	9.0	13.0	16.0	15.0	8.0	6.0	5.0	5.0	5.0	4.0	4.0	6.0	6.0	7.0	8.0	BD	9.0	9.0	10.0	10.0	23	16.0
9	13.0	11.0	11.0	10.0	13.0	15.0	16.0	16.0	14.0	8.0	5.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	6.0	9.0	BD	14.0	7.0	7.0	23	16.0
10	6.0	6.0	9.0	13.0	17.0	17.0	14.0	12.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	12.0	BD	27.0	25.0	24.0	23	27.0
11	23.0	18.0	19.0	16.0	8.0	11.0	10.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	BD	5.0	5.0	5.0	23	23.0
12	6.0	5.0	6.0	7.0	8.0	7.0	6.0	4.0	6.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	7.0	BD	6.0	6.0	6.0	6.0	23	8.0
13	7.0	7.0	9.0	7.0	6.0	7.0	9.0	14.0	12.0	6.0	7.0	5.0	5.0	5.0	5.0	5.0	5.0	7.0	10.0	5.0	BD	7.0	6.0	6.0	23	14.0
14	10.0	10.0	9.0	7.0	7.0	8.0	10.0	8.0	9.0	8.0	7.0	5.0	5.0	6.0	5.0	6.0	5.0	6.0	6.0	7.0	BD	8.0	6.0	6.0	23	10.0
15	6.0	7.0	7.0	7.0	7.0	9.0	13.0	8.0	5.0	4.0	5.0	4.0	4.0	4.0	5.0	5.0	5.0	5.0	7.0	BD	12.0	14.0	11.0	23	14.0	
16	9.0	11.0	8.0	8.0	5.0	8.0	6.0	5.0	4.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	6.0	BD	9.0	11.0	10.0	23	11.0	
17	8.0	7.0	6.0	6.0	6.0	6.0	7.0	7.0	8.0	8.0	8.0	6.0	5.0	4.0	4.0	4.0	5.0	5.0	8.0	BD	7.0	7.0	6.0	23	8.0	
18	5.0	7.0	6.0	6.0	7.0	7.0	8.0	8.0	6.0	6.0	6.0	5.0	4.0	4.0	4.0	4.0	6.0	6.0	7.0	8.0	BD	7.0	9.0	9.0	23	9.0
19	8.0	9.0	9.0	8.0	8.0	8.0	8.0	7.0	6.0	5.0	5.0	4.0	4.0	4.0	5.0	5.0	7.0	9.0	8.0	11.0	BD	12.0	13.0	8.0	23	13.0
20	9.0	9.0	7.0	9.0	11.0	11.0	10.0	9.0	7.0	5.0	5.0	4.0	4.0	4.0	5.0	4.0	5.0	5.0	7.0	6.0	BD	6.0	7.0	8.0	23	11.0
21	7.0	6.0	6.0	6.0	8.0	11.0	11.0	13.0	BF	BF	BF	7.0	7.0	7.0	6.0	7.0	7.0	10.0	7.0	9.0	BD	10.0	14.0	10.0	20	14.0
22	12.0	13.0	10.0	10.0	9.0	15.0	15.0	12.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	8.0	BD	9.0	8.0	9.0	23	15.0
23	8.0	8.0	7.0	6.0	6.0	7.0	6.0	9.0	11.0	8.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	6.0	8.0	7.0	BD	8.0	6.0	6.0	23	11.0
24	5.0	5.0	4.0	4.0	5.0	6.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	8.0	BD	11.0	9.0	10.0	23	11.0
25	10.0	9.0	7.0	8.0	8.0	8.0	8.0	7.0	7.0	7.0	6.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	5.0	6.0	BD	9.0	8.0	8.0	23	10.0
26	6.0	6.0	5.0	5.0	6.0	9.0	8.0	7.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	BD	6.0	5.0	5.0	23	9.0
27	5.0	5.0	8.0	9.0	8.0	10.0	11.0	9.0	6.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	6.0	5.0	4.0	BD	5.0	6.0	6.0	23	11.0
28	5.0	5.0	6.0	8.0	9.0	10.0	12.0	15.0	9.0	8.0	5.0	5.0	6.0	6.0	5.0	5.0	6.0	6.0	12.0	12.0	BD	9.0	6.0	6.0	23	15.0
29	6.0	5.0	5.0	6.0	6.0	6.0	7.0	11.0	9.0	10.0	9.0	7.0	5.0	5.0	6.0	5.0	6.0	6.0	7.0	9.0	BD	11.0	9.0	9.0	23	11.0
30	9.0	13.0	9.0	11.0	10.0	11.0	12.0	13.0	9.0	6.0	5.0	5.0	5.0	6.0	4.0	5.0	4.0	5.0	5.0	9.0	BD	6.0	4.0	4.0	23	13.0
31	4.0	4.0	5.0	8.0	10.0	7.0	13.0	8.0	4.0	4.0	4.0	5.0	4.0	4.0	4.0	5.0	4.0	5.0	6.0	10.0	BD	13.0	27.0	17.0	23	27.0
NO.:	31	31	31	31	31	31	31	31	30	30	30	30	30	30	31	31	31	31	31	7	31	31	31			
MAX:	23.0	18.0	19.0	16.0	17.0	17.0	16.0	20.0	14.0	10.0	9.0	7.0	7.0	7.0	6.0	7.0	7.0	10.0	12.0	14.0	27.0	27.0	27.0	24.0		
AVG:	8.13	7.87	7.65	8.19	8.35	9.58	9.94	9.48	7.33	6.03	5.27	4.70	4.43	4.43	4.52	4.61	4.97	5.74	6.39	7.74	8.86	9.58	9.35	8.58		

MONTHLY OBSERVATIONS: 714 MONTHLY MEAN: 7.11 MONTHLY MAX: 27.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	17.0	15.0	12.0	13.0	15.0	16.0	14.0	11.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	6.0	9.0	BD	13.0	16.0	13.0	23	17.0	
2	9.0	9.0	6.0	6.0	5.0	6.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	7.0	12.0	BD	7.0	8.0	8.0	23	12.0	
3	8.0	8.0	8.0	9.0	9.0	12.0	16.0	14.0	8.0	9.0	6.0	5.0	4.0	5.0	4.0	4.0	5.0	6.0	6.0	6.0	BD	9.0	8.0	8.0	23	16.0	
4	6.0	6.0	6.0	6.0	11.0	13.0	11.0	AC	AC	BF	BF	6.0	AC	AC	5.0	6.0	6.0	7.0	10.0	14.0	BD	10.0	12.0	8.0	17	14.0	
5	15.0	17.0	11.0	11.0	16.0	24.0	21.0	13.0	6.0	7.0	7.0	5.0	4.0	4.0	4.0	4.0	5.0	5.0	8.0	11.0	BD	8.0	6.0	7.0	23	24.0	
6	8.0	7.0	7.0	7.0	8.0	9.0	9.0	9.0	8.0	7.0	8.0	11.0	9.0	7.0	6.0	6.0	6.0	7.0	7.0	8.0	BD	8.0	7.0	4.0	23	11.0	
7	4.0	4.0	4.0	4.0	4.0	4.0	5.0	7.0	6.0	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	BD	6.0	5.0	6.0	23	7.0	
8	6.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	5.0	9.0	BD	10.0	10.0	9.0	23	10.0	
9	7.0	5.0	6.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	6.0	8.0	BD	9.0	6.0	6.0	23	9.0	
10	5.0	6.0	7.0	7.0	5.0	6.0	11.0	11.0	7.0	7.0	6.0	6.0	6.0	6.0	5.0	6.0	6.0	6.0	7.0	5.0	BD	8.0	8.0	6.0	23	11.0	
11	7.0	7.0	6.0	6.0	6.0	7.0	8.0	8.0	8.0	8.0	8.0	8.0	6.0	5.0	5.0	6.0	9.0	11.0	16.0	18.0	BD	20.0	16.0	9.0	23	20.0	
12	9.0	9.0	10.0	8.0	10.0	10.0	12.0	10.0	BF	BF	BF	BF	BF	2.0	2.0	2.0	2.0	3.0	4.0	7.0	BD	8.0	9.0	9.0	18	12.0	
13	4.0	5.0	4.0	18.0	16.0	15.0	13.0	5.0	2.0	3.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	4.0	6.0	10.0	BD	9.0	6.0	6.0	23	18.0	
14	6.0	5.0	4.0	4.0	4.0	3.0	4.0	4.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0	3.0	6.0	6.0	10.0	BD	14.0	10.0	8.0	23	14.0	
15	8.0	8.0	7.0	8.0	8.0	7.0	6.0	9.0	8.0	6.0	5.0	4.0	4.0	4.0	4.0	5.0	3.0	5.0	8.0	6.0	BD	7.0	7.0	7.0	23	9.0	
16	10.0	6.0	4.0	4.0	6.0	6.0	6.0	4.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	6.0	12.0	BD	13.0	11.0	10.0	23	13.0	
17	10.0	8.0	7.0	7.0	9.0	10.0	9.0	10.0	8.0	7.0	5.0	3.0	2.0	3.0	4.0	4.0	6.0	8.0	9.0	11.0	BD	6.0	3.0	3.0	23	11.0	
18	5.0	6.0	3.0	3.0	4.0	5.0	7.0	10.0	6.0	BF	BF	BF	3.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	BD	3.0	3.0	4.0	20	10.0	
19	4.0	4.0	5.0	2.0	3.0	4.0	7.0	9.0	6.0	4.0	4.0	3.0	3.0	2.0	2.0	3.0	4.0	5.0	9.0	BD	8.0	9.0	6.0	23	9.0		
20	5.0	4.0	4.0	5.0	5.0	5.0	7.0	8.0	6.0	5.0	5.0	4.0	3.0	3.0	2.0	2.0	2.0	3.0	4.0	6.0	BD	10.0	8.0	6.0	23	10.0	
21	9.0	8.0	5.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	4.0	5.0	BD	8.0	8.0	6.0	23	9.0	
22	3.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	5.0	7.0	BD	11.0	10.0	9.0	23	11.0	
23	8.0	5.0	4.0	5.0	4.0	4.0	3.0	3.0	3.0	3.0	4.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	4.0	9.0	BD	7.0	7.0	4.0	23	9.0	
24	4.0	5.0	5.0	5.0	6.0	8.0	5.0	5.0	4.0	3.0	2.0	2.0	2.0	1.0	1.0	2.0	4.0	3.0	10.0	9.0	BD	14.0	7.0	5.0	23	14.0	
25	5.0	7.0	6.0	7.0	15.0	12.0	9.0	4.0	3.0	1.0	2.0	2.0	1.0	1.0	3.0	3.0	3.0	4.0	6.0	12.0	BD	3.0	3.0	2.0	23	15.0	
26	2.0	2.0	1.0	2.0	2.0	2.0	3.0	2.0	1.0	1.0	3.0	2.0	2.0	2.0	3.0	3.0	3.0	4.0	5.0	10.0	BD	7.0	4.0	3.0	23	10.0	
27	1.0	1.0	1.0	1.0	2.0	5.0	4.0	4.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	4.0	7.0	BD	7.0	7.0	6.0	23	7.0	
28	8.0	8.0	9.0	9.0	9.0	8.0	7.0	4.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	4.0	7.0	16.0	BD	17.0	16.0	16.0	23	17.0	
29	12.0	11.0	10.0	11.0	9.0	8.0	6.0	8.0	7.0	6.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	5.0	8.0	10.0	BD	20.0	14.0	13.0	23	20.0	
30	16.0	14.0	13.0	11.0	11.0	10.0	9.0	9.0	6.0	7.0	4.0	2.0	2.0	3.0	4.0	3.0	4.0	5.0	6.0	8.0	BD	6.0	4.0	4.0	23	16.0	
31	4.0	4.0	5.0	5.0	5.0	7.0	8.0	6.0	3.0	2.0	2.0	2.0	1.0	2.0	3.0	2.0	2.0	3.0	5.0	6.0	BD	10.0	9.0	6.0	23	10.0	
NO.:	31	31	31	31	31	31	31	30	29	28	28	29	29	30	31	31	31	31	31	31		31	31	31			
MAX:	17.0	17.0	13.0	18.0	16.0	24.0	21.0	14.0	8.0	9.0	8.0	11.0	9.0	7.0	6.0	9.0	11.0	16.0	18.0		20.0	16.0	16.0				
AVG:	7.26	6.81	6.00	6.39	7.13	7.74	7.61	6.77	4.86	4.39	3.89	3.59	3.14	3.07	3.19	3.29	3.71	4.55	6.35	8.97		9.55	8.29	7.00			

MONTHLY OBSERVATIONS: 699 MONTHLY MEAN: 5.84 MONTHLY MAX: 24.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	8.0	9.0	10.0	11.0	8.0	11.0	14.0	12.0	BF	BF	BF	2.0	3.0	3.0	2.0	2.0	2.0	4.0	6.0	12.0	BD	20.0	18.0	19.0	20	20.0	
2	21.0	18.0	17.0	12.0	12.0	15.0	14.0	19.0	22.0	10.0	4.0	3.0	2.0	3.0	2.0	3.0	3.0	3.0	6.0	5.0	BD	6.0	4.0	3.0	23	22.0	
3	3.0	3.0	2.0	3.0	6.0	15.0	15.0	14.0	10.0	5.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0	6.0	10.0	15.0	BD	24.0	24.0	18.0	23	24.0	
4	15.0	16.0	11.0	18.0	23.0	21.0	20.0	16.0	4.0	3.0	6.0	2.0	2.0	1.0	2.0	3.0	3.0	3.0	5.0	4.0	BD	7.0	5.0	3.0	23	23.0	
5	12.0	7.0	3.0	3.0	3.0	3.0	4.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	BD	5.0	4.0	4.0	23	12.0	
6	3.0	2.0	3.0	3.0	4.0	4.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	3.0	6.0	BD	7.0	5.0	4.0	23	7.0	
7	4.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	7.0	BD	10.0	10.0	9.0	23	10.0	
8	8.0	7.0	10.0	7.0	6.0	6.0	7.0	5.0	4.0	3.0	3.0	1.0	2.0	2.0	2.0	2.0	3.0	4.0	5.0	9.0	BD	13.0	6.0	5.0	23	13.0	
9	6.0	6.0	6.0	7.0	7.0	10.0	12.0	9.0	7.0	5.0	4.0	2.0	2.0	2.0	2.0	2.0	4.0	4.0	5.0	6.0	BD	7.0	7.0	7.0	23	12.0	
10	7.0	5.0	5.0	4.0	4.0	5.0	7.0	5.0	4.0	4.0	3.0	3.0	2.0	4.0	6.0	6.0	6.0	6.0	9.0	7.0	BD	6.0	5.0	6.0	23	9.0	
11	5.0	9.0	6.0	7.0	8.0	10.0	10.0	8.0	6.0	11.0	6.0	3.0	6.0	3.0	3.0	3.0	5.0	6.0	9.0	12.0	BD	20.0	16.0	10.0	23	20.0	
12	7.0	6.0	5.0	5.0	6.0	7.0	6.0	6.0	7.0	5.0	5.0	3.0	2.0	3.0	3.0	2.0	3.0	4.0	4.0	7.0	BD	5.0	4.0	3.0	23	7.0	
13	5.0	4.0	2.0	2.0	3.0	3.0	3.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	8.0	BD	8.0	7.0	7.0	23	8.0	
14	9.0	6.0	8.0	11.0	15.0	12.0	15.0	17.0	8.0	3.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	4.0	9.0	22.0	BD	17.0	15.0	16.0	23	22.0	
15	15.0	15.0	14.0	12.0	12.0	12.0	12.0	14.0	BF	BF	BF	2.0	3.0	3.0	4.0	4.0	4.0	5.0	10.0	17.0	BD	17.0	13.0	11.0	20	17.0	
16	11.0	11.0	9.0	8.0	11.0	14.0	19.0	10.0	9.0	6.0	3.0	3.0	2.0	3.0	4.0	3.0	3.0	3.0	5.0	9.0	BD	18.0	15.0	14.0	23	19.0	
17	11.0	10.0	8.0	8.0	6.0	9.0	14.0	7.0	4.0	3.0	4.0	3.0	3.0	3.0	3.0	3.0	4.0	5.0	9.0	14.0	BD	BD	16.0	12.0	22	16.0	
18	8.0	8.0	8.0	8.0	9.0	13.0	11.0	10.0	6.0	3.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	5.0	8.0	11.0	BD	14.0	15.0	16.0	23	16.0	
19	14.0	13.0	8.0	5.0	5.0	5.0	7.0	4.0	4.0	3.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	5.0	11.0	28.0	BD	25.0	31.0	28.0	23	31.0	
20	22.0	21.0	18.0	18.0	21.0	15.0	13.0	10.0	3.0	2.0	2.0	4.0	4.0	4.0	5.0	5.0	2.0	2.0	2.0	2.0	BD	3.0	4.0	5.0	23	22.0	
21	2.0	2.0	2.0	3.0	3.0	3.0	6.0	4.0	3.0	4.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	4.0	5.0	5.0	BD	4.0	4.0	4.0	23	6.0	
22	4.0	3.0	2.0	3.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	1.0	3.0	1.0	2.0	2.0	BD	3.0	3.0	1.0	23	4.0	
23	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	3.0	AZ	AZ	AZ	AZ	AZ	AZ	AZ	4.0	5.0	3.0	3.0	BD	3.0	3.0	4.0	16	5.0	
24	3.0	2.0	2.0	2.0	2.0	3.0	4.0	5.0	7.0	2.0	1.0	1.0	1.0	3.0	10.0	14.0	7.0	8.0	3.0	2.0	BD	2.0	2.0	7.0	23	14.0	
25	7.0	16.0	3.0	3.0	4.0	8.0	5.0	2.0	1.0	1.0	1.0	2.0	3.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	BD	1.0	1.0	1.0	23	16.0	
26	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BD	.0	.0	.0	23	1.0	
27	.0	.0	.0	1.0	1.0	2.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BD	1.0	1.0	.0	23	2.0	
28	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	3.0	2.0	1.0	BD	1.0	1.0	1.0	23	3.0	
29	1.0	2.0	2.0	2.0	2.0	2.0	3.0	6.0	BF	BF	BF	3.0	3.0	3.0	3.0	4.0	5.0	6.0	8.0	10.0	BD	8.0	4.0	4.0	20	10.0	
30	3.0	5.0	4.0	3.0	4.0	7.0	8.0	5.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	4.0	3.0	BD	1.0	1.0	1.0	23	8.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	27	26	26	29	29	29	29	29	30	30	30	30		29	30	30			
MAX:	22.0	21.0	18.0	18.0	23.0	21.0	20.0	19.0	22.0	11.0	6.0	4.0	6.0	4.0	10.0	14.0	7.0	8.0	11.0	28.0		25.0	31.0	28.0			
AVG:	7.23	7.03	5.77	5.77	6.37	7.40	8.07	6.83	4.81	3.31	2.62	2.07	2.14	2.28	2.72	2.86	2.97	3.67	5.33	7.90		8.83	8.13	7.43			

MONTHLY OBSERVATIONS: 673 MONTHLY MEAN: 5.33 MONTHLY MAX: 31.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	1.0	1.0	1.0	1.0	1.0	3.0	2.0	3.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	4.0	2.0	2.0	1.0	BD	2.0	2.0	2.0	23	4.0
2	2.0	1.0	6.0	3.0	AV	AV	AV	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	5.0	6.0	BD	5.0	6.0	6.0	20	6.0
3	8.0	5.0	2.0	1.0	1.0	1.0	6.0	5.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	2.0	1.0	BD	2.0	2.0	4.0	23	8.0
4	5.0	5.0	3.0	.0	1.0	2.0	3.0	1.0	.0	.0	.0	.0	2.0	3.0	4.0	4.0	5.0	5.0	6.0	3.0	BD	3.0	4.0	3.0	23	6.0
5	3.0	2.0	2.0	.0	3.0	2.0	3.0	2.0	5.0	5.0	1.0	1.0	2.0	3.0	2.0	3.0	1.0	3.0	4.0	3.0	BD	2.0	2.0	2.0	23	5.0
6	3.0	2.0	1.0	1.0	1.0	4.0	4.0	3.0	2.0	1.0	2.0	2.0	2.0	2.0	4.0	2.0	2.0	5.0	10.0	9.0	BD	10.0	9.0	7.0	23	10.0
7	16.0	21.0	20.0	16.0	14.0	13.0	12.0	12.0	13.0	10.0	3.0	2.0	3.0	3.0	3.0	2.0	3.0	9.0	14.0	20.0	BD	24.0	18.0	23.0	23	24.0
8	18.0	13.0	13.0	13.0	11.0	12.0	10.0	10.0	7.0	5.0	4.0	7.0	5.0	3.0	3.0	3.0	4.0	6.0	16.0	24.0	BD	11.0	10.0	10.0	23	24.0
9	10.0	9.0	11.0	12.0	10.0	11.0	13.0	13.0	9.0	7.0	5.0	5.0	4.0	3.0	4.0	5.0	6.0	6.0	11.0	13.0	BD	5.0	9.0	9.0	23	13.0
10	10.0	10.0	4.0	2.0	2.0	1.0	3.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	3.0	3.0	2.0	3.0	3.0	2.0	BD	3.0	3.0	4.0	23	10.0
11	5.0	4.0	3.0	2.0	4.0	2.0	2.0	1.0	1.0	4.0	6.0	5.0	1.0	1.0	2.0	2.0	4.0	7.0	12.0	14.0	BD	14.0	11.0	11.0	23	14.0
12	8.0	8.0	7.0	7.0	6.0	9.0	7.0	8.0	9.0	7.0	4.0	3.0	3.0	3.0	4.0	4.0	4.0	7.0	12.0	8.0	BD	7.0	7.0	7.0	23	12.0
13	6.0	5.0	4.0	4.0	4.0	5.0	8.0	9.0	BF	BF	BF	3.0	3.0	3.0	3.0	4.0	4.0	10.0	9.0	8.0	BD	8.0	5.0	7.0	20	10.0
14	7.0	7.0	9.0	13.0	6.0	20.0	16.0	15.0	10.0	3.0	2.0	2.0	2.0	2.0	3.0	3.0	4.0	6.0	11.0	15.0	BD	9.0	10.0	8.0	23	20.0
15	9.0	11.0	7.0	9.0	11.0	19.0	26.0	24.0	16.0	5.0	3.0	2.0	2.0	2.0	2.0	3.0	4.0	11.0	26.0	32.0	BD	19.0	10.0	10.0	23	32.0
16	9.0	6.0	8.0	8.0	11.0	17.0	19.0	18.0	BA	16.0	BA	12.0	18.0	6.0	3.0	3.0	5.0	11.0	19.0	26.0	BD	10.0	10.0	10.0	21	26.0
17	7.0	10.0	13.0	16.0	15.0	12.0	14.0	14.0	11.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	5.0	3.0	BD	3.0	3.0	2.0	23	16.0
18	3.0	3.0	3.0	3.0	8.0	6.0	4.0	5.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	4.0	5.0	7.0	BD	3.0	4.0	4.0	23	8.0
19	5.0	5.0	7.0	7.0	7.0	17.0	22.0	21.0	14.0	11.0	7.0	6.0	5.0	4.0	4.0	4.0	6.0	9.0	27.0	30.0	BD	21.0	24.0	23.0	23	30.0
20	21.0	17.0	18.0	17.0	17.0	19.0	17.0	17.0	19.0	15.0	6.0	5.0	5.0	5.0	5.0	5.0	6.0	15.0	22.0	25.0	BD	30.0	30.0	24.0	23	30.0
21	19.0	21.0	22.0	22.0	19.0	19.0	20.0	17.0	20.0	16.0	18.0	9.0	6.0	4.0	4.0	4.0	8.0	17.0	29.0	27.0	BD	24.0	23.0	16.0	23	29.0
22	17.0	19.0	19.0	18.0	22.0	21.0	20.0	18.0	23.0	21.0	9.0	7.0	6.0	6.0	5.0	5.0	7.0	16.0	24.0	30.0	BD	31.0	29.0	20.0	23	31.0
23	25.0	24.0	24.0	23.0	22.0	18.0	18.0	15.0	18.0	11.0	4.0	5.0	2.0	2.0	2.0	2.0	4.0	10.0	16.0	14.0	BD	13.0	12.0	14.0	23	25.0
24	7.0	6.0	5.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	3.0	3.0	2.0	2.0	4.0	11.0	14.0	20.0	BD	9.0	8.0	7.0	23	20.0
25	6.0	5.0	6.0	6.0	5.0	4.0	5.0	6.0	7.0	6.0	4.0	4.0	3.0	3.0	3.0	2.0	4.0	9.0	6.0	2.0	BD	2.0	2.0	2.0	23	9.0
26	2.0	7.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	2.0	BD	2.0	2.0	3.0	23	7.0
27	5.0	4.0	4.0	6.0	6.0	4.0	6.0	BF	BF	BF	2.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	3.0	BD	3.0	2.0	2.0	20	6.0
28	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	3.0	5.0	3.0	5.0	5.0	7.0	6.0	5.0	6.0	7.0	6.0	5.0	5.0	24	7.0
29	3.0	3.0	3.0	4.0	4.0	7.0	10.0	8.0	BF	BF	6.0	6.0	6.0	7.0	7.0	6.0	9.0	11.0	12.0	12.0	10.0	8.0	8.0	6.0	22	12.0
30	7.0	10.0	9.0	9.0	8.0	5.0	8.0	9.0	8.0	4.0	3.0	3.0	3.0	3.0	3.0	4.0	5.0	12.0	14.0	8.0	8.0	7.0	7.0	7.0	24	14.0
31	7.0	5.0	4.0	3.0	3.0	4.0	5.0	4.0	4.0	3.0	4.0	4.0	7.0	8.0	9.0	7.0	6.0	9.0	14.0	16.0	16.0	20.0	17.0	12.0	24	20.0
NO.:	31	31	31	31	30	30	30	30	27	28	29	31	31	31	31	31	31	31	31	31	4	31	31	31		
MAX:	25.0	24.0	24.0	23.0	22.0	21.0	26.0	24.0	23.0	21.0	18.0	12.0	18.0	8.0	9.0	7.0	9.0	17.0	29.0	32.0	16.0	31.0	30.0	24.0		
AVG:	8.26	8.10	7.81	7.55	7.63	8.80	9.70	8.97	7.96	6.00	3.76	3.58	3.58	3.06	3.32	3.32	4.35	7.58	11.65	12.58	10.25	10.19	9.48	8.71		

MONTHLY OBSERVATIONS: 704 MONTHLY MEAN: 7.23 MONTHLY MAX: 32.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
10	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	BF	BF	BF	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	17	0.0
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	AZ	AZ	AZ	AZ	AZ	AZ	.0	.0	.0	.0	.0	BD	.0	.0	.0	17	0.0
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	AN	AN	AN	20	0.0
23	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
24	AN	AN	AN	AN	AN	AN	AN	AN	BF	BA	BA	BA	BA	BA	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
25	AN	AN	AN	AN	AN	AN	AN	AN	BC	BC	BC	BC	BC	BC	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	10	0.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BD	.0	.0	.0	23	0.0
31																										0	
NO.:	27	27	27	27	27	27	27	27	27	26	25	25	25	26	26	27	28	28	28	28	3	27	27	27			
MAX:	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVG:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MONTHLY OBSERVATIONS: 619 MONTHLY MEAN: 0.00 MONTHLY MAX: 0.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: TAPI 200 EU SINCE 7/1/2009

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 36.110693332
 LONGITUDE: -80.2264378
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (099) INSTRUMENTAL GAS PHASE CHEMILUMINE
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2.7

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	4.0	4.0	4.0	4.0	3.0	3.0	4.0	6.0	12.0	12.0	13.0	14.0	12.0	11.0	10.0	10.0	10.0	11.0	10.0	9.0	BD	9.0	10.0	9.0	23	14.0
2	10.0	10.0	11.0	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	8.0	11.0	10.0	10.0	11.0	12.0	10.0	8.0	BD	3.0	3.0	3.0	23	12.0
3	2.0	2.0	3.0	5.0	4.0	3.0	4.0	8.0	7.0	4.0	3.0	3.0	2.0	2.0	2.0	4.0	11.0	21.0	19.0	15.0	BD	5.0	6.0	6.0	23	21.0
4	4.0	5.0	6.0	6.0	8.0	10.0	21.0	23.0	18.0	8.0	3.0	2.0	3.0	4.0	4.0	8.0	12.0	21.0	25.0	22.0	BD	20.0	23.0	22.0	23	25.0
5	19.0	9.0	7.0	5.0	6.0	6.0	6.0	7.0	5.0	3.0	2.0	2.0	2.0	2.0	4.0	6.0	9.0	13.0	12.0	15.0	BD	8.0	10.0	9.0	23	19.0
6	11.0	10.0	9.0	19.0	21.0	17.0	17.0	18.0	14.0	6.0	4.0	5.0	7.0	9.0	9.0	7.0	8.0	15.0	32.0	28.0	BD	31.0	31.0	26.0	23	32.0
7	27.0	21.0	21.0	18.0	22.0	25.0	21.0	21.0	22.0	19.0	12.0	4.0	4.0	5.0	3.0	8.0	16.0	6.0	7.0	7.0	BD	19.0	11.0	25.0	23	27.0
8	22.0	24.0	24.0	27.0	23.0	23.0	28.0	22.0	21.0	19.0	BF	BF	BF	5.0	4.0	6.0	7.0	21.0	34.0	36.0	BD	26.0	16.0	15.0	20	36.0
9	19.0	15.0	14.0	13.0	13.0	14.0	14.0	19.0	14.0	13.0	10.0	7.0	6.0	7.0	8.0	7.0	7.0	13.0	21.0	14.0	BD	16.0	17.0	11.0	23	21.0
10	15.0	21.0	21.0	23.0	25.0	27.0	31.0	25.0	23.0	25.0	23.0	12.0	11.0	6.0	5.0	6.0	13.0	27.0	38.0	37.0	BD	15.0	11.0	10.0	23	38.0
11	7.0	5.0	5.0	7.0	7.0	13.0	21.0	25.0	23.0	13.0	10.0	12.0	6.0	4.0	4.0	5.0	11.0	27.0	20.0	14.0	BD	19.0	24.0	28.0	23	28.0
12	23.0	18.0	15.0	11.0	10.0	11.0	9.0	10.0	7.0	7.0	8.0	6.0	5.0	6.0	6.0	7.0	10.0	24.0	27.0	29.0	BD	24.0	22.0	22.0	23	29.0
13	21.0	16.0	15.0	14.0	16.0	12.0	12.0	11.0	12.0	11.0	10.0	10.0	6.0	3.0	3.0	4.0	6.0	11.0	13.0	13.0	BD	7.0	9.0	4.0	23	21.0
14	5.0	5.0	10.0	5.0	1.0	1.0	6.0	7.0	4.0	3.0	1.0	1.0	3.0	4.0	5.0	6.0	6.0	4.0	2.0	2.0	BD	3.0	2.0	3.0	23	10.0
15	4.0	3.0	3.0	3.0	4.0	6.0	10.0	16.0	17.0	14.0	7.0	2.0	2.0	2.0	2.0	3.0	8.0	31.0	41.0	35.0	BD	23.0	23.0	21.0	23	41.0
16	18.0	9.0	11.0	5.0	3.0	4.0	6.0	7.0	6.0	3.0	3.0	3.0	3.0	4.0	5.0	7.0	11.0	14.0	13.0	16.0	BD	13.0	8.0	10.0	23	18.0
17	13.0	11.0	10.0	10.0	8.0	6.0	7.0	9.0	10.0	10.0	12.0	8.0	8.0	11.0	13.0	14.0	16.0	16.0	16.0	16.0	BD	11.0	5.0	5.0	23	16.0
18	5.0	5.0	4.0	4.0	6.0	3.0	8.0	12.0	10.0	5.0	3.0	1.0	2.0	3.0	3.0	3.0	4.0	5.0	4.0	3.0	BD	2.0	3.0	2.0	23	12.0
19	4.0	4.0	4.0	6.0	10.0	13.0	13.0	8.0	6.0	5.0	3.0	2.0	2.0	2.0	3.0	3.0	9.0	17.0	18.0	17.0	BD	15.0	21.0	25.0	23	25.0
20	25.0	22.0	26.0	28.0	27.0	21.0	19.0	23.0	19.0	8.0	3.0	4.0	6.0	6.0	5.0	6.0	9.0	15.0	22.0	30.0	BD	29.0	22.0	22.0	23	30.0
21	16.0	11.0	8.0	10.0	16.0	20.0	24.0	29.0	25.0	26.0	24.0	17.0	16.0	10.0	11.0	14.0	13.0	29.0	33.0	27.0	BD	21.0	25.0	24.0	23	33.0
22	22.0	20.0	19.0	19.0	21.0	20.0	19.0	16.0	12.0	11.0	BF	BF	BF	10.0	11.0	11.0	12.0	15.0	20.0	20.0	BD	14.0	9.0	7.0	20	22.0
23	5.0	5.0	5.0	5.0	4.0	4.0	4.0	7.0	8.0	9.0	8.0	5.0	5.0	8.0	7.0	14.0	14.0	17.0	11.0	7.0	BD	4.0	2.0	3.0	23	17.0
24	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	4.0	4.0	4.0	4.0	5.0	6.0	8.0	6.0	BD	4.0	3.0	2.0	23	8.0
25	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	11.0	16.0	BD	7.0	7.0	8.0	23	16.0
26	6.0	3.0	4.0	3.0	3.0	4.0	4.0	5.0	4.0	2.0	2.0	2.0	1.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	BD	2.0	2.0	3.0	23	6.0
27	4.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	3.0	2.0	BD	4.0	4.0	4.0	23	4.0
28	2.0	2.0	3.0	3.0	5.0	6.0	9.0	6.0	5.0	3.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	2.0	2.0	BD	1.0	1.0	1.0	23	9.0
29	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	8.0	9.0	10.0	8.0	11.0	11.0	10.0	10.0	11.0	14.0	14.0	BD	14.0	13.0	11.0	23	14.0
30	14.0	14.0	9.0	10.0	11.0	13.0	12.0	13.0	13.0	15.0	12.0	9.0	9.0	11.0	10.0	12.0	11.0	9.0	8.0	7.0	BD	8.0	9.0	9.0	23	15.0
31	12.0	11.0	8.0	10.0	9.0	9.0	10.0	14.0	10.0	4.0	4.0	4.0	3.0	2.0	1.0	3.0	5.0	11.0	16.0	15.0	BD	8.0	9.0	6.0	23	16.0
NO.:	31	31	31	31	31	31	31	31	31	31	29	29	29	31	31	31	31	31	31	31		31	31	31		
MAX:	27.0	24.0	26.0	28.0	27.0	27.0	31.0	29.0	25.0	26.0	24.0	17.0	16.0	11.0	13.0	14.0	16.0	31.0	41.0	37.0		31.0	31.0	28.0		
AVG:	11.03	9.39	9.13	9.26	9.68	9.90	11.39	12.32	11.10	9.00	7.00	5.52	5.07	5.35	5.39	6.52	8.48	13.65	16.48	15.65		12.42	11.65	11.48		

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: 9.90 MONTHLY MAX: 41.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	1.9	BF	BF	1.9	1.7	1.6	2.0	1.6	1.3	1.0	.9	1.2	1.5	.8	.7	.7	1.1	1.7	1.7	1.4	1.5	1.7	1.8	1.4	22	2.0		
2	1.2	BF	BF	1.1	1.1	1.2	1.2	1.4	2.6	1.4	1.4	1.3	1.3	1.2	1.6	2.9	4.5	6.3	6.0	4.6	4.7	4.6	3.7	3.4	22	6.3		
3	3.2	BF	BF	2.7	2.2	2.1	2.5	2.4	1.9	1.4	1.3	1.3	1.3	1.4	1.6	1.9	2.0	1.9	1.7	2.2	1.9	1.6	1.8	2.0	22	3.2		
4	2.2	BF	BF	1.7	1.2	.8	.8	.7	.5	.4	.3	.2	.4	.5	.3	.3	.4	.6	.4	.4	.4	.6	.6	.4	22	2.2		
5	.5	BF	BF	.7	.6	.8	1.0	.8	.7	BA	BA	BA	.8	.6	.6	.5	.4	.6	1	1	1	1	1	1	19	2.3		
6	2.7	1	BF	BF	2.8	1	2.7	1	2.5	1	2.7	1	3.3	1	2.4	1	2.4	1	2.1	1	1.6	1	1.1	1	1.3	1	22	7.2
7	2.2	1	BF	BF	1.7	1	1.9	1	2.3	1	1.7	1	2.1	1	2.6	1	2.5	1	2.3	1	2.2	1	2.5	1	2.0	1	22	2.6
8	1.6	1	BF	BF	AE	AE	1.9	1	AE	AE	AE	1.7	1	1.3	1	1.2	1	1.1	1	1.1	1	1.1	1	1.2	1	17	3.1	
9	AE	BF	BF	2.5	1	2.4	1	2.1	1	1.8	1	1.9	1	2.1	1	2.0	1	1.7	1	1.5	1	1.5	1	1.7	1	21	6.3	
10	3.0	1	BF	BF	2.8	1	1.6	1	1.2	1	1.5	1	1.7	1	1.6	1	1.5	1	1.2	1	1.0	1	.9	.8	.7	1	22	3.1
11	1.6	1	BF	BF	AE	1.5	1	1.2	1	1.3	1	1.4	1	1.5	1	1.4	1	1.1	1	1.5	1	1.5	1	1.0	.9	1	21	5.5
12	2.5	1	BF	BF	4.8	1	4.6	1	4.3	1	3.7	1	3.4	1	2.5	1	2.1	1	2.3	1	2.3	1	2.4	1	2.5	1	22	4.8
13	2.6	1	BF	BF	5.7	1	5.7	1	3.0	1	3.3	1	3.5	1	4.3	1	5.3	1	4.8	1	5.3	1	4.3	1	3.1	1	22	5.7
14	3.7	1	BF	BF	3.6	1	3.1	1	3.4	1	4.4	1	3.8	1	5.1	1	3.7	1	3.2	1	3.1	1	3.4	1	3.1	1	22	5.1
15	1.5	1	BF	BF	2.3	1	3.0	1	2.7	1	2.2	1	1.7	1	1.6	1	AZ	AZ	AZ	AZ	AZ	1.5	1	1.4	1	16	4.1	
16	2.1	1	BF	BF	2.4	1	2.7	1	5.0	1	5.8	1	5.6	1	4.1	1	2.9	1	2.4	1	1.6	1	1.4	1	1.9	1	22	5.8
17	1.4	1	BF	BF	1.9	1	2.3	1	2.1	1	2.7	1	5.0	1	3.6	1	3.0	1	2.4	1	2.0	1	1.9	1	1.9	1	22	5.0
18	2.1	1	BF	BF	1.6	1	1.4	1	1.2	1	1.3	1	1.2	1	1.3	1	1.0	1	1.0	1	.6	1	.4	1	.5	1	22	2.1
19	.8	1	BF	BF	1.5	1	1.4	1	1.4	1	1.5	1	1.9	1	2.2	1	1.4	1	1.3	1	.8	1	.4	1	.4	1	22	2.2
20	1.9	1	BF	BF	2.1	1	2.0	1	2.0	1	2.4	1	3.9	1	3.2	1	2.6	1	2.0	1	1.7	1	1.3	1	1.0	1	22	5.3
21	1.6	1	BF	BF	1.3	1	1.7	1	4.1	1	5.1	1	6.8	1	4.3	1	BA	BA	BA	2.1	2.5	2.2	2.3	2.3	4.9	3.8	19	6.9
22	6.0	BF	BF	5.9	6.4	4.9	4.3	4.5	3.1	2.5	2.2	2.3	1.3	.8	.7	.5	.9	2.2	2.9	1.6	3.4	5.3	5.9	6.9	22	6.9		
23	7.0	BF	BF	4.6	2.7	2.0	2.7	3.5	3.9	3.7	3.6	3.7	4.1	5.3	7.0	7.1	7.1	5.5	4.2	3.6	3.3	3.3	3.4	3.2	22	7.1		
24	3.5	BF	BF	3.0	2.7	2.8	2.8	2.9	2.8	2.5	2.4	1.9	1.9	1.7	1.5	1.2	1.1	1.4	1.4	2.0	2.1	2.0	1.8	1.4	22	3.5		
25	1.1	BF	BF	1.1	1.2	1.3	1.8	2.5	2.9	2.5	1.0	.7	1.0	.6	.4	1.4	1.4	1.3	2.3	1.7	1.1	1.0	.8	1.0	22	2.9		
26	1.2	BF	BF	1.7	1.7	1.8	2.2	4.0	5.0	5.1	2.6	1.5	1.3	1.4	1.7	1.3	1.1	1.5	5.1	6.0	5.5	4.4	3.3	3.2	22	6.0		
27	2.9	BF	BF	1.9	1.9	1.4	1.6	1.8	2.2	2.3	2.4	1.6	1.5	1.5	1.3	1.3	1.7	1.8	1.8	1.5	1.6	1.8	1.8	1.9	22	2.9		
28	1.9	BF	BF	2.7	2.8	2.9	2.6	2.3	2.3	2.0	1.7	1.5	1.6	1.3	1.1	1.0	1.1	1.3	4.1	2.8	2.1	1.8	2.0	1.6	22	4.1		
29	1.5	BF	BF	1.7	1.6	2.4	2.2	5.9	6.2	4.6	3.2	2.6	2.4	2.1	2.7	3.2	2.8	4.0	4.3	3.3	3.3	2.4	2.8	2.6	22	6.2		
30	2.4	BF	BF	1.8	1.9	1.9	2.3	2.7	1.8	1.4	1.4	1.2	.9	.8	.9	.9	1.1	1.1	1.2	1.3	.9	1.1	1.0	1.1	22	2.7		
31	1.1	BF	BF	1.2	1.2	1.3	1.2	1.2	1.2	1.2	1.8	1.0	.5	.8	.7	.7	.6	1.1	1.9	1.8	1.3	2.4	2.0	2.3	22	2.4		
NO.:	30			29	30	31	30	30	30	28	28	28	30	30	30	31	31	31	31	31	31	31	31	31	31			
MAX:	7.0			5.9	6.4	5.0	5.8	6.8	6.2	5.3	4.8	5.3	4.3	5.3	7.0	7.1	7.1	6.3	6.3	7.2	6.9	6.7	5.9	6.9				
AVG:	2.30			2.44	2.30	2.25	2.42	2.85	2.69	2.34	2.01	1.73	1.58	1.52	1.54	1.66	1.90	2.82	3.01	2.75	2.58	2.63	2.48	2.34				

MONTHLY OBSERVATIONS: 663 MONTHLY MEAN: 2.28 MONTHLY MAX: 7.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.0	BF	BF	1.7	1.7	1.8	1.6	1.5	1.7	2.0	1.9	1.1	1.2	1.0	.8	.7	1.1	1.7	2.2	1.1	1.7	1.0	.6	.7	22	2.2	
2	.6	BF	BF	.5	.5	.8	1.0	1.0	1.0	.8	.6	.4	.8	.9	.6	.8	1.2	1.7	1.8	1.9	1.7	1.7	1.9	1.9	22	1.9	
3	2.0	BF	BF	1.6	1.7	1.8	2.0	4.0	BA	BA	BA	2.2	2.0	1.1	.6	1.0	1.4	2.6	4.5	2.8	2.0	3.0	2.0	1.9	19	4.5	
4	2.0	BF	BF	2.8	2.7	2.9	7.1	8.1	3.0	3.8	2.4	1.9	1.7	1.5	1.2	1.2	1.6	2.2	2.1	2.2	1.8	2.5	3.0	2.9	22	8.1	
5	4.1	BF	BF	2.6	2.7	2.9	2.9	3.6	4.6	3.7	2.0	1.2	.9	1.1	1.1	.8	.9	1.3	1.3	1.4	1.4	1.5	1.5	1.5	22	4.6	
6	1.7	BF	BF	1.3	1.3	1.9	2.1	4.3	3.0	3.3	2.2	1.4	.9	1.0	1.4	2.1	1.6	1.4	2.7	3.1	3.1	3.9	3.6	3.0	22	4.3	
7	2.8	BF	BF	2.1	3.6	1.8	2.1	2.4	3.0	3.1	3.0	2.1	1.9	1.6	1.0	.9	1.2	1.5	1.9	1.7	1.8	2.0	1.8	1.2	22	3.6	
8	1.0	BF	BF	1.1	1.2	1.2	1.1	1.4	1.2	.8	.5	.4	.4	.2	.3	.3	.4	.8	1.0	.9	.9	1.0	1.0	.8	22	1.4	
9	.8	BF	BF	1.4	1.3	1.2	1.2	1.4	1.5	1.5	1.2	1.0	.9	.9	1.3	1.9	1.7	1.6	2.2	2.3	2.5	2.9	4.2	4.4	22	4.4	
10	3.7	BF	BF	1.9	1.7	1.9	3.3	6.0	8.5	9.0	4.9	3.6	2.9	2.9	3.2	2.3	2.1	2.5	2.4	2.4	2.3	2.7	2.9	2.6	22	9.0	
11	3.4	BF	BF	3.4	2.7	2.5	5.0	3.5	3.6	2.7	1.9	1.1	1.0	1.2	1.1	.9	.9	2.4	2.5	2.5	1.6	1.9	1.8	2.0	22	5.0	
12	2.8	BF	BF	2.9	3.2	2.3	4.0	2.7	2.2	2.0	1.7	1.3	.9	1.0	1.0	1.6	1.5	1.3	1.5	1.5	1.9	2.4	2.2	2.0	22	4.0	
13	2.4	BF	BF	1.0	1.0	1.1	1.5	1.4	1.2	1.0	1.1	1.1	.9	.8	.9	1.0	1.1	1.2	3.1	4.2	2.8	2.4	3.3	2.5	22	4.2	
14	2.8	BF	BF	3.2	2.6	2.3	2.8	3.3	3.1	2.4	1.8	1.3	.8	.7	.6	.5	.5	.5	.5	.6	.6	.8	1.1	.9	22	3.3	
15	.8	BF	BF	.5	.5	.5	.6	.6	.6	.6	.6	.7	.5	.5	.5	.5	.6	.7	.8	.8	.9	1.3	2.0	1.5	22	2.0	
16	1.6	BF	BF	1.2	1.1	.9	1.0	2.5	3.9	3.9	3.1	2.8	2.0	1.6	2.2	2.9	2.1	2.9	3.2	2.3	1.9	2.7	2.8	4.0	22	4.0	
17	2.8	BF	BF	2.3	1.6	2.0	2.1	2.8	4.8	2.8	1.4	BA	BA	BA	.9	.8	1.1	1.0	1.5	1.7	1.7	1.9	1.8	1.6	19	4.8	
18	1.7	BF	BF	1.6	1.6	1.6	1.5	1.4	1.5	1.9	3.6	2.7	2.3	2.8	1.6	1.2	.9	1.5	1.5	1.5	.9	.7	.8	.7	22	3.6	
19	.7	BF	BF	.8	.8	.9	1.1	1.2	1.2	.9	1.0	.8	.7	.6	.6	.7	.6	.7	.7	.8	1.1	1.7	1.6	1.6	22	1.7	
20	1.5	BF	BF	1.1	1.4	2.0	2.2	3.2	1.6	1.6	1.5	1.4	1.5	1.7	1.4	1.3	1.4	1.7	5.2	3.5	3.4	3.2	3.1	4.2	22	5.2	
21	5.4	BF	BF	4.1	3.5	3.4	3.2	2.8	3.1	3.1	2.7	2.9	2.9	2.5	2.1	1.5	1.6	3.7	AE	6.0	7.1	3.6	3.3	3.5	21	7.1	
22	3.5	BF	BF	2.6	2.4	2.3	2.3	1.9	1.6	1.2	.9	.7	.5	.6	.7	.7	.8	3.5	2.2	1.4	1.8	1.7	2.0	3.2	22	3.5	
23	3.3	BF	BF	1.4	2.0	1.7	1.4	1.4	1.7	AE	AE	AE	AE	2.4	2.6	3.1	3.4	4.3	AE	7.1	3.6	1.6	1.5	3.1	17	7.1	
24	2.9	BF	BF	1.6	1.5	1.4	1.3	1.4	1.5	1.3	1.5	1.4	1.7	2.5	3.2	3.7	3.5	4.0	3.5	3.2	2.9	2.6	2.3	1.8	22	4.0	
25	1.6	BF	BF	3.8	4.3	3.6	3.5	3.9	2.4	2.2	1.9	2.4	2.5	2.3	2.1	2.6	3.0	2.5	3.4	2.4	2.4	2.9	1.9	1.9	22	4.3	
26	2.2	BF	BF	1.7	1.2	.9	.9	.9	.9	.9	.9	1.0	.8	.9	1.2	2.6	2.3	2.3	2.4	2.5	1.9	2.0	1.5	1.4	22	2.6	
27	1.5	BF	BF	.8	.8	.9	1.5	1.6	.8	.8	1.5	1.4	1.3	1.1	.7	.8	.7	1.1	1.4	2.2	1.5	3.0	2.7	2.7	22	3.0	
28	2.0	BF	BF	3.4	4.4	4.8	4.8	3.8	2.7	2.6	3.2	3.2	2.9	2.6	2.4	2.6	2.8	3.4	3.9	4.3	4.4	3.5	3.3	4.1	22	4.8	
29																										0	
30																										0	
31																										0	
NO.:	28			28	28	28	28	28	27	26	26	26	26	27	28	28	28	28	26	28	28	28	28	28	28		
MAX:	5.4			4.1	4.4	4.8	7.1	8.1	8.5	9.0	4.9	3.6	2.9	2.9	3.2	3.7	3.5	4.3	5.2	7.1	7.1	3.9	4.2	4.4			
AVG:	2.27			1.94	1.96	1.90	2.33	2.64	2.44	2.30	1.88	1.60	1.42	1.41	1.33	1.46	1.50	2.00	2.28	2.44	2.20	2.22	2.20	2.27			

MONTHLY OBSERVATIONS: 604 MONTHLY MEAN: 2.00 MONTHLY MAX: 9.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	5.8	BF	BF	3.8	3.2	2.7	2.2	2.0	2.2	1.8	1.9	2.0	2.0	1.5	1.3	1.3	1.5	1.8	1.2	1.1	1.0	1.0	.9	.9	22	5.8	
2	.9	BF	BF	1.5	1.8	2.0	2.0	2.0	2.0	2.2	2.1	2.0	2.2	2.3	.8	.6	.7	.8	1.5	1.8	1.4	2.3	3.4	2.9	22	3.4	
3	3.0	BF	BF	AE	AE	1.2	1.8	2.5	BF	BF	BF	2.3 1	2.4 1	2.2 1	2.2 1	2.3 1	1.9 1	2.5 1	2.3 1	1.8 1	1.5 1	1.3 1	1.3 1	1.3 1	1.7	3.0	
4	1.2 1	BF	BF	1.1 1	1.1 1	1.1 1	1.4 1	1.3 1	1.5 1	1.6 1	1.7 1	1.7 1	1.4 1	.8 1	.5 1	.4 1	.2 1	.3 1	.4 1	.6 1	1.1 1	.8 1	.7 1	1.2 1	22	1.7	
5	1.2 1	BF	BF	1.0 1	1.1 1	1.2 1	1.2 1	1.1 1	.8 1	.8 1	.7 1	.7 1	5.0 1	3.8 1	3.0 1	3.7 1	4.8 1	4.8 1	AE	1.2 1	AE	.9 1	1.2 1	1.4 1	20	5.0	
6	1.3 1	BF	BF	1.7 1	1.3 1	1.4 1	1.8 1	1.6 1	1.4 1	1.5 1	1.8 1	1.6 1	1.6 1	1.5 1	1.3 1	1.4 1	1.4 1	1.4 1	2.1 1	AE	4.6 1	3.5 1	3.0 1	3.4 1	21	4.6	
7	3.3 1	BF	BF	2.2 1	1.5 1	1.5 1	1.3 1	1.1 1	1.7 1	2.7 1	2.7 1	2.3 1	1.3 1	.8 1	.5 1	.4 1	.4 1	.4 1	1.0 1	1.5 1	1.3 1	1.1 1	1.2 1	1.2 1	22	3.3	
8	1.7 1	BF	BF	1.6 1	1.3 1	1.1 1	1.1 1	1.1 1	1.2 1	1.1 1	.7 1	.5 1	.4 1	.2 1	.2 1	.2 1	.3 1	.5 1	1.2 1	1.2 1	1.1 1	.8 1	1.2 1	1.1 1	22	1.7	
9	1.3 1	BF	BF	1.4 1	1.3 1	1.5 1	2.7 1	1.5 1	1.4 1	1.5 1	1.9 1	1.7 1	.9 1	.6 1	.5 1	.6 1	.7 1	1.3 1	2.6 1	2.7 1	1.5 1	1.1 1	.9 1	.9 1	22	2.7	
10	.9 1	BF	BF	1.3 1	2.3 1	4.2 1	4.0 1	2.6 1	3.7 1	2.8 1	1.1 1	1.1 1	.9 1	1.0 1	.4 1	.5 1	.8 1	1.1 1	2.3 1	1.6 1	1.2 1	1.0 1	1.1 1	1.7 1	22	4.2	
11	1.6 2	BF	BF	.9 2	.8 2	.9 2	1.5 2	1.2 2	1.0 2	.9 2	.7 2	.5 2	.5 2	.5 2	.7 2	1.2 2	2.3 2	2.6 2	2.0 2	1.0 2	1.5 2	1.8 2	1.4 2	1.3 2	22	2.6	
12	1.2 2	BF	BF	1.9 2	1.7 2	2.4 2	2.9 2	2.0 2	3.0 2	2.4 2	1.8 2	1.2 2	.9 2	.8 2	1.3 2	1.0 2	1.1 2	1.5 2	3.1 2	2.1 2	1.6 2	1.9 2	1.6 2	1.6 2	22	3.1	
13	1.2 2	BF	BF	1.2 2	1.6 2	2.1 2	1.9 2	2.0 2	2.1 2	2.2 2	2.1 2	1.7 2	1.7 2	1.9 2	2.9 2	2.9 2	3.3 2	4.4 2	5.8 2	5.8 2	4.4 2	4.4 2	4.8 2	4.8 2	22	5.8	
14	3.8 2	BF	BF	2.0 2	1.7 2	1.6 2	1.5 2	1.5 2	1.7 2	1.8 2	1.8 2	2.1 2	1.7 2	.9 2	.5 2	.7 2	.9 2	1.0 2	.9 2	.9 2	.9 2	.8 2	.8 2	1.0 2	22	3.8	
15	1.0 2	BF	BF	1.3 2	1.3 2	1.0 2	.8 2	.9 2	.7 2	.4 2	.4 2	.4 2	.4 2	.4 2	.4 2	.3 2	.4 2	.4 2	.4 2	.4 2	.4 2	.4 2	.5 2	.7 2	.9 2	22	1.3
16	.8 2	BF	BF	1.0 2	2.0 2	2.0 2	3.5 2	1.8 2	1.2 2	1.3 2	.7 2	.7 2	.4 2	.4 2	.4 2	1.1 2	2.1 2	1.1 2	1.0 2	2.6 2	1.0 2	1.1 2	1.0 2	1.0 2	22	3.5	
17	1.2 2	BF	BF	1.1 2	1.3 2	1.2 2	1.5 2	AZ	AZ	AZ	AZ	AZ	AE	AE	.5 2	.5 2	.6 2	.9 2	1.1 2	1.3 2	1.4 2	1.3 2	1.0 2	.7 2	15	1.5	
18	.7 1	BF	BF	.7 1	.9 1	1.8 1	1.5 1	1.4 1	2.2 1	BF	BF	BF	1.1 2	.6 2	.4 2	.4 2	.5 2	3.3 2	4.9 2	2.6 2	3.0 2	2.2 2	2.1 2	2.5 2	19	4.9	
19	2.6 2	BF	BF	2.1 2	2.8 2	3.7 2	4.6 2	2.8 2	3.0 2	3.2 2	2.5 2	3.2 2	4.2 2	3.4 2	3.6 2	3.0 2	2.7 2	2.8 2	2.1 2	1.4 2	1.3 2	1.3 2	1.3 2	1.2 2	22	4.6	
20	AE	BF	BF	1.3 2	1.3 2	1.4 2	1.2 2	1.0 2	1.0 2	1.1 2	1.0 2	.5 2	.5 2	.4 2	.4 2	.4 2	.6 2	.8 2	1.5 2	1.8 2	2.1 2	3.0 2	2.2 2	1.6 2	21	3.0	
21	1.1 2	BF	BF	1.1 2	1.3 2	1.3 2	3.0 2	4.1 2	3.7 2	2.6 2	2.4 2	1.8 2	1.3 2	1.0 2	.5 2	.4 2	.8 2	.7 2	1.7 2	1.7 2	1.9 2	1.6 2	1.5 2	1.4 2	22	4.1	
22	1.4 2	BF	BF	.9 2	.8 2	.7 2	.6 2	1.0 2	.7 2	.7 2	.7 2	.5 2	.6 2	.7 2	.6 2	.6 2	1.5 2	2.4 2	1.9 2	2.4 2	1.5 2	1.3 2	1.5 2	1.3 2	22	2.4	
23	1.2 2	BF	BF	.8 2	.9 2	1.3 2	1.3 2	2.2 2	3.4 2	2.3 2	2.3 2	2.6 2	2.1 2	1.6 2	1.4 2	1.2 2	1.4 2	1.6 2	2.5 2	2.1 2	2.0 2	3.0 2	2.6 2	2.5 2	22	3.4	
24	1.8 2	BF	BF	1.2 2	1.3 2	3.2 2	2.0 2	3.4 2	3.4 2	1.8 2	1.5 2	1.4 2	1.1 2	.7 2	.5 2	.5 2	.5 2	1.0 2	3.5 2	1.4 2	1.9 2	2.2 2	1.7 2	1.4 2	22	3.5	
25	1.3 2	BF	BF	.7 2	1.0 2	1.3 2	2.0 2	2.0 2	1.8 2	1.6 2	1.9 2	1.9 2	1.7 2	1.2 2	1.0 2	.7 2	1.1 2	2.6 2	1.9 2	1.4 2	2.0 2	2.7 2	2.6 2	2.3 2	22	2.7	
26	1.3 2	BF	BF	.7 2	.7 2	.9 2	1.0 2	.8 2	.7 2	.5 2	.5 2	.5 2	.3 2	.3 2	.3 2	.3 2	.3 2	.6 2	1.1 2	.9 2	1.1 2	1.2 2	1.0 2	1.1 2	22	1.3	
27	1.2 2	BF	BF	1.2 2	1.0 2	1.1 2	1.2 2	1.7 2	1.7 2	1.5 2	1.4 2	.9 2	1.2 2	1.4 2	1.5 2	1.3 2	2.0 2	1.7 2	1.4 2	1.6 2	1.9 2	1.5 2	1.0 2	.8 2	22	2.0	
28	.9 2	BF	BF	1.4 2	1.2 2	1.1 2	1.2 2	1.3 2	1.1 2	1.3 2	1.2 2	.7 2	.6 2	.5 2	.4 2	.4 2	.4 2	.5 2	.7 2	2.5 2	1.0 2	1.0 2	.9 2	.8 2	22	2.5	
29	.9 2	BF	BF	1.1 2	1.0 2	1.3 2	1.0 2	.9 2	1.1 2	.8 2	.6 2	.4 2	.4 2	.3 2	.3 2	.2 2	.3 2	.3 2	.5 2	1.1 2	.9 2	.9 2	.9 2	.8 2	22	1.3	
30	.7 2	BF	BF	1.4 2	1.5 2	1.3 2	1.0 2	1.1 2	1.4 2	1.9 2	1.8 2	1.1 2	.8 2	.6 2	.6 2	.5 2	.5 2	.5 2	.6 2	2.0 2	.8 2	.9 2	.7 2	1.2 2	22	2.0	
31	1.0 2	BF	BF	.8 2	1.1 2	1.5 2	2.5 2	2.5 2	1.4 2	.9 2	.6 2	.6 2	.6 2	.5 2	.4 2	.5 2	.4 2	.4 2	.4 2	.9 2	.6 2	.6 2	.6 2	.8 2	22	2.5	
NO.:	30			30	30	31	31	30	29	28	28	29	30	30	31	31	31	31	30	30	30	31	31	31			
MAX:	5.8			3.8	3.2	4.2	4.6	4.1	3.7	3.2	2.7	3.2	5.0	3.8	3.6	3.7	4.8	4.8	5.8	5.8	4.6	4.4	4.8	4.8			
AVG:	1.58			1.35	1.40	1.65	1.85	1.75	1.80	1.61	1.45	1.33	1.34	1.09	.95	.95	1.17	1.48	1.79	1.71	1.60	1.58	1.51	1.52			

MONTHLY OBSERVATIONS: 663 MONTHLY MEAN: 1.47 MONTHLY MAX: 5.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.9 2 BF	BF	1.2 2	1.4 2	3.0 2	4.6 2	3.3 2	3.2 2	2.8 2	BF	BF	BF	BF	.6 2	.4 2	.5 2	1.3 2	3.3 2	2.8 2	1.8 2	1.8 2	1.2 2	1.6 2	1.6 2	18	4.6
2	1.5 2 BF	BF	.9 2	1.0 2	1.4 2	1.9 2	2.3 2	2.4 2	1.1 2	.7 2	.5 2	.4 2	.4 2	.5 2	.5 2	.5 2	1.2 2	.7 2	1.0 2	.8 2	1.1 2	1.6 2	1.6 2	22	2.4	
3	1.4 2 BF	BF	.9 2	1.2 2	1.5 2	1.6 2	1.1 2	.9 2	.7 2	.5 2	.3 2	.3 2	.2 2	.2 2	.2 2	.3 2	.3 2	.4 2	.7 2	.8 2	.7 2	.8 2	1.0 2	22	1.6	
4	.8 2 BF	BF	.6 2	.6 2	.7 2	.8 2	.7 2	2.3 2	1.7 2	1.3 2	.6 2	.4 2	.3 2	.3 2	.2 2	.2 2	.2 2	.4 2	1.1 2	.8 2	1.7 2	1.0 2	.8 2	22	2.3	
5	.9 2 BF	BF	.6 2	.9 2	1.5 2	2.1 2	2.3 2	1.4 2	.5 2	.3 2	.3 2	.3 2	.2 2	.2 2	.2 2	.3 2	.8 2	1.6 2	.8 2	1.4 2	1.2 2	1.4 2	1.5 2	22	2.3	
6	.9 2 BF	BF	.8 2	1.2 2	1.5 2	1.7 2	1.0 2	1.3 2	.9 2	.8 2	1.5 2	.7 2	.8 2	.5 2	.5 2	.5 2	.8 2	1.1 2	1.6 2	.6 2	.5 2	.6 2	.4 2	22	1.7	
7	.4 2 BF	BF	1.3 2	1.1 2	1.2 2	2.0 2	1.4 2	1.6 2	1.0 2	.6 2	.7 2	.5 2	.7 2	.4 2	.4 2	.4 2	.5 2	1.0 2	1.3 2	1.3 2	2.1 2	1.0 2	1.5 2	22	2.1	
8	1.2 2 BF	BF	1.0 2	1.3 2	1.5 2	1.3 2	.9 2	.7 2	.7 2	.6 2	.5 2	.5 2	.4 2	.3 2	.4 2	.3 2	.4 2	2.9 2	2.9 2	1.4 2	2.0 2	1.9 2	2.3 2	22	2.9	
9	1.8 2 BF	BF	1.7 2	2.6 2	2.3 2	2.7 2	1.9 2	1.7 2	1.3 2	1.1 2	.9 2	.7 2	.6 2	.8 2	.9 2	1.1 2	1.0 2	.9 2	1.1 2	1.1 2	1.0 2	1.0 2	1.1 2	22	2.7	
10	1.2 2 BF	BF	1.0 2	.9 2	1.0 2	1.1 2	.9 2	.7 2	.6 2	.5 2	.4 2	.3 2	.3 2	.4 2	.4 2	.4 2	.3 2	.4 2	.7 2	.6 2	.4 2	.5 2	.5 2	22	1.2	
11	.6 2 BF	BF	.8 2	.9 2	.7 2	.7 2	.8 2	.7 2	.6 2	.4 2	.4 2	.3 2	.3 2	.2 2	.3 2	.4 2	.7 2	2.3 2	2.2 2	1.9 2	2.0 2	2.3 2	1.7 2	22	2.3	
12	1.5 2 BF	BF	1.4 2	1.4 2	1.2 2	.9 2	.8 2	.6 2	.6 2	.7 2	.5 2	.4 2	.4 2	.4 2	.6 2	.6 2	.8 2	2.1 2	1.7 2	1.9 2	1.3 2	1.3 2	1.5 2	22	2.1	
13	1.0 2 BF	BF	.9 2	1.4 2	3.2 2	2.5 2	2.5 2	1.1 2	.6 2	.5 2	.6 2	.6 2	1.3 2	.9 2	1.4 2	1.5 2	1.2 2	1.0 2	.9 2	.9 2	.8 2	.9 2	1.3 2	22	3.2	
14	1.2 2 BF	BF	.9 2	.9 2	1.2 2	1.3 2	1.1 2	1.3 2	1.1 2	.9 2	.7 2	.6 2	.5 2	.4 2	.4 2	.8 2	.7 2	.9 2	.9 2	1.3 2	1.0 2	1.3 2	1.3 2	22	1.3	
15	1.0 2 BF	BF	1.1 2	1.1 2	1.1 2	1.4 2	1.3 2	1.8 2	2.7 2	BF	BF	BF	BF	4.6 2	3.5 2	3.3 2	3.8 2	3.3 2	2.2 2	1.7 2	1.3 2	1.4 2	2.0 2	18	4.6	
16	2.6 2 BF	BF	1.5 2	2.1 2	1.5 2	1.5 2	1.3 2	1.5 2	1.5 2	1.8 2	1.8 2	1.7 2	2.1 2	2.3 2	2.5 2	2.4 2	2.1 2	1.6 2	1.3 2	1.7 2	1.1 2	1.3 2	1.5 2	22	2.6	
17	1.0 2 BF	BF	1.2 2	1.8 2	1.3 2	2.3 2	1.3 2	1.8 2	1.3 2	.9 2	.4 2	.3 2	.5 2	.0 2	.2 2	.2 2	.3 2	2.3 2	2.9 2	1.9 2	1.8 2	.6 2	.5 2	22	2.9	
18	.4 2 BF	BF	.6 2	.5 2	1.1 2	.9 2	1.1 2	1.4 2	1.5 2	.9 2	.8 2	.5 2	.4 2	.3 2	.3 2	.5 2	.7 2	.8 2	.5 2	1.4 2	1.2 2	1.3 2	.9 2	22	1.5	
19	1.2 2 BF	BF	1.0 2	.9 2	.8 2	.8 2	.7 2	.7 2	.5 2	.4 2	.4 2	.4 2	.4 2	.4 2	.6 2	.4 2	.5 2	.4 2	.4 2	.5 2	.6 2	.6 2	.8 2	22	1.2	
20	1.2 2 BF	BF	.6 2	.6 2	.6 2	.8 2	.6 2	.4 2	.3 2	.3 2	.3 2	.3 2	.5 2	.7 2	.4 2	.6 2	.8 2	.9 2	.8 2	.8 2	.7 2	.7 2	.8 2	22	1.2	
21	.7 2 BF	BF	.8 2	.5 2	.4 2	.4 2	.5 2	.5 2	.3 2	.3 2	.4 2	.2 2	.2 2	.3 2	.3 2	.4 2	.3 2	1.5 2	6.5 2	4.9 2	.9 2	.7 2	.9 2	22	6.5	
22	.7 2 BF	BF	.7 2	.9 2	3.3 2	4.9 2	1.4 2	1.0 2	.7 2	.6 2	.3 2	.3 2	.3 2	.3 2	.3 2	.3 2	.3 2	.4 2	.9 2	1.2 2	.7 2	.6 2	.6 2	22	4.9	
23	.9 2 BF	BF	1.3 2	1.0 2	1.5 2	1.3 2	.9 2	.8 2	.6 2	.6 2	.8 2	.9 2	.4 2	.3 2	.4 2	.4 2	.6 2	3.4 2	4.3 2	.9 2	1.5 2	1.2 2	1.5 2	22	4.3	
24	1.2 2 BF	BF	.7 2	.7 2	1.2 2	1.5 2	1.5 2	1.1 2	.9 2	1.1 2	1.6 2	1.3 2	.7 2	.6 2	.6 2	.5 2	.5 2	4.6 2	1.7 2	1.6 2	1.7 2	1.3 2	1.0 2	22	4.6	
25	1.1 2 BF	BF	1.4 2	1.2 2	1.4 2	1.7 2	1.4 2	2.0 2	1.4 2	1.5 2	1.3 2	.9 2	.8 2	.9 2	.7 2	.7 2	.8 2	1.5 2	1.5 2	1.6 2	3.9 2	2.0 2	1.1 2	22	3.9	
26	1.1 2 BF	BF	1.2 2	.9 2	.8 2	.6 2	.6 2	.7 2	.6 2	.7 2	.8 2	.9 2	1.0 2	.5 2	.6 2	.7 2	.8 2	.8 2	.8 2	.8 2	.4 2	.3 2	.3 2	22	1.2	
27	.3 2 BF	BF	.4 2	.4 2	.5 2	.6 2	.6 2	.7 2	.7 2	.6 2	.7 2	.7 2	.6 2	.4 2	.3 2	.4 2	.4 2	.5 2	.9 2	1.2 2	.8 2	.8 2	1.1 2	22	1.2	
28	.7 2 BF	BF	1.0 2	.9 2	.9 2	.6 2	1.3 2	1.1 2	.6 2	.5 2	.4 2	.3 2	.3 2	.3 2	.3 2	.4 2	.6 2	3.3 2	2.7 2	3.4 2	1.8 2	.8 2	1.0 2	22	3.4	
29	.8 2 BF	BF	1.1 2	1.6 2	1.6 2	2.2 2	1.5 2	1.1 2	BF	BF	BF	BF	BF	1.2 2	1.5 2	1.6 2	.9 2	1.0 2	.9 2	.6 2	.8 2	.8 2	.7 2	17	2.2	
30	.6 2 BF	BF	1.0 2	.7 2	.7 2	.4 2	.5 2	.4 2	.4 2	.3 2	.3 2	.3 2	.2 2	.3 2	.3 2	.3 2	.7 2	1.2 2	.8 2	1.5 2	1.7 2	1.3 2	1.1 2	22	1.7	
31																									0	
NO.:	30		30	30	30	30	30	30	29	27	27	27	27	30	30	30	30	30	30	30	30	30	30	30		
MAX:	2.6		1.7	2.6	3.3	4.9	3.3	3.2	2.8	1.8	1.8	1.7	2.1	4.6	3.5	3.3	3.8	4.6	6.5	4.9	3.9	2.3	2.3			
AVG:	1.03		.99	1.09	1.35	1.57	1.25	1.23	.97	.72	.67	.56	.56	.64	.66	.70	.80	1.58	1.63	1.40	1.27	1.07	1.14			

MONTHLY OBSERVATIONS: 647 MONTHLY MEAN: 1.05 MONTHLY MAX: 6.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	2 BF	BF	.8	.8	.7	.6	.7	.8	.9	1.0	.7	.5	.5	.5	.6	.9	.8	2.3	2.2	.8	.8	.5	22	2.3		
2	.5	2 BF	BF	1.1	1.1	1.1	.8	.7	.8	.6	.5	.3	.4	.3	.3	.2	.4	.3	1.8	13.2	13.6	2.0	1.3	1.3	22	13.6	
3	1.7	2 BF	BF	.6	.6	.7	.4	.3	.4	.4	.3	.2	.2	.4	.2	.2	.2	.7	4.0	5.9	21.8	13.1	1.0	1.0	22	21.8	
4	1.8	2 BF	BF	.9	2	2.7	5.6	3.1	1.5	2	1.1	.7	.5	.6	.4	2	.5	.2	1.5	2	3.1	1.0	.7	.8	2	5.6	
5	1.5	2 BF	BF	1.0	2	1.8	2.6	2.9	1.9	2	1.1	.5	.3	.3	.2	.5	.2	1.5	1.5	3.0	5.4	2.1	1.7	2.4	22	5.4	
6	2.7	2 BF	BF	1.5	1.8	2.2	.9	.6	.8	.7	.4	.7	.5	.4	.8	.6	.7	.8	1.3	1.7	3.4	2.6	1.9	2.2	22	3.4	
7	1.9	2 BF	BF	1.2	2.0	2.2	2.1	2.2	1.8	1.7	1.8	.9	.7	.6	.6	.6	.7	1.0	.9	2.6	1.6	3.0	2.3	1.5	22	3.0	
8	1.1	2 BF	BF	1.8	1.7	2.1	1.6	1.2	1.2	1.2	1.1	.6	.4	.3	.6	.7	1.0	.7	.9	1.4	2.7	2.0	2.5	1.8	22	2.7	
9	1.0	2 BF	BF	.7	.9	.6	.7	.7	.5	.5	.5	.5	.4	.4	.4	.5	.5	.5	.4	.6	1.1	1.8	1.7	1.6	22	1.8	
10	1.0	2 BF	BF	.5	.6	.5	.5	.5	.6	.5	.4	.3	.4	.4	.4	.4	.4	.4	.6	.5	.5	.4	.5	.4	22	1.0	
11	.5	2 BF	BF	.6	.7	.8	.7	.5	.4	.3	.2	BF	BF	BF	.3	.3	.3	.5	.9	.6	.8	.8	.7	1.1	19	1.1	
12	1.3	2 BF	BF	1.7	1.7	1.7	1.5	1.1	.7	.6	.4	.3	.3	.4	.4	.4	.3	.4	.5	.5	.8	.6	.7	.7	22	1.7	
13	.9	2 BF	BF	1.1	1.1	1.7	.9	.9	.9	.8	.6	.4	.4	.4	.4	.3	.4	.4	1.8	2.7	1.9	2.7	2.9	1.7	22	2.9	
14	2.0	2 BF	BF	1.7	1.3	2.0	2.7	2.4	3.0	2.1	1.8	1.2	1.1	10.2	.4	.4	.9	.8	1.0	4.5	2.9	2.3	2.7	2.0	22	10.2	
15	1.8	2 BF	BF	2.2	2.2	2.1	2.0	1.8	1.2	1.1	.7	.4	.4	.4	.4	.5	.6	.6	1.2	1.5	1.8	1.8	1.2	1.7	22	2.2	
16	1.6	2 BF	BF	1.0	1.0	.8	.7	.7	.6	.4	.3	1.0	.4	.3	.6	1.4	1.3	1.0	1.1	1.2	1.3	1.2	1.5	1.3	22	1.7	
17	1.5	2 BF	BF	1.1	1.0	1.2	1.2	.8	.4	.3	.3	.3	.2	.2	.3	.3	.6	1.0	1.4	2.1	3.3	1.1	1.1	1.1	22	3.3	
18	1.3	2 BF	BF	1.1	.9	.9	.8	.6	.6	.5	.3	.3	.3	.3	.3	.4	.3	.4	.9	.8	.5	.8	1.2	1.4	22	1.4	
19	.8	2 BF	BF	.9	1.9	1.9	1.2	1.0	1.1	1.0	.7	.6	.4	.5	.6	.3	.5	.5	.9	1.7	2.1	1.3	1.3	1.2	22	2.1	
20	.7	2 BF	BF	1.8	1.8	1.5	1.2	1.0	.8	.7	.5	.2	.4	.2	.5	.2	.4	.5	1.1	1.8	2.4	4.2	3.0	2.0	1.9	22	4.2
21	1.8	2 BF	BF	1.3	1.1	1.3	1.6	1.7	1.4	1.6	1.5	1.0	.9	1.4	1.5	.9	.7	.7	.9	1.2	1.7	1.9	1.9	1.7	22	1.9	
22	1.6	2 BF	BF	1.1	1.1	1.3	1.0	.8	.5	.5	BF	BF	BF	.2	.4	.4	.4	1.2	3.6	3.3	2.2	1.5	2.3	1.1	19	3.6	
23	1.5	2 BF	BF	1.8	1.1	1.5	.6	.5	.8	1.1	.8	.6	.5	.4	.5	.4	.3	.2	1.4	2.4	1.5	2.4	1.6	1.6	22	2.4	
24	1.4	2 BF	BF	1.2	1.2	1.3	.9	.9	.5	.3	.3	.3	.3	.3	.3	.4	.4	.4	.6	1.6	1.4	.8	.7	.7	22	1.6	
25	.8	2 BF	BF	.9	1.0	.9	1.0	.6	.3	.4	.3	.3	.3	.3	.4	.3	.4	.6	1.3	1.5	.9	.8	.8	.8	22	1.5	
26	.9	2 BF	BF	1.0	1.5	3.0	2.5	4.0	1.7	.9	.5	.3	.3	.2	.4	.6	.5	.5	1.1	.9	1.2	1.9	3.4	1.2	22	4.0	
27	1.2	2 BF	BF	1.2	1.5	2.4	1.4	1.2	.8	.5	.3	.3	.3	.3	.4	.7	.7	.6	.8	1.2	1.2	1.7	1.9	2.0	22	2.4	
28	2.3	2 BF	BF	2.2	2.0	2.9	2.1	1.4	1.1	.8	.5	.6	.5	.5	.5	.5	.5	.4	.8	2.3	2.5	1.7	1.1	1.2	22	2.9	
29	2.1	2 BF	BF	2.0	2.2	3.5	2.4	1.0	.7	.4	.3	.4	.4	.4	.4	.5	.6	.7	.9	2.1	2.4	1.9	1.6	1.5	22	3.5	
30	1.6	2 BF	BF	2.4	2.0	2.4	1.9	2.4	2.9	.4	.3	.3	.3	.3	.3	.2	.3	1.6	5.3	2.4	1.1	1.2	2.5	1.8	22	5.3	
31	1.5	2 BF	BF	1.6	1.7	1.6	1.3	.5	.3	.2	.3	.4	.2	.2	.4	.4	.7	1.1	2.1	2.3	1.4	1.1	1.0	1.1	22	2.3	
NO.:	31			31	31	31	31	31	31	30	29	29	30	31	31	31	31	31	31	31	31	31	31	31			
MAX:	2.7			2.4	2.7	5.6	3.1	4.0	3.0	2.1	1.8	1.2	1.1	10.2	1.5	1.4	1.5	1.6	5.3	13.2	21.8	13.1	3.4	2.2			
AVG:	1.40			1.29	1.42	1.77	1.39	1.16	.96	.72	.59	.50	.42	.73	.46	.51	.57	.73	1.47	2.46	2.81	1.95	1.59	1.39			

MONTHLY OBSERVATIONS: 676 MONTHLY MEAN: 1.20 MONTHLY MAX: 21.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
COUNTY: (105) Lee
CITY: (59280) Sanford
SITE ADDRESS: 4110 Blackstone Drive
SITE COMMENTS:
MONITOR COMMENTS:

STATE: (37) North Carolina
AQCR: (166) EASTERN PIEDMONT
URBANIZED AREA: (0000) NOT IN AN URBAN AREA
LAND USE: AGRICULTURAL
LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
LATITUDE: 35.4325
LONGITUDE: -79.2887
UTM ZONE:
UTM NORTHING:
UTM EASTING:
ELEVATION-MSL: 131
PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
MONITOR TYPE: SFM
COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2015

DURATION: 1 HOUR
UNITS: Parts per billion
MIN DETECTABLE: .1

Table with 26 columns: DAY, HOUR (0000-2300), OBS, MAXIMUM. Rows 1-31 containing hourly observations and summary statistics (NO, MAX, AVG) for each hour.

MONTHLY OBSERVATIONS: 639 MONTHLY MEAN: 1.21 MONTHLY MAX: 6.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.7	BF	BF	1.0	.9	1.0	1.0	1.0	.9	.7	.6	.5	.5	.5	.5	.6	.6	.8	1.0	1.2	1.2	1.1	1.8	1.5	22	1.8	
2	1.4	BF	BF	.9	1.1	1.4	1.6	1.3	1.0	.8	.8	.6	.5	.4	.4	.5	.3	.4	.8	.5	.7	.6	.7	.7	22	1.6	
3	.7	BF	BF	.9	1.0	1.0	1.0	1.0	1.1	.8	1.0	.9	1.2	1.0	.8	.6	.5	.5	.6	.3	.4	.4	.3	.3	22	1.2	
4	.4	BF	BF	.8	.8	.7	.6	.5	.4	.3	.2	.2	.2	.2	.2	.2	.2	.2	.3	.8	.9	1.0	1.0	.6	22	1.0	
5	.7	BF	BF	.9	1.1	1.1	1.0	.7	.7	.5	.3	.3	.2	.2	.5	.3	.6	.7	.8	.6	.6	.6	.6	.6	22	1.1	
6	.9	BF	BF	1.3	1.4	1.4	1.2	1.0	.7	.4	.5	.3	.2	.2	.3	.4	.8	.9	.4	.8	1.0	.6	.8	1.1	22	1.4	
7	.8	BF	BF	1.2	1.4	1.7	1.3	1.1	.8	.5	.3	.3	.3	.3	.5	.5	.5	.7	1.1	2.6	1.4	1.0	1.6	1.5	22	2.6	
8	1.2	BF	BF	1.4	1.5	2.1	1.6	1.4	1.1	.9	.6	.4	.4	.4	.4	.5	.7	1.3	1.8	1.2	.6	.5	1.0	.9	22	2.1	
9	.7	BF	BF	1.7	1.7	2.0	1.6	.9	.8	.6	.5	.3	.3	.4	.5	.5	.5	.9	1.6	2.3	1.4	1.2	1.2	1.1	22	2.3	
10	.9	BF	BF	1.2	1.3	1.3	1.2	1.1	1.0	.7	.4	.4	.3	.3	.3	.3	.3	.3	2.5	3.4	2.7	1.9	2.9	1.6	22	3.4	
11	1.5	BF	BF	1.5	1.4	1.2	1.1	1.3	1.1	.6	.4	.3	.4	.3	.4	.4	.3	.5	.4	.7	.8	.9	.8	1.0	22	1.5	
12	1.1	BF	BF	1.0	1.1	1.0	.8	.6	.4	.3	.3	.3	.3	.3	.3	.4	.3	.9	1.0	3.2	2.2	2.1	1.6	1.8	22	3.2	
13	1.7	BF	BF	1.6	1.8	1.6	1.7	1.8	1.0	.8	.5	BF	BF	BF	BF	.9	.9	.9	.8	1.0	.9	1.1	.9	.9	18	1.8	
14	.8	BF	BF	1.8	1.9	1.8	1.6	1.4	1.2	1.4	1.2	.9	.9	.7	.6	.7	.7	.9	.7	.9	1.4	1.1	1.0	.9	22	1.9	
15	1.0	BF	BF	2.2	2.4	2.1	1.6	1.4	.9	.5	.4	.4	.4	.4	.3	.4	.4	.4	.5	.6	2.9	1.2	.8	.7	22	2.9	
16	.7	BF	BF	1.2	1.6	2.2	2.4	1.6	1.3	1.1	.8	.6	.6	.6	.7	.7	.8	.8	1.5	1.4	2.2	2.6	2.3	2.1	22	2.6	
17	1.6	BF	BF	1.6	1.8	2.0	1.4	1.2	1.1	.8	.6	.5	.4	.5	.5	.4	.5	.4	1.2	1.7	1.9	1.3	1.5	1.4	22	2.0	
18	1.4	BF	BF	.9	.9	1.0	1.0	.9	.5	.3	.4	.4	.3	.4	.6	.9	1.0	1.0	1.0	1.2	1.2	1.2	1.0	1.1	22	1.4	
19	1.2	BF	BF	1.5	1.7	2.1	2.1	1.6	1.5	.9	.5	.4	.3	.3	.4	.6	.5	.4	.4	1.2	.8	1.0	.8	1.1	22	2.1	
20	1.0	BF	BF	1.6	1.8	1.7	1.0	1.3	1.0	.8	.4	.3	.3	.3	.4	.7	.5	.5	1.0	1.2	1.9	.9	.6	.6	22	1.9	
21	.5	BF	BF	1.2	1.5	1.3	1.3	1.5	1.4	.8	.5	.3	.3	.3	.3	.3	.3	.5	1.3	.9	1.1	1.1	.8	.9	22	1.5	
22	1.1	BF	BF	1.4	2.1	2.4	2.1	1.1	1.2	1.0	.8	.6	.5	.4	.4	.3	.4	.7	.8	2.0	3.4	2.0	1.8	1.7	22	3.4	
23	1.8	BF	BF	1.9	1.9	1.9	1.9	1.9	1.8	1.6	1.5	1.5	1.4	.7	.7	.6	.9	1.1	1.5	1.3	1.3	1.3	1.6	1.6	22	1.9	
24	1.8	BF	BF	1.6	1.3	1.3	1.2	1.1	1.0	.9	.6	.4	.4	.5	.5	.5	.8	.7	.8	1.9	3.0	3.1	2.3	4.2	22	4.2	
25	2.7	BF	BF	1.7	1.4	1.8	1.2	1.3	1.1	.8	.6	.5	.3	.4	.5	.6	.4	.6	1.4	3.5	2.9	5.5	1.6	1.5	22	5.5	
26	1.5	BF	BF	1.2	1.4	.9	1.0	.6	.4	.2	.2	.3	.3	.3	.7	.4	.5	.4	.8	.9	1.0	1.4	1.1	1.1	22	1.5	
27	1.0	BF	BF	1.3	1.2	2.3	1.7	1.7	.6	.3	BF	BF	BF	BF	.6	.7	.4	.8	1.1	.7	.8	.7	.7	.9	18	2.3	
28	.9	BF	BF	1.4	1.3	1.5	1.1	1.2	.7	.4	.3	.3	.4	.4	.7	1.4	2.5	4.9	3.0	1.9	1.2	1.3	1.4	1.2	22	4.9	
29	1.3	BF	BF	1.6	2.1	2.5	3.6	1.4	.7	.5	.3	.3	.4	.4	.4	.6	.9	.6	1.2	1.7	1.7	1.6	1.7	1.7	22	3.6	
30	1.4	BF	BF	1.5	2.6	2.7	4.4	1.1	.6	.3	.3	.2	.2	.2	.3	.4	.6	.5	.7	1.3	2.1	1.6	1.7	1.3	22	4.4	
31	1.2	BF	BF	.8	.8	.9	.7	.8	.8	1.0	.7	.7	.6	.4	.5	.4	.4	.5	.5	1.3	2.6	2.3	2.0	1.6	22	2.6	
NO.:	31			31	31	31	31	31	31	31	30	29	29	29	30	31	31	31	31	31	31	31	31	31	31		
MAX:	2.7			2.2	2.6	2.7	4.4	1.9	1.8	1.6	1.5	1.5	1.4	1.0	.8	1.4	2.5	4.9	3.0	3.5	3.4	5.5	2.9	4.2			
AVG:	1.15			1.35	1.49	1.61	1.52	1.19	.93	.69	.55	.46	.44	.40	.47	.54	.61	.80	1.05	1.43	1.55	1.43	1.29	1.26			

MONTHLY OBSERVATIONS: 674 MONTHLY MEAN: 1.02 MONTHLY MAX: 5.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	1.5	BF	BF	1.1	1.0	1.3	1.3	1.1	.7	.5	.4	.3	.2	.2	.2	.2	.3	.3	3.3	1.3	1.9	1.1	1.7	22	3.3	
2	2.2	BF	BF	.7	1.2	1.0	.8	1.2	.9	.7	.4	.3	.3	.3	.3	.3	.4	.5	1.5	1.4	1.4	.8	.9	22	2.2	
3	1.4	BF	BF	1.1	.9	.9	1.2	1.1	.7	.3	.3	.3	.3	.3	.4	.4	.5	1.0	.5	.8	.6	.6	.8	1.4	22	1.4
4	2.6	BF	BF	1.9	1.9	2.0	1.5	1.6	.9	.4	.3	.2	.3	.3	.3	.5	.4	.8	.9	1.5	1.2	.9	1.0	1.1	22	2.6
5	2.9	BF	BF	2.2	2.1	1.3	1.2	1.0	1.2	1.1	.7	.5	.3	.2	.2	.3	.3	.2	.7	.5	.6	.7	.7	.7	22	2.9
6	.8	BF	BF	1.2	1.6	1.6	1.4	.9	.5	.6	.5	.3	.6	.8	1.7	2.0	3.5	2.8	3.0	3.2	2.6	3.3	4.8	3.7	22	4.8
7	2.6	BF	BF	2.7	3.6	3.4	2.7	1.6	1.5	1.2	1.2	1.1	.7	.7	.8	.8	.9	.9	1.1	1.6	1.7	1.6	1.4	1.4	22	3.6
8	1.6	BF	BF	1.3	1.1	1.1	1.4	1.4	1.3	1.2	.7	.6	.5	.4	.5	.5	.5	.4	.7	1.9	2.5	2.6	2.7	2.9	22	2.9
9	3.0	BF	BF	3.2	2.2	1.9	1.8	1.5	1.2	.7	.3	.4	.4	.3	.3	.3	.4	.7	1.2	1.4	1.6	1.4	1.2	1.3	22	3.2
10	1.1	BF	BF	1.2	1.1	2.6	2.5	2.9	5.5	2.9	BF	BF	BF	BF	.6	.7	.7	.7	1.3	1.3	1.1	1.2	1.3	1.5	18	5.5
11	1.9	BF	BF	1.3	1.3	1.5	1.3	1.3	1.2	.9	.8	1.0	.6	.4	.5	.5	.7	.9	.8	.7	1.5	2.3	3.0	1.2	22	3.0
12	1.0	BF	BF	1.8	1.8	2.2	2.6	1.4	.9	.7	.5	.5	.5	.4	.3	.4	.6	.6	1.2	2.0	4.1	4.6	5.0	5.9	22	5.9
13	3.8	BF	BF	2.1	2.4	2.4	2.4	2.2	1.1	.7	.4	.4	.4	.5	.6	.6	.6	1.1	5.3	6.5	5.5	2.5	5.9	4.0	22	6.5
14	3.6	BF	BF	2.8	3.2	2.8	2.0	3.3	1.7	.6	.4	.3	.3	.3	.3	.4	.4	.8	1.6	3.8	2.8	2.1	2.4	2.8	22	3.8
15	2.4	BF	BF	2.4	2.1	2.5	2.3	1.2	.6	.4	.2	.3	.3	.3	.3	.3	.4	.6	1.9	1.4	2.1	1.6	1.4	1.6	22	2.5
16	2.1	BF	BF	1.5	1.3	1.1	.9	.6	.4	.3	.3	.3	.3	.3	.3	.3	.3	1.0	1.1	2.7	1.6	1.4	1.9	1.8	22	2.7
17	.9	BF	BF	.8	.9	.9	.7	.8	.6	.4	.4	.4	.4	.4	1.9	.5	.6	1.7	.9	.8	.7	.8	1.4	1.2	22	1.9
18	1.0	BF	BF	1.1	1.7	3.9	1.8	1.3	1.4	1.3	.9	.6	.4	.4	.8	1.0	.9	.7	1.0	1.6	1.3	1.6	2.2	2.2	22	3.9
19	1.9	BF	BF	1.7	1.7	2.2	2.2	1.6	1.6	1.0	.6	.5	.4	.4	.5	.5	.7	2.4	3.8	1.7	1.0	1.0	1.1	1.3	22	3.8
20	1.0	BF	BF	1.3	1.5	1.8	2.0	1.7	1.5	1.1	.6	.5	.4	.3	.3	.4	.5	.5	1.1	1.5	1.5	1.3	1.0	1.2	22	2.0
21	1.6	BF	BF	1.4	1.5	2.0	1.5	1.0	.7	.7	.8	.8	.7	.6	.6	.5	.6	1.0	1.4	3.2	3.9	2.7	2.3	2.1	22	3.9
22	1.7	BF	BF	2.0	1.9	2.0	2.0	1.8	1.2	1.1	.8	.7	.6	.6	.4	.6	.4	.5	1.3	2.1	2.6	2.1	3.2	3.4	22	3.4
23	2.8	BF	BF	2.1	1.5	1.6	1.1	.8	.8	.8	.5	.4	.3	.4	.5	.5	.5	.5	1.3	1.3	1.2	1.3	1.1	1.0	22	2.8
24	.9	BF	BF	1.7	1.7	4.9	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	4	4.9
25	AN	BF	BF	AN	AN	AN	AN	BA	BA	.6	.7	.7	.5	.5	.5	.5	.5	1.2	1.6	1.3	2.9	2.5	1.6	1.7	15	2.9
26	1.4	BF	BF	.8	.8	1.1	1.1	1.0	1.9	2.1	1.4	1.0	BF	BF	BF	.8	.7	1.1	1.3	1.3	1.5	1.3	1.4	1.5	19	2.1
27	1.6	BF	BF	1.6	1.5	1.8	2.0	2.0	2.1	1.8	1.3	.8	.6	.7	.8	.7	.8	.8	1.5	1.6	1.5	1.7	1.9	2.3	22	2.3
28	2.1	BF	BF	2.8	1.7	2.9	2.2	1.7	2.2	1.4	1.1	.6	.6	.5	.6	.6	.8	1.0	5.0	2.3	2.3	2.4	2.0	2.3	22	5.0
29	1.6	BF	BF	2.0	1.7	1.7	2.2	2.0	1.5	1.0	.5	.5	.4	.3	.5	.5	.5	.5	.6	7.0	2.8	2.1	3.1	2.1	22	7.0
30	2.4	BF	BF	2.0	1.6	1.4	.8	.5	.8	.5	1.8	1.7	.5	.4	.5	.7	.5	.7	.9	.7	.9	.6	.5	.6	22	2.4
31	.8	BF	BF	1.0	.5	.9	1.1	1.1	1.4	1.8	1.5	1.1	1.0	.9	.8	.5	.5	.6	1.0	1.7	1.9	1.5	1.2	.5	22	1.9
NO.:	30			30	30	30	29	29	29	30	29	29	28	28	29	30	30	30	30	30	30	30	30	30		
MAX:	3.8			3.2	3.6	4.9	2.7	3.3	5.5	2.9	1.8	1.7	1.0	.9	1.9	2.0	3.5	2.8	5.3	7.0	5.5	4.6	5.9	5.9		
AVG:	1.87			1.69	1.63	1.96	1.66	1.43	1.31	.96	.70	.59	.46	.43	.56	.56	.64	.88	1.49	2.07	1.94	1.77	1.98	1.91		

MONTHLY OBSERVATIONS: 650 MONTHLY MEAN: 1.30 MONTHLY MAX: 7.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.7	BF	BF	1.0	1.1	1.5	1.7	.7	.5	1.1	1.0	.5	.4	.4	.4	.6	.8	1.9	2.2	1.9	1.6	1.5	1.4	1.5	22	2.2	
2	1.5	BF	BF	1.6	1.8	2.3	2.0	.9	.7	1.8	1.0	.5	.4	.5	1.7	1.1	.7	.4	3.9	2.8	2.7	1.5	1.2	1.9	22	3.9	
3	1.1	BF	BF	.9	2.6	4.5	2.4	.7	.5	.4	.4	.4	.4	.4	.3	.4	.6	1.2	2.4	4.6	6.5	4.2	2.0	1.6	22	6.5	
4	1.3	BF	BF	1.1	1.2	1.8	1.2	1.2	1.2	.7	.6	.7	.5	.4	.5	1.1	.9	.8	.7	1.3	1.5	1.1	.9	.9	22	1.8	
5	1.2	BF	BF	1.7	1.2	1.0	.8	.7	.8	.7	.5	.3	.3	.3	.2	.3	.3	.6	.9	1.4	1.3	1.1	1.4	1.7	22	1.7	
6	1.9	BF	BF	.8	.8	.6	.6	.5	.3	.3	.3	.3	.3	.3	.3	.4	.4	.5	1.1	1.0	1.1	1.0	.7	.5	22	1.9	
7	.5	BF	BF	1.0	1.2	.9	.7	.7	.8	.8	.5	.4	.3	.3	.3	.3	.4	.6	.8	1.0	1.2	1.2	1.1	1.0	22	1.2	
8	1.5	BF	BF	1.1	1.3	1.2	2.3	1.6	1.6	1.3	.8	.5	.4	.4	.5	.6	.4	.6	1.3	2.4	1.6	1.2	1.4	1.5	22	2.4	
9	1.5	BF	BF	1.2	1.5	1.9	2.0	1.0	.6	BF	BF	BF	.5	.7	.8	.7	.5	1.1	2.3	1.4	1.8	1.3	1.1	.9	19	2.3	
10	1.0	BF	BF	1.2	1.1	1.0	1.1	1.1	.9	BA	.7	.5	.3	.3	.3	.3	.3	.4	.6	.8	.8	1.0	1.1	1.3	21	1.3	
11	1.2	BF	BF	.9	.8	.9	.9	.9	BF	BF	BF	BF	BF	.3	.7	.7	.7	.7	1.4	2.2	1.5	1.5	1.5	1.4	17	2.2	
12	1.2	BF	BF	.9	.9	1.1	1.3	1.2	1.2	1.1	.8	.6	.5	.4	.3	.4	.3	.4	.6	1.0	.7	.9	.8	.6	22	1.3	
13	1.0	BF	BF	.9	.9	.8	.9	1.0	1.3	.5	.3	.2	.6	1.0	.2	.2	.2	.2	.3	.4	.5	1.0	1.1	1.0	22	1.3	
14	1.1	BF	BF	1.3	2.3	2.9	2.7	1.0	1.0	.8	1.3	.3	.2	.2	.2	.2	.2	.4	1.2	1.5	1.4	2.1	1.4	1.6	22	2.9	
15	1.2	BF	BF	.8	1.4	2.2	2.2	1.0	.7	.5	.3	1.5	.7	.4	.5	.5	.8	1.7	3.1	2.4	1.4	1.2	1.0	1.3	22	3.1	
16	1.3	BF	BF	1.3	1.2	2.6	1.6	.4	1.1	.7	.4	.8	.7	.5	.5	.6	.8	2.5	6.3	1.9	4.7	2.4	2.0	1.8	22	6.3	
17	1.4	BF	BF	1.3	2.4	1.9	3.0	1.9	2.4	2.2	1.8	.4	.4	.7	.5	.5	.4	.6	1.0	2.0	1.2	1.4	2.0	2.4	22	3.0	
18	1.7	BF	BF	1.6	1.6	1.7	1.8	2.7	3.1	1.9	.6	.5	.8	.6	.6	.5	.5	1.0	2.9	4.8	4.0	3.5	4.0	4.1	22	4.8	
19	3.4	BF	BF	3.7	3.3	2.5	1.6	1.0	.9	2.2	.4	.3	.3	.3	.3	.3	.6	1.1	1.0	2.9	1.5	1.4	1.5	1.4	22	3.7	
20	.9	BF	BF	1.1	1.0	1.0	.8	.6	.5	.5	.4	.4	.3	.2	.3	.2	.5	.8	1.0	1.1	1.0	1.0	1.1	.8	22	1.1	
21	.6	BF	BF	.8	1.0	1.8	2.6	2.0	1.7	1.4	.9	1.0	.6	.7	1.1	1.4	1.5	1.8	2.4	2.5	2.6	2.6	2.8	2.6	22	2.8	
22	2.3	BF	BF	1.3	1.2	1.4	1.3	1.1	1.5	1.5	1.1	.9	.6	.4	.4	.5	.4	.6	.8	.7	1.1	1.4	1.7	1.4	22	2.3	
23	1.2	BF	BF	1.2	1.1	1.3	1.5	1.3	1.5	1.2	BF	BF	BF	BF	.7	.5	.6	.8	1.0	1.0	1.1	1.0	1.1	1.1	18	1.5	
24	1.0	BF	BF	.9	.9	1.0	1.3	1.3	BA	BA	BA	BF	1.0	.9	1.0	.9	1.3	1.6	2.3	1.7	1.0	1.1	1.1	1.0	18	2.3	
25	.9	BF	BF	1.0	.9	1.4	1.5	1.5	1.6	1.9	2.2	2.0	2.0	1.7	1.5	1.4	1.5	1.5	1.4	.9	.8	.6	.6	.5	22	2.2	
26	.5	BF	BF	.5	.4	.5	.5	.7	.9	.9	.6	.6	.8	.7	.4	.7	.8	.8	.8	1.0	.7	.6	.5	.6	22	1.0	
27	.6	BF	BF	.3	.3	.3	.3	.4	.5	.6	.6	.6	.6	.5	.5	.5	1.0	1.1	.6	.7	.6	.5	.6	.5	22	1.1	
28	.5	BF	BF	.7	.8	1.0	1.0	1.4	1.8	1.7	1.3	.9	.7	.5	.5	.7	1.0	.9	1.0	.9	1.1	.9	.7	.9	22	1.8	
29	.6	BF	BF	.6	.6	.9	.9	1.0	.9	.8	.6	.4	.3	.4	.2	.4	.4	.4	1.4	1.8	1.6	1.1	1.5	1.3	22	1.8	
30	1.2	BF	BF	1.2	1.0	.9	1.3	1.1	1.1	.6	.5	.5	.3	.3	.3	.3	.7	1.4	.9	.7	1.0	1.0	.8	.5	22	1.4	
31																										0	
NO.:	30			30	30	30	30	30	28	26	26	26	28	29	30	30	30	30	30	30	30	30	30	30	30		
MAX:	3.4			3.7	3.3	4.5	3.0	2.7	3.1	2.2	2.2	2.0	2.0	1.7	1.7	1.4	1.5	2.5	6.3	4.8	6.5	4.2	4.0	4.1			
AVG:	1.20			1.13	1.26	1.49	1.46	1.09	1.13	1.08	.77	.62	.54	.51	.53	.57	.65	.95	1.59	1.69	1.65	1.41	1.34	1.32			

MONTHLY OBSERVATIONS: 643 MONTHLY MEAN: 1.10 MONTHLY MAX: 6.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.5	BF	BF	.7	.7	.9	.9	.8	1.0	1.1	1.2	.9	1.0	.9	1.0	1.2	1.3	1.5	2.0	2.4	2.9	3.0	3.0	2.9	22	3.0	
2	2.7	BF	BF	2.0	1.8	1.8	1.9	2.0	1.7	1.6	1.3	1.1	1.3	1.4	1.6	1.8	2.0	2.2	2.4	2.6	2.6	2.7	2.8	2.7	22	2.8	
3	2.5	BF	BF	2.1	2.0	1.8	1.6	1.4	1.4	1.4	1.4	1.3	1.0	.8	.7	.8	.9	.9	1.0	1.2	1.0	.8	.8	.8	22	2.5	
4	.6	BF	BF	.4	.4	.4	.4	.4	.3	.3	.3	.3	.3	.3	.3	.3	.4	.5	.5	.5	.5	.5	.5	.4	22	.6	
5	.4	BF	BF	.3	.4	.7	BA	BA	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	4	.7	
6	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BA	BA	1.6	1.1	.7	.4	.4	.3	.5	.6	1.9	2.0	1.8	2.0	.6	.6	14	2.0	
7	.6	BF	BF	.6	.6	.8	.7	.8	.6	BC	BC	BC	BC	BC	BC	BC	BC	4.6	5.5	1.1	1.5	.6	.3	.4	14	5.5	
8	.3	BF	BF	.3	.5	1.0	.4	1.0	.2	.6	.8	.3	.3	.2	.3	.4	.2	4.5	3.4	1.6	1.9	1.9	1.1	.9	22	4.5	
9	.7	BF	BF	1.1	.8	.5	2.1	.6	.6	.4	.2	.1	.1	.0	.0	.1	.3	.5	.4	.7	.3	.3	.4	.4	22	2.1	
10	.6	BF	BF	.5	.4	1.0	1.3	1.7	1.9	1.7	1.6	1.8	1.8	1.3	1.1	1.2	1.4	1.4	1.3	1.1	1.2	1.0	.9	1.0	22	1.9	
11	1.0	BF	BF	.6	.5	.3	.4	.4	.3	.3	.2	.2	.1	.1	.1	.0	.3	1.3	1.1	1.0	.9	1.7	1.3	.6	22	1.7	
12	.5	BF	BF	.1	.2	.4	.5	.6	.2	.2	.1	.2	.1	.1	.0	.0	.1	1.3	2.3	3.0	.8	1.0	.6	.5	22	3.0	
13	.4	BF	BF	.6	.7	1.1	1.2	1.1	1.0	.8	.2	.1	.1	.1	.1	.1	.2	.5	2.4	1.6	.6	.5	.6	.5	22	2.4	
14	.6	BF	BF	.6	.5	.5	.8	.6	1.0	1.1	.4	.3	.1	.1	.0	.0	.1	.8	6.0	2.8	.6	.5	.7	.8	22	6.0	
15	.9	BF	BF	.9	1.8	1.6	1.3	1.3	1.5	1.1	.6	.4	.3	.4	.3	.4	2.4	4.9	1.4	1.1	.8	1.3	.7	.7	22	4.9	
16	.8	BF	BF	.4	.4	.5	.7	1.6	1.1	1.1	1.0	1.0	.9	1.1	1.0	1.1	1.4	8.2	4.1	2.6	2.7	2.2	1.8	1.7	22	8.2	
17	1.4	BF	BF	.8	.8	.8	.9	.6	.6	.5	.4	.2	.2	.5	.2	.2	.2	.9	1.8	1.1	.8	.5	.4	.4	22	1.8	
18	.4	BF	BF	.5	.5	.5	.7	.7	.5	.3	.2	.1	.1	.0	.0	.2	.4	1.4	1.6	.8	2.8	2.4	.8	.6	22	2.8	
19	.6	BF	BF	.9	1.2	.9	1.5	2.0	1.8	2.8	1.5	.9	.9	1.1	1.0	.8	1.2	3.6	1.2	2.0	2.1	1.3	1.2	1.1	22	3.6	
20	1.2	BF	BF	.5	.9	2.3	3.1	2.8	.7	.7	.4	.5	.3	.3	.4	.4	3.8	2.1	3.0	1.3	1.1	1.1	1.1	1.0	22	3.8	
21	.6	BF	BF	1.3	1.9	2.3	2.1	3.5	.9	BF	BF	BF	BF	BF	.5	.7	3.2	2.8	6.4	5.9	1.5	1.3	2.3	2.1	17	6.4	
22	1.4	BF	BF	.7	.8	1.3	1.6	1.4	.4	.5	.3	.2	.3	.1	.1	.1	.1	9.2	1.1	2.0	1.1	.5	.4	.6	22	9.2	
23	.6	BF	BF	.5	.4	1.0	1.6	1.1	1.1	1.1	1.5	1.3	1.7	2.2	1.7	1.2	1.4	5.9	3.3	2.8	2.7	2.4	1.8	1.6	22	5.9	
24	1.2	BF	BF	.8	.7	.7	1.0	1.1	1.0	1.1	.8	.6	.6	.6	.3	.4	1.3	2.9	2.8	1.5	1.6	1.6	1.4	1.4	22	2.9	
25	1.4	BF	BF	1.3	1.1	.8	.8	.9	.9	.7	.1	.1	.0	.1	.0	.1	1.1	2.8	1.3	4.6	4.4	1.4	2.3	1.8	22	4.6	
26	1.9	BF	BF	1.4	1.3	1.2	1.8	2.4	2.4	2.3	2.1	2.1	1.5	1.3	1.5	1.7	2.6	3.3	3.0	2.4	2.3	1.9	1.5	1.5	22	3.3	
27	1.4	BF	BF	1.2	1.3	1.9	2.2	2.3	2.5	2.9	3.1	2.7	2.5	2.4	2.5	2.9	2.5	2.0	1.6	1.2	1.0	.6	.4	.3	22	3.1	
28	.3	BF	BF	.1	.2	.4	.6	.6	1.1	.7	.2	.0	.2	.3	.4	.2	.5	.8	.5	.6	.5	.3	.5	.6	22	1.1	
29	.5	BF	BF	.4	.5	.4	.5	.5	.5	.6	.4	.2	.1	.1	.1	.1	.3	.3	.5	.9	.8	.9	.9	1.3	22	1.3	
30	1.5	BF	BF	1.5	1.4	1.2	1.2	1.0	1.0	1.0	.7	.5	.3	.1	.1	.2	.4	1.0	1.8	1.2	1.3	1.4	3.3	1.9	22	3.3	
31	1.7	BF	BF	1.7	2.2	2.2	2.4	1.9	1.7	1.6	1.2	.9	.6	.5	.3	.6	.9	3.1	1.5	2.2	2.2	1.7	1.5	1.6	22	3.1	
NO.:	30			30	30	30	29	29	29	27	28	28	28	28	29	29	29	30	30	30	30	30	30	30	30		
MAX:	2.7			2.1	2.2	2.3	3.1	3.5	2.5	2.9	3.1	2.7	2.5	2.4	2.5	2.9	3.8	9.2	6.4	5.9	4.4	3.0	3.3	2.9			
AVG:	.97			.83	.90	1.04	1.25	1.28	1.03	1.06	.85	.69	.62	.60	.55	.60	1.08	2.52	2.24	1.85	1.56	1.31	1.19	1.09			

MONTHLY OBSERVATIONS: 643 MONTHLY MEAN: 1.15 MONTHLY MAX: 9.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.6	BF	BF	.6	.4	.6	.5	.6	.2	.6	.8	1.3	1.0	.6	.9	1.0	.9	1.1	1.2	.9	.7	.6	1.2	.8	22	1.6	
2	2.0	BF	BF	.8	.6	.7	1.7	2.7	3.0	2.2	1.8	1.8	1.7	1.5	.7	1.5	1.6	1.8	2.4	1.9	1.3	2.7	3.4	3.2	22	3.4	
3	3.3	BF	BF	2.8	2.2	1.9	2.2	2.3	2.0	2.3	2.5	2.1	1.9	2.0	2.9	2.8	2.6	2.6	2.7	2.5	2.2	1.5	1.2	1.8	22	3.3	
4	2.1	BF	BF	.5	.9	1.1	1.3	1.3	1.0	2.0	BF	BF	BF	BF	1.6	1.7	2.0	1.8	1.1	1.9	2.0	2.7	2.1	1.4	18	2.7	
5	1.4	BF	BF	.8	.6	.6	.7	.7	.6	.5	.4	.3	.1	.2	.2	.3	.4	1.6	2.4	1.0	1.2	1.7	1.0	.7	22	2.4	
6	.8	BF	BF	.6	.3	.3	.2	.3	.3	.2	.1	.2	.3	.5	.6	1.2	1.7	1.3	1.2	.6	.7	.5	.4	.3	22	1.7	
7	.4	BF	BF	.3	.3	.3	.7	.8	1.0	1.0	.6	.2	.0	.2	.0	.0	.2	.0	.6	.4	.5	.4	.5	.5	22	1.0	
8	.5	BF	BF	.7	1.5	1.7	1.4	1.0	1.1	.9	.8	.5	.6	.6	.6	1.0	.6	1.9	2.0	2.0	1.4	1.2	1.3	22	2.0		
9	1.2	BF	BF	.7	.5	.6	.6	AZ	AZ	AZ	AZ	AZ	AZ	BA	2.4	2.9	2.7	2.7	2.7	2.3	1.8	2.0	2.3	2.6	15	2.9	
10	2.9	BF	BF	2.6	2.4	2.4	2.3	1.9	1.4	1.4	1.5	1.7	1.0	.8	.6	.3	.1	.7	1.0	.5	.4	.4	.3	.5	22	2.9	
11	.9	BF	BF	1.0	.6	.5	.6	.5	.4	.5	.5	.3	.4	.4	.3	.3	2.5	5.5	1.1	1.0	1.5	1.7	1.4	1.0	22	5.5	
12	.8	BF	BF	.7	1.9	1.5	2.5	2.5	1.8	1.3	.6	.4	.3	.1	.1	.1	.1	.2	.5	.3	.4	.4	.5	.7	22	2.5	
13	1.0	BF	BF	1.0	.6	.6	.6	.7	.6	.5	.5	.4	.2	.1	.2	.2	.2	.6	1.2	1.5	.7	.8	.8	.7	22	1.5	
14	1.2	BF	BF	1.0	1.0	.9	.7	.6	.4	.4	.4	.3	.3	.3	.3	.3	.7	3.6	7.0	1.1	.9	1.0	.9	.7	22	7.0	
15	.5	BF	BF	.9	.9	.9	1.1	1.0	.7	.8	.8	.4	.1	.0	.0	.0	3.0	3.2	1.8	1.6	1.3	1.2	.5	.9	22	3.2	
16	.9	BF	BF	.3	.3	.6	1.7	1.8	.4	1.2	.7	.6	.4	.4	.6	.3	2.6	3.0	1.7	1.7	3.2	3.2	2.0	1.5	22	3.2	
17	.9	BF	BF	1.3	2.3	1.9	2.4	3.6	8.2	6.5	6.7	3.8	1.8	1.5	1.8	2.3	4.9	6.0	6.2	4.4	5.4	4.4	3.1	2.8	22	8.2	
18	2.7	BF	BF	1.5	1.4	1.3	2.0	2.4	1.6	BF	BF	BF	BF	1.1	.8	1.1	1.2	.9	1.0	.7	.6	.5	.4	.3	18	2.7	
19	.2	BF	BF	.0	.1	.5	.3	.2	.2	.5	.3	.3	.3	.3	.6	.0	.1	.1	.3	.4	.6	1.0	1.6	22	1.6		
20	1.9	BF	BF	.9	.7	.6	.7	.8	.8	.6	.6	.6	.4	.2	.1	.2	.5	.6	2.1	2.1	5.6	1.8	1.7	2.4	22	5.6	
21	2.1	BF	BF	2.1	1.8	1.3	1.2	1.3	.7	2.1	2.4	1.8	1.0	.7	.7	.8	3.1	2.8	2.4	2.0	1.6	2.0	1.0	.6	22	3.1	
22	.7	BF	BF	.4	.2	.2	.4	.6	1.0	1.0	1.1	1.0	.6	.4	.3	.4	.5	.4	.5	.5	.7	1.0	1.0	.9	22	1.1	
23	.7	BF	BF	.8	.8	.8	1.2	1.1	1.1	.8	.4	.5	.5	.4	.2	.3	.8	5.8	1.7	1.9	1.3	2.0	1.7	1.4	22	5.8	
24	1.0	BF	BF	1.0	1.3	1.3	1.4	1.4	1.1	1.4	3.2	6.1	2.8	1.5	1.3	1.2	5.7	6.0	3.7	3.7	2.7	2.7	2.8	1.9	22	6.1	
25	1.7	BF	BF	1.3	1.3	2.2	2.3	2.5	1.4	3.3	4.2	1.8	.5	.6	.9	.9	2.6	13.2	7.2	6.3	3.8	5.4	3.3	2.8	22	13.2	
26	6.3	BF	BF	4.3	3.5	2.6	1.5	1.2	.9	.9	.8	.8	.7	.9	.6	.7	1.3	2.0	1.1	1.7	2.1	1.6	2.0	1.8	22	6.3	
27	1.6	BF	BF	1.3	.8	.8	.9	AE	.1	.4	.4	.7	.4	.3	.1	.1	1.8	5.9	1.7	2.7	4.5	2.5	1.3	1.2	21	5.9	
28	.9	BF	BF	.5	.6	.8	1.3	.8	.6	.4	.1	.0	.1	.1	.1	.1	.1	1.4	1.3	1.5	1.4	.7	1.2	.9	22	1.5	
29	1.0	BF	BF	1.1	.5	.5	.6	.5	AV	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	6	1.1
30	AN	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	3.4	4.1	4.3	4.6	5.4	6.0	6.5	7.1	6.3	5.5	5.2	5.5	4.7	13	7.1	
31																										0	
NO.:	29			29	29	29	29	27	27	26	25	26	26	27	29	29	29	29	29	29	29	29	29	29	29		
MAX:	6.3			4.3	3.5	2.6	2.5	3.6	8.2	6.5	6.7	6.1	4.1	4.3	4.6	5.4	6.0	13.2	7.2	6.3	5.6	5.4	5.5	4.7			
AVG:	1.49			1.10	1.04	1.03	1.21	1.30	1.21	1.30	1.29	1.20	.83	.74	.82	.95	1.75	2.86	2.30	1.91	1.94	1.81	1.58	1.44			

MONTHLY OBSERVATIONS: 619 MONTHLY MEAN: 1.42 MONTHLY MAX: 13.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1
 COUNTY: (105) Lee
 CITY: (59280) Sanford
 SITE ADDRESS: 4110 Blackstone Drive
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0
 LATITUDE: 35.4325
 LONGITUDE: -79.2887
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 131
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SFM
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2015

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	4.2	BF	BF	3.2	2.7	3.4	3.5	3.6	3.1	3.0	2.4	2.2	2.1	2.0	2.0	2.7	3.4	3.7	4.7	4.1	3.2	2.9	3.4	3.1	22	4.7
2	2.5	BF	BF	2.8	3.5	4.1	5.9	6.4	4.7	BF	BF	BF	BF	BF	1.5	1.6	.9	.8	1.0	1.1	.7	.7	.7	.7	17	6.4
3	1.1	BF	BF	.9	.7	.6	.8	1.0	.7	.5	.3	.4	.6	.6	.7	.6	1.0	1.0	1.9	1.2	1.1	1.5	1.6	22	1.9	
4	1.4	BF	BF	1.6	1.2	1.5	2.3	2.9	3.0	4.0	3.1	2.2	2.0	2.2	1.9	2.7	4.6	7.8	4.5	5.5	4.4	3.3	3.2	4.8	22	7.8
5	3.5	BF	BF	5.0	3.8	3.3	3.2	2.1	1.8	1.9	1.9	2.3	2.7	1.8	1.8	2.1	2.7	3.9	3.8	2.7	2.7	2.6	2.0	2.7	22	5.0
6	2.1	BF	BF	2.0	1.8	1.8	1.6	1.5	1.2	1.1	1.6	1.1	.6	.5	.3	.5	2.7	5.0	2.3	2.0	2.7	1.7	.9	.8	22	5.0
7	.7	BF	BF	.4	.4	.7	1.3	3.4	2.5	2.4	2.4	1.5	1.6	1.3	1.5	3.4	4.3	5.7	5.2	4.7	4.3	3.4	2.9	2.5	22	5.7
8	1.6	BF	BF	1.3	1.3	1.9	2.1	2.1	1.3	1.1	1.2	1.0	.7	.3	.2	.6	1.5	3.8	2.8	3.0	3.3	4.5	4.5	5.3	22	5.3
9	4.0	BF	BF	4.5	5.1	2.2	2.0	2.7	1.6	2.0	3.7	5.9	2.0	.5	.7	1.1	1.4	2.5	3.8	2.9	3.0	2.3	2.4	2.0	22	5.9
10	1.7	BF	BF	.7	.9	1.2	2.2	5.9	1.8	1.8	2.2	2.0	2.6	.8	.8	.9	4.4	3.8	1.7	1.2	1.2	1.2	1.4	1.9	22	5.9
11	1.8	BF	BF	1.6	1.5	1.5	1.7	2.2	1.5	1.4	1.0	1.3	.6	.5	.9	.4	1.1	4.1	1.8	.8	.9	.9	2.5	2.2	22	4.1
12	1.9	BF	BF	1.4	1.3	1.2	1.2	1.1	.9	.9	.5	.4	.3	.2	.0	.1	.2	1.1	3.8	2.5	2.2	1.0	.9	.9	22	3.8
13	1.0	BF	BF	.7	.9	.5	.6	.5	.8	.9	.6	.7	.3	.1	.0	.1	1.2	2.5	1.1	1.0	1.3	1.0	.7	.6	22	2.5
14	.6	BF	BF	.2	.2	.3	.7	.7	.7	.6	.5	.3	.4	.4	.6	.6	.6	1.0	.9	.3	.2	.2	.1	.2	22	1.0
15	.3	BF	BF	.4	.4	.6	.6	.8	.9	BA	1.0	.7	.5	.4	.5	.6	.5	7.3	10.2	7.6	1.8	1.4	1.9	1.4	21	10.2
16	1.1	BF	BF	.8	.9	2.3	5.7	7.0	5.0	BF	BF	BF	BF	BF	2.3	2.5	3.1	5.3	3.7	4.5	4.8	4.0	3.1	2.7	17	7.0
17	3.1	BF	BF	4.0	3.1	2.9	4.0	5.0	5.1	4.3	4.0	4.5	4.9	3.4	3.1	2.8	3.3	2.8	2.3	2.2	1.9	1.8	2.3	2.4	22	5.1
18	2.5	BF	BF	2.6	3.1	4.6	5.0	5.7	4.3	2.0	1.4	1.5	1.7	1.5	.6	.2	.2	.5	1.0	1.7	1.6	1.1	.9	.8	22	5.7
19	.7	BF	BF	.5	.6	.5	.5	.5	.7	.8	.4	.2	.2	.4	.7	.9	.8	1.4	1.4	1.3	1.5	1.3	.8	.7	22	1.5
20	.7	BF	BF	1.1	1.2	1.2	1.1	1.0	.9	.9	1.3	.9	1.9	.8	.5	.4	1.7	2.6	3.2	2.1	1.3	1.2	.9	.9	22	3.2
21	.9	BF	BF	.4	.6	.3	.6	.7	1.3	1.5	1.2	1.0	.6	.4	.5	1.0	2.7	3.0	3.6	2.2	3.1	3.8	2.4	2.0	22	3.8
22	1.4	BF	BF	2.1	2.2	2.9	3.3	1.5	1.1	1.3	1.0	.9	.5	.7	.6	.9	1.8	1.9	1.3	1.3	.9	1.4	.9	1.3	22	3.3
23	1.5	BF	BF	.8	1.1	1.2	.5	.6	1.5	2.1	1.9	1.0	.8	1.1	.7	1.0	.6	.4	.5	.4	.4	.3	.2	.1	22	2.1
24	.3	BF	BF	1.8	.7	.2	.1	.2	.3	.2	.3	.3	.2	.2	.3	.2	.6	.9	1.3	1.3	.5	.3	.5	.5	22	1.8
25	.6	BF	BF	.4	.3	.3	.4	.6	.6	.6	.3	.1	.2	.0	.1	.1	.0	.2	.7	.2	.6	.3	.2	.3	22	.7
26	.3	BF	BF	.3	.2	.1	.1	.3	.6	.7	.2	.2	.2	.2	.3	.4	.8	1.1	1.4	2.0	1.0	1.1	1.0	.6	22	2.0
27	.3	BF	BF	.7	.5	.2	.1	.2	.3	.1	.1	.1	.1	.2	.2	.0	.1	.5	.7	.7	.4	.7	.7	.7	22	.7
28	.6	BF	BF	.3	.2	.2	1.0	.8	.5	.5	1.1	.5	1.0	1.6	1.6	1.8	1.8	1.7	1.4	1.0	.7	.6	.5	.5	22	1.8
29	.5	BF	BF	.6	.6	1.0	.5	.4	.3	.2	.1	.2	.1	.2	.2	.2	.1	.4	.4	.4	.4	.4	.5	.6	22	1.0
30	.7	BF	BF	.6	.6	.7	1.0	1.1	1.1	1.7	BF	BF	BF	BF	.5	.6	.9	.9	1.1	.7	.6	.7	.6	.8	18	1.7
31	.8	BF	BF	.9	.8	.6	.6	.5	.7	.9	.5	.5	.7	1.1	1.9	2.4	2.4	2.9	2.7	3.1	3.5	3.2	2.6	2.0	22	3.5
NO.:	31			31	31	31	31	31	31	28	28	28	28	28	31	31	31	31	31	31	31	31	31	31		
MAX:	4.2			5.0	5.1	4.6	5.9	7.0	5.1	4.3	4.0	5.9	4.9	3.4	3.1	3.4	4.6	7.8	10.2	7.6	4.8	4.5	4.5	5.3		
AVG:	1.43			1.44	1.37	1.42	1.75	2.03	1.64	1.41	1.29	1.21	1.07	.84	.88	1.07	1.65	2.60	2.44	2.15	1.83	1.63	1.52	1.54		

MONTHLY OBSERVATIONS: 667 MONTHLY MEAN: 1.56 MONTHLY MAX: 10.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	18.9	BD	16.0	16.2	16.7	15.4	13.3	13.4	13.7	18.0	11.4	6.9	4.8	3.9	3.4	3.5	4.3	6.4	10.5	11.9	9.5	8.8	6.4	5.0	23	18.9	
2	4.0	BD	9.0	8.4	13.3	13.0	12.9	15.1	18.9	23.1	24.1	17.6	18.0	14.7	13.8	14.4	14.9	20.0	19.8	18.7	16.6	17.6	18.1	16.7	23	24.1	
3	15.9	BD	11.7	7.0	4.8	3.6	4.8	6.2	7.0	6.3	5.2	4.5	3.4	3.4	3.6	6.0	8.9	6.4	7.4	8.9	7.2	9.3	8.9	9.3	23	15.9	
4	7.5	BD	11.6	10.2	9.5	9.1	6.1	7.5	7.6	8.7	8.6	5.0	3.4	2.2	2.4	1.6	1.8	2.0	1.9	2.0	2.9	2.7	2.3	4.1	23	11.6	
5	4.9	BD	7.9	9.7	16.6	15.2	9.2	20.0	19.8	9.6	5.3	3.5	3.7	3.4	3.8	4.5	6.9	10.1	20.9	21.2	18.5	20.5	25.3	17.6	23	25.3	
6	20.9	BD	21.0	21.9	22.1	19.9	19.8	23.0	23.1	16.1	11.8	4.5	5.1	6.4	7.6	8.2	12.2	22.9	37.9	31.4	13.3	11.5	16.8	23.6	23	37.9	
7	26.9	BD	23.1	25.4	23.6	23.3	26.8	28.7	14.4	13.3	8.3	7.6	5.5	4.8	6.3	6.1	7.0	6.6	6.4	5.8	5.0	4.5	4.1	3.6	23	28.7	
8	3.0	BD	4.5	4.0	3.9	7.6	17.4	21.9	11.4	9.8	6.8	7.6	8.5	9.5	9.9	9.2	10.4	12.9	17.3	24.0	20.7	14.0	10.9	10.4	23	24.0	
9	11.4	BD	8.7	8.0	7.3	6.9	8.6	10.4	7.6	6.7	6.8	7.5	12.3	10.0	7.9	10.3	12.6	20.6	29.7	36.8	36.2	33.4	35.6	24.1	23	36.8	
10	10.9	BD	12.1	8.2	7.8	11.4	9.1	12.2	7.0	4.7	4.4	4.8	5.0	4.0	3.5	3.4	4.6	10.0	24.4	28.5	32.2	34.4	33.7	33.1	23	34.4	
11	33.4	BD	30.9	29.0	29.2	28.8	27.6	27.3	26.1	20.7	12.3	8.7	4.5	4.0	5.5	6.3	8.4	7.7	8.7	8.1	9.8	10.6	7.9	7.3	23	33.4	
12	5.3	BD	6.5	4.7	6.8	6.5	10.3	12.3	17.3	19.3	18.4	17.9	20.3	20.8	24.5	26.7	29.6	32.0	27.3	26.1	26.2	25.4	22.6	25.2	23	32.0	
13	22.2	BD	20.4	16.3	13.3	9.7	6.2	5.3	5.9	AZ	AZ	AZ	AZ	AZ	AZ	5.7	6.1	8.1	8.1	7.1	6.9	5.7	5.2	4.8	17	22.2	
14	4.9	BD	4.6	4.3	3.5	4.9	6.1	8.3	9.7	8.5	6.6	7.0	5.5	5.4	4.7	5.6	6.2	9.8	12.5	11.6	12.9	17.0	21.5	20.9	23	21.5	
15	18.7	BD	15.3	14.2	12.8	12.5	12.1	15.9	16.8	24.0	27.9	24.0	24.5	18.0	14.0	9.6	9.7	10.1	9.4	13.1	14.6	11.5	12.7	14.9	23	27.9	
16	15.0	BD	11.7	10.0	12.2	13.8	16.8	18.6	18.8	20.0	10.8	11.2	8.5	6.4	4.8	5.5	5.1	13.9	23.9	35.5	37.2	35.0	33.7	27.3	23	37.2	
17	27.2	BD	25.1	24.4	22.7	20.1	19.8	19.1	21.2	8.1	4.3	4.0	4.0	4.5	4.1	3.3	2.8	4.4	10.0	18.3	15.5	17.6	15.7	21.6	23	27.2	
18	18.0	BD	10.4	13.2	12.3	16.6	16.7	16.2	13.3	7.2	4.9	3.7	4.0	3.2	3.1	4.6	4.0	4.9	8.2	7.0	10.8	12.6	24.3	28.7	23	28.7	
19	27.7	BD	21.1	23.6	20.4	17.7	22.1	25.1	23.9	18.8	10.3	6.6	4.8	3.8	4.5	4.7	4.5	9.3	13.5	12.1	9.2	6.3	7.0	5.7	23	27.7	
20	5.4	BD	5.4	12.2	10.3	12.0	20.1	27.7	30.8	21.9	14.0	10.1	8.2	6.2	7.6	7.5	8.1	10.4	12.0	16.7	12.6	12.3	10.9	12.4	23	30.8	
21	12.6	BD	18.0	17.3	19.1	27.1	27.8	27.1	17.3	12.0	11.3	8.1	9.2	7.8	7.9	7.8	8.8	10.3	35.4	44.1	41.1	34.4	14.1	10.7	23	44.1	
22	10.4	BD	25.7	26.2	25.1	24.3	25.7	31.3	32.6	BA	BA	9.4	4.9	6.1	7.3	6.3	7.4	10.2	32.0	31.4	35.5	33.7	31.2	28.5	21	35.5	
23	13.2	8.9	10.5	9.8	5.9	8.5	6.6	8.9	13.7	13.1	9.3	7.1	7.5	6.4	5.6	5.0	7.0	8.4	9.7	13.0	12.5	11.2	9.1	7.7	24	13.7	
24	7.2	5.7	5.2	5.2	5.8	6.7	7.4	9.4	11.0	12.2	13.0	10.1	5.3	4.1	3.1	3.4	4.3	4.4	7.3	14.5	AV	AV	23.0	25.3	22	25.3	
25	26.0	25.8	24.1	22.5	22.0	21.6	20.0	18.6	16.5	12.3	8.5	4.4	2.8	2.8	3.3	3.6	3.5	4.2	6.4	13.4	10.1	8.9	7.9	7.8	24	26.0	
26	6.1	7.3	7.2	5.8	7.1	9.5	11.8	18.9	18.9	20.3	19.5	10.5	10.8	9.1	7.2	7.1	9.0	16.5	14.7	5.3	4.5	4.3	4.6	4.7	24	20.3	
27	4.2	3.9	4.6	5.0	6.3	11.1	21.9	26.2	28.3	14.9	8.4	4.8	3.4	3.6	4.1	4.0	4.6	5.9	6.2	6.2	7.3	7.3	12.5	17.9	24	28.3	
28	16.2	16.1	11.1	13.7	8.3	11.6	15.4	20.0	14.0	8.0	5.2	5.0	4.1	5.3	6.7	6.2	6.9	11.2	25.4	33.4	33.9	32.7	32.6	33.4	24	33.9	
29	31.3	31.9	29.3	27.6	27.5	29.9	27.7	29.7	28.7	17.9	13.0	12.5	6.8	6.8	4.9	6.3	6.5	7.2	8.6	8.7	12.6	13.6	13.1	9.0	24	31.9	
30	9.4	8.2	12.9	11.0	6.7	6.2	5.5	7.2	5.4	4.0	3.7	4.0	3.3	3.4	3.7	4.6	4.7	8.7	12.7	14.8	23.1	12.1	13.9	23.5	24	23.5	
31	17.2	BD	15.5	24.2	27.9	27.4	30.2	28.4	28.4	24.7	16.7	7.8	6.7	9.0	10.9	8.4	5.3	7.3	11.6	19.6	27.0	28.3	31.2	28.8	23	31.2	
NO.:	31	8	31	31	31	31	31	31	31	29	29	30	30	30	30	31	31	31	31	31	30	30	31	31			
MAX:	33.4	31.9	30.9	29.0	29.2	29.9	30.2	31.3	32.6	24.7	27.9	24.0	24.5	20.8	24.5	26.7	29.6	32.0	37.9	44.1	41.1	35.0	35.6	33.4			
AVG:	14.71	13.48	14.23	14.17	13.90	14.58	15.67	18.06	17.07	13.94	10.72	8.21	7.29	6.63	6.66	6.75	7.62	10.41	15.48	17.72	17.51	16.57	16.67	16.57			

MONTHLY OBSERVATIONS: 711 MONTHLY MEAN: 13.12 MONTHLY MAX: 44.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	21.1	BD	12.2	13.1	8.6	8.5	10.5	9.9	7.5	5.3	4.8	4.2	3.5	3.8	3.5	4.6	4.4	4.2	5.9	4.7	2.8	2.3	1.9	2.1	23	21.1	
2	3.0	BD	1.7	1.3	1.2	1.3	2.1	3.5	4.3	3.4	5.8	3.4	3.1	2.8	3.4	4.2	4.6	5.0	4.9	4.4	4.7	6.1	11.9	13.5	23	13.5	
3	9.8	BD	10.1	12.0	18.9	23.5	29.2	28.7	27.4	14.0	5.0	6.0	13.1	15.4	12.7	10.0	10.0	9.8	15.0	26.0	32.7	32.1	30.3	24.3	23	32.7	
4	24.3	BD	26.8	21.8	20.3	19.2	23.2	27.3	25.1	21.2	13.4	9.6	8.7	7.4	6.8	6.2	6.7	8.1	12.6	22.0	23.6	16.7	14.2	13.4	23	27.3	
5	22.3	BD	19.7	22.7	19.5	22.9	28.9	31.2	26.2	11.6	5.8	5.8	3.7	4.3	4.4	3.5	3.8	4.4	5.0	5.3	4.7	5.8	7.4	8.5	23	31.2	
6	11.1	BD	7.3	10.8	14.4	21.8	29.4	30.6	30.1	14.3	14.2	13.0	12.1	10.0	7.7	7.3	7.6	8.8	15.4	24.3	28.4	29.3	33.1	32.3	23	33.1	
7	32.3	BD	14.8	20.1	22.9	26.3	24.9	27.3	21.3	13.8	12.0	9.4	6.2	5.7	6.1	5.6	4.8	5.1	6.3	6.1	6.7	6.0	5.3	5.1	23	32.3	
8	4.3	BD	5.7	5.3	4.5	4.2	4.2	4.4	4.0	3.6	3.6	3.8	3.8	4.4	5.5	5.8	5.0	4.4	4.4	5.1	4.8	4.7	4.8	4.7	23	5.8	
9	4.2	BD	4.8	4.4	4.2	5.5	8.7	18.2	16.3	9.5	7.7	7.7	9.7	13.7	11.5	15.4	18.7	23.5	19.1	16.7	18.6	22.7	14.9	8.2	23	23.5	
10	7.0	BD	6.9	5.1	5.1	6.7	8.6	10.6	9.7	7.4	6.8	6.9	6.7	5.9	5.3	4.8	5.2	7.2	19.7	20.8	12.7	5.5	5.6	6.0	23	20.8	
11	6.0	BD	6.5	6.0	6.2	9.9	15.2	17.8	11.8	8.7	6.8	7.1	7.6	9.7	13.5	12.5	10.3	9.7	14.5	25.9	33.8	22.4	24.4	19.0	23	33.8	
12	21.8	BD	21.4	20.9	23.1	27.3	30.8	29.0	28.0	18.8	5.4	4.6	3.8	4.4	4.2	4.6	4.7	5.2	4.6	6.1	4.9	5.5	8.8	5.4	23	30.8	
13	6.0	BD	8.0	4.4	3.4	3.3	5.5	8.9	6.3	5.3	5.2	3.8	3.4	4.1	5.3	7.8	8.3	11.4	15.6	29.0	36.9	34.0	26.0	27.5	23	36.9	
14	26.7	BD	17.3	14.1	10.6	13.3	18.3	18.1	14.9	16.4	6.4	4.6	3.5	3.4	3.8	3.5	3.3	4.1	4.9	6.0	2.5	2.2	2.2	1.5	23	26.7	
15	2.1	BD	2.2	2.8	2.0	1.9	2.5	3.5	3.1	3.2	2.6	2.3	2.3	2.2	1.6	1.9	2.1	2.5	7.2	14.3	9.3	6.0	5.2	4.8	23	14.3	
16	4.8	BD	3.9	3.7	2.8	2.6	3.3	4.1	4.0	3.8	3.4	3.1	3.7	4.5	4.2	4.6	5.3	5.8	6.8	8.5	6.5	5.5	5.0	7.8	23	8.5	
17	7.5	BD	6.5	5.5	5.0	5.6	8.4	8.3	6.8	6.3	6.6	6.2	5.7	7.1	8.6	11.0	15.3	19.3	26.4	26.5	19.3	20.5	19.0	8.1	23	26.5	
18	9.3	BD	14.7	12.7	16.4	21.2	24.5	25.6	15.3	9.8	7.6	6.2	4.3	3.1	3.1	5.5	7.8	6.1	4.4	3.2	2.8	2.8	3.1	2.8	23	25.6	
19	3.3	BD	3.0	3.1	3.4	3.9	4.6	6.5	4.3	3.7	2.9	2.7	2.4	2.9	4.1	4.6	4.2	4.2	5.1	5.1	5.0	5.9	8.8	11.6	23	11.6	
20	7.3	BD	16.6	20.2	22.3	17.4	11.1	10.6	6.9	5.9	6.8	7.6	BA	BA	8.1	8.3	7.9	8.0	16.0	19.1	11.2	8.7	9.2	8.5	21	22.3	
21	8.0	BD	6.4	5.0	5.2	5.6	5.9	6.6	8.0	6.8	6.8	5.1	6.8	6.7	7.2	7.7	12.2	13.6	19.4	30.7	24.1	23.8	22.3	19.7	23	30.7	
22	13.3	BD	11.8	15.1	15.3	16.5	18.2	19.6	21.4	20.1	18.5	15.1	13.3	10.5	7.9	4.2	3.8	5.4	11.5	21.4	26.2	22.7	14.9	13.2	23	26.2	
23	11.5	BD	9.7	8.1	6.7	5.7	8.7	11.1	9.1	6.7	6.3	5.4	6.2	6.2	7.1	5.4	6.1	6.7	5.2	5.2	5.2	4.8	3.9	4.3	23	11.5	
24	4.5	BD	3.1	3.3	2.9	3.8	8.6	5.4	4.4	3.6	3.3	3.3	3.4	4.0	5.3	5.0	6.4	9.1	14.8	15.6	17.6	13.0	15.2	13.7	23	17.6	
25	12.2	BD	12.2	5.4	7.9	9.0	12.3	21.5	20.6	13.7	9.7	8.2	9.0	7.8	7.0	5.9	5.5	7.0	7.1	8.8	8.3	7.6	5.1	4.5	23	21.5	
26	4.2	BD	4.1	3.9	3.7	4.2	5.7	7.2	5.1	5.2	6.0	6.0	6.3	5.3	5.2	6.0	7.5	9.3	11.9	19.0	18.5	26.6	23.7	21.5	23	26.6	
27	25.2	BD	23.5	22.6	22.8	25.0	24.6	28.4	27.8	29.0	16.9	10.3	8.8	9.1	9.4	9.0	7.6	8.0	10.5	9.1	9.8	10.2	9.7	7.7	23	29.0	
28	5.7	BD	6.4	5.3	6.0	5.0	5.2	6.4	5.5	4.9	5.1	4.9	5.0	4.9	4.9	4.6	4.6	5.0	8.0	8.8	8.1	7.3	8.9	6.5	23	8.9	
29																										0	
30																										0	
31																										0	
NO.:	28		28	28	28	28	28	28	28	28	28	28	27	27	28	28	28	28	28	28	28	28	28	28	28		
MAX:	32.3		26.8	22.7	23.1	27.3	30.8	31.2	30.1	29.0	18.5	15.1	13.3	15.4	13.5	15.4	18.7	23.5	26.4	30.7	36.9	34.0	33.1	32.3			
AVG:	11.39		10.26	9.95	10.19	11.47	13.68	15.37	13.40	9.86	7.34	6.30	6.15	6.27	6.34	6.41	6.92	7.89	10.79	14.20	13.92	12.88	12.31	10.94			

MONTHLY OBSERVATIONS: 642 MONTHLY MEAN: 10.20 MONTHLY MAX: 36.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM						
1	5.5	BD	7.1	6.8	6.3	7.0	6.0	6.6	5.6	6.1	5.9	5.6	6.5	9.1	8.5	8.5	9.8	12.4	14.7	16.7	16.4	14.5	10.0	6.7	23	16.7						
2	5.7	4.4	3.9	3.9	4.6	5.4	8.2	BD	BD	BC	BC	BC	BC	BC	6.4	5.7	6.4	6.8	7.4	10.1	9.0	6.5	5.9	3.8	17	10.1						
3	4.0	BD	3.4	3.0	4.1	5.0	6.8	5.9	4.5	4.3	4.0	3.6	5.3	5.0	4.3	4.6	6.4	7.9	10.4	11.1	11.9	10.7	10.6	8.5	23	11.9						
4	7.0	BD	6.3	6.6	5.5	6.3	7.3	7.5	7.1	6.5	6.0	4.2	3.5	3.1	2.7	2.5	2.2	2.6	4.2	5.9	5.7	3.7	2.6	2.1	23	7.5						
5	1.9	BD	3.1	2.5	1.9	2.1	2.4	2.9	3.2	3.1	2.9	2.6	3.7	4.2	6.1	5.5	6.8	6.9	7.8	6.7	4.9	3.9	3.6	3.8	23	7.8						
6	2.4	BD	2.9	3.0	3.2	4.9	5.5	7.2	4.9	4.1	4.0	3.8	3.7	4.8	6.5	7.0	8.5	10.1	13.0	21.2	27.9	30.6	22.2	32.5	23	32.5						
7	32.2	BD	25.7	25.1	27.5	28.2	26.2	25.6	17.1	12.6	8.6	5.9	5.1	5.2	4.4	4.2	4.2	4.4	7.2	15.7	19.3	30.6	18.5	16.5	23	32.2						
8	15.1	BD	10.3	11.5	12.3	16.5	24.2	24.6	17.9	8.0	4.3	5.5	7.4	5.1	5.2	4.8	4.7	4.9	11.4	11.6	12.5	13.5	11.3	8.5	23	24.6						
9	8.1	BD	6.6	4.2	7.4	10.8	25.4	30.2	26.5	34.8	15.4	5.8	5.4	5.8	6.2	8.6	8.8	8.9	11.4	15.0	24.5	24.2	29.2	31.6	23	34.8						
10	16.3	BD	11.3	9.4	9.4	21.5	23.8	32.7	17.8	11.9	6.0	3.2	3.3	3.5	3.8	4.2	4.7	5.3	7.7	13.5	15.2	13.1	11.0	11.5	23	32.7						
11	5.3	BD	4.4	4.5	5.3	7.3	10.7	9.8	9.6	6.8	4.7	2.9	2.3	2.6	4.5	8.1	7.2	7.8	11.7	12.8	9.9	8.3	10.7	14.1	23	14.1						
12	13.2	BD	6.6	4.7	4.9	6.4	14.4	12.3	9.4	5.2	2.9	3.1	3.9	4.3	4.3	3.4	3.4	4.5	6.3	4.6	3.6	3.5	3.5	3.2	23	14.4						
13	2.6	BD	2.9	3.1	3.2	4.5	4.3	4.9	3.8	3.2	3.3	3.5	4.1	5.0	6.0	6.1	11.6	12.3	10.3	10.8	9.4	10.7	8.8	7.6	23	12.3						
14	6.4	BD	4.0	4.8	5.3	5.5	6.0	8.3	11.2	13.2	11.6	13.6	14.1	9.0	4.7	3.1	2.8	3.1	4.9	5.9	7.2	6.8	6.3	5.2	23	14.1						
15	5.0	BD	11.5	8.5	7.3	8.4	12.2	12.7	8.6	3.1	2.5	3.5	5.2	5.7	5.6	5.1	6.1	7.1	5.6	5.6	5.6	11.5	9.9	12.6	23	12.7						
16	15.6	BD	18.3	20.2	21.7	23.9	23.4	22.8	28.0	39.0	30.0	11.3	7.4	5.6	6.0	5.3	7.0	8.1	16.3	25.3	28.3	17.5	24.6	30.9	23	39.0						
17	23.7	BD	22.2	17.9	19.5	23.8	26.1	30.9	26.7	31.1	8.5	6.4	4.8	5.2	5.8	6.3	7.6	8.3	7.5	8.1	5.9	6.7	3.9	3.3	23	31.1						
18	3.0	BD	2.9	3.3	3.7	6.0	11.9	7.3	3.8	3.3	3.1	2.9	3.3	4.3	4.5	5.0	5.7	5.8	6.9	8.1	10.5	10.4	8.0	4.1	23	11.9						
19	4.4	BD	4.5	5.6	5.2	7.7	9.1	9.4	9.5	7.6	6.9	5.5	5.2	5.2	9.1	9.9	8.4	8.8	7.4	5.8	5.4	4.7	7.3	7.2	23	9.9						
20	6.2	BD	3.9	3.8	4.8	7.0	9.8	9.4	9.5	10.9	14.9	11.8	7.9	7.5	10.5	13.6	11.6	9.1	7.6	12.2	20.7	24.3	21.8	19.4	23	24.3						
21	17.2	BD	12.1	11.0	10.2	12.0	10.7	12.6	12.5	7.2	5.6	6.9	8.4	7.0	5.3	5.6	5.8	5.8	8.0	14.2	21.0	12.8	12.2	15.8	23	21.0						
22	13.4	BD	18.4	20.1	19.1	17.4	16.2	15.2	13.5	14.1	4.4	2.7	3.1	3.7	4.0	3.6	3.8	2	5.3	2	5.2	2	3.7	2	3.3	3.5	2	7.5	2	8.1	23	20.1
23	5.9	BD	5.5	5.2	11.5	2	17.2	20.1	13.9	3.6	3.4	3.8	2.8	2.3	2.8	3.7	3.5	3.7	5.3	6.4	9.9	4.3	3.0	3.3	23	20.1						
24	4.0	BD	5.2	5.1	7.6	14.4	21.2	10.6	4.7	4.5	4.0	4.1	4.7	4.4	5.0	4.9	4.7	5.2	6.2	6.7	7.6	6.1	3.7	3.0	23	21.2						
25	2.8	BD	3.5	2.6	2.3	3.9	3.7	4.0	3.6	3.4	3.2	3.1	3.1	3.0	2.9	3.4	4.1	3.9	5.9	8.8	8.6	9.9	8.5	10.1	23	10.1						
26	11.5	BD	12.2	8.6	9.9	16.5	19.7	19.6	8.3	6.4	3.9	3.7	3.2	2.8	2.6	2.4	2.9	3.0	3.6	3.6	2.9	3.1	2.6	2.7	23	19.7						
27	2.3	BD	3.1	3.6	4.3	4.2	5.7	5.3	4.3	5.5	4.9	4.0	4.0	3.4	3.9	4.1	5.7	6.1	6.1	7.1	12.9	16.5	8.2	10.8	23	16.5						
28	4.0	BD	3.9	3.0	4.0	6.7	7.5	6.5	2.7	2.4	2.2	2.1	2.0	2.0	2.2	2.0	2.3	2.4	4.4	5.3	7.7	4.8	2.7	3.2	23	7.7						
29	3.2	BD	4.7	7.6	11.5	5.4	6.1	5.2	3.5	3.1	3.7	3.1	3.2	3.8	4.4	2.5	2.3	2.4	3.0	6.3	6.1	5.7	7.2	6.8	23	11.5						
30	5.6	BD	4.6	3.8	4.2	4.9	7.6	7.9	10.3	6.4	5.3	6.2	5.4	4.5	4.1	4.6	5.7	5.9	7.7	17.5	29.3	32.7	26.9	29.3	23	32.7						
31	29.4	BD	21.8	22.7	22.3	22.6	22.5	23.2	21.2	6.9	4.8	5.2	3.8	3.2	3.4	3.2	3.5	3.6	5.4	7.6	8.1	6.1	4.9	5.6	23	29.4						
NO.:	31	1	31	31	31	31	31	30	30	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31							
MAX:	32.2	4.4	25.7	25.1	27.5	28.2	26.2	32.7	28.0	39.0	30.0	13.6	14.1	9.1	10.5	13.6	11.6	12.4	16.3	25.3	29.3	32.7	29.2	32.5								
AVG:	9.13	4.40	8.28	7.93	8.71	10.75	13.05	13.17	10.43	9.27	6.40	4.95	4.82	4.68	5.02	5.24	5.75	6.21	7.76	10.13	11.97	11.65	10.23	10.70								

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: 8.53 MONTHLY MAX: 39.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	4.4	BD	9.2	11.9	15.5	23.6	14.1	9.5	5.2	5.1	5.8	4.7	3.7	2.8	3.1	2.7	2.9	2.9	5.3	16.6	24.9	13.3	3.6	3.1	23	24.9	
2	3.4	BD	2.3	2.2	2.6	5.5	25.0	16.3	8.4	4.1	3.0	3.3	2.8	2.6	2.9	3.1	3.6	4.1	4.6	5.6	6.3	4.8	5.7	3.3	23	25.0	
3	3.4	BD	2.2	2.1	2.1	2.2	3.6	4.2	3.5	3.2	2.6	2.2	2.1	2.2	5.0	4.2	3.6	3.4	3.8	3.8	3.2	3.2	2.9	2.5	23	5.0	
4	2.7	BD	1.9	1.9	3.0	2.8	2.4	2.3	2.6	3.4	3.4	3.4	3.0	2.8	2.7	2.3	2.1	2.7	3.1	4.6	6.6	10.8	13.5	6.1	23	13.5	
5	5.2	BD	5.4	4.8	5.5	9.3	13.5	13.5	4.3	1.9	1.3	1.3	1.5	1.5	1.4	1.2	1.3	1.4	3.7	5.4	8.7	15.0	32.3	28.9	23	32.3	
6	25.1	BD	11.8	8.8	8.8	12.7	19.6	17.1	12.3	5.2	3.6	2.0	2.0	2.1	3.0	2.6	2.9	3.5	4.1	5.7	6.4	4.3	2.7	2.1	23	25.1	
7	2.2	BD	2.7	2.7	2.4	3.4	10.6	AZ	AZ	AZ	AZ	5.2	4.3	4.8	6.5	6.8	6.5	6.1	11.0	22.0	20.4	19.8	19.7	21.2	19	22.0	
8	20.0	BD	4.2	5.0	5.9	7.7	11.3	7.5	5.6	6.4	8.0	6.6	4.8	4.7	3.8	2.9	2.7	3.1	6.2	12.9	18.9	23.6	14.5	7.4	23	23.6	
9	7.3	BD	4.6	3.9	4.1	5.0	6.9	8.1	9.5	8.7	7.7	5.7	2.5	2.4	2.3	2.4	3.0	4.9	6.7	7.5	8.6	10.9	5.6	3.5	23	10.9	
10	3.1	BD	2.4	2.4	2.6	2.9	4.3	4.5	5.1	4.8	3.6	3.4	2.6	2.7	2.7	3.1	2.7	2.4	2.9	3.8	4.4	3.8	2.9	2.8	23	5.1	
11	3.2	BD	7.2	4.6	4.0	2.8	4.2	4.2	3.3	2.6	2.4	3.2	3.3	2.7	2.4	2.4	2.4	2.4	5.8	13.4	21.6	16.7	29.3	21.9	23	29.3	
12	15.1	BD	8.2	10.1	6.5	5.9	6.5	4.2	3.2	2.6	2.4	2.2	2.1	2.1	2.1	2.0	2.1	2.4	5.7	17.3	19.2	5.8	3.1	2.4	23	19.2	
13	2.1	BD	2.7	3.2	4.5	8.4	6.8	7.1	6.4	5.4	3.5	3.4	3.0	3.7	2.8	3.2	2.7	2.8	2.6	3.1	2.5	2.2	1.5	1.3	23	8.4	
14	1.2	BD	1.1	2.0	1.5	2.6	4.3	4.7	3.9	3.1	3.2	2.8	2.7	2.9	2.8	2.5	2.7	3.6	4.8	6.1	6.7	6.4	6.7	4.8	23	6.7	
15	2.4	BD	2.9	2.1	2.9	3.3	3.3	3.2	3.5	3.1	4.2	4.7	6.2	6.1	6.0	6.3	4.8	4.8	4.5	3.5	3.9	2.8	3.2	2.5	23	6.3	
16	2.0	BD	2.3	1.1	1.6	4.5	4.9	6.5	7.7	4.8	5.5	6.4	5.6	5.7	6.8	8.1	8.8	7.2	6.8	8.6	8.6	6.1	6.5	3.9	23	8.8	
17	4.7	4.4	4.7	4.6	5.7	7.4	10.7	10.5	8.5	7.0	6.4	4.8	4.5	4.8	5.3	4.9	7.9	6.6	10.0	8.7	5.4	6.6	6.3	5.7	24	10.7	
18	6.0	BD	4.7	5.5	3.9	5.3	7.8	7.8	11.3	7.7	4.5	3.4	2.3	BD	2.5	3.2	3.5	3.4	3.7	5.8	6.1	6.0	6.8	8.0	22	11.3	
19	3.8	1.8	1.8	1.5	1.2	9	1.3	1.4	BD	1.5	1.4	1.5	1.7	2.0	1.8	1.9	1.8	1.9	2.1	2.6	1.7	1.7	1.5	1.3	23	3.8	
20	1.2	BD	1.0	1.1	1.8	2.5	4.1	4.8	4.2	4.3	3.8	2.3	2.4	2.3	2.4	2.5	6.1	8.2	6.3	4.2	4.6	5.1	3.9	2.4	23	8.2	
21	3.4	BD	3.6	4.1	5.4	11.5	15.6	17.7	10.1	4.6	2.6	2.9	2.8	2.7	3.0	2.6	3.0	2.9	4.0	8.0	16.1	5.8	9.9	9.9	23	17.7	
22	10.2	BD	13.9	13.0	14.5	15.1	17.3	17.1	9.8	4.3	2.5	2.7	2.8	2.6	2.8	2.9	3.2	3.9	6.2	5.7	8.9	5.9	4.7	3.4	23	17.3	
23	2.6	BD	3.6	6.5	6.4	11.2	7.3	6.3	4.2	3.6	4.0	4.6	3.5	3.5	3.6	3.4	3.9	4.3	3.9	7.5	8.0	10.7	7.7	4.1	23	11.2	
24	2.9	BD	2.5	2.2	3.3	5.5	14.0	8.8	3.6	3.1	4.1	4.9	5.3	5.8	6.0	5.8	4.3	4.5	4.7	8.9	13.6	15.2	13.4	8.7	23	15.2	
25	7.8	BD	6.5	5.2	4.1	4.0	4.2	4.4	4.2	4.1	4.0	3.3	2.7	3.4	4.6	4.8	6.7	7.1	6.1	5.1	11.0	7.9	7.5	6.4	23	11.0	
26	5.1	BD	4.0	3.6	3.5	3.0	3.5	3.4	2.8	3.6	3.3	3.3	3.3	3.4	3.2	3.1	3.0	2.8	3.0	4.0	3.6	3.3	3.8	4.2	23	5.1	
27	3.5	BD	4.8	5.1	6.2	7.3	9.1	15.4	8.1	3.7	3.4	3.0	3.8	3.5	3.4	3.6	3.7	4.4	4.4	5.2	5.6	7.1	8.8	8.8	23	15.4	
28	10.6	BD	14.6	14.0	16.8	17.8	17.0	9.5	7.7	4.4	2.7	2.9	2.8	3.2	3.2	3.1	2.7	2.6	6.0	7.7	7.1	10.6	19.3	14.8	23	19.3	
29	8.9	BD	5.8	11.6	10.7	14.4	22.6	20.5	13.8	8.5	5.5	8.3	9.1	7.4	7.0	10.8	10.6	9.7	5.9	6.1	7.5	10.2	11.8	12.6	23	22.6	
30	13.4	BD	12.7	12.6	11.3	11.9	12.7	16.3	16.2	11.3	7.1	4.3	4.1	4.3	4.6	4.8	5.6	4.3	5.8	5.8	5.9	6.7	6.2	6.1	23	16.3	
31																										0	
NO.:	30	2	30	30	30	30	30	29	28	29	29	30	30	29	30	30	30	30	30	30	30	30	30	30	30		
MAX:	25.1	4.4	14.6	14.0	16.8	23.6	25.0	20.5	16.2	11.3	8.0	8.3	9.1	7.4	7.0	10.8	10.6	9.7	11.0	22.0	24.9	23.6	32.3	28.9			
AVG:	6.23	3.10	5.18	5.31	5.61	7.35	9.62	8.86	6.75	4.69	3.98	3.76	3.44	3.47	3.66	3.77	4.03	4.14	5.12	7.51	9.20	8.41	8.84	7.14			

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: 5.91 MONTHLY MAX: 32.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	3.5	BD	5.0	3.2	3.9	10.8	19.8	7.0	3.4	2.9	2.9	2.9	3.0	2.8	4.2	2.6	3.9	3.8	5.5	8.5	10.4	15.0	20.3	20.7	23	20.7	
2	18.7	BD	9.6	8.4	9.5	13.3	14.6	11.4	4.4	3.6	2.8	2.6	3.5	3.3	2.9	2.5	2.8	3.0	3.8	6.3	12.6	23.9	22.9	22.1	23	23.9	
3	22.8	BD	20.2	16.3	13.0	12.0	13.7	11.2	4.7	3.2	2.2	2.5	2.5	2.7	2.5	2.7	2.7	2.8	3.1	5.5	7.0	8.3	13.0	13.1	23	22.8	
4	3.4	BD	3.1	3.4	4.2	9.3	16.4	9.2	8.6	8.9	6.3	3.6	3.0	3.3	3.2	3.0	3.2	3.4	4.8	7.0	10.6	4.8	2.9	3.5	23	16.4	
5	4.8	BD	3.8	4.1	4.9	8.8	13.4	12.1	8.4	5.8	4.9	4.0	3.2	3.0	3.0	3.0	3.3	4.0	4.2	7.3	12.5	12.7	14.2	5.1	23	14.2	
6	3.1	BD	3.0	3.7	5.0	6.4	19.8	9.6	6.9	10.0	9.5	5.2	2.4	2.7	2.2	2.6	2.8	2.4	4.0	4.7	8.5	9.2	7.7	5.3	23	19.8	
7	7.1	BD	6.0	7.1	13.8	19.3	20.0	12.4	6.2	4.6	3.0	2.3	2.2	2.8	2.7	3.6	4.0	4.6	7.7	14.0	17.3	23.0	13.2	10.6	23	23.0	
8	7.0	BD	9.0	9.6	9.3	14.3	11.8	7.9	6.5	5.3	3.5	2.7	2.5	2.5	2.8	2.6	2.7	2.7	2.8	3.8	7.0	7.5	8.2	6.0	23	14.3	
9	6.2	BD	7.4	7.9	6.5	6.0	6.2	4.1	4.4	2.6	2.2	2.1	1.7	1.4	1.5	2.1	2.6	2.4	2.6	4.9	6.3	9.1	5.3	3.0	23	9.1	
10	3.4	BD	2.3	2.2	2.3	2.1	1.5	1.6	1.8	2.1	2.2	2.1	2.2	2.0	1.9	2.1	1.9	1.9	2.4	3.6	6.4	8.5	8.5	7.3	23	8.5	
11	8.7	BD	10.6	9.3	8.2	8.8	10.0	11.3	9.8	10.7	6.8	4.0	3.3	3.0	2.7	2.8	2.7	3.1	4.1	4.5	2.9	2.4	3.2	3.7	23	11.3	
12	3.5	BD	3.2	3.2	3.1	4.3	6.0	7.8	7.1	9.5	9.5	5.0	4.2	4.0	3.0	2.9	3.1	3.9	5.2	7.4	11.4	13.7	12.7	11.2	23	13.7	
13	8.0	BD	10.9	11.5	6.9	7.3	9.7	8.5	5.1	4.9	3.8	3.4	3.2	3.6	4.1	3.8	3.9	3.6	4.7	7.8	7.1	9.7	11.0	17.8	23	17.8	
14	12.9	BD	5.7	4.8	5.0	6.3	6.2	4.7	3.2	2.8	2.6	2.4	2.3	BA	BA	2.9	3.1	3.3	4.3	5.7	5.9	4.6	3.3	3.4	21	12.9	
15	3.4	BD	2.6	3.1	3.8	6.6	9.0	6.3	4.6	3.7	4.9	3.4	3.2	3.2	3.0	3.0	2.5	2.6	3.1	5.2	8.0	10.6	20.5	11.7	23	20.5	
16	3.6	BD	2.7	2.9	3.1	3.7	4.5	5.0	3.3	3.4	2.1	2.4	2.3	2.0	2.0	2.0	2.0	1.9	3.0	4.2	6.2	4.7	3.6	2.8	23	6.2	
17	2.7	BD	2.7	3.1	3.1	3.5	3.8	2.9	2.9	3.2	2.5	2.4	2.3	2.1	2.0	2.0	2.0	1.9	2.5	4.5	7.1	10.6	9.7	10.1	23	10.6	
18	9.8	BD	3.6	3.9	4.6	6.6	8.4	5.5	6.9	6.8	7.1	4.9	4.3	3.8	3.3	2.9	2.9	3.2	3.2	2.9	3.3	5.5	7.0	5.9	23	9.8	
19	4.9	BD	3.4	4.0	4.9	6.5	7.2	8.4	12.9	9.9	7.3	5.9	3.8	3.9	4.5	3.3	4.4	7.0	8.5	14.3	21.8	22.8	22.2	20.1	23	22.8	
20	22.0	BD	6.3	5.3	6.5	12.1	14.3	8.5	7.5	9.0	8.7	6.6	4.9	4.7	4.2	3.9	5.4	6.2	7.4	9.4	12.9	10.1	5.2	3.7	23	22.0	
21	2.9	BD	3.0	3.3	4.5	6.7	13.9	12.2	8.9	7.6	7.8	6.8	6.0	4.4	4.5	4.2	4.5	4.8	7.5	6.8	4.0	3.5	3.8	3.4	23	13.9	
22	2.1	BD	2.4	2.6	2.6	4.6	4.8	3.1	2.8	2.8	2.6	2.7	2.9	2.9	2.4	2.5	3.0	2.9	4.4	7.4	10.0	14.1	17.3	28.1	23	28.1	
23	26.7	BD	22.3	20.8	17.3	16.0	16.9	12.8	8.7	4.6	2.4	2.4	2.3	2.1	1.9	1.9	1.9	2.0	4.1	10.9	19.4	16.5	8.3	3.7	23	26.7	
24	2.5	BD	2.4	2.5	2.4	3.0	4.0	3.3	1.8	1.5	1.4	1.7	1.5	1.6	1.7	1.9	1.8	1.6	2.2	5.6	7.1	3.1	1.9	1.4	23	7.1	
25	1.3	BD	1.5	1.3	1.8	2.4	4.2	3.5	2.2	1.5	1.2	1.4	1.5	1.8	1.9	1.8	1.6	1.8	2.4	3.9	6.8	12.2	12.2	1.7	23	12.2	
26	1.3	BD	1.3	1.4	1.9	4.2	5.9	4.3	3.5	3.5	2.6	2.3	1.8	1.8	1.6	1.5	1.5	1.6	1.9	3.7	5.7	3.6	4.6	2.8	23	5.9	
27	3.2	BD	3.3	3.2	3.5	5.5	5.0	5.7	7.8	6.5	4.9	4.1	3.9	3.4	2.6	2.8	2.7	2.7	2.6	3.7	2.5	2.9	3.3	3.7	23	7.8	
28	3.6	BD	2.9	3.3	3.9	5.4	6.7	8.8	10.6	10.9	9.3	6.5	3.9	3.1	4.4	4.4	2.8	2.8	3.9	7.4	9.6	7.5	6.9	6.1	23	10.9	
29	2.4	BD	2.8	3.4	3.7	4.6	5.3	5.3	BF	BF	BC	BC	BC	BC	BC	BC	2.0	2.3	3.1	5.3	7.4	7.6	5.3	4.0	15	7.6	
30	3.7	BD	3.3	3.4	3.5	4.2	6.5	5.2	3.3	2.3	2.3	2.2	1.7	1.6	1.5	1.4	1.2	1.2	2.7	4.8	6.9	8.7	2.9	2.4	23	8.7	
31	3.2	BD	2.2	2.8	3.1	3.3	3.9	2.9	2.6	2.2	2.2	1.8	1.5	1.3	1.4	1.4	1.6	1.2	1.4	3.9	8.3	8.2	4.8	2.4	23	8.3	
NO.:	31		31	31	31	31	31	31	30	30	30	30	30	29	29	30	31	31	31	31	31	31	31	31	31		
MAX:	26.7		22.3	20.8	17.3	19.3	20.0	12.8	12.9	10.9	9.5	6.8	6.0	4.7	4.5	4.4	5.4	7.0	8.5	14.3	21.8	23.9	22.9	28.1			
AVG:	6.85		5.44	5.32	5.48	7.35	9.46	7.18	5.69	5.21	4.38	3.41	2.90	2.79	2.74	2.67	2.79	2.99	3.97	6.29	8.80	9.83	9.22	7.96			

MONTHLY OBSERVATIONS: 703 MONTHLY MEAN: 5.63 MONTHLY MAX: 28.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality
 MONITOR TYPE: SLAMS

REPORT FOR: JUNE 2015

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.7	BD	1.8	2.2	2.9	4.3	5.4	5.0	4.7	4.6	3.7	3.3	3.5	3.1	2.5	2.3	2.5	3.0	3.3	3.2	4.5	3.9	5.9	7.3	23	7.3	
2	8.6	BD	6.0	3.6	3.6	8.5	11.2	12.4	17.6	11.3	8.8	6.1	4.3	4.8	6.2	5.3	4.8	6.8	7.2	6.4	4.5	3.4	3.9	4.3	23	17.6	
3	6.9	BD	3.8	3.3	5.7	5.4	4.8	4.5	5.1	4.9	4.9	4.9	5.2	6.1	6.6	7.1	6.1	6.3	5.8	5.6	5.5	4.6	6.0	5.2	23	7.1	
4	5.2	BD	3.6	4.3	3.9	4.2	4.8	4.6	4.8	4.3	5.7	4.8	4.6	5.0	4.1	4.0	2.4	2.4	3.4	4.9	6.6	6.3	6.4	7.3	23	7.3	
5	7.1	BD	9.1	5.6	4.2	5.8	7.6	7.3	6.9	7.1	6.3	3.5	3.6	3.5	3.7	4.1	3.8	3.8	6.1	10.0	21.0	31.3	31.9	27.8	23	31.9	
6	23.5	BD	12.0	10.5	10.8	11.3	12.5	10.8	9.2	4.2	2.7	3.2	2.7	2.6	2.4	2.7	3.1	4.3	3.2	4.0	8.9	11.0	14.0	7.7	23	23.5	
7	4.3	BD	4.1	3.9	3.7	3.9	2.9	2.3	2.5	2.3	2.1	2.2	2.1	2.0	4.8	3.7	2.2	3.0	3.4	8.5	9.5	5.7	3.6	23	9.5		
8	3.9	BD	1.5	1.8	2.2	3.6	5.8	5.9	4.4	4.0	3.5	3.4	3.1	2.8	3.2	2.5	2.5	2.4	2.6	3.4	3.5	4.4	5.0	4.7	23	5.9	
9	2.3	BD	1.8	1.8	2.3	3.2	6.0	7.7	5.6	4.4	4.9	5.1	5.0	4.2	3.7	3.8	4.4	6.8	10.9	14.6	5.8	4.8	4.3	4.9	23	14.6	
10	4.4	BD	2.5	2.5	3.2	5.9	15.3	9.4	11.7	8.9	6.2	4.2	3.5	2.7	2.5	3.0	3.2	4.9	4.2	4.7	6.4	7.8	9.1	9.3	23	15.3	
11	7.6	BD	5.7	6.4	7.1	9.0	8.9	5.5	4.9	3.5	2.6	2.3	2.1	2.0	1.9	1.9	1.8	1.8	2.5	3.9	4.7	6.0	8.4	4.9	23	9.0	
12	2.6	BD	2.8	3.3	3.7	4.6	6.0	4.5	3.8	4.7	4.4	3.7	3.1	2.5	2.3	2.2	2.2	2.6	2.2	3.1	4.1	3.4	3.1	2.1	23	6.0	
13	2.2	BD	2.5	2.8	2.7	4.7	4.9	9.4	12.5	8.2	4.0	3.1	2.2	2.5	2.5	3.1	2.9	3.1	2.4	3.9	8.3	10.6	17.2	8.7	23	17.2	
14	8.3	BD	8.2	8.5	8.5	7.8	9.2	7.1	3.1	2.2	2.0	3.1	2.2	2.1	1.8	2.4	2.6	2.3	3.1	4.3	6.1	9.8	9.7	11.8	23	11.8	
15	13.4	BD	11.5	11.7	11.8	12.0	12.6	17.4	8.3	5.3	2.9	2.8	3.2	3.0	3.1	3.0	2.8	2.9	4.8	5.1	7.3	10.1	15.1	17.9	23	17.9	
16	12.8	BD	11.8	12.7	14.4	15.7	17.3	17.1	10.6	3.9	2.8	2.6	2.4	2.1	2.2	3.9	3.3	3.8	4.5	8.5	13.0	11.7	9.4	9.6	23	17.3	
17	9.4	BD	4.2	5.5	8.8	9.3	13.8	8.6	3.6	2.8	2.4	2.8	3.4	4.0	4.0	4.1	3.7	3.6	4.0	6.5	9.8	14.0	16.6	19.5	23	19.5	
18	18.6	BD	15.7	15.2	17.4	12.0	8.5	6.2	5.2	5.1	4.3	4.5	5.9	9.1	5.9	4.6	5.1	4.8	3.5	2.6	2.8	3.6	11.7	7.0	23	18.6	
19	5.2	BD	4.3	4.7	5.7	7.8	8.8	8.9	8.1	5.7	8.0	10.0	8.8	3.8	5.2	2.8	4.0	4.5	4.2	5.7	8.4	8.3	5.6	6.5	23	10.0	
20	6.0	AM	9.5	8.4	7.1	7.6	6.2	4.8	4.2	4.0	2.3	2.2	1.9	1.7	5.4	2.0	4.3	2.6	2.8	2.5	2.3	2.4	2.7	7.3	23	9.5	
21	9.8	AM	9.8	14.7	8.3	6.2	6.0	5.1	3.9	2.4	1.8	1.7	2.2	2.6	4.2	3.2	2.6	2.0	3.8	7.2	11.6	11.7	12.4	16.4	23	16.4	
22	16.7	AM	19.3	22.4	19.2	20.0	19.9	21.7	11.2	9.5	5.5	3.7	2.7	2.7	2.6	2.7	2.9	4.5	4.0	6.0	14.0	15.8	14.6	9.0	23	22.4	
23	4.8	5.3	5.7	5.8	5.2	7.3	11.9	13.0	14.4	14.0	8.0	4.8	4.9	3.5	3.3	3.3	4.0	3.3	4.7	7.1	12.3	27.2	7.0	4.2	24	27.2	
24	3.9	BD	4.9	5.7	7.6	8.0	11.9	12.0	7.4	4.9	4.4	4.2	4.5	4.5	3.9	4.4	5.2	5.4	4.9	4.8	7.4	7.1	7.2	9.6	23	12.0	
25	11.7	BD	AM	AM	AM	AM	AM	5.8	5.2	6.0	11.1	10.7	7.4	4.9	5.3	6.3	3.6	3.8	4.5	7.2	14.0	20.3	16.6	16.8	18	20.3	
26	13.0	BD	5.8	6.5	8.3	15.1	13.6	15.7	13.6	10.7	8.3	3.7	3.0	3.0	2.8	3.0	2.9	3.5	3.9	4.7	3.0	3.9	6.6	8.8	23	15.7	
27	5.8	BD	3.5	2.9	3.0	3.8	5.2	5.5	4.7	4.4	4.2	3.9	3.7	4.0	3.2	2.9	4.5	3.3	3.5	5.0	13.5	6.4	6.5	6.1	23	13.5	
28	4.0	BD	4.4	3.7	4.1	5.2	4.4	3.0	2.7	2.3	1.7	2.1	1.9	2.3	2.2	2.6	2.5	2.8	3.6	5.9	10.5	18.5	16.4	5.2	23	18.5	
29	6.8	8.9	10.1	10.4	12.3	12.5	BD	7.4	4.3	2.9	2.9	2.8	2.7	2.8	3.2	3.7	3.8	3.5	4.0	5.3	9.1	12.1	15.9	13.2	23	15.9	
30	9.9	BD	4.7	3.8	3.2	4.8	8.2	AZ	AZ	AZ	AZ	3.7	3.3	2.8	2.8	3.5	4.2	4.7	3.6	4.3	4.4	3.8	3.9	4.7	19	9.9	
31																										0	
NO.:	30	2	29	29	29	29	28	29	29	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	23.5	8.9	19.3	22.4	19.2	20.0	19.9	21.7	17.6	14.0	11.1	10.7	8.8	9.1	6.6	7.1	6.1	6.8	10.9	14.6	21.0	31.3	31.9	27.8			
AVG:	8.05	7.10	6.57	6.71	6.93	7.91	9.06	8.57	7.04	5.47	4.57	3.97	3.64	3.43	3.49	3.51	3.51	3.72	4.14	5.46	8.06	9.79	9.96	9.05			

MONTHLY OBSERVATIONS: 682 MONTHLY MEAN: 6.19 MONTHLY MAX: 31.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	4.6	4.3	3.7	3.8	4.6	9.0	BD	BC	BC	BC	BC	BC	BC	BC	3.1	3.0	3.4	3.0	3.7	4.0	4.5	5.8	10.4	4.5	16	10.4	
2	3.1	2.6	2.7	3.5	2.8	3.9	BD	6.8	6.9	7.5	3.8	4.0	2.9	2.6	2.6	3.3	3.6	3.3	3.1	3.1	3.2	3.5	4.3	3.9	23	7.5	
3	3.3	BD	2.4	2.4	2.7	2.9	2.9	3.3	3.5	3.3	3.7	3.4	3.3	2.8	2.6	2.2	2.2	2.2	2.1	3.0	4.3	3.6	2.7	2.2	23	4.3	
4	1.8	BD	1.6	1.4	1.8	2.3	2.6	2.5	2.7	2.2	1.9	2.2	1.8	2.1	2.3	1.7	1.8	1.7	2.9	4.9	7.6	5.0	7.6	6.8	23	7.6	
5	5.9	BD	2.7	2.2	2.3	2.8	2.3	2.0	2.0	2.3	2.1	2.3	1.8	1.5	1.6	2.0	2.6	2.0	1.8	2.2	1.3	1.8	2.4	2.5	23	5.9	
6	2.4	BD	2.0	2.3	2.3	3.4	4.7	4.8	4.5	5.3	4.5	3.6	2.9	2.7	2.7	2.4	2.8	2.5	2.9	3.9	4.2	4.1	4.1	4.7	23	5.3	
7	4.6	BD	6.4	7.7	7.9	9.4	9.1	7.6	7.1	5.0	3.5	4.7	3.3	2.8	2.4	2.5	2.3	2.6	3.3	4.8	6.7	7.2	6.9	6.1	23	9.4	
8	5.5	BD	4.6	5.1	5.3	7.2	9.9	12.2	14.2	12.3	12.5	7.1	6.0	3.4	2.6	2.4	2.8	7.8	10.9	15.0	16.1	14.3	15.5	14.2	23	16.1	
9	13.1	BD	6.3	6.3	6.8	7.8	10.8	13.8	19.3	9.6	9.4	5.1	5.1	5.4	4.9	4.3	3.7	4.0	3.6	4.8	4.8	4.1	3.4	3.5	23	19.3	
10	3.5	BD	7.8	6.5	7.4	9.7	11.6	14.9	9.3	4.6	2.9	2.8	2.1	2.0	2.0	2.1	2.3	4.0	5.8	9.1	16.3	24.7	23.4	21.3	23	24.7	
11	24.0	BD	14.9	18.2	17.8	16.6	13.3	6.8	3.2	2.3	2.2	1.8	1.8	1.7	1.8	1.8	2.0	2.7	2.3	2.7	5.8	4.3	3.7	2.4	23	24.0	
12	2.2	BD	2.5	3.6	4.3	4.8	5.0	5.0	3.6	3.2	2.5	2.4	2.3	2.2	2.1	2.1	2.6	3.2	4.7	7.4	8.4	6.8	6.6	7.3	23	8.4	
13	6.8	BD	4.7	3.1	4.6	7.6	11.1	18.3	14.8	9.1	7.5	5.2	4.0	4.2	4.8	5.0	3.7	5.8	6.8	5.4	4.5	3.1	3.4	4.6	23	18.3	
14	3.1	BD	3.0	4.1	8.8	15.9	16.3	12.2	7.6	7.0	5.7	7.3	9.3	5.1	10.9	5.5	4.1	4.6	4.4	4.1	4.0	4.1	9.4	3.4	23	16.3	
15	3.6	BD	3.5	11.8	5.3	9.0	10.6	7.3	5.4	3.7	3.1	2.4	2.3	3.3	3.3	3.6	3.3	3.7	3.9	5.2	5.8	8.7	13.4	21.8	23	21.8	
16	28.0	BD	5.3	5.2	6.4	12.2	10.1	6.2	3.0	2.6	2.4	2.1	2.2	2.4	2.8	2.3	2.0	2.0	1.9	3.2	4.6	3.3	2.9	3.0	23	28.0	
17	3.3	BD	5.4	4.4	4.8	6.3	6.8	6.0	4.4	3.0	2.7	2.4	2.3	2.1	2.1	2.0	2.8	2.3	4.8	4.6	8.2	11.1	9.0	5.9	23	11.1	
18	3.4	BD	3.0	3.5	3.6	4.4	5.8	5.0	3.6	3.6	2.9	2.7	2.5	2.2	3.1	8.1	9.5	6.3	3.5	3.7	4.7	6.0	6.2	6.3	23	9.5	
19	6.0	BD	7.3	6.7	6.5	4.5	4.3	7.2	7.0	4.9	3.9	3.1	2.6	3.1	4.1	3.0	4.6	4.4	5.1	6.4	8.8	12.6	14.2	15.6	23	15.6	
20	13.5	BD	5.8	10.7	12.8	12.4	11.2	17.4	17.8	13.0	7.1	5.0	4.1	3.6	3.9	3.6	4.3	3.9	3.5	5.3	5.5	6.6	7.3	8.1	23	17.8	
21	9.6	BD	8.5	7.7	9.6	11.6	10.0	11.7	11.7	9.4	4.7	4.0	5.1	5.0	4.3	5.2	7.9	9.2	6.1	9.7	11.0	19.7	19.3	13.8	23	19.7	
22	12.6	BD	11.6	13.4	15.1	17.7	17.5	9.3	6.6	4.3	3.8	3.6	3.0	3.3	3.4	4.1	4.6	5.3	7.5	12.3	9.7	6.2	5.3	4.9	23	17.7	
23	5.6	BD	4.3	5.3	6.0	6.9	8.2	8.5	8.5	8.0	5.6	4.7	3.9	4.2	3.8	3.6	4.1	3.7	3.2	5.2	5.6	5.3	8.3	8.5	23	8.5	
24	7.8	BD	5.7	6.1	6.9	7.6	6.9	5.3	4.6	3.8	4.1	3.9	3.3	3.2	3.2	3.0	2.9	2.7	3.4	4.2	7.4	12.1	11.6	13.9	23	13.9	
25	17.3	BD	9.2	14.7	14.3	12.1	10.8	8.9	6.7	3.9	3.2	2.6	2.6	2.5	2.5	2.6	2.7	3.7	6.5	7.8	10.0	9.0	7.1	23	17.3		
26	5.4	BD	4.4	3.2	2.9	3.5	4.5	3.8	3.0	2.8	2.5	2.3	2.2	2.2	2.3	2.3	2.2	2.6	2.8	4.3	6.8	9.2	10.6	6.5	23	10.6	
27	5.3	BD	2.3	2.6	3.1	4.9	7.7	8.3	5.1	3.9	3.3	2.8	3.0	2.8	2.7	2.7	3.0	5.1	5.8	7.1	7.9	8.9	10.9	2.7	23	10.9	
28	2.0	BD	3.0	4.3	6.9	6.8	9.8	9.2	5.4	3.3	3.7	3.3	3.6	3.3	3.5	2.8	2.3	3.3	3.5	5.5	8.8	13.4	19.6	20.3	23	20.3	
29	18.3	BD	9.4	7.4	7.9	10.2	8.7	6.0	4.3	3.9	3.7	3.5	3.5	3.0	3.1	3.3	4.3	4.8	7.9	13.5	15.7	18.3	15.0	15.3	23	18.3	
30	16.8	BD	9.0	7.6	5.8	6.1	7.5	10.5	17.8	16.0	10.6	5.6	4.1	3.7	4.4	4.2	4.1	5.4	5.9	7.7	16.8	17.8	11.2	2.9	23	17.8	
31	3.9	BD	2.8	2.7	3.3	4.7	7.0	5.6	4.6	4.2	3.8	3.3	3.2	3.2	4.0	4.1	4.0	4.2	5.7	11.3	15.9	14.7	19.3	23.4	23	23.4	
NO.:	31	2	31	31	31	31	29	30	30	30	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	28.0	4.3	14.9	18.2	17.8	17.7	17.5	18.3	19.3	16.0	12.5	7.3	9.3	5.4	10.9	8.1	9.5	9.2	10.9	15.0	16.8	24.7	23.4	23.4			
AVG:	7.95	3.45	5.35	6.05	6.47	7.88	8.52	8.21	7.27	5.60	4.44	3.64	3.34	3.05	3.32	3.25	3.50	3.90	4.40	6.13	7.83	8.91	9.58	8.63			

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 5.96 MONTHLY MAX: 28.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	12.3	BD	8.8	7.1	5.3	6.5	7.8	7.3	5.8	4.0	3.5	2.6	2.6	2.7	2.5	2.6	2.3	2.2	2.8	7.0	20.0	26.3	28.6	35.2	23	35.2	
2	34.2	BD	9.9	11.4	7.6	6.1	6.4	6.2	4.3	2.9	2.4	2.0	1.8	1.8	1.9	1.9	2.1	2.2	2.8	6.3	10.0	4.9	3.2	3.4	23	34.2	
3	3.8	BD	4.8	5.8	7.2	8.4	10.1	7.2	7.0	5.1	4.4	4.1	3.6	3.4	3.1	2.9	3.1	3.2	3.1	4.5	2.7	2.5	1.9	2.0	23	10.1	
4	2.1	BD	2.8	4.6	5.8	7.3	7.8	11.7	10.0	5.7	3.3	2.7	2.5	3.7	4.9	3.5	3.6	4.1	5.4	6.4	7.1	12.3	23.8	36.3	23	36.3	
5	32.9	BD	26.2	25.4	25.7	27.0	23.4	22.2	16.6	11.4	7.7	6.8	6.4	5.6	4.1	2.9	2.9	3.1	4.3	5.1	5.8	3.5	7.0	6.1	23	32.9	
6	6.3	BD	7.0	8.7	9.9	14.2	19.2	19.5	11.2	5.0	7.2	4.9	4.0	7.0	9.0	5.2	3.8	4.6	5.8	4.5	3.7	4.0	3.4	3.1	23	19.5	
7	2.9	BD	2.5	3.0	3.7	8.3	11.7	12.2	8.5	7.1	5.8	4.5	4.2	4.1	3.5	3.4	3.5	3.9	4.7	4.6	5.2	3.9	3.7	3.0	23	12.2	
8	3.1	BD	2.0	2.1	2.5	2.9	4.2	3.8	3.5	3.3	3.5	2.8	2.6	2.4	2.5	2.8	2.3	2.1	2.9	5.3	6.5	12.4	9.8	8.2	23	12.4	
9	7.5	BD	2.5	2.7	2.4	3.5	3.9	3.0	2.1	2.2	2.4	2.4	2.3	2.4	2.5	2.2	2.2	2.4	2.9	3.1	3.6	3.7	4.2	3.9	23	7.5	
10	3.1	BD	2.6	2.4	2.5	3.2	4.6	4.8	4.0	3.8	3.1	2.9	2.6	2.6	2.2	2.1	2.0	2.3	2.7	6.0	9.9	8.5	4.2	3.0	23	9.9	
11	2.4	BD	2.1	2.3	2.2	3.5	5.1	5.8	4.7	8.4	10.9	11.8	10.0	7.8	7.0	4.9	7.1	5.0	4.2	8.9	3.2	3.8	4.9	5.0	23	11.8	
12	8.1	BD	14.9	13.4	14.1	13.6	11.5	7.4	5.9	4.9	AV	AV	AV	2.4	2.7	2.9	3.3	3.4	5.4	11.0	16.0	16.2	18.4	18.0	20	18.4	
13	17.9	19.0	15.2	11.8	10.7	15.4	17.4	14.0	9.5	4.5	3.4	3.2	BA	BA	3.2	4.0	3.9	4.5	7.3	12.6	17.6	14.4	8.8	8.7	22	19.0	
14	9.3	BD	6.6	6.5	7.5	9.1	16.8	13.4	7.9	6.7	4.3	3.3	2.9	3.6	3.7	3.5	3.9	3.8	6.1	4.1	4.5	8.2	16.0	16.9	23	16.9	
15	16.7	BD	13.9	12.1	10.0	8.6	8.2	8.2	7.3	5.6	3.8	4.9	4.0	3.4	3.3	3.1	3.1	4.1	5.9	5.1	5.3	8.7	13.4	12.4	23	16.7	
16	10.0	BD	8.9	9.6	7.6	7.5	6.7	7.1	10.6	13.6	8.6	4.7	3.4	3.0	3.1	2.9	3.2	3.2	5.9	7.6	9.6	11.8	11.7	12.1	23	13.6	
17	11.0	BD	3.9	5.4	5.6	7.2	10.0	13.2	14.3	17.0	12.1	8.8	3.6	3.0	2.5	2.5	2.6	3.0	4.2	4.5	6.8	5.1	2.4	2.4	23	17.0	
18	2.3	BD	2.3	4.3	7.8	6.2	9.0	11.1	8.7	6.9	4.6	3.1	2.8	2.8	2.8	2.5	2.2	2.2	2.9	2.5	2.5	3.2	2.7	2.7	23	11.1	
19	2.2	BD	1.5	1.8	2.3	3.3	5.6	6.0	5.1	4.8	4.5	3.7	2.8	2.4	2.2	2.3	2.7	4.4	6.2	5.8	5.2	6.2	5.6	4.3	23	6.2	
20	4.0	BD	2.6	2.7	3.1	3.7	5.4	5.6	5.7	5.1	5.2	3.8	5.0	4.9	3.9	3.4	4.0	4.3	6.0	4.0	2.6	4.7	15.9	11.1	23	15.9	
21	9.5	BD	8.7	6.8	5.7	9.4	10.6	7.1	5.0	4.0	3.8	2.9	3.0	2.8	3.0	3.5	3.9	3.6	4.9	8.8	10.5	7.4	7.7	5.2	23	10.6	
22	6.9	BD	5.0	5.1	5.2	6.4	6.9	5.2	4.1	3.3	2.9	3.0	2.8	2.7	2.5	2.5	2.2	2.7	3.8	5.3	7.7	6.4	8.0	7.4	23	8.0	
23	6.5	BD	5.2	3.6	3.1	3.6	3.8	4.3	4.1	3.9	3.3	3.0	2.4	2.0	2.8	2.9	2.3	2.3	5.5	6.2	5.8	4.0	4.1	4.3	23	6.5	
24	4.2	BD	5.1	4.4	6.1	10.0	10.0	13.1	10.2	9.7	5.0	3.8	4.1	BA	BA	3.1	3.9	3.9	4.5	6.7	7.6	6.5	6.8	5.7	21	13.1	
25	5.9	5.8	6.5	7.4	7.1	7.0	11.3	7.8	6.2	BA	3.6	2.5	2.6	3.0	2.7	3.9	4.3	4.7	6.1	8.1	9.0	6.6	7.4	3.9	23	11.3	
26	3.0	BD	3.1	5.7	4.9	7.8	9.8	7.3	6.2	4.9	3.4	3.1	2.9	3.1	3.1	3.2	4.0	4.6	5.1	6.4	7.4	7.0	7.4	4.6	23	9.8	
27	4.0	BD	5.3	5.3	5.2	7.0	9.1	8.9	6.4	4.3	3.1	2.6	2.5	3.7	2.9	2.7	3.2	3.2	5.3	8.3	7.2	6.6	6.1	4.1	23	9.1	
28	3.6	4.1	5.0	7.1	8.5	11.7	BD	BC	BC	BC	BC	BC	BC	BC	2.6	2.7	2.8	3.9	5.7	9.1	28.3	22.5	8.5	7.9	16	28.3	
29	8.1	BD	10.5	12.3	12.6	22.6	17.0	16.3	10.3	5.8	4.3	3.0	2.5	2.8	2.4	2.3	2.1	3.2	4.8	7.9	10.0	9.8	13.4	19.9	23	22.6	
30	23.8	BD	17.0	16.8	15.8	17.3	15.5	15.6	15.8	10.2	9.5	3.0	3.4	3.5	2.9	2.3	2.1	3.6	3.4	3.9	3.7	3.5	4.2	4.2	23	23.8	
31	4.2	BD	4.8	5.5	5.0	9.5	12.3	8.0	5.5	4.2	3.7	2.9	2.5	2.9	3.4	4.0	4.8	4.4	4.0	11.5	8.1	4.9	5.7	5.9	23	12.3	
NO.:	31	3	31	31	31	31	30	30	30	29	29	29	28	28	30	31	31	31	31	31	31	31	31	31	31		
MAX:	34.2	19.0	26.2	25.4	25.7	27.0	23.4	22.2	16.6	17.0	12.1	11.8	10.0	7.8	9.0	5.2	7.1	5.0	7.3	12.6	28.3	26.3	28.6	36.3			
AVG:	8.77	9.63	7.01	7.20	7.18	8.96	10.04	9.44	7.55	6.15	4.94	3.89	3.42	3.41	3.30	3.05	3.21	3.49	4.66	6.49	8.16	8.05	8.67	8.74			

MONTHLY OBSERVATIONS: 700 MONTHLY MEAN: 6.38 MONTHLY MAX: 36.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	7.0	BD	5.0	5.9	6.4	7.4	6.9	11.2	16.1	14.8	10.5	4.3	3.8	3.8	3.4	3.5	4.9	5.9	9.0	11.4	15.5	16.3	13.3	12.9	23	16.3	
2	12.2	BD	10.2	10.5	9.8	9.7	9.9	20.5	28.2	15.0	6.3	4.0	3.6	4.3	4.6	4.6	5.3	6.8	5.5	8.4	7.4	7.3	10.7	10.4	23	28.2	
3	7.4	BD	6.4	6.0	6.4	11.6	22.3	13.7	7.2	7.5	6.4	3.9	3.4	3.1	3.9	4.3	3.5	5.1	8.1	16.4	16.5	16.9	19.3	21.7	23	22.3	
4	25.3	BD	23.8	20.2	19.9	21.4	25.0	12.8	10.9	8.7	5.8	4.9	4.4	3.7	3.6	4.2	6.2	5.7	4.6	3.8	5.4	8.9	8.4	8.1	23	25.3	
5	8.6	BD	5.1	5.3	6.4	6.9	5.6	4.0	3.3	3.2	2.8	2.4	2.3	2.4	2.0	2.2	3.0	6.3	7.1	4.9	2.7	4.2	4.4	23	8.6		
6	5.0	BD	3.3	3.2	3.6	2.3	3.2	3.2	3.3	2.3	1.8	1.6	1.7	1.5	1.6	1.6	1.6	1.7	2.6	3.8	2.8	2.1	2.3	2.4	23	5.0	
7	2.8	BD	5.6	5.5	4.3	2.4	3.6	3.9	2.9	2.6	2.6	2.5	2.6	2.1	1.9	2.0	2.1	2.3	5.1	5.0	4.6	5.4	5.7	3.5	23	5.7	
8	3.8	BD	6.6	7.2	9.0	11.3	12.4	10.2	4.0	3.0	2.5	2.4	1.9	1.8	2.2	2.4	2.7	3.0	4.4	10.9	13.6	15.1	6.3	4.8	23	15.1	
9	4.2	BD	3.6	4.2	5.1	5.6	7.2	5.9	4.8	3.6	2.8	3.0	2.4	2.4	2.2	3.1	5.3	9.0	17.4	15.3	13.9	14.3	9.5	6.8	23	17.4	
10	6.0	BD	3.3	3.2	2.9	3.7	6.1	7.8	7.7	8.8	7.5	6.1	3.7	3.0	2.8	2.5	2.8	3.3	4.6	5.9	5.7	13.1	5.1	9.0	23	13.1	
11	9.9	BD	3.3	2.8	3.2	6.9	11.8	6.9	6.2	7.3	6.6	5.7	3.9	4.2	3.9	3.7	3.7	4.3	7.5	7.3	5.5	5.6	6.1	5.3	23	11.8	
12	4.0	BD	2.4	2.8	3.3	3.8	4.8	4.5	4.4	3.2	2.8	3.2	3.2	3.6	3.3	3.9	4.6	5.3	4.4	6.9	10.1	4.8	3.6	4.8	23	10.1	
13	5.7	BD	3.6	3.9	3.6	4.4	5.3	4.8	6.2	3.3	1.4	1.5	1.5	1.5	1.5	2.0	1.9	2.2	3.9	6.5	11.3	11.4	10.1	11.5	23	11.5	
14	6.6	BD	5.1	7.3	9.0	11.7	12.8	12.9	7.7	4.5	2.6	2.4	3.0	4.7	5.7	6.2	6.6	7.1	8.9	13.4	26.3	33.2	27.0	20.0	23	33.2	
15	16.7	BD	11.8	10.3	12.1	13.4	17.8	19.0	18.5	10.4	5.6	2.6	2.8	2.9	2.5	2.2	2.7	3.8	6.8	15.3	26.7	25.5	22.8	19.2	23	26.7	
16	20.3	BD	12.8	15.2	13.7	18.8	21.3	23.3	18.0	17.3	10.5	4.5	2.4	2.4	3.0	3.2	4.4	8.0	8.8	17.1	29.1	24.2	22.8	BD	22	29.1	
17	23.7	18.8	22.2	19.4	18.4	20.4	24.7	22.7	14.0	9.2	4.4	2.4	2.3	2.2	1.6	1.5	1.7	2.6	5.9	28.6	27.1	19.2	19.0	BD	23	28.6	
18	10.4	10.1	9.5	8.7	13.6	18.7	18.1	14.6	12.0	7.5	3.8	2.6	2.6	3.1	2.8	3.1	2.8	4.6	9.2	18.2	20.2	15.5	15.1	BD	23	20.2	
19	8.6	9.0	11.2	14.4	12.0	9.8	11.2	15.3	13.2	5.8	3.2	2.9	2.8	2.5	2.6	3.0	3.0	5.3	11.6	16.4	23.7	30.9	30.1	BD	23	30.9	
20	16.3	16.7	15.8	14.9	14.5	16.9	14.2	13.9	6.7	4.3	3.9	2.7	2.2	2.4	2.4	2.3	3.3	6.6	8.1	13.2	10.4	3.5	2.3	BD	23	16.9	
21	1.5	1.6	2.1	2.2	2.9	4.9	5.7	5.7	5.8	10.2	10.6	8.1	6.6	6.4	7.4	7.7	7.3	7.3	7.5	6.4	6.1	6.1	5.9	BD	23	10.6	
22	3.9	3.3	3.3	3.8	3.7	5.1	6.1	7.7	6.9	AZ	AZ	AZ	AZ	AZ	4.2	4.5	4.0	3.8	6.7	6.8	6.2	6.2	5.2	BD	18	7.7	
23	3.6	3.9	3.3	3.3	3.2	4.8	9.7	7.2	6.0	5.1	5.1	4.1	3.8	3.5	3.5	3.3	4.9	8.3	8.5	8.1	7.2	4.2	BD	23	9.7		
24	3.2	4.9	4.2	4.2	4.3	5.8	9.2	8.7	5.6	6.0	5.3	5.8	7.8	5.8	6.0	9.0	5.1	14.0	14.5	5.7	2.6	3.2	2.6	BD	23	14.5	
25	2.3	3.0	2.0	2.0	2.2	3.4	4.4	3.8	3.2	3.1	2.9	3.2	3.4	3.6	3.4	3.7	4.5	3.5	2.7	1.8	1.7	1.9	1.4	BD	23	4.5	
26	1.0	.4	.7	1.2	1.5	1.8	2.2	2.1	1.9	1.5	1.5	1.5	1.6	1.5	1.9	1.8	1.1	1.8	2.6	1.9	2.0	1.6	.9	BD	23	2.6	
27	.8	1.1	1.3	1.7	1.1	1.1	2.2	1.7	1.6	2.0	1.5	1.7	1.9	2.1	2.4	2.8	4.0	3.5	3.1	2.4	2.5	1.3	.9	BD	23	4.0	
28	.6	.4	.4	.4	1.4	2.7	4.1	3.8	2.7	2.3	2.6	2.3	2.8	3.7	2.4	3.2	5.5	7.0	8.2	7.0	4.4	2.9	1.0	BD	23	8.2	
29	.8	.6	.5	.6	1.0	3.0	5.2	3.8	4.3	2.7	2.3	2.5	2.2	1.8	2.0	2.2	2.3	3.3	4.8	3.6	4.1	6.5	6.4	BD	23	6.5	
30	2.6	2.7	3.1	3.5	3.9	5.0	8.2	8.8	9.0	9.5	6.7	4.0	3.2	2.9	3.4	3.9	3.7	4.1	7.0	12.4	7.2	1.9	1.9	BD	23	12.4	
31																										0	
NO.:	30	14	30	30	30	30	30	30	30	29	29	29	29	29	30	30	30	30	30	30	30	30	30	30	15		
MAX:	25.3	18.8	23.8	20.2	19.9	21.4	25.0	23.3	28.2	17.3	10.6	8.1	7.8	6.4	7.4	9.0	7.3	14.0	17.4	28.6	29.1	33.2	30.1	21.7			
AVG:	7.49	5.46	6.38	6.46	6.75	8.16	10.04	9.48	8.08	6.37	4.56	3.41	3.10	3.07	3.14	3.45	3.74	4.96	6.94	9.58	10.85	10.49	9.14	9.65			

MONTHLY OBSERVATIONS: 684 MONTHLY MEAN: 6.68 MONTHLY MAX: 33.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.8	1.0	1.3	1.1	1.9	3.1	3.9	4.7	4.2	3.2	3.4	3.3	3.1	3.3	4.0	3.9	4.2	3.8	3.3	3.1	2.6	2.7	2.6	BD	23	4.7
2	2.2	2.1	2.4	2.2	2.2	3.6	4.4	4.3	4.5	4.2	3.8	4.1	3.3	2.9	3.3	3.3	3.6	4.2	4.6	4.2	4.1	4.0	3.7	BD	23	4.6
3	3.4	3.0	2.7	2.4	2.2	2.8	2.9	2.7	2.2	1.9	2.1	2.3	2.2	2.4	2.3	2.5	2.4	2.6	2.5	1.7	1.6	1.9	1.9	BD	23	3.4
4	1.5	1.4	1.1	.7	.5	.7	.9	1.1	.9	1.4	1.1	1.0	1.2	.9	1.3	1.7	2.5	2.0	1.8	1.6	1.5	1.6	1.3	BD	23	2.5
5	1.0	1.2	1.1	1.2	1.4	2.2	3.3	3.5	3.7	3.6	3.0	2.7	2.8	2.1	2.6	2.9	3.1	4.5	7.3	8.0	5.1	5.1	3.3	BD	23	8.0
6	3.6	4.1	5.0	3.8	5.4	9.6	14.0	11.2	7.4	5.2	4.7	4.8	3.6	4.4	4.3	4.6	4.6	7.4	14.9	19.7	20.7	27.4	25.4	BD	23	27.4
7	15.0	17.2	13.6	12.2	10.9	8.8	9.2	12.8	24.6	20.4	11.3	8.1	7.6	6.8	6.7	5.7	5.4	6.7	13.3	20.9	22.4	21.0	17.4	BD	23	24.6
8	13.4	12.6	13.1	13.9	10.8	11.3	9.1	11.2	20.1	21.2	15.2	9.1	7.2	3.4	3.4	3.2	4.1	4.6	9.6	13.2	20.6	20.0	16.3	BD	23	21.2
9	9.6	8.5	6.9	6.1	5.9	7.4	8.9	11.3	9.8	7.1	3.7	2.7	2.5	2.8	2.7	2.8	2.9	3.6	5.4	5.7	5.3	6.4	8.1	BD	23	11.3
10	7.2	7.6	8.0	9.9	6.0	3.7	2.7	3.3	4.0	4.1	2.5	2.6	2.6	3.1	3.0	3.2	3.1	4.0	6.2	4.4	3.9	4.0	2.3	BD	23	9.9
11	3.1	4.8	3.6	2.7	2.7	3.8	6.3	3.9	3.5	3.7	3.3	3.4	2.5	2.0	1.9	2.1	2.6	4.0	6.6	17.6	17.3	15.0	11.1	BD	23	17.6
12	6.1	4.0	2.7	3.5	3.2	3.9	5.6	8.8	17.4	17.3	6.7	3.4	3.0	3.0	2.8	2.6	2.7	3.9	5.6	10.6	10.7	7.5	5.1	BD	23	17.4
13	2.0	1.8	1.9	2.6	2.9	3.6	5.7	8.1	4.7	3.8	3.9	4.1	3.0	3.0	3.1	3.1	3.9	5.3	11.4	15.2	14.9	13.8	16.8	BD	23	16.8
14	16.7	14.5	13.0	10.9	9.4	9.6	10.8	16.4	20.5	9.0	9.7	4.5	4.1	3.2	3.6	4.4	5.4	8.5	13.4	24.4	24.9	22.9	22.1	BD	23	24.9
15	13.5	14.4	11.9	12.6	15.6	15.3	14.7	18.6	17.8	12.4	7.0	4.6	3.8	3.9	4.3	4.6	4.6	6.5	13.7	22.5	26.0	16.3	8.8	BD	23	26.0
16	8.0	7.5	6.5	6.3	5.7	7.3	11.1	14.2	17.0	15.7	15.7	9.6	4.3	4.9	4.5	4.6	4.9	9.9	15.1	22.9	29.1	19.2	10.7	BD	23	29.1
17	6.7	6.2	8.5	11.6	12.9	15.7	16.0	17.6	13.5	5.6	3.7	4.3	2.2	2.1	2.3	2.5	2.4	5.4	21.9	15.7	6.3	4.4	3.0	BD	23	21.9
18	2.8	6.3	7.0	5.3	5.8	6.0	8.7	10.1	5.0	2.5	1.9	1.5	1.7	1.9	2.1	2.6	3.2	5.1	16.6	24.5	24.3	20.7	16.5	BD	23	24.5
19	11.7	11.7	10.7	11.3	12.8	15.2	18.9	20.0	17.1	5.5	4.2	3.1	3.1	3.7	3.5	3.9	5.4	9.2	16.4	28.8	26.7	19.7	19.3	BD	23	28.8
20	14.8	14.5	13.6	12.2	11.9	13.3	13.5	15.7	28.6	25.9	14.3	8.3	7.8	7.1	5.8	6.1	6.7	7.9	20.9	33.2	29.3	23.5	24.4	BD	23	33.2
21	16.5	14.7	12.4	11.6	10.8	10.1	11.7	12.9	19.3	37.4	22.9	14.6	9.0	7.5	6.4	6.0	6.1	7.7	14.1	33.4	35.0	29.4	23.6	BD	23	37.4
22	17.8	17.6	16.4	14.3	11.5	10.9	12.3	12.5	26.8	45.7	32.4	11.1	8.6	7.4	6.3	5.7	5.6	10.3	16.0	35.8	34.0	30.0	27.6	BD	23	45.7
23	17.2	17.1	14.5	14.3	13.8	13.5	13.5	14.1	23.6	26.9	13.7	7.1	5.7	4.8	3.3	3.5	4.5	8.7	44.5	41.1	33.6	27.3	26.2	BD	23	44.5
24	21.0	17.4	8.7	3.3	2.7	3.0	3.6	3.6	2.8	2.9	2.9	2.6	2.5	2.6	2.6	2.7	3.8	4.6	12.2	20.9	13.7	13.2	12.3	BD	23	21.0
25	5.8	5.4	6.7	6.2	5.1	5.4	6.7	7.0	6.3	4.4	3.3	3.8	2.9	2.5	2.9	3.3	3.8	4.9	13.8	26.5	21.9	19.5	18.8	BD	23	26.5
26	2.5	2.4	2.4	2.7	2.4	3.4	3.2	3.5	3.8	3.5	3.2	3.8	4.1	4.8	5.3	5.5	7.8	8.6	9.0	6.3	6.4	4.4	4.8	BD	23	9.0
27	3.2	4.7	4.3	4.0	4.3	5.6	6.8	6.1	4.8	4.1	3.6	3.7	3.8	4.0	4.0	4.2	3.9	4.2	5.3	4.7	3.7	1.3	1.5	BD	23	6.8
28	.9	.9	1.0	1.0	1.1	2.0	3.5	4.1	2.9	2.1	1.9	2.3	2.4	2.2	1.8	2.3	2.7	3.6	4.6	3.8	3.5	3.9	5.1	BD	23	5.1
29	3.7	3.0	3.2	2.7	5.1	9.2	7.6	7.5	8.4	10.3	7.3	5.5	5.0	4.0	4.8	9.0	10.1	12.7	16.2	14.0	12.0	11.2	8.1	BD	23	16.2
30	6.2	7.6	6.6	5.7	6.2	6.9	9.2	17.6	10.0	5.8	4.9	3.4	3.2	3.8	5.7	5.9	7.0	13.5	25.5	26.6	24.8	24.5	15.5	BD	23	26.6
31	7.2	8.5	10.0	13.9	13.8	13.3	14.6	10.9	8.2	5.5	4.4	4.6	4.5	3.7	3.3	4.2	5.3	9.4	17.0	18.7	16.2	17.0	15.3	BD	23	18.7
NO.:	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	21.0	17.6	16.4	14.3	15.6	15.7	18.9	20.0	28.6	45.7	32.4	14.6	9.0	7.5	6.7	9.0	10.1	13.5	44.5	41.1	35.0	30.0	27.6			
AVG:	7.91	7.86	7.12	6.85	6.67	7.43	8.49	9.65	11.08	10.40	7.15	4.84	3.98	3.68	3.67	3.95	4.46	6.36	12.54	17.09	16.20	14.15	12.22			

MONTHLY OBSERVATIONS: 713 MONTHLY MEAN: 8.42 MONTHLY MAX: 45.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	11.5	9.2	7.5	6.5	6.6	6.0	6.1	6.5	7.8	7.1	7.9	8.5	8.8	8.0	7.5	7.0	7.5	10.4	11.1	9.9	7.9	6.4	8.4	BD	23	11.5	
2	6.1	4.9	5.6	6.7	5.0	5.8	8.2	8.4	8.8	9.6	4.0	5.5	3.6	3.4	6.3	4.6	4.4	2.6	2.4	2.0	2.1	2.9	5.8	BD	23	9.6	
3	4.7	4.7	4.2	4.4	4.2	5.3	4.5	6.1	6.1	6.2	6.4	7.1	5.8	6.0	5.7	5.2	5.3	6.4	7.8	6.4	4.8	3.6	2.8	BD	23	7.8	
4	2.0	2.2	1.7	1.9	2.0	2.0	3.8	6.6	7.5	7.9	9.4	6.6	9.0	8.4	7.9	8.3	9.2	10.6	9.3	9.2	8.5	9.4	10.1	BD	23	10.6	
5	9.0	7.2	4.7	4.4	4.1	5.6	9.8	7.4	9.1	9.2	9.6	8.2	3.6	3.6	4.9	3.6	4.3	8.6	17.7	12.8	5.7	4.6	4.3	BD	23	17.7	
6	3.4	1.6	1.2	1.4	1.8	1.9	3.6	4.7	4.5	4.0	4.0	3.9	3.8	3.7	3.5	3.9	4.1	4.9	6.1	4.9	3.1	3.7	3.7	BD	23	6.1	
7	2.3	1.9	1.7	1.7	1.4	1.5	2.1	2.7	3.4	4.1	4.5	3.4	3.2	3.3	3.9	5.6	5.0	8.2	11.5	10.0	1.8	2.8	2.8	BD	23	11.5	
8	1.7	1.9	2.0	1.8	2.2	2.3	1.6	2.0	2.7	2.8	2.6	2.5	2.3	1.8	2.0	3.5	4.1	4.5	3.5	3.1	2.7	3.1	2.7	BD	23	4.5	
9	2.6	1.6	3.0	2.3	2.2	2.8	4.3	5.8	6.5	6.6	5.7	7.1	8.0	9.5	10.1	9.9	9.4	6.3	5.9	7.0	5.9	5.3	5.6	BD	23	10.1	
10	4.6	3.4	5.1	4.9	9.0	10.3	11.1	14.5	15.0	12.9	11.4	10.2	7.0	3.4	3.2	3.3	6.2	9.8	16.9	23.2	22.4	19.7	18.9	16.8	24	23.2	
11	15.6	13.4	14.3	11.2	11.5	11.0	9.5	11.6	20.5	27.4	17.2	16.0	15.2	11.9	8.5	7.3	8.5	9.7	22.6	30.7	27.6	26.6	25.0	19.3	24	30.7	
12	13.6	12.5	14.3	13.4	11.5	10.1	8.3	9.5	7.7	6.6	4.3	3.7	3.3	2.9	2.7	3.1	3.8	6.0	9.1	14.4	20.0	28.0	24.8	AM	23	28.0	
13	21.1	15.0	19.4	22.4	19.2	19.9	22.1	23.6	18.9	8.3	5.6	4.9	3.5	2.8	2.6	3.6	4.6	9.2	11.2	16.6	17.7	24.7	18.9	BD	23	24.7	
14	20.6	22.0	15.0	13.8	9.5	16.9	19.9	16.8	16.9	5.3	3.0	3.0	2.9	2.6	2.4	2.4	3.3	11.8	27.3	32.2	30.8	25.5	23.6	BD	23	32.2	
15	19.1	16.9	16.3	14.7	17.6	19.0	15.6	13.2	17.8	11.3	5.8	6.5	9.8	8.3	4.6	4.5	10.0	17.4	27.2	28.0	21.4	26.2	24.8	BD	23	28.0	
16	19.2	19.3	18.9	16.6	13.1	12.4	11.9	12.0	20.7	36.0	22.2	13.3	12.3	16.7	13.8	9.2	7.1	9.0	28.5	36.5	31.1	27.5	25.2	BD	23	36.5	
17	19.4	20.9	15.9	14.8	19.3	22.9	26.3	24.9	24.4	18.4	5.7	3.8	3.5	3.2	3.8	4.4	5.8	6.6	5.5	6.1	6.0	6.4	4.9	BD	23	26.3	
18	4.0	2.7	2.7	2.9	3.5	3.7	6.1	6.6	5.2	5.0	3.7	3.3	2.6	2.5	2.4	2.9	3.9	4.1	3.1	2.3	2.3	1.9	2.0	BD	23	6.6	
19	.8	1.0	.8	1.2	1.4	4.8	11.0	12.3	12.8	9.5	9.5	7.1	9.5	6.0	5.1	5.7	7.5	14.3	18.0	11.0	12.4	18.4	21.9	BD	23	21.9	
20	13.6	18.1	16.4	14.3	12.1	8.4	13.1	10.5	10.2	4.9	3.5	3.0	3.5	3.1	3.1	3.5	5.3	10.4	18.1	25.4	30.3	25.0	27.1	BD	23	30.3	
21	24.8	23.6	23.7	24.6	19.4	17.3	23.0	21.0	15.2	5.4	4.3	2.9	2.7	2.4	2.4	2.7	4.9	6.1	6.7	12.4	17.7	22.5	20.3	BD	23	24.8	
22	19.0	18.1	18.3	17.4	15.1	11.7	14.5	7.7	4.3	3.4	2.7	2.2	2.0	2.3	2.3	2.3	2.8	5.3	6.5	2.7	2.6	2.9	3.0	BD	23	19.0	
23	5.3	5.2	9.2	18.8	23.4	22.8	21.6	22.0	25.9	9.6	5.9	4.0	4.4	4.9	4.5	4.7	5.3	13.4	22.5	32.8	29.5	26.0	25.3	BD	23	32.8	
24	21.1	22.0	21.3	20.6	20.4	20.9	21.2	21.4	26.9	26.3	17.4	8.7	5.8	4.4	4.4	5.6	8.5	16.7	36.4	35.2	34.0	33.3	29.8	BD	23	36.4	
25	24.2	23.0	18.9	20.9	17.9	15.8	17.0	17.8	26.0	21.7	6.9	4.3	2.7	2.6	3.6	4.4	5.8	10.2	31.4	30.7	30.8	31.4	32.4	BD	23	32.4	
26	18.7	15.7	16.2	12.1	9.5	7.7	7.6	9.6	8.0	6.3	5.0	4.7	3.7	3.4	2.5	2.2	1.9	4.7	18.8	27.1	30.4	24.2	23.7	BD	23	30.4	
27	10.8	9.5	12.6	10.1	8.6	8.7	10.7	9.6	8.4	7.3	7.2	6.7	4.6	3.3	2.7	2.6	3.6	13.2	32.9	33.0	28.0	24.8	22.2	BD	23	33.0	
28	12.5	13.9	17.3	17.1	16.1	12.7	8.2	9.7	13.9	20.5	13.4	5.0	4.7	5.8	3.5	3.0	3.6	6.0	10.5	27.0	25.5	22.4	20.4	BD	23	27.0	
29	15.6	18.8	15.1	14.8	12.2	12.8	12.1	11.5	9.5	10.1	8.6	9.9	6.6	5.3	4.6	6.0	11.6	15.6	23.1	26.0	25.0	18.2	11.8	BD	23	26.0	
30	9.3	5.9	7.1	5.2	4.3	4.2	6.9	7.9	8.3	6.3	4.6	3.9	3.8	3.8	5.0	6.5	7.1	7.4	7.6	7.8	7.5	11.6	10.6	BD	23	11.6	
31																											0
NO.:	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	2		
MAX:	24.8	23.6	23.7	24.6	23.4	22.9	26.3	24.9	26.9	36.0	22.2	16.0	15.2	16.7	13.8	9.9	11.6	17.4	36.4	36.5	34.0	33.3	32.4	19.3			
AVG:	11.87	11.20	11.01	10.76	10.14	10.24	11.39	11.46	12.43	10.67	7.40	6.00	5.41	4.99	4.64	4.67	5.79	8.97	15.34	17.56	16.53	16.29	15.45	18.05			

MONTHLY OBSERVATIONS: 692 MONTHLY MEAN: 10.47 MONTHLY MAX: 36.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-119-0041 POC: 1
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 10102-44-0
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 4.2

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (074) INSTRUMENTAL CHEMILUMINESCENCE

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	9.1	6.8	7.0	7.4	6.5	7.0	9.7	10.0	11.0	10.2	9.0	8.5	8.5	10.2	10.0	10.5	11.2	11.2	10.2	9.6	9.8	9.4	9.4	BD	23	11.2
2	7.0	7.0	6.4	5.5	3.8	4.0	6.4	6.8	7.2	9.9	10.7	9.7	4.9	3.6	3.9	3.7	4.7	4.0	4.8	3.9	3.4	5.4	7.9	BD	23	10.7
3	5.0	5.1	6.6	8.6	12.1	18.9	14.8	16.3	6.3	5.3	2.9	3.4	4.0	3.9	3.4	4.9	6.5	12.8	15.2	18.5	19.1	10.0	7.2	BD	23	19.1
4	10.5	9.3	7.9	8.9	12.5	15.4	21.9	21.8	17.6	11.1	6.1	4.3	5.2	7.2	6.6	7.2	8.7	21.4	26.7	30.2	26.9	24.8	22.1	BD	23	30.2
5	21.3	21.1	18.8	22.4	22.1	21.4	17.5	18.6	14.3	9.3	6.9	6.1	6.3	6.5	7.0	6.4	7.2	11.3	16.7	16.9	22.3	18.4	18.9	BD	23	22.4
6	13.3	14.2	12.3	7.8	7.8	7.3	7.2	11.4	7.9	6.0	5.6	5.8	6.0	5.8	6.4	6.9	7.8	15.3	25.6	31.7	28.7	25.3	22.8	BD	23	31.7
7	14.4	15.4	16.5	13.9	13.3	13.9	14.5	15.9	23.8	25.5	27.0	16.5	13.9	8.7	6.9	10.0	10.1	13.4	38.9	12.6	7.4	6.0	11.4	BD	23	38.9
8	17.8	21.2	21.6	18.0	15.5	15.5	15.0	19.4	26.4	21.3	11.5	6.0	5.7	6.7	8.5	6.8	5.9	10.3	22.3	30.0	28.1	22.1	23.7	BD	23	30.0
9	14.8	14.5	15.1	11.1	9.5	9.3	11.6	18.3	15.1	15.5	14.1	12.2	6.0	3.3	3.2	3.5	4.4	12.6	30.6	26.3	27.7	29.4	24.5	BD	23	30.6
10	19.1	13.8	18.2	16.6	15.9	19.0	18.9	25.3	AZ	AZ	AZ	AZ	16.0	8.7	4.1	4.3	4.7	9.1	16.2	12.2	9.1	7.7	8.1	BD	19	25.3
11	5.6	5.6	5.4	4.8	6.2	6.1	9.8	15.4	15.8	13.6	10.1	7.1	5.4	4.2	4.5	5.5	7.7	12.5	16.8	20.9	16.5	18.0	17.2	BD	23	20.9
12	9.2	7.4	6.9	6.0	6.7	5.6	6.3	9.7	6.9	7.1	6.3	7.0	7.6	6.7	3.4	3.0	5.4	10.9	17.2	24.3	22.9	17.6	16.5	BD	23	24.3
13	8.7	10.0	12.6	14.9	11.7	9.9	9.5	9.7	8.4	12.0	12.4	8.4	2.5	2.0	1.5	1.6	1.8	5.7	9.4	26.9	23.2	21.8	9.3	BD	23	26.9
14	2.3	1.6	.9	.9	1.2	1.2	1.9	3.4	3.0	3.7	2.1	2.0	2.4	2.9	2.8	2.5	2.7	3.8	4.2	3.9	2.1	2.0	2.1	BD	23	4.2
15	2.1	2.1	2.4	3.8	4.1	4.9	9.1	13.6	16.4	13.2	12.9	13.1	11.5	9.7	9.7	10.4	11.0	15.7	27.4	32.0	31.9	29.7	23.9	BD	23	32.0
16	17.6	17.9	17.6	18.2	25.0	25.1	25.6	24.4	19.8	9.1	5.6	6.0	4.8	4.2	4.2	5.1	8.0	10.9	18.6	15.7	17.4	13.4	7.6	BD	23	25.6
17	4.3	4.1	4.6	4.8	5.3	10.1	14.5	9.0	8.7	7.2	15.8	17.1	14.8	14.7	15.8	18.9	20.1	20.2	16.4	11.9	11.0	10.1	9.1	BD	23	20.2
18	5.7	4.7	3.3	2.6	3.8	8.9	13.5	8.2	8.6	6.5	4.6	3.5	2.8	3.3	4.2	4.1	4.8	5.4	4.0	3.1	3.6	5.0	4.5	BD	23	13.5
19	4.9	6.8	15.1	20.3	19.6	16.1	18.3	20.8	17.0	6.8	3.7	2.7	2.5	2.9	3.5	3.4	4.3	8.7	11.0	20.0	27.0	27.0	27.8	BD	23	27.8
20	20.9	22.4	20.6	20.4	19.3	20.1	21.5	20.7	20.8	12.5	4.4	4.4	3.2	3.1	3.0	3.4	3.9	10.1	27.3	26.1	16.9	14.5	12.0	BD	23	27.3
21	17.5	15.3	19.0	19.6	18.4	17.8	23.5	23.9	25.1	26.9	24.9	30.2	37.5	37.8	30.3	18.7	19.9	25.2	27.6	26.9	26.0	21.0	28.4	BD	23	37.8
22	18.0	20.4	21.0	18.9	17.9	18.7	17.8	16.7	14.5	14.1	21.8	20.3	15.5	10.5	9.6	10.5	11.6	16.5	13.5	6.3	4.5	3.0	3.8	BD	23	21.8
23	1.7	1.6	1.5	1.9	2.0	2.3	4.1	6.4	5.3	6.3	7.9	6.5	6.6	7.5	5.7	8.2	11.7	9.1	5.3	3.4	2.6	1.9	1.9	BD	23	11.7
24	2.3	1.4	.7	1.1	1.1	.8	1.4	1.6	2.0	1.9	1.9	2.4	2.1	2.3	2.5	2.8	4.7	4.1	3.8	3.1	2.4	2.2	2.0	BD	23	4.7
25	1.1	1.1	1.0	1.1	.9	.9	1.1	1.7	1.2	1.3	1.4	1.5	2.0	1.5	1.4	2.1	2.8	3.0	7.1	7.7	3.3	4.1	4.7	BD	23	7.7
26	5.3	3.5	2.5	1.9	1.9	1.3	1.8	2.4	4.0	5.2	4.4	5.3	3.2	3.5	3.2	3.3	3.9	5.3	7.6	6.8	5.4	4.3	2.9	BD	23	7.6
27	1.4	.7	1.1	1.1	1.7	1.1	.7	.9	1.1	1.2	1.8	1.8	1.8	1.9	2.0	1.8	1.8	2.3	3.0	2.1	2.9	3.7	3.3	BD	23	3.7
28	1.9	2.6	1.5	.8	1.4	1.6	2.1	5.9	6.2	3.9	2.7	2.7	2.1	2.6	2.4	2.6	2.9	3.1	2.6	2.3	2.3	2.0	1.8	BD	23	6.2
29	1.5	1.5	1.6	1.5	.9	1.2	7.1	9.7	13.4	13.2	11.9	14.1	10.0	3.0	1.8	2.2	2.9	3.4	3.3	3.0	2.5	2.8	3.0	BD	23	14.1
30	2.6	2.2	2.0	1.7	1.9	1.9	2.8	3.3	5.4	8.0	14.0	11.5	10.9	12.5	8.2	5.3	5.3	5.4	3.4	2.7	2.7	2.4	2.1	BD	23	14.0
31	1.5	1.6	1.2	1.2	1.5	2.1	4.5	5.2	4.5	8.3	8.5	8.4	10.0	9.5	7.8	5.2	4.1	6.6	10.5	14.7	12.8	10.3	8.1	BD	23	14.7
NO.:	31	31	31	31	31	31	31	31	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	21.3	22.4	21.6	22.4	25.0	25.1	25.6	25.3	26.4	26.9	27.0	30.2	37.5	37.8	30.3	18.9	20.1	25.2	38.9	32.0	31.9	29.7	28.4			
AVG:	8.66	8.48	8.80	8.64	8.76	9.34	10.79	12.14	11.26	9.87	9.10	8.28	7.60	6.80	6.05	5.96	6.85	9.98	14.43	14.70	13.63	12.11	11.23			

MONTHLY OBSERVATIONS: 709 MONTHLY MEAN: 9.72 MONTHLY MAX: 38.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	21.1	BF	BF	18.5	18.8	17.7	14.1	10.4	9.6	16.5	6.3	3.3	2.5	1.7	2.0	2.4	5.0	9.4	17.6	18.1	10.0	8.6	10.4	11.4	22	21.1	
2	8.5	BF	BF	4.1	8.4	10.8	12.3	13.9	16.7	15.8	14.5	11.8	5.8	7.3	10.0	12.4	8.0	15.9	20.0	19.7	22.8	19.8	17.4	15.1	22	22.8	
3	10.7	BF	BF	4.3	3.3	3.5	3.2	2.4	2.5	1.9	1.9	1.6	1.4	1.8	2.7	2.3	2.5	3.0	3.0	3.3	4.1	5.3	6.6	7.7	22	10.7	
4	9.0	BF	BF	7.7	4.1	3.6	2.8	3.0	2.1	1.9	2.0	2.1	1.8	2.9	3.0	1.9	2.1	2.8	3.2	1.5	1.4	1.1	1.2	.7	22	9.0	
5	.6	BF	BF	1.1	1.0	1.8	2.5	3.7	4.5	3.1	1.7	1.1	1.0	.9	1.3	2.6	3.3	8.1	16.7	9.4	8.5	7.0	4.0	4.6	22	16.7	
6	5.6	BF	BF	14.6	19.8	20.0	19.2	14.8	18.0	13.1	7.3	4.8	2.9	3.3	3.9	4.7	6.9	15.4	28.8	13.0	6.9	4.4	3.8	5.6	22	28.8	
7	7.3	BF	BF	9.6	8.2	15.6	22.0	22.5	18.4	9.0	4.6	2.8	2.6	2.7	2.5	2.6	3.5	4.0	3.7	3.6	2.3	2.5	3.0	22	22.5		
8	1.9	BF	BF	1.8	1.8	2.2	4.2	6.6	5.7	3.0	2.3	3.3	3.3	3.7	5.1	9.2	10.2	13.6	14.4	17.8	14.5	9.3	6.9	6.5	22	17.8	
9	6.1	BF	BF	6.8	5.3	6.9	7.7	9.8	10.7	5.7	4.1	4.0	4.0	3.5	4.1	6.0	8.9	22.2	28.3	31.4	26.1	12.6	14.2	10.3	22	31.4	
10	10.3	BF	BF	4.4	3.6	4.3	5.4	7.8	6.3	4.2	2.0	1.5	1.5	1.5	1.9	2.3	4.3	18.1	28.8	28.2	29.4	29.4	28.5	27.3	22	29.4	
11	24.3	BF	BF	21.7	20.6	19.8	18.3	18.3	16.7	15.5	8.1	3.6	2.5	1.6	2.1	2.5	5.5	17.6	20.8	11.2	10.8	7.3	6.6	4.2	22	24.3	
12	3.4	BF	BF	3.8	3.8	4.5	9.1	14.4	15.2	14.5	17.1	19.6	15.8	7.2	8.7	14.6	18.7	20.7	19.6	20.1	18.9	21.1	21.5	11.6	22	21.5	
13	7.3	BF	BF	3.4	3.6	3.5	4.2	4.2	4.6	5.2	4.3	2.3	2.1	3.3	AX	AX	AX	AX	5.4	5.1	4.7	4.4	3.8	3.0	18	7.3	
14	2.9	BF	BF	2.7	2.9	3.0	3.4	3.7	4.5	4.2	BA	BA	4.1	4.2	4.8	5.2	6.1	7.9	8.5	5.9	5.0	5.4	5.7	4.9	20	8.5	
15	4.5	BF	BF	4.5	4.3	3.6	3.9	5.7	5.5	5.7	5.7	4.7	7.1	10.0	13.6	17.0	18.2	17.7	17.2	18.2	15.3	13.4	9.5	9.4	22	18.2	
16	9.5	BF	BF	7.8	7.0	8.1	9.8	12.0	12.2	9.2	4.2	3.5	2.2	1.4	1.5	2.4	2.0	6.5	7.6	7.7	6.3	17.0	21.8	24.4	22	24.4	
17	13.2	BF	BF	15.9	12.4	9.3	11.7	7.7	10.1	4.8	3.1	2.4	2.3	2.1	2.0	2.1	3.3	8.7	13.9	14.0	9.0	5.4	3.5	4.5	22	15.9	
18	4.3	BF	BF	3.1	3.1	3.2	3.1	5.2	7.3	8.8	8.0	4.3	2.6	1.7	2.2	1.8	1.5	1.7	3.1	4.5	7.1	8.5	4.6	4.4	22	8.8	
19	4.7	BF	BF	13.1	19.8	9.9	14.5	23.9	22.3	18.9	4.5	3.6	2.5	2.6	2.2	2.5	6.1	23.5	30.5	28.9	22.8	19.5	16.8	10.8	22	30.5	
20	6.0	BF	BF	7.7	8.9	13.5	21.4	20.5	19.4	20.6	13.7	9.4	6.7	4.4	3.3	3.9	7.7	24.5	28.0	26.2	21.6	19.8	15.3	10.9	22	28.0	
21	12.3	BF	BF	6.2	4.1	3.3	3.7	4.4	4.5	2.4	2.9	2.8	2.1	1.7	2.2	3.2	3.2	8.1	15.6	9.2	9.3	8.1	11.1	11.5	22	15.6	
22	11.4	BF	BF	13.4	13.0	12.6	12.6	13.1	15.4	13.9	12.9	10.1	4.2	3.6	3.5	4.5	3.5	8.0	19.3	17.6	11.1	9.8	9.1	5.1	22	19.3	
23	4.7	BF	BF	7.5	5.2	6.1	4.8	6.7	7.9	6.5	5.4	5.6	5.7	5.3	6.0	6.0	5.7	5.8	5.0	4.4	5.0	4.7	4.2	4.3	22	7.9	
24	3.7	BF	BF	3.4	5.3	6.7	6.6	5.6	5.0	3.6	3.4	4.2	4.6	4.0	4.0	2.4	2.9	4.9	7.0	6.3	9.9	14.8	8.4	4.3	22	14.8	
25	2.4	BF	BF	4.8	5.3	5.5	6.1	12.9	11.3	8.0	6.4	3.8	2.5	1.8	2.0	1.8	2.4	5.8	18.3	16.2	16.0	12.1	7.0	8.8	22	18.3	
26	7.3	BF	BF	6.7	7.1	7.9	9.9	15.0	15.6	9.4	2.9	2.0	1.9	2.8	2.7	3.7	4.5	4.0	6.6	6.6	4.1	3.6	3.3	2.7	22	15.6	
27	3.5	BF	BF	3.4	3.4	3.1	5.2	6.2	8.4	6.1	AX	AX	AX	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	8	8.4
28	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
29	AN	AN	AN	AN	AN	AN	AN	AN	AN	BC	BC	BC	BC	BC	BC	BC	8.5	11.5	18.6	15.4	14.4	19.1	25.1	16.8	10.7	9	25.1
30	7.2	BF	BF	8.8	5.0	6.2	4.6	4.2	3.8	3.5	2.4	2.5	2.0	1.8	1.5	2.1	2.4	3.1	4.9	3.2	3.7	3.9	2.7	1.8	22	8.8	
31	2.1	BF	BF	3.0	2.7	2.8	3.6	6.9	7.6	2.8	1.8	1.2	1.2	1.2	1.5	2.8	3.2	12.9	30.1	32.2	30.2	31.9	31.1	30.0	22	32.2	
NO.:	29			29	29	29	29	29	29	29	27	27	28	28	27	28	28	28	29	29	29	29	29	29	29		
MAX:	24.3			21.7	20.6	20.0	22.0	23.9	22.3	20.6	17.1	19.6	15.8	10.0	13.6	17.0	18.7	24.5	30.5	32.2	30.2	31.9	31.1	30.0			
AVG:	7.44			7.37	7.30	7.55	8.62	9.84	10.06	8.20	5.69	4.51	3.53	3.21	3.71	4.76	5.83	11.16	15.22	13.72	12.27	11.57	10.29	8.95			

MONTHLY OBSERVATIONS: 627 MONTHLY MEAN: 8.27 MONTHLY MAX: 32.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	30.2	BF	BF	29.1	25.2	22.5	23.0	23.2	15.9	15.5	13.8	5.6	3.3	2.3	2.9	4.8	9.2	7.7	6.7	3.4	3.2	2.6	2.2	1.6	22	30.2		
2	1.1	BF	BF	1.1	1.3	1.3	3.1	5.3	5.8	4.4	3.6	2.6	1.6	1.9	2.3	1.8	1.6	2.8	3.5	3.0	2.1	2.0	2.0	2.0	22	5.8		
3	2.5	BF	BF	2.0	3.0	5.5	8.9	12.8	8.2	4.1	2.3	2.9	2.7	3.7	7.9	7.5	7.8	12.9	27.9	26.4	27.0	27.7	21.9	20.6	22	27.9		
4	21.8	BF	BF	20.0	16.5	17.6	23.1	22.9	22.8	20.3	14.7	6.8	5.3	3.5	4.5	5.9	8.0	11.8	21.5	26.4	24.2	17.3	10.9	10.8	22	26.4		
5	6.2	BF	BF	7.8	4.3	6.6	7.5	9.9	8.4	6.5	4.3	1.9	2.0	1.9	1.9	2.9	2.8	3.5	4.1	5.5	3.3	3.7	2.4	2.0	22	9.9		
6	1.8	BF	BF	2.6	5.8	13.3	15.5	25.6	13.4	5.6	8.5	9.1	9.4	8.1	10.7	10.4	11.7	14.1	13.2	13.8	14.2	15.4	20.2	20.7	22	25.6		
7	20.8	BF	BF	24.8	27.2	23.6	23.2	21.9	16.1	11.6	9.8	8.1	6.0	4.7	4.5	3.8	4.8	7.2	11.3	11.4	12.5	9.5	8.1	6.2	22	27.2		
8	4.3	BF	BF	5.6	5.1	9.7	10.9	11.4	7.3	3.2	2.1	1.5	2.0	1.9	1.9	2.1	2.9	5.0	6.0	6.8	7.3	6.7	7.2	6.6	22	11.4		
9	5.1	BF	BF	4.0	4.6	5.1	9.3	19.5	22.2	17.8	7.6	4.7	5.4	6.2	7.2	10.3	6.9	9.4	14.3	9.1	6.9	6.4	3.4	1.9	22	22.2		
10	1.2	BF	BF	2.5	3.0	4.8	7.5	10.2	11.0	8.0	5.3	4.2	4.4	3.5	2.8	2.7	2.3	2.9	3.3	3.0	2.2	2.0	1.8	1.6	22	11.0		
11	1.5	BF	BF	1.7	1.6	2.1	3.2	5.1	4.2	2.5	1.5	1.3	1.1	1.0	1.3	2.2	1.8	10.0	24.2	23.6	30.4	28.5	24.1	23.0	22	30.4		
12	16.8	BF	BF	10.3	11.1	17.0	17.1	15.4	16.9	AX	AX	AX	AX	3.1	4.2	3.4	2.7	2.4	2.3	2.6	2.7	2.4	2.2	1.9	18	17.1		
13	1.4	BF	BF	1.3	2.9	3.4	2.8	3.3	2.6	1.8	1.6	1.5	1.7	1.8	2.1	2.2	4.2	8.9	15.1	27.3	33.1	34.3	34.2	31.9	22	34.3		
14	31.4	BF	BF	14.5	10.1	10.7	11.1	11.3	10.2	6.0	5.7	3.7	3.3	2.6	3.2	2.8	3.6	5.0	6.1	5.9	2.9	1.3	1.6	1.1	22	31.4		
15	1.1	BF	BF	.9	.9	1.0	1.2	1.1	.9	.7	.7	.6	.7	.7	.8	1.1	1.5	2.4	2.6	2.4	2.1	2.4	2.0	2.0	22	2.6		
16	2.0	BF	BF	3.0	1.7	1.9	3.4	4.0	2.9	2.1	1.5	1.9	2.9	3.3	4.1	4.9	5.5	6.5	4.5	2.8	2.1	1.9	1.9	1.7	22	6.5		
17	2.4	BF	BF	2.8	2.3	2.6	2.8	2.3	2.3	2.6	2.4	2.1	1.5	1.0	1.1	1.4	1.9	12.1	5.5	12.1	18.9	17.7	23.1	27.1	22	27.1		
18	29.5	BF	BF	23.2	22.4	21.6	22.2	20.8	14.0	7.5	5.0	5.1	2.9	2.9	3.9	5.8	6.3	9.5	6.1	10.4	6.1	2.2	1.6	1.3	22	29.5		
19	1.4	BF	BF	1.4	1.6	2.1	2.5	2.9	1.9	1.4	1.2	1.2	1.3	1.6	1.7	1.4	2.1	3.4	4.1	4.1	3.2	2.7	2.2	2.3	22	4.1		
20	2.3	BF	BF	2.8	3.0	4.0	12.1	6.2	3.6	2.3	1.8	1.5	1.4	1.4	1.5	2.5	3.2	5.2	13.0	16.4	20.4	22.2	21.4	14.7	22	22.2		
21	13.5	BF	BF	7.8	7.0	7.3	8.3	7.6	5.7	6.3	5.2	5.6	6.5	8.5	9.2	11.7	17.2	17.4	15.8	16.2	12.9	13.0	21.3	18.2	22	21.3		
22	8.2	BF	BF	8.6	13.5	12.8	14.3	14.2	13.5	11.2	9.6	2.2	2.2	1.6	2.3	1.9	1.8	2.6	13.8	26.6	26.8	24.1	21.2	15.4	22	26.8		
23	8.9	BF	BF	3.7	2.6	3.1	4.0	5.6	6.3	4.6	4.1	4.9	4.4	4.0	3.6	4.8	3.5	5.2	5.7	3.7	4.1	4.1	3.1	2.9	22	8.9		
24	2.2	BF	BF	2.0	2.0	2.3	2.0	2.6	2.8	2.6	2.4	2.5	2.6	2.5	2.6	3.0	4.2	4.7	5.3	4.4	4.2	4.0	4.9	10.0	22	10.0		
25	12.1	BF	BF	5.1	4.9	8.2	17.4	18.3	10.2	5.7	AX	AX	AX	AX	2.5	2.9	7.4	11.3	15.2	14.6	7.0	6.8	4.9	3.7	18	18.3		
26	1.9	BF	BF	1.3	1.5	1.3	1.3	1.9	1.9	2.1	.6	1.7	2.1	3.0	3.3	3.9	5.5	8.4	8.4	6.1	11.1	17.2	32.1	29.9	22	32.1		
27	28.2	BF	BF	14.1	12.8	21.6	22.2	21.2	18.1	7.4	2.8	2.9	1.6	1.3	1.4	1.6	1.6	3.6	7.8	11.2	13.8	12.3	12.8	10.3	22	28.2		
28	6.7	BF	BF	4.0	3.9	3.6	4.0	3.9	2.8	2.6	2.3	2.0	1.8	1.8	1.6	1.7	2.2	2.6	5.1	9.5	9.7	5.5	5.6	5.2	22	9.7		
29																										0		
30																											0	
31																											0	
NO.:	28			28	28	28	28	28	28	27	26	26	26	27	28	28	28	28	28	28	28	28	28	28	28			
MAX:	31.4			29.1	27.2	23.6	23.2	25.6	22.8	20.3	14.7	9.1	9.4	8.5	10.7	11.7	17.2	17.4	27.9	27.3	33.1	34.3	34.2	31.9				
AVG:	9.52			7.43	7.21	8.45	10.14	11.09	9.00	6.16	4.63	3.39	3.08	2.96	3.46	3.97	4.78	7.06	9.72	11.03	11.24	10.56	10.74	9.88				

MONTHLY OBSERVATIONS: 608 MONTHLY MEAN: 7.57 MONTHLY MAX: 34.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SLAMS

REPORT FOR: MARCH 2015

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	3.5	BF	2.6	1.9	2.1	2.2	2.4	2.4	2.3	2.3	3.2	2.6	3.2	4.3	3.7	3.7	4.4	6.8	12.8	11.0	11.6	14.3	15.7	7.7	23	15.7	
2	5.9	BF	4.3	6.2	5.7	5.9	6.5	9.9	9.2	6.5	4.9	4.1	2.1	1.0	.9	1.6	1.8	3.5	7.5	5.8	7.4	7.1	16.0	4.6	23	16.0	
3	8.8	BF	1.7	1.7	1.7	1.9	3.1	5.0	5.9	4.8	4.1	3.9	4.6	5.6	5.7	7.9	11.6	17.2	23.6	24.1	23.9	23.7	17.1	9.3	23	24.1	
4	8.3	BF	5.2	5.1	5.1	3.4	6.9	11.4	10.1	8.6	8.6	7.6	6.0	3.3	3.8	3.2	3.3	4.7	4.3	8.1	11.6	6.6	3.8	3.0	23	11.6	
5	2.3	BF	1.6	1.5	1.7	2.9	7.5	8.6	7.1	6.8	6.6	4.4	4.5	4.3	5.7	4.7	3.5	4.1	3.3	2.4	1.8	2.0	1.9	1.6	23	8.6	
6	1.1	BF	1.7	1.6	1.6	2.0	2.3	2.6	2.0	1.5	1.8	1.3	1.2	1.1	2.0	1.9	1.7	2.1	5.1	10.8	9.6	13.7	18.1	20.3	23	20.3	
7	26.2	BF	26.5	24.3	22.3	23.2	23.8	20.3	9.6	6.2	4.3	3.5	2.9	2.8	2.9	4.2	2.7	4.7	15.7	21.8	20.3	13.6	14.5	13.2	23	26.5	
8	8.4	BF	5.4	7.9	8.0	11.1	22.2	18.8	4.8	3.1	2.1	2.8	1.8	1.6	1.5	1.5	1.2	1.7	20.1	32.3	31.4	27.8	23.4	26.8	23	32.3	
9	25.1	BF	20.6	14.1	15.0	21.5	28.7	27.8	24.8	17.1	10.0	10.5	5.1	5.2	5.7	6.6	9.1	14.6	20.7	29.2	20.2	33.3	23.4	18.7	23	33.3	
10	15.6	BF	13.1	14.0	14.7	19.1	21.6	24.9	23.7	BF	BF	BF	BF	3.1	3.2	3.5	4.3	4.8	5.7	6.8	3.8	3.1	2.5	2.2	19	24.9	
11	2.0	BF	2.7	2.0	2.6	6.1	8.3	9.9	5.1	3.3	3.4	2.3	2.5	4.1	6.8	5.9	2.4	4.0	11.2	7.9	4.4	5.6	4.2	4.4	23	11.2	
12	3.3	BF	1.8	1.5	2.0	4.5	8.8	5.4	2.3	2.1	2.2	1.0	.9	.9	1.0	1.6	2.0	2.6	3.6	4.8	3.1	2.1	2.9	2.8	23	8.8	
13	2.1	BF	2.3	2.2	3.1	4.9	9.2	10.9	6.6	5.1	4.2	3.3	2.8	2.5	3.3	4.1	4.8	5.7	8.1	9.1	8.3	8.1	5.6	5.9	23	10.9	
14	5.2	BF	3.0	2.3	2.6	3.8	4.8	5.6	6.5	7.0	10.1	13.9	13.2	5.2	3.1	2.1	3.2	3.6	5.6	3.7	4.6	3.4	3.2	3.1	23	13.9	
15	3.2	BF	3.0	2.9	1.6	1.3	1.3	1.1	.8	.7	.9	.9	1.0	.7	.8	.8	.7	.9	1.5	1.8	2.2	1.8	1.5	1.6	23	3.2	
16	1.0	BF	8.1	5.8	15.4	20.5	22.8	21.1	19.8	19.0	12.9	5.6	4.4	4.5	4.6	3.9	5.7	10.1	20.0	20.9	14.1	6.4	6.1	4.2	23	22.8	
17	3.3	BF	8.4	7.6	11.3	20.9	28.7	21.1	7.0	5.8	4.1	3.3	1.4	1.7	1.8	1.4	1.7	1.9	1.6	1.6	1.8	1.6	1.2	1.2	23	28.7	
18	.6	BF	.6	1.0	1.8	2.3	2.8	3.3	2.5	1.8	1.5	1.0	1.2	1.1	1.3	2.2	4.4	8.4	14.8	20.0	18.5	14.0	13.4	13.2	23	20.0	
19	10.9	BF	5.4	4.8	6.4	11.4	23.7	17.5	5.4	4.9	4.3	2.9	2.7	4.5	6.6	7.3	7.2	3.4	3.4	3.4	3.4	1.9	1.7	1.3	23	23.7	
20	1.2	BF	1.3	1.5	2.5	3.8	4.5	4.6	3.6	4.5	3.3	2.7	1.9	2.0	3.0	4.8	4.5	4.9	3.7	4.5	6.1	5.6	4.5	6.5	23	6.5	
21	5.4	BF	3.8	1.6	.9	1.3	1.5	1.9	2.3	2.6	2.7	1.9	1.2	1.5	1.3	1.5	2.0	5.9	13.1	16.2	15.8	13.8	11.8	9.5	23	16.2	
22	9.0	BF	6.4	8.8	10.7	8.9	10.4	7.0	7.2	8.3	4.4	1.5	1.4	1.2	1.7	1.5	1.6	4.2	5.8	4.4	3.5	1.6	1.4	1.9	23	10.7	
23	1.6	BF	1.1	1.0	1.2	1.6	2.1	3.1	2.7	1.7	1.8	1.5	1.4	1.5	1.5	1.5	2.0	5.1	7.4	8.5	9.0	9.1	5.7	3.7	23	9.1	
24	3.0	BF	2.4	2.7	3.6	5.4	10.7	10.6	5.2	BF	BF	BF	BF	2.4	2.5	2.7	4.3	4.6	8.9	4.9	2.0	1.9	1.5	1.1	19	10.7	
25	1.0	BF	.9	.9	1.2	1.9	3.9	3.9	3.9	3.7	2.8	3.2	2.4	2.3	2.1	2.2	4.1	4.9	7.7	7.2	5.6	5.2	5.8	4.9	23	7.7	
26	5.8	BF	4.1	2.9	2.5	4.0	8.2	9.2	7.1	5.4	3.2	3.0	2.5	1.9	2.3	2.4	4.0	4.3	7.3	7.5	5.5	4.5	3.0	2.4	23	9.2	
27	2.1	BF	2.2	2.4	2.3	2.0	2.0	2.4	2.5	2.4	2.9	2.9	2.8	3.7	4.1	3.7	3.7	3.1	4.0	3.6	4.5	4.1	3.9	4.0	23	4.5	
28	2.6	BF	1.3	1.1	2.6	4.0	4.2	3.6	1.5	1.2	.9	1.0	.9	.9	.7	.8	.8	1.0	2.2	2.0	2.3	2.2	1.9	1.8	23	4.2	
29	1.7	BF	3.3	3.3	2.9	4.4	5.3	2.9	1.0	.7	.6	.7	.7	.5	.6	1.0	2.2	1.9	6.2	12.2	8.1	7.4	7.5	4.3	23	12.2	
30	3.3	BF	2.7	2.5	3.0	6.7	11.0	14.5	7.2	9.7	6.9	5.8	3.5	3.0	3.3	3.4	3.8	4.6	7.2	9.1	4.6	6.3	3.8	6.2	23	14.5	
31	10.7	BF	20.9	27.2	22.7	18.6	16.8	20.1	BA	4.7	4.5	3.5	2.6	2.5	2.8	3.0	4.2	4.4	7.6	7.1	6.8	6.3	3.5	3.4	22	27.2	
NO.:	31		31	31	31	31	31	31	30	29	29	29	29	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	26.2		26.5	27.2	22.7	23.2	28.7	27.8	24.8	19.0	12.9	13.9	13.2	5.6	6.8	7.9	11.6	17.2	23.6	32.3	31.4	33.3	23.4	26.8			
AVG:	5.94		5.43	5.30	5.83	7.47	10.19	10.05	6.66	5.22	4.25	3.54	2.86	2.61	2.91	3.12	3.64	4.96	8.70	10.09	8.90	8.33	7.44	6.28			

MONTHLY OBSERVATIONS: 704 MONTHLY MEAN: 6.10 MONTHLY MAX: 33.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.8	BF	1.3	1.6	1.8	2.8	3.9	2.5	1.8	1.6	1.6	1.4	1.1	1.1	1.2	1.0	.9	2.0	7.7	9.2	10.0	9.5	7.1	4.9	23	10.0	
2	2.4	BF	3.3	3.5	8.6	18.6	17.5	18.2	6.2	3.8	2.5	2.5	2.1	2.7	2.7	2.9	3.5	3.8	4.8	3.9	3.2	2.2	1.6	1.3	23	18.6	
3	1.3	BF	1.2	1.1	1.5	2.9	6.6	6.7	5.2	3.0	3.0	2.4	1.9	1.9	2.5	2.6	2.7	3.7	6.3	6.1	4.9	3.4	2.6	2.1	23	6.7	
4	1.6	BF	1.2	1.2	1.5	2.0	1.0	.9	.9	.8	1.0	.9	.8	.6	.7	.7	.9	1.2	1.7	2.6	6.1	6.3	4.3	8.3	23	8.3	
5	5.6	BF	4.1	5.0	7.5	6.0	10.9	5.6	1.9	1.3	1.3	1.4	1.2	1.1	1.2	1.1	1.4	2.4	9.6	16.8	26.7	10.4	6.3	3.3	23	26.7	
6	3.4	BF	3.4	6.8	6.0	12.7	17.2	20.0	12.8	5.1	2.1	1.7	1.9	1.8	2.1	2.3	3.2	4.4	7.3	7.1	3.0	2.1	1.9	1.5	23	20.0	
7	1.3	BF	1.7	2.1	5.0	9.1	11.9	13.9	9.7	5.6	BF	BF	BF	BF	7.8	6.4	7.4	7.6	13.9	21.4	20.9	16.2	7.1	5.4	19	21.4	
8	3.8	BF	2.7	3.8	6.6	10.6	15.8	13.0	9.6	6.4	4.3	2.4	1.8	2.0	2.9	2.8	4.5	6.1	12.6	11.9	1.8	2.8	2.4	2.2	23	15.8	
9	1.9	BF	1.7	1.8	1.9	3.0	3.3	3.7	3.3	3.2	2.4	2.4	2.1	1.8	1.5	1.5	2.5	4.4	4.8	3.8	5.2	4.2	5.1	3.0	23	5.2	
10	1.5	BF	2.1	2.1	3.1	5.5	7.4	5.1	4.6	2.6	2.3	2.3	2.5	2.6	2.8	3.4	3.2	3.7	4.5	4.6	4.0	3.9	3.3	2.1	23	7.4	
11	1.3	BF	1.6	4.0	2.3	2.5	1.9	1.8	1.6	1.6	1.2	.8	.6	.6	.6	.6	.6	.8	3.1	7.6	11.6	15.5	27.0	27.7	23	27.7	
12	20.3	BF	2.8	1.8	1.6	2.0	1.9	1.5	1.6	1.5	.9	1.0	1.0	.7	1.0	1.4	2.0	2.9	7.0	12.1	6.1	4.2	2.9	4.8	23	20.3	
13	4.3	BF	4.2	3.1	4.6	8.3	15.1	10.3	4.9	2.5	1.2	1.1	1.1	1.8	2.0	1.8	3.1	5.1	4.9	2.9	2.2	1.7	1.6	1.8	23	15.1	
14	1.6	BF	1.8	2.9	2.7	6.9	10.9	10.2	4.7	4.7	3.2	3.4	4.2	2.8	3.5	5.5	5.5	7.7	8.6	9.3	6.2	2.1	1.8	1.0	23	10.9	
15	1.0	BF	1.0	1.2	1.4	1.8	2.7	4.5	5.0	3.2	3.9	3.5	3.5	5.5	9.5	9.0	8.4	7.7	9.3	7.1	5.5	4.7	4.9	2.7	23	9.5	
16	2.8	BF	1.5	1.1	1.7	3.3	6.0	7.4	6.7	4.0	2.6	2.2	1.7	1.8	3.5	2.3	3.5	6.5	5.9	5.4	4.0	4.4	2.6	2.7	23	7.4	
17	6.0	BF	7.1	5.1	5.9	9.6	12.8	10.8	11.0	10.8	6.4	4.2	4.1	2.9	2.2	2.5	5.3	6.7	12.1	17.6	21.1	19.9	17.5	10.5	23	21.1	
18	6.7	BF	8.7	8.0	7.2	6.2	5.2	5.3	4.6	3.2	2.2	1.5	1.3	1.3	1.1	1.6	1.6	7.0	12.9	12.0	11.0	9.9	5.6	1.3	23	12.9	
19	1.8	BF	2.2	.9	.6	1.1	1.8	2.1	1.7	1.6	.9	1.5	2.0	2.3	1.9	2.4	2.5	2.2	2.0	1.6	1.2	1.2	1.1	1.3	23	2.5	
20	1.5	BF	1.7	1.6	3.5	5.9	11.3	8.8	3.6	2.5	1.9	2.0	2.3	2.4	3.4	7.4	14.2	16.4	8.8	5.7	3.1	2.4	1.6	1.7	23	16.4	
21	1.1	BF	2.2	1.7	1.7	2.2	8.1	5.7	2.3	BF	BF	BF	BF	BF	1.8	3.0	2.8	4.5	4.1	4.6	10.4	29.3	29.4	10.2	17.7	19	29.4
22	16.1	BF	11.8	10.1	12.6	11.4	14.7	20.6	11.6	4.4	2.6	2.2	2.1	2.5	3.5	3.9	4.1	4.2	6.6	14.5	13.6	6.8	5.3	6.6	23	20.6	
23	5.1	BF	3.6	2.9	1.4	2.0	3.0	2.7	1.5	1.3	1.3	1.3	1.7	BA	BA	1.8	1.9	1.9	3.6	18.2	28.7	16.8	7.1	2.9	21	28.7	
24	2.1	BF	2.1	2.4	5.2	4.1	7.5	5.7	BF	BF	BF	BF	BF	BF	1.5	1.8	2.4	3.7	8.3	22.4	28.3	25.6	26.5	26.0	17	28.3	
25	21.8	BF	18.9	16.1	10.8	9.0	7.3	10.9	11.5	10.4	9.1	8.6	6.0	6.0	4.6	4.2	5.0	4.8	4.0	3.8	2.6	2.2	1.4	1.8	23	21.8	
26	1.6	BF	.7	.6	.5	.6	.7	.9	1.0	1.1	1.4	1.5	1.0	1.3	.9	1.0	.8	.9	1.2	2.2	3.1	3.2	4.4	5.4	23	5.4	
27	5.9	BF	5.2	5.1	7.1	8.2	10.6	6.6	3.3	2.1	1.4	.9	1.0	1.2	1.3	1.3	1.5	2.2	2.2	1.6	1.8	2.6	1.9	2.0	23	10.6	
28	2.4	BF	3.7	3.7	4.9	10.1	10.7	4.0	1.5	1.2	1.2	.6	.5	.4	1.4	.7	.7	1.2	5.4	16.9	29.5	29.0	25.6	21.8	23	29.5	
29	19.3	BF	12.9	7.8	7.3	5.8	4.7	11.6	9.1	5.5	6.1	3.2	1.9	1.6	1.6	4.5	9.7	12.2	9.5	6.9	7.7	7.3	6.5	10.1	23	19.3	
30	8.4	BF	3.5	5.7	5.3	7.2	18.9	12.9	12.4	8.5	8.9	2.3	1.6	1.1	1.4	2.0	1.7	3.2	2.4	2.3	2.5	2.0	3.3	2.4	23	18.9	
31																										0	
NO.:	30		30	30	30	30	30	30	29	28	27	27	27	27	29	30	30	30	30	30	30	30	30	30	30		
MAX:	21.8		18.9	16.1	12.6	18.6	18.9	20.6	12.8	10.8	9.1	8.6	6.0	6.0	9.5	9.0	14.2	16.4	13.9	22.4	29.5	29.4	27.0	27.7			
AVG:	5.19		4.00	3.83	4.39	6.05	8.38	7.80	5.37	3.70	2.85	2.19	1.96	1.99	2.53	2.77	3.64	4.69	6.52	8.93	10.16	8.40	6.68	6.21			

MONTHLY OBSERVATIONS: 674 MONTHLY MEAN: 5.20 MONTHLY MAX: 29.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.8	BF	2.4	2.7	2.8	3.1	4.2	5.6	4.5	2.8	2.5	2.4	1.9	2.3	3.2	2.3	1.5	1.7	1.9	9.5	10.9	13.3	10.0	9.4	23	13.3	
2	8.5	BF	7.8	9.0	7.6	3.5	3.2	2.5	1.5	1.1	.6	.6	.4	.4	.7	.5	.7	1.1	2.1	11.1	27.0	25.0	21.0	17.7	23	27.0	
3	13.9	BF	17.1	12.0	8.8	7.9	5.2	3.7	1.5	1.7	1.0	.6	.8	.6	.7	1.1	1.8	1.3	9.8	20.0	18.1	10.2	6.3	4.4	23	20.0	
4	2.4	BF	3.4	3.1	4.0	8.5	10.2	14.2	10.0	4.3	2.5	1.8	1.7	2.9	3.4	3.1	3.4	4.5	6.8	9.9	6.3	3.5	1.9	1.4	23	14.2	
5	1.6	BF	1.7	3.1	5.2	13.7	17.8	11.4	5.7	4.6	2.1	1.6	1.5	1.7	3.1	2.6	3.1	3.6	6.1	8.1	3.9	3.7	4.8	4.8	23	17.8	
6	4.2	BF	3.4	3.2	4.9	10.8	11.4	14.2	12.8	10.6	3.9	2.5	.5	1.3	1.9	2.6	3.6	3.3	3.3	6.9	9.0	8.1	5.3	3.5	23	14.2	
7	2.0	BF	2.1	4.9	6.1	5.6	9.3	4.1	1.8	BF	BF	BF	.7	.6	.9	1.3	2.3	1.2	1.6	2.1	2.3	1.6	1.5	1.6	20	9.3	
8	1.3	BF	1.0	1.3	1.9	4.5	5.2	2.5	1.2	.7	.5	.6	.5	1.4	1.1	.9	1.6	1.2	1.2	1.7	1.4	1.2	1.1	1.0	23	5.2	
9	.8	BF	.8	.5	.5	.6	.7	.7	.5	.5	.3	.5	.4	.3	.6	.7	1.0	1.4	1.6	1.3	1.5	1.3	.9	1.0	23	1.6	
10	.9	BF	.5	.5	.5	.6	.6	.8	.7	1.1	.9	1.3	.8	.5	.7	1.0	.8	.8	.9	.9	.8	.5	.4	.5	23	1.3	
11	1.1	BF	.6	.6	.9	1.2	2.0	2.8	2.9	2.1	1.0	1.1	.8	1.9	2.4	1.9	3.6	3.9	6.5	3.6	4.2	2.9	2.2	2.0	23	6.5	
12	2.1	BF	1.7	2.3	3.0	5.9	5.8	5.0	3.5	2.7	2.3	1.8	1.6	2.1	2.8	3.6	4.1	3.8	4.7	7.0	9.2	5.3	2.8	10.0	23	10.0	
13	4.4	BF	1.2	1.8	2.0	4.0	12.7	9.6	2.4	1.4	.8	1.0	.6	.9	1.1	.8	.8	1.4	2.1	4.3	7.7	9.6	2.6	1.2	23	12.7	
14	1.2	BF	1.1	1.5	1.7	1.9	1.9	1.5	1.2	.9	1.0	.6	.8	.9	1.2	1.3	1.3	1.3	2.6	6.0	6.0	6.7	6.6	5.4	23	6.7	
15	3.8	BF	1.0	1.2	3.3	7.1	6.8	6.2	5.4	3.4	3.1	2.6	3.1	3.1	2.7	2.9	3.1	4.0	4.0	8.5	6.8	6.7	5.9	3.7	23	8.5	
16	3.8	BF	2.6	2.5	3.2	6.0	7.7	5.2	2.6	1.9	1.9	1.5	1.1	1.2	1.3	1.9	2.0	2.6	4.1	8.6	8.3	8.5	6.2	2.8	23	8.6	
17	2.2	BF	2.3	3.1	3.5	3.1	3.5	2.5	1.6	1.4	1.0	1.2	1.2	1.0	1.0	1.1	1.8	2.7	4.5	5.2	5.6	5.8	5.4	4.1	23	5.8	
18	4.0	BF	3.3	2.8	2.9	5.4	8.4	7.7	5.5	4.2	2.3	1.3	1.4	1.5	2.4	2.4	3.4	3.2	4.6	10.0	11.3	4.9	1.4	1.5	23	11.3	
19	1.5	BF	2.4	1.7	2.0	5.0	5.7	8.4	6.6	5.6	3.7	1.0	.7	1.5	1.8	2.0	3.0	8.5	8.9	17.5	14.2	12.8	7.4	4.3	23	17.5	
20	3.4	BF	3.1	2.6	3.4	4.3	6.8	3.8	1.6	1.3	1.1	.8	.7	1.0	2.5	1.3	1.4	1.7	3.3	6.9	6.6	6.1	2.9	2.5	23	6.9	
21	1.2	BF	.6	.7	1.1	2.4	4.0	4.3	4.7	BF	BF	BF	BF	3.0	2.1	2.8	2.0	1.5	1.8	2.0	1.8	1.5	1.2	1.0	19	4.7	
22	1.1	BF	1.9	2.2	2.1	2.7	3.1	2.3	1.1	.8	.6	1.4	.6	.6	1.4	.6	.9	.7	1.1	6.7	25.1	29.2	31.5	30.0	23	31.5	
23	24.8	BF	17.5	15.2	12.1	9.6	7.0	2.9	1.0	.9	.9	.6	.8	.8	.5	.9	1.3	1.8	6.4	11.1	14.6	11.6	5.7	3.3	23	24.8	
24	2.7	BF	3.0	4.8	6.2	6.7	4.3	2.6	2.1	1.1	.8	1.1	.8	1.0	1.3	1.7	2.5	2.5	4.9	10.6	11.5	2.7	3.0	3.2	23	11.5	
25	2.9	BF	2.3	4.2	4.7	7.0	4.6	3.4	1.4	1.1	.8	.8	1.2	.9	1.0	1.0	1.3	2.0	2.9	10.2	9.9	3.1	1.5	1.1	23	10.2	
26	1.6	BF	1.4	2.1	4.0	7.0	8.7	7.7	2.7	1.8	1.3	1.0	1.3	1.5	2.0	2.0	2.6	2.1	1.9	2.3	1.7	1.4	1.5	1.2	23	8.7	
27	1.1	BF	1.0	1.7	2.3	4.9	6.5	6.0	3.8	2.6	2.2	1.9	1.5	2.2	2.9	3.6	5.6	3.3	3.3	4.0	5.1	5.3	5.3	3.9	23	6.5	
28	3.1	BF	2.8	3.4	4.1	6.3	8.8	6.2	4.4	3.4	2.5	2.0	1.3	1.6	2.3	1.3	2.2	3.8	4.9	8.2	8.5	7.1	5.5	4.0	23	8.8	
29	4.2	BF	2.8	3.3	4.0	8.1	10.3	8.2	4.9	2.8	1.4	1.3	.6	.8	1.7	1.6	3.0	2.8	3.4	6.4	17.1	8.4	2.5	1.9	23	17.1	
30	2.0	BF	3.5	3.4	2.9	3.7	3.4	3.2	2.4	2.0	1.4	1.1	.7	.8	1.2	1.2	1.1	1.5	2.9	5.0	4.6	2.2	2.4	2.3	23	5.0	
31	2.5	BF	3.4	2.7	3.1	3.0	2.4	1.5	.9	.7	.6	.9	.7	1.2	.7	.8	1.0	1.3	2.7	5.4	6.4	2.5	1.7	1.8	23	6.4	
NO.:	31		31	31	31	31	31	31	29	29	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	24.8		17.5	15.2	12.1	13.7	17.8	14.2	12.8	10.6	3.9	2.6	3.1	3.1	3.4	3.6	4.1	8.5	9.8	20.0	27.0	29.2	31.5	30.0			
AVG:	3.65		3.22	3.36	3.70	5.29	6.20	5.18	3.32	2.40	1.55	1.27	1.02	1.34	1.71	1.68	2.12	2.54	3.77	7.13	8.63	6.86	5.11	4.40			

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 3.74 MONTHLY MAX: 31.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	BF	1.1	1.4	2.7	4.5	5.4	4.8	3.3	2.2	1.8	1.5	1.6	1.4	2.0	3.7	6.6	7.4	3.9	2.2	3.5	7.3	5.0	3.2	23	7.4	
2	3.2	BF	3.7	3.7	4.3	7.0	9.6	8.1	5.5	5.8	6.6	4.9	3.7	2.2	2.3	2.8	3.7	4.2	5.2	7.2	4.9	3.2	4.1	3.8	23	9.6	
3	3.0	BF	2.5	2.9	3.4	3.4	2.8	2.4	1.5	1.3	BF	BF	BF	1.9	3.2	2.5	1.7	1.4	1.5	1.9	1.4	1.1	1.0	.9	20	3.4	
4	1.4	BF	1.9	1.9	2.0	2.5	2.9	2.6	1.9	1.5	1.5	1.5	1.4	1.7	2.4	2.8	2.1	1.7	1.9	1.8	2.2	1.6	1.2	1.0	23	2.9	
5	1.5	BF	1.3	1.1	1.3	2.0	3.4	3.0	1.5	1.4	1.2	1.0	.8	.9	.9	1.1	1.1	1.3	1.5	2.4	5.3	7.1	12.8	11.2	23	12.8	
6	9.9	BF	6.6	6.1	4.6	6.3	5.3	2.8	2.4	1.2	.7	.5	.7	.5	.6	.5	.6	.7	.9	1.4	2.0	2.0	1.7	1.6	23	9.9	
7	1.4	BF	1.2	1.3	1.2	1.4	.9	.7	.7	.9	.8	1.0	.7	.6	.6	.9	.8	1.7	1.9	3.6	2.6	1.4	1.4	1.9	23	3.6	
8	1.5	BF	2.1	2.4	4.3	8.4	10.1	7.5	3.2	2.0	2.2	1.8	2.1	2.1	3.2	3.3	4.0	3.3	3.7	3.9	4.7	2.8	1.7	1.1	23	10.1	
9	1.2	BF	1.4	1.2	2.3	5.7	8.3	4.7	3.3	3.5	2.2	1.7	1.7	1.5	1.6	1.6	1.4	1.6	6.0	7.3	3.5	3.4	2.6	2.6	23	8.3	
10	2.0	BF	2.0	2.8	3.5	9.1	7.5	4.8	4.4	4.2	2.5	1.4	1.2	1.0	1.4	2.1	2.6	4.4	6.4	12.6	14.5	10.8	5.3	3.2	23	14.5	
11	3.1	BF	3.5	3.6	4.4	6.9	7.4	5.7	AZ	AZ	AZ	AZ	AZ	AZ	1.8	1.9	2.5	4.8	3.3	5.0	8.1	4.6	2.5	2.0	17	8.1	
12	1.7	BF	2.5	2.9	4.0	7.8	5.9	4.0	2.6	2.4	1.8	2.0	2.5	3.0	3.3	2.6	2.8	3.2	4.4	5.2	6.0	6.6	5.8	5.0	23	7.8	
13	3.2	BF	1.4	1.6	2.3	3.5	3.5	2.2	1.8	.9	.5	.3	.4	.4	.5	.3	.5	.5	1.1	3.8	4.9	5.6	2.8	2.2	23	5.6	
14	2.1	BF	1.4	1.2	1.0	1.2	1.0	.7	.6	.7	.4	.3	.2	.3	.2	.2	.2	.4	.8	3.2	3.3	4.7	5.3	5.7	23	5.7	
15	7.7	BF	6.7	6.5	8.7	8.2	8.4	5.2	2.6	BA	.6	.5	.4	.6	.5	.7	1.0	1.3	2.1	3.8	10.4	19.2	17.4	19.8	22	19.8	
16	12.4	BF	4.0	3.8	6.1	8.2	6.7	5.6	2.3	1.2	.8	.6	.7	1.2	1.3	2.1	1.7	2.1	1.9	3.4	6.7	6.8	2.1	1.6	23	12.4	
17	2.3	BF	3.2	3.6	4.5	4.4	4.3	2.1	1.2	.8	BF	BF	BF	1.4	.6	.8	2.4	2.8	3.3	4.0	4.9	2.4	2.8	2.0	20	4.9	
18	2.2	BF	2.2	1.9	3.0	6.5	9.9	10.3	5.9	3.9	2.0	1.7	1.5	.8	1.5	1.4	2.9	2.9	4.1	1.9	1.7	2.2	2.1	1.6	23	10.3	
19	2.7	BF	2.1	2.6	4.7	8.1	7.9	4.8	2.8	1.4	1.5	.9	.8	.9	.9	2.6	2.7	5.5	4.9	1.9	2.6	3.6	6.0	6.2	23	8.1	
20	5.3	BF	4.1	3.4	2.6	3.5	4.7	2.9	2.2	2.0	1.7	1.4	1.7	1.5	1.5	1.6	2.1	3.3	3.6	4.4	4.4	4.8	6.2	6.5	23	6.5	
21	2.9	BF	1.3	1.6	1.6	1.8	1.6	1.5	.8	.8	.5	.6	.8	.8	1.0	1.0	1.0	1.1	1.1	2.5	6.1	5.6	4.1	2.7	23	6.1	
22	3.4	BF	5.8	6.1	5.6	8.8	6.8	5.5	1.8	1.0	.9	.6	.7	1.0	1.0	1.0	1.0	.8	2.0	8.4	7.0	7.4	8.5	7.4	23	8.8	
23	4.4	BF	2.7	3.0	5.0	8.6	7.5	7.1	2.8	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	8	8.6
24	BA	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	BC	BC	BC	BC	1.3	1.5	1.4	3.5	5.6	4.5	5.3	4.7	8	5.6	
25	5.0	BF	2.8	3.2	4.1	9.4	6.5	7.6	13.3	4.3	4.8	4.8	5.8	2.7	2.4	3.0	3.6	3.7	4.2	5.8	3.6	3.3	2.1	1.7	23	13.3	
26	2.1	BF	2.4	3.9	5.9	7.3	6.7	5.8	3.3	2.2	1.0	1.0	1.2	1.2	1.2	2.1	7.4	8.3	11.3	6.3	3.6	1.9	4.0	2.6	23	11.3	
27	2.4	BF	1.2	1.6	2.3	2.8	2.5	2.3	2.3	2.2	2.3	2.1	1.8	2.7	2.9	1.8	2.0	4.6	5.4	4.7	4.8	4.9	3.3	2.5	23	5.4	
28	2.1	BF	1.1	1.2	1.5	1.3	1.2	.8	.5	.6	.5	.7	.7	.8	.7	1.0	1.2	1.6	2.4	5.2	13.9	14.8	16.0	10.1	23	16.0	
29	13.1	BF	13.2	10.7	9.3	6.0	7.8	6.0	2.7	1.1	1.1	.9	1.0	1.3	1.3	2.8	3.6	4.4	6.1	10.0	14.0	12.2	9.2	7.0	23	14.0	
30	4.8	BF	4.9	5.4	6.2	9.0	10.2	7.8	5.5	3.1	2.4	2.1	2.0	1.8	2.4	3.2	4.7	4.0	3.9	4.5	5.1	2.9	2.8	2.6	23	10.2	
31																										0	
NO.:	29		29	29	29	29	29	29	28	26	25	25	25	27	28	28	29	29	29	29	29	29	29	29	29		
MAX:	13.1		13.2	10.7	9.3	9.4	10.2	10.3	13.3	5.8	6.6	4.9	5.8	3.0	3.3	3.7	7.4	8.3	11.3	12.6	14.5	19.2	17.4	19.8			
AVG:	3.76		3.11	3.19	3.88	5.64	5.75	4.46	2.95	2.02	1.69	1.43	1.44	1.34	1.54	1.84	2.39	2.91	3.46	4.54	5.56	5.47	5.00	4.29			

MONTHLY OBSERVATIONS: 647 MONTHLY MEAN: 3.43 MONTHLY MAX: 19.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.2	BF	2.1	2.2	2.9	6.0	7.0	6.4	5.5	4.8	3.7	3.3	2.4	1.9	2.5	2.8	3.5	4.2	4.8	5.0	5.4	4.4	3.3	3.3	23	7.0	
2	3.3	BF	2.9	3.4	4.2	5.7	8.4	9.7	7.0	4.3	3.7	2.8	2.7	2.1	2.8	2.9	2.8	2.9	2.8	4.1	6.0	9.3	8.0	6.0	23	9.7	
3	4.6	BF	3.5	2.7	6.4	6.9	5.3	3.3	2.7	1.9	1.2	2.6	2.4	3.1	3.5	2.2	3.3	4.2	4.5	6.7	8.3	7.1	5.2	2.6	23	8.3	
4	1.0	BF	1.5	2.7	3.0	2.3	2.0	1.5	1.2	1.2	1.2	1.5	1.4	1.9	1.4	1.2	1.4	1.7	2.7	3.9	4.8	5.7	2.9	4.4	23	5.7	
5	3.3	BF	4.6	4.6	3.7	4.1	3.1	1.5	1.1	1.2	.8	1.0	1.2	.8	.7	1.4	1.7	2.1	3.2	2.9	1.6	2.1	2.6	2.1	23	4.6	
6	1.9	BF	1.5	2.2	2.9	4.3	5.0	4.4	3.5	2.3	1.7	2.0	2.2	2.1	1.9	2.5	3.1	4.9	4.3	6.6	6.6	6.3	5.5	3.8	23	6.6	
7	4.4	BF	3.9	3.1	3.5	6.6	8.1	5.8	4.0	2.3	2.3	1.7	2.3	2.4	3.0	2.2	4.2	4.6	4.4	6.9	4.3	2.0	2.4	2.2	23	8.1	
8	2.0	BF	1.9	2.2	3.4	6.3	7.9	5.8	4.7	4.3	3.4	1.9	BF	BF	BF	BF	3.7	5.0	5.7	8.7	8.1	2.8	4.6	8.4	19	8.7	
9	3.7	BF	5.7	6.7	6.8	11.2	10.6	10.1	4.7	3.2	1.3	1.1	1.3	1.4	1.5	2.0	2.8	3.2	3.7	8.4	12.1	8.0	4.1	3.5	23	12.1	
10	2.7	BF	3.3	3.3	4.2	7.1	8.1	6.2	3.6	1.7	.9	.8	.5	.7	.7	2.0	1.6	2.0	2.1	3.6	7.0	9.6	6.1	4.4	23	9.6	
11	4.5	BF	3.2	3.3	2.9	4.6	5.8	2.3	1.9	1.5	1.0	.6	.7	.5	.5	.7	.7	.8	.8	1.7	2.5	1.4	2.1	2.4	23	5.8	
12	1.3	BF	1.8	2.1	2.0	1.8	1.2	.7	.5	.4	.4	.4	.3	.4	.6	.4	.5	.6	1.1	3.9	4.2	4.6	4.1	3.2	23	4.6	
13	2.2	BF	1.3	1.6	3.2	4.3	7.2	7.8	8.3	6.8	4.1	2.6	2.2	1.6	1.9	1.5	2.2	2.5	3.1	4.2	4.0	3.9	1.9	2.6	23	8.3	
14	3.0	BF	2.5	3.4	4.3	7.1	8.7	5.9	4.8	5.6	4.3	3.2	3.3	2.9	2.7	2.7	3.5	3.5	3.6	6.7	5.2	3.0	2.6	2.8	23	8.7	
15	1.8	BF	1.6	2.1	3.0	5.3	6.3	4.0	1.4	.8	.8	.6	.8	1.1	.8	2.1	1.1	.9	1.2	2.4	4.5	2.8	4.7	3.9	23	6.3	
16	1.7	BF	2.2	3.8	2.6	2.2	2.1	1.3	.9	1.3	.5	.6	.8	.7	.5	.7	.6	.8	1.1	2.1	3.2	1.4	2.0	1.8	23	3.8	
17	1.6	BF	1.7	1.9	2.3	4.3	4.5	3.0	1.9	1.4	.8	1.0	.8	1.1	.7	2.1	3.7	4.4	5.0	12.6	16.7	17.3	15.0	14.5	23	17.3	
18	7.1	BF	3.2	3.3	3.6	4.5	5.8	4.1	2.6	1.8	1.5	1.6	1.4	2.3	2.7	3.5	2.8	3.4	3.7	5.7	5.1	5.4	5.3	3.3	23	7.1	
19	3.9	BF	3.8	3.0	2.6	2.1	2.1	2.6	1.9	1.6	1.3	.8	.7	.8	1.8	2.9	3.0	4.0	5.2	4.9	6.6	4.8	6.7	6.1	23	6.7	
20	4.3	BF	3.9	4.1	3.6	7.9	5.1	5.5	3.9	1.9	1.2	1.2	1.4	1.5	2.2	2.1	2.3	2.7	3.5	5.9	9.0	9.9	5.7	2.2	23	9.9	
21	1.3	BF	1.1	1.9	3.6	9.0	7.8	6.6	4.9	2.8	1.7	1.3	1.4	1.4	2.0	1.6	1.9	2.0	2.6	5.9	7.6	10.5	6.9	9.8	23	10.5	
22	10.4	BF	3.2	2.1	2.8	4.3	5.1	3.4	1.4	.9	BF	BF	BF	BF	1.2	1.7	2.3	.9	1.4	5.0	6.2	5.4	5.0	4.2	19	10.4	
23	2.8	BF	1.9	2.5	2.4	4.1	6.3	6.4	5.3	4.4	2.7	2.8	1.4	.9	1.5	1.6	2.3	2.4	2.5	4.5	3.7	2.7	2.6	1.9	23	6.4	
24	1.3	BF	1.5	2.9	2.6	3.2	3.5	1.3	.9	.8	.8	1.1	.5	.5	.8	.9	.8	1.4	1.4	3.4	3.7	3.5	3.8	5.0	23	5.0	
25	6.4	BF	12.3	9.6	7.8	6.7	4.1	6.5	2.5	1.2	.8	1.1	.7	.6	.9	1.0	2.0	2.0	3.3	6.6	10.8	6.9	7.5	5.3	23	12.3	
26	4.7	BF	3.5	3.2	4.0	5.2	4.3	3.9	2.8	1.7	.9	.8	.8	.8	.7	1.3	1.6	2.7	4.0	6.4	7.7	6.1	4.4	3.1	23	7.7	
27	2.6	BF	3.7	3.9	3.8	6.3	8.8	9.4	7.5	2.9	1.7	1.5	1.5	1.0	1.4	2.1	2.8	2.4	2.1	3.1	3.8	2.7	2.9	2.3	23	9.4	
28	2.1	BF	2.6	3.5	3.4	4.9	5.8	3.7	3.0	2.2	1.5	1.0	1.5	1.0	1.2	1.4	3.0	3.7	4.3	6.5	5.0	5.5	3.8	3.5	23	6.5	
29	3.3	BF	2.6	3.1	3.6	5.6	6.5	7.5	7.8	5.7	4.1	4.8	1.6	1.6	.9	1.7	2.2	2.1	2.7	8.1	8.8	5.2	3.3	2.8	23	8.8	
30	2.6	BF	3.5	3.5	4.5	7.6	8.8	9.4	6.5	4.9	2.1	1.3	1.6	1.3	1.6	1.4	1.7	3.6	3.1	6.2	6.4	9.7	10.2	10.7	23	10.7	
31	6.0	BF	1.4	1.5	2.3	3.2	4.2	2.6	2.2	1.5	.9	1.0	.7	.6	.7	.7	.8	.7	1.4	3.5	6.6	7.0	8.2	9.8	23	9.8	
NO.:	31		31	31	31	31	31	31	31	31	30	30	29	29	30	30	31	31	31	31	31	31	31	31	31		
MAX:	10.4		12.3	9.6	7.8	11.2	10.6	10.1	8.3	6.8	4.3	4.8	3.3	3.1	3.5	3.5	4.2	5.0	5.7	12.6	16.7	17.3	15.0	14.5			
AVG:	3.35		3.01	3.21	3.61	5.31	5.79	4.92	3.58	2.56	1.78	1.60	1.40	1.34	1.51	1.78	2.25	2.65	3.07	5.36	6.31	5.71	4.95	4.58			

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 3.48 MONTHLY MAX: 17.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	11.5	BF	7.0	12.5	9.0	8.6	6.6	7.0	3.6	1.1	.5	.6	.5	.4	.6	.4	.5	.8	1.6	8.0	15.0	19.3	18.3	24.4	23	24.4	
2	11.8	BF	3.4	1.8	1.7	1.9	2.2	1.8	2.2	.5	.3	.4	.3	.3	.4	.6	.7	.8	1.8	4.7	3.4	3.6	3.8	23	11.8		
3	5.3	BF	3.6	3.4	5.0	6.1	7.8	7.6	4.1	2.5	1.9	1.9	1.7	1.7	1.9	3.2	3.1	3.1	4.4	3.2	2.3	2.5	2.0	23	7.8		
4	1.8	BF	1.6	2.1	3.6	5.5	7.5	5.8	2.7	1.6	1.4	1.2	1.7	1.6	1.2	1.5	1.9	2.0	3.5	5.2	4.0	5.2	5.9	5.7	23	7.5	
5	5.8	BF	8.3	6.3	5.7	6.4	6.6	5.3	3.3	BF	BF	BF	BF	BF	1.7	1.9	1.5	2.9	3.6	12.4	14.6	6.5	5.7	2.0	18	14.6	
6	1.5	BF	2.7	4.0	4.4	9.7	8.4	15.8	17.6	2.9	3.6	2.2	1.8	1.6	5.1	4.1	4.1	4.0	5.5	5.0	6.2	5.7	4.0	4.0	23	17.6	
7	3.6	BF	2.8	2.4	2.6	4.3	5.0	3.5	2.0	1.9	2.3	2.0	1.6	1.6	1.9	2.3	2.7	2.5	2.0	2.3	1.8	1.7	1.6	2.3	23	5.0	
8	1.5	BF	1.0	.9	.8	1.1	2.1	1.4	1.5	.9	.6	.6	.6	.6	.6	.8	.7	.7	1.3	2.2	2.8	2.6	2.5	2.3	23	2.8	
9	5.1	BF	3.4	2.6	1.9	1.9	2.0	1.5	.6	1.4	1.0	1.4	.3	.6	.8	1.3	1.9	3.0	3.5	4.6	3.0	3.9	3.1	2.5	23	5.1	
10	2.1	BF	2.5	3.0	4.4	7.1	9.7	7.6	4.0	4.3	3.1	3.2	3.8	3.2	2.6	2.7	2.9	3.0	5.0	5.0	4.7	2.9	2.1	1.7	23	9.7	
11	1.4	BF	.9	1.3	2.0	4.2	6.0	5.2	4.8	5.3	6.4	9.3	8.9	6.0	4.6	3.1	3.0	3.8	4.2	9.0	11.0	11.1	6.1	4.0	23	11.1	
12	4.1	BF	3.1	4.6	5.3	6.6	6.1	3.7	3.0	2.4	1.1	.8	.6	.6	.6	.6	.7	1.0	2.6	6.0	11.1	13.5	15.0	15.8	23	15.8	
13	17.7	BF	14.6	11.8	9.5	9.3	10.5	9.9	5.4	3.4	1.8	1.3	1.2	1.3	2.5	2.4	3.5	6.5	5.6	10.7	7.9	5.8	8.4	3.4	23	17.7	
14	3.8	BF	2.6	2.8	4.1	5.7	8.8	6.1	4.6	2.1	1.0	1.0	1.1	.7	.9	1.6	3.0	2.0	4.2	3.7	5.1	5.7	5.3	5.6	23	8.8	
15	3.8	BF	4.2	5.2	8.0	8.3	7.3	8.0	4.2	1.8	.8	.6	.8	.8	.7	1.5	2.5	3.0	5.1	5.2	4.8	5.9	4.6	23	8.3		
16	4.1	BF	3.6	3.6	3.5	3.9	4.1	2.8	1.7	1.1	.6	.7	.3	.4	.3	.4	.7	1.6	4.9	7.0	3.9	6.6	5.1	4.1	23	7.0	
17	3.5	BF	3.0	4.0	4.4	7.5	14.3	10.3	4.3	4.5	3.1	.9	1.5	1.3	1.7	2.7	5.2	3.8	5.1	6.3	9.5	8.0	4.8	4.0	23	14.3	
18	2.6	BF	3.0	3.2	3.9	4.6	4.0	5.5	7.8	7.9	BF	BF	BF	1.8	1.6	4.6	4.4	5.7	5.2	5.7	6.0	4.5	3.1	2.5	20	7.9	
19	2.7	BF	2.1	2.1	2.8	5.3	7.8	7.2	6.1	4.0	3.9	2.8	2.5	2.4	1.9	2.3	3.0	4.3	4.3	3.4	3.8	3.6	5.0	3.9	23	7.8	
20	2.4	BF	2.4	2.5	3.4	6.3	8.1	6.6	4.7	4.4	3.4	3.0	2.2	1.3	1.3	1.5	1.8	2.9	5.8	11.8	12.7	20.1	15.9	11.6	23	20.1	
21	6.2	BF	4.0	3.6	3.1	3.6	4.7	3.6	2.3	1.2	.9	.9	.7	.4	.6	1.0	1.1	1.1	1.9	2.6	3.2	2.8	2.5	3.0	23	6.2	
22	2.4	BF	1.2	1.8	1.5	1.5	2.4	1.5	1.3	1.0	.5	.5	.7	.7	.6	.6	.6	1.1	1.5	2.8	3.2	3.9	7.0	6.2	23	7.0	
23	6.1	BF	7.1	4.3	3.0	10.3	5.4	5.6	1.3	1.0	1.0	.5	.6	.7	.7	.9	.9	1.1	2.7	6.4	7.8	7.6	5.6	6.9	23	10.3	
24	4.5	BF	4.3	4.3	3.9	7.3	12.4	13.0	10.9	3.0	2.5	2.0	1.7	2.2	7.1	5.4	6.6	7.1	9.7	10.0	14.0	14.0	7.7	5.8	4.5	23	14.0
25	4.0	BF	3.6	4.7	3.7	5.5	6.1	4.2	2.1	1.5	1.4	.9	1.0	3.5	1.7	3.1	3.4	4.4	3.9	5.6	4.7	4.5	3.3	6.2	23	6.2	
26	5.2	BF	1.4	1.7	2.2	3.7	4.7	4.0	4.7	3.3	2.4	1.7	1.4	1.1	1.3	1.4	1.7	1.5	1.5	2.0	1.9	1.8	1.6	1.4	23	5.2	
27	2.2	BF	1.5	1.7	1.5	1.8	4.4	4.6	3.7	2.4	2.3	1.2	1.0	1.6	1.5	2.3	2.6	3.1	3.4	7.9	4.0	3.2	4.0	3.1	23	7.9	
28	3.1	BF	6.0	4.9	6.9	7.8	10.6	7.5	3.9	1.4	1.2	1.6	.6	1.0	1.1	1.9	1.6	1.9	6.6	9.0	7.3	4.5	3.7	3.5	23	10.6	
29	2.8	BF	7.3	9.4	8.2	9.0	7.2	6.9	3.2	1.5	.7	.5	.6	.6	.8	1.1	1.2	3.7	5.9	7.6	10.2	12.2	17.3	11.0	23	17.3	
30	8.3	BF	5.0	4.8	5.3	7.0	6.3	5.9	2.1	1.8	1.4	.8	1.2	1.4	1.9	2.9	4.4	4.4	5.6	10.6	4.6	2.8	2.7	2.3	23	10.6	
31	1.3	BF	1.7	2.6	3.4	4.9	3.2	5.3	2.7	2.6	1.8	2.2	1.9	2.1	3.0	3.4	3.2	2.4	3.4	3.1	3.4	4.0	4.5	4.2	23	5.3	
NO.:	31		31	31	31	31	31	31	31	30	29	29	29	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	17.7		14.6	12.5	9.5	10.3	14.3	15.8	17.6	7.9	6.4	9.3	8.9	6.0	7.1	5.4	6.6	7.1	9.7	12.4	15.0	20.1	18.3	24.4			
AVG:	4.59		3.84	4.00	4.15	5.70	6.53	5.96	4.08	2.49	1.82	1.61	1.48	1.45	1.71	1.97	2.39	2.86	3.90	6.04	6.47	6.20	5.87	5.24			

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 3.95 MONTHLY MAX: 24.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM																							
1	3.5	BF	1.2	.8	1.0	1.4	3.5	4.7	3.6	BF	BF	BF	BF	1.0	1.3	.8	2.5	4.6	7.7	20.7	20.0	14.9	10.8	14.1	19	20.7																							
2	12.5	BF	7.8	7.1	6.1	4.9	5.1	11.2	8.6	3.5	2.2	1.8	2.2	2.5	2.7	2.8	5.0	8.3	16.3	21.3	17.8	1.4	1.1	1.7	23	21.3																							
3	2.2	BF	1.9	3.6	2.8	2.5	6.2	6.0	6.2	5.8	4.3	2.4	1.5	1.3	1.8	1.0	1.1	2.7	8.0	16.7	10.3	19.3	16.6	18.1	23	19.3																							
4	17.6	BF	11.9	9.5	7.8	7.0	9.7	15.2	7.5	3.5	2.0	1.9	1.4	2.4	2.3	4.5	6.4	3.2	4.7	3.9	4.7	2.1	1.6	1.7	23	17.6																							
5	1.7	BF	1.2	1.2	2.3	2.4	1.8	1.0	.8	.7	.4	.7	.4	.5	.5	2.9	3.1	1.7	1.9	2.3	2.3	1.7	1.7	1.5	23	3.1																							
6	1.4	BF	1.1	1.2	.5	.5	1.1	1.4	1.6	1.0	.5	.4	.4	.4	.6	.8	.6	.7	1.4	.7	.8	.7	.7	.7	23	1.6																							
7	.8	BF	.8	1.3	.9	1.0	1.0	.7	.6	.6	.4	.5	.6	.5	.7	.6	.9	1.8	2.1	3.1	4.0	3.1	4.5	4.2	23	4.5																							
8	3.6	BF	3.1	2.2	2.0	2.7	5.5	6.3	3.6	2.1	.7	.9	1.1	.9	1.3	1.6	3.1	3.9	5.6	10.5	10.7	5.4	4.5	5.1	23	10.7																							
9	5.0	BF	7.0	5.9	6.3	9.2	9.5	9.0	4.6	3.3	2.2	2.5	2.2	1.7	2.4	2.1	3.5	4.1	3.4	4.5	3.2	3.0	2.9	2.9	23	9.5																							
10	2.8	BF	1.6	2.1	2.9	5.4	7.6	6.1	3.8	2.7	2.8	2.8	2.9	2.3	2.7	2.8	4.2	5.3	5.1	12.6	5.7	3.4	3.9	5.0	23	12.6																							
11	3.1	BF	2.5	2.9	2.8	3.8	4.4	4.4	3.0	1.7	1.1	1.2	1.4	.8	2.1	2.7	4.0	4.7	7.6	10.4	11.1	12.6	12.5	10.1	23	12.6																							
12	6.4	BF	4.4	4.3	4.3	4.8	7.0	5.5	4.7	3.4	3.2	3.4	3.8	2.8	3.3	3.8	4.8	6.0	5.0	3.6	4.4	4.8	5.8	2.8	23	7.0																							
13	2.4	BF	.9	.9	.8	.9	.8	.9	.4	.3	.4	.4	.4	.3	.5	.5	.8	.9	1.9	2.6	2.5	2.1	1.3	1.1	23	2.6																							
14	1.2	BF	1.3	1.9	2.0	7.5	12.3	9.3	2.8	1.2	.8	.5	.9	1.2	1.7	1.3	2.6	3.6	10.7	31.6	24.4	22.1	19.7	19.0	23	31.6																							
15	18.2	BF	12.6	11.0	10.1	7.8	6.0	12.3	14.0	7.3	BF	BF	BF	BF	1.2	1.4	2.9	2.9	10.0	14.6	9.9	10.7	9.8	12.8	19	18.2																							
16	19.2	BF	14.5	13.2	10.1	10.3	6.3	12.6	13.7	4.9	1.7	1.3	1.0	1.2	1.5	1.8	1.6	2.3	6.2	7.8	9.0	9.0	13.1	19.5	23	19.5																							
17	11.4	BF	9.8	14.1	11.3	11.6	13.1	10.6	8.6	BC	BC	BC	BC	BC	BC	2.7	1.1	2.8	7.8	17.4	16.6	8.6	10.4	8.2	17	17.4																							
18	9.3	BF	11.1	11.3	9.8	7.0	11.9	12.1	6.9	2.7	.6	.9	.6	.8	1.2	1.2	2.2	3.5	4.7	8.7	11.7	9.8	6.9	7.0	23	12.1																							
19	6.6	BF	6.8	5.8	4.6	3.0	3.3	3.7	2.4	.9	.4	.4	.3	.4	.3	.6	1.0	3.5	4.1	10.1	9.7	13.5	12.6	23	13.5																								
20	8.1	BF	11.5	8.8	7.3	6.2	4.5	5.4	2.3	1.6	1.4	.9	.7	.5	.4	.6	.6	.9	1.2	1.2	1.1	1.0	.9	1.0	23	11.5																							
21	1.0	BF	1.1	1.0	1.4	1.8	4.0	3.8	2.4	2.6	.9	.9	.8	.8	3.1	3.1	3.1	3.0	5.4	5.8	5.4	4.3	3.1	1.3	23	5.8																							
22	.9	BF	.5	.6	1.0	1.8	4.3	2.1	1.3	1.7	1.9	1.3	.7	.7	.8	1.0	1.1	2.0	1.6	1.2	1.4	1.6	2.2	2.0	23	4.3																							
23	1.6	BF	2.2	1.9	1.7	2.1	4.0	4.2	2.1	1.1	.9	.7	.7	.6	1.3	1.1	1.5	2.6	4.3	1.6	.8	.8	.8	23	4.3																								
24	.6	BF	.8	.8	.9	2.4	2.5	2.8	1.7	.9	1.3	.6	.6	1.2	1.3	1.3	1.3	2.0	1.4	2.2	1.8	1.5	1.1	23	2.8																								
25	.8	BF	.7	.6	.7	1.1	2.2	2.4	2.5	2.0	1.6	1.3	1.4	1.6	2.0	1.7	1.4	1.3	1.3	1.0	.7	.7	.6	.5	23	2.5																							
26	.3	BF	.3	.3	.3	.2	.4	.3	.5	.8	.8	.9	.7	.6	.7	.9	.7	.7	.7	.8	.7	.5	.4	.3	23	.9																							
27	.2	BF	.2	.2	.2	.3	.3	.4	.5	.6	.4	.4	.4	.5	1.0	.9	.7	.8	1.0	.6	.5	.5	.4	.5	23	1.0																							
28	.4	BF	.4	.3	.5	1.2	1.6	2.4	1.9	1.3	1.0	.9	.7	.9	1.7	1.4	2.1	2.3	1.4	1.3	1.2	.9	.7	.5	23	2.4																							
29	.4	BF	.4	.4	.7	1.5	2.6	2.9	2.5	BF	BF	BF	BF	BF	2.2	3.9	4.0	7.2	8.8	8.2	6.7	7.0	4.8	3.0	18	8.8																							
30	2.7	6	BF	1.9	6	2.4	6	3.8	6	5.8	6	7.4	6	7.1	6	7.0	6	6.4	6	3.3	6	1.9	6	1.7	6	1.9	6	2.9	6	2.5	6	2.7	6	3.5	6	5.7	6	2.7	6	.6	6	.8	6	1.2	6	2.0	6	23	7.4
31																										0																							
NO.:	30		30	30	30	30	30	30	30	27	26	26	26	27	29	30	30	30	30	30	30	30	30	30	30																								
MAX:	19.2		14.5	14.1	11.3	11.6	13.1	15.2	14.0	7.3	4.3	3.4	3.8	2.8	3.3	4.5	6.4	8.3	16.3	31.6	24.4	22.1	19.7	19.5																									
AVG:	4.86		4.05	3.92	3.56	3.94	5.00	5.56	4.07	2.39	1.43	1.22	1.13	1.10	1.54	1.81	2.33	2.95	4.84	7.52	6.71	5.48	5.26	5.37																									

MONTHLY OBSERVATIONS: 671 MONTHLY MEAN: 3.81 MONTHLY MAX: 31.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.6	BF	1.2	1.3	1.6	2.0	2.8	4.0	2.7	2.7	2.3	2.3	2.4	2.7	3.5	3.0	4.1	5.2	5.1	4.0	3.3	3.2	3.3	3.0	23	5.2	
2	2.8	BF	2.6	3.0	2.7	2.3	2.1	2.0	1.7	1.4	1.7	1.4	1.4	1.6	2.4	2.1	2.3	2.5	2.9	3.1	2.7	2.7	2.9	2.5	23	3.1	
3	2.2	BF	2.5	2.9	2.5	2.4	1.9	2.3	2.0	1.9	1.0	1.0	1.5	2.2	1.8	1.6	2.4	3.0	3.2	2.2	1.5	.8	.6	.3	23	3.2	
4	.2	BF	.4	.4	.4	.4	.4	.3	.4	.4	.3	.3	.3	.3	.4	.4	.5	.5	.4	.3	.5	.4	.4	.3	23	.5	
5	.3	BF	.3	.6	1.1	1.4	1.9	1.7	1.6	1.4	1.2	1.4	2.1	1.4	2.5	2.7	4.7	4.9	4.3	2.9	2.8	1.8	1.3	1.0	23	4.9	
6	1.5	BF	1.8	2.5	3.4	4.8	5.1	3.7	3.1	1.9	1.0	.7	.9	.7	1.1	1.1	1.6	4.5	9.4	11.9	11.6	13.1	9.9	8.0	23	13.1	
7	5.9	BF	5.0	4.8	4.5	8.4	11.9	14.1	11.3	5.8	2.3	1.3	1.1	.9	1.1	1.1	4.6	24.2	28.3	25.2	21.8	17.5	11.4	6	23	28.3	
8	7.8	BF	5.9	4.7	3.4	2.8	3.4	9.4	9.5	5.9	1.5	2.8	3.0	2.8	3.9	4.5	8.6	15.5	21.1	25.8	22.8	18.9	16.1	12.0	6	23	25.8
9	7.9	BF	6.4	7.2	7.5	10.0	16.2	17.5	10.7	4.8	3.2	2.4	2.4	3.2	3.6	4.2	5.1	9.9	8.5	11.8	8.2	9.0	9.7	7.1	6	23	17.5
10	3.5	BF	3.5	3.3	2.8	2.2	1.9	1.1	1.3	1.2	1.2	1.6	1.9	2.5	1.9	1.6	1.7	1.9	2.5	2.5	2.3	1.8	2.0	2.0	6	23	3.5
11	1.8	BF	1.6	2.1	1.9	1.7	1.3	1.5	1.2	.7	.5	.4	.4	.5	.7	.4	.7	2.4	4.9	6.0	5.1	10.8	11.7	10.0	6	23	11.7
12	9.2	BF	7.5	5.6	6.8	7.0	6.6	9.3	9.2	6.6	6.2	5.4	5.3	2.8	4.9	3.1	4.8	12.8	22.4	18.3	20.5	21.6	15.3	11.1	6	23	22.4
13	7.4	BF	3.7	3.5	3.7	6.2	9.8	8.6	BF	BF	BF	3.9	2.8	3.8	3.8	4.2	6.8	12.1	18.1	16.1	15.8	14.3	11.5	10.3	20	18.1	
14	11.5	BF	7.5	5.7	4.4	14.9	16.7	12.4	4.4	2.3	1.2	.8	1.1	2.4	2.4	3.7	4.9	8.4	17.6	28.4	26.2	26.3	23.0	14.1	23	28.4	
15	6.0	BF	4.3	8.5	9.8	14.3	13.9	15.9	8.6	3.7	1.4	1.1	.9	1.3	1.8	2.4	6.5	14.6	AE	AE	AE	AE	AE	AE	17	15.9	
16	AE	AE	AE	AE	AE	AE	AE	AE	AE	10.0	12.7	8.5	8.2	11.5	15.2	11.6	6.2	12.4	14.6	16.8	14.6	9.8	8.8	10.0	15	16.8	
17	9.2	BF	3.9	3.7	3.6	5.2	5.8	11.4	10.6	3.4	1.5	1.1	.8	1.1	.9	1.0	1.4	3.0	6.9	3.9	2.7	1.5	1.5	2.2	23	11.4	
18	3.6	BF	3.8	3.2	2.5	2.6	3.1	4.1	1.2	1.0	.4	.4	.4	.6	.4	.7	1.1	2.6	7.3	7.3	15.5	16.4	12.1	5.4	23	16.4	
19	4.2	BF	3.9	4.8	4.7	10.6	16.8	15.9	6.9	3.2	1.1	1.3	1.3	1.7	1.9	3.9	13.0	18.6	25.0	22.6	22.0	20.0	16.7	23	25.0		
20	14.6	BF	10.4	9.1	8.0	6.2	5.2	9.1	21.2	13.1	5.4	4.8	4.6	4.6	4.4	5.0	9.0	24.2	33.1	37.4	33.4	29.0	26.9	22.8	23	37.4	
21	19.3	BF	12.6	11.1	9.2	7.3	5.9	8.5	12.0	19.2	16.9	11.1	4.8	4.6	5.1	5.4	13.7	31.6	40.3	38.1	33.1	31.7	28.4	23.6	23	40.3	
22	17.9	BF	13.6	11.4	9.8	8.2	7.0	10.4	13.0	22.7	6.3	5.6	3.6	3.7	5.4	5.2	9.9	32.5	37.3	34.1	31.6	28.2	25.0	20.1	23	37.3	
23	17.6	BF	12.7	12.5	9.5	9.5	7.1	10.3	15.2	4.6	1.4	1.2	.8	1.5	2.3	1.7	3.3	5.3	7.9	9.3	7.8	4.5	2.9	2.1	23	17.6	
24	2.0	BF	1.6	1.4	1.6	2.3	3.8	3.5	2.6	1.6	1.1	1.2	1.0	.8	1.2	1.5	3.4	3.0	13.5	15.1	6.1	8.5	11.9	8.4	23	15.1	
25	4.5	BF	3.3	5.1	4.1	5.1	6.9	8.3	7.2	6.8	4.8	2.9	1.8	1.1	1.3	1.0	1.7	3.0	17.7	9.9	2.8	1.3	1.4	1.7	23	17.7	
26	1.8	BF	1.4	1.4	1.6	2.4	2.6	2.8	2.2	1.7	1.5	1.4	1.6	1.7	1.6	2.0	2.6	2.7	2.8	2.3	1.7	1.4	1.2	1.2	23	2.8	
27	.9	BF	1.2	1.6	2.6	3.1	2.9	3.9	2.5	1.8	BF	BF	BF	BF	2.7	3.0	3.0	2.6	1.9	1.7	1.2	1.0	.8	.7	19	3.9	
28	.5	BF	.4	.4	.6	1.9	3.3	4.2	3.9	2.9	2.7	2.1	1.5	3.0	4.0	4.5	5.2	4.9	5.2	4.5	4.0	2.1	1.6	23	5.2		
29	1.8	BF	1.9	2.7	3.2	5.3	10.9	10.9	6.2	4.3	4.0	3.3	3.0	4.5	4.9	7.3	12.6	11.5	4.5	7.4	10.8	7.1	6.7	4.4	23	12.6	
30	5.1	BF	4.6	5.0	5.1	5.3	9.4	6.6	3.7	2.3	1.5	1.1	.8	1.0	1.3	1.3	2.4	8.7	11.9	12.4	9.9	7.6	6.3	5.8	23	12.4	
31	4.6	BF	3.1	3.0	3.2	5.1	6.5	4.9	3.5	2.5	2.1	2.0	1.9	2.6	2.7	4.0	7.7	14.5	19.2	20.1	14.8	10.4	7.5	6.1	23	20.1	
NO.:	30		30	30	30	30	30	29	30	29	30	30	30	30	31	31	31	31	30	30	30	30	30	30			
MAX:	19.3		13.6	12.5	9.8	14.9	16.8	17.5	21.2	22.7	16.9	11.1	8.2	11.5	15.2	11.6	13.7	32.5	40.3	38.1	33.4	31.7	28.4	23.6			
AVG:	5.91		4.42	4.42	4.19	5.36	6.44	7.29	6.19	4.85	3.05	2.49	2.12	2.51	2.87	3.00	4.61	8.98	12.91	13.56	12.04	10.96	9.62	7.53			

MONTHLY OBSERVATIONS: 692 MONTHLY MEAN: 6.32 MONTHLY MAX: 40.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SLAMS

REPORT FOR: NOVEMBER 2015

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	7.0	BF	3.7	4.2	3.6	3.2	3.1	3.1	5.0	4.3	2.6	4.3	8.9	9.9	9.9	9.9	12.6	11.2	12.1	8.5	11.1	10.6	11.5	11.3	23	12.6	
2	9.9	BF	6.2	5.4	3.8	5.0	3.7	4.4	5.7	3.7	5.8	3.3	2.7	3.1	3.0	4.1	4.5	4.5	5.2	5.2	3.5	3.0	2.7	2.7	23	9.9	
3	2.3	BF	1.6	1.7	1.9	1.4	2.2	3.1	3.0	2.8	3.1	1.8	1.1	.9	1.4	2.3	3.1	3.3	5.1	3.6	3.1	3.6	3.3	3.1	23	5.1	
4	1.9	BF	2.5	2.0	2.5	1.5	2.3	3.8	8.0	2.6	1.8	1.3	1.3	1.6	1.5	2.1	3.8	5.7	5.8	5.6	5.3	3.9	2.6	1.9	23	8.0	
5	1.4	BF	1.4	1.3	1.4	1.2	3.0	6.2	3.9	3.1	3.5	3.9	2.6	2.2	2.5	4.3	5.0	9.8	12.3	12.6	13.4	12.9	12.0	7.1	23	13.4	
6	3.8	BF	2.6	3.2	3.5	2.7	5.2	9.5	7.7	4.8	4.5	2.8	2.6	3.3	3.6	6.5	6.2	6.9	6.9	5.3	4.6	3.8	4.3	4.3	23	9.5	
7	5.1	BF	2.7	3.0	2.8	2.9	3.6	4.0	4.0	5.4	5.8	4.5	2.8	4.1	6.9	6.4	5.3	6.1	3.4	1.5	1.3	1.5	1.4	1.0	23	6.9	
8	1.4	BF	2.4	2.7	2.5	2.0	1.7	1.7	.7	.7	.8	.8	.5	.4	.6	.9	1.4	2.2	2.6	2.4	2.0	1.3	1.1	.9	23	2.7	
9	.8	BF	.6	.6	.6	.6	1.1	1.6	2.0	1.9	2.2	2.4	2.0	2.9	3.1	3.6	4.2	6.6	6.9	4.6	3.2	4.3	3.7	3.5	23	6.9	
10	3.6	BF	2.5	2.4	2.6	2.9	4.4	8.7	9.2	5.5	BF	BF	BF	BF	1.9	2.8	8.8	24.0	21.1	19.7	7.0	4.0	2.4	1.7	19	24.0	
11	1.0	BF	1.2	1.4	1.9	3.0	4.6	5.4	3.1	2.2	1.5	1.0	.8	.8	1.2	1.9	4.6	19.2	28.3	25.1	21.3	20.9	18.6	14.5	23	28.3	
12	11.7	BF	10.5	8.3	9.5	11.1	12.0	12.9	12.5	7.3	4.5	3.6	2.5	2.7	3.1	4.2	5.7	7.9	8.8	14.6	16.0	14.9	5.6	3.6	23	16.0	
13	2.9	BF	1.6	1.7	2.4	3.2	7.5	11.0	6.1	2.6	2.1	1.8	1.4	1.2	2.0	2.7	4.1	7.1	12.4	24.8	13.4	11.2	6.2	4.2	23	24.8	
14	1.8	BF	2.3	1.6	2.4	2.3	3.4	3.6	2.4	2.2	1.3	1.2	.9	.8	1.0	2.2	2.1	6.1	19.0	28.4	26.0	24.0	23.2	19.5	23	28.4	
15	17.6	BF	13.9	10.9	10.6	14.4	13.3	12.1	8.6	5.4	3.0	3.8	4.3	3.7	3.8	5.7	18.9	29.8	32.4	30.6	26.7	24.2	20.5	19.0	23	32.4	
16	16.6	BF	12.3	11.1	9.7	7.6	7.2	6.9	13.7	19.7	19.0	12.0	16.1	7.8	8.2	17.2	20.9	35.0	32.6	33.9	28.6	26.4	22.2	19.6	23	35.0	
17	16.4	BF	14.5	13.7	12.4	10.6	9.2	10.1	15.2	15.0	7.1	4.1	1.9	2.7	2.9	3.8	9.7	15.3	13.6	9.7	5.2	5.5	3.0	1.7	23	16.4	
18	1.2	BF	.9	.9	1.5	1.8	3.2	5.9	5.4	3.5	2.6	2.0	1.8	1.9	5.9	5.5	3.9	4.7	2.8	1.8	1.1	1.0	.9	.7	23	5.9	
19	.8	BF	.7	.6	1.2	3.0	5.8	6.0	3.4	3.3	3.6	4.4	5.1	6.3	4.8	7.6	10.0	13.5	16.0	15.9	15.3	11.7	5.3	4.4	23	16.0	
20	4.1	BF	1.1	1.5	2.1	1.8	4.3	8.9	5.0	2.5	1.3	1.0	1.0	.8	1.4	2.2	3.6	10.6	15.5	21.2	15.2	16.9	14.0	12.8	23	21.2	
21	10.6	BF	8.2	4.4	4.7	6.5	6.7	12.9	8.2	5.1	2.5	2.3	2.0	2.0	2.1	2.9	9.6	24.7	27.4	18.8	18.7	25.9	24.9	22.9	23	27.4	
22	21.3	BF	17.0	9.4	5.4	5.8	5.5	3.8	1.8	1.4	1.6	1.8	1.8	1.3	1.5	1.5	2.2	4.2	8.5	8.1	4.9	2.3	1.9	1.8	23	21.3	
23	1.8	BF	2.0	2.1	2.1	3.4	6.6	10.9	7.3	3.3	1.2	1.1	.9	1.1	1.3	1.8	3.3	20.4	30.2	30.2	26.8	26.6	24.0	21.3	23	30.2	
24	24.2	BF	20.3	15.5	14.5	3.6	7.5	11.2	15.1	8.2	BF	BF	BF	BF	5.1	7.6	9.6	31.0	31.3	28.1	26.4	25.2	23.4	20.9	19	31.3	
25	17.4	BF	15.5	12.8	11.1	10.4	9.6	10.8	14.3	16.8	6.7	.9	1.3	1.5	2.6	2.7	4.6	8.0	12.3	14.2	11.4	7.8	21.8	19.0	23	21.8	
26	9.7	BF	5.6	6.0	5.1	5.2	4.7	4.3	2.7	1.6	.8	.7	.5	.5	.9	.6	1.5	2.1	3.2	10.0	11.9	17.4	20.9	17.6	23	20.9	
27	13.5	BF	13.3	10.0	8.6	7.1	5.3	9.9	6.8	4.1	3.2	2.7	1.8	1.0	1.4	1.7	2.8	15.9	17.2	28.1	24.2	21.9	18.7	15.8	23	28.1	
28	13.3	BF	9.7	8.1	6.5	4.8	4.7	4.7	9.3	15.1	7.6	2.9	2.4	1.9	2.7	5.9	14.1	29.6	29.5	26.4	23.4	22.6	20.8	21.1	23	29.6	
29	17.1	BF	11.3	10.1	11.4	9.9	9.8	7.8	9.6	10.0	7.3	2.2	1.9	1.6	2.2	1.5	8.7	21.1	16.1	8.2	6.7	7.4	1.7	1.1	23	21.1	
30	1.5	BF	2.7	3.6	3.9	3.7	3.2	3.3	3.4	2.8	3.2	3.2	3.7	4.5	5.2	7.5	6.9	7.2	6.9	6.3	6.3	6.4	6.2	5.6	23	7.5	
31																										0	
NO.:	30		30	30	30	30	30	30	30	30	28	28	28	28	30	30	30	30	30	30	30	30	30	30			
MAX:	24.2		20.3	15.5	14.5	14.4	13.3	12.9	15.2	19.7	19.0	12.0	16.1	9.9	9.9	17.2	20.9	35.0	32.6	33.9	28.6	26.6	24.9	22.9			
AVG:	8.06		6.36	5.34	5.07	4.75	5.48	6.95	6.77	5.56	3.94	2.78	2.74	2.59	3.12	4.32	6.72	13.12	14.85	15.11	12.80	12.30	10.96	9.49			

MONTHLY OBSERVATIONS: 682 MONTHLY MEAN: 7.41 MONTHLY MAX: 35.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	5.3	BF	4.4	4.4	4.0	4.4	4.9	6.2	5.6	6.2	6.7	8.0	9.3	8.4	9.2	10.2	10.8	11.3	9.3	8.6	8.9	9.5	8.0	8.2	23	11.3
2	8.5	BF	7.4	7.4	6.6	6.9	8.2	6.3	7.5	7.7	7.7	8.5	9.4	8.4	10.4	10.1	7.6	7.9	9.0	7.5	5.9	4.9	5.1	3.5	23	10.4
3	2.5	BF	2.1	2.1	2.1	1.8	2.0	2.4	3.4	2.4	1.6	1.4	1.3	2.0	2.5	4.3	7.7	7.8	10.4	10.3	7.4	4.5	2.9	3.3	23	10.4
4	3.3	BF	2.7	3.1	4.1	4.8	8.5	16.3	8.3	5.5	1.8	2.2	1.4	1.6	2.7	3.2	4.1	20.1	27.4	27.4	25.2	23.0	20.7	16.7	23	27.4
5	17.1	BF	11.0	10.4	10.0	9.3	7.2	12.4	8.5	5.6	3.5	2.5	2.2	2.4	2.3	2.0	3.3	6.7	14.1	13.0	11.2	9.8	10.3	9.8	23	17.1
6	7.8	BF	4.4	6.6	7.0	6.9	7.8	9.2	6.6	4.7	2.7	1.9	1.3	1.1	1.6	1.4	2.6	16.7	29.7	25.2	23.1	22.1	20.6	18.0	23	29.7
7	15.0	BF	14.6	14.1	15.4	14.5	13.8	13.4	14.6	17.4	17.3	21.1	22.8	20.0	14.4	9.2	16.4	18.7	21.1	20.2	20.6	17.3	18.3	13.9	23	22.8
8	11.0	BF	7.0	8.0	8.5	10.4	12.0	10.4	10.4	8.9	BF	BF	BF	BF	5.8	7.5	10.3	13.5	15.3	12.4	6.3	5.5	5.5	19	15.3	
9	5.4	BF	5.4	4.8	5.6	7.2	9.6	12.9	12.8	12.2	13.1	10.1	5.7	4.3	4.1	7.4	8.6	15.0	23.4	21.1	24.3	25.2	21.9	16.7	23	25.2
10	17.8	BF	14.3	11.3	11.1	8.4	9.7	8.1	12.9	17.7	14.0	11.0	4.1	3.4	3.6	5.7	11.6	25.4	22.8	28.3	27.1	20.2	12.9	10.2	23	28.3
11	6.9	BF	5.0	5.3	5.4	6.2	10.5	19.9	16.9	11.2	7.7	4.6	4.3	5.6	5.3	7.0	10.9	23.2	28.1	31.3	31.9	30.7	28.5	21.0	23	31.9
12	17.9	BF	11.9	7.4	8.5	7.0	9.5	11.0	11.4	9.0	3.3	3.1	3.4	3.4	4.2	6.1	11.9	29.1	27.3	26.8	26.3	23.5	20.7	14.9	23	29.1
13	12.9	BF	9.6	7.8	7.7	6.8	2.3	3.1	5.2	10.8	13.9	9.8	9.5	4.3	2.1	3.0	6.7	19.7	16.9	18.5	20.4	17.4	11.7	5.0	23	20.4
14	2.6	BF	1.6	1.3	2.0	2.8	4.9	9.7	9.6	4.4	4.5	2.9	3.3	4.2	4.4	5.2	6.6	6.1	5.6	4.5	3.0	2.5	2.2	1.8	23	9.7
15	1.5	BF	1.2	1.4	1.6	3.0	8.9	13.9	9.3	4.4	3.9	3.3	3.2	3.2	3.4	4.0	6.6	29.4	32.1	31.6	25.8	26.3	22.2	19.8	23	32.1
16	16.5	BF	14.3	11.1	5.3	4.1	5.2	8.3	5.7	3.0	2.1	2.4	2.8	2.8	3.9	7.8	13.7	16.5	14.2	11.6	13.8	8.0	5.3	23	16.5	
17	6.0	BF	6.3	7.6	6.8	5.8	8.1	10.6	9.9	8.7	10.1	10.5	7.2	7.6	9.9	13.7	16.4	16.6	17.1	15.8	15.3	14.6	15.5	11.7	23	17.1
18	7.9	BF	6.4	7.6	7.6	6.2	7.2	7.9	9.0	3.3	2.7	2.3	3.8	2.8	3.0	3.4	4.0	3.5	3.2	2.6	2.1	1.7	1.6	1.4	23	9.0
19	1.3	BF	1.5	2.9	2.9	7.4	16.1	20.1	14.2	5.5	2.7	2.1	1.8	2.0	2.4	3.1	5.1	13.9	26.8	27.9	26.5	25.0	24.0	26.1	23	27.9
20	23.5	BF	10.1	16.1	15.1	16.8	16.5	16.7	12.9	8.0	4.9	2.3	2.1	1.4	1.6	2.6	7.5	18.3	23.8	22.0	25.6	24.7	23.8	21.7	23	25.6
21	20.5	BF	15.6	15.2	13.8	13.0	13.5	14.7	16.1	21.5	22.6	22.6	23.4	26.0	27.0	25.6	27.0	27.4	24.8	22.5	21.3	18.7	17.4	17.1	23	27.4
22	12.5	BF	10.2	14.0	13.4	11.2	10.2	12.3	14.2	15.9	BF	BF	BF	BF	10.5	6.1	10.1	9.4	11.4	18.0	15.8	12.7	7.7	11.4	19	18.0
23	5.8	BF	2.0	1.6	1.8	3.2	6.0	7.1	7.0	6.0	5.1	6.6	5.1	2.7	2.3	3.3	5.4	4.4	2.9	2.6	2.5	1.9	2.0	1.8	23	7.1
24	2.9	BF	1.3	1.3	1.1	1.0	1.5	2.5	2.1	2.8	2.1	2.6	3.0	3.4	3.6	3.0	3.5	5.1	2.8	3.2	2.9	2.5	2.9	3.1	23	5.1
25	2.5	BF	2.0	1.5	1.7	2.2	1.8	1.5	1.5	1.3	1.6	2.0	2.0	2.0	2.1	2.0	2.4	3.7	4.8	5.7	5.3	4.4	5.7	6.3	23	6.3
26	6.4	BF	3.6	2.4	3.2	3.0	4.6	4.7	3.1	3.3	3.5	2.4	3.4	3.1	2.0	3.5	4.9	8.7	13.0	12.1	11.4	11.3	9.2	7.6	23	13.0
27	4.7	BF	3.2	2.9	1.6	1.1	1.4	2.1	1.7	1.4	1.2	1.2	1.4	1.5	1.9	3.0	12.0	14.7	10.7	7.1	3.7	3.6	3.9	23	14.7	
28	2.3	BF	2.2	2.6	3.7	4.0	5.3	8.5	7.2	2.8	1.5	4.6	2.0	2.0	2.1	2.0	2.4	3.1	2.0	1.8	1.6	1.7	1.3	1.4	23	8.5
29	1.0	BF	1.9	1.8	1.8	1.5	7.2	9.6	12.5	11.2	3.7	2.0	3.2	3.2	3.2	3.4	4.3	6.1	9.2	12.4	9.1	8.2	9.6	8.4	23	12.5
30	7.3	BF	4.2	4.5	3.7	4.3	4.7	7.4	8.0	5.4	8.8	10.6	8.1	7.7	8.0	10.9	12.6	13.1	9.5	6.4	5.2	3.1	3.2	3.8	23	13.1
31	2.5	BF	2.5	2.2	2.1	2.4	4.6	8.0	12.6	13.0	8.1	3.5	5.3	4.6	4.4	5.7	7.4	4.0	4.2	6.5	7.9	8.4	5.5	2.4	23	13.0
NO.:	31		31	31	31	31	31	31	31	31	30	29	29	29	30	31	31	31	31	31	31	31	31	31		
MAX:	23.5		15.6	16.1	15.4	16.8	16.5	20.1	16.9	21.5	22.6	22.6	23.4	26.0	27.0	25.6	27.0	29.4	32.1	31.6	31.9	30.7	28.5	26.1		
AVG:	8.36		6.13	6.15	5.97	6.05	7.54	9.61	9.07	7.84	6.38	5.80	5.37	5.00	5.22	5.76	7.96	13.24	15.40	15.29	14.35	12.89	11.37	9.73		

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 8.75 MONTHLY MAX: 32.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	17.5	BF	15.7	13.9	14.7	15.4	14.0	15.0	14.7	15.5	8.9	5.6	5.5	5.6	7.0	7.0	9.1	15.7	17.6	16.4	9.7	8.3	6.5	9.3	23	17.6
2	5.4	BF	6.1	8.9	14.0	16.6	20.4	21.1	19.9	17.7	15.3	AX	AX	AX	22.8	10.1	12.7	10.4	11.3	13.4	17.9	18.1	12.8	13.2	20	22.8
3	15.3	BF	8.1	5.0	5.9	4.9	6.1	5.9	5.6	4.5	3.6	4.2	4.9	4.7	5.8	5.3	6.0	5.7	7.3	7.6	10.3	12.0	12.0	10.6	23	15.3
4	8.9	BF	8.7	8.2	4.1	5.9	3.9	7.4	6.4	7.4	3.6	3.5	5.0	5.5	5.1	4.1	7.1	6.1	4.7	3.1	3.2	3.5	5.2	5.4	23	8.9
5	3.8	BF	5.0	7.1	11.8	13.1	9.4	6.3	19.3	14.0	13.0	10.6	10.7	13.1	10.3	13.5	20.4	15.6	18.4	21.6	11.7	8.3	5.6	4.9	23	21.6
6	6.7	BF	19.3	12.3	15.4	19.7	17.6	19.6	28.3	24.0	17.0	12.3	11.7	12.7	13.0	18.3	26.4	28.2	22.5	23.1	16.5	5.3	5.4	5.1	23	28.3
7	10.7	BF	20.0	19.3	20.3	23.9	25.3	23.2	23.3	20.2	17.7	13.4	11.5	7.2	5.3	5.9	5.0	4.7	2.9	2.7	3.3	3.8	3.7	2.5	23	25.3
8	2.8	BF	3.0	3.9	4.0	5.4	8.9	10.5	8.5	9.6	9.6	10.8	11.0	10.7	13.1	18.7	20.1	23.6	32.1	23.7	19.4	12.8	9.0	23	32.1	
9	7.2	BF	9.0	9.2	8.5	8.6	14.8	17.3	19.1	13.4	13.8	13.0	14.7	96.4	18.5	18.7	22.0	28.7	32.6	26.6	26.8	27.6	23.9	25.3	23	96.4
10	25.6	BF	16.0	12.4	14.4	8.8	6.4	7.2	8.3	5.3	6.4	5.0	5.3	7.0	9.2	12.8	10.3	9.4	8.8	16.2	21.1	21.6	19.0	18.4	23	25.6
11	22.7	BF	23.1	21.4	20.9	21.0	20.3	21.2	19.7	19.6	17.1	11.6	13.2	13.8	11.9	15.7	8.7	8.7	9.0	12.4	15.1	11.2	12.4	9.2	23	23.1
12	7.1	BF	5.0	5.4	10.4	21.7	24.8	23.9	22.8	23.6	25.0	22.1	20.2	20.0	21.7	22.5	23.7	23.4	20.2	16.8	17.3	15.2	12.5	13.3	23	25.0
13	10.5	BF	6.8	3.2	3.4	3.8	5.5	8.1	6.7	6.0	5.8	4.8	4.8	4.8	4.9	4.4	5.0	4.8	4.9	5.0	4.4	5.2	4.6	4.1	23	10.5
14	3.4	BF	4.1	3.9	3.4	3.8	4.2	4.1	6.8	8.9	9.2	7.8	5.8	6.3	6.8	8.6	7.7	9.8	10.9	10.7	8.0	10.4	9.7	6.9	23	10.9
15	7.5	BF	8.8	11.3	11.5	13.2	9.9	14.3	13.9	13.1	13.7	15.8	16.3	18.0	20.0	21.1	20.6	17.4	14.7	15.5	11.1	10.3	10.9	9.5	23	21.1
16	9.8	BF	7.6	10.2	7.4	8.4	9.7	13.2	22.2	15.1	16.3	AX	AX	AX	14.9	21.0	14.8	10.7	7.6	15.5	16.0	19.9	22.9	19	22.9	
17	19.7	BF	17.9	15.9	17.0	12.7	11.5	10.4	12.1	9.7	11.3	11.8	9.7	10.0	9.2	11.3	14.5	15.2	17.1	18.5	12.6	8.4	11.1	4.8	23	19.7
18	5.8	BF	2.9	5.3	6.2	5.7	11.0	12.3	15.3	12.4	5.8	5.8	4.8	4.1	6.4	8.1	7.2	11.8	18.2	19.2	18.5	15.6	16.3	13.9	23	19.2
19	12.0	BF	15.1	22.0	20.6	18.6	22.5	21.9	25.1	28.9	18.6	15.6	13.8	10.3	15.3	18.0	21.5	23.2	24.8	30.2	24.6	16.7	19.0	18.9	23	30.2
20	15.7	BF	7.4	12.7	15.5	23.6	29.3	31.0	36.4	22.7	19.8	20.1	19.1	19.8	19.6	20.6	27.8	29.5	34.9	30.0	27.8	24.4	21.8	21.7	23	36.4
21	19.1	BF	7.5	8.5	8.7	6.4	8.3	9.4	12.3	6.1	4.5	3.7	3.2	7.3	6.1	8.1	6.0	7.3	10.4	18.1	18.6	14.2	11.4	9.6	23	19.1
22	9.3	BF	5.0	8.3	10.3	11.2	16.2	14.4	16.9	19.7	18.4	17.3	16.0	14.7	12.7	15.6	9.5	10.0	11.2	16.5	11.0	8.9	6.7	9.0	23	19.7
23	6.5	BF	4.4	5.3	5.1	5.5	8.3	12.2	13.6	12.0	12.3	10.5	11.6	11.0	9.9	12.0	9.5	7.4	8.6	9.4	11.8	7.2	11.8	5.5	23	13.6
24	3.8	BF	4.1	5.0	4.7	5.8	7.1	12.5	14.7	8.8	10.7	10.0	8.9	8.9	7.5	8.1	9.1	14.0	14.5	17.9	18.7	15.1	13.8	13.1	23	18.7
25	12.6	BF	14.7	11.8	14.4	10.5	9.4	12.6	13.3	13.5	8.4	6.6	6.1	6.3	7.9	9.4	9.9	13.0	6.4	6.7	6.8	14.0	12.1	9.2	23	14.7
26	5.5	BF	2.1	2.1	7.4	3.7	15.7	15.7	16.3	21.3	18.5	12.6	17.0	22.4	15.5	16.1	8.4	11.4	11.4	8.1	7.4	3.8	5.6	5.9	23	22.4
27	4.7	BF	4.8	3.6	4.3	7.1	6.4	8.6	8.0	10.5	10.7	7.9	8.4	8.2	13.5	12.5	12.0	5.2	9.8	25.2	15.5	5.2	3.0	2.7	23	25.2
28	3.4	BF	3.6	5.0	8.9	7.6	9.0	12.8	14.6	10.8	7.9	5.6	8.8	7.7	10.8	10.7	11.9	7.8	12.5	20.2	29.0	31.4	30.2	31.8	23	31.8
29	28.1	BF	27.1	25.9	26.4	27.9	25.4	30.6	37.8	32.8	22.8	18.6	18.2	17.2	19.5	21.8	31.1	31.6	30.0	27.4	29.5	27.3	26.2	25.4	23	37.8
30	21.3	BF	13.4	22.2	24.6	21.1	15.9	9.0	7.6	AX	AX	AX	AX	5.3	4.3	7.7	5.9	5.4	4.9	5.0	4.4	4.1	7.4	6.7	19	24.6
31	11.1	BF	7.7	10.5	15.2	10.8	19.5	9.7	10.1	7.7	7.8	6.4	7.1	6.2	7.1	9.6	14.7	13.5	16.2	24.7	27.6	26.9	25.8	25.1	23	27.6
NO.:	31		31	31	31	31	31	31	31	30	30	28	28	29	30	31	31	31	31	31	31	31	31	31		
MAX:	28.1		27.1	25.9	26.4	27.9	29.3	31.0	37.8	32.8	25.0	22.1	20.2	96.4	22.8	22.5	31.1	31.6	34.9	32.1	29.5	31.4	30.2	31.8		
AVG:	11.08		9.81	10.31	11.59	12.01	13.44	14.24	16.12	14.49	12.45	10.46	10.48	13.28	11.36	12.62	13.70	13.98	14.64	16.38	15.46	13.53	12.87	12.03		

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: 12.90 MONTHLY MAX: 96.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	23.6	BF	21.7	21.8	12.4	18.4	15.5	18.5	18.7	14.6	14.7	7.5	6.7	7.4	7.4	10.1	13.0	12.9	13.8	7.8	4.4	4.1	6.2	6.0	23	23.6		
2	2.8	BF	5.1	5.7	4.5	7.2	11.5	11.9	11.8	10.9	11.8	10.4	8.8	7.9	7.7	8.0	7.2	9.0	8.9	7.9	7.0	9.3	8.6	4.3	23	11.9		
3	8.2	BF	5.7	4.2	4.5	10.3	11.3	13.3	8.7	9.6	9.8	9.5	12.5	15.3	13.5	18.4	20.2	26.9	18.9	25.1	28.7	29.2	27.1	21.7	23	29.2		
4	21.9	BF	19.8	21.8	25.6	26.3	24.4	29.2	30.5	25.1	20.0	17.1	15.4	16.0	12.2	16.5	18.5	29.6	30.7	28.2	23.6	21.1	20.4	24.1	23	30.7		
5	16.7	BF	19.0	17.8	18.9	22.5	20.0	23.2	25.0	11.0	5.3	5.1	3.9	4.4	3.6	3.7	7.3	5.1	5.9	6.0	3.2	4.5	5.4	4.6	23	25.0		
6	2.7	BF	3.5	5.7	5.3	19.3	24.2	35.3	32.2	21.2	16.8	17.0	17.1	18.8	18.3	20.7	21.3	26.5	26.4	19.8	21.5	24.5	16.2	23.2	23	35.3		
7	27.4	BF	23.5	27.5	27.0	25.5	25.3	24.4	21.1	13.9	13.6	13.1	10.7	9.7	9.9	10.9	9.1	13.6	21.4	22.6	14.8	8.1	9.4	9.2	23	27.5		
8	8.1	BF	4.9	7.3	6.9	4.5	7.1	7.9	7.2	6.3	4.1	5.0	6.4	5.3	4.4	5.5	6.8	9.6	13.6	11.4	8.1	11.0	14.9	13.7	23	14.9		
9	11.5	BF	15.1	11.9	15.0	21.7	27.0	32.6	35.5	22.4	19.1	20.8	22.1	22.9	29.1	23.7	20.7	21.7	15.5	13.5	11.4	6.7	4.4	2.2	23	35.5		
10	1.4	BF	2.0	2.1	2.6	5.4	8.2	11.3	10.8	6.9	5.7	5.9	4.7	2.7	3.3	5.1	3.7	2.6	2.7	2.5	2.0	2.3	2.2	1.7	23	11.3		
11	1.5	BF	1.6	1.8	2.2	4.4	7.0	8.1	4.1	3.0	2.2	3.5	3.9	7.6	13.9	9.9	13.4	7.3	14.8	25.5	25.0	26.9	27.2	22.2	23	27.2		
12	13.5	BF	5.1	6.9	10.1	17.7	23.9	26.3	24.3	20.5	13.5	10.6	13.4	16.5	8.8	4.8	11.1	8.1	5.1	6.3	5.8	8.0	10.3	4.8	23	26.3		
13	5.0	BF	3.9	2.9	3.4	3.3	5.1	7.8	6.0	10.2	AX	AX	AX	AX	12.8	15.4	18.6	23.6	11.2	16.2	23.3	34.2	31.6	29.7	19	34.2		
14	30.4	BF	23.5	20.0	12.8	16.9	25.5	24.2	15.2	10.5	10.5	8.7	9.9	7.3	8.0	4.8	6.0	6.7	9.0	9.9	4.3	2.8	2.7	2.0	23	30.4		
15	1.7	BF	1.4	1.8	1.4	1.3	3.0	3.5	2.7	2.8	2.7	3.6	3.5	4.3	2.6	4.5	7.9	8.6	6.2	4.4	4.5	4.6	8.1	4.6	23	8.6		
16	4.0	BF	2.8	3.7	4.1	3.0	4.0	5.1	6.2	13.8	11.5	16.5	23.6	24.0	19.6	13.2	11.6	11.6	7.2	8.4	4.1	3.2	4.2	3.5	23	24.0		
17	2.6	BF	2.9	3.1	2.7	2.7	2.3	3.2	5.6	5.7	4.7	4.0	4.4	6.8	7.1	4.3	4.4	5.3	2.2	5.1	31.4	18.4	13.6	30.4	23	31.4		
18	30.6	BF	25.7	26.9	24.0	23.4	24.7	23.7	20.5	12.2	15.3	13.6	14.3	10.3	11.8	13.6	16.7	16.9	22.3	21.5	14.2	7.8	7.3	5.9	23	30.6		
19	4.2	BF	5.9	5.7	8.2	9.3	16.8	18.4	12.1	10.9	9.1	8.4	9.7	13.0	9.1	10.1	12.2	18.8	17.4	14.0	12.3	8.1	3.9	4.1	23	18.8		
20	3.2	BF	4.8	4.3	4.1	5.8	7.7	10.5	8.2	6.2	8.0	8.1	6.7	10.0	8.7	14.4	14.7	19.2	9.3	11.9	9.4	14.3	20.1	19.8	23	20.1		
21	14.7	BF	11.1	11.3	11.5	9.1	17.4	16.7	15.6	16.0	14.1	14.8	15.1	17.5	18.0	17.3	12.7	8.9	12.1	19.1	19.0	16.7	12.1	9.7	23	19.1		
22	7.7	BF	8.3	9.4	9.2	12.4	14.9	15.5	11.9	12.9	9.2	9.4	7.0	9.9	9.1	11.2	13.9	9.5	11.3	7.8	8.6	11.3	10.1	8.7	23	15.5		
23	10.9	BF	5.1	3.6	3.3	3.1	4.3	6.4	5.4	4.4	4.7	5.0	5.6	3.5	4.8	4.2	5.3	6.6	7.2	4.1	4.3	3.9	4.2	4.3	23	10.9		
24	3.4	BF	2.3	4.4	1.8	4.0	7.5	8.4	4.9	8.0	8.5	7.5	7.7	8.4	8.0	9.4	8.2	4.3	4.4	7.9	5.7	7.1	18.5	17.7	23	18.5		
25	18.9	BF	12.5	7.4	10.2	20.5	23.5	21.0	16.7	18.2	9.7	11.0	9.7	15.3	AX	AX	AX	31.8	29.8	27.1	14.6	15.7	16.4	15.8	20	31.8		
26	8.9	BF	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	7.0	6.2	6.7	13.9	8.0	8.2	4.2	11.3	20.0	30.5	29.9	12	30.5		
27	28.1	BF	25.1	23.6	23.9	25.5	26.0	24.1	24.6	14.2	8.0	9.6	11.5	11.2	10.4	7.9	6.5	4.3	4.7	7.5	8.4	5.4	5.7	5.8	23	28.1		
28	5.2	BF	4.9	4.5	5.3	4.5	7.4	6.2	3.8	4.4	4.0	3.5	3.7	2.5	3.5	3.2	3.2	3.7	3.7	4.9	5.7	6.6	7.9	9.9	23	9.9		
29																										0		
30																											0	
31																											0	
NO.:	28		27	27	27	27	27	27	27	27	26	26	26	27	27	27	27	28	28	28	28	28	28	28	28			
MAX:	30.6		25.7	27.5	27.0	26.3	27.0	35.3	35.5	25.1	20.0	20.8	23.6	24.0	29.1	23.7	21.3	31.8	30.7	28.2	31.4	34.2	31.6	30.4				
AVG:	11.39		9.90	9.89	9.66	12.15	14.65	16.17	14.42	11.70	9.87	9.58	9.92	10.57	10.07	10.28	11.41	12.88	12.28	12.52	12.02	11.99	12.47	12.13				

MONTHLY OBSERVATIONS: 626 MONTHLY MEAN: 11.67 MONTHLY MAX: 35.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk (**) indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SLAMS

REPORT FOR: MARCH 2015

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	6.0	BF	3.4	2.5	1.9	1.8	2.1	2.2	2.2	5.4	4.5	7.9	2.4	6.8	6.1	5.5	7.0	6.5	17.6	15.6	16.1	15.2	11.2	10.5	23	17.6	
2	6.3	BF	5.3	8.0	8.5	12.1	16.2	15.9	15.3	15.5	14.2	8.9	5.5	4.2	3.9	4.2	1.6	4.4	8.0	13.7	8.6	16.8	5.6	6.2	23	16.8	
3	9.8	BF	3.8	4.3	4.4	5.0	8.3	7.2	10.5	9.3	7.6	10.3	16.6	19.7	27.7	29.5	29.6	28.8	27.2	24.5	17.8	19.1	12.4	10.7	23	29.6	
4	8.5	BF	5.3	7.7	8.5	10.3	12.8	15.9	16.1	17.8	11.9	10.2	8.7	9.7	10.3	10.0	9.6	10.3	15.6	11.9	10.0	12.1	7.6	6.6	23	17.8	
5	5.1	BF	3.3	3.6	5.1	12.0	15.7	15.8	13.5	11.0	8.5	5.6	5.4	4.5	4.3	6.4	4.6	3.2	2.5	1.9	1.3	1.3	1.4	1.8	23	15.8	
6	1.6	BF	1.4	1.4	1.5	2.0	2.3	2.4	3.2	2.9	2.9	3.3	3.0	3.9	4.5	4.5	6.3	1.9	3.6	5.2	10.0	12.5	13.8	15.3	23	15.3	
7	17.2	BF	24.4	24.3	24.3	22.9	22.6	18.9	14.5	11.8	8.8	10.3	8.3	10.0	9.0	9.0	11.9	14.7	20.3	21.1	21.2	16.7	13.1	7.9	23	24.4	
8	6.4	BF	8.6	9.7	17.6	14.9	7.4	9.6	13.1	9.8	9.0	7.8	7.6	7.5	6.2	7.6	10.3	16.7	4.7	6.5	13.3	10.8	15.2	15.4	23	17.6	
9	16.6	BF	15.2	12.6	21.0	31.9	31.6	23.8	28.6	26.4	24.8	23.6	24.2	24.9	26.7	22.1	24.8	24.2	23.4	28.7	19.8	17.9	31.0	28.2	23	31.9	
10	26.4	BF	15.7	15.2	14.1	20.3	29.6	28.1	31.4	22.3	17.7	14.3	14.6	12.0	BA	15.1	17.5	18.7	24.2	22.7	13.2	10.9	7.9	8.4	22	31.4	
11	5.2	BF	6.5	5.8	10.4	15.9	18.5	13.9	BC	BC	BC	BC	BC	BC	BC	9.4	4.7	4.7	7.1	13.3	16.2	15.1	12.4	18.4	16	18.5	
12	13.2	BF	5.2	4.2	4.5	3.7	12.2	7.5	6.7	5.4	3.7	2.6	3.1	3.2	2.3	4.2	4.1	5.7	5.9	12.0	9.4	7.1	4.5	3.9	23	13.2	
13	3.7	BF	2.0	2.1	3.8	12.4	12.2	11.9	12.9	13.4	14.0	7.6	9.6	7.7	9.4	7.9	6.9	8.3	9.1	8.0	5.2	4.2	6.1	3.5	23	14.0	
14	3.9	BF	3.0	2.9	3.5	4.8	7.6	6.3	8.5	15.5	14.5	16.5	15.3	8.4	9.3	6.1	6.1	6.4	5.3	7.5	8.3	8.4	11.1	9.2	23	16.5	
15	7.3	BF	7.5	7.2	4.4	3.8	8.7	9.0	6.1	4.6	7.0	9.0	5.9	5.6	7.3	8.2	5.8	8.5	9.4	3.7	3.7	11.5	8.4	16.4	23	16.4	
16	18.3	BF	25.8	24.6	23.8	20.9	22.6	22.7	32.1	27.4	20.6	16.6	16.2	14.8	16.1	17.2	20.2	30.9	30.2	21.2	21.3	21.9	29.2	25.6	23	32.1	
17	28.8	BF	27.2	27.0	32.4	28.7	29.9	26.0	33.9	26.8	16.3	14.7	11.4	13.2	11.2	8.8	4.9	6.1	5.8	6.9	7.0	4.8	2.5	1.9	23	33.9	
18	.9	BF	1.3	.8	1.2	5.6	5.8	5.4	6.3	8.5	9.2	14.3	8.0	10.6	8.6	9.1	21.2	28.3	19.1	11.0	24.2	34.5	20.6	15.0	23	34.5	
19	9.7	BF	7.5	11.7	19.4	15.6	29.2	19.5	20.5	12.5	9.5	8.7	16.2	16.5	28.1	18.8	7.3	6.0	5.4	5.0	3.9	5.2	3.6	2.8	23	29.2	
20	4.2	BF	7.3	10.3	5.8	12.5	7.3	6.9	6.5	7.3	7.5	13.3	14.4	10.1	15.2	20.0	16.1	13.2	10.4	6.0	7.1	7.6	6.9	4.1	23	20.0	
21	4.7	BF	7.3	4.4	3.8	2.7	5.1	9.4	9.2	10.3	7.3	7.9	5.2	6.5	8.4	10.7	12.7	14.2	12.6	7.7	8.2	6.9	5.4	7.5	23	14.2	
22	3.7	BF	2.9	6.0	4.1	4.9	6.1	5.4	5.6	10.8	7.0	3.9	7.4	7.8	8.5	8.4	5.4	5.7	4.5	5.2	6.9	8.3	8.0	5.8	23	10.8	
23	4.7	BF	1.9	1.6	2.4	5.5	5.7	6.3	5.6	4.4	5.2	2.8	3.0	3.9	7.5	5.7	4.7	3.2	5.5	3.9	3.8	5.8	7.9	4.3	23	7.9	
24	4.6	BF	3.3	6.0	2.5	7.6	13.9	18.4	13.7	10.6	14.0	19.8	15.1	12.5	13.0	19.1	21.4	20.1	7.7	10.0	8.3	5.7	4.8	2.4	23	21.4	
25	3.0	BF	2.6	2.7	5.5	6.5	6.9	7.1	10.4	BF	BF	BF	12.3	13.8	15.7	17.1	17.9	4.3	5.2	5.0	12.1	8.1	7.9	10.6	20	17.9	
26	8.2	BF	4.7	6.1	11.9	18.1	22.4	21.9	17.8	11.8	12.2	13.4	11.7	11.7	12.6	12.5	10.6	12.2	20.0	17.9	11.7	11.5	9.9	7.1	23	22.4	
27	6.6	BF	5.6	9.0	4.2	2.4	1.8	2.2	3.1	3.8	2.5	2.7	1.8	2.9	3.0	3.8	2.8	2.8	3.2	3.5	3.9	3.2	3.9	8.0	23	9.0	
28	11.0	BF	2.2	2.8	2.8	3.6	11.0	4.8	6.4	3.7	5.8	5.7	5.2	4.4	6.6	5.5	6.1	2.9	1.4	1.9	3.3	3.0	4.6	2.2	23	11.0	
29	1.2	BF	1.8	4.1	4.8	10.0	21.6	9.6	3.4	4.5	5.8	6.2	5.4	5.3	5.6	7.1	9.7	13.1	11.0	8.4	20.6	21.8	16.6	6.6	23	21.8	
30	6.1	BF	4.7	9.4	11.9	14.9	17.0	20.3	16.5	24.6	20.7	14.6	11.5	11.3	14.7	15.6	14.5	19.2	21.8	7.2	15.7	12.1	24.2	25.0	23	25.0	
31	26.3	BF	19.5	18.1	17.2	16.8	15.6	21.8	29.9	23.3	15.8	14.0	14.4	13.9	14.7	12.0	9.4	11.0	12.9	12.4	10.9	11.8	10.3	10.8	23	29.9	
NO.:	31		31	31	31	31	31	31	30	29	29	29	30	30	29	31	31	31	31	31	31	31	31	31	31		
MAX:	28.8		27.2	27.0	32.4	31.9	31.6	28.1	33.9	27.4	24.8	23.6	24.2	24.9	28.1	29.5	29.6	30.9	30.2	28.7	24.2	34.5	31.0	28.2			
AVG:	9.01		7.62	8.26	9.26	11.29	13.86	12.78	13.45	12.46	10.64	10.22	9.65	9.58	10.91	11.00	10.83	11.49	11.63	10.63	11.06	11.35	10.58	9.75			

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: 10.75 MONTHLY MAX: 34.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	7.3	BF	3.1	9.0	6.2	4.4	5.8	4.5	4.7	3.5	4.2	2.6	3.7	3.8	4.3	6.8	4.6	1.6	5.0	4.5	3.6	5.9	11.5	11.1	23	11.5	
2	8.6	BF	11.3	14.3	5.8	14.9	11.6	22.3	26.5	14.6	13.7	13.0	14.7	13.6	14.7	12.4	17.6	16.6	17.5	16.6	9.9	7.7	7.1	5.3	23	26.5	
3	4.5	BF	4.4	4.0	7.2	15.2	16.7	14.3	12.1	9.6	10.0	9.3	6.6	9.0	9.2	11.4	7.9	10.8	8.9	12.5	8.2	7.3	6.6	3.2	23	16.7	
4	2.7	BF	2.2	2.3	4.8	6.3	3.9	2.9	4.5	4.0	3.8	2.5	3.0	2.6	1.2	3.0	1.0	1.1	1.0	1.5	1.7	4.3	10.7	19.9	23	19.9	
5	9.2	BF	15.7	12.4	12.0	14.0	17.5	18.3	8.6	7.1	5.5	5.8	5.0	5.4	5.7	6.9	8.8	12.8	12.5	6.8	8.3	19.5	13.4	10.8	23	19.5	
6	8.8	BF	2.1	2.2	9.6	15.1	22.7	29.6	22.3	16.2	15.9	12.5	13.6	14.7	11.8	15.2	15.2	16.2	19.1	20.3	12.2	10.6	6.2	4.9	23	29.6	
7	4.2	BF	13.2	16.0	19.3	23.4	23.9	23.0	20.3	17.4	14.3	18.9	22.8	23.9	21.3	20.0	15.5	16.7	18.8	13.0	11.5	12.4	14.3	13.9	23	23.9	
8	9.0	BF	7.7	8.8	12.4	18.4	16.7	11.8	16.9	BF	BF	BF	BF	11.1	13.1	15.7	17.4	21.4	11.9	7.2	4.7	4.3	3.7	4.6	19	21.4	
9	3.0	BF	3.8	3.5	5.4	7.4	8.1	9.7	9.6	8.4	7.1	5.9	7.0	6.6	3.4	3.4	4.5	7.8	11.9	11.9	8.5	20.0	5.1	12.9	23	20.0	
10	9.2	BF	7.5	6.4	6.5	12.7	14.2	13.5	12.7	12.0	12.2	8.9	10.5	7.4	9.6	10.8	10.3	10.9	9.6	8.3	10.8	7.6	7.3	9.6	23	14.2	
11	6.9	BF	2.1	1.1	1.7	1.9	3.5	3.9	3.6	3.2	4.2	5.6	5.5	6.2	5.3	5.8	5.0	1.6	1.1	1.5	1.6	2.4	4.3	13.5	23	13.5	
12	15.8	BF	7.7	6.3	3.2	2.2	5.1	6.4	6.1	5.4	2.7	6.7	6.0	7.7	9.3	9.7	11.1	10.9	1.6	4.1	3.0	8.7	10.3	2.6	23	15.8	
13	2.3	BF	1.4	1.9	2.9	3.6	8.1	18.7	27.3	22.3	17.7	13.4	14.4	13.1	15.2	17.2	19.2	16.4	13.7	13.2	11.4	13.2	11.2	3.2	23	27.3	
14	4.5	BF	9.9	2.3	14.1	20.8	27.0	20.4	16.2	16.0	12.2	12.3	13.2	14.3	15.4	17.6	17.7	12.6	12.7	11.2	3.6	2.5	1.4	1.2	23	27.0	
15	1.1	BF	1.1	.9	1.7	3.3	3.8	7.6	5.6	7.3	9.3	8.5	7.7	8.0	13.0	10.5	6.9	13.2	17.5	15.7	11.4	8.7	5.6	2.9	23	17.5	
16	3.8	BF	3.6	3.3	3.4	7.3	8.6	7.4	8.2	6.1	7.9	4.8	5.2	3.4	4.6	7.2	5.1	4.6	6.6	2.4	3.1	3.5	4.4	6.5	23	8.6	
17	3.1	BF	4.6	3.2	2.4	4.1	6.6	11.8	9.6	12.9	17.4	17.3	15.4	12.5	16.5	12.0	13.1	16.8	17.3	14.1	9.5	7.9	9.8	8.3	23	17.4	
18	8.2	BF	5.2	3.7	3.5	2.7	3.0	10.9	8.7	7.0	7.0	8.4	8.3	8.0	5.0	1.4	9.0	7.8	6.6	11.9	8.0	8.1	5.5	7.7	23	11.9	
19	6.6	BF	2.8	1.5	2.2	2.0	3.0	5.0	7.7	6.5	4.3	6.4	6.3	7.4	7.4	6.2	8.7	8.3	7.5	7.3	4.5	6.4	4.5	4.6	23	8.7	
20	2.8	BF	3.2	8.7	12.9	16.8	18.5	12.6	11.8	10.9	10.9	11.4	11.6	13.3	17.7	15.5	15.6	16.6	13.3	15.3	11.1	8.4	5.1	4.5	23	18.5	
21	5.7	BF	11.8	11.2	11.9	4.5	17.6	19.2	15.6	11.5	9.8	13.8	10.6	15.3	14.7	14.7	15.3	15.4	21.2	7.2	15.6	26.0	27.9	21.4	23	27.9	
22	18.3	BF	14.1	12.3	11.5	14.1	20.4	18.7	16.9	15.5	15.8	BF	BF	BF	BF	13.8	15.1	15.5	20.5	24.1	17.5	18.8	19.4	20.3	19	24.1	
23	12.9	BF	4.5	2.5	1.8	3.8	8.0	9.8	8.4	13.0	14.7	13.0	13.1	13.1	16.1	12.7	14.9	14.9	12.7	7.3	13.5	14.9	7.8	2.6	23	16.1	
24	1.6	BF	3.0	5.4	13.7	20.0	17.6	12.8	8.7	9.4	10.7	11.7	9.3	20.5	13.5	13.3	13.7	22.9	22.1	8.7	23.1	34.5	32.0	18.2	23	34.5	
25	26.3	BF	10.2	9.9	12.3	19.4	14.7	14.7	19.0	17.9	18.3	14.1	18.5	22.0	9.3	11.5	3.6	3.1	2.3	2.8	2.0	2.9	3.1	1.8	23	26.3	
26	1.4	BF	.7	.9	.8	1.7	2.6	1.3	1.7	1.8	3.5	1.7	2.0	2.0	2.1	1.8	1.5	1.6	1.6	1.2	1.6	7.1	11.6	7.2	23	11.6	
27	8.4	BF	5.8	6.5	6.6	5.9	9.2	15.9	13.0	10.6	7.6	7.5	9.6	9.5	11.3	12.4	7.5	5.1	3.1	3.5	2.7	2.7	3.2	6.9	23	15.9	
28	8.2	BF	12.5	8.5	9.5	9.4	9.9	8.5	8.1	5.9	5.8	8.0	8.0	10.1	9.4	3.3	3.3	2.8	2.4	5.4	23.7	26.6	23.3	20.7	23	26.6	
29	18.7	BF	14.0	10.9	9.8	10.5	7.9	11.5	27.9	28.0	18.4	13.9	16.3	13.4	25.5	27.2	28.9	24.5	21.1	17.2	16.4	18.0	13.9	10.0	23	28.9	
30	6.3	BF	8.7	5.4	9.6	17.4	14.9	18.7	11.1	19.1	14.4	13.7	10.7	14.8	17.4	20.5	15.9	11.0	5.6	15.8	8.1	5.2	10.7	9.2	23	20.5	
31																										0	
NO.:	30		30	30	30	30	30	30	30	29	29	28	28	29	29	30	30	30	30	30	30	30	30	30	30		
MAX:	26.3		15.7	16.0	19.3	23.4	27.0	29.6	27.9	28.0	18.4	18.9	22.8	23.9	25.5	27.2	28.9	24.5	22.1	24.1	23.7	34.5	32.0	21.4			
AVG:	7.65		6.60	6.18	7.49	10.11	11.70	12.86	12.45	11.14	10.32	9.70	9.95	10.78	11.14	11.33	11.13	11.38	11.04	9.75	9.03	10.87	10.03	8.98			

MONTHLY OBSERVATIONS: 682 MONTHLY MEAN: 10.07 MONTHLY MAX: 34.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	10.9	BF	11.7	9.7	7.0	8.5	10.6	5.9	6.5	8.4	7.6	6.2	4.2	3.1	4.5	2.5	1.1	1.1	1.9	1.1	4.9	11.9	12.9	9.6	23	12.9	
2	8.0	BF	7.0	7.4	6.2	7.7	7.4	9.1	5.0	2.6	5.1	2.5	2.7	2.9	2.4	1.5	4.4	.5	.5	1.2	12.8	19.8	14.8	11.7	23	19.8	
3	10.5	BF	6.3	6.3	4.8	4.6	3.2	5.7	7.3	6.2	7.9	4.4	6.0	7.3	6.2	6.1	10.4	15.8	2.7	3.5	5.1	8.2	11.9	11.4	23	15.8	
4	5.6	BF	1.6	2.7	6.4	9.0	25.1	22.7	20.2	16.1	16.4	14.1	13.2	18.8	21.7	18.4	17.5	17.3	19.4	6.6	14.4	8.4	8.2	6.8	23	25.1	
5	8.3	BF	17.4	16.8	16.9	17.1	26.6	21.6	16.0	15.2	14.1	14.9	13.8	15.5	15.6	17.3	13.7	17.2	21.1	8.3	11.3	15.1	10.8	4.7	23	26.6	
6	6.9	BF	6.7	15.7	20.4	18.8	13.9	23.2	21.9	15.9	13.7	BF	BF	BF	BA	14.9	14.9	12.2	5.1	4.8	3.0	3.3	5.0	4.4	19	23.2	
7	2.9	BF	2.6	4.4	3.5	3.1	4.6	8.6	7.0	5.7	5.1	2.6	4.5	3.2	3.7	3.9	2.2	2.2	4.0	8.8	5.8	5.0	5.6	3.5	23	8.8	
8	2.1	BF	1.6	1.7	2.2	3.7	7.0	8.6	6.9	4.0	4.2	3.4	3.7	4.1	4.8	4.0	3.0	3.6	4.4	4.6	4.3	3.9	4.5	4.0	23	8.6	
9	2.0	BF	2.6	1.0	.9	2.1	2.8	1.5	1.7	.7	1.1	1.5	2.5	2.5	2.3	3.9	9.7	7.6	5.0	3.9	4.1	2.6	2.6	1.9	23	9.7	
10	1.1	BF	1.1	1.3	.8	3.3	1.0	2.0	1.3	1.5	3.0	2.9	4.2	3.6	3.3	4.2	2.9	1.4	1.3	2.3	1.7	1.1	.5	1.5	23	4.2	
11	1.0	BF	1.5	3.3	8.9	12.5	11.7	13.9	14.2	10.9	12.1	10.9	10.3	11.3	12.1	15.2	16.4	18.0	8.6	7.9	10.3	9.1	7.7	5.9	23	18.0	
12	5.4	BF	9.4	9.8	11.6	15.0	12.0	10.7	10.5	11.9	14.2	17.3	12.4	14.6	15.4	12.8	12.2	21.4	16.2	16.9	16.1	14.7	17.7	17.3	23	21.4	
13	8.2	BF	5.3	4.6	4.5	3.5	6.9	12.5	11.1	5.8	6.3	8.7	7.2	12.0	9.2	5.3	5.3	2.9	2.8	2.1	5.1	7.4	7.0	3.4	23	12.5	
14	2.2	BF	1.9	3.0	3.6	4.8	4.8	4.4	3.8	6.4	7.3	4.3	7.4	4.8	6.0	4.8	2.4	1.5	1.6	3.2	6.4	5.4	5.8	8.0	23	8.0	
15	8.3	BF	3.2	2.4	6.2	12.5	19.2	23.5	19.6	19.2	17.9	22.1	17.0	15.5	18.2	14.4	15.1	14.7	15.2	9.1	7.3	12.6	13.4	10.1	23	23.5	
16	8.9	BF	7.3	10.6	10.6	21.4	16.3	12.7	9.2	8.6	8.8	8.2	7.8	9.3	9.1	9.0	9.7	10.2	10.0	10.3	9.3	11.1	9.8	8.3	23	21.4	
17	5.3	BF	7.2	5.3	7.5	10.9	9.5	6.3	6.7	6.8	8.5	5.6	7.1	6.9	7.8	7.3	8.6	11.8	7.2	6.9	5.0	6.5	8.5	9.8	23	11.8	
18	5.3	BF	7.1	11.0	13.6	19.3	19.1	16.3	15.7	13.7	16.6	13.6	12.1	11.9	12.9	13.9	12.9	15.9	17.4	6.1	10.1	9.2	6.7	6.0	23	19.3	
19	6.3	BF	9.0	10.4	14.8	18.8	16.9	14.7	14.7	16.5	12.7	13.2	7.3	15.9	12.0	12.7	5.7	4.8	8.6	5.7	9.1	10.7	7.4	6.5	23	18.8	
20	6.1	BF	8.3	6.6	6.0	5.1	4.2	7.1	8.1	4.3	BF	BF	BF	BA	17.9	17.8	8.4	1.4	2.4	4.1	6.4	6.8	9.5	4.5	19	17.9	
21	8.2	BF	7.6	10.8	14.1	18.5	23.4	6.8	4.5	12.2	19.5	7.4	11.0	7.8	6.6	4.5	4.2	3.0	2.6	1.8	2.9	2.9	3.9	2.3	23	23.4	
22	3.9	BF	3.9	3.6	4.5	4.7	9.9	11.0	9.0	5.3	5.2	6.5	4.8	4.4	9.0	7.6	5.1	10.7	8.2	5.2	21.8	34.8	30.2	28.6	23	34.8	
23	23.9	BF	15.3	13.6	12.7	9.5	6.0	5.7	5.5	2.7	2.5	3.0	2.5	5.4	9.7	5.2	5.2	3.3	1.7	2.6	3.9	5.7	5.4	10.1	23	23.9	
24	5.8	BF	2.2	2.9	2.5	2.7	3.9	5.7	5.8	7.3	6.4	6.5	4.7	5.5	7.9	5.8	6.7	9.1	7.0	1.9	3.6	8.6	7.9	6.0	23	9.1	
25	7.2	BF	3.3	1.9	2.6	2.8	10.7	9.8	6.2	6.4	6.0	7.8	6.8	6.7	6.3	6.4	9.7	7.8	9.8	2.9	3.3	9.9	6.3	4.7	23	10.7	
26	4.7	BF	9.2	15.5	11.1	25.3	22.6	18.7	14.7	12.1	12.5	12.8	12.0	11.8	13.7	13.0	14.0	14.6	13.3	10.4	7.0	4.3	3.8	3.3	23	25.3	
27	4.1	BF	7.1	9.2	9.1	12.8	12.7	11.4	11.6	9.8	9.0	11.3	13.0	16.5	15.3	13.1	13.8	12.9	5.0	7.2	12.3	11.2	9.2	23	16.5		
28	7.9	BF	10.0	8.7	9.1	13.2	15.4	16.2	15.8	17.8	15.9	14.8	15.8	13.7	13.4	22.6	12.9	9.1	4.0	5.8	10.6	5.8	7.1	5.8	23	22.6	
29	6.9	BF	5.4	7.4	12.5	14.0	15.3	19.7	19.9	17.2	12.4	11.6	11.9	15.5	13.5	12.2	13.9	13.5	9.5	6.1	4.9	12.2	14.3	6.5	23	19.9	
30	4.8	BF	2.7	3.1	5.0	5.1	5.0	9.2	6.0	8.6	7.8	6.5	5.3	6.3	5.4	7.6	6.7	10.1	7.8	3.4	7.2	5.0	4.7	5.1	23	10.1	
31	5.1	BF	5.2	3.7	5.3	7.0	5.8	3.5	3.7	4.0	4.6	4.1	4.0	5.2	4.8	7.1	5.2	8.2	8.9	2.8	5.2	6.9	3.2	3.2	23	8.9	
NO.:	31		31	31	31	31	31	31	31	31	30	29	29	29	30	31	31	31	31	31	31	31	31	31	31		
MAX:	23.9		17.4	16.8	20.4	25.3	26.6	23.5	21.9	19.2	19.5	22.1	17.0	18.8	21.7	22.6	17.5	21.4	21.1	16.9	21.8	34.8	30.2	28.6			
AVG:	6.38		6.15	6.92	7.90	10.24	11.40	11.25	10.00	9.15	9.48	8.58	8.11	9.03	9.70	9.59	8.81	9.18	7.78	5.33	7.42	9.07	8.65	7.23			

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 8.58 MONTHLY MAX: 34.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	6.5	2 BF	7.8	10.5	12.0	15.5	16.4	14.9	13.3	17.1	13.7	15.0	15.9	14.6	17.3	14.5	16.0	18.3	15.3	12.6	11.0	7.3	13.8	13.4	23	18.3
2	8.4	2 BF	5.8	9.1	11.3	17.6	18.3	15.7	12.3	14.1	14.2	12.3	13.5	11.7	13.5	16.2	10.9	12.9	3.3	6.0	4.8	7.8	7.3	4.5	23	18.3
3	3.9	2 BF	4.1	7.7	6.5	9.1	11.7	10.2	10.1	11.1	11.2	9.4	8.4	12.6	13.7	10.9	9.3	10.3	9.8	9.6	8.6	8.1	7.3	3.6	23	13.7
4	3.8	2 BF	5.0	4.9	3.0	5.1	5.7	2.9	3.2	3.6	4.1	5.9	3.1	4.5	4.2	3.3	4.2	3.9	4.1	6.3	5.8	7.1	5.1	3.9	23	7.1
5	5.3	2 BF	4.6	3.1	2.7	4.8	4.9	4.3	6.0	5.1	5.4	5.5	5.6	5.2	4.2	5.6	5.6	5.6	2.0	3.1	7.1	3.8	2.7	4.6	23	7.1
6	4.8	2 BF	2.8	5.3	9.9	10.1	12.9	11.7	11.2	9.8	9.7	9.5	9.9	11.3	13.1	13.0	13.0	11.3	13.7	14.9	8.0	5.4	7.0	9.6	23	14.9
7	9.0	2 BF	3.1	6.0	10.8	15.1	13.6	13.5	15.1	AX	AX	AX	BA	14.2	12.9	13.8	16.8	13.4	14.8	6.9	11.7	9.7	7.7	6.5	19	16.8
8	6.7	2 BF	5.4	8.6	12.6	17.6	15.1	12.8	13.5	13.9	11.8	14.8	13.0	12.9	15.2	17.0	15.4	15.6	7.6	3.8	8.1	8.1	11.5	7.4	23	17.6
9	5.5	2 BF	7.6	7.2	8.3	8.1	10.1	14.0	13.9	15.6	14.1	13.3	12.0	AE	13.5	11.2	12.5	16.5	14.5	5.6	11.9	11.7	12.5	8.4	22	16.5
10	6.6	2 BF	6.2	10.8	9.7	13.2	13.1	16.4	16.8	13.2	8.8	6.7	8.5	13.9	16.3	14.7	15.7	17.4	13.0	4.6	6.6	8.3	16.4	15.3	23	17.4
11	12.8	2 BF	7.3	7.0	7.9	6.3	8.2	9.6	7.7	5.2	6.6	4.0	2.6	2.3	4.2	1.5	1.3	.6	.8	.8	.8	1.0	1.1	5.1	23	12.8
12	1.1	2 BF	1.0	1.2	1.0	1.3	3.4	2.1	2.3	2.0	1.3	2.1	1.6	2.2	1.4	.6	1.2	.8	.7	1.9	3.1	2.3	3.2	4.2	23	4.2
13	3.6	2 BF	6.6	5.4	2.7	10.4	12.2	18.4	19.4	14.9	11.9	12.7	10.1	7.2	4.4	4.2	9.8	AE	11.1	11.8	12.0	10.1	8.3	9.4	22	19.4
14	7.3	2 BF	8.0	10.3	13.4	19.2	15.8	14.5	14.3	13.1	12.9	13.3	11.9	10.8	15.0	15.2	14.0	13.3	11.4	11.8	7.9	8.8	8.3	5.6	23	19.2
15	4.7	2 BF	9.2	9.6	12.1	21.8	17.1	13.6	9.8	11.6	10.4	8.5	8.7	5.3	15.4	8.3	3.7	11.8	9.9	2.5	2.1	3.9	5.3	4.2	23	21.8
16	4.3	2 BF	5.2	3.2	2.2	7.1	7.6	7.0	6.4	4.9	2.5	2.3	3.0	2.7	2.8	3.3	2.3	1.9	2.1	1.6	1.5	2.7	4.4	3.4	23	7.6
17	1.8	2 BF	1.6	2.1	2.8	9.9	7.7	12.1	9.2	8.9	11.6	7.3	9.1	6.5	8.3	10.6	7.4	10.9	9.4	8.2	7.7	8.5	9.1	11.1	23	12.1
18	9.7	2 BF	7.2	7.2	9.1	13.9	15.8	10.6	9.3	9.0	6.8	7.4	8.2	7.6	9.6	7.5	9.5	7.8	9.4	11.0	8.6	5.8	8.5	6.5	23	15.8
19	4.5	2 BF	5.5	4.0	3.9	5.8	5.5	6.2	5.6	5.3	4.6	5.2	6.5	5.5	5.1	6.6	8.4	7.5	5.5	6.4	7.9	5.6	5.8	5.1	23	8.4
20	6.9	2 BF	4.0	8.7	11.7	13.5	12.5	14.3	13.1	10.6	14.8	11.8	17.6	16.2	15.7	17.1	16.5	15.7	16.2	9.8	11.4	11.9	6.5	7.1	23	17.6
21	5.3	2 BF	9.2	12.3	22.7	21.0	20.3	19.7	17.5	AX	AX	AX	AX	BA	11.6	10.4	12.4	15.9	7.6	4.6	14.6	13.7	9.5	11.9	18	22.7
22	13.2	2 BF	12.6	11.0	11.1	5.5	6.0	6.0	4.0	3.4	5.5	4.7	2.6	6.2	10.2	7.4	1.5	5.5	3.5	2.7	3.8	5.4	6.0	5.8	23	13.2
23	5.3	2 BF	3.1	3.2	2.9	9.4	10.4	7.6	9.9	8.8	6.1	6.8	6.0	6.0	4.7	4.0	4.7	7.0	10.1	3.4	4.2	3.3	3.5	2.0	23	10.4
24	1.5	2 BF	1.2	3.1	5.0	4.5	4.9	3.8	6.9	4.7	5.7	5.4	2.2	3.5	2.5	3.2	1.3	2.1	1.2	2.1	2.6	4.5	6.3	9.5	23	9.5
25	6.1	2 BF	9.4	11.7	10.4	5.8	5.4	9.2	9.7	6.6	7.0	7.3	5.8	5.0	7.5	6.1	9.3	8.0	4.2	2.5	3.7	3.7	4.0	4.0	23	11.7
26	4.4	2 BF	4.5	3.7	3.6	3.1	2.7	6.0	6.2	8.3	5.0	6.0	7.2	7.5	8.1	5.4	9.2	5.5	4.9	4.3	3.9	4.9	7.7	7.2	23	9.2
27	5.8	2 BF	6.6	5.4	7.2	13.8	14.3	18.7	17.5	14.6	10.5	11.6	14.6	10.3	5.4	6.7	11.3	9.9	3.2	4.2	5.7	6.0	9.3	7.7	23	18.7
28	5.8	2 BF	3.1	3.6	7.9	9.7	11.1	14.3	15.9	14.1	14.7	12.8	13.2	11.6	15.6	15.2	5.3	4.2	5.5	6.8	4.1	4.2	6.1	4.8	23	15.9
29	7.7	2 BF	7.0	9.2	12.1	18.7	16.5	17.5	14.4	15.2	13.6	13.1	11.3	12.3	11.2	11.9	9.8	7.2	4.2	4.0	6.6	4.5	5.0	6.3	23	18.7
30	4.2	2 BF	3.9	5.4	10.3	16.6	15.8	17.9	14.5	13.4	12.1	14.3	14.8	13.0	15.2	17.6	6.4	5.5	3.1	4.6	4.2	5.6	11.0	11.6	23	17.9
31	7.5	2 BF	6.4	5.1	3.5	5.8	9.6	9.6	7.9	3.3	3.2	3.3	6.4	7.5	6.8	5.3	2.3	1.8	1.5	1.5	2.3	3.5	7.8	5.7	23	9.6
NO.:	31		31	31	31	31	31	31	29	29	29	29	29	29	31	31	31	30	31	31	31	31	31	31		
MAX:	13.2		12.6	12.3	22.7	21.8	20.3	19.7	19.4	17.1	14.8	15.0	17.6	16.2	17.3	17.6	16.8	18.3	16.2	14.9	14.6	13.7	16.4	15.3		
AVG:	5.94		5.65	6.63	8.07	10.95	11.12	11.45	10.87	9.70	8.96	8.70	8.73	8.62	9.83	9.30	8.61	8.94	7.21	5.80	6.53	6.36	7.35	6.95		

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: 8.35 MONTHLY MAX: 22.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	10.1	BF	20.8	18.2	14.0	15.9	12.9	16.6	19.1	12.5	6.1	5.9	8.2	7.8	8.2	8.7	10.5	11.8	6.5	2.1	6.6	16.7	27.1	23.7	23	27.1	
2	14.9	BF	3.0	2.9	1.5	1.7	2.6	2.3	1.0	2.2	1.7	1.7	2.9	3.0	4.5	4.3	4.8	1.0	1.0	1.4	1.3	5.3	3.8	8.5	23	14.9	
3	12.8	BF	10.6	14.9	13.6	18.4	18.4	17.4	14.6	15.0	11.2	13.1	12.6	12.8	14.2	13.8	13.4	15.7	17.8	13.9	9.0	6.5	5.7	4.7	23	18.4	
4	4.4	BF	6.0	7.3	11.0	12.6	12.7	11.4	13.1	AX	AX	AX	BA	12.4	15.2	10.8	13.8	13.8	7.6	8.1	11.6	7.6	5.8	5.3	19	15.2	
5	7.3	BF	12.7	12.7	9.3	13.9	10.8	12.3	13.0	12.7	12.2	18.1	15.0	17.6	16.2	15.6	17.9	19.1	17.2	5.3	18.0	15.1	11.6	3.8	23	19.1	
6	1.9	BF	2.2	2.1	3.1	13.6	24.9	24.2	19.0	23.9	16.3	16.3	13.4	18.8	3.6	7.8	8.6	11.4	15.8	12.0	6.1	13.0	7.8	5.4	23	24.9	
7	6.8	BF	6.5	5.8	11.0	13.9	12.2	5.8	6.7	4.2	7.6	6.5	5.4	4.7	8.6	10.0	5.0	5.4	3.7	3.2	3.1	2.9	1.8	1.6	23	13.9	
8	1.3	BF	1.1	1.1	1.6	1.4	1.7	2.4	4.0	2.3	2.3	1.1	.9	1.4	1.3	.7	1.8	.9	.9	1.3	1.8	2.0	2.2	3.4	23	4.0	
9	4.9	BF	3.9	4.7	4.4	3.1	2.9	4.8	6.0	6.0	3.8	6.7	6.0	2.0	4.9	9.0	7.3	7.7	5.1	2.0	3.6	4.4	4.0	4.2	23	9.0	
10	5.7	BF	6.0	9.1	15.6	19.4	17.5	15.6	14.8	14.4	15.7	13.6	14.9	14.5	12.6	13.2	14.3	14.9	16.1	16.8	12.7	12.0	6.5	6.7	23	19.4	
11	4.8	BF	4.4	6.5	10.1	13.0	12.2	15.6	13.9	15.5	20.8	19.2	17.4	12.2	15.0	12.3	18.6	14.2	17.1	17.2	16.0	15.4	13.5	9.3	23	20.8	
12	7.9	BF	9.8	6.9	7.0	7.9	10.9	8.5	4.6	2.5	4.0	3.2	4.3	3.4	4.4	7.8	2.4	2.0	2.1	2.4	3.0	6.4	18.4	17.5	23	18.4	
13	16.2	BF	13.5	10.0	11.8	10.5	9.1	8.6	9.7	11.7	17.0	13.4	6.7	17.9	2.1	6.4	2.1	3.0	3.3	7.3	5.3	6.8	14.2	6.7	23	17.9	
14	3.2	BF	12.3	1.9	2.7	4.7	10.5	11.9	17.2	15.7	14.3	14.3	10.9	7.0	4.0	2.8	2.6	2.2	2.3	3.6	6.7	5.8	5.2	11.4	23	17.2	
15	8.9	BF	5.4	8.0	9.4	10.2	12.8	12.5	10.9	12.5	10.0	5.4	4.8	7.1	6.5	3.5	2.3	1.3	.9	2.6	5.8	5.5	4.9	5.8	23	12.8	
16	6.6	BF	2.6	3.4	3.8	5.2	7.0	7.4	5.6	6.2	5.8	4.9	4.0	6.9	1.6	1.7	2.2	1.5	2.3	6.4	12.1	6.9	5.8	10.4	23	12.1	
17	9.8	BF	5.8	6.6	6.5	18.3	21.2	20.4	15.6	12.5	14.8	9.6	6.2	8.4	10.4	10.1	5.2	12.7	17.6	19.3	14.2	13.9	11.0	9.7	23	21.2	
18	6.1	BF	7.8	7.9	15.8	14.5	16.0	23.8	AX	AX	BA	20.3	18.0	17.2	14.0	9.8	8.3	12.2	8.5	10.1	10.1	8.5	7.5	6.1	20	23.8	
19	5.3	BF	6.0	6.1	10.8	19.2	13.4	13.0	11.2	12.2	11.1	12.3	11.5	12.0	14.3	12.7	10.3	14.5	14.1	6.3	10.0	12.5	7.4	7.4	23	19.2	
20	7.3	BF	5.8	6.9	7.0	13.2	14.0	10.9	12.3	10.8	11.2	12.4	15.5	11.6	12.9	10.1	10.4	12.5	14.7	7.2	7.6	10.9	13.1	9.0	23	15.5	
21	7.3	BF	5.1	6.1	6.1	8.2	10.5	9.3	3.9	4.8	4.1	6.1	2.7	3.7	5.0	2.9	1.9	2.3	2.5	3.1	5.5	4.5	3.9	4.6	23	10.5	
22	3.1	BF	1.4	1.4	2.1	2.9	2.7	4.4	3.3	5.6	6.1	4.1	4.6	1.8	5.8	2.1	2.9	1.3	1.0	2.2	3.4	3.6	4.3	3.7	23	6.1	
23	7.6	BF	4.4	3.7	8.5	8.6	6.3	7.7	11.8	6.4	6.1	5.2	7.4	9.5	9.8	9.9	8.4	13.5	11.8	3.3	4.5	7.6	9.1	9.2	23	13.5	
24	5.5	BF	11.0	7.0	8.9	19.1	28.1	25.0	19.9	18.6	19.8	19.0	16.1	5.8	21.4	20.2	15.1	10.4	7.4	6.3	6.1	7.9	9.8	7.7	23	28.1	
25	7.9	BF	9.6	7.4	8.8	9.1	7.9	8.0	3.8	5.1	3.2	5.3	8.0	9.0	4.9	4.9	2.4	1.8	2.5	3.5	3.1	4.7	4.9	3.9	23	9.6	
26	3.0	BF	3.3	5.4	6.9	10.8	9.3	7.3	6.6	6.0	5.7	4.1	3.2	4.4	4.2	5.2	4.1	3.5	2.5	2.6	3.3	3.2	2.5	2.1	23	10.8	
27	2.3	BF	2.6	3.2	3.0	6.2	6.2	8.1	7.3	5.2	6.7	4.6	3.7	4.5	6.1	11.6	6.4	10.6	7.8	6.7	2.9	4.0	5.0	6.2	23	11.6	
28	4.4	BF	5.0	5.7	5.5	4.6	6.3	6.4	10.5	8.1	5.7	5.9	9.7	6.9	10.3	4.7	3.0	4.1	6.3	4.1	5.8	7.2	6.9	8.9	23	10.5	
29	7.0	BF	3.4	5.2	5.4	3.4	3.6	3.5	9.1	6.9	5.7	5.2	6.4	7.1	10.6	4.2	7.7	8.8	5.6	4.5	8.6	9.4	20.2	17.0	23	20.2	
30	11.4	BF	4.4	5.1	8.5	12.7	14.2	12.6	10.7	8.6	8.9	7.6	9.6	9.0	9.4	14.4	16.3	14.5	9.6	10.8	10.9	7.6	8.3	8.1	23	16.3	
31	4.3	BF	2.1	3.3	2.1	8.8	16.7	5.6	10.4	6.9	AX	AX	AX	BA	3.7	5.1	3.5	3.6	3.3	3.1	5.3	6.8	6.6	4.3	19	16.7	
NO.:	31		31	31	31	31	31	31	30	29	28	29	29	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	16.2		20.8	18.2	15.8	19.4	28.1	25.0	19.9	23.9	20.8	20.3	18.0	18.8	21.4	20.2	18.6	19.1	17.8	19.3	18.0	16.7	27.1	23.7			
AVG:	6.77		6.40	6.34	7.61	10.48	11.47	11.07	10.32	9.48	9.21	9.14	8.62	8.68	8.57	8.27	7.53	8.14	7.58	6.41	7.23	7.89	8.35	7.62			

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: 8.39 MONTHLY MAX: 28.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	3.6	BF	8.2	7.5	8.2	7.0	8.0	9.9	14.7	14.8	8.1	13.8	7.6	6.6	4.3	5.3	1.6	1.9	5.4	5.7	6.1	10.2	12.8	17.9	23	17.9	
2	13.2	BF	8.4	6.8	5.7	4.5	5.4	13.9	17.1	16.4	23.2	20.3	17.5	16.9	17.1	17.4	19.6	24.3	13.5	7.1	7.8	1.7	7.9	6.0	23	24.3	
3	3.9	BF	3.4	11.9	17.5	16.1	14.5	13.1	15.5	14.4	13.3	12.8	13.7	8.7	11.4	6.1	2.2	2.3	4.7	6.0	10.2	19.9	21.9	18.2	23	21.9	
4	15.0	BF	11.1	9.7	8.4	9.2	6.2	12.6	16.4	9.4	9.3	6.1	5.4	8.3	4.5	9.2	3.3	2.2	2.5	3.3	2.7	4.7	2.0	2.1	23	16.4	
5	1.6	BF	1.3	1.6	3.5	1.9	3.7	4.0	2.0	2.9	1.4	1.9	.8	1.1	1.0	4.1	2.8	1.2	1.7	2.5	4.3	2.2	2.2	2.8	23	4.3	
6	3.2	BF	1.2	1.0	1.2	.8	1.7	1.1	1.5	.6	.8	.7	.9	.4	.8	.5	.6	.8	1.7	3.8	2.9	2.1	1.5	1.9	23	3.8	
7	1.8	BF	1.1	.8	1.2	1.5	1.9	1.2	1.2	2.0	2.7	2.1	2.5	2.3	2.0	1.3	2.2	3.8	4.4	2.2	2.2	2.5	3.2	4.1	23	4.4	
8	3.5	BF	2.7	2.6	3.0	6.2	7.0	11.0	10.1	6.8	4.6	3.2	5.4	6.2	4.7	5.9	6.3	5.5	4.8	7.1	10.6	12.0	8.6	6.3	23	12.0	
9	6.5	BF	6.9	8.3	7.1	10.6	10.2	15.4	BA	BA	BA	BA	BA	BA	10.6	11.1	16.7	14.0	14.6	14.4	6.6	10.8	4.7	2.9	17	16.7	
10	7.1	BF	8.6	9.7	10.3	8.4	10.8	9.6	12.3	12.1	12.7	14.7	12.1	11.9	11.7	13.3	13.0	11.8	6.7	15.0	10.5	12.1	12.3	7.8	23	15.0	
11	9.2	BF	8.0	10.3	10.1	11.4	10.6	8.9	7.6	5.1	6.8	7.4	5.5	2.3	6.7	2.6	3.0	2.7	7.8	7.3	6.5	10.7	7.9	5.4	23	11.4	
12	7.1	BF	4.2	7.4	8.6	11.9	13.5	11.8	7.8	7.3	7.1	8.1	6.8	7.5	8.5	8.7	8.8	8.7	8.8	7.5	9.3	10.7	8.9	7.8	23	13.5	
13	7.4	BF	2.4	2.6	2.2	3.6	5.8	5.6	4.2	2.1	3.0	4.2	3.9	5.1	3.5	5.3	8.1	8.3	14.2	7.0	5.0	2.9	3.6	3.5	23	14.2	
14	9.7	AE	AE	AE	AE	AE	AE	AE	12.6	11.6	AX	AX	AX	BA	17.7	13.4	17.5	23.6	5.9	14.4	25.1	21.2	22.6	19.2	13	25.1	
15	14.6	BF	9.2	AE	AE	6.3	5.4	5.2	13.7	11.7	6.1	5.6	10.7	7.4	7.3	5.9	4.3	2.2	3.6	7.0	14.9	12.4	29.2	26.6	21	29.2	
16	16.4	BF	14.2	13.5	11.2	9.3	10.1	5.6	13.3	12.1	4.2	5.9	8.5	5.5	8.1	8.9	3.0	2.6	4.2	7.1	8.5	8.3	9.7	10.3	23	16.4	
17	9.9	BF	6.5	7.2	7.8	5.5	8.3	6.6	11.5	10.1	7.5	6.5	6.0	9.4	7.9	13.1	2.0	2.1	3.1	6.6	9.7	10.4	15.5	17.4	23	17.4	
18	16.7	BF	9.3	8.1	6.0	4.4	5.2	5.0	7.9	4.7	BA	BA	BA	BA	BA	2.7	2.4	3.1	5.0	5.6	4.0	3.7	4.6	5.1	18	16.7	
19	4.7	BF	5.4	3.4	4.9	3.9	5.4	3.7	2.9	3.0	2.5	2.4	7.0	3.8	2.2	4.4	3.4	1.1	1.8	3.3	4.5	8.3	13.9	14.6	23	14.6	
20	10.5	BF	8.3	6.7	5.2	4.2	4.4	4.1	6.8	3.4	1.8	1.3	2.3	1.2	.7	.7	1.4	1.4	1.4	2.3	3.3	2.0	1.8	2.4	23	10.5	
21	2.0	BF	4.2	2.1	2.6	10.0	12.0	10.7	12.7	9.0	7.8	5.3	5.4	3.0	4.4	3.8	4.5	6.9	5.8	4.7	4.2	4.1	2.9	2.4	23	12.7	
22	2.4	BF	2.2	1.5	2.6	3.9	3.9	4.0	4.6	4.9	3.4	4.8	3.5	1.8	2.1	2.5	1.3	2.0	1.5	1.4	1.3	1.8	2.4	2.1	23	4.9	
23	1.9	BF	1.9	2.2	3.6	4.5	6.6	4.5	4.0	2.9	3.3	2.8	2.3	2.3	2.4	3.4	3.0	3.1	2.5	1.8	2.2	2.5	2.5	2.3	23	6.6	
24	2.7	BF	2.5	2.4	2.6	5.0	6.1	8.8	5.4	3.8	2.8	3.9	2.6	5.3	3.4	4.9	3.6	4.4	7.4	7.8	6.5	2.8	2.9	1.9	23	8.8	
25	.9	BF	1.9	2.1	8.0	11.3	8.0	10.1	10.0	14.7	11.5	11.1	9.0	7.9	10.7	10.6	3.8	10.5	10.5	6.3	5.9	4.6	3.9	4.4	23	14.7	
26	3.2	BF	1.4	1.4	.9	2.2	2.5	3.3	4.9	7.0	3.0	3.1	6.7	4.7	3.2	5.4	3.6	2.3	3.2	2.4	1.4	1.7	2.1	1.2	23	7.0	
27	1.3	BF	.6	.6	.7	.6	1.2	1.5	1.7	1.7	2.4	3.1	1.8	1.2	1.1	1.6	1.6	4.7	4.6	7.3	4.1	4.4	2.0	1.3	23	7.3	
28	1.8	BF	1.1	1.3	2.9	3.7	8.5	7.7	7.4	AX	AX	BA	2.2	4.4	6.2	6.4	6.8	11.1	7.6	6.3	5.8	8.5	10.8	8.4	20	11.1	
29	4.6	BF	3.7	8.0	9.0	11.0	10.7	11.7	12.4	13.0	13.7	11.4	9.2	9.2	5.9	10.6	8.0	8.8	9.3	8.6	8.8	7.8	8.8	5.5	23	13.7	
30	5.1	BF	5.6	4.4	7.2	7.8	8.2	8.4	8.6	8.0	9.4	10.9	12.4	13.3	9.8	3.9	3.1	2.5	2.8	2.6	1.5	1.3	.8	3.6	23	13.3	
31																										0	
NO.:	30		29	28	28	29	29	29	29	28	26	26	27	27	29	30	30	30	30	30	30	30	30	30	30		
MAX:	16.7		14.2	13.5	17.5	16.1	14.5	15.4	17.1	16.4	23.2	20.3	17.5	16.9	17.7	17.4	19.6	24.3	14.6	15.0	25.1	21.2	29.2	26.6			
AVG:	6.38		5.02	5.18	5.79	6.44	7.10	7.55	8.65	7.70	6.63	6.67	6.36	5.84	6.20	6.43	5.38	6.00	5.70	6.15	6.55	6.94	7.80	7.18			

MONTHLY OBSERVATIONS: 664 MONTHLY MEAN: 6.51 MONTHLY MAX: 29.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	2.4	BF	2.1	2.2	1.4	3.3	3.8	3.9	2.7	4.1	2.8	3.3	3.1	2.3	2.5	2.5	2.3	3.9	3.6	3.5	3.5	3.5	3.5	3.2	23	4.1
2	2.7	BF	2.4	2.1	2.4	3.8	3.8	AE	4.8	3.5	3.6	3.4	3.7	3.5	3.1	3.8	2.9	4.2	3.6	3.5	AE	3.3	3.4	2.7	21	4.8
3	2.3	AE	2.2	AE	1.6	AE	1.8	AE	3.1	1.4	1.9	1.9	1.1	1.0	1.7	1.6	1.9	1.5	1.5	.9	.9	.8	.7	.6	20	3.1
4	.5	BF	.2	.3	.2	.4	.5	.6	.4	.5	.4	.5	1.3	.7	.5	.8	.8	1.2	.9	.5	.6	.6	.5	.6	23	1.3
5	.7	BF	.4	.8	.9	1.7	2.7	AE	2.7	3.1	2.8	2.3	1.7	1.8	3.7	5.1	3.8	5.2	2.8	2.5	1.6	1.1	1.5	.8	22	5.2
6	1.0	AE	3.3	AE	4.6	AE	AE	AE	4.8	3.2	4.0	1.8	4.3	2.2	2.0	1.4	2.4	3.2	2.9	3.7	5.5	4.2	AE	10.2	18	10.2
7	7.5	BF	6.2	6.7	6.6	6.1	6.1	4.9	12.3	19.1	13.8	9.3	7.6	6.2	5.3	6.7	4.8	5.4	7.0	14.1	17.2	14.7	11.2	9.5	23	19.1
8	7.1	BF	6.0	5.1	4.8	4.7	4.1	7.9	14.7	24.1	17.6	14.2	17.7	16.7	20.6	14.9	8.4	9.8	8.4	11.7	13.3	12.7	9.9	7.6	23	24.1
9	9.3	BF	8.5	7.1	9.5	17.6	21.5	17.9	14.7	14.0	11.3	12.3	11.1	12.8	13.7	11.3	15.3	17.4	20.5	17.9	12.6	12.7	10.1	10.2	23	21.5
10	5.2	BF	5.0	2.9	1.6	1.8	3.6	3.3	4.0	3.1	3.4	3.9	4.0	3.8	3.8	1.9	2.3	1.9	1.9	1.3	2.1	2.6	1.7	1.3	23	5.2
11	1.0	BF	.7	.5	AE	1.6	2.9	2.1	AE	.7	1.8	.7	.8	1.4	1.8	.4	.4	.8	1.3	7.7	9.1	8.6	7.2	8.1	21	9.1
12	7.9	AE	5.5	4.3	3.7	AE	6.4	8.6	14.9	16.6	13.9	13.0	AX	AX	BA	17.1	15.9	8.0	12.9	14.1	8.7	14.7	8.8	5.2	19	17.1
13	4.1	BF	4.4	7.9	7.7	12.8	13.8	14.9	12.3	10.4	12.5	12.3	11.1	10.5	13.1	14.5	14.0	22.2	23.2	18.0	15.1	15.6	14.9	10.4	23	23.2
14	12.1	BF	10.9	11.2	9.4	12.1	11.4	10.4	13.2	6.8	6.7	8.4	12.2	14.7	15.0	17.1	18.9	19.5	11.2	23.2	23.4	AE	17.9	15.8	22	23.4
15	AE	AE	AE	AE	AE	14.6	AE	12.4	13.4	7.8	9.3	11.1	5.8	9.0	15.1	19.1	16.2	5.4	14.4	24.9	AE	AE	AE	AE	14	24.9
16	AE	AE	AE	AE	AE	21.3	22.0	AE	19.0	20.3	22.2	13.8	15.7	16.3	15.2	13.4	7.8	6.2	8.5	AE	AE	AE	AE	6.9	14	22.2
17	2.3	BF	7.8	9.6	9.9	7.9	6.3	7.0	12.2	12.1	8.5	7.2	4.0	4.8	5.0	2.5	2.3	1.0	1.6	2.3	2.3	1.7	1.7	1.3	23	12.2
18	.9	BF	3.6	3.8	2.2	3.1	9.3	5.8	2.8	3.7	3.9	3.8	1.8	2.5	3.1	2.3	1.5	.7	1.6	7.5	18.2	17.0	13.6	5.9	23	18.2
19	5.0	BF	7.0	4.5	9.8	9.7	10.8	10.3	8.6	9.0	7.5	9.3	7.4	7.3	4.1	2.8	2.0	4.0	9.2	17.3	19.5	18.1	14.8	13.6	23	19.5
20	13.0	BF	12.4	11.2	11.5	12.1	12.1	13.5	20.2	15.6	18.3	14.6	14.3	15.5	21.5	21.1	18.2	6.4	20.4	30.4	26.9	24.4	23.4	20.7	23	30.4
21	18.2	BF	12.8	10.5	9.6	8.8	9.0	8.4	15.0	24.8	22.1	19.7	16.5	20.5	24.2	22.1	8.4	6.7	17.6	21.7	19.1	21.1	18.4	15.9	23	24.8
22	13.0	BF	10.5	8.7	7.8	9.8	8.0	9.0	16.7	22.0	22.4	18.9	17.7	18.6	20.4	17.4	13.0	5.5	19.2	23.5	21.6	19.1	16.6	AE	22	23.5
23	AE	AE	9.8	AE	AE	AE	AE	AE	AE	9.7	4.7	2.9	5.4	AX	AX	BA	1.7	3.0	10.2	20.1	13.4	9.9	7.1	7.7	13	20.1
24	2.9	BF	AE	2.0	AE	3.3	AE	AE	5.4	5.3	2.7	5.2	3.5	3.7	6.3	5.4	1.6	2.7	3.1	4.5	4.5	AE	8.6	9.1	18	9.1
25	8.4	BF	7.8	3.1	AE	5.2	6.6	9.3	11.1	7.8	7.5	7.1	7.6	9.8	4.2	10.6	7.6	3.1	3.8	3.8	3.7	3.9	2.6	2.3	22	11.1
26	1.9	BF	2.4	3.5	2.2	AE	5.3	6.0	8.1	4.2	5.5	3.2	3.3	3.5	4.1	3.8	4.9	5.8	4.3	AE	3.5	AE	AE	AE	18	8.1
27	AE	AE	1.8	AE	AE	AE	AE	AE	AE	4.8	4.6	4.9	5.0	4.6	6.6	8.9	13.9	12.2	8.8	7.6	7.8	7.7	6.1	15	13.9	
28	4.1	BF	5.2	6.3	8.4	12.3	10.2	10.9	17.5	18.9	15.7	12.5	13.1	11.7	12.6	11.2	11.9	13.3	12.6	7.2	9.4	8.0	5.2	3.8	23	18.9
29	2.6	BF	3.5	6.3	7.0	10.7	13.0	11.3	11.9	10.5	10.8	11.8	11.4	14.0	18.2	17.8	18.5	15.2	16.8	17.9	16.1	13.4	9.7	8.3	23	18.5
30	6.9	AE	AE	AE	AE	AE	9.4	13.1	11.6	6.3	5.1	6.5	4.9	7.3	3.8	7.7	2.1	3.0	4.7	4.4	3.7	9.6	8.4	9.0	19	13.1
31	6.5	BF	1.9	2.0	2.4	2.4	2.7	5.9	6.9	5.5	7.7	8.5	9.4	7.8	11.6	6.6	7.7	4.7	3.2	6.4	AE	13.2	14.2	11.7	22	14.2
NO.:	27		27	24	23	24	26	23	28	30	31	31	30	29	29	30	31	31	29	27	26	27	28			
MAX:	18.2		12.8	11.2	11.5	21.3	22.0	17.9	20.2	24.8	22.4	19.7	17.7	20.5	24.2	22.1	18.9	22.2	23.2	30.4	26.9	24.4	23.4	20.7		
AVG:	5.54		5.34	5.11	5.44	7.80	7.97	8.58	10.18	9.80	8.88	8.00	7.55	8.10	8.99	8.98	7.37	6.61	8.55	11.15	10.49	10.09	9.01	7.45		

MONTHLY OBSERVATIONS: 642 MONTHLY MEAN: 8.17 MONTHLY MAX: 30.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
 COUNTY: (183) Wake
 CITY: (00000) Not in a city
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: MOBILE
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
 LATITUDE: 35.8652
 LONGITUDE: -78.8197
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 97
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality
 MONITOR TYPE: SLAMS

REPORT FOR: NOVEMBER 2015

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	AE	BF	6.1	5.9	2.2	4.6	2.5	AE	5.9	7.6	11.0	11.9	13.5	13.1	13.1	13.4	15.3	13.1	11.4	11.1	11.7	6.4	5.4	4.4	21	15.3	
2	3.2	BF	5.2	5.1	5.1	4.7	4.0	5.5	8.2	15.3	16.8	13.3	15.0	14.6	7.8	12.1	11.9	6.4	5.8	3.6	3.6	3.3	4.4	3.6	23	16.8	
3	2.7	BF	2.1	2.9	2.3	4.0	4.1	5.6	5.0	6.1	6.2	6.0	6.6	6.2	6.4	6.7	4.8	3.1	5.3	6.2	4.4	4.1	2.8	3.6	23	6.7	
4	2.4	BF	1.1	.7	2.1	4.5	4.3	5.6	7.7	5.5	3.9	6.3	4.3	3.6	4.1	4.2	3.4	3.7	3.0	2.4	2.8	3.2	5.8	4.3	23	7.7	
5	3.4	BF	1.3	4.1	2.7	2.9	3.7	5.8	6.1	7.6	5.6	7.5	11.0	10.5	3.9	12.9	16.5	13.0	17.3	13.3	13.6	10.9	8.9	8.5	23	17.3	
6	7.2	BF	6.0	4.4	5.4	8.7	12.1	12.8	10.2	10.1	BA	AX	AX	AX	BA	BA	11.0	7.9	9.7	6.5	6.3	5.7	6.1	4.8	17	12.8	
7	4.3	BF	3.6	3.6	4.7	5.2	7.1	6.2	5.9	2.3	5.9	9.0	8.3	9.7	10.9	9.5	7.5	3.0	2.3	2.3	1.2	1.5	1.8	1.0	23	10.9	
8	1.0	BF	2.5	2.2	1.9	1.6	1.5	1.6	1.1	1.8	1.1	1.6	1.3	2.9	2.1	1.6	2.4	5.2	2.7	2.7	2.3	1.6	1.5	1.7	23	5.2	
9	1.0	BF	1.0	.8	.7	1.2	2.8	3.2	3.6	3.6	6.2	6.1	7.1	5.2	4.1	5.9	5.0	5.0	7.4	6.0	7.5	7.8	8.3	6.4	23	8.3	
10	6.8	BF	8.6	10.0	9.0	12.4	11.7	11.4	16.3	11.9	12.8	11.5	11.5	9.8	11.2	16.3	10.5	8.6	12.7	11.7	12.6	14.2	13.3	14.5	23	16.3	
11	13.2	BF	10.0	15.8	15.7	14.2	9.6	13.3	12.1	11.6	11.2	5.8	7.5	7.7	11.1	11.2	12.9	7.1	12.7	19.6	16.6	12.7	10.5	10.2	23	19.6	
12	8.6	BF	8.2	8.2	7.9	7.9	9.4	21.7	18.8	14.2	11.2	10.9	8.9	9.3	9.8	9.5	12.0	15.8	18.2	18.4	16.4	17.1	20.9	22.7	23	22.7	
13	20.0	BF	19.8	17.6	15.0	19.7	25.5	27.6	16.3	12.6	12.9	12.3	13.1	12.3	12.3	15.0	17.6	25.2	23.4	24.1	21.0	15.8	10.0	14.5	23	27.6	
14	16.5	BF	17.1	21.1	15.1	12.8	17.9	17.1	15.7	9.9	6.5	7.4	5.1	6.2	7.1	12.2	12.8	5.9	10.9	19.3	21.3	18.9	16.7	15.7	23	21.3	
15	13.7	BF	11.1	9.4	8.7	7.4	7.0	6.4	8.3	14.2	10.1	9.2	8.7	8.9	12.8	11.7	3.1	8.8	19.1	19.9	19.0	18.1	18.8	18.0	23	19.9	
16	15.3	BF	12.0	11.9	12.0	10.6	10.1	11.5	15.7	24.1	24.8	19.2	23.0	19.8	25.3	20.2	13.2	13.6	18.0	23.6	22.3	22.1	19.7	17.4	23	25.3	
17	17.4	BF	15.0	14.7	12.4	10.0	9.4	10.7	10.4	15.8	9.0	9.7	13.4	11.1	8.3	5.1	6.0	7.1	16.5	20.8	10.3	8.9	12.1	8.2	23	20.8	
18	4.6	BF	2.5	4.3	1.1	2.3	6.0	7.9	11.3	11.2	10.1	16.9	19.9	20.3	17.5	12.2	15.6	10.2	9.7	9.1	6.0	9.1	10.2	5.4	23	20.3	
19	5.6	BF	3.9	4.9	8.1	7.4	9.3	15.3	12.8	14.7	15.2	14.6	16.2	13.1	16.3	16.6	19.0	11.1	11.8	8.1	9.3	7.5	9.6	4.7	23	19.0	
20	5.9	BF	5.4	4.6	4.4	4.7	11.1	11.2	7.6	5.4	4.2	BA	AX	AX	5.9	5.7	3.8	8.0	9.2	12.1	9.5	9.7	10.0	7.3	20	12.1	
21	7.1	BF	3.4	2.3	3.1	4.5	3.7	5.4	8.3	7.4	4.8	5.6	7.6	13.0	11.7	10.3	4.3	4.8	12.0	22.2	20.2	19.4	18.9	15.9	23	22.2	
22	13.5	BF	4.6	5.2	5.5	4.8	4.9	3.7	2.7	2.2	3.2	3.6	4.4	2.8	3.2	2.3	2.2	2.2	3.3	4.8	3.8	2.3	2.2	2.0	23	13.5	
23	2.3	BF	5.5	4.0	3.7	5.6	8.7	10.6	12.2	5.1	8.9	9.0	4.3	7.7	11.4	10.6	5.0	5.3	17.5	25.9	26.2	23.6	22.6	22.7	23	26.2	
24	22.9	BF	21.0	20.8	19.4	18.3	20.1	20.4	20.5	22.9	19.3	14.4	16.8	12.7	16.0	22.2	10.4	13.1	24.7	25.7	22.9	20.4	18.9	19.2	23	25.7	
25	18.5	BF	14.2	12.8	12.8	11.0	11.2	12.2	14.2	21.0	13.2	7.7	8.6	6.9	7.1	5.0	4.4	6.3	12.8	19.9	15.1	14.4	11.8	8.5	23	21.0	
26	6.6	BF	2.4	2.7	9.0	3.7	3.0	3.2	2.4	1.5	1.9	1.6	1.7	1.3	.6	1.0	1.0	1.9	3.5	3.6	3.6	3.5	4.2	3.1	23	9.0	
27	3.4	BF	2.8	4.2	4.2	3.0	2.7	3.5	3.9	1.8	4.3	3.5	5.5	6.5	7.0	9.1	4.9	3.9	7.0	8.4	11.6	11.9	11.1	9.9	23	11.9	
28	8.4	BF	6.2	6.8	5.8	5.1	5.4	5.0	6.9	11.4	10.5	8.3	8.3	7.7	12.8	15.4	10.1	7.0	12.5	15.9	15.3	11.9	10.8	9.7	23	15.9	
29	7.8	BF	6.4	6.0	5.3	4.7	4.6	5.0	6.1	10.2	9.8	7.5	4.2	9.9	14.5	11.1	2.6	3.9	10.5	9.2	6.2	7.4	6.8	3.6	23	14.5	
30	4.1	BF	2.3	2.9	4.0	4.9	4.1	5.4	4.4	4.9	5.2	4.3	5.4	4.8	5.9	7.9	8.1	7.3	7.0	6.1	6.3	6.8	5.3	5.6	23	8.1	
31																										0	
NO.:	29		30	30	30	30	30	29	30	30	29	28	28	28	29	29	30	30	30	30	30	30	30	30	30		
MAX:	22.9		21.0	21.1	19.4	19.7	25.5	27.6	20.5	24.1	24.8	19.2	23.0	20.3	25.3	22.2	19.0	25.2	24.7	25.9	26.2	23.6	22.6	22.7			
AVG:	8.53		7.04	7.33	6.98	7.08	7.92	9.48	9.35	9.80	9.17	8.74	9.33	9.20	9.66	10.24	8.58	7.92	11.26	12.75	11.63	10.67	10.31	9.24			

MONTHLY OBSERVATIONS: 679 MONTHLY MEAN: 9.23 MONTHLY MAX: 27.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
AIR QUALITY SYSTEM
RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1
COUNTY: (183) Wake
CITY: (00000) Not in a city
SITE ADDRESS: 2826 TRIPLE OAK DRIVE
SITE COMMENTS:
MONITOR COMMENTS:

STATE: (37) North Carolina
AQCR: (166) EASTERN PIEDMONT
URBANIZED AREA: (0000) NOT IN AN URBAN AREA
LAND USE: MOBILE
LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0
LATITUDE: 35.8652
LONGITUDE: -78.8197
UTM ZONE:
UTM NORTHING:
UTM EASTING:
ELEVATION-MSL: 97
PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2015

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

Table with columns: DAY, HOUR, and 24 hourly observations (0100-2400). Includes summary rows for NO., MAX., and AVG. values.

MONTHLY OBSERVATIONS: 697 MONTHLY MEAN: 11.21 MONTHLY MAX: 33.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

QUALIFIER CODES:

Qualifier Code	Qualifier Description	Qualifier Type
1	Deviation from a CFR/Critical Criteria Requirement	QA
2	Operational Deviation	QA
6	QAPP Issue	QA
AC	Construction/Repairs in Area	NULL
AE	Shelter Temperature Outside Limits	NULL
AM	Miscellaneous Void	NULL
AN	Machine Malfunction	NULL
AV	Power Failure	NULL
AX	Precision Check	NULL
AZ	Q C Audit	NULL
BA	Maintenance/Routine Repairs	NULL
BC	Multi-point Calibration	NULL
BD	Auto Calibration	NULL
BE	Building/Site Repair	NULL
BF	Precision/Zero/Span	NULL
BJ	Operator Error	NULL
BL	QA Audit	NULL

Note: Qualifier codes with regional concurrence are shown in upper case,
 and those without regional concurrence are shown in lower case.