

User ID: XJLSTEGER

RAW DATA REPORT

Report Request ID: 1657124

Report Code: AMP350

May. 30, 2018

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

37

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	42602		

AGENCY SELECTIONS

North Carolina Dept Of Environmental Quality

SELECTED OPTIONS

Option Type	Option Value
INCLUDE NULLS	YES
DAILY STATISTICS	MAXIMUM
UNITS	STANDARD
RAW DATA EVENTS	INCLUDE EVENTS
MERGE PDF FILES	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2017 01 01	2017 12 31

APPLICABLE STANDARDS

Standard Description
NO2 Annual 1971

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	BF	1.2	1.1	.9	.8	.7	.7	.7	.9	.8	.6	.5	.5	.5	1.0	1.2	1.1	1.0	1.2	1.2	1.1	.9	.8	23	1.2	
2	.6	BF	.7	.8	.8	1.2	2.0	2.5	2.1	1.4	1.5	1.9	2.2	1.7	1.3	1.4	1.4	1.6	2.1	2.3	2.3	2.0	2.2	2.0	23	2.5	
3	2.2	BF	2.0	1.9	1.5	1.3	1.6	2.8	3.0	2.0	1.5	1.1	1.0	1.1	1.1	1.4	2.1	2.3	3.3	3.2	2.8	2.5	2.2	23	3.3		
4	2.3	BF	2.3	2.2	1.9	1.9	1.7	1.6	1.6	1.5	AX	AX	BF	BA	1.9	2.4	2.0	2.0	1.9	1.6	1.2	1.1	1.3	1.3	19	2.4	
5	1.9	BF	1.7	1.3	1.3	1.7	2.9	3.5	2.7	4.3	4.8	5.0	4.2	6.6	7.4	6.1	8.2	8.4	8.4	7.9	6.5	5.9	5.5	4.4	23	8.4	
6	3.8	BF	3.7	3.6	2.9	3.5	4.3	4.1	4.0	6.1	4.4	3.0	2.6	2.3	2.8	2.8	4.6	4.8	2.2	2.0	3.0	3.7	3.1	2.9	23	6.1	
7	3.1	BF	2.7	2.4	2.2	2.2	2.4	2.3	2.5	1.8	2.0	1.6	1.5	.7	.8	1.3	1.3	1.3	1.3	1.2	1.3	1.4	1.6	1.4	23	3.1	
8	1.1	BF	1.2	2.0	2.1	1.8	2.0	2.3	1.9	1.0	.8	.7	1.3	1.6	.9	.7	.8	.9	1.1	1.2	.9	.7	.8	1.0	23	2.3	
9	1.2	BF	1.6	1.4	1.3	1.2	1.2	2.4	2.0	2.2	1.9	1.4	1.4	1.2	1.1	1.5	2.9	6.7	4.0	3.7	4.9	5.2	4.2	3.3	23	6.7	
10	2.3	BF	1.7	1.6	1.9	2.2	3.1	3.1	2.7	2.2	1.5	1.1	1.0	1.1	.5	.9	2.2	4.2	2.0	2.5	2.4	2.1	1.9	1.9	23	4.2	
11	1.6	BF	1.8	1.6	1.6	1.6	3.0	3.1	1.6	2.3	2.1	2.3	2.2	1.8	1.6	1.5	1.8	3.3	3.2	2.8	2.1	2.0	1.9	1.9	23	3.3	
12	1.5	BF	1.0	1.1	1.5	1.4	2.3	2.3	1.7	1.1	.6	BA	BA	.3	.3	.3	.3	1.5	1.0	1.0	.9	.9	1.2	1.0	21	2.3	
13	.9	1.0	1.0	1.1	AN	1.3	1.2	1.4	1.2	1.0	1.1	.9	.9	1.0	.7	.7	.6	4.6	3.5	2.7	3.7	3.3	2.8	1.6	23	4.6	
14	1.4	1.7	1.6	1.8	AN	2.4	2.4	2.2	2.6	2.3	2.1	2.1	2.2	2.3	2.0	1.8	1.7	3.2	4.3	3.1	3.1	2.3	1.7	1.4	23	4.3	
15	1.6	1.3	1.2	1.6	AN	1.3	1.1	1.2	1.3	1.5	2.2	2.4	2.8	2.1	1.5	1.1	1.3	2.1	2.5	2.2	1.9	1.7	1.4	1.5	23	2.8	
16	1.5	1.5	1.3	1.1	AN	1.2	1.3	1.1	1.8	1.6	1.4	1.2	1.3	1.4	1.6	2.7	2.7	2.0	2.4	2.2	2.1	2.3	2.4	1.7	23	2.7	
17	1.5	1.6	1.2	1.1	AN	1.1	1.6	1.7	1.7	2.0	1.6	1.1	.7	2.3	.8	.6	1.0	1.4	1.4	1.8	1.7	1.5	1.8	1.5	23	2.3	
18	1.1	1.0	1.0	1.0	AN	.8	.9	1.1	1.0	1.1	AX	AX	BF	BA	.6	.5	.6	.9	1.3	1.5	1.7	1.5	1.4	1.3	19	1.7	
19	1.7	1.6	1.5	1.5	AN	1.7	1.6	1.2	1.4	2.6	3.7	2.3	1.5	1.1	.8	.6	1.8	2.3	1.2	2.7	2.4	2.7	3.9	4.7	23	4.7	
20	6.0	4.7	3.6	3.9	BF	2.9	4.7	3.6	3.5	3.7	3.1	2.2	1.9	1.6	1.0	.9	1.0	1.5	3.6	2.3	2.2	1.9	2.6	3.6	23	6.0	
21	5.5	6.5	7.1	5.5	BF	4.2	4.9	4.3	3.2	2.5	2.2	2.1	1.7	1.9	2.3	2.8	3.7	3.5	2.9	2.7	2.4	2.6	2.1	1.9	23	7.1	
22	1.8	2.6	3.5	3.4	BF	2.0	1.6	1.5	1.5	1.1	1.4	1.3	1.2	1.4	1.7	1.6	1.8	2.2	2.7	3.3	2.5	1.7	1.6	1.9	23	3.5	
23	1.5	1.0	.9	.9	BF	.9	.7	.5	.8	.5	.7	.8	.6	.4	.3	.4	.4	.5	.8	.8	.7	.8	1.0	1.1	23	1.5	
24	1.1	1.1	1.0	.9	BF	1.0	1.0	1.0	1.0	1.3	1.5	1.7	1.6	1.0	.9	.9	.9	1.1	1.2	1.4	1.3	1.3	1.4	1.5	23	1.7	
25	1.8	1.8	1.8	1.7	BF	3.2	3.1	2.0	1.4	1.9	1.7	1.7	.9	.7	1.3	.9	.9	2.1	2.5	1.6	1.4	1.6	1.2	.8	23	3.2	
26	.9	1.0	.9	.8	BF	.7	.8	.8	.9	.8	.6	.5	.6	.4	.3	.3	.3	AV	AV	AV	AV	AV	AV	AV	AV	16	1.0
27	1.1	1.0	.9	.8	BF	.8	1.0	1.1	1.4	1.2	.8	.6	.5	.4	.6	1.7	2.3	1.6	2.2	1.6	1.2	1.0	1.1	1.2	23	2.3	
28	1.1	1.1	1.0	.9	BF	.9	1.0	1.1	1.5	1.3	.8	.5	.4	.5	.7	.9	.7	1.0	1.7	1.2	1.0	.7	.9	.7	23	1.7	
29	.6	.7	.9	1.0	BF	1.0	1.0	1.1	1.1	1.0	1.1	.9	.5	.4	.4	.4	.3	.5	1.6	.5	.5	.4	.5	.6	23	1.6	
30	.7	.8	.6	.4	BF	.4	.6	.6	.8	.8	.9	.9	.6	.5	.3	.4	.9	1.2	2.2	1.8	2.0	1.7	1.5	1.4	23	2.2	
31	1.4	1.9	2.1	2.0	BF	2.2	2.1	2.1	1.9	1.4	1.4	1.0	.7	.6	.5	.4	.5	.9	1.0	.8	.7	1.0	1.2	.9	23	2.2	
NO.:	31	19	31	31	12	31	31	31	31	31	29	28	28	29	31	31	31	30	30	30	30	30	30	30	30		
MAX:	6.0	6.5	7.1	5.5	2.9	4.2	4.9	4.3	4.0	6.1	4.8	5.0	4.2	6.6	7.4	6.1	8.2	8.4	8.4	7.9	6.5	5.9	5.5	4.7			
AVG:	1.80	1.78	1.76	1.69	1.66	1.64	1.93	1.95	1.82	1.82	1.73	1.53	1.38	1.34	1.24	1.32	1.68	2.36	2.35	2.16	2.07	1.96	1.92	1.78			

MONTHLY OBSERVATIONS: 696 MONTHLY MEAN: 1.78 MONTHLY MAX: 8.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	.8	.9	.9	1.1	BF	1.5	8.3	6.1	3.7	2.7	AX	AX	AX	BA	.4	.4	.5	.4	.6	.9	.7	.9	1.8	3.5	19	8.3		
2	4.4	3.3	2.7	2.3	BF	1.9	3.6	3.8	2.6	2.6	2.7	2.5	1.6	1.5	1.5	1.2	1.2	2.2	2.2	2.7	2.4	2.2	2.8	3.6	23	4.4		
3	4.2	2.8	1.6	1.7	BF	2.0	1.4	2.1	2.4	2.7	4.0	3.1	3.2	3.4	2.8	3.0	3.2	2.5	1.9	1.7	1.6	2.1	1.7	1.2	23	4.2		
4	1.1	1.3	1.4	1.3	BF	1.3	1.2	1.1	1.1	1.1	1.2	1.3	1.3	1.4	1.2	1.3	1.2	2.1	1.9	2.3	1.9	2.3	2.4	1.5	23	2.4		
5	2.4	2.5	1.7	1.1	BF	1.4	1.3	1.4	1.1	.9	.7	.5	.5	.4	.4	.3	.3	.4	.9	1.0	1.4	1.1	.7	.7	23	2.5		
6	.7	.8	1.1	.9	BF	2.1	3.3	2.6	1.3	.8	.6	.5	.6	.5	.8	.7	1.0	2.8	3.2	2.4	1.2	1.5	1.1	1.4	23	3.3		
7	2.0	2.1	2.1	1.8	AN	2.3	3.0	3.0	3.1	2.3	1.8	1.2	BA	BA	.5	.5	.6	.9	1.1	1.1	1.0	2.1	1.3	1.2	21	3.1		
8	.9	.9	.8	.6	BF	1.1	2.4	4.3	1.8	.8	1.0	.7	.4	.3	.3	.4	.7	1.0	.9	1.2	1.5	1.1	1.2	1.0	23	4.3		
9	.9	.7	.6	.6	BF	.7	.7	1.2	1.6	1.3	1.0	.7	.6	.5	.5	.5	.5	.6	.8	.9	1.0	1.0	.8	.9	23	1.6		
10	.9	.9	.9	.8	BF	1.0	2.6	2.5	1.4	1.2	.7	.6	.4	.4	.9	.8	1.3	1.8	3.1	1.8	1.4	1.4	1.4	1.7	23	3.1		
11	1.9	1.7	1.3	1.1	BF	.9	.8	1.0	1.1	.8	.7	.5	.5	.4	.3	.3	.3	.3	2.0	.9	.6	.4	.4	.6	23	2.0		
12	.7	.9	1.2	1.3	BF	.9	.8	.7	.6	.5	.4	.3	.3	.2	.2	.2	.2	.3	.3	.4	.5	.5	.4	.4	23	1.3		
13	.3	.4	.4	.4	BF	.6	.5	.6	.6	.7	.6	.9	.9	.7	.5	.5	.7	1.0	2.0	2.2	1.6	1.8	1.4	1.5	23	2.2		
14	1.3	1.3	1.6	1.5	BF	2.3	6.0	5.1	1.6	3.1	1.5	1.1	.7	.7	.8	.7	.8	1.0	4.0	3.6	2.5	2.7	2.6	2.2	23	6.0		
15	1.7	1.5	1.5	1.3	BF	1.2	2.0	1.8	2.5	1.9	AX	AX	AX	AX	BA	.6	.6	.7	.8	.8	.9	.9	1.0	1.0	18	2.5		
16	.8	.7	.7	.7	BF	.8	.8	2.0	.9	1.0	1.0	.7	.7	.6	.5	.5	.6	.6	.7	.7	.7	.6	.7	.8	23	2.0		
17	.9	.9	.7	.7	BF	1.6	3.2	2.2	2.7	1.2	1.2	1.1	.8	.6	.7	.5	.4	.5	1.4	1.6	2.5	2.0	1.8	1.7	23	3.2		
18	1.7	1.4	1.2	1.1	BF	1.3	1.5	1.6	1.3	1.8	1.4	.8	.7	.4	.6	.4	.6	.7	.8	.8	.7	.4	.3	.3	23	1.8		
19	.3	.3	.4	.7	BF	1.2	1.2	1.3	1.2	.9	.5	.4	.4	.3	.3	.3	.3	.3	.5	1.2	.9	.5	.6	.8	23	1.3		
20	1.0	.8	.7	.7	BF	1.2	1.9	3.0	.8	.9	2.0	1.5	1.0	.7	.6	.7	1.0	2.3	4.3	1.3	1.9	1.8	1.8	1.7	23	4.3		
21	1.7	1.8	1.8	1.4	BF	1.4	3.1	5.5	2.9	2.1	1.5	1.2	1.2	.8	.7	.7	.9	1.7	2.2	2.2	3.0	2.2	2.1	2.3	23	5.5		
22	1.7	1.7	1.6	1.7	BF	1.5	2.8	7.0	3.3	2.2	1.2	1.0	.7	.7	.8	.6	1.3	1.8	3.6	3.4	2.3	2.4	1.4	.9	23	7.0		
23	.8	.6	.7	.8	AN	1.1	3.0	2.0	4.0	3.5	BA	BA	.5	.7	.8	.7	.7	.8	2.2	1.3	1.4	1.5	1.8	2.0	21	4.0		
24	1.6	1.4	1.2	1.3	BF	1.5	2.9	1.6	1.4	2.6	1.5	.5	.3	.2	.4	.6	.5	1.2	2.6	.8	1.1	1.4	2.1	2.6	23	2.9		
25	1.7	1.8	1.9	1.3	BF	.9	1.1	1.2	1.0	.7	.6	.5	.3	.3	.2	.2	.3	.3	.4	.4	.4	.4	.6	.5	23	1.9		
26	.4	.4	.4	.4	BF	.5	.5	.5	.4	.3	.3	.3	.2	.2	.2	.3	.2	.2	6.0	1.2	.9	.8	.7	.5	23	6.0		
27	.6	.6	.7	.9	BF	1.8	3.3	5.0	2.7	1.8	1.0	1.0	1.0	1.0	.9	.6	.6	1.1	1.6	2.5	2.0	3.2	2.6	3.2	23	5.0		
28	2.0	1.2	1.1	1.1	BF	1.5	2.6	4.9	2.0	1.7	.9	.9	.5	.7	.7	.5	.8	.7	1.4	1.5	1.6	1.4	1.1	1.2	23	4.9		
29																										0		
30																											0	
31																											0	
NO.:	28	28	28	28		28	28	28	28	28	25	25	25	25	27	28	28	28	28	28	28	28	28	28	28			
MAX:	4.4	3.3	2.7	2.3		2.3	8.3	7.0	4.0	3.5	4.0	3.1	3.2	3.4	2.8	3.0	3.2	2.8	6.0	3.6	3.0	3.2	2.8	3.6				
AVG:	1.41	1.27	1.18	1.09		1.34	2.35	2.68	1.83	1.58	1.20	.95	.77	.70	.69	.64	.76	1.08	1.91	1.53	1.41	1.45	1.38	1.46				

MONTHLY OBSERVATIONS: 631 MONTHLY MEAN: 1.34 MONTHLY MAX: 8.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.5	1.6	1.5	1.5	BF	1.4	1.3	1.2	1.2	.8	AX	AX	AX	BF	.3	.2	.4	.4	1.0	.9	1.2	.7	.7	.6	19	1.6	
2	.5	.5	.6	.5	BF	.4	.4	.5	.6	.6	.5	.5	.4	.4	.4	.4	.3	.5	.6	.5	1.0	.8	.6	.6	23	1.0	
3	.8	1.2	1.1	1.3	BF	2.4	3.0	2.9	.9	.8	.9	.6	.5	.3	.3	.3	.4	1.3	.7	.8	.8	1.2	1.7	1.2	23	3.0	
4	1.1	1.0	1.4	1.2	BF	2.6	2.6	1.3	1.4	1.1	.9	.7	.5	.5	.5	.5	.4	1.4	3.2	1.9	1.1	1.5	1.5	1.2	23	3.2	
5	1.3	1.4	1.5	2.6	BF	4.7	2.6	1.9	1.5	1.2	1.1	1.0	.8	.7	.5	.5	.7	1.4	1.4	2.7	2.4	2.0	1.1	1.2	23	4.7	
6	1.3	1.0	.9	.9	AN	1.1	3.4	5.1	2.4	1.6	1.1	BA	BA	BA	BA	.7	.7	1.7	2.6	2.4	1.2	2.6	1.5	1.9	19	5.1	
7	2.5	2.2	1.3	1.2	BF	1.4	2.2	1.8	1.5	1.0	.7	.4	.6	.3	.3	.4	.5	1.0	1.3	1.0	.8	1.0	.7	.6	23	2.5	
8	.6	.5	.5	.5	BF	.5	.5	.6	.8	.9	.6	.6	.7	.6	.4	.4	.3	.4	1.6	.9	.8	.9	1.0	1.4	23	1.6	
9	1.1	1.0	1.0	1.0	BF	1.3	2.3	5.0	1.0	.9	.5	.3	.3	.3	.3	.3	.6	1.4	1.3	2.2	1.3	1.5	1.3	23	5.0		
10	1.2	1.4	1.3	1.3	BF	1.0	1.0	1.1	1.2	1.0	.9	.8	.5	.7	.4	.4	.4	.7	1.0	.7	.7	.7	1.3	.7	23	1.4	
11	.9	1.2	1.4	1.3	BF	.8	1.1	.9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.8	2.6	3.7	1.5	2.3	1.5	23	3.7	
12	1.3	1.7	1.4	1.1	BF	.6	.6	.7	.8	1.1	1.0	1.0	.9	.7	.6	.5	.6	.7	1.1	1.1	1.0	1.2	2.2	1.4	23	2.2	
13	1.5	1.1	1.2	1.8	BF	6.0	5.3	4.9	4.7	3.6	2.9	2.2	2.3	3.0	2.9	2.6	2.6	2.8	2.0	2.0	1.8	1.6	1.7	1.5	23	6.0	
14	1.1	1.1	1.3	.8	BF	.9	.7	.7	1.1	1.6	1.4	1.0	.8	.6	.5	.6	.7	.8	1.1	1.3	1.0	1.1	.8	.7	23	1.6	
15	.6	.8	.8	.8	BF	.8	1.0	1.0	1.0	AX	AX	AX	BF	.4	.4	.4	.4	.4	.4	.4	.4	.4	.4	.4	.4	19	2.3
16	4.6	2	1.3	2	.8	2	.7	2	BF	.8	2	1.0	2	1.1	2	1.4	2	1.3	2	1.6	2	1.3	2	1.6	2	19	2.3
17	1.0	2	1.0	2	1.0	2	1.0	2	AN	3.0	2	5.7	2	1.5	2	2.4	2	2.2	2	1.7	2	1.0	2	.6	2	23	5.7
18	1.5	2	1.4	2	1.3	2	1.2	2	BF	1.0	2	.9	2	.9	2	1.0	2	1.1	2	1.0	2	1.0	2	.7	2	23	1.5
19	.6	2	.6	2	.7	2	1.1	2	BF	1.0	2	1.0	2	.9	2	.7	2	.6	2	.5	2	.4	2	.3	2	23	3.3
20	.8	2	1.8	2	.8	2	.7	2	BF	1.0	2	4.6	2	1.7	2	1.8	2	BC	BC	BC	BC	BC	BC	BC	BC	15	4.6
21	1.8	2.2	2.3	2.2	BF	2.0	1.6	1.6	1.5	1.3	1.0	.6	.5	.4	.4	.4	.4	.4	.5	2.1	1.7	2.4	2.8	1.2	.9	23	2.8
22	.9	.9	.8	.7	BF	.7	.8	.8	.7	.9	.7	.6	.5	.4	.5	.4	.4	.4	.5	.8	1.2	1.9	1.6	1.3	1.2	23	1.9
23	1.1	1.2	1.4	1.2	BF	4.4	7.8	9.1	3.6	2.8	2.2	1.8	2.3	1.0	.9	.6	.7	1.2	1.5	1.4	1.5	1.2	1.2	2.1	23	9.1	
24	1.6	1.3	1.2	1.6	BF	2.7	3.3	2.2	1.5	1.0	1.8	.6	.5	.4	.6	.4	.4	.3	1.8	.8	1.1	1.0	1.1	1.2	23	3.3	
25	.8	.6	.6	.8	BF	1.9	2.1	1.2	.8	.6	.3	.2	.2	.3	.3	.4	.5	.5	1.3	2.2	.7	1.2	.9	.7	23	2.2	
26	1.1	1.4	1.5	1.0	BF	1.5	1.0	1.0	.8	.9	.3	.3	.4	.4	.3	.2	.3	.6	1.1	1.1	.7	.3	.3	.3	23	1.5	
27	.3	.3	.4	1.0	BF	2.2	2.7	3.1	1.3	1.0	.9	.5	.4	.4	.3	.4	.7	1.3	1.6	1.4	.9	.6	.5	.8	23	3.1	
28	1.0	.7	.7	.8	BF	1.2	1.3	1.8	1.5	1.0	.8	.4	.3	.3	.5	.4	.5	.3	.4	.9	.4	.6	.7	1.0	23	1.8	
29	1.8	2.3	2.1	1.5	BF	5.1	5.0	3.7	3.0	AX	AX	AX	BF	1.0	.7	.9	1.1	1.2	1.2	1.7	1.3	1.3	1.2	1.5	19	5.1	
30	1.6	1.2	1.4	1.2	BF	2.0	2.0	2.4	2.3	1.6	2.1	1.8	1.4	1.2	1.1	.9	1.3	1.6	2.2	.7	.6	.6	.5	.7	23	2.4	
31	.5	.5	.5	.6	BF	.6	.6	.8	.8	.6	.4	.3	.3	.2	.2	.3	.3	.4	.8	.6	.5	.6	.6	.7	23	.8	
NO.:	31	31	31	31		31	31	31	31	28	27	26	26	28	29	30	30	31	31	31	31	31	31	31	31		
MAX:	4.6	2.3	2.3	2.6		6.0	7.8	9.1	4.7	3.6	2.9	2.2	2.3	3.0	2.9	2.6	2.6	2.8	3.2	3.3	3.7	2.8	2.3	2.1			
AVG:	1.24	1.17	1.12	1.13		1.84	2.24	2.05	1.49	1.22	1.07	.81	.73	.63	.57	.56	.63	.90	1.36	1.44	1.22	1.16	1.16	1.12			

MONTHLY OBSERVATIONS: 689 MONTHLY MEAN: 1.18 MONTHLY MAX: 9.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.6	.7	.6	.7	BF	.8	.7	.6	.5	.4	.4	.4	.2	.2	.3	.2	.3	.3	.4	.5	.7	.8	1.1	1.0	23	1.1	
2	.8	.7	.8	.8	BF	1.0	1.4	1.7	1.4	1.1	.8	.6	.5	.4	.5	.5	.5	.4	1.1	2.8	1.3	1.2	1.2	1.7	23	2.8	
3	2.1	1.3	.7	.6	BF	1.1	1.4	1.6	1.5	1.5	1.0	.5	.6	.5	.7	1.1	.8	1.1	.8	.8	.7	.6	.7	.8	23	2.1	
4	.7	1.0	.7	.7	BF	.8	.7	.8	.6	.4	.3	.2	.2	.2	.2	.2	.2	.3	.4	1.8	1.5	.6	.4	.4	23	1.8	
5	.6	.5	.6	.6	BF	6.2	4.2	1.6	.8	1.3	1.5	1.8	1.4	1.1	1.5	1.0	1.0	1.7	1.7	1.2	.8	.7	1.0	1.0	23	6.2	
6	.9	.9	.8	.8	BF	2.2	1.2	1.2	.6	.3	.2	.2	.2	.2	.2	.3	.5	.6	.7	.6	.7	.6	.8	.7	23	2.2	
7	.7	.7	.7	.7	BF	.9	1.0	.9	.7	.5	.5	.3	.3	.2	.2	.2	.2	.3	.5	.9	1.0	.7	.8	.8	23	1.0	
8	1.1	.7	.7	.7	BF	1.1	.8	.8	.7	1.0	.6	.4	.4	.4	.5	.5	.3	.7	1.3	1.0	.9	.8	.8	.8	23	1.3	
9	.7	.7	.5	.6	BF	.7	.6	.5	.6	.7	.5	.3	.3	.2	.2	.3	.4	.4	.8	1.0	1.0	1.3	2.4	1.5	23	2.4	
10	1.6	1.3	1.0	.7	BF	1.6	1.9	2.0	.8	.5	.3	.3	.3	.4	.4	.4	.4	.5	1.4	1.2	1.1	.9	.8	.8	23	2.0	
11	1.1	.9	.9	1.0	BF	1.4	2.0	.9	.5	.3	.1	.2	.2	.1	.3	.3	.2	.3	.8	.9	1.5	1.1	.9	1.3	23	2.0	
12	.8	.7	1.1	1.0	BF	.9	.8	.7	AX	AX	AX	BA	.3	.3	.1	.2	.2	.3	.5	1.7	1.8	.9	1.1	.8	19	1.8	
13	.8	.7	.6	.5	BF	.6	1.2	2.5	3.1	2.2	1.1	.7	.5	.5	.5	.4	.5	.6	.9	2.6	1.8	1.2	1.1	.8	23	3.1	
14	.8	.9	.9	.9	BF	1.3	1.4	2.7	2.6	1.8	1.1	.5	.3	.2	.3	.4	.6	.8	.7	1.2	1.2	.9	1.0	1.2	23	2.7	
15	1.8	1.9	1.4	1.1	BF	1.1	1.3	1.4	1.2	.6	.3	.2	.2	.2	.2	.2	.4	.5	.6	.9	1.3	.9	.8	.8	23	1.9	
16	.9	1.0	.9	.7	BF	.6	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.3	1.8	.6	.7	.9	.8	23	1.8	
17	.9	.8	.9	.7	BF	.8	.7	.7	.5	.3	.3	.2	.2	.2	.3	.2	.2	.2	.6	1.1	1.2	1.1	1.2	1.3	23	1.3	
18	1.1	1.4	1.5	1.5	BF	1.6	2.0	1.6	1.4	1.2	.7	.6	.6	.7	.7	.8	1.1	1.0	1.1	1.3	1.0	1.1	.8	.6	23	2.0	
19	.5	.5	1.0	.9	BF	1.2	1.6	1.5	2.2	2.3	2.4	2.2	2.2	1.7	1.1	.8	.9	.8	1.0	2.0	1.2	.9	1.0	1.1	23	2.4	
20	1.3	1.5	.9	.8	BF	1.5	.8	.6	.5	.5	.4	.3	.2	.3	.3	.3	.3	.6	1.3	1.2	.9	.6	.5	.5	23	1.5	
21	.5	.7	.7	.7	BF	1.0	1.3	.9	.7	.5	.4	.4	.3	.2	.3	.2	.4	.4	1.7	1.5	1.1	2.1	.8	.7	23	2.1	
22	.8	.8	.8	1.0	BF	1.0	1.0	.8	.5	.4	.3	.4	.2	.2	AV	AV	-.1	.2	.4	.7	1.0	1.0	1.2	1.2	21	1.2	
23	1.3	1.4	1.5	1.2	BF	1.2	1.1	.8	.7	.9	.9	1.1	1.2	1.1	1.1	.9	.9	1.1	1.1	1.2	.9	.7	.6	.5	23	1.5	
24	.5	.4	.6	1.2	BF	.9	.8	.9	1.3	1.7	1.5	1.6	1.2	1.1	1.5	1.0	1.0	1.1	1.2	1.1	1.3	1.3	.9	.7	23	1.7	
25	.7	.7	.7	.5	BF	.9	.7	.6	.6	.6	.4	.4	.5	.5	.4	.3	.3	.4	.5	.7	.8	.8	.8	.7	23	.9	
26	.6	.5	.5	.6	BF	1.1	1.0	AX	AX	AX	BA	.4	.3	.3	.4	.3	.3	.3	1.6	.7	1.0	1.1	.8	1.2	19	1.6	
27	1.3	1.0	.9	.9	BF	1.8	1.3	1.0	.8	.5	.5	.4	.3	.4	.9	.6	.8	.8	.7	1.0	.8	.7	.7	.7	23	1.8	
28	1.0	.9	.8	.7	BF	1.9	1.5	.9	.7	.5	.4	.4	.5	.7	.6	.4	.6	.6	.7	1.0	.9	.8	.9	.8	23	1.9	
29	.5	.6	.6	.6	BF	.8	.8	.7	.6	.4	.3	.3	.3	.3	.3	.5	.4	.4	.5	1.1	1.1	2.2	2.6	1.1	23	2.6	
30	.8	.8	.7	.5	BF	.4	.4	.5	.4	.3	.2	.2	.2	.2	.3	.1	.1	.2	.7	.8	1.0	1.6	.8	.7	23	1.6	
31																										0	
NO.:	30	30	30	30		30	30	29	28	28	28	29	30	30	29	29	30	30	30	30	30	30	30	30	30		
MAX:	2.1	1.9	1.5	1.5		6.2	4.2	2.7	3.1	2.3	2.4	2.2	2.2	1.7	1.5	1.1	1.1	1.1	1.7	1.7	2.8	1.8	2.2	2.6	1.7		
AVG:	.93	.89	.83	.80		1.28	1.21	1.10	.96	.82	.63	.54	.47	.44	.50	.44	.46	.54	.82	1.22	1.08	1.01	.98	.90			

MONTHLY OBSERVATIONS: 680 MONTHLY MEAN: .82 MONTHLY MAX: 6.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.2	.6	.7	.7	BF	1.3	1.0	.6	.4	.3	.3	.3	.2	.3	.3	.2	.4	.5	1.1	.6	.8	.5	.4	.5	23	1.3	
2	.6	.6	.5	.6	BF	.6	.6	.5	.4	.3	.2	.2	.2	.3	.2	.3	.3	.3	1.4	1.4	1.2	.7	.6	.5	23	1.4	
3	.5	.7	.7	.9	BF	1.1	1.2	1.1	.8	.6	.3	.3	.2	.2	.2	.3	.3	.3	1.4	1.7	1.6	1.8	1.7	1.9	23	1.9	
4	1.6	1.4	1.2	1.2	BF	1.6	1.6	1.4	1.1	.7	.5	.3	.4	.3	.6	.5	.4	.6	.5	.5	.4	.5	.5	.5	23	1.6	
5	.3	.3	.2	.2	BF	1.8	1.3	1.0	.7	.4	.2	.3	.2	.2	.2	.2	.2	.2	.3	.3	.4	.5	.6	.6	23	1.8	
6	.7	.7	.7	.7	BF	.6	.6	.7	.8	.7	.3	.3	.2	.2	.2	.2	.2	.3	.4	.4	.5	.7	.8	.8	23	.8	
7	.7	.7	.6	.5	BF	.5	.6	.7	.5	.3	.2	.1	.1	.2	.2	.2	.2	.2	.3	.8	.8	.6	1.0	.6	23	1.0	
8	.7	.6	.7	.7	BF	1.5	.6	.9	.7	.4	.3	.3	.2	.2	.2	.2	.2	.2	1.3	1.0	1.0	1.0	1.6	1.1	1.0	23	1.6
9	.8	.8	.7	.9	BF	1.1	1.3	1.2	1.6	1.4	1.1	1.1	.8	.9	.8	.8	.5	.9	1.0	1.2	1.8	1.6	1.5	1.0	23	1.8	
10	.8	.9	1.3	1.2	BF	3.1	.7	.7	.5	AX	AX	AX	BA	.4	.3	.3	.2	.3	1.3	.9	1.6	1.1	1.0	1.1	19	3.1	
11	.7	.6	.5	.5	BF	2.2	.8	1.1	1.0	.8	.6	.4	.3	.3	.3	.2	.4	.4	.8	1.6	2.1	1.2	1.2	1.4	23	2.2	
12	1.8	1.7	1.0	.7	BF	1.1	.9	.8	1.1	1.2	1.3	1.8	1.7	2.1	2.2	2.0	2.1	2.3	2.4	2.1	2.1	2.3	2.1	1.7	23	2.4	
13	1.6	1.0	.9	1.0	BF	.9	.7	.4	.4	.4	.4	.3	.3	.2	.2	.2	.3	.3	.9	1.1	.9	.9	.9	1.1	23	1.6	
14	.8	.7	.6	.5	BF	.5	.4	.4	.4	.3	.2	.2	.1	.2	.2	.3	.3	.3	.4	.8	.6	.4	.5	.5	23	.8	
15	.6	.8	1.1	1.4	BF	1.8	1.4	1.2	.8	1.5	.7	.4	.3	.3	.3	.2	.2	.3	.4	1.0	1.4	1.1	1.3	1.3	23	1.8	
16	1.4	1.4	1.5	1.4	BF	2.0	2.2	2.9	2.9	1.8	.7	.5	.3	.3	.4	.3	.4	.4	3.1	2.5	1.1	1.0	1.7	1.2	23	3.1	
17	1.6	1.3	1.0	.9	BF	3.0	1.9	.8	.6	.5	.5	3.0	.6	.7	.4	.5	.4	.6	.8	.9	1.8	1.1	.8	.8	23	3.0	
18	.9	.9	1.0	1.3	BF	1.2	1.2	.9	.4	.2	.2	.3	.2	.3	.3	.4	.3	.5	.8	2.9	2.1	.9	1.3	1.9	23	2.9	
19	1.7	.8	1.0	1.3	BF	1.0	.8	.5	.4	.3	.2	.2	.2	.2	.2	.2	.3	.8	1.4	1.2	1.0	.9	1.4	1.6	23	1.7	
20	1.9	1.4	.9	.9	BF	.8	.8	.8	.6	.3	.3	.3	.2	.3	.2	.3	.4	.4	.6	1.0	1.5	.9	.9	1.5	23	1.9	
21	1.2	.9	.8	.8	BF	1.0	1.2	1.7	1.0	1.3	.7	.7	.6	.4	.4	.6	.6	.6	.6	1.0	1.3	1.0	1.0	1.2	23	1.7	
22	1.0	.9	.8	.7	BF	.8	.9	.7	.6	.5	.3	.3	.2	.2	.3	.3	.4	.4	.6	.9	.8	.6	.6	.6	23	1.0	
23	.7	.5	.6	.6	BF	.9	1.3	1.4	1.3	1.2	1.0	.9	1.0	1.2	.9	.9	1.1	1.0	.9	.8	1.0	.4	.4	.4	23	1.4	
24	.4	.4	.3	.3	BF	1.8	.6	.4	.4	AX	AX	AX	BA	.5	.5	.7	.6	.8	.7	.8	1.1	1.2	1.2	.9	19	1.8	
25	.8	.6	.4	.4	BF	1.2	.7	.4	.3	.3	.2	.2	.2	.2	.2	.3	.2	.3	.4	.5	.5	.5	.5	.6	23	1.2	
26	.6	.7	.8	.7	BF	.7	.6	.6	.6	.3	.2	.2	.2	.2	.2	.2	.2	.3	.5	1.1	.9	1.0	.8	.5	23	1.1	
27	.6	.6	.7	.7	BF	.9	.8	.7	.6	.5	.3	.3	.2	.2	.2	.2	.2	.2	.2	.5	.9	.5	.6	.5	23	.9	
28	.6	.4	.6	.6	BF	.9	.5	.4	.3	.3	.3	.3	.2	.2	.2	.2	.3	.3	.6	.8	.4	.6	.3	.4	23	.9	
29	.5	.6	.6	.9	BF	1.3	.8	.7	.5	.3	.2	.2	.1	.1	.2	.1	.2	.3	.8	1.5	.6	.7	.7	.6	23	1.5	
30	.6	.5	.5	.6	BF	1.3	.5	.8	.6	.4	.3	.2	BA	.3	.3	.3	.4	.3	.4	.7	1.1	.9	.5	.5	22	1.3	
31	.7	.5	.6	.8	BF	1.1	.8	.7	BA	BA	.4	.3	.3	.3	.4	.6	.5	.8	.8	1.6	1.7	1.2	1.0	.7	21	1.7	
NO.:	31	31	31	31		31	31	31	30	28	29	29	28	31	31	31	31	31	31	31	31	31	31	31			
MAX:	1.9	1.7	1.5	1.4		3.1	2.2	2.9	2.9	1.8	1.3	3.0	1.7	2.1	2.2	2.0	2.1	2.3	3.1	2.9	2.1	2.3	2.1	1.9			
AVG:	.92	.79	.76	.80		1.28	.95	.87	.74	.63	.43	.49	.35	.38	.38	.39	.41	.50	.88	1.10	1.12	.95	.93	.92			

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: .74 MONTHLY MAX: 3.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SFM  
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U  
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2017

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.6	.7	.5	.4	BF	.6	.5	.5	.4	.4	.4	.3	.3	.2	.3	.3	.3	.3	1.0	1.8	2.7	1.0	.9	2.6	23	2.7	
2	.7	3.2	1.0	.9	BF	1.8	1.2	1.6	1.6	1.3	.8	.6	.3	.3	.3	.3	.4	.6	1.1	1.6	1.2	1.7	1.6	1.7	23	3.2	
3	1.9	1.2	1.2	1.1	BF	.6	.8	.8	.6	.5	.8	.5	.4	.3	.3	.3	.3	.3	.9	1.3	1.3	1.4	1.2	1.2	23	1.9	
4	1.2	1.3	1.1	1.1	BF	1.2	.8	.6	.4	.4	.3	.6	.3	.3	.5	.6	.2	.2	.3	.6	.8	.8	.9	.8	23	1.3	
5	1.1	.9	.9	1.0	BF	1.7	1.3	.9	.7	.4	.4	.3	.3	.3	.2	.2	.2	.1	.5	.3	.5	.4	.3	.3	23	1.7	
6	.4	.3	.3	.4	BF	.8	.7	.5	.7	.6	.4	.3	.2	.2	.2	.3	.3	.7	3.6	6.6	8.4	2.3	2.1	1.2	23	8.4	
7	.8	.8	1.0	1.1	BF	1.2	1.5	1.5	1.7	AX	AX	AX	BA	.8	.7	.9	1.1	1.1	1.6	1.7	.9	.8	.7	.7	19	1.7	
8	.7	1.3	1.0	.6	BF	1.0	1.0	.8	.7	.7	.5	.4	.3	.3	.2	.2	.2	.3	.3	.4	.8	1.0	.9	2.0	1.4	23	2.0
9	1.0	.7	.7	.8	BF	.8	.7	.6	.4	.3	.3	.3	.2	.2	.2	.2	.3	.3	.8	1.1	1.3	.7	1.8	1.3	23	1.8	
10	1.4	1.3	AV	1.2	BF	1.3	1.1	.7	.4	.4	.2	.2	.2	.3	.3	.3	.3	.3	.5	1.0	.9	2.3	.8	.9	22	2.3	
11	.7	.7	.8	.8	BF	1.4	.6	.4	.3	.3	.2	.2	.2	.2	.2	.3	.5	.8	.6	1.6	1.3	.9	1.0	.9	23	1.6	
12	1.0	.9	.7	.8	BF	2.1	.9	.7	.4	.4	.3	.3	.2	.2	.2	.2	.2	.3	.8	2.0	1.2	1.0	.9	1.1	23	2.1	
13	1.1	1.1	1.2	1.3	BF	2.2	1.2	1.0	.7	.4	.4	.3	.2	.3	.3	.6	.4	.4	.6	.6	.5	.4	.8	.5	23	2.2	
14	.8	.5	.7	.7	BF	1.0	1.2	1.6	1.2	.7	.5	.3	.2	.2	.2	.2	.2	.2	.3	.9	1.2	1.0	.9	.9	23	1.6	
15	1.1	1.7	1.5	1.6	BF	2.1	1.1	.7	.6	.5	.4	.5	.5	.5	.7	.9	.8	1.0	1.1	1.2	1.8	2.1	2.4	2.3	23	2.4	
16	2.4	2.2	1.8	1.7	BF	2.3	1.4	1.0	.9	.9	.6	.4	.5	.5	.5	.9	.6	.8	.4	.5	.9	.8	1.1	1.2	23	2.4	
17	1.2	1.5	1.8	1.9	BF	1.8	2.0	1.9	1.4	.8	.4	.3	.3	.3	.6	.6	.7	.8	.8	.9	1.8	1.8	1.9	2.4	23	2.4	
18	1.9	1.6	1.2	.9	BF	.8	.7	.5	.4	.3	.3	.4	.3	.2	.4	.5	.7	.6	1.1	1.2	.8	.5	.6	.9	23	1.9	
19	1.8	1.9	1.7	1.3	BF	1.5	1.1	.8	.6	.5	.4	.3	.4	.2	.3	.5	.5	.5	.7	.7	.7	.8	1.0	.8	23	1.9	
20	.8	.5	.7	.5	BF	.7	.8	.8	.7	.6	.9	.5	.4	.4	.6	.8	.8	.8	.8	.6	.5	.5	.7	.8	23	.9	
21	.7	.5	.2	.3	BF	.5	.3	.5	.5	AX	AX	AX	BA	.2	.1	.1	.4	.4	.3	.3	1.3	.4	2.2	.6	19	2.2	
22	.8	.7	.7	.7	BF	1.3	.7	.4	.4	.3	.2	.3	.3	.3	.2	.2	.2	.2	.3	.7	.7	.7	.9	1.0	23	1.3	
23	.9	1.0	1.2	1.2	BF	.9	.7	.6	.5	.4	.2	.2	.2	.1	.1	.1	.2	.3	.5	.7	.5	.5	.6	.6	23	1.2	
24	.6	.8	.7	.6	BF	.4	.2	.3	.2	.2	.1	.1	.2	.2	.2	.1	.2	.2	.5	.5	.5	.5	.5	.6	23	.8	
25	.6	.4	.4	.3	BF	.3	.3	.4	.3	.3	.3	.2	.3	.2	.2	.3	.3	.6	.9	.5	.5	.6	.8	1.0	23	1.0	
26	.9	1.1	.9	.8	BF	.9	.5	.5	.5	.5	.2	.2	.2	.2	.3	.3	.2	.2	.4	2.3	2.5	1.4	1.3	1.4	23	2.5	
27	1.2	1.0	1.3	1.2	BF	.9	.7	.8	1.4	.5	.3	.2	.2	.2	.3	.4	.4	.4	.5	.5	1.8	.8	1.1	23	1.8		
28	1.7	1.1	1.1	1.3	BF	1.0	1.9	2.2	1.6	1.1	.7	.4	.4	.4	.4	.4	.3	.6	1.0	1.0	1.8	2.9	2.3	2.5	23	2.9	
29	1.7	1.2	1.0	1.6	BF	4.0	2.0	1.7	.7	.6	.4	.3	.4	.3	.3	.6	.8	1.0	1.4	1.6	1.4	1.2	1.4	1.1	23	4.0	
30	1.5	1.4	1.1	1.1	BF	1.4	1.5	1.3	.7	1.3	.4	.4	.3	.7	.4	.4	.3	.3	.5	1.4	1.1	1.5	1.6	1.3	23	1.6	
31																										0	
NO.:	30	30	29	30		30	30	30	30	28	28	28	28	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	2.4	3.2	1.8	1.9		4.0	2.0	2.2	1.7	1.3	.9	.6	.5	.8	.7	.9	1.1	1.1	3.6	6.6	8.4	2.9	2.4	2.6			
AVG:	1.11	1.12	.98	.97		1.28	.98	.89	.72	.56	.40	.33	.29	.30	.32	.40	.41	.49	.80	1.22	1.35	1.15	1.20	1.17			

MONTHLY OBSERVATIONS: 681 MONTHLY MEAN: .81 MONTHLY MAX: 8.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	1.0	.9	.7	BF	.6	.7	.6	.5	.5	.3	.2	.2	.3	.4	.2	.3	.4	.3	.4	.3	.4	.4	.4	23	1.0	
2	.5	.6	.5	.6	BF	.7	.7	1.1	.5	.3	.2	.2	.2	.1	.2	.2	.2	.2	.2	1.0	1.2	1.6	1.2	1.3	23	1.6	
3	1.1	.5	1.0	.9	BF	.6	.5	.5	.4	.5	.5	.4	.6	.3	.3	.3	.5	.4	.4	.4	.4	.5	.3	.5	23	1.1	
4	.5	.6	.6	.6	BF	.8	.5	.4	.2	.3	.2	.2	.2	.2	.2	.2	.2	.1	.4	.3	.6	1.1	1.7	.6	23	1.7	
5	.6	.6	.8	.8	BF	1.2	.6	.6	.5	AX	AX	AX	BA	.3	.3	.2	.2	.2	.5	.7	.5	.5	.5	.7	19	1.2	
6	.9	.7	.6	.6	BF	1.3	1.6	1.6	1.2	.7	.5	.2	.2	.2	.2	.3	.3	.2	.3	.7	.8	.7	.6	.6	23	1.6	
7	.5	.5	.5	.6	BF	.7	.8	.6	.4	.4	.3	.2	.3	.3	.2	.2	.2	.2	.3	.7	1.9	1.3	.4	.4	23	1.9	
8	.6	.7	1.0	.7	BF	.9	.6	.6	.5	.4	.3	.2	.2	.2	.1	.1	.2	.6	.3	.3	.3	.4	.6	.7	23	1.0	
9	.6	.6	.5	.5	BF	.5	.6	.8	.9	.6	.4	.3	.3	.3	.4	.5	.4	.3	.6	1.0	1.5	1.3	1.9	.9	23	1.9	
10	.8	.8	1.0	1.1	BF	1.6	1.2	.8	.4	.3	.2	.3	.2	.3	.3	.4	.8	.8	.7	.6	1.2	1.3	1.1	1.1	23	1.6	
11	1.1	1.2	1.1	1.0	BF	1.5	.9	.7	.6	.5	.4	.3	.3	.3	.2	.3	.2	.2	.4	.5	1.6	1.0	1.1	1.6	23	1.6	
12	2.1	2.1	1.8	1.6	BF	1.5	1.3	.7	.5	.4	.3	.6	.4	.3	.5	.4	.2	.4	.6	1.2	1.0	.9	1.0	.8	23	2.1	
13	.9	1.0	1.1	1.0	BF	1.4	1.2	.9	.5	.3	.3	.3	.1	.2	.3	.3	.4	.5	.5	.8	1.0	.9	.7	.8	23	1.4	
14	1.1	1.3	1.2	1.0	BF	1.1	1.0	.7	.5	.4	.3	.2	.3	.2	.3	.3	.3	.3	.3	.9	1.1	.9	.9	.8	23	1.3	
15	.8	.8	1.0	1.0	BF	1.1	.8	.9	1.0	.5	.4	.2	.3	.2	.3	.2	.3	.3	.4	.5	.8	.8	.8	.8	23	1.1	
16	1.1	1.3	1.2	1.2	BF	1.3	1.3	1.3	.9	.5	.3	.2	.2	.3	.2	.3	.5	.4	.5	.4	.7	1.1	1.4	1.4	23	1.4	
17	1.4	1.4	1.5	1.5	BF	1.7	1.4	1.2	.6	.4	.6	.4	.4	.3	.3	.4	.5	.4	.5	1.4	1.3	1.9	2.4	3.0	23	3.0	
18	2.6	2.7	2.2	1.7	BF	1.9	1.2	2.1	.8	.8	.5	.3	.3	.2	.3	.7	.5	.9	1.1	1.7	1.2	1.7	1.7	1.5	23	2.7	
19	1.6	1.2	1.2	1.2	BF	1.4	2.1	1.2	1.7	AX	AX	AX	BA	.7 2	.8 2	.6 2	.7 2	.6 2	.8 2	1.9 2	1.7 2	3.9 2	1.4 2	1.6 2	19	3.9	
20	1.9 2	1.6 2	1.3 2	1.1 2	BF	1.1 2	1.1 2	BC	BC	BC	BC	BC	BC	BC	BC	BC	.3	.4	1.4	1.3	1.3	.9	1.0	1.1	14	1.9	
21	1.2	1.3	1.2	.9	BF	1.1	1.0	.9	.8	.5	.3	.3	.2	.2	.2	.2	.2	.5	.5	.6	.7	.7	.7	.7	23	1.3	
22	.8	.8	.8	1.0	BF	1.1	.8	.7	.6	.5	.3	.2	.2	.2	.2	.2	.3	.2	.3	.6	.6	.7	1.0	.7	23	1.1	
23	.5	.6	.5	.6	BF	.7	.6	.5	.4	.3	.3	.2	.2	.2	.5	.8	.8	.9	.8	1.0	.9	.9	.9	1.4	23	1.4	
24	1.2	.8	.7	.8	BF	1.1	.9	.7	.4	.3	.2	.2	.1	.1	.1	.1	.1	.1	.3	.5	.7	.7	.8	.7	23	1.2	
25	.7	.7	1.0	1.2	BF	1.4	1.1	.8	.7	.3	.2	.3	.3	.2	.3	.3	.4	.6	.9	1.2	1.0	2.0	1.7	1.4	23	2.0	
26	1.6	1.6	1.1	.7	BF	1.1	1.2	1.0	.7	AX	AX	AX	BA	.4	.4	.4	.4	.8	1.2	1.4	1.9	1.5	1.4	.8	19	1.9	
27	.7	.7	.9	2.3	BF	2.8	2.4	1.6	.5	.3	.3	.3	.2	.4	.3	.2	.3	.1	.3	1.1	1.6	1.1	1.1	1.2	23	2.8	
28	1.2	1.0	1.0	1.1	BF	1.2	1.4	1.1	.6	.5	.3	.3	.3	.3	.3	.3	.3	.4	.5	.8	1.0	2.4	1.8	1.3	23	2.4	
29	1.2	1.2	.9	1.0	BF	1.5	1.6	1.2	.8	.4	.5	.4	.5	.4	.5	.6	.8	.8	.5	1.1	1.3	1.0	1.1	1.0	23	1.6	
30	.6	.9	2.1	1.5	BF	2.0	1.8	1.6	1.2	.8	.3	.4	.3	.3	.3	.3	.3	.4	.5	1.1	3.7	2.3	3.5	3.6	23	3.7	
31	3.2	2.4	2.1	3.0	BF	2.3	1.3	1.2	.8	.5	.5	.4	.6	.5	.5	.5	.4	.6	.8	1.1	3.7	1.7	1.9	1.5	23	3.7	
NO.:	31	31	31	31		31	31	30	30	27	27	27	27	30	30	30	31	31	31	31	31	31	31	31	31		
MAX:	3.2	2.7	2.2	3.0		2.8	2.4	2.1	1.7	.8	.6	.6	.6	.7	.8	.8	.8	.9	1.4	1.9	3.7	3.9	3.5	3.6			
AVG:	1.12	1.07	1.07	1.08		1.26	1.10	.95	.67	.45	.34	.29	.28	.28	.31	.34	.37	.42	.55	.87	1.20	1.23	1.19	1.13			

MONTHLY OBSERVATIONS: 692 MONTHLY MEAN: .78 MONTHLY MAX: 3.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SFM  
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U  
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2017

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	1.5	1.6	1.4	1.7	BF	2.4	2.5	1.6	.6	.3	.5	.3	.4	.7	.5	.4	.4	.7	1.0	2.9	6.4	2.7	2.2	1.8	23	6.4
2	2.2	2.0	2.1	1.7	BF	2.9	1.6	1.8	1.2	.6	.3	.4	.3	.2	.4	.5	.4	.8	.8	1.2	1.0	1.6	1.0	1.1	23	2.9
3	1.1	1.1	1.3	1.1	BF	2.1	1.8	2.0	1.6	.9	.5	.3	.3	.3	.4	.6	.8	.8	.6	1.0	1.6	1.7	1.5	2.1	23	2.1
4	2.3	1.8	1.8	1.7	BF	1.8	1.7	1.2	.5	.3	.3	.2	.1	.2	.2	.3	.3	.3	.4	.6	.7	.9	.6	.4	23	2.3
5	.5	.5	.4	.4	BF	.7	.8	.5	.6	1.2	.9	.3	.2	.3	.3	.1	.2	.2	.2	.8	1.6	1.1	1.0	1.4	23	1.6
6	1.7	2.1	2.5	1.3	BF	1.5	1.5	1.0	.6	.4	.3	.2	.3	.1	.1	.1	.2	.1	.3	.9	.9	.9	1.3	1.1	23	2.5
7	1.3	1.4	1.4	1.3	BF	1.1	.8	1.0	1.4	1.4	1.0	.7	.7	.6	.4	.6	.7	1.1	1.3	1.2	1.3	1.3	1.4	1.2	23	1.4
8	.5	1.0	1.4	1.4	BF	1.1	1.1	AX	AX	AX	BA	1.0	.7	.5	.7	.8	.5	.9	1.3	1.6	1.5	1.5	1.7	1.7	19	1.7
9	1.5	2.0	1.5	1.2	BF	1.2	1.1	1.0	1.3	1.1	.9	.6	.5	.5	.7	.7	.9	.8	1.0	2.5	2.0	2.6	2.3	2.3	23	2.6
10	2.3	1.9	1.5	1.8	BF	2.4	3.2	AZ	AZ	AZ	AZ	AZ	AZ	.5	.5	.5	.4	.7	1.2	2.2	1.6	3.2	3.2	2.5	17	3.2
11	1.7	1.4	1.7	1.7	BF	2.6	1.1	.9	.6	.6	.5	.3	.2	.5	.5	.3	.7	.7	1.1	.9	1.5	2.0	1.7	1.5	23	2.6
12	2.7	2.2	2.0	1.6	BF	1.6	1.3	.8	.6	.3	.3	.2	.3	.3	.3	.1	.2	.3	.4	.5	1.0	.5	.5	.4	23	2.7
13	.5	.6	.6	.6	BF	.7	.8	.6	.4	.3	.2	.2	.2	.2	.3	.3	.2	.5	.9	1.1	1.2	.9	.7	.8	23	1.2
14	1.0	.9	.9	.9	BF	1.5	1.2	1.9	1.9	1.4	.9	.7	.5	.4	.3	.3	.5	1.1	1.4	1.2	1.2	1.5	1.7	1.4	23	1.9
15	1.4	1.7	1.1	.9	BF	.8	.9	1.6	1.5	1.0	.5	.2	.2	.2	.2	.2	.3	.2	.3	.6	1.4	2.5	1.7	1.1	23	2.5
16	2.4	1.3	1.3	1.1	BF	1.7	1.5	1.0	1.2	.7	.4	.3	.3	.2	.2	.3	.4	.9	1.1	1.5	1.2	.9	.9	1.1	23	2.4
17	1.6	1.6	1.6	1.3	BF	1.7	1.8	AX	AX	AX	BA	.4	.4	.7	.7	.9	.9	.7	.9	1.0	1.1	1.6	1.3	1.4	19	1.8
18	1.7	1.7	1.8	1.3	BF	1.6	1.1	1.2	.8	.4	.2	.1	.2	.2	.3	.3	.4	.4	.5	.7	.6	.4	.7	.8	23	1.8
19	1.6	1.6	2.2	.9	BF	2.0	1.0	.8	.8	.5	.4	.3	.4	.2	.3	.4	.5	.9	1.0	4.1	2.4	1.5	1.5	2.0	23	4.1
20	1.9	1.9	1.9	1.5	BF	BF	.5	.7	.5	.4	.3	.3	.2	.2	.2	.4	.3	.3	.9	1.1	1.2	1.0	.8	.9	22	1.9
21	1.0	.9	1.0	1.0	BF	BF	1.4	1.5	1.2	1.2	.5	.6	.3	.6	.6	.4	.4	.6	.9	2.4	2.3	2.2	1.3	1.0	22	2.4
22	1.2	1.2	1.0	1.0	BF	1.5	1.3	1.1	.4	.3	.2	.2	.2	.2	.2	.3	.6	.5	.7	1.0	.9	.7	.7	.7	23	1.5
23	.9	1.2	1.2	1.3	BF	1.2	.9	.9	.7	.5	.4	.4	.8	.4	.6	.4	.4	1.0	3.1	1.9	2.0	2.3	2.0	1.7	23	3.1
24	1.6	1.1	1.2	1.0	BF	2.6	1.9	1.7	1.3	AV	1.7	1.1	.7	.6	.7	.9	1.1	1.3	1.4	1.4	2.1	2.0	2.6	2.5	22	2.6
25	2.1	2.1	2.7	2.6	BF	2.2	1.6	1.4	1.0	AE	AE	.7	.6	.6	.6	.9	.6	.7	.9	2.6	3.1	2.4	1.9	1.7	21	3.1
26	2.4	3.2	3.4	3.7	BF	BF	1.7	1.4	1.2	1.0	.8	.7	.4	.2	.2	.2	.3	.5	.4	1.3	1.1	1.1	1.0	1.2	22	3.7
27	.9	.8	1.5	1.6	BF	2.0	1.6	1.5	1.0	.6	.4	.3	.3	.4	.2	.3	.3	.6	.4	.5	.7	.7	.7	1.3	23	2.0
28	1.0	.8	1.1	1.7	BF	BF	1.6	1.7	1.3	1.5	1.3	.8	.5	.5	.5	.7	.7	.8	.9	1.0	.7	.7	.9	.8	22	1.7
29	.8	.5	.5	.5	BF	.6	.7	.6	.6	.6	.5	.6	.6	.5	.4	.6	.7	.7	.8	.9	1.1	1.0	.8	.9	23	1.1
30	.9	1.2	1.1	1.0	BF	1.8	.9	.8	1.1	.9	.7	.3	.2	AX	AX	AX	BA	.8	1.1	2.1	1.3	1.6	1.6	1.1	19	2.1
31	.8	.9	1.1	1.4	BF	1.8	1.4	1.2	1.1	AI	.3	.2	.2	.2	.2	.2	.3	.5	1.0	1.5	1.4	1.4	1.3	1.6	22	1.8
NO.:	31	31	31	31		27	31	28	28	25	27	30	30	30	30	30	30	31	31	31	31	31	31	31	31	
MAX:	2.7	3.2	3.4	3.7		2.9	3.2	2.0	1.9	1.5	1.7	1.1	.8	.7	.7	.9	1.1	1.3	3.1	4.1	6.4	3.2	3.2	2.5		
AVG:	1.45	1.43	1.49	1.36		1.67	1.36	1.19	.96	.74	.56	.43	.37	.37	.39	.43	.49	.66	.91	1.43	1.55	1.50	1.37	1.34		

MONTHLY OBSERVATIONS: 687 MONTHLY MEAN: 1.03 MONTHLY MAX: 6.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.7	1.7	2.3	2.5	BF	1.3	1.2	1.3	1.9	1.9	.9	.7	.6	.8	1.3	AV	AV	AV	AV	1.5	1.5	1.4	1.0	1.0	19	2.5	
2	.8	.8	.8	.7	BF	.7	.6	.7	.9	.6	.7	.7	.5	.4	.2	.3	.4	.8	.7	1.1	.9	.9	.7	.6	23	1.1	
3	1.0	1.1	1.0	.9	BF	.9	.8	.8	.4	.3	.2	.1	.1	.1	.1	.1	.2	.3	1.8	2.4	1.6	1.3	1.8	23	2.4		
4	1.3	1.0	1.0	1.0	BF	1.7	.7	.6	.7	.9	.7	.3	.3	.4	.6	.7	.6	.8	2.3	1.7	1.9	1.1	.9	.8	23	2.3	
5	.8	.8	1.2	1.3	BF	1.7	1.6	1.0	.8	.5	.5	.4	.2	.2	.2	.2	.6	.9	1.4	.8	.6	.6	.7	.7	23	1.7	
6	.8	.7	1.0	.8	BF	1.2	1.0	1.0	.9	.9	.6	.4	.4	.4	1.1	.7	.8	.8	.8	.9	.8	.8	.9	.9	23	1.2	
7	1.0	1.6	1.6	1.7	BF	1.4	1.4	1.3	1.0	.8	.3	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	10	1.7	
8	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	AO	BA	BA	.2	.2	.4	.4	.7	.8	1.3	2.0	2.2	2.2	10	2.2	
9	2.4	2.3	1.7	1.4	BF	1.4	1.5	1.6	1.4	1.1	.6	.5	.3	.3	.2	.3	.3	.3	.6	1.1	1.5	2.0	2.1	2.4	23	2.4	
10	2.2	2.3	1.9	1.5	BF	1.3	1.2	1.1	1.0	.8	.5	.4	.3	.4	.3	.4	.3	.4	1.1	1.0	1.5	1.2	1.4	1.2	23	2.3	
11	.8	.8	.8	.6	BF	1.2	1.7	1.8	1.9	2.0	1.9	1.8	1.6	1.5	1.7	1.5	1.6	1.3	1.1	.9	.7	.6	.5	.5	23	2.0	
12	.4	.4	.3	.4	BF	.4	.6	.7	.5	.6	.7	.7	.7	.3	.3	.4	.3	1.7	3.7	1.1	.5	.8	.5	.3	23	3.7	
13	.3	.5	.6	.6	BF	2.5	2.1	1.7	.7	.3	AX	AX	AX	BA	.6	.4	.7	1.5	1.1	1.4	1.2	.9	1.6	1.7	19	2.5	
14	1.0	1.0	.8	.9	BF	1.5	1.1	1.2	.7	.5	.5	.4	.2	.2	.2	.1	.2	1.1	4.7	15.3	9.9	3.5	1.4	1.2	23	15.3	
15	1.2	.8	.7	.7	BF	1.4	1.0	1.0	.9	.5	.4	.3	.3	.3	.7	.4	.5	.9	1.9	1.1	1.7	1.7	1.7	1.6	23	1.9	
16	1.1	1.1	.7	1.1	BF	.9	.6	.8	.7	.8	.5	.4	.2	.4	.3	.4	.7	2.7	3.0	2.3	2.4	2.1	2.3	2.5	23	3.0	
17	2.2	1.6	1.0	.8	BF	.9	.9	1.0	.6	.4	.3	.5	.2	.3	.3	.3	.5	.6	1.5	1.1	3.3	1.4	1.6	1.4	23	3.3	
18	1.2	1.2	1.0	1.1	BF	.8	1.0	.6	.6	.4	.5	.3	.2	.2	.2	.2	.4	.8	.9	.8	.9	2.2	1.6	1.2	23	2.2	
19	.8	.9	.7	.6	BF	1.0	1.2	1.2	1.1	.8	.9	.5	.3	.2	.2	.2	.2	1.5	5.2	2.7	2.3	2.3	1.5	1.5	23	5.2	
20	1.1	.8	1.2	1.3	BF	3.1	1.8	1.2	1.0	.7	.4	.3	.2	.2	.6	.9	.9	.7	1.2	1.4	2.8	1.1	.6	.6	23	3.1	
21	.6	.7	.9	.6	BF	2.0	1.3	.9	2.7	2.8	1.2	.6	.5	.3	.3	.3	.6	1.0	2.9	2.1	1.3	1.0	.9	1.0	23	2.9	
22	1.3	1.3	1.2	1.4	BF	.8	1.1	.7	.9	.6	1.3	.5	.3	.8	.4	.3	.6	2.3	1.7	1.8	1.6	4.9	2.1	1.7	23	4.9	
23	1.3	1.5	1.2	AE	AE	AE	.8	1.2	1.3	.9	.9	.8	.6	.8	.4	.4	.6	.9	1.0	1.5	1.4	1.6	1.3	1.8	21	1.8	
24	1.4	1.1	.9	1.1	BF	1.0	1.2	.9	.5	.6	.5	.4	.5	.3	.2	.4	.4	1.0	2.5	4.7	2.3	1.3	1.1	1.1	23	4.7	
25	1.2	1.2	1.2	1.2	BF	2.3	1.3	.9	1.1	1.1	1.1	.7	.5	.4	.5	.6	.8	.7	1.0	1.5	2.4	2.4	2.5	1.4	23	2.5	
26	.8	.6	.9	.8	BF	.6	.8	1.0	1.1	1.1	1.0	.5	.3	.3	.4	.3	.2	.4	.4	.6	.6	.8	.7	.6	23	1.1	
27	.4	.3	.6	1.7	BF	1.7	1.1	.8	AX	AX	AX	BA	.5	.2	.2	.1	.3	.4	.6	.6	.9	.6	.7	.7	19	1.7	
28	.7	1.2	1.6	1.8	BF	2.0	1.9	1.9	1.3	.8	.5	.5	.8	.8	.5	.5	.5	.5	.6	5.4	1.4	.9	1.0	1.2	23	5.4	
29	1.5	.8	.6	.9	BF	2.9	2.6	3.0	2.6	2.0	1.7	1.1	.9	.9	.9	1.6	1.8	2.5	2.0	2.1	2.2	2.1	2.5	2.3	23	3.0	
30	2.2	1.9	1.8	1.7	BF	1.5	1.2	1.0	1.2	1.3	.6	.4	.2	.4	.3	.2	.4	1.2	1.0	1.5	1.8	1.2	.9	.7	23	2.2	
31																										0	
NO.:	29	29	29	28		28	29	29	28	28	27	26	27	27	29	28	28	28	28	29	29	29	29	29	29		
MAX:	2.4	2.3	2.3	2.5		3.1	2.6	3.0	2.7	2.8	1.9	1.8	1.6	1.5	1.7	1.6	1.8	2.7	5.2	15.3	9.9	4.9	2.5	2.5			
AVG:	1.16	1.10	1.08	1.11		1.43	1.22	1.13	1.09	.93	.74	.55	.43	.44	.46	.44	.56	1.01	1.64	2.09	1.86	1.55	1.32	1.26			

MONTHLY OBSERVATIONS: 650 MONTHLY MEAN: 1.08 MONTHLY MAX: 15.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.8	.8	1.4	1.5	BF	1.1	.9	.7	.6	.5	.4	.2	.2	.3	.3	.2	.3	.4	2.9	2.8	1.3	1.6	1.9	1.8	23	2.9	
2	2.2	2.1	2.1	1.7	BF	2.0	2.5	2.7	2.8	1.2	.5	.5	.3	.3	.3	AE	AE	AE	AE	1.2	1.2	1.6	1.5	1.3	19	2.8	
3	1.5	1.2	1.0	1.5	BF	2.7	4.2	4.4	2.6	1.3	1.5	1.6	1.0	.5	.5	.6	.6	1.3	3.0	1.4	1.5	1.8	2.1	1.5	23	4.4	
4	1.5	1.7	2.4	2.7	BF	3.1	2.0	1.2	1.3	1.3	1.2	.7	.4	.4	.6	.5	.6	2.9	1.2	1.0	1.0	1.8	1.3	1.0	23	3.1	
5	1.2	1.5	1.0	.7	BF	.9	1.1	.5	.5	.4	.4	.3	.5	.2	.3	.4	.3	.6	1.2	1.1	.9	.8	1.4	.8	23	1.5	
6	.8	1.2	.9	.8	BF	3.5	1.2	.7	.6	.5	.3	.3	.1	.1	.2	.2	.4	.7	.5	1.4	.9	1.2	1.4	.9	23	3.5	
7	.9	.8	1.1	1.7	BF	1.6	1.6	1.4	1.1	.6	.3	.3	.2	.4	.4	.7	.6	.8	.8	.8	.9	1.0	.9	.9	23	1.7	
8	.7	.9	1.3	1.2	BF	1.2	.7	1.1	.8	.5	.4	.4	.7	.5	.3	.4	.6	.5	.4	.3	.3	.3	.3	.4	.4	23	1.3
9	.4	.3	.3	.3	BF	.7	.7	.6	.6	.3	.3	.2	.2	.2	.3	.3	.3	.7	1.1	1.1	1.0	1.3	1.1	.9	23	1.3	
10	1.1	1.1	1.1	1.1	BF	1.7	1.5	1.5	1.0	.8	.5	.2	.2	.2	.3	.5	.9	1.5	1.1	.9	.9	1.1	1.1	1.3	23	1.7	
11	1.3	1.1	1.3	1.1	BF	1.0	.8	.9	.6	AX	AX	AX	BA	.3	.3	.5	.7	.9	1.2	.9	1.0	1.1	1.0	1.1	19	1.3	
12	1.3	1.4	1.4	1.5	BF	1.0	1.0	.9	1.1	1.4	1.8	1.9	1.3	1.1	.9	1.3	1.4	1.5	1.5	1.5	1.2	1.0	.9	.8	23	1.9	
13	.7	.6	.5	.7	BF	1.0	1.2	1.5	1.5	1.5	1.7	1.1	.8	.6	.5	.6	1.0	.7	1.0	.9	.7	.5	.8	1.3	23	1.7	
14	1.8	2.6	1.9	1.1	BF	.6	.5	.3	.2	.2	.3	.3	.3	.2	.1	.1	1.7	3.1	1.3	2.0	1.2	1.5	1.7	1.6	23	3.1	
15	1.1	1.2	1.4	1.1	BF	1.2	1.2	.7	.5	.4	.3	.3	.2	.2	.2	.3	.7	.8	1.0	1.3	1.6	.9	.6	.6	23	1.6	
16	.9	1.0	.9	1.3	BF	1.0	.9	.9	.8	.7	.7	.7	.6	.8	.4	.4	.4	.4	.6	.7	.8	.8	1.1	1.5	23	1.5	
17	1.6	1.1	1.0	.8	BF	1.7	1.8	AE	1.1	1.0	.9	.6	.4	.4	.3	.4	.6	3.9	1.6	1.5	1.5	1.9	2.0	2.0	22	3.9	
18	1.7	1.5	1.0	.9	BF	AE	AE	AE	1.0	1.6	1.8	1.7	2.2	1.1	1.3	1.2	2.5	4.3	2.9	1.6	1.7	1.7	1.4	1.4	20	4.3	
19	1.8	1.4	1.0	1.0	BF	1.7	1.4	1.0	.9	.9	.4	.3	.1	.1	.1	.9	2.4	2.5	2.0	1.0	1.8	1.3	1.3	23	2.5		
20	1.3	1.0	3.3	.8	BF	3.3	.8	1.0	1.4	1.4	.9	.6	.3	.5	.7	.7	2.2	1.9	1.9	2.1	2.8	2.9	2.5	1.6	23	3.3	
21	1.8	1.9	1.7	1.0	BF	1.1	1.1	1.3	.9	1.5	1.5	.8	.6	.3	.7	.9	2.3	3.5	1.5	1.2	1.3	1.5	1.4	1.8	23	3.5	
22	1.7	1.6	1.3	1.1	BF	1.2	1.1	1.1	2.2	1.3	.3	.3	.3	.2	.3	.3	.5	4.3	2.0	1.3	1.7	1.5	1.3	1.2	23	4.3	
23	.8	.6	.7	.6	BF	1.2	1.2	1.2	.9	.9	1.0	.6	.4	.4	.5	.4	AV	AV	AV	AV	.1	.2	.3	.3	19	1.2	
24	.6	.6	.5	.6	BF	2.3	2.1	1.6	1.2	1.2	1.4	.6	.3	.2	.2	.4	.6	2.1	1.0	.9	1.1	.8	.7	.9	23	2.3	
25	1.0	1.0	1.1	1.1	BF	2.8	.9	.7	.7	AX	AX	AX	BA	.2	.3	.1	.3	1.1	2.0	2.3	.9	1.1	.9	.9	19	2.8	
26	.8	.9	1.1	1.2	BF	1.3	1.5	1.4	1.1	BA	.8	.6	.5	.3	.2	.2	.2	1.8	1.6	1.1	1.1	.7	.7	.6	22	1.8	
27	1.4	3.1	3.6	1.4	BF	3.5	3.2	2.9	1.9	1.5	1.3	.6	.7	.5	.6	.5	.8	3.6	2.4	1.7	1.2	1.1	.8	.8	23	3.6	
28	1.0	1.6	1.9	1.1	BF	1.5	1.0	.7	.6	.9	1.3	1.5	.5	.3	.4	.3	.6	2.3	1.8	1.9	1.3	1.1	.6	.5	23	2.3	
29	.5	.4	.4	.4	BF	.7	.6	.6	.6	.8	.7	.6	.3	.3	1.4	1.3	1.1	1.0	.9	.8	.9	.8	.9	.8	23	1.4	
30	.7	.8	.8	.9	BF	1.1	1.6	1.6	1.1	.7	.6	.5	.4	.3	.2	.2	.4	2.2	1.3	1.9	2.2	1.5	1.6	1.7	23	2.2	
31	1.4	1.6	1.5	1.8	BF	3.1	1.6	1.9	1.5	1.3	1.2	1.1	1.3	.9	.6	1.0	2.6	2.3	1.4	1.7	1.6	1.5	1.7	2.4	23	3.1	
NO.:	31	31	31	31		30	30	29	31	28	29	29	29	31	31	30	29	29	29	30	31	31	31	31	31		
MAX:	2.2	3.1	3.6	2.7		3.5	4.2	4.4	2.8	1.6	1.8	1.9	2.2	1.1	1.4	1.3	2.6	4.3	3.0	2.8	2.8	2.9	2.5	2.4			
AVG:	1.17	1.25	1.32	1.12		1.69	1.40	1.28	1.09	.95	.85	.67	.53	.40	.44	.49	.89	1.83	1.50	1.37	1.17	1.26	1.21	1.16			

MONTHLY OBSERVATIONS: 692 MONTHLY MEAN: 1.09 MONTHLY MAX: 4.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SFM  
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U  
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2017

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.6	2.0	2.4	2.2	BF	5.0	3.8	1.9	1.8	1.2	.7	.6	.5	.3	.4	.7	3.1	3.4	2.1	1.9	1.8	1.4	1.6	1.5	23	5.0	
2	1.5	1.3	1.0	.9	BF	3.9	2.5	1.3	1.5	1.7	.9	.3	.2	.2	.5	.2	4.2	2.3	2.9	2.2	1.5	1.7	1.5	1.8	23	4.2	
3	1.5	.8	1.6	.9	BF	1.8	1.8	1.8	.7	.5	.4	.3	.3	.2	.2	.3	1.6	1.6	2.0	2.5	2.8	2.0	2.0	1.2	23	2.8	
4	1.1	2.7	.7	1.0	BF	2.4	2.5	1.9	1.7	1.7	1.7	1.6	1.6	2.0	2.1	2.4	2.7	3.0	2.2	1.8	2.3	2.6	2.0	1.7	23	3.0	
5	2.3	2.2	1.3	1.2	BF	1.0	1.0	1.0	.7	.7	.5	.4	.4	.3	.2	.2	.3	1.8	2.4	1.9	1.6	1.9	1.3	.9	23	2.4	
6	1.2	1.0	.9	.6	BF	.6	1.7	1.0	1.0	.6	.3	.3	.2	.2	.3	.2	.3	3.8	2.5	1.0	1.0	.9	1.6	.7	23	3.8	
7	1.0	1.3	.8	.8	BF	1.8	2.6	3.2	3.1	2.9	2.5	2.3	2.1	1.8	2.0	1.8	2.3	3.0	3.9	4.2	4.5	3.0	2.9	2.3	23	4.5	
8	2.6	2.1	1.9	1.8	BF	2.0	1.9	1.8	AX	AX	AX	AX	BA	1.7	2.0	2.5	2.0	1.9	2.1	1.9	1.5	1.6	1.7	1.9	18	2.6	
9	2.2	2.3	2.1	1.8	BF	1.8	1.8	2.1	1.9	1.9	2.0	1.9	1.9	2.2	2.5	2.5	2.4	2.4	2.3	2.2	2.1	1.8	1.4	1.3	23	2.5	
10	1.3	1.4	1.2	1.3	BF	1.2	1.2	1.1	1.0	.9	.9	.9	.7	.5	.5	.3	.5	1.2	1.0	1.0	1.7	1.7	1.4	1.5	23	1.7	
11	1.7	1.5	1.5	1.4	BF	1.3	1.3	1.2	1.1	1.2	1.3	1.4	1.1	1.1	1.0	1.2	1.3	2.7	2.5	2.4	2.6	3.0	3.4	3.1	23	3.4	
12	2.7	2.8	3.9	4.5	BF	2.4	2.1	2.3	2.7	3.0	2.7	1.6	1.1	1.0	.7	.8	1.1	1.7	1.8	3.5	3.7	4.1	4.0	3.2	23	4.5	
13	2.3	1.7	1.0	.8	BF	.9	2.7	1.2	1.1	.9	1.0	1.2	1.3	1.1	.8	.6	.7	.6	.7	.8	1.0	1.3	1.7	1.7	23	2.7	
14	1.6	1.3	1.4	1.5	BF	2.0	2.2	2.7	2.3	2.5	1.9	1.4	1.1	1.1	1.2	1.5	1.2	1.2	1.3	2.1	1.7	1.5	2.2	1.8	23	2.7	
15	1.5	1.1	.9	.7	BF	.8	2.7	2.6	1.1	1.4	1.6	1.3	1.6	1.4	1.1	1.4	3.0	11.1	5.1	1.5	2.0	2.2	1.7	1.2	23	11.1	
16	1.1	1.0	1.0	1.1	BF	2.1	1.1	1.5	1.7	2.1	2.0	1.7	1.0	.7	.9	.7	.6	3.6	4.4	3.0	.8	.9	1.1	1.4	23	4.4	
17	1.7	1.2	1.0	.9	BF	1.5	2.1	3.4	2.3	1.5	1.7	1.6	1.1	1.2	1.6	2.1	6.4	5.0	4.1	4.2	4.5	4.8	3.0	2.4	23	6.4	
18	1.7	1.7	1.0	1.1	BF	1.5	1.5	2.9	1.2	1.5	1.7	.9	.4	.3	.3	.4	.7	1.7	1.2	.8	.8	.7	.7	.7	23	2.9	
19	.8	.7	.6	.5	BF	.8	1.4	1.2	.6	.5	.5	.5	.5	.4	.5	.3	.4	.6	.6	.8	1.1	1.1	.7	.6	23	1.4	
20	.6	.5	.6	.7	BF	.5	.6	.7	.9	1.4	1.4	1.3	.9	.6	.4	.3	1.9	1.8	1.2	1.1	1.2	1.6	1.8	1.5	23	1.9	
21	1.5	2.6	2.1	1.7	BF	1.9	4.2	3.4	2.1	1.0	2.0	2.0	1.1	1.7	3.0	3.0	5.5	5.0	3.5	2.9	3.3	2.6	2.4	2.0	23	5.5	
22	2.1	2.4	2.4	2.2	BF	1.6	1.7	1.7	AX	AX	AX	BA	.5	.5	.4	.4	.6	.7	1.0	1.2	1.3	1.1	1.0	1.0	19	2.4	
23	1.1	1.3	1.6	1.7	BF	1.7	2.0	2.0	2.0	2.0	1.9	1.6	1.6	1.6	1.3	1.5	4.2	2.1	2.4	2.9	2.5	2.5	2.1	2.2	23	4.2	
24	2.4	3.2	1.7	2.3	BF	2.1	1.2	1.5	1.0	1.8	2.0	1.1	.9	.9	.6	1.6	3.4	3.3	3.1	2.7	2.9	2.5	3.0	2.1	23	3.4	
25	1.8	1.5	1.4	1.2	BF	1.0	1.6	.8	1.4	1.0	.6	.3	.2	.3	.3	.3	.3	.5	.6	.7	1.0	1.2	1.3	1.5	23	1.8	
26	1.7	1.8	1.7	1.6	BF	1.5	1.6	2.1	.9	.7	.6	.4	.3	.3	.3	.3	.7	2.1	.6	1.4	1.1	.9	.6	.7	23	2.1	
27	.8	.9	1.0	1.3	BF	2.1	3.6	4.0	1.8	1.7	1.2	.8	.6	.5	.6	1.0	3.0	4.5	3.1	3.4	3.7	3.1	3.5	2.9	23	4.5	
28	2.4	2.4	1.7	1.3	BF	1.3	3.0	4.4	1.8	6.7	5.2	1.6	.6	.6	.8	1.8	1.5	6.6	2.6	1.9	2.3	2.0	1.2	1.2	23	6.7	
29	1.5	1.1	1.1	1.2	BF	1.0	4.6	4.5	1.2	2.0	2.0	1.3	.7	.5	.4	.6	1.0	3.5	2.5	1.8	1.2	1.6	1.2	1.3	23	4.6	
30	1.2	1.0	.8	.9	BF	1.9	7.3	2.7	1.0	1.5	3.4	4.1	2.7	.7	.5	1.8	3.6	4.4	3.0	4.4	3.1	1.4	1.9	1.0	23	7.3	
31																										0	
NO.:	30	30	30	30		30	30	30	28	28	28	28	29	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	2.7	3.2	3.9	4.5		5.0	7.3	4.5	3.1	6.7	5.2	4.1	2.7	2.2	3.0	3.0	6.4	11.1	5.1	4.4	4.5	4.8	4.0	3.2			
AVG:	1.62	1.63	1.41	1.37		1.71	2.31	2.13	1.49	1.66	1.59	1.24	.94	.86	.91	1.09	2.02	2.90	2.29	2.14	2.09	1.96	1.86	1.61			

MONTHLY OBSERVATIONS: 681 MONTHLY MEAN: 1.69 MONTHLY MAX: 11.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-105-0002 POC: 1  
 COUNTY: (105) Lee  
 CITY: (59280) Sanford  
 SITE ADDRESS: 4110 Blackstone Drive  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: AGRICULTURAL  
 LOCATION SETTING: RURAL

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.4325  
 LONGITUDE: -79.2887  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 131  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SFM

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.1	1.5	2.2	2.4	BF	1.4	5.4	2.2	3.6	2.0	2.3	3.0	2.4	1.9	1.9	2.6	2.6	3.5	3.8	5.8	5.5	2.4	1.9	1.8	23	5.8	
2	2.1	1.9	1.5	1.3	BF	1.6	1.7	1.4	1.5	1.3	1.7	1.9	2.3	2.6	2.4	2.6	3.5	4.3	5.0	6.4	6.7	6.6	5.5	4.7	23	6.7	
3	4.6	4.7	4.3	3.7	BF	3.0	2.7	2.4	1.4	1.3	.9	.6	.6	.5	.4	.4	1.1	2.2	2.7	1.4	2.7	2.9	2.7	2.3	23	4.7	
4	2.6	1.5	2.1	2.2	BF	1.6	1.2	1.6	1.7	2.6	2.8	2.0	1.0	1.2	.9	.8	2.6	1.9	2.6	3.2	3.3	2.8	2.1	2.0	23	3.3	
5	2.1	2.0	2.3	1.8	BF	1.1	3.1	2.1	1.2	1.8	1.1	1.2	1.4	.9	.6	.9	1.4	1.4	1.4	1.6	1.4	1.1	1.1	1.8	23	3.1	
6	1.6	1.5	1.2	.9	BF	.9	.8	1.1	1.2	1.2	AX	AX	AX	BA	.9	1.1	1.6	2.1	3.6	2.8	2.7	1.9	1.4	1.1	19	3.6	
7	1.0	1.0	1.1	1.3	BF	1.5	1.6	1.6	AV	AV	AV	1.9	1.6	1.3	1.2	1.3	2.2	5.4	2.7	2.9	2.8	2.4	2.0	2.3	20	5.4	
8	2.1	2.3	1.5	1.2	BF	.9	1.2	1.3	1.1	1.3	3.0	3.4	2.9	2.7	2.1	2.6	4.1	3.7	3.1	3.2	3.3	2.8	2.1	1.9	23	4.1	
9	1.9	1.5	1.3	1.2	BF	1.3	1.1	1.2	1.2	1.7	2.8	2.8	2.0	2.3	1.7	1.6	1.4	.8	1.3	1.0	1.1	1.6	2.2	2.5	23	2.8	
10	2.9	2.7	1.7	1.2	BF	1.1	.9	.8	.9	1.4	.9	.6	.5	.4	.4	.7	.6	1.6	2.4	1.7	.9	1.0	.9	.9	23	2.9	
11	.9	.8	.8	.6	BF	1.8	4.1	3.3	2.3	2.1	1.6	.9	.6	.6	.8	1.2	2.8	3.8	2.8	1.7	1.6	1.7	1.7	1.4	23	4.1	
12	1.4	1.6	1.7	1.8	BF	1.7	2.4	1.8	1.9	1.8	2.0	2.3	2.4	1.7	.9	.6	.6	.6	.9	1.5	1.0	.9	.8	.7	23	2.4	
13	.9	.9	.8	.8	BF	1.0	3.5	.8	.9	.9	.7	.5	.6	.9	.6	.6	1.6	1.9	1.6	1.5	1.7	2.1	1.6	1.2	23	3.5	
14	1.4	1.4	1.5	1.5	BF	1.6	1.7	1.9	2.1	1.9	1.7	1.3	1.2	1.1	1.0	1.1	1.8	4.7	2.6	2.5	4.0	5.6	7.3	5.7	23	7.3	
15	5.2	4.0	4.5	3.6	BF	2.8	4.1	5.1	3.6	3.2	3.5	2.6	1.9	1.9	2.1	2.6	4.3	4.3	4.9	5.5	5.1	4.7	4.8	4.8	23	5.5	
16	4.7	4.3	4.0	3.8	BF	2.8	2.4	1.9	1.3	.9	.7	.5	.3	.3	.3	.3	.4	3.1	.8	1.4	1.2	1.2	1.3	2.1	23	4.7	
17	1.4	1.8	1.4	1.4	BF	1.1	1.7	1.4	1.6	1.4	1.0	.7	1.2	1.2	.9	1.0	2.0	2.7	1.9	1.9	1.9	1.5	1.4	1.1	23	2.7	
18	1.5	1.4	1.5	1.3	BF	1.5	5.6	2.8	3.5	1.4	.8	.6	.5	.5	.5	.4	.6	3.6	2.5	1.5	2.2	1.8	1.2	1.1	23	5.6	
19	1.2	1.2	1.4	1.8	BF	2.7	3.3	3.4	3.0	2.8	2.1	1.6	.9	.6	.7	.8	1.1	3.5	2.0	1.6	1.3	1.5	1.4	1.4	23	3.5	
20	1.5	1.6	1.8	1.9	BF	2.2	2.4	2.5	AX	AX	AX	BA	1.7	2.8	3.1	4.4	3.6	3.1	2.2	2.3	3.5	4.1	4.1	5.7	19	5.7	
21	5.0	5.1	5.4	3.4	BF	1.9	2.7	2.7	2.2	3.5	3.1	2.9	2.7	2.4	2.4	2.5	3.4	8.3	3.7	2.5	2.3	2.1	2.2	2.1	23	8.3	
22	1.9	1.6	1.7	1.1	BF	1.4	1.4	1.4	1.5	2.6	2.3	1.1	.5	.3	.2	.2	.4	3.0	2.9	.8	1.2	1.8	1.4	1.4	23	3.0	
23	1.6	1.1	1.5	1.5	BF	1.4	1.4	1.6	1.8	1.1	.9	.4	.3	.4	.3	.3	.4	.6	.6	.4	.5	.4	.3	.4	23	1.8	
24	.4	.8	.9	.8	BF	1.0	1.0	1.0	1.0	1.0	1.1	1.2	1.6	1.6	1.7	1.6	1.8	1.8	1.6	1.5	1.6	1.2	1.3	1.1	23	1.8	
25	1.0	.9	.8	.8	BF	.4	.4	.5	.5	.4	.3	.2	.2	.1	.2	.3	.4	.4	.3	.4	.4	.5	.6	.7	23	1.0	
26	.7	.7	.7	.7	BF	1.9	4.4	1.3	1.5	1.1	1.3	.5	.5	.4	.6	1.2	1.1	1.6	1.9	2.5	3.9	3.0	2.9	2.4	23	4.4	
27	2.2	2.0	1.8	2.0	BF	4.2	4.7	5.2	5.6	6.0	6.0	4.7	3.9	3.3	1.9	1.7	1.2	1.4	1.7	2.3	1.9	1.4	1.2	.9	23	6.0	
28	.9	1.2	1.4	1.6	BF	1.7	1.5	1.4	1.9	2.3	2.1	2.1	2.0	1.6	1.7	1.8	2.2	2.7	4.4	4.8	4.6	3.9	3.3	3.5	23	4.8	
29	3.7	3.2	3.5	4.1	BF	3.1	5.1	AV	AV	AV	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	6	5.1
30	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
31	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
NO.:	29	29	29	29		29	29	28	26	26	25	26	27	27	28	28	28	28	28	28	28	28	28	28	28		
MAX:	5.2	5.1	5.4	4.1		4.2	5.6	5.2	5.6	6.0	6.0	4.7	3.9	3.3	3.1	4.4	4.3	8.3	5.0	6.4	6.7	6.6	7.3	5.7			
AVG:	2.05	1.94	1.94	1.78		1.74	2.53	1.99	1.92	1.88	1.87	1.60	1.40	1.31	1.16	1.33	1.81	2.79	2.43	2.38	2.51	2.32	2.17	2.11			

MONTHLY OBSERVATIONS: 639 MONTHLY MEAN: 1.96 MONTHLY MAX: 8.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JANUARY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	3.8	BF	5.1	4.5	3.2	2.2	2.3	3.1	4.1	5.6	6.9	7.7	6.6	6.2	8.8	7.5	5.9	6.1	5.4	4.1	5.4	4.0	3.4	3.0	23	8.8
2	2.6	BF	2.0	3.3	2.6	2.8	2.0	2.3	2.8	3.9	3.9	2.9	2.2	3.4	2.7	3.9	4.2	3.5	3.7	4.2	3.4	3.4	2.2	2.0	23	4.2
3	1.8	BF	1.5	1.6	1.8	2.4	4.5	8.5	7.8	6.4	8.6	9.0	8.1	9.7	11.8	9.9	9.9	7.8	6.2	5.6	5.6	6.3	6.3	6.0	23	11.8
4	5.2	BF	4.0	4.5	4.5	3.7	6.0	10.3	10.6	8.1	5.3	2.5	1.9	2.7	4.1	5.2	6.2	7.9	18.8	18.5	13.5	9.5	5.8	3.3	23	18.8
5	2.7	BF	2.5	2.1	2.3	3.2	5.9	15.5	18.9	10.4	3.3	4.7	3.9	4.5	6.5	6.4	8.9	9.2	14.1	15.4	10.2	8.9	13.6	10.6	23	18.9
6	7.6	BF	4.4	4.9	4.6	5.9	6.4	6.6	6.1	5.4	4.0	3.3	2.9	3.4	3.2	4.4	6.7	7.5	6.7	5.7	4.5	3.6	3.4	3.1	23	7.6
7	3.2	BF	3.0	2.5	2.0	2.7	3.3	3.6	3.1	2.2	1.8	1.5	1.0	1.4	1.3	1.8	2.2	2.9	3.6	2.9	3.0	3.3	3.4	2.4	23	3.6
8	2.2	BF	2.4	2.3	2.3	2.2	2.7	3.4	3.0	2.6	1.9	1.4	.9	.9	.9	1.2	1.7	4.4	13.1	19.8	18.7	16.7	17.9	9.3	23	19.8
9	3.3	BF	3.7	4.0	5.2	8.7	10.3	13.3	12.3	5.6	3.4	2.1	2.1	2.4	3.6	3.8	5.9	10.0	18.4	24.1	27.6	26.2	25.5	23.6	23	27.6
10	18.6	BF	15.9	13.7	14.2	16.8	16.2	15.9	15.0	14.7	11.9	13.5	9.7	3.9	4.5	5.1	9.4	15.6	23.4	24.0	18.0	11.6	10.6	10.3	23	24.0
11	6.2	BF	5.7	5.9	7.7	10.8	13.7	14.7	18.0	15.1	13.3	16.1	AX	AX	AX	BA	7.5	16.9	14.7	15.7	15.8	13.7	7.0	4.2	19	18.0
12	4.1	BF	1.5	1.5	2.3	3.2	6.9	11.9	13.8	7.9	5.1	2.7	2.7	2.1	2.6	3.7	5.7	8.8	16.2	21.2	17.5	12.0	8.2	7.2	23	21.2
13	6.5	BF	5.3	4.0	4.7	6.6	18.2	21.6	20.1	18.8	6.0	5.8	3.5	3.1	2.4	3.2	3.4	4.0	4.4	2.8	2.7	2.7	2.9	2.9	23	21.6
14	2.4	BF	2.7	2.4	2.1	2.2	2.1	2.1	2.4	2.4	2.6	2.1	2.1	2.6	2.7	3.4	3.9	6.9	12.0	15.6	18.9	20.9	20.6	15.7	23	20.9
15	17.8	BF	15.1	14.3	14.1	14.1	11.8	11.5	8.5	4.4	2.5	2.0	1.6	1.5	1.5	1.3	1.9	3.6	3.3	2.7	3.3	3.8	2.3	3.5	23	17.8
16	2.7	BF	2.5	1.9	1.9	2.0	2.6	2.9	4.4	5.4	3.9	3.2	2.6	3.8	4.2	4.2	5.5	7.8	6.5	6.5	5.7	6.5	6.6	7.0	23	7.8
17	5.8	BF	8.3	9.2	6.4	5.3	10.0	15.3	15.9	15.4	9.6	6.8	3.9	3.9	4.8	6.5	8.8	12.6	14.7	13.2	7.8	6.8	6.4	5.5	23	15.9
18	3.6	BF	3.3	3.1	3.5	3.0	7.2	17.1	17.6	9.0	2.8	1.3	1.0	1.4	1.4	1.7	2.4	6.8	9.3	15.2	7.9	7.3	14.0	8.2	23	17.6
19	4.4	BF	4.9	5.4	6.8	5.8	11.3	15.2	10.6	5.1	4.2	3.2	5.2	6.7	7.7	8.2	13.0	22.1	28.1	26.8	26.8	24.3	22.9	22.7	23	28.1
20	21.4	BF	14.6	12.2	13.0	10.5	11.4	10.7	13.6	11.1	9.7	9.8	9.4	9.5	12.0	11.0	12.4	13.8	15.2	14.6	13.7	11.8	10.0	9.3	23	21.4
21	8.2	BF	2.4	2.3	2.1	2.2	2.0	3.3	3.5	3.1	2.7	3.0	3.3	3.5	3.6	4.3	4.4	5.1	5.4	5.7	4.5	4.0	5.1	4.4	23	8.2
22	6.3	BF	2.4	2.1	2.2	2.3	2.3	3.3	3.1	3.4	2.6	2.0	2.4	2.7	2.6	2.4	3.5	3.4	3.4	3.0	3.0	2.8	2.8	1.9	23	6.3
23	1.3	BF	1.0	1.0	1.1	1.4	3.9	4.3	6.5	4.7	3.6	2.5	2.7	2.1	2.1	2.4	2.9	2.9	1.8	1.5	1.2	1.2	1.8	2.3	23	6.5
24	1.9	BF	1.5	1.9	2.3	5.9	6.2	11.0	9.0	7.9	3.2	1.7	1.4	1.3	1.4	1.4	2.2	3.4	3.5	3.8	5.3	4.2	11.6	16.1	23	16.1
25	22.2	BF	18.7	19.9	19.6	18.9	19.9	AX	AX	BA	9.7	6.3	5.8	4.9	4.1	5.7	7.9	10.9	13.5	8.3	8.6	6.7	7.5	6.1	20	22.2
26	2.7	BF	2.0	2.1	1.8	2.1	6.4	12.4	5.4	6.3	5.5	3.0	2.6	1.4	1.4	1.6	2.3	2.6	4.3	3.0	2.2	1.6	1.3	1.5	23	12.4
27	1.4	BF	1.3	1.4	1.7	5.2	18.8	24.1	17.9	7.1	3.4	1.6	2.5	2.4	3.6	2.6	3.7	5.0	6.1	4.3	4.9	5.7	4.9	3.1	23	24.1
28	2.7	BF	9.7	11.6	14.3	14.2	14.3	13.2	9.4	3.8	2.7	2.5	2.0	1.7	2.1	2.4	3.5	5.7	13.3	15.7	14.7	17.6	21.9	12.0	23	21.9
29	6.1	BF	8.8	7.7	6.9	7.6	8.5	12.8	9.4	4.5	3.8	3.0	2.4	1.9	2.6	2.5	2.6	4.7	9.8	11.0	8.4	3.6	10.9	5.5	23	12.8
30	1.2	BF	1.0	.8	1.7	9.7	18.4	15.9	8.1	3.4	1.4	1.2	1.2	1.4	2.2	2.7	3.6	6.1	25.3	31.3	29.3	36.4	35.9	31.3	23	36.4
31	27.8	BF	19.1	15.0	14.8	16.3	17.1	21.9	15.1	8.3	4.8	3.6	3.7	3.2	3.7	4.0	6.8	10.0	16.7	20.5	15.9	7.3	4.9	5.7	23	27.8
NO.:	31		31	31	31	31	31	30	30	30	31	31	30	30	30	31	31	31	31	31	31	31	31	31		
MAX:	27.8		19.1	19.9	19.6	18.9	19.9	24.1	20.1	18.8	13.3	16.1	9.7	9.7	12.0	11.0	13.0	22.1	28.1	31.3	29.3	36.4	35.9	31.3		
AVG:	6.70		5.69	5.45	5.60	6.45	8.79	10.92	9.87	7.07	4.97	4.26	3.38	3.32	3.87	4.15	5.45	7.68	11.00	11.83	10.58	9.50	9.73	8.05		

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 7.15 MONTHLY MAX: 36.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS  
 COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U  
 PQAQ: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2017

DURATION: 1 HOUR  
 UNITS: Parts per billion  
 MIN DETECTABLE: .1

HOUR																									OBS	MAXIMUM	
DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300			
1	6.7	BF	6.7	7.4	11.0	18.4	26.0	26.3	28.0	25.5	25.7	17.9	5.8	5.4	6.9	6.1	6.5	10.7	8.7	17.8	9.6	6.6	12.2	16.2	23	28.0	
2	15.8	BF	13.4	11.6	13.1	15.6	21.8	21.4	24.2	20.8	4.2	2.8	2.0	1.8	2.0	2.6	4.0	13.4	31.8	31.2	32.0	18.0	9.4	4.9	23	32.0	
3	3.0	BF	2.3	2.0	2.3	3.2	3.3	4.7	4.9	6.1	5.2	4.3	4.0	4.8	4.8	5.4	6.1	5.5	6.5	7.5	6.6	3.8	3.7	3.2	23	7.5	
4	2.3	BF	1.3	1.2	1.3	1.7	1.9	2.5	2.0	1.8	1.7	2.1	1.5	1.1	1.5	1.4	2.0	7.9	21.3	21.2	21.1	13.5	15.7	18.8	23	21.3	
5	29.4	BF	24.3	15.1	15.4	14.3	17.5	18.6	10.1	6.6	2.9	1.8	1.8	2.0	2.1	2.2	5.4	13.3	21.4	24.6	27.4	23.9	7.9	23	29.4		
6	3.1	BF	7.7	9.7	11.3	20.2	23.6	29.3	25.1	10.9	6.9	7.1	6.9	6.3	5.1	4.4	7.8	15.5	22.7	14.4	14.2	17.4	16.1	9.2	23	29.3	
7	8.8	BF	3.6	2.9	3.4	5.2	8.9	14.5	13.5	8.5	AX	AX	AX	BA	3.1	3.8	5.1	6.3	6.1	5.7	4.8	3.5	2.4	1.9	19	14.5	
8	2.4	BF	3.9	2.1	2.8	4.2	10.6	18.5	17.0	18.0	8.1	5.6	1.5	1.5	1.8	2.7	6.4	15.0	25.6	20.8	8.0	7.9	6.7	4.0	23	25.6	
9	3.0	BF	2.1	1.7	1.8	2.3	2.0	2.5	2.4	1.9	1.4	1.2	1.1	1.1	1.1	1.4	1.2	1.9	2.2	1.8	2.1	1.7	1.6	1.9	23	3.0	
10	2.2	BF	8.5	14.4	16.8	14.7	17.1	16.8	13.2	5.6	3.3	4.4	3.4	5.2	4.8	5.3	5.3	7.0	9.0	8.2	9.7	7.3	5.3	3.5	23	17.1	
11	2.9	BF	3.1	2.6	3.2	4.7	6.7	8.5	6.6	3.8	3.6	3.5	2.8	2.6	2.5	2.6	4.3	11.4	23.0	22.9	14.8	6.9	3.2	2.5	23	23.0	
12	2.4	BF	2.9	2.7	2.2	1.8	2.2	3.3	2.2	1.7	1.7	1.5	1.9	1.6	1.5	2.2	3.2	3.6	3.5	3.8	1.7	.7	.8	.8	23	3.8	
13	.6	BF	.6	.6	.8	1.0	1.6	3.1	2.4	1.7	1.1	1.1	1.2	1.2	1.7	1.6	1.7	3.5	6.1	11.2	28.4	27.5	12.3	7.5	23	28.4	
14	10.1	BF	3.6	5.9	7.1	14.0	16.5	24.7	16.8	8.9	3.9	4.6	4.1	3.2	3.5	3.8	6.4	9.8	21.4	25.7	26.1	20.1	19.3	14.2	23	26.1	
15	6.4	BF	3.2	3.5	6.2	5.0	6.9	7.7	5.8	6.4	7.3	6.5	3.7	2.3	1.3	1.7	2.5	2.1	3.0	2.5	2.5	3.4	3.4	2.8	23	7.7	
16	1.6	BF	2.2	3.2	2.7	7.1	5.9	8.9	5.6	2.8	2.2	2.1	1.9	1.5	1.5	1.5	1.6	3.0	9.7	15.9	22.5	34.2	38.3	35.7	23	38.3	
17	33.7	BF	27.3	28.2	29.4	27.0	31.8	31.4	24.3	10.7	6.5	5.0	3.9	3.2	3.8	4.0	5.7	8.9	17.6	29.7	22.9	16.8	16.6	13.2	23	33.7	
18	12.9	BF	10.4	10.8	14.8	17.7	24.0	23.0	18.2	17.6	16.6	10.8	4.1	2.7	2.7	3.9	4.1	6.0	6.6	6.3	5.7	3.2	1.6	1.7	23	24.0	
19	1.3	BF	1.4	1.5	1.4	2.0	2.6	3.1	2.5	1.4	.8	.6	.5	.6	.6	.6	.8	1.4	2.9	3.9	16.7	4.2	2.1	1.6	23	16.7	
20	1.5	BF	1.7	3.5	2.0	2.1	4.8	5.6	11.4	5.5	3.2	1.4	1.0	1.0	1.0	1.8	4.1	13.1	34.2	31.3	17.7	36.2	28.8	33.7	23	36.2	
21	22.9	BF	2.8	1.9	2.0	2.2	5.7	20.0	9.6	6.0	3.4	AX	AX	AX	BA	3.5 2	5.4 2	8.4 2	18.4 2	9.8 2	12.1 2	20.5 2	24.3 2	12.3 2	19	24.3	
22	15.9 2	BF	7.7 2	5.1 2	6.4 2	4.8 2	9.1 2	9.3 2	10.7 2	AZ	AZ	AZ	AZ	AZ	AZ	4.0 2	5.4 2	6.3 2	8.9 2	4.5 2	3.8 2	5.5 2	4.6 2	6.6 2	17	15.9	
23	11.2 2	BF	4.8 2	6.4 2	4.0 2	7.9 2	12.7 2	15.4 2	BA	BA	BA	BA	3.9 2	1.7 2	1.7 2	2.1 2	3.3 2	8.5 2	20.8 2	24.0 2	18.1 2	10.7 2	17.5 2	14.5 2	19	24.0	
24	10.9 2	BF	7.9 2	11.2 2	17.7 2	16.1 2	13.2 2	12.5 2	13.8 2	11.6 2	4.9 2	3.7 2	2.9 2	2.8 2	1.8 2	2.9 2	5.5 2	8.8 2	20.4 2	25.3 2	25.3 2	5.6 2	3.7 2	4.4 2	23	25.3	
25	4.6 2	BF	3.4 2	3.0 2	3.9 2	4.5 2	5.7 2	6.9 2	5.1 2	3.3 2	2.7 2	2.0 2	2.0 2	1.9 2	1.5 2	2.1 2	2.3 2	2.9 2	2.6 2	1.3 2	1.1 2	1.2 2	.7 2	.7 2	23	6.9	
26	.6 2	BF	.5 2	.6 2	.6 2	.6 2	.9 2	1.0 2	.7 2	.5 2	.5 2	.6 2	.6 2	.8 2	.9 2	1.0 2	1.6 2	1.5 2	4.4 2	13.8 2	25.7 2	24.4 2	21.5 2	26.7 2	23	26.7	
27	26.1 2	BF	22.2 2	20.1 2	19.2 2	19.2 2	17.6 2	20.9 2	16.6 2	9.6 2	6.0 2	2.4 2	1.3 2	1.5 2	2.3 2	2.6 2	5.5 2	12.6 2	13.2 2	15.1 2	15.2 2	13.1 2	16.4 2	5.6 2	23	26.1	
28	3.6 2	BF	2.1 2	3.0 2	3.4 2	9.8 2	16.9 2	19.1 2	10.6 2	12.0 2	7.3 2	2.3 2	2.1 2	2.3 2	2.5 2	3.4 2	4.8 2	9.2 2	14.8 2	13.0 2	12.3 2	7.4 2	3.0 2	2.7 2	23	19.1	
29																										0	
30																										0	
31																										0	
NO.:	28		28	28	28	28	28	28	27	26	25	24	25	25	26	28	28	28	28	28	28	28	28	28	28		
MAX:	33.7		27.3	28.2	29.4	27.0	31.8	31.4	28.0	25.5	25.7	17.9	6.9	6.3	6.9	6.1	7.8	15.5	34.2	31.3	32.0	36.2	38.3	35.7			
AVG:	8.78		6.49	6.50	7.36	8.83	11.34	13.55	11.23	8.05	5.24	3.97	2.64	2.40	2.45	2.85	4.06	7.47	13.53	14.63	14.55	12.49	11.25	9.24			

MONTHLY OBSERVATIONS: 626 MONTHLY MEAN: 8.32 MONTHLY MAX: 38.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk (\*\*) indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.5	2 BF	1.8	2 1.9	2 2.2	2 2.5	2 4.1	2 5.7	2 5.0	2 3.5	2 2.9	2 2.6	2 1.9	2 1.7	2 2.4	2 2.3	2 4.0	2 6.8	2 6.7	2 2.4	2 2.7	2 3.7	2 2.8	2 2.2	2 23	6.8	
2	2.1	2 BF	1.3	2 .9	2 .7	2 .8	2 1.4	2 1.9	2 1.8	2 BC	2 BC	2 BC	2 BC	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 BA	2 8	2.1	
3	BA	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	BC	BC	BC	1.7	2.0	3.4	4.1	4.7	3.8	3.1	2.5	8	4.7		
4	2.5	BF	3.2	4.1	4.8	4.7	7.5	17.9	8.7	2.5	1.3	1.1	1.9	1.9	1.6	1.3	1.5	2.1	13.4	18.8	23.1	23.9	29.5	27.9	23	29.5	
5	27.2	BF	16.0	2.9	2.5	2.5	2.6	2.4	1.5	1.2	1.2	1.1	1.3	.9	1.0	1.2	2.1	3.3	9.0	6.9	11.0	9.1	7.5	8.9	23	27.2	
6	10.5	BF	10.8	12.3	12.7	10.3	16.6	18.0	11.4	10.0	7.3	4.3	3.4	2.7	3.1	3.6	4.7	7.3	13.5	17.6	25.3	17.1	8.8	6.1	23	25.3	
7	4.8	BF	4.1	3.6	3.7	6.4	15.5	15.3	9.5	5.1	2.7	2.2	2.6	2.5	2.9	2.6	3.1	4.3	5.2	3.8	2.6	1.9	1.5	1.1	23	15.5	
8	.8	BF	1.1	.9	1.4	1.7	3.9	1.7	3.3	3.3	1.2	1.9	.9	1.5	1.4	1.7	1.9	6.0	21.3	39.6	43.8	39.2	33.1	27.4	23	43.8	
9	15.5	BF	8.1	9.6	17.0	15.3	17.9	16.6	18.8	13.5	3.5	3.2	3.9	2.7	2.8	2.8	4.2	6.9	14.3	20.8	12.2	6.2	4.3	3.0	23	20.8	
10	2.6	BF	2.6	3.1	5.3	4.9	8.9	10.6	7.1	7.0	3.0	1.8	1.6	1.1	1.0	1.2	1.2	1.5	1.8	2.3	1.7	4.4	5.5	4.3	23	10.6	
11	2.9	AN	5.4	3.4	2.5	3.4	4.9	5.1	3.2	2.9	2.0	1.4	2.1	1.9	1.7	2.2	1.7	2.8	3.8	20.6	31.1	23.8	29.8	26.4	23	31.1	
12	4.9	BF	1.9	1.2	1.0	1.3	1.9	1.7	1.7	2.2	1.5	1.2	1.2	.8	.9	1.0	1.3	1.6	6.7	18.0	10.9	11.6	10.5	11.0	23	18.0	
13	14.5	AN	11.2	6.0	5.6	8.0	9.4	7.0	2.9	1.9	BA	BA	2.2	3.4	6.0	3.9	3.1	3.4	2.9	3.2	3.2	2.6	2.9	2.0	21	14.5	
14	1.5	BF	1.4	1.0	1.3	1.9	2.9	3.8	4.4	3.3	2.3	1.5	1.6	1.7	1.8	1.8	1.7	1.8	2.1	1.9	1.9	1.7	1.5	1.4	23	4.4	
15	1.2	BF	1.7	1.4	1.9	1.9	3.3	2.4	1.5	1.0	1.0	1.0	.9	1.4	1.2	1.3	1.3	1.5	2.2	3.1	2.8	6.0	4.4	3.2	23	6.0	
16	3.2	BF	3.8	5.3	7.2	10.6	16.8	10.2	4.3	BF	AN	BF	2.2	1 2.1	1 2.1	1 1.9	1 2.2	1 2.2	1 3.3	1 7.0	1 9.0	1 26.7	1 30.4	1 32.2	1 20	32.2	
17	35.3	1 BF	33.4	1 28.6	1 29.3	1 32.3	1 30.8	1 31.4	1 23.8	1 10.6	1 3.4	1 4.1	1 5.6	1 6.2	1 5.4	1 5.2	1 5.1	1 5.6	1 7.5	1 10.9	1 8.2	1 5.5	1 2.8	1 6.7	1 23	35.3	
18	4.3	1 BF	2.9	1 2.7	1 2.8	1 3.0	1 4.8	1 6.5	1 8.8	1 9.3	1 9.9	1 10.7	1 9.9	1 6.5	1 4.2	1 3.0	1 2.8	1 3.7	1 6.4	1 7.8	1 7.4	1 5.2	1 1.6	1 1.1	1 23	10.7	
19	1.1	1 BF	1.1	1 1.0	1 1.2	1 1.7	1 2.1	1 2.2	1 1.4	1 .8	1 .7	1 .8	1 .9	1 .7	1 1.0	1 .8	1 1.0	1 1.4	1 1.9	1 6.5	1 12.2	1 16.4	1 18.9	1 14.3	1 23	18.9	
20	13.8	1 BF	17.1	1 14.7	1 13.6	1 13.3	1 17.4	1 21.3	1 13.4	1 3.8	1 4.3	1 3.7	1 4.4	1 3.2	1 1.9	1 2.4	1 2.5	1 6.4	1 16.8	1 16.9	1 27.2	1 21.8	1 18.8	1 14.3	1 23	27.2	
21	9.0	1 BF	4.0	1 4.3	1 4.8	1 10.4	1 14.7	1 17.5	1 11.4	1 4.6	1 3.7	1 3.0	1 BA	1 1.8	1 1.5	1 1.8	1 1.6	1 2.9	1 5.1	1 6.1	1 11.3	1 7.0	1 3.4	1 1.6	1 22	17.5	
22	2.1	1 BF	2.7	1 1.9	1 2.5	1 2.5	1 3.1	1 3.2	1 3.0	1 AX	1 AX	1 AX	1 AX	1 BA	1 1.2	1 1.0	1 1.1	1 1.1	1 1.2	1 1.9	1 1.8	1 1.7	1 2.8	1 2.8	1 18	3.2	
23	2.3	BF	2.1	2.3	3.7	5.4	10.3	6.3	3.9	1.4	1.2	1.2	1.2	.8	1.8	2.4	2.5	3.3	5.5	8.8	9.2	8.2	7.4	3.2	23	10.3	
24	2.7	BF	6.0	4.9	6.7	13.9	19.8	16.3	13.7	8.4	4.4	3.0	2.1	3.4	4.1	3.1	2.9	4.2	6.0	16.4	25.3	17.0	6.9	3.4	23	25.3	
25	3.4	BF	2.4	3.6	4.9	10.8	11.7	7.9	3.6	2.6	2.0	2.0	1.9	1.4	1.7	2.3	3.0	4.7	6.3	15.1	15.3	4.4	2.2	2.1	23	15.3	
26	2.5	BF	2.7	4.1	11.8	14.0	4.6	3.4	2.4	2.0	1.5	2.1	1.7	1.6	1.4	1.3	1.2	1.9	3.6	4.4	3.6	2.0	1.4	1.2	23	14.0	
27	1.4	BF	2.1	3.1	4.1	9.3	19.0	21.5	16.7	8.3	3.8	2.4	2.2	2.4	3.1	2.9	3.9	4.9	5.4	5.9	7.1	3.8	1.7	1.5	23	21.5	
28	1.2	BF	1.2	1.6	2.6	5.4	6.7	12.9	9.4	5.5	5.0	3.4	2.5	2.3	3.1	3.4	2.5	2.3	5.1	8.3	21.8	31.6	10.2	2.6	23	31.6	
29	1.1	BF	1.1	1.8	2.8	6.5	6.9	5.3	1.9	1.3	1.3	1.2	1.1	1.1	2.1	1.9	1.8	2.1	4.5	7.9	11.7	11.2	6.2	2.4	23	11.7	
30	2.4	BF	2.2	2.4	2.3	4.1	5.5	4.0	3.9	3.1	5.5	2.9	2.9	2.3	1.8	2.3	2.9	4.6	6.1	5.6	2.9	1.6	1.1	.9	23	6.1	
31	1.0	BF	.9	.9	1.3	2.5	3.9	4.2	7.2	5.5	3.9	3.6	3.8	2.7	3.0	3.2	3.2	2.5	1.6	2.5	2.3	2.4	3.2	3.1	23	7.2	
NO.:	30		30	30	30	30	30	30	30	27	26	26	27	28	29	29	30	30	30	30	30	30	30	30	30		
MAX:	35.3		33.4	28.6	29.3	32.3	30.8	31.4	23.8	13.5	9.9	10.7	9.9	6.5	6.0	5.2	5.1	7.3	21.3	39.6	43.8	39.2	33.1	32.2			
AVG:	6.01		5.21	4.52	5.47	7.04	9.30	9.47	6.99	4.61	3.10	2.59	2.51	2.24	2.32	2.27	2.46	3.50	6.42	9.84	11.78	10.72	8.81	7.36			

MONTHLY OBSERVATIONS: 672 MONTHLY MEAN: 5.93 MONTHLY MAX: 43.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: APRIL 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.5	BF	2.2	1.8	1.7	2.7	3.9	3.2	2.0	.9	.8	.6	.6	.6	.8	.8	.7	1.1	1.7	2.6	1.4	2.0	1.8	1.4	23	3.9	
2	1.4	BF	1.3	1.9	1.5	1.5	2.0	1.6	1.2	1.1	.6	.6	.5	.5	.5	.7	.9	2.5	3.8	8.5	7.6	5.1	5.6	3.6	23	8.5	
3	1.8	BF	1.8	2.6	3.1	5.7	8.8	10.4	5.5	3.7	3.0	1.9	2.3	1.6	1.9	2.7	5.1	3.5	2.9	4.2	3.1	2.2	1.8	1.6	23	10.4	
4	1.2	BF	1.2	1.1	1.7	3.4	6.3	7.3	4.0	BA	2.0	2.1	1.6	2.0	2.7	3.3	3.0	4.0	5.7	11.6	24.6	22.3	11.7	7.6	22	24.6	
5	3.1	BF	7.2	7.9	7.1	13.8	17.9	17.8	10.6	AX	AX	AX	BA	3.7	9.3	15.0	12.1	8.6	5.6	4.9	2.6	2.5	2.0	1.7	19	17.9	
6	2.3	BF	2.7	1.9	2.6	3.6	3.7	4.1	3.3	2.3	1.7	1.7	1.8	2.1	2.9	2.2	2.9	3.1	1.6	1.5	1.5	1.5	1.4	1.3	23	4.1	
7	1.5	BF	1.2	1.3	1.5	3.0	5.3	3.4	2.0	1.1	1.3	1.2	1.1	1.6	1.3	1.2	1.4	1.3	1.5	1.1	1.1	1.5	1.9	2.7	23	5.3	
8	3.4	BF	9.6	8.5	7.4	8.2	9.3	5.2	2.7	1.2	1.0	.6	.8	.9	.8	.9	1.3	2.7	20.9	32.9	41.2	36.9	33.3	23	41.2		
9	30.3	BF	24.1	17.9	17.0	16.5	14.9	13.4	9.0	6.3	3.6	1.8	1.1	1.4	1.3	1.8	1.7	3.2	6.5	15.3	12.6	9.9	5.9	2.6	23	30.3	
10	1.7	BF	2.4	3.2	3.8	12.2	16.5	14.3	6.2	3.1	2.7	2.1	1.8	1.8	1.8	2.4	2.8	4.2	6.5	11.4	10.5	7.6	2.4	1.1	23	16.5	
11	1.2	BF	1.6	2.4	4.1	9.1	13.1	8.3	3.3	2.4	2.4	1.8	1.8	1.9	1.7	1.9	2.8	3.4	6.7	12.7	13.0	6.1	2.2	1.6	23	13.1	
12	1.6	BF	1.9	2.5	3.3	6.7	6.1	6.2	4.6	3.7	3.3	1.9	1.7	1.5	1.3	1.8	1.6	2.1	3.6	9.2	9.9	14.8	18.6	16.4	23	18.6	
13	9.5	BF	12.0	8.6	6.1	5.3	3.2	2.6	2.1	1.6	3.5	1.1	1.1	1.0	.8	1.2	1.8	2.2	4.4	7.1	2.5	2.1	1.6	1.0	23	12.0	
14	1.0	BF	.9	1.6	2.3	5.7	7.1	5.2	3.2	1.8	2.4	2.4	1.9	1.6	1.5	1.7	2.6	3.0	5.8	13.8	12.3	6.8	5.0	4.3	23	13.8	
15	2.4	BF	1.6	2.3	2.4	3.3	3.6	2.9	3.7	2.4	1.9	1.6	1.4	1.3	1.4	1.6	1.9	3.0	4.1	10.8	10.6	7.1	3.3	2.4	23	10.8	
16	1.9	BF	2.1	1.9	1.9	2.3	2.3	1.3	1.0	1.1	1.1	1.1	1.2	1.1	1.2	1.3	1.6	1.8	2.8	6.7	7.8	4.4	3.7	2.7	23	7.8	
17	2.3	BF	2.0	2.2	2.4	5.4	6.9	5.3	4.0	2.9	2.4	2.2	2.0	1.9	2.8	3.6	3.2	1.9	4.2	4.8	4.6	3.5	2.6	3.6	23	6.9	
18	1.7	BF	1.0	1.0	1.2	2.0	2.7	2.6	1.8	1.1	1.0	.9	.9	1.0	1.1	2.3	2.1	3.6	3.7	3.6	2.6	1.5	1.2	.8	23	3.7	
19	.8	BF	1.0	1.1	3.4	11.3	2.5	3.1	2.6	AX	AX	BA	2.5	1.9	2.2	2.3	2.8	2.8	5.1	6.7	6.8	4.0	2.4	2.7	20	11.3	
20	2.3	BF	2.2	2.3	3.6	5.6	7.8	6.8	6.0	2.9	2.3	1.9	1.4	1.8	2.1	2.8	3.2	3.0	4.5	12.7	11.9	13.6	14.5	11.7	23	14.5	
21	6.4	BF	4.1	4.6	5.6	11.4	12.7	8.6	4.3	2.6	2.5	1.7	1.5	2.1	2.6	3.1	4.2	3.1	2.1	8.0	9.0	6.5	2.9	2.3	23	12.7	
22	3.2	BF	3.5	5.0	5.1	6.7	5.6	3.8	3.3	2.2	1.9	1.8	1.6	1.7	1.9	1.9	1.6	1.5	1.5	1.5	2.1	1.8	2.0	2.2	23	6.7	
23	2.2	BF	1.0	.8	.8	1.4	1.2	1.4	1.4	1.4	1.5	1.4	1.3	1.5	1.7	1.5	1.5	1.5	1.3	1.3	1.0	1.0	.8	.6	23	2.2	
24	.5	BF	.6	.7	.9	1.2	2.0	2.4	3.2	4.5	3.2	3.8	2.4	2.7	3.9	4.9	4.0	2.1	1.5	1.4	1.3	.9	.9	.7	23	4.9	
25	.6	BF	.6	1.5	1.6	3.4	3.6	2.6	3.5	1.9	1.1	1.1	.9	1.1	1.4	1.9	2.5	2.2	2.9	2.5	2.8	2.4	1.4	1.5	23	3.6	
26	1.2	BF	1.1	.9	1.3	3.8	7.2	6.4	6.9	4.3	2.7	1.7	1.9	1.8	3.1	2.2	2.8	3.5	10.1	16.2	12.4	10.3	10.2	6.9	23	16.2	
27	4.1	BF	2.0	1.7	3.0	9.4	10.6	6.8	4.3	2.7	2.5	2.3	2.3	2.7	2.6	2.8	6.4	6.4	7.6	7.8	7.3	4.7	2.4	1.4	23	10.6	
28	1.3	BF	1.8	1.9	3.0	6.5	9.3	6.4	3.8	2.5	2.4	2.1	2.0	2.3	3.0	2.8	3.7	4.9	6.1	9.0	8.5	4.4	3.1	2.0	23	9.3	
29	1.6	BF	1.4	2.0	1.3	2.3	3.8	2.5	2.1	1.9	1.5	1.6	1.4	1.4	1.5	2.2	1.8	2.5	3.8	5.1	6.4	4.6	2.5	2.1	23	6.4	
30	1.4	BF	1.8	1.4	1.6	1.9	1.4	1.2	1.3	1.3	1.0	1.2	1.1	1.1	1.4	1.5	1.5	2.4	2.6	7.1	5.5	3.7	2.3	1.3	23	7.1	
31																										0	
NO.:	30		30	30	30	30	30	30	30	27	28	28	29	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	30.3		24.1	17.9	17.0	16.5	17.9	17.8	10.6	6.3	3.6	3.8	2.5	3.7	9.3	15.0	12.1	8.6	10.1	20.9	32.9	41.2	36.9	33.3			
AVG:	3.21		3.26	3.15	3.41	5.82	6.72	5.56	3.76	2.40	2.05	1.65	1.51	1.65	2.08	2.54	2.84	2.99	4.10	7.67	7.87	6.67	5.17	4.17			

MONTHLY OBSERVATIONS: 682 MONTHLY MEAN: 3.95 MONTHLY MAX: 41.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.9	BF	.6	.7	1.2	2.2	3.6	2.7	1.5	1.8	2.2	1.3	1.9	1.7	2.1	2.2	2.4	2.5	2.3	2.0	1.6	1.4	1.5	1.0	23	3.6	
2	1.1	BF	1.4	1.7	2.1	3.9	3.5	3.3	3.1	2.0	2.0	1.6	2.0	2.2	1.8	2.7	2.7	3.1	5.4	7.5	6.8	7.9	6.3	2.4	23	7.9	
3	2.5	BF	2.2	2.6	7.0	16.6	12.3	4.3	3.0	1.2	1.1	AX	AX	BA	1.4	.9	1.4	1.2	3.0	6.4	5.9	3.9	1.8	2.5	20	16.6	
4	1.7	BF	.8	.9	1.3	2.5	4.4	3.2	2.1	1.4	1.2	1.4	1.9	6.6	2.3	3.3	3.3	3.5	2.7	2.3	1.7	1.1	.8	.7	23	6.6	
5	.6	BF	.4	.5	.9	2.6	4.5	6.8	4.8	2.6	2.4	2.0	1.6	2.5	2.8	3.3	2.9	2.5	2.6	2.8	2.4	1.8	1.8	1.3	23	6.8	
6	1.3	BF	1.2	1.2	1.3	1.8	2.7	2.4	2.2	2.1	2.0	1.3	1.1	.9	1.2	1.3	1.7	2.3	3.3	5.5	5.9	3.4	2.6	2.4	23	5.9	
7	1.8	BF	1.8	1.7	1.3	1.7	1.7	1.6	1.1	.9	.8	.7	.9	.8	.8	.9	1.1	1.1	2.2	2.9	6.8	7.6	4.6	3.7	23	7.6	
8	4.1	BF	4.0	6.7	8.5	15.7	14.3	7.0	2.5	1.6	1.3	1.0	1.0	1.5	1.3	2.0	1.7	1.6	2.7	14.0	23.8	21.7	17.8	16.0	23	23.8	
9	10.0	BF	5.9	6.4	9.2	17.5	17.3	13.8	15.6	10.3	9.9	12.2	12.6	7.4	6.4	4.9	5.7	5.3	10.5	12.4	8.9	9.3	8.3	5.4	23	17.5	
10	4.1	BF	1.8	2.1	3.6	9.4	9.4	8.1	8.8	8.1	7.7	5.1	3.1	2.0	1.8	2.3	2.8	3.8	7.3	14.6	11.6	9.7	7.2	5.2	23	14.6	
11	4.2	BF	2.3	2.4	3.4	7.0	7.9	6.4	4.6	4.6	4.8	5.3	3.5	4.2	2.2	2.5	2.4	3.5	4.1	5.0	2.1	2.4	2.1	1.5	23	7.9	
12	1.1	BF	.8	.6	.6	1.1	2.0	1.9	1.6	1.4	1.5	1.5	1.3	1.4	1.8	1.9	2.2	2.0	2.1	1.5	1.3	1.3	1.4	1.3	23	2.2	
13	1.2	BF	.9	.9	1.0	2.5	1.6	1.4	1.1	.8	.6	.6	.6	.5	.6	.8	1.1	.9	2.3	5.3	6.6	5.3	8.5	10.3	23	10.3	
14	9.9	BF	8.9	6.6	5.4	4.6	2.9	1.6	1.5	1.2	1.3	1.2	1.0	1.0	1.1	1.2	1.4	1.8	2.6	3.3	3.5	2.9	2.1	1.3	23	9.9	
15	1.3	BF	1.4	1.6	2.1	4.0	6.6	4.6	2.7	BA	BA	BA	BA	.9	1.2	1.4	1.0	1.2	2.4	7.3	12.0	10.7	10.8	11.5	19	12.0	
16	11.9	BF	4.3	4.1	3.6	7.2	7.2	3.8	2.8	1.8	AX	AX	BA	1.8	1.9	1.6	2.7	3.5	4.2	11.9	12.8	12.6	11.4	8.5	20	12.8	
17	5.8	BF	5.3	7.6	7.3	12.3	12.2	7.1	4.3	3.0	2.5	2.4	2.6	2.3	3.1	2.9	2.6	4.0	5.4	12.4	11.2	7.9	4.2	2.4	23	12.4	
18	2.1	BF	2.0	2.8	2.7	5.1	7.3	6.2	4.3	2.9	2.2	2.1	2.1	1.7	2.7	2.4	2.9	2.8	4.0	8.9	9.1	5.7	2.5	2.0	23	9.1	
19	1.5	BF	1.6	2.1	2.6	5.2	6.6	5.1	3.6	2.6	2.3	2.5	1.9	2.3	1.9	2.3	2.2	3.0	3.3	5.1	5.3	7.1	8.4	13.1	23	13.1	
20	12.9	BF	5.1	3.5	2.3	3.4	3.2	3.3	2.5	1.4	1.1	.9	.7	.7	.6	.5	.6	.9	1.5	1.5	1.3	1.2	1.1	1.1	23	12.9	
21	1.0	BF	.9	.8	.9	.9	1.6	1.0	1.1	1.0	.9	1.0	.8	.6	.6	.5	.7	.9	1.1	1.7	1.9	1.6	1.6	1.1	23	1.9	
22	1.1	BF	1.6	1.8	1.9	3.0	3.2	4.6	4.3	3.2	2.9	2.6	1.5	1.7	.9	1.0	1.2	3.1	3.6	6.3	5.3	4.8	2.9	1.7	23	6.3	
23	1.8	BF	3.0	4.5	4.1	6.1	9.1	4.1	3.7	2.2	1.5	2.1	2.2	2.3	3.4	2.8	2.6	2.1	2.1	2.1	1.7	1.4	1.3	1.5	23	9.1	
24	2.0	BF	2.0	2.3	2.2	3.0	6.9	3.7	3.7	3.0	1.9	1.9	2.0	1.6	2.6	3.4	4.9	4.6	4.5	4.9	4.4	2.5	1.7	1.1	23	6.9	
25	1.1	BF	1.0	1.2	3.7	7.6	10.9	6.0	3.7	2.3	2.7	2.1	2.4	2.4	2.3	2.3	2.4	4.1	4.4	4.7	3.9	3.5	3.1	2.2	23	10.9	
26	1.9	BF	1.5	2.6	2.2	4.4	6.2	4.8	3.2	2.0	1.4	1.3	1.4	1.9	1.8	2.1	2.0	2.9	3.7	11.8	20.1	18.7	19.6	14.6	23	20.1	
27	10.5	BF	7.8	6.7	5.3	7.7	6.6	5.8	4.4	3.3	1.7	1.1	1.2	1.2	1.3	1.5	1.8	2.6	3.0	4.5	5.2	4.6	7.5	4.0	23	10.5	
28	1.4	BF	2.3	1.6	1.5	1.6	2.6	2.2	1.8	1.3	1.0	.9	.7	.8	.8	1.0	1.6	1.4	2.5	4.0	4.5	4.0	3.6	2.8	23	4.5	
29	2.2	BF	2.6	2.2	3.8	6.1	3.7	2.4	1.8	.9	.6	.5	.8	.6	.5	.7	.6	1.0	1.6	7.1	7.1	3.8	4.2	4.1	23	7.1	
30	4.4	BF	3.4	3.3	3.1	3.0	4.1	7.9	8.0	3.5	AX	AX	AX	BA	2.4	2.7	2.3	2.9	3.5	5.0	5.3	5.7	5.4	4.8	19	8.0	
31	4.9	BF	3.0	2.6	3.1	3.7	4.6	5.1	5.1	3.2	2.4	1.7	1.6	1.8	2.3	2.9	3.4	3.2	3.9	4.2	3.9	3.5	4.4	4.3	23	5.1	
NO.:	31		31	31	31	31	31	31	31	30	28	27	27	29	31	31	31	31	31	31	31	31	31	31	31		
MAX:	12.9		8.9	7.6	9.2	17.5	17.3	13.8	15.6	10.3	9.9	12.2	12.6	7.4	6.4	4.9	5.7	5.3	10.5	14.6	23.8	21.7	19.6	16.0			
AVG:	3.62		2.64	2.78	3.20	5.59	6.15	4.59	3.69	2.59	2.28	2.16	2.01	1.98	1.87	2.01	2.20	2.56	3.48	6.09	6.58	5.77	5.18	4.38			

MONTHLY OBSERVATIONS: 699 MONTHLY MEAN: 3.66 MONTHLY MAX: 23.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	4.0	BF	4.3	5.1	5.1	5.8	10.0	11.2	7.8	5.2	3.2	2.4	2.0	2.1	2.1	2.7	1.8	1.8	2.3	5.9	11.6	17.2	20.5	22.1	23	22.1	
2	19.0	BF	9.6	9.2	9.8	7.5	5.7	4.4	3.2	2.2	2.1	1.7	1.5	1.4	1.5	2.0	1.4	1.3	1.5	2.9	9.0	8.4	8.8	19.2	23	19.2	
3	19.8	BF	15.4	13.9	10.8	7.1	6.8	7.4	4.5	2.6	2.5	2.3	2.0	1.6	1.5	1.4	1.3	1.3	1.3	2.2	4.1	5.1	7.7	9.0	23	19.8	
4	10.9	BF	9.2	9.6	8.1	6.0	7.6	7.0	3.7	2.6	2.3	2.4	2.1	2.1	2.2	2.2	2.4	3.2	3.2	2.4	2.6	3.1	3.4	2.3	23	10.9	
5	2.0	BF	2.4	2.3	2.5	3.4	4.7	4.8	4.7	3.8	3.1	3.4	4.5	3.8	3.2	3.0	2.5	1.9	1.7	2.1	2.3	2.3	1.8	1.6	23	4.8	
6	1.5	BF	2.1	2.5	2.9	3.5	6.3	4.5	4.1	2.5	1.9	2.0	2.2	1.4	1.4	1.5	1.3	1.2	1.4	3.5	5.0	5.0	5.1	2.2	23	6.3	
7	1.5	BF	1.5	1.5	1.7	2.1	2.2	2.2	1.9	1.4	1.2	1.2	1.5	1.8	1.4	1.7	2.6	2.0	1.7	1.4	1.3	1.2	1.2	1.1	23	2.6	
8	1.1	BF	1.1	1.1	1.3	1.7	2.2	1.8	1.8	1.5	1.3	1.3	1.2	1.3	1.3	1.3	1.2	1.2	1.3	1.6	2.8	4.0	7.4	6.7	23	7.4	
9	4.9	BF	5.7	6.2	5.9	8.3	11.7	9.4	6.1	4.1	2.7	2.3	1.9	2.0	1.9	2.9	2.2	2.2	2.1	3.5	10.2	12.2	12.6	10.7	23	12.6	
10	10.5	BF	6.8	6.3	6.2	5.2	6.5	6.1	3.7	2.2	2.1	2.0	1.8	1.7	1.7	1.8	1.8	1.8	2.4	3.7	6.3	5.1	4.1	3.2	23	10.5	
11	2.6	BF	2.4	2.3	2.8	3.1	2.9	2.0	1.7	1.5	1.5	1.4	1.3	1.6	1.6	1.7	1.8	2.0	2.4	3.8	5.4	6.0	4.2	2.9	23	6.0	
12	2.3	BF	2.3	2.7	4.0	6.0	9.0	6.1	4.4	3.9	3.0	2.6	2.1	1.9	2.1	2.1	2.2	2.7	3.1	4.1	4.7	4.7	3.6	3.0	23	9.0	
13	2.8	BF	2.4	2.6	3.1	5.5	7.7	7.4	6.1	AX	AX	BA	2.3	1.9	1.7	2.7	2.2	3.2	3.3	3.3	4.1	3.5	2.7	2.6	20	7.7	
14	1.8	BF	5.4	5.3	4.6	6.3	6.5	4.9	3.6	2.6	1.8	1.4	1.4	1.2	1.3	3.8	3.0	1.3	1.8	3.0	3.0	1.3	1.2	2.7	23	6.5	
15	2.2	BF	3.6	2.1	2.6	4.6	4.7	2.7	2.8	2.2	1.8	1.5	1.7	1.6	1.9	1.8	2.7	3.0	3.4	6.1	5.9	6.2	5.5	3.4	23	6.2	
16	2.7	BF	3.1	3.2	4.1	4.7	6.8	5.1	5.4	4.7	2.8	1.6	1.1	1.1	1.8	2.4	3.4	3.9	4.0	3.0	4.9	5.1	4.9	2.7	23	6.8	
17	2.3	BF	1.7	2.0	2.0	2.1	3.0	2.3	2.4	2.1	1.7	1.3	1.3	1.8	3.2	3.0	2.3	1.9	2.6	3.4	4.4	5.8	5.0	4.7	23	5.8	
18	3.3	BF	1.7	1.6	1.3	1.5	2.0	1.8	1.7	1.6	1.3	1.3	1.2	1.0	1.2	1.4	2.2	2.3	3.3	5.7	3.4	2.4	1.5	1.3	23	5.7	
19	1.1	BF	1.5	1.6	1.8	3.5	4.2	3.3	3.0	1.8	1.4	1.5	1.8	1.8	1.6	1.8	3.3	2.4	2.3	2.8	2.5	2.8	2.7	1.3	23	4.2	
20	.5	BF	.6	1.0	2.2	7.2	10.9	11.7	10.5	8.0	6.0	BA	BA	BA	BA	3.1	5.0	6.5	4.9	5.0	3.6	3.2	2.6	3.1	19	11.7	
21	3.0	BF	1.8	.7	2.2	5.2	9.5	10.1	6.9	4.7	3.5	2.3	1.9	1.4	1.6	1.5	1.9	2.4	4.3	4.5	4.7	4.3	3.8	3.3	23	10.1	
22	3.8	BF	2.8	2.1	2.9	6.1	6.7	4.9	3.5	2.8	2.5	2.2	2.0	2.5	2.5	3.1	4.3	4.6	5.1	4.5	3.9	5.1	5.3	3.5	23	6.7	
23	3.2	BF	3.1	3.4	3.1	4.9	7.0	5.2	4.2	2.9	1.8	1.5	1.6	1.3	1.4	1.7	1.8	2.4	3.6	4.5	3.9	3.0	2.4	1.5	23	7.0	
24	1.5	BF	1.2	1.2	1.3	1.6	1.5	1.2	1.2	1.3	1.2	.8	.6	.7	.7	.6	1.5	2.2	2.8	2.9	6.1	7.8	7.1	6.4	23	7.8	
25	5.1	BF	2.8	2.8	5.4	5.3	3.6	2.0	1.3	.7	.6	.7	.5	.5	.8	.7	.6	1.0	1.4	2.2	2.6	2.8	4.2	3.3	23	5.4	
26	2.3	BF	1.6	1.9	4.7	4.8	11.0	8.5	5.2	2.1	1.1	.6	.5	.9	1.0	.8	1.5	1.5	1.8	3.6	11.6	9.8	10.8	10.4	23	11.6	
27	12.3	BF	11.5	11.4	15.1	12.4	12.1	4.7	2.7	1.5	.9	AX	AX	AX	BA	1.1	1.4	1.5	1.5	2.8	2.6	4.6	4.1	5.9	19	15.1	
28	8.5	BF	8.4	7.0	5.5	5.7	4.8	2.8	1.4	1.1	.7	.7	1.0	1.0	.9	1.3	1.4	1.9	3.1	5.7	9.0	9.6	6.2	7.2	23	9.6	
29	5.4	BF	4.3	6.5	7.1	9.8	12.1	13.1	6.7	3.1	2.0	1.7	1.7	1.6	1.9	1.8	2.8	5.1	5.6	8.5	7.3	6.4	3.3	3.4	23	13.1	
30	2.1	BF	3.2	3.7	3.3	6.3	4.9	5.5	3.8	2.1	1.3	1.4	1.4	1.7	1.0	1.3	1.8	2.1	2.6	3.7	3.7	3.7	2.9	2.5	23	6.3	
31																										0	
NO.:	30		30	30	30	30	30	30	30	29	29	27	28	28	28	30	30	30	30	30	30	30	30	30	30		
MAX:	19.8		15.4	13.9	15.1	12.4	12.1	13.1	10.5	8.0	6.0	3.4	4.5	3.8	3.2	3.8	5.0	6.5	5.6	8.5	11.6	17.2	20.5	22.1			
AVG:	4.80		4.12	4.09	4.45	5.24	6.49	5.47	4.00	2.72	2.04	1.69	1.65	1.60	1.66	1.94	2.19	2.39	2.73	3.74	5.08	5.39	5.22	5.11			

MONTHLY OBSERVATIONS: 679 MONTHLY MEAN: 3.67 MONTHLY MAX: 22.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.9	BF	1.7	1.8	2.0	2.7	3.4	2.6	2.5	2.0	2.3	1.9	1.3	1.3	1.3	1.5	1.7	2.2	2.9	3.9	4.4	2.9	2.6	1.7	23	4.4	
2	2.4	BF	2.1	1.9	2.0	2.7	2.5	1.6	1.2	.9	.7	.6	.5	.7	.5	.6	.7	.8	1.1	2.3	3.3	4.5	9.9	11.1	23	11.1	
3	7.6	BF	2.8	2.8	4.0	5.0	6.7	5.5	3.5	2.1	1.6	1.1	1.0	1.1	1.0	1.0	3.5	3.3	4.2	4.6	4.9	7.2	6.8	5.4	23	7.6	
4	5.3	BF	4.7	4.4	4.8	5.3	6.1	4.2	1.8	.7	.7	.7	.6	.5	.6	.5	.6	.9	1.5	4.2	2.3	1.6	1.4	1.1	23	6.1	
5	1.2	BF	2.6	1.8	2.1	3.0	3.2	3.3	2.8	2.4	3.5	2.1	1.2	1.8	1.6	1.2	1.2	1.4	2.0	2.8	2.5	1.1	1.3	1.6	23	3.5	
6	2.0	BF	2.1	2.8	2.8	4.2	6.5	6.4	3.8	2.5	2.4	1.5	1.4	1.1	1.2	1.5	2.6	2.0	2.3	4.3	4.0	2.8	3.6	2.3	23	6.5	
7	1.7	BF	1.3	1.9	2.3	4.5	5.1	3.7	2.5	1.4	1.8	1.3	1.5	1.4	1.2	1.2	1.8	1.7	1.9	2.6	4.4	7.3	8.8	8.3	23	8.8	
8	7.1	BF	2.9	2.8	2.5	2.7	2.6	2.2	1.5	1.0	1.1	1.1	.8	1.0	1.0	.9	.8	1.4	1.8	2.5	3.6	2.2	2.1	2.8	23	7.1	
9	3.0	BF	1.7	1.6	2.2	2.0	1.7	1.4	1.1	.6	.5	.6	.4	.6	.9	1.3	.9	1.6	2.8	3.4	3.1	4.1	4.4	3.6	23	4.4	
10	2.7	BF	3.2	3.2	6.1	5.6	4.9	7.7	10.6	5.4	2.7	1.7	1.5	1.3	1.6	1.9	2.1	2.6	3.2	4.1	4.6	5.5	4.3	4.0	23	10.6	
11	4.3	BF	3.4	3.5	4.0	7.4	7.0	5.5	4.5	AX	AX	AX	BA	1.6	1.6	1.9	2.2	3.0	3.6	4.1	5.1	5.8	5.0	2.8	19	7.4	
12	2.4	BF	2.2	2.7	3.1	6.5	6.8	4.7	3.8	2.3	1.8	1.7	1.7	1.8	1.8	2.2	2.7	3.2	3.0	4.3	4.6	3.9	3.7	2.4	23	6.8	
13	1.9	BF	2.0	2.4	2.6	4.5	4.9	3.8	2.6	1.8	1.5	1.5	1.5	1.4	1.8	1.6	2.4	3.6	2.0	4.9	14.3	11.7	6.5	4.5	23	14.3	
14	3.1	BF	3.1	3.1	3.2	5.2	6.1	4.3	3.0	1.9	1.7	1.3	1.4	1.1	1.0	1.3	2.7	3.7	3.9	4.7	4.1	3.9	3.5	2.6	23	6.1	
15	2.5	BF	2.3	2.5	2.9	3.0	4.5	3.7	2.5	1.3	.6	.5	.6	.6	.5	.5	.6	.7	1.2	2.7	4.5	4.6	3.3	2.5	23	4.6	
16	2.4	BF	1.2	1.6	2.1	2.9	3.2	2.5	2.5	2.9	2.8	1.4	1.2	1.4	1.5	1.9	1.3	1.5	2.7	4.1	5.4	3.6	4.0	3.5	23	5.4	
17	2.4	BF	2.9	3.2	3.4	5.7	8.5	5.3	3.8	2.9	2.3	1.7	1.6	1.6	1.3	2.0	4.8	7.2	7.1	9.2	9.4	5.3	3.7	2.8	23	9.4	
18	2.1	BF	1.7	2.9	2.9	4.9	5.9	4.6	4.3	4.1	1.9	1.5	1.8	1.0	.9	1.5	3.0	4.3	4.8	5.8	2.2	4.3	4.1	6.1	23	6.1	
19	5.9	BF	2.3	2.1	3.2	5.0	6.5	6.3	5.7	2.3	1.3	1.1	1.1	.8	.7	.9	2.4	3.1	3.0	5.8	7.7	6.6	6.4	3.8	23	7.7	
20	2.7	BF	3.5	3.4	4.9	8.1	9.3	5.7	4.2	2.4	4.4	1.7	1.8	1.4	2.1	2.3	2.9	4.6	5.1	10.3	10.8	9.3	7.4	6.4	23	10.8	
21	4.9	BF	4.0	6.0	5.5	11.5	13.9	7.5	4.3	2.8	1.7	1.7	1.3	1.0	1.2	1.4	1.5	1.8	2.2	4.1	4.6	3.8	3.7	3.0	23	13.9	
22	2.5	BF	3.0	2.9	3.3	3.6	3.6	2.9	2.6	2.0	1.7	1.5	1.5	1.5	1.4	1.4	1.7	2.0	2.3	3.2	3.1	2.5	2.2	1.6	23	3.6	
23	1.7	BF	1.7	1.3	1.7	2.1	1.6	1.3	1.4	1.4	.9	.9	.8	.9	1.0	1.2	1.9	1.8	2.8	4.0	2.9	2.5	2.6	3.5	23	4.0	
24	2.6	BF	2.6	2.9	2.8	5.7	5.6	5.9	4.4	2.9	1.7	1.5	.9	.9	1.3	1.0	1.3	1.6	3.1	7.3	10.4	4.2	3.1	2.4	23	10.4	
25	1.9	BF	2.9	3.3	3.5	5.6	6.0	3.8	AX	AX	AX	AX	BA	.8	.8	.9	1.0	1.2	2.0	4.2	12.3	7.4	2.4	1.5	18	12.3	
26	.9	BF	1.0	1.1	1.4	2.1	3.1	2.1	1.2	.9	.7	.8	1.0	.9	.9	1.4	1.8	2.3	2.9	4.8	4.6	4.3	2.6	1.9	23	4.8	
27	1.8	BF	2.7	3.0	4.1	5.5	6.7	4.7	3.3	2.1	1.4	1.8	2.2	2.0	1.9	2.6	4.1	4.8	5.2	5.2	3.7	1.8	2.4	2.8	23	6.7	
28	3.3	BF	3.4	3.2	3.8	5.9	7.8	6.0	4.2	2.5	2.0	2.5	2.6	2.0	2.7	2.6	3.5	3.0	2.7	5.6	6.7	5.7	3.7	4.0	23	7.8	
29	5.1	BF	3.4	2.1	2.2	3.3	3.6	2.4	1.3	1.1	.9	.9	.9	.7	.8	.9	.9	1.3	2.0	1.5	1.1	3.0	3.7	.8	23	5.1	
30	.7	BF	1.2	1.1	1.1	1.1	1.0	.8	1.2	.7	.5	.4	.4	.4	.4	.5	.4	.5	.6	1.2	3.2	4.2	3.2	2.5	2.0	23	4.2
31	1.9	BF	5.4	5.2	4.8	10.0	8.4	6.1	2.1	1.2	1.0	.7	.8	.7	.8	.6	1.4	1.5	3.2	5.1	6.3	6.5	5.4	5.9	23	10.0	
NO.:	31		31	31	31	31	31	31	30	29	29	29	29	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	7.6		5.4	6.0	6.1	11.5	13.9	7.7	10.6	5.4	4.4	2.5	2.6	2.0	2.7	2.6	4.8	7.2	7.1	10.3	14.3	11.7	9.9	11.1			
AVG:	2.96		2.61	2.73	3.14	4.75	5.38	4.15	3.14	2.02	1.66	1.30	1.22	1.14	1.21	1.36	1.95	2.41	2.89	4.48	5.33	4.62	4.10	3.51			

MONTHLY OBSERVATIONS: 704 MONTHLY MEAN: 2.97 MONTHLY MAX: 14.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	6.7	BF	7.2	10.4	9.5	8.6	9.2	8.4	3.6	3.7	1.6	1.0	.9	.9	.9	1.3	2.5	2.4	4.7	6.2	6.7	6.6	6.5	5.3	23	10.4	
2	4.6	BF	4.8	6.3	6.4	8.2	10.4	10.9	9.4	8.9	4.9	1.9	1.6	1.9	1.4	1.5	1.9	2.9	5.0	6.5	11.1	8.9	10.8	8.1	23	11.1	
3	6.9	BF	6.2	5.9	7.0	10.7	12.2	13.1	15.1	12.6	5.5	2.5	1.4	1.2	1.3	2.6	3.4	4.1	4.4	4.7	6.4	6.7	7.4	6.9	23	15.1	
4	5.7	BF	7.0	7.3	9.0	9.5	9.2	9.4	7.1	3.4	2.1	1.8	1.5	1.8	1.6	2.5	3.1	3.4	4.0	4.4	5.8	4.4	2.7	2.3	23	9.5	
5	1.5	BF	1.0	1.9	2.0	2.3	3.2	3.0	2.4	1.3	.7	.7	.5	.7	.5	.8	.8	1.0	1.8	4.1	4.2	4.5	4.0	3.4	23	4.5	
6	3.2	BF	1.2	1.1	1.1	1.4	3.1	1.5	1.4	1.2	.7	.7	.7	.8	.8	.7	.9	1.3	1.2	1.6	2.0	1.6	1.4	1.7	23	3.2	
7	1.5	BF	2.0	2.3	2.7	5.0	7.1	4.7	3.9	3.7	2.9	2.1	2.1	2.0	1.8	2.0	3.0	5.6	4.7	3.7	2.8	2.3	2.3	2.0	23	7.1	
8	1.6	BF	1.3	2.8	2.6	2.6	3.9	3.8	3.2	AX	AX	AX	BA	1.1	1.4	2.6	2.6	2.7	3.0	2.3	2.3	1.8	1.5	1.2	19	3.9	
9	1.4	BF	1.9	2.3	2.9	6.7	8.3	6.8	1.8	1.1	.7	.6	.9	1.0	.8	1.3	1.7	1.8	2.4	6.2	6.4	5.1	5.0	3.2	23	8.3	
10	2.2	BF	2.8	5.4	4.7	6.8	8.2	4.8	2.6	1.3	.9	3.0	1.1	.7	.9	.9	1.6	2.2	2.1	5.0	3.4	4.4	4.0	3.5	23	8.2	
11	3.3	BF	2.2	2.5	2.7	6.0	3.9	1.5	1.5	1.8	1.4	1.6	1.3	1.5	2.2	2.0	3.7	5.6	10.8	10.4	8.2	9.0	3.9	2.4	23	10.8	
12	2.6	BF	1.6	1.9	1.8	2.0	2.9	2.4	2.0	1.7	1.7	1.1	.7	.7	.8	1.4	1.6	1.6	1.7	2.2	2.8	5.0	5.3	3.2	23	5.3	
13	3.5	BF	4.0	2.3	1.2	2.1	1.6	.7	.7	.7	.7	1.0	.7	.7	.6	.6	.8	.8	1.2	2.0	1.7	1.1	1.0	1.0	23	4.0	
14	1.0	BF	1.2	1.2	1.3	1.9	3.1	2.9	2.6	2.2	2.1	1.5	1.3	1.1	1.0	2.5	1.9	1.9	3.1	3.3	3.4	2.9	2.6	2.1	23	3.4	
15	2.3	BF	3.2	3.2	3.8	4.4	3.7	3.3	3.3	2.3	2.0	2.6	5.6	2.3	1.5	1.5	3.1	3.2	3.6	2.3	4.9	3.7	3.6	4.1	23	5.6	
16	5.5	BF	4.7	2.7	3.4	4.4	5.3	5.7	1.9	.9	.8	1.1	.5	.7	1.3	.9	1.1	2.6	3.4	4.8	6.8	7.9	6.2	4.9	23	7.9	
17	4.3	BF	3.1	5.1	5.1	5.4	7.9	6.2	5.3	3.5	2.9	1.7	1.8	1.4	2.4	3.3	4.1	2.6	3.2	5.1	5.0	4.7	4.4	3.8	23	7.9	
18	3.6	BF	3.5	3.7	3.9	5.0	6.5	5.6	5.2	4.2	2.1	1.9	2.0	1.7	2.0	1.8	2.3	3.9	3.8	6.2	4.8	3.6	1.9	1.5	23	6.5	
19	2.3	BF	3.4	3.5	5.2	4.9	4.7	2.8	2.7	1.4	.8	.8	.7	.7	.8	.6	.7	1.1	1.7	6.6	13.8	11.3	10.2	7.5	23	13.8	
20	8.5	BF	8.0	7.6	6.7	6.6	4.5	3.9	2.3	.7	.7	2.1	.6	1.7	.8	.7	1.1	2.3	3.1	5.0	4.7	4.3	3.6	4.0	23	8.5	
21	4.0	BF	4.4	4.6	5.3	5.9	6.2	6.3	4.8	AX	AX	AX	BA	1.8	1.9	1.1	1.5	2.2	3.9	7.3	8.0	6.5	7.8	6.9	19	8.0	
22	6.0	BF	4.2	4.0	5.1	6.0	7.4	7.6	4.2	2.7	2.1	1.7	1.5	1.3	2.2	2.1	2.5	2.9	4.2	5.7	5.5	2.6	1.9	2.2	23	7.6	
23	1.9	BF	2.3	2.5	3.2	6.9	8.8	5.2	3.1	2.0	1.9	2.2	1.9	2.0	1.9	1.7	2.6	6.0	7.0	2.2	1.1	1.1	1.4	1.6	23	8.8	
24	1.6	BF	2.0	3.6	2.8	2.0	2.4	3.0	2.3	4.0	1.2	.9	1.3	.9	1.0	2.5	3.0	1.6	2.1	3.2	3.4	2.5	2.6	1.8	23	4.0	
25	1.9	1.7	2.2	2.6	5.3	11.0	6.1	4.0	3.5	2.3	1.5	1.0	.9	.8	1.1	1.2	1.4	2.5	2.4	3.9	2.7	1.5	1.2	1.4	24	11.0	
26	1.3	BF	1.6	3.5	2.8	2.0	2.7	1.1	1.2	.8	.8	.7	.6	.7	.6	.7	.7	1.4	2.1	2.3	2.2	2.6	1.7	1.4	23	3.5	
27	1.4	BF	1.0	.9	1.1	1.2	1.5	1.2	.8	.6	.4	.9	.5	.5	.5	.4	.7	.8	1.2	1.6	1.8	1.2	1.1	1.2	23	1.8	
28	1.1	BF	.7	.7	1.0	1.5	2.2	2.0	1.6	1.0	.8	.8	1.0	.7	.8	1.2	1.2	.9	.8	1.2	1.1	1.0	.7	.5	23	2.2	
29	.4	BF	.5	.5	.8	1.8	2.1	2.1	2.3	1.8	1.5	1.3	1.4	1.2	1.1	1.3	1.1	1.3	1.5	2.0	2.3	1.5	1.5	1.5	23	2.3	
30	1.3	BF	1.8	1.8	1.4	1.9	3.5	2.6	1.9	2.2	1.2	.9	1.2	1.7	1.7	1.2	1.8	1.8	3.9	6.9	7.3	5.7	4.3	4.5	23	7.3	
31	5.2	BF	4.6	4.2	5.3	11.1	14.9	13.5	7.1	4.1	2.2	1.5	1.5	3.0	2.4	3.5	3.7	3.8	2.7	4.3	6.3	6.8	4.8	4.5	23	14.9	
NO.:	31	1	31	31	31	31	31	31	31	29	29	29	29	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	8.5	1.7	8.0	10.4	9.5	11.1	14.9	13.5	15.1	12.6	5.5	3.0	5.6	3.0	2.4	3.5	4.1	6.0	10.8	10.4	13.8	11.3	10.8	8.1			
AVG:	3.17	1.70	3.08	3.49	3.78	5.03	5.70	4.84	3.57	2.69	1.68	1.43	1.30	1.26	1.29	1.56	2.00	2.52	3.25	4.30	4.80	4.28	3.78	3.21			

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 3.15 MONTHLY MAX: 15.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: SEPTEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	4.5	BF	3.6	3.2	3.7	4.0	6.6	6.3	5.5	2.5	AX	AX	AX	BA	1.2	1.3	1.5	2.3	1.2	1.1	1.2	1.1	1.0	.9	19	6.6	
2	.8	BF	.8	.8	1.0	.9	2.2	2.7	1.5	3.1	2.2	2.0	3.0	2.5	2.0	2.3	2.2	3.4	5.7	7.2	2.6	1.3	1.3	1.3	23	7.2	
3	.8	BF	1.4	1.4	1.6	1.8	1.5	.8	.8	.8	.6	.8	.6	.7	.7	.7	.8	1.2	2.2	5.4	7.1	13.4	15.7	16.0	23	16.0	
4	13.8	BF	10.0	9.1	8.7	7.3	5.4	6.3	4.6	2.0	1.0	1.0	1.2	1.4	1.2	1.2	2.1	3.7	7.2	13.4	10.5	6.9	5.5	5.0	23	13.8	
5	3.8	BF	3.0	2.9	3.7	6.6	9.9	7.2	5.3	3.6	2.7	2.1	1.7	2.2	2.0	2.5	3.2	4.5	6.6	6.2	2.8	4.2	3.3	2.0	23	9.9	
6	1.7	BF	1.8	2.1	3.5	5.0	8.8	7.2	5.3	4.2	2.0	1.9	3.4	2.9	2.5	2.6	2.7	3.1	3.8	4.1	3.2	2.3	2.1	1.9	23	8.8	
7	2.1	BF	2.0	2.7	2.8	3.1	4.7	3.2	2.1	1.4	1.0	.8	.7	1.4	1.2	1.4	1.5	2.2	3.4	5.1	7.1	14.6	16.3	16.0	23	16.3	
8	14.6	BF	8.5	6.4	7.8	7.3	10.9	7.4	2.7	1.1	1.0	.7	.5	.6	.6	.6	.7	1.2	4.1	5.0	4.9	8.3	14.6	12.8	23	14.6	
9	10.6	BF	6.5	6.5	4.5	6.4	3.9	4.1	2.9	1.4	.6	.6	.5	.5	.6	.6	.6	.9	1.4	1.7	1.8	1.8	1.7	1.7	23	10.6	
10	1.8	BF	1.2	1.0	1.2	1.5	1.7	1.7	1.1	.6	.4	.4	.4	.4	.4	.5	.7	.7	1.1	1.1	.9	.8	1.0	.8	23	1.8	
11	.9	BF	.7	.8	1.1	1.4	2.1	1.9	1.8	1.4	1.4	1.3	1.5	1.4	1.4	1.6	1.6	2.1	1.5	1.1	1.0	.7	.6	.6	23	2.1	
12	.6	BF	.6	.6	.6	1.0	1.3	1.7	1.5	1.2	1.3	1.3	1.4	1.1	1.2	1.6	1.8	1.5	2.1	2.1	1.9	1.8	1.6	1.8	23	2.1	
13	1.9	BF	4.0	4.2	7.9	7.7	9.2	6.9	3.6	2.9	2.0	1.6	1.4	1.6	2.0	2.4	3.6	4.9	9.3	11.0	10.9	9.0	4.4	2.2	23	11.0	
14	1.9	BF	2.2	2.2	3.0	4.9	9.3	8.8	8.0	5.3	3.7	4.9	AX	AX	BA	1.8	2.5	2.1	9.1	16.9	13.7	20.7	15.2	11.7	20	20.7	
15	10.6	BF	9.9	10.9	10.9	8.1	9.3	6.5	3.2	1.9	1.4	1.2	1.1	1.0	1.5	1.2	5.7	6.3	5.9	12.0	8.7	12.6	12.9	10.4	23	12.9	
16	6.0	BF	3.6	3.2	3.4	5.3	7.0	4.1	2.3	.9	.6	.7	.6	1.0	.8	.9	1.3	1.7	4.0	6.0	7.2	7.3	5.3	4.3	23	7.3	
17	2.7	BF	2.9	1.7	1.8	2.1	2.8	1.4	.7	.6	.6	.5	.5	.4	.5	.5	.6	.8	1.7	2.6	2.3	2.2	2.1	2.1	23	2.9	
18	2.5	BF	1.1	1.2	1.6	2.1	2.5	2.7	2.0	1.5	.9	.8	1.2	.7	.9	.9	1.1	1.4	3.2	3.7	3.6	4.6	2.4	1.5	23	4.6	
19	1.3	BF	1.0	1.0	1.2	2.0	3.6	3.0	1.9	1.0	1.0	1.1	.6	.7	.6	1.9	1.1	1.8	4.7	4.2	5.0	12.3	16.0	13.3	23	16.0	
20	13.3	BF	9.8	8.8	9.0	8.3	7.6	17.1	8.2	3.5	2.2	1.6	1.8	1.4	1.4	2.0	.9	6.4	13.3	12.8	13.4	15.3	11.1	9.7	23	17.1	
21	10.1	BF	10.6	9.3	5.5	5.1	12.6	8.4	5.4	2.4	1.9	3.0	.9	.8	1.4	2.3	5.3	10.8	6.0	9.2	14.9	19.2	19.6	16.1	23	19.6	
22	12.1	BF	9.2	7.6	5.7	7.4	10.5	13.7	7.1	1.6	.9	.8	.5	.7	.7	.8	.9	1.2	5.6	16.2	20.5	21.1	12.3	5.6	23	21.1	
23	5.9	BF	5.2	6.2	6.1	5.4	6.2	6.7	3.5	1.7	.8	.6	.5	.7	.6	1.0	.9	2.4	6.3	4.9	3.9	6.2	7.1	4.8	23	7.1	
24	2.9	BF	3.5	2.8	3.1	2.3	3.7	1.8	1.0	.8	.6	.5	.6	.5	.5	.7	1.0	1.6	2.6	3.4	2.6	2.3	1.9	2.2	23	3.7	
25	4.0	BF	1.8	2.2	1.9	4.6	9.5	7.3	2.8	1.7	1.0	.7	.8	.8	1.0	1.3	.9	1.2	2.0	1.7	1.0	1.3	1.2	.7	23	9.5	
26	.5	BF	1.0	.7	1.0	1.6	3.4	3.3	2.6	2.0	1.6	1.1	1.4	1.1	.9	.8	.9	1.3	2.0	1.4	1.1	1.2	.9	1.0	23	3.4	
27	.9	BF	1.0	1.2	1.9	2.6	3.8	2.9	2.8	1.5	1.0	1.1	.5	.8	1.1	.9	1.1	1.9	5.4	6.9	5.3	3.9	3.9	4.7	23	6.9	
28	4.6	BF	4.6	7.7	6.5	7.5	7.5	12.3	6.5	3.3	2.2	2.5	AX	AX	BA	2.3	2.4	3.6	5.2	4.5	3.9	2.2	1.2	1.2	20	12.3	
29	1.3	BF	1.6	1.9	1.8	2.3	3.9	3.9	3.5	2.5	2.1	1.7	1.6	1.7	1.5	2.0	2.4	3.8	5.3	6.3	7.3	8.1	8.6	9.3	23	9.3	
30	14.5	BF	9.5	7.5	5.0	7.4	6.9	2.6	1.3	.9	1.0	.6	.6	.6	.7	.7	2.0	1.1	2.2	1.5	1.1	1.0	1.0	1.0	23	14.5	
31																										0	
NO.:	30		30	30	30	30	30	30	30	30	29	29	27	27	28	30	30	30	30	30	30	30	30	30	30		
MAX:	14.6		10.6	10.9	10.9	8.3	12.6	17.1	8.2	5.3	3.7	4.9	3.4	2.9	2.5	2.6	5.7	10.8	13.3	16.9	20.5	21.1	19.6	16.1			
AVG:	5.10		4.09	3.93	3.92	4.43	5.94	5.46	3.38	1.98	1.37	1.31	1.09	1.10	1.11	1.38	1.80	2.70	4.47	5.96	5.71	6.92	6.39	5.42			

MONTHLY OBSERVATIONS: 680 MONTHLY MEAN: 3.73 MONTHLY MAX: 21.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: OCTOBER 2017

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.2	BF	2.2	1.5	2.2	2.4	1.7	1.4	1.0	.7	.5	.6	.5	.7	.6	1.1	1.2	2.9	5.4	5.0	5.1	3.4	2.3	23	5.4		
2	2.4	BF	3.0	4.5	6.0	9.9	15.3	10.4	4.2	1.2	.5	.8	.7	.6	.7	1.0	1.6	3.5	5.4	4.0	3.9	2.8	2.0	2.2	23	15.3	
3	1.9	BF	2.2	3.2	3.6	5.8	11.5	8.1	3.3	1.5	.9	.8	1.0	.8	.8	1.0	1.9	5.3	4.4	3.9	6.2	6.9	2.5	1.9	23	11.5	
4	2.0	BF	3.3	3.9	6.4	6.8	11.7	9.6	6.2	2.0	.8	.8	.8	.8	1.3	2.0	2.6	7.9	11.8	13.0	13.2	13.6	6.9	8.7	23	13.6	
5	9.1	BF	8.3	10.6	9.8	8.8	8.4	8.8	11.7	8.8	6.2	2.2	1.7	1.6	1.5	2.5	4.8	8.6	19.5	17.5	17.9	12.5	13.5	11.2	23	19.5	
6	10.9	BF	7.7	6.9	9.0	10.2	10.0	8.7	11.6	12.3	6.2	1.8	.9	1.2	1.2	2.4	2.5	7.4	18.6	19.5	19.8	15.4	13.2	9.0	23	19.8	
7	7.4	BF	5.1	4.5	6.7	6.9	6.4	7.0	5.2	3.0	1.7	.9	1.5	1.0	1.2	2.2	3.3	3.5	3.6	3.4	2.4	2.1	2.0	2.0	23	7.4	
8	1.6	BF	1.6	1.7	1.8	2.0	2.9	3.0	2.2	3.6	2.0	1.5	1.4	1.9	2.2	2.0	2.1	2.9	2.5	2.4	2.0	1.6	1.1	1.0	23	3.6	
9	.9	BF	.7	.7	1.2	2.2	2.5	3.0	2.4	2.5	2.0	2.1	1.8	2.1	2.1	3.0	4.1	4.7	4.1	3.5	3.6	3.2	2.8	2.4	23	4.7	
10	2.0	BF	2.0	2.3	3.1	4.8	6.9	6.9	4.7	2.9	3.0	2.7	2.5	3.0	4.9	6.0	7.7	9.2	9.6	8.4	7.2	4.2	3.8	2.5	23	9.6	
11	2.4	BF	2.0	2.1	1.9	4.6	6.8	7.1	4.6	4.4	3.0	3.1	2.4	2.3	2.3	2.5	4.7	3.6	4.1	5.4	6.2	5.8	5.4	5.4	23	7.1	
12	4.4	BF	4.8	5.6	7.2	7.8	6.8	5.9	3.8	2.7	AX	AX	AX	BA	1.3	1.9	1.4	1.5	1.4	1.1	1.0	.9	.7	19	7.8		
13	.7	BF	.7	.8	.8	1.3	1.9	2.5	2.4	1.8	.9	.7	.9	1.2	1.4	1.2	1.7	2.6	2.2	1.9	1.8	1.5	1.3	1.3	23	2.6	
14	1.0	BF	1.3	.9	.7	.9	.9	1.3	1.2	1.4	1.6	1.7	1.3	1.1	1.6	1.5	2.2	7.7	13.2	10.3	6.3	6.6	6.4	5.7	23	13.2	
15	6.4	BF	7.4	4.5	2.4	2.5	2.6	2.4	2.4	2.5	1.9	1.8	1.4	1.7	1.5	2.0	3.3	5.5	4.2	4.2	4.1	3.4	2.9	2.1	23	7.4	
16	2.9	BF	2.3	3.3	4.2	8.1	13.2	3.9	2.8	4.1	5.0	3.4	3.3	3.3	3.1	2.8	2.5	3.3	5.6	3.2	4.4	4.9	2.6	1.6	23	13.2	
17	1.1	BF	1.3	1.5	2.2	3.9	6.6	6.3	4.4	1.7	1.3	1.0	1.1	1.0	1.2	1.3	1.6	5.0	10.7	11.7	9.2	15.7	15.4	13.6	23	15.7	
18	9.7	BF	10.2	10.1	11.2	12.1	12.0	14.3	8.6	4.6	1.6	1.1	1.1	.9	1.7	1.3	1.9	6.9	21.9	17.2	24.0	22.4	19.2	18.1	23	24.0	
19	15.4	BF	12.0	10.9	9.0	9.6	10.9	12.8	13.8	8.1	4.2	5.0	4.5	4.0	2.5	1.7	4.3	9.9	33.6	34.9	31.0	27.6	25.0	23.3	23	34.9	
20	18.1	BF	12.3	10.3	10.0	9.7	13.4	12.1	16.4	4.6	3.8	1.9	1.1	1.0	1.1	1.3	2.4	10.0	15.3	20.8	24.1	30.6	27.0	22.4	23	30.6	
21	19.7	BF	12.9	11.7	12.3	10.3	7.5	7.8	6.5	5.3	2.9	1.3	1.1	1.0	1.7	2.0	7.3	10.4	25.6	12.1	5.2	19.9	23.6	19.2	23	25.6	
22	18.6	BF	5.4	8.1	9.8	9.8	8.8	7.2	5.4	3.1	1.6	1.9	1.1	1.1	.9	1.8	3.0	4.4	12.8	4.0	5.8	4.6	3.7	2.8	23	18.6	
23	2.5	BF	2.1	1.6	3.0	4.4	6.1	7.6	5.9	4.7	4.6	2.0	1.6	1.4	1.8	2.5	2.7	2.3	1.6	1.5	1.4	1.3	1.2	2.3	23	7.6	
24	1.4	BF	2.1	2.0	2.2	5.5	8.5	8.0	5.6	3.6	3.2	3.0	2.3	2.3	2.9	3.1	5.0	15.7	23.7	27.3	23.2	15.7	6.7	2.9	23	27.3	
25	2.9	BF	1.8	2.0	2.3	4.1	7.7	6.0	4.5	2.5	2.0	.9	1.0	1.6	2.7	2.3	2.8	6.5	9.5	11.0	8.4	2.9	2.6	1.8	23	11.0	
26	1.6	BF	2.6	2.5	3.3	5.7	10.1	8.6	3.7	1.9	AX	AX	AX	BA	1.6	1.9	2.9	9.0	27.2	28.9	27.1	24.2	22.1	18.7	19	28.9	
27	16.5	BF	10.7	9.2	7.5	9.7	11.2	11.6	13.0	13.0	5.2	3.5	3.0	2.9	2.7	4.0	5.2	14.4	16.1	10.4	5.8	4.2	5.8	7.1	23	16.5	
28	5.5	BF	6.0	8.0	8.2	6.9	6.7	6.2	6.8	4.8	3.9	3.1	1.7	1.6	2.5	2.5	4.1	8.2	11.3	8.5	6.3	7.2	6.3	5.3	23	11.3	
29	4.6	BF	1.6	2.2	3.5	2.2	2.3	3.5	2.5	2.4	2.4	3.3	2.8	4.0	4.5	1.6	1.9	2.5	2.2	2.0	2.1	2.1	1.9	1.9	23	4.6	
30	1.8	BF	2.0	2.1	3.0	5.3	6.6	6.1	4.3	2.6	2.0	2.7	2.5	2.0	2.3	3.3	6.4	22.4	23.2	25.6	17.5	15.2	11.4	10.4	23	25.6	
31	8.5	BF	9.2	8.2	7.4	12.4	13.6	14.0	10.7	7.8	4.4	3.3	3.0	2.3	2.4	3.6	8.3	25.0	25.2	28.9	22.5	14.9	17.5	15.7	23	28.9	
NO.:	31		31	31	31	31	31	31	31	29	29	29	29	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	19.7		12.9	11.7	12.3	12.4	15.3	14.3	16.4	13.0	6.2	5.0	4.5	4.0	4.9	6.0	8.3	25.0	33.6	34.9	31.0	30.6	27.0	23.3			
AVG:	5.97		4.74	4.75	5.22	6.34	7.79	7.16	5.86	4.07	2.73	2.03	1.72	1.73	1.95	2.22	3.46	7.45	12.03	11.35	10.28	9.65	8.45	7.31			

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 5.88 MONTHLY MAX: 34.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	14.7	BF	10.9	8.8	9.6	10.2	11.9	14.0	14.9	19.1	16.0	9.2	3.7	3.7	3.9	5.2	10.3	27.7	25.0	24.6	14.7	12.0	9.4	6.8	23	27.7	
2	4.7	BF	4.4	4.7	4.6	8.8	11.9	16.2	14.1	7.8	5.9	BA	BA	BA	2.1	4.7	7.7	20.2	20.6	19.7	19.8	20.9	18.6	14.3	20	20.9	
3	14.1	BF	7.7	7.8	10.6	7.6	5.8	6.9	17.4	8.3	4.6	3.2	3.1	1.9	2.3	3.6	5.7	18.9	26.6	29.4	29.2	25.4	20.7	17.0	23	29.4	
4	14.3	BF	2.5	1.5	1.5	1.8	2.3	2.4	2.4	2.3	2.2	2.0	1.8	1.7	1.6	1.8	1.9	2.1	2.7	2.1	1.9	1.8	1.5	1.5	23	14.3	
5	1.3	BF	1.5	1.0	1.2	1.4	1.4	1.4	1.5	1.7	2.4	2.4	2.0	1.7	1.5	1.8	2.7	11.0	7.2	9.3	10.1	10.3	11.6	11.9	23	11.9	
6	7.9	BF	4.5	5.0	6.4	7.5	7.5	6.8	10.8	10.1	AX	AX	AX	BA	7.6	5.7	6.3	7.0	8.5	13.6	17.8	15.7	16.4	15.9	19	17.8	
7	14.2	BF	9.9	5.5	3.4	2.6	3.1	3.5	3.5	4.0	4.1	4.0	4.7	4.2	4.9	4.9	4.5	4.3	3.6	4.2	4.9	4.3	4.5	5.0	23	14.2	
8	4.2	BF	4.2	3.8	3.2	3.1	3.4	4.0	3.3	3.5	2.5	2.6	3.3	4.5	5.1	4.3	5.5	6.6	6.0	5.1	4.4	5.0	5.2	5.1	23	6.6	
9	4.9	BF	5.0	4.3	4.5	4.9	6.0	6.6	7.2	6.7	5.5	5.8	4.6	4.6	5.3	5.7	6.1	6.2	4.9	4.4	3.5	3.6	3.1	2.6	23	7.2	
10	2.1	BF	3.9	4.3	5.0	5.2	8.7	11.5	5.9	2.5	1.6	1.1	.9	1.1	1.2	1.4	2.8	4.5	1.9	1.5	1.9	2.4	2.2	2.0	23	11.5	
11	2.0	BF	2.0	2.1	2.1	2.5	3.1	3.4	2.5	1.9	1.5	1.4	1.4	1.2	1.1	1.3	1.7	4.5	8.7	8.0	5.7	8.3	7.3	7.5	23	8.7	
12	6.5	BF	7.3	7.3	6.2	6.3	8.0	8.7	6.8	4.3	3.1	1.2	1.5	1.9	2.5	2.3	2.9	4.5	6.9	5.1	5.1	6.0	5.5	6.8	23	8.7	
13	3.3	BF	1.6	2.0	3.3	4.3	6.1	9.0	7.0	8.3	4.5	3.4	2.1	2.2	3.5	1.8	2.4	6.4	5.5	4.0	2.6	2.7	3.2	2.4	23	9.0	
14	2.2	BF	2.8	3.6	3.7	4.5	5.6	7.6	4.4	2.8	2.3	1.5	1.3	1.7	2.0	2.9	3.9	3.9	4.4	2.7	2.9	2.1	1.7	1.8	23	7.6	
15	1.7	BF	2.9	3.4	3.7	4.7	6.6	9.5	6.2	4.6	2.0	1.8	1.5	1.8	1.8	2.1	3.1	7.3	20.2	13.6	17.5	23.0	21.7	20.6	23	23.0	
16	18.2	BF	14.4	18.1	15.8	16.7	17.0	12.8	10.8	8.7	5.0	4.7	3.0	3.1	3.5	5.2	6.0	26.9	37.5	35.8	31.1	16.1	8.2	5.0	23	37.5	
17	2.9	BF	2.6	2.3	2.9	3.3	5.6	10.8	5.2	2.8	2.6	2.8	1.8	2.6	2.9	4.0	12.2	24.7	25.3	24.6	22.1	21.9	19.7	17.5	23	25.3	
18	15.8	BF	12.5	15.6	14.4	16.2	15.0	12.5	10.5	6.9	4.4	3.1	3.2	2.3	2.6	3.2	4.3	8.4	11.0	7.0	6.5	4.3	3.0	2.7	23	16.2	
19	1.6	BF	1.1	1.3	.9	.8	1.7	1.8	1.3	.8	.6	.6	.8	.8	.9	1.1	1.5	1.3	1.3	1.4	1.4	1.8	2.0	4.7	23	4.7	
20	9.6	BF	7.6	7.8	9.4	11.6	17.2	17.5	9.3	4.0	3.3	AX	AX	AX	BA	4.5	13.5	26.6	31.5	30.3	29.6	27.0	27.1	24.9	19	31.5	
21	22.9	BF	19.1	19.9	19.7	17.1	17.9	17.2	19.0	20.0	17.6	13.0	9.8	7.8	5.2	6.0	8.2	15.8	20.7	19.9	13.0	17.6	21.6	11.3	23	22.9	
22	8.5	BF	12.3	6.2	4.6	6.0	7.3	11.7	5.5	4.3	3.8	2.0	1.6	1.9	2.2	2.5	5.6	8.3	8.4	4.9	2.7	2.4	2.6	3.7	23	12.3	
23	3.8	BF	2.2	2.9	3.3	3.7	4.0	4.2	3.2	2.0	1.7	1.3	1.3	1.7	2.3	2.7	4.6	10.7	13.3	14.6	14.2	17.7	19.3	17.2	23	19.3	
24	16.2	BF	13.8	12.9	12.4	11.3	11.3	11.6	10.8	5.9	3.8	1.6	1.8	1.4	1.1	1.3	7.2	25.4	30.7	18.5	32.7	30.5	27.7	24.9	23	32.7	
25	22.6	BF	17.7	17.2	15.8	14.8	13.7	15.5	18.7	13.4	5.5	3.4	2.7	3.2	3.6	5.2	10.6	11.5	13.4	14.4	10.4	6.6	6.1	6.9	23	22.6	
26	3.7	BF	2.0	1.6	1.5	2.8	6.4	5.9	3.6	5.0	1.4	.9	.9	.9	1.4	1.3	4.6	5.3	12.6	18.5	28.0	32.1	32.5	29.0	23	32.5	
27	26.3	BF	20.9	20.7	21.9	18.4	19.0	24.9	25.3	11.4	4.3	3.1	3.1	3.0	2.9	4.6	18.7	39.2	41.6	41.6	39.5	37.9	33.3	31.3	23	41.6	
28	27.8	BF	22.6	23.0	19.7	16.2	18.9	18.6	21.8	29.5	15.3	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	10	29.5
29	AH	BF	AH	AH	AH	AH	AH	AH	AH	AZ	AZ	AZ	AZ	AZ	AZ	AZ	AH	AH	AH	AH	AH	AH	AH	AH	AH	0	
30	AH	BF	AH	AH	AH	AH	AH	AH	AH	AX	AX	AX	BA	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	AH	0	
31																										0	
NO.:	28		28	28	28	28	28	28	28	28	27	24	24	24	26	27	27	27	27	27	27	27	27	27	27		
MAX:	27.8		22.6	23.0	21.9	18.4	19.0	24.9	25.3	29.5	17.6	13.0	9.8	7.8	7.6	6.0	18.7	39.2	41.6	41.6	39.5	37.9	33.3	31.3			
AVG:	9.93		7.85	7.66	7.55	7.65	8.80	9.88	9.03	7.24	4.72	3.17	2.58	2.54	2.88	3.37	6.09	12.56	14.81	14.03	13.82	13.31	12.43	11.12			

MONTHLY OBSERVATIONS: 620 MONTHLY MEAN: 8.48 MONTHLY MAX: 41.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*") indicates that the region has reviewed the value and does not concur with the qualifier.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0014 POC: 1  
 COUNTY: (183) Wake  
 CITY: (55000) Raleigh  
 SITE ADDRESS: 3801 SPRING FOREST RD.  
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (6639) RALEIGH, NC  
 LAND USE: RESIDENTIAL  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.856111  
 LONGITUDE: -78.574167  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 100  
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: DECEMBER 2017

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	AH	BF	AH	AH	AH	AH	AH	AH	AH	BA	1.6	1.4	1.5	1.4	1.6	1.6	3.5	7.9	7.9	11.0	8.3	4.4	4.7	4.7	14	11.0	
2	4.1	BF	3.7	3.5	3.5	3.6	3.7	4.8	4.8	3.4	3.2	3.6	4.6	4.2	4.1	4.3	5.8	7.2	4.7	4.0	3.3	3.2	3.4	3.5	23	7.2	
3	3.3	BF	3.9	3.7	2.9	2.5	2.8	5.1	3.9	3.1	2.4	2.2	1.4	1.0	.9	1.0	2.0	5.9	6.7	16.0	6.1	8.2	6.7	7.7	23	16.0	
4	7.1	BF	9.6	11.3	8.6	9.5	10.3	14.0	13.8	7.9	4.5	1.9	1.1	1.5	2.3	2.9	9.2	20.6	34.7	24.0	29.4	29.6	18.6	10.4	23	34.7	
5	12.5	BF	17.0	19.5	17.2	15.4	15.2	17.5	19.1	18.1	16.0	9.6	8.2	4.4	3.9	5.9	6.9	11.2	19.9	14.6	4.6	4.6	3.9	2.2	23	19.9	
6	1.8	BF	3.1	4.3	6.9	5.4	4.3	3.4	4.6	5.5	3.1	3.4	2.7	3.4	4.4	6.6	5.4	5.2	7.5	7.6	13.0	15.2	21.4	20.8	23	21.4	
7	13.1	BF	4.7	6.2	8.5	8.3	11.9	10.9	7.9	6.3	4.3	4.3	2.9	3.3	4.6	7.1	10.6	16.2	27.1	26.6	24.9	23.8	23.2	14.6	23	27.1	
8	14.4	BF	3.9	2.8	3.8	5.0	5.2	8.4	8.3	6.8	5.1	6.2	4.7	3.3	3.4	3.4	4.8	5.8	4.4	5.0	4.5	4.6	4.2	3.5	23	14.4	
9	3.3	BF	4.0	3.5	2.6	1.6	1.9	1.6	1.2	1.7	2.0	1.9	2.0	2.6	3.3	3.0	4.0	5.0	10.0	10.0	5.6	3.6	5.8	10.4	23	10.4	
10	6.9	BF	3.7	3.6	3.5	3.6	3.6	5.0	4.6	2.7	1.8	1.1	1.1	1.6	1.5	1.6	3.2	14.0	23.1	23.4	23.0	21.6	19.3	18.2	23	23.4	
11	18.8	BF	15.1	15.2	15.4	14.8	15.6	15.2	18.2	17.1	10.1	2.9	2.6	3.8	5.0	6.0	10.0	22.3	21.9	19.6	15.4	14.4	12.1	7.6	23	22.3	
12	7.2	BF	4.9	4.5	4.5	5.3	10.9	14.9	13.7	12.6	8.8	6.2	5.5	6.1	2.6	2.5	4.1	4.6	3.4	3.2	2.0	1.7	1.5	1.5	23	14.9	
13	1.5	BF	1.7	2.5	5.1	12.2	24.0	26.8	16.5	6.8	3.3	3.4	3.0	3.0	3.9	4.0	9.3	17.5	22.1	13.4	8.6	6.4	5.6	6.3	23	26.8	
14	5.2	BF	3.4	3.6	5.2	7.0	9.5	12.8	11.4	6.6	5.8	AX	AX	AX	BA	3.6	4.5	20.2	26.4	29.0	18.9	13.7	9.9	5.9	19	29.0	
15	4.5	BF	4.9	4.3	3.4	3.4	4.5	6.6	7.6	5.3	4.6	5.6	5.2	5.7	8.0	7.2	8.2	11.2	15.5	18.4	22.8	17.7	10.7	7.2	23	22.8	
16	5.0	BF	12.3	11.0	18.2	16.3	15.0	19.0	13.7	7.9	5.8	3.5	2.8	3.1	3.2	3.5	7.8	17.3	26.3	28.4	29.5	26.7	25.7	24.2	23	29.5	
17	23.7	BF	21.4	21.7	19.6	20.3	18.9	18.7	17.9	18.0	14.4	12.7	7.7	6.6	6.2	7.4	9.8	11.6	20.1	21.3	15.9	14.5	11.7	9.6	23	23.7	
18	11.4	BF	8.4	10.9	12.6	13.9	14.8	14.3	13.9	22.2	17.3	7.0	BA	4.2	5.2	5.2	11.4	28.4	34.6	33.1	30.5	29.4	25.6	21.1	22	34.6	
19	19.2	BF	15.7	16.4	16.0	15.9	16.9	17.6	18.3	14.8	8.1	7.2	8.0	7.4	6.2	7.7	16.6	33.0	25.0	17.3	16.5	9.8	11.4	5.8	23	33.0	
20	5.7	BF	3.2	4.1	7.8	13.7	17.6	20.3	22.0	14.5	21.0	20.1	20.4	21.3	16.9	13.2	14.5	10.8	12.7	16.6	14.9	10.7	10.4	7.5	23	22.0	
21	2.9	BF	2.1	2.7	3.7	4.5	6.4	8.5	6.9	4.8	2.8	2.4	2.1	2.2	2.3	2.4	5.4	11.3	27.3	25.5	16.6	21.4	22.3	17.4	23	27.3	
22	8.1	BF	6.4	6.1	7.0	7.3	8.0	11.0	16.1	14.8	14.2	14.4	14.2	11.9	5.6	4.4	9.2	18.1	21.2	19.3	12.9	12.6	14.7	11.0	23	21.2	
23	7.4	BF	5.6	5.5	4.4	4.4	4.1	5.8	7.8	4.6	4.2	3.4	2.7	2.3	2.1	2.9	3.4	3.5	4.1	3.1	4.0	4.4	4.0	2.6	23	7.8	
24	1.4	BF	1.0	1.2	1.4	1.5	1.4	2.0	1.8	1.7	1.8	1.6	2.0	2.1	2.1	2.3	2.4	2.4	3.5	2.4	2.4	2.6	4.2	6.0	23	6.0	
25	6.1	BF	1.9	1.5	1.5	1.1	.8	.8	.7	.7	.6	.5	.5	.6	.8	.9	1.2	1.3	1.9	3.1	7.5	4.8	2.4	2.4	23	7.5	
26	2.8	BF	2.0	1.6	1.5	1.5	2.4	7.8	7.4	2.1	2.4	1.4	1.5	2.2	2.8	2.9	4.5	7.9	29.7	20.6	28.4	23.2	25.8	22.8	23	29.7	
27	23.1	BF	16.2	12.0	13.5	12.1	9.3	6.8	6.4	8.5	4.5	3.0	4.2	2.4	1.7	2.0	4.3	8.4	4.7	4.3	3.1	1.9	1.5	2.2	23	23.1	
28	2.8	BF	3.9	4.4	3.5	2.8	2.9	3.0	3.0	2.2	2.5	1.8	AX	AX	AX	BA	3.0	4.5	6.5	7.4	8.5	10.3	10.2	9.4	19	10.3	
29	7.6	BF	9.1	9.9	12.5	9.8	15.2	22.2	21.8	14.6	12.4	7.3	7.3	7.1	5.8	6.0	6.1	17.3	28.2	32.4	31.3	29.5	28.4	28.7	23	32.4	
30	26.0	BF	19.3	16.1	16.6	15.6	15.8	14.5	10.7	9.0	6.7	4.4	3.3	2.6	3.1	3.3	5.7	7.5	24.5	18.9	7.1	4.5	3.8	5.0	23	26.0	
31	2.4	BF	1.6	1.8	2.4	1.4	1.4	1.0	1.2	1.0	1.1	1.1	1.3	1.3	1.4	1.7	1.8	2.0	1.6	1.4	1.2	1.3	1.0	.9	23	2.4	
NO.:	30		30	30	30	30	30	30	30	30	31	30	28	29	29	30	31	31	31	31	31	31	31	31	31		
MAX:	26.0		21.4	21.7	19.6	20.3	24.0	26.8	22.0	22.2	21.0	20.1	20.4	21.3	16.9	13.2	16.6	33.0	34.7	33.1	31.3	29.6	28.4	28.7			
AVG:	8.64		7.12	7.18	7.78	7.99	9.14	10.68	10.17	8.18	6.34	4.85	4.45	4.23	3.96	4.22	6.41	11.62	16.36	15.51	13.57	12.27	11.42	9.71			

MONTHLY OBSERVATIONS: 695 MONTHLY MEAN: 8.83 MONTHLY MAX: 34.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: JANUARY 2017

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	3.8	BF	4.3	3.5	3.9	2.0	4.4	4.3	5.7	AX	AX	BA	12.4	12.3	13.7	8.2	6.6	7.3	14.2	10.2	5.3	4.8	6.2	5.1	20	14.2	
2	4.8	BF	3.7	2.3	2.0	1.9	9.1	10.7	5.0	4.3	2.9	2.2	4.5	3.1	3.2	2.9	4.1	4.5	3.8	2.4	2.6	1.8	1.5	2.6	23	10.7	
3	2.0	BF	4.7	5.1	4.6	8.1	9.1	5.4	6.8	BA	BA	BA	13.3	13.1	12.3	13.6	9.8	9.1	7.6	8.3	11.2	11.3	12.3	9.7	20	13.6	
4	10.6	BF	7.6	8.5	8.8	11.4	14.6	14.2	14.4	15.9	11.8	5.6	7.6	6.3	9.2	8.2	9.2	20.1	18.7	21.5	12.6	10.6	7.3	5.6	23	21.5	
5	5.9	BF	8.5	8.7	6.9	3.4	4.1	7.2	18.0	6.0	6.2	4.5	7.4	6.1	5.9	8.1	11.5	9.4	12.3	11.7	10.3	14.8	13.5	13.2	23	18.0	
6	9.4	BF	4.7	6.6	11.9	12.6	14.0	10.3	11.4	8.5	5.4	4.8	5.9	4.7	5.3	5.9	5.4	6.5	7.0	4.8	5.6	5.7	4.6	3.0	23	14.0	
7	2.8	BF	2.7	2.7	2.6	2.8	2.8	2.6	2.3	1.8	1.5	1.6	2.4	1.8	1.8	3.3	4.6	3.2	5.2	7.4	9.0	7.1	3.8	2.7	23	9.0	
8	2.4	BF	1.9	2.7	2.3	2.7	3.0	3.5	3.3	2.9	2.3	3.5	2.6	4.1	3.8	5.4	7.9	12.5	8.6	17.5	21.5	24.8	21.8	8.1	23	24.8	
9	4.8	BF	6.0	6.3	6.9	6.8	10.7	20.0	13.8	15.3	15.4	13.9	12.3	11.8	12.6	14.0	20.0	23.3	25.0	15.8	12.1	17.9	24.9	28.1	23	28.1	
10	29.0	BF	21.8	14.5	8.5	15.2	17.0	16.1	23.6	23.1	19.4	17.8	14.0	14.6	12.4	17.7	18.5	14.3	19.1	30.7	27.7	24.2	18.0	12.2	23	30.7	
11	11.3	BF	14.9	16.4	13.7	9.7	14.6	19.0	19.6	20.7	18.7	12.4	17.1	19.1	17.9	18.0	18.8	19.8	14.6	13.9	14.9	15.7	11.8	9.4	23	20.7	
12	4.7	4.1	4.8	8.7	BF	15.3	17.0	19.2	15.4	10.7	14.0	8.1	7.9	6.8	7.5	11.8	13.4	14.0	19.4	17.1	14.4	15.1	14.4	14.7	23	19.4	
13	10.3	8.0	14.3	14.4	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	4	14.4
14	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
15	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
16	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
17	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
18	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
19	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	BA	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
20	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	BA	BA	BK	BK	BF	AN	AN	AN	AN	0	
21	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
22	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
23	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	BA	BK	BK	BK	AN	AN	AN	AN	AN	AN	0	
24	AN	AN	AN	AN	BF	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	0	
25	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	BC	BC	BC	BC	BC	22.8	16.1	12.8	15.2	11.8	12.3	6	22.8
26	5.6	4.4	4.0	5.0	BF	7.9	14.6	11.5	13.4	15.2	12.6	9.6	7.4	8.1	9.0	8.2	11.7	11.8	14.2	13.5	14.4	9.1	7.4	8.1	23	15.2	
27	10.4	8.8	8.1	5.5	BF	23.9	23.6	25.1	20.7	17.2	11.7	11.1	11.2	13.9	11.7	13.3	17.5	15.2	9.2	5.8	5.0	4.7	10.2	13.6	23	25.1	
28	14.2	11.8	16.9	14.2	BF	9.2	11.8	13.8	12.0	9.0	7.6	7.1	7.9	7.1	7.5	6.8	7.0	12.6	15.0	12.9	12.3	10.7	8.0	7.1	23	16.9	
29	7.3	8.9	6.0	10.8	BF	9.5	6.8	20.6	11.5	8.4	6.2	6.5	6.1	7.7	7.0	7.6	9.3	13.6	15.2	18.2	10.0	12.9	10.8	4.1	23	20.6	
30	4.6	4.1	3.6	7.1	BF	22.6	26.6	22.9	19.1	13.0	10.6	10.4	9.8	9.3	10.1	10.2	13.9	22.7	25.0	26.8	24.1	22.8	30.6	29.5	23	30.6	
31	27.9	22.7	29.8	23.1	BF	28.9	20.7	21.2	18.4	14.9	11.7	13.3	11.1	12.1	12.9	14.6	13.1	20.0	16.9	17.6	13.8	9.3	12.5	11.1	23	29.8	
NO.:	19	8	19	19	11	18	18	18	18	16	16	16	18	18	18	18	18	18	19	19	19	19	19	19	19		
MAX:	29.0	22.7	29.8	23.1	13.7	28.9	26.6	25.1	23.6	23.1	19.4	17.8	17.1	19.1	17.9	18.0	20.0	23.3	25.0	30.7	27.7	24.8	30.6	29.5			
AVG:	9.04	9.10	8.86	8.74	6.55	10.77	12.47	13.76	13.02	11.68	9.88	8.28	8.94	9.00	9.10	9.88	11.24	13.33	14.41	14.33	12.61	12.55	12.18	10.54			

MONTHLY OBSERVATIONS: 418 MONTHLY MEAN: 10.98 MONTHLY MAX: 30.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: FEBRUARY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	16.2	16.7	24.8	16.3	BF	17.0	24.1	28.5	33.4	35.0	26.0	21.7	18.2	20.0	12.5	9.4	5.6	8.5	19.7	19.9	11.0	13.7	8.7	20.3	23	35.0		
2	15.4	14.1	12.9	9.3	BF	8.3	12.1	19.1	22.1	17.2	6.1	8.3	9.0	10.6	11.7	11.9	24.7	19.8	12.4	23.6	20.3	13.6	3.1	3.9	23	24.7		
3	3.0	2.4	1.4	3.8	BF	5.8	7.4	10.9	8.8	9.5	6.1	7.4	7.2	6.9	9.2	10.6	8.6	7.8	8.9	4.8	4.9	4.4	4.2	23	10.9			
4	2.7	2.1	1.7	1.6	BF	3.2	3.4	3.6	3.6	1.8	1.5	3.5	4.7	5.4	3.5	7.5	14.2	6.0	6.3	19.6	28.5	24.8	10.8	12.6	23	28.5		
5	14.7	16.3	22.6	18.2	BF	14.1	8.9	9.9	11.3	7.9	6.6	5.8	6.1	5.8	6.1	5.8	6.8	12.3	17.1	14.0	12.1	9.0	19.2	21.1	23	22.6		
6	18.6	22.0	22.1	21.1	BF	19.0	18.5	17.9	20.0	22.5	20.3	15.7	13.5	15.4	14.1	18.0	17.8	22.1	19.3	31.3	30.0	23.1	19.7	15.7	23	31.3		
7	8.9	8.1	8.1	11.8	BF	20.2	27.5	AX	AX	BA	17.2	16.7	11.2	13.2	11.2	12.8	14.0	14.4	17.5	15.8	14.4	8.8	6.9	5.6	20	27.5		
8	4.2	11.4	6.4	11.2	BF	16.3	23.4	16.7	19.4	18.9	15.1	14.2	10.9	12.0	14.2	18.8	23.5	26.9	29.0	16.3	13.6	16.2	13.9	8.4	23	29.0		
9	5.4	5.1	3.1	3.6	BF	9.9	11.2	7.0	5.1	6.9	8.7	5.2	7.1	6.8	4.8	6.9	6.8	10.4	10.6	5.7	3.4	3.7	8.5	4.0	23	11.2		
10	3.0	3.9	6.9	15.9	BF	14.4	28.8	33.5	24.9	14.5	13.0	13.4	15.4	15.1	18.4	15.5	15.2	18.4	17.1	14.8	12.7	12.2	9.6	8.4	23	33.5		
11	4.8	4.0	4.0	3.3	BF	11.0	19.5	13.1	10.3	7.6	7.2	8.6	8.3	8.3	9.7	10.1	9.9	12.9	16.0	13.7	7.6	7.6	6.7	4.7	23	19.5		
12	4.4	3.5	4.1	3.1	BF	3.7	5.7	7.2	5.4	4.7	3.9	4.6	3.9	3.9	4.2	5.3	6.6	6.5	6.5	10.5	8.7	4.6	4.3	3.3	23	10.5		
13	1.9	1.8	4.1	1.9	BF	4.1	6.2	9.7	8.2	3.6	9.0	9.5	10.8	7.5	10.3	12.0	13.7	4.8	6.4	7.5	28.4	22.7	24.2	14.0	23	28.4		
14	20.1	27.8	14.5	12.0	BF	10.3	17.7	26.9	30.1	22.6	16.9	16.9	13.3	14.2	14.9	19.2	15.3	24.9	15.3	18.5	30.5	40.1	35.6	30.5	23	40.1		
15	30.3	15.9	10.3	15.5	BF	11.1	9.3	10.9	12.4	15.4	17.3	9.6	13.0	7.2	6.7	11.3	14.2	12.2	15.9	12.2	7.7	5.7	6.0	8.6	23	30.3		
16	6.9	10.9	15.0	12.7	BF	22.6	26.8	27.3	20.5	12.8	11.2	10.7	9.6	8.4	10.8	12.0	11.7	10.4	4.5	7.5	28.6	22.6	29.1	29.8	23	29.8		
17	28.8	28.2	28.0	28.1	BF	27.6	28.5	31.5	25.5	19.7	16.3	15.6	12.5	11.9	12.8	15.0	16.5	19.9	26.3	31.3	30.3	30.7	13.6	13.5	23	31.5		
18	24.7	20.7	8.9	17.4	BF	23.3	19.4	20.1	20.1	17.1	13.7	10.9	10.0	8.6	8.7	9.8	12.1	11.1	11.2	9.9	5.7	5.0	3.4	3.4	23	24.7		
19	3.1	2.8	4.2	4.4	BF	7.9	17.2	11.0	8.3	5.2	2.0	5.5	3.6	4.5	2.6	3.8	3.4	1.9	1.6	2.2	13.0	21.4	12.5	5.6	23	21.4		
20	3.3	5.4	19.5	13.2	BF	19.1	16.0	20.4	17.0	5.7	3.8	6.9	5.1	8.3	8.4	12.2	3.5	4.4	9.6	29.3	28.0	25.3	22.4	28.7	23	29.3		
21	27.6	17.1	7.4	2.7	BF	3.0	5.6	7.0	11.2	12.2	11.9	AX	AX	BA	21.0	16.2	9.1	6.1	6.9	12.1	15.5	23.7	26.1	16.5	20	27.6		
22	12.7	6.0	6.8	6.7	BF	24.2	20.3	22.5	15.2	20.1	19.1	16.3	18.1	19.0	21.1	16.6	3.7	8.7	8.5	5.3	5.0	7.0	8.7	6.6	23	24.2		
23	5.5	8.6	12.1	8.1	BF	13.6	11.4	10.2	9.2	20.0	17.6	14.7	13.5	12.6	8.4	19.9	21.1	14.0	9.3	11.1	10.3	14.5	21.7	22.8	23	22.8		
24	16.3	10.2	5.4	7.2	BF	8.3	7.9	8.0	16.0	24.0	21.4	14.9	12.7	12.0	13.0	14.0	20.6	19.6	7.1	14.0	20.9	19.7	10.7	7.4	23	24.0		
25	8.1	12.9	8.8	5.7	BF	13.5	13.5	14.7	10.5	6.8	6.2	5.7	7.2	5.0	5.4	5.5	7.1	5.5	6.6	6.4	6.3	4.9	3.9	3.6	23	14.7		
26	3.7	3.6	1.8	2.7	BF	2.7	1.4	2.4	1.9	2.7	3.5	1.5	3.8	5.9	5.3	4.4	8.1	10.3	5.4	6.9	8.7	13.1	12.4	21.7	23	21.7		
27	23.9	21.7	16.4	13.2	BF	6.1	27.4	25.9	25.2	19.5	15.8	14.4	12.0	10.5	13.4	19.3	19.8	22.9	12.8	12.0	13.6	14.5	22.7	21.4	23	27.4		
28	9.8	4.0	5.0	4.6	BF	8.2	7.7	11.8	19.9	20.8	13.9	14.1	12.5	11.4	13.5	14.4	13.1	19.9	24.9	18.4	12.9	11.5	10.7	11.2	23	24.9		
29																										0		
30																											0	
31																											0	
NO.:	28	28	28	28		28	28	27	27	27	28	27	27	27	28	28	28	28	28	28	28	28	28	28	28			
MAX:	30.3	28.2	28.0	28.1		27.6	28.8	33.5	33.4	35.0	26.0	21.7	18.2	20.0	21.1	19.9	24.7	26.9	29.0	31.3	30.5	40.1	35.6	30.5				
AVG:	11.71	10.97	10.23	9.83		12.45	15.24	15.84	15.39	13.88	11.83	10.83	10.12	10.01	10.57	12.03	12.45	12.98	12.56	14.24	15.45	15.16	13.55	12.77				

MONTHLY OBSERVATIONS: 638 MONTHLY MEAN: 12.61 MONTHLY MAX: 40.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MARCH 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	7.3	4.0	5.0	4.2	BF	9.2	10.0	11.6	8.5	10.6	10.7	8.9	8.4	6.1	6.4	9.9	11.7	12.0	8.9	4.5	10.2	7.4	7.0	3.8	23	12.0	
2	3.2	3.1	3.6	3.4	BF	8.0	12.1	12.2	11.1	11.1	7.5	7.9	5.8	6.7	8.0	8.8	11.9	11.2	14.0	11.6	11.9	18.2	13.6	8.7	23	18.2	
3	10.4	10.6	7.1	22.7	BF	22.3	21.9	23.9	21.3	14.6	13.0	10.9	8.9	10.1	9.8	8.9	7.3	2.6	2.6	5.0	5.2	4.3	3.8	3.0	23	23.9	
4	2.2	5.4	7.8	12.4	BF	20.0	22.4	18.7	14.6	6.9	6.5	6.9	5.5	6.5	6.4	5.8	7.3	13.0	3.6	10.3	13.1	13.4	12.7	22.4	23	22.4	
5	24.4	20.4	16.0	4.7	BF	1.8	2.6	3.4	2.4	1.6	3.0	2.1	3.4	5.3	6.8	7.8	8.5	7.5	3.6	7.0	4.9	4.9	4.7	5.1	23	24.4	
6	5.1	4.5	9.9	4.5	BF	4.2	6.2	16.9	24.5	19.3	17.0	15.3	13.1	12.8	11.9	16.2	17.7	21.0	24.3	16.9	19.5	18.1	26.6	10.5	23	26.6	
7	9.2	7.4	10.3	9.0	BF	25.0	31.6	24.4	17.0	12.2	11.0	AX	AX	AX	AX	BA	AK	AK	AK	AK	AK	AK	AK	AK	10	31.6	
8	AK	AK	AK	AK	AK	AK	AK	AK	AK	BA	BA	BA	BA	BA	BA	10.4	14.0	19.7	25.5	10.9	28.6	30.8	30.2	26.3	9	30.8	
9	20.8	22.3	23.4	22.1	BF	18.4	16.6	16.4	24.5	21.7	13.9	12.0	15.8	13.4	14.8	14.5	14.4	15.7	28.1	34.7	28.1	15.5	11.8	8.8	23	34.7	
10	6.6	7.2	9.4	7.8	BF	14.8	15.6	19.0	21.4	15.7	11.8	10.2	6.3	6.3	4.3	4.9	5.4	3.1	3.4	5.2	6.0	3.9	3.5	5.3	23	21.4	
11	4.6	7.0	8.5	9.9	BF	9.2	14.7	8.6	4.7	4.2	5.9	6.2	8.0	7.0	8.7	7.5	7.2	13.3	10.3	5.2	4.6	14.6	12.7	12.6	23	14.7	
12	2.5	1.5	1.2	1.1	BF	1.8	1.8	1.5	4.6	7.0	3.5	5.3	3.4	3.6	5.4	4.8	2.8	1.8	2.2	4.2	7.5	10.4	8.3	10.2	23	10.4	
13	10.7	7.6	9.3	10.8	BF	11.6	12.7	10.4	6.3	4.4	5.6	6.0	4.5	5.9	3.8	3.9	4.2	3.9	4.3	2.5	2.2	1.9	1.5	1.5	23	12.7	
14	1.6	1.4	1.7	1.9	BF	3.4	6.3	15.3	16.5	15.5	11.9	9.6	7.5	9.7	6.6	8.9	7.9	7.9	9.1	8.0	4.4	4.6	6.3	2.8	23	16.5	
15	2.9	3.7	3.2	4.9	BF	15.2	16.9	16.8	11.0	9.4	7.6	7.9	7.5	6.4	8.4	6.8	7.5	10.5	9.5	13.1	15.0	13.0	10.2	7.7	23	16.9	
16	11.7	10.2	11.8	19.8	BF	24.6	29.0	25.1	19.0	9.6	8.6	7.8	9.1	9.1	10.8	10.4	10.9	11.7	19.9	23.5	10.5	12.3	27.6	34.2	23	34.2	
17	29.3	22.2	14.0	18.6	BF	24.8	28.2	28.5	33.8	21.5	16.2	14.5	14.2	13.5	19.2	16.4	15.4	19.6	22.8	18.6	17.4	13.8	8.7	3.1	23	33.8	
18	4.4	9.5	9.3	9.0	BF	9.4	9.9	15.5	13.4	12.5	12.2	13.1	12.1	8.7	6.8	7.1	7.9	9.7	3.7	15.6	12.5	4.2	1.6	1.9	23	15.6	
19	2.5	2.1	2.4	2.0	BF	2.5	2.9	2.6	1.5	.9	.8	.6	.9	1.0	1.0	.9	1.0	.9	1.9	5.9	10.5	8.9	15.6	21.5	23	21.5	
20	18.8	16.7	14.6	11.3	BF	11.9	13.6	14.5	16.7	19.2	14.2	11.8	10.7	13.3	14.2	11.3	14.6	21.5	18.4	10.9	16.4	30.6	20.8	12.9	23	30.6	
21	17.2	12.3	11.1	14.9	BF	28.8	28.1	24.5	21.0	16.0	AX	AX	BA	7.6	10.7	8.2	3.5	3.1	2.9	3.8	4.8	4.1	5.3	6.7	20	28.8	
22	3.8	3.6	3.6	2.2	BF	3.7	3.8	5.9	3.6	3.5	3.3	3.0	2.6	2.3	1.2	1.1	1.0	1.2	2.1	7.6	7.5	6.1	10.2	5.5	23	10.2	
23	4.4	3.9	4.4	6.3	BF	6.1	10.0	8.5	4.6	4.6	5.4	6.5	2.7	11.3	13.0	13.0	15.2	14.6	5.0	5.4	6.4	6.1	6.4	11.1	23	15.2	
24	5.9	5.2	3.6	3.5	BF	9.8	17.5	29.4	23.5	18.4	14.5	12.3	13.5	12.1	9.5	10.4	10.5	9.1	15.1	21.4	22.0	26.0	16.8	9.5	23	29.4	
25	5.8	3.3	6.8	8.7	BF	16.2	21.4	16.0	9.6	6.9	8.0	5.6	6.1	5.9	6.9	7.9	10.4	10.6	17.5	10.3	7.6	14.2	6.6	6.0	23	21.4	
26	7.2	8.7	8.4	2.2	BF	1.8	2.4	4.9	8.2	7.1	6.0	6.2	5.3	7.2	4.8	4.9	6.5	8.9	12.1	10.4	9.2	5.7	3.8	4.3	23	12.1	
27	3.4	3.2	8.5	12.4	BF	22.5	23.6	25.2	23.6	19.5	12.3	10.5	13.4	12.7	10.9	12.3	12.2	14.4	18.2	16.2	18.6	8.5	7.5	6.5	23	25.2	
28	4.9	4.5	5.5	7.9	BF	11.0	19.2	20.0	15.0	13.6	12.8	10.6	11.3	12.2	12.1	15.3	10.7	4.6	3.3	5.6	14.2	19.1	16.4	9.3	23	20.0	
29	17.9	24.7	15.8	7.3	BF	13.1	8.5	7.6	6.2	2.8	2.7	5.5	5.2	6.4	11.6	10.6	10.5	7.6	4.8	5.0	5.8	5.4	7.7	5.3	23	24.7	
30	4.0	3.4	5.7	5.7	BF	7.5	5.9	7.4	9.7	11.0	12.1	14.5	11.8	10.2	11.1	11.1	13.7	13.6	4.8	8.6	9.7	9.5	5.6	4.1	23	14.5	
31	5.0	5.6	5.0	8.7	BF	12.8	12.1	15.8	15.0	17.4	11.1	10.1	9.2	10.6	9.8	8.4	11.5	7.4	12.4	12.1	7.9	9.7	10.7	7.9	23	17.4	
NO.:	30	30	30	30		30	30	30	30	30	29	28	28	29	29	30	30	30	30	30	30	30	30	30	30		
MAX:	29.3	24.7	23.4	22.7		28.8	31.6	29.4	33.8	21.7	17.0	15.3	15.8	13.5	19.2	16.4	17.7	21.5	28.1	34.7	28.6	30.8	30.2	34.2			
AVG:	8.59	8.17	8.23	8.66		12.38	14.25	15.02	13.76	11.29	9.28	8.64	8.08	8.41	8.79	8.95	9.44	10.06	10.48	10.67	11.41	11.51	10.81	9.28			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: 10.28 MONTHLY MAX: 34.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: APRIL 2017

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	6.1	7.2	9.0	10.2	BF	15.8	16.2	11.7	7.3	3.2	3.2	4.7	4.5	3.1	4.7	5.4	3.4	1.9	2.3	2.0	2.5	2.0	2.6	2.0	23	16.2	
2	1.7	1.6	1.7	2.0	BF	1.8	2.6	2.7	2.7	2.2	3.8	4.2	6.1	4.0	4.3	8.7	8.2	5.2	2.6	2.5	2.3	3.3	4.3	7.3	23	8.7	
3	5.5	4.5	5.0	6.3	BF	7.6	17.0	21.7	23.3	19.9	11.9	13.0	10.9	10.6	13.0	12.5	12.6	9.6	10.8	9.9	15.7	9.6	5.8	6.3	23	23.3	
4	4.0	3.8	3.0	3.6	BF	11.4	12.0	11.8	10.9	11.6	AX	AX	AX	BA	9.4	11.1	13.2	13.5	18.7	19.6	17.8	17.2	29.6	22.0	19	29.6	
5	15.6	15.1	16.1	16.8	BF	4.8	11.5	12.9	23.1	13.5	18.5	18.0	17.5	19.3	23.6	20.8	22.9	15.0	13.3	9.2	7.9	8.4	4.2	10.4	23	23.6	
6	8.7	6.0	5.1	6.9	BF	15.6	13.4	7.6	8.5	7.5	4.9	6.3	6.4	7.2	8.6	7.2	6.1	8.4	6.1	5.3	3.6	5.6	7.1	4.1	23	15.6	
7	3.9	2.2	4.7	4.4	BF	13.6	13.2	14.3	9.6	8.6	8.1	7.6	8.1	8.6	8.4	9.5	7.4	9.6	6.4	4.3	5.4	11.6	7.3	3.7	23	14.3	
8	4.8	7.2	9.9	18.5	BF	21.0	20.4	15.7	10.3	5.2	5.6	3.8	4.7	5.4	6.9	6.9	7.8	11.3	10.8	8.8	16.7	18.8	15.6	17.5	23	21.0	
9	22.6	12.6	12.3	10.4	BF	13.9	10.9	11.3	10.2	8.0	8.3	7.1	7.5	6.6	6.3	8.8	9.7	12.5	10.1	6.8	6.3	8.1	16.7	8.7	23	22.6	
10	6.4	5.8	13.8	10.5	BF	13.7	26.2	23.2	17.3	15.8	15.7	13.3	12.7	13.3	14.6	12.5	15.7	15.4	18.9	14.5	22.6	27.1	7.8	7.8	23	27.1	
11	6.8	7.0	9.2	10.4	BF	23.3	24.6	15.7	13.9	12.2	10.5	11.0	12.1	11.3	15.6	13.5	13.4	14.4	23.7	20.4	30.2	19.7	8.7	5.6	23	30.2	
12	5.8	4.5	6.1	10.8	BF	21.4	26.7	20.5	18.0	14.6	12.4	11.9	12.8	13.1	12.5	16.3	10.6	18.3	6.2	3.9	4.2	4.4	13.0	23.8	23	26.7	
13	22.2	16.8	15.2	16.0	BF	6.6	8.4	9.3	6.4	5.6	6.1	4.8	10.1	9.1	10.7	9.6	4.4	5.4	2.9	3.8	6.7	7.4	7.1	4.4	23	22.2	
14	3.7	1.3	1.3	1.0	BF	4.7	7.7	9.7	8.7	15.2	10.8	10.9	11.2	9.8	14.0	11.1	12.4	15.3	12.9	5.1	5.0	6.5	6.1	8.8	23	15.3	
15	3.2	1.7	1.8	2.1	BF	2.3	3.7	9.8	7.0	6.0	6.5	5.1	6.1	5.1	5.8	5.7	4.7	6.4	8.7	13.6	17.3	12.9	9.3	6.0	23	17.3	
16	3.6	3.0	2.8	1.8	BF	4.6	5.3	5.4	2.8	2.7	4.2	4.0	4.6	3.3	3.8	4.7	4.9	5.6	7.8	11.2	19.4	15.3	6.2	6.7	23	19.4	
17	4.5	4.7	3.5	5.4	BF	15.3	16.7	14.7	12.8	11.1	10.8	11.8	10.5	11.0	11.6	13.8	8.0	4.0	6.2	4.3	9.0	5.4	2.8	2.7	23	16.7	
18	1.8	1.1	2.5	1.4	BF	3.9	4.0	5.4	4.2	AI	AX	AX	AX	BA	10.3	8.7	14.8	7.9	6.3	6.5	7.4	8.6	7.5	5.0	18	14.8	
19	1.3	.9	1.7	1.2	BF	2.9	5.9	5.7	9.8	9.3	7.5	10.5	9.8	13.8	13.8	14.8	7.0	11.1	8.9	6.0	7.3	8.6	7.2	4.1	23	14.8	
20	4.8	5.7	5.0	7.2	BF	11.1	12.1	13.6	12.6	9.7	10.9	8.8	10.6	11.1	12.1	12.2	11.6	14.6	15.2	14.6	12.6	18.7	14.0	12.9	23	18.7	
21	6.4	5.4	7.1	7.6	BF	15.1	16.4	13.1	11.0	10.9	12.9	12.2	12.4	11.3	11.7	12.3	15.4	8.2	5.6	16.6	6.2	8.3	7.5	7.7	23	16.6	
22	9.2	5.2	3.0	9.7	BF	8.6	9.8	9.4	7.1	6.2	6.1	5.3	6.1	5.3	6.8	6.7	7.2	2.0	1.5	1.2	1.1	1.6	2.2	2.1	23	9.8	
23	1.6	1.3	1.4	1.3	BF	1.9	2.0	2.7	1.6	2.6	4.0	5.7	4.9	5.4	6.5	4.8	7.5	9.0	6.9	6.0	4.7	3.0	2.9	3.1	23	9.0	
24	3.6	1.9	1.3	.9	BF	3.5	5.8	4.3	4.3	4.5	3.7	4.4	2.5	3.0	4.0	5.1	3.2	6.4	4.4	4.7	2.3	1.4	3.3	2.8	23	6.4	
25	2.1	1.2	6.1	5.7	BF	3.3	2.8	3.3	5.0	6.5	4.7	6.1	7.3	6.8	8.9	8.5	9.4	9.5	4.7	4.2	5.6	4.8	5.0	4.6	23	9.5	
26	3.6	3.0	2.1	2.2	BF	7.9	17.3	14.0	13.4	9.7	10.5	10.5	9.5	8.9	10.7	11.0	10.6	13.9	10.8	6.3	6.5	5.4	14.1	14.4	23	17.3	
27	8.8	4.8	7.7	9.0	BF	25.5	21.8	16.5	12.7	14.9	12.6	11.1	12.8	14.0	12.5	14.2	17.7	16.7	17.6	16.5	15.9	7.8	6.0	6.7	23	25.5	
28	5.6	5.9	6.7	9.9	BF	21.0	17.9	12.9	14.8	11.9	13.9	12.5	10.5	12.3	11.5	10.6	14.9	11.2	16.3	21.1	19.5	15.7	7.0	7.3	23	21.1	
29	3.5	4.6	3.3	3.7	BF	9.3	10.4	7.6	4.9	5.8	5.7	5.9	4.8	6.8	7.7	7.0	7.2	5.9	8.3	10.2	4.2	6.7	4.3	3.1	23	10.4	
30	2.3	3.0	2.7	1.6	BF	3.5	3.5	4.6	2.8	4.5	3.5	2.9	3.3	4.1	5.5	5.8	7.2	6.1	3.2	5.0	5.8	4.7	3.0	2.4	23	7.2	
31																											0
NO.:	30	30	30	30		30	30	30	30	29	28	28	28	28	30	30	30	30	30	30	30	30	30	30	30		
MAX:	22.6	16.8	16.1	18.5		25.5	26.7	23.2	23.3	19.9	18.5	18.0	17.5	19.3	23.6	20.8	22.9	18.3	23.7	21.1	30.2	27.1	29.6	23.8			
AVG:	6.12	4.97	5.70	6.62		10.50	12.21	11.04	9.90	8.94	8.48	8.34	8.58	8.70	9.86	9.99	9.97	9.81	9.27	8.80	9.72	9.29	7.94	7.47			

MONTHLY OBSERVATIONS: 681 MONTHLY MEAN: 8.79 MONTHLY MAX: 30.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: MAY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	2.9	2.9	2.9	2.4	BF	8.3	9.1	8.2	9.0	8.6	7.1	6.6	7.9	5.4	8.0	3.4	4.4	4.7	3.2	2.5	4.0	2.1	1.0	22	9.1	
2	.0	1.2	1.4	1.3	BF	8.6	11.0	14.4	13.4	10.7	11.0	AI	AX	AX	AX	8.0	8.1	8.4	10.5	8.5	8.0	8.7	6.3	4.2	19	14.4
3	3.7	5.5	11.9	5.0	BF	17.4	12.9	9.7	6.8	BC	BC	BC	BC	BC	BC	4.4	1.5	3.8	7.0	8.3	5.7	5.5	3.9	16	17.4	
4	2.7	4.2	5.7	10.5	BF	15.0	15.0	14.7	13.6	16.0	14.3	BA	11.5	15.6	8.3	7.7	12.1	9.2	8.3	11.4	8.4	7.2	5.6	4.3	22	16.0
5	3.4	2.5	2.3	2.9	BF	22.1	22.2	17.2	12.5	9.6	9.5	9.7	8.3	9.2	8.2	8.4	6.1	6.7	7.7	6.1	3.3	5.2	4.7	2.4	23	22.2
6	2.1	1.8	1.9	2.3	BF	6.3	7.3	5.4	5.1	6.3	5.9	6.0	5.7	6.2	5.5	5.5	8.0	11.2	13.8	12.3	10.0	7.9	7.5	7.2	23	13.8
7	7.2	6.3	6.7	5.7	BF	7.6	7.8	5.3	4.4	5.6	5.6	4.5	5.0	5.5	5.4	5.3	7.4	8.4	12.5	5.6	9.4	24.1	20.7	14.9	23	24.1
8	20.0	18.1	12.6	14.7	BF	13.4	10.6	16.7	13.3	11.2	12.1	10.7	11.1	9.5	11.5	11.2	10.7	14.0	8.2	9.5	17.1	24.4	26.5	31.2	23	31.2
9	26.7	23.4	11.5	15.4	BF	20.5	17.2	19.8	22.7	22.0	25.2	23.4	21.4	20.0	18.0	15.8	9.7	5.3	7.4	5.9	7.2	8.4	14.9	11.4	23	26.7
10	7.0	9.7	4.8	10.0	BF	20.7	21.7	19.0	16.9	12.2	12.7	12.2	10.4	3.9	13.3	15.4	13.6	16.1	12.5	6.6	8.3	6.8	6.8	5.9	23	21.7
11	4.5	6.4	8.7	9.6	BF	7.7	9.3	8.0	15.3	21.1	21.2	15.4	17.6	16.7	13.9	13.0	16.2	13.8	6.3	13.7	7.2	3.5	2.9	1.2	23	21.2
12	1.2	2.3	1.7	1.6	BF	6.7	10.7	6.5	8.8	10.1	10.7	7.4	7.8	6.5	7.4	5.5	3.9	8.1	7.1	7.6	6.2	2.7	2.6	3.6	23	10.7
13	3.9	2.1	4.0	2.3	BF	2.4	2.4	2.7	3.0	2.3	2.9	1.6	1.7	1.7	1.6	2.4	2.4	1.8	2.2	1.2	3.2	4.3	5.1	6.5	23	6.5
14	6.4	4.4	3.8	3.8	BF	4.1	3.0	4.5	5.2	5.9	4.5	5.8	4.1	4.6	5.1	6.0	7.7	8.1	7.5	9.2	9.8	8.5	10.0	9.8	23	10.0
15	10.2	11.3	19.3	23.6	BF	23.5	23.0	19.0	7.4	7.8	8.2	6.9	AX	AX	AX	16.1	8.0	3.7	2.6	3.1	4.3	9.7	10.1	13.2	20	23.6
16	10.9	9.1	4.6	4.0	BF	5.6	7.3	5.8	11.0	15.6	15.9	13.8	14.9	13.8	14.1	12.7	12.2	13.3	3.5	4.7	4.9	7.2	11.0	10.3	23	15.9
17	8.0	5.6	7.2	17.9	BF	23.8	18.4	14.0	15.9	16.1	14.6	12.9	10.3	13.5	13.1	13.1	11.8	17.6	22.1	23.6	25.0	15.6	8.6	5.8	23	25.0
18	5.5	6.8	7.2	7.0	BF	19.7	17.1	17.1	11.8	13.7	11.9	8.5	8.7	9.8	10.1	10.0	11.2	11.7	12.0	13.5	14.4	15.1	8.2	7.4	23	19.7
19	4.8	2.9	3.9	5.7	BF	14.1	17.0	11.9	12.9	11.0	10.1	11.4	9.3	10.9	13.7	10.8	10.5	6.7	5.5	14.5	7.6	7.3	13.9	12.3	23	17.0
20	9.8	11.8	10.0	8.0	BF	12.3	10.8	8.8	7.4	7.6	7.5	7.9	8.7	7.0	2.9	2.0	1.6	.8	1.2	2.7	3.0	3.6	4.1	3.2	23	12.3
21	3.1	2.0	2.0	1.6	BF	2.5	4.0	3.3	2.8	3.5	5.1	5.2	3.9	2.5	4.0	3.9	3.0	2.4	4.0	3.7	4.3	5.0	5.7	4.8	23	5.7
22	5.1	3.9	5.4	5.2	BF	10.6	10.9	10.1	7.6	8.6	6.4	7.9	8.1	8.7	4.0	4.5	1.7	1.9	3.3	3.9	3.9	9.3	5.4	4.7	23	10.9
23	3.9	6.1	3.2	2.4	BF	5.1	9.6	9.2	12.7	16.2	13.7	8.4	8.1	8.5	13.6	10.4	4.4	9.0	5.4	5.6	8.8	4.5	6.0	8.6	23	16.2
24	8.5	6.6	6.4	7.1	BF	4.2	7.7	5.5	5.4	10.7	13.4	11.9	8.7	11.1	12.5	7.4	4.0	15.7	11.4	7.9	6.1	8.8	6.3	4.1	23	15.7
25	4.6	5.4	3.8	9.4	BF	26.7	18.6	12.4	9.3	10.8	8.4	8.3	8.5	7.9	8.6	9.0	10.1	13.4	13.0	11.0	7.9	8.8	5.3	4.9	23	26.7
26	3.3	3.6	3.3	4.6	BF	20.4	16.9	14.4	13.1	12.5	13.8	13.3	12.0	10.9	13.3	10.5	10.5	13.8	16.8	13.0	6.3	9.0	10.2	11.7	23	20.4
27	12.6	11.2	6.6	6.2	BF	11.9	10.8	9.5	9.8	7.2	6.1	5.9	7.2	5.7	7.3	5.3	6.3	6.8	9.1	9.6	8.2	8.5	8.1	5.9	23	12.6
28	2.4	3.3	2.0	4.4	BF	5.5	7.2	5.6	5.2	4.2	4.7	5.5	4.0	3.8	4.4	4.9	6.7	9.0	9.9	10.2	10.0	9.0	10.0	6.7	23	10.2
29	8.0	6.4	7.4	8.9	BF	9.6	9.1	6.8	6.4	6.0	6.8	4.5	6.1	6.0	6.5	5.6	6.9	4.8	3.7	2.9	8.8	9.6	7.6	3.4	23	9.6
30	3.2	6.8	5.7	8.4	BF	13.3	16.6	13.0	14.3	12.7	AX	AX	AX	AX	11.7	15.4	10.4	10.5	13.5	8.0	4.3	11.7	10.6	9.9	19	16.6
31	6.9	8.7	7.5	8.3	BF	11.3	11.5	13.0	10.7	8.7	3.3	3.0	3.9	5.6	13.6	14.5	10.4	11.0	10.0	8.8	6.5	3.6	7.0	9.9	23	14.5
NO.:	31	31	31	31		31	31	31	31	30	29	27	27	27	28	30	31	31	31	31	31	31	31	30		
MAX:	26.7	23.4	19.3	23.6		26.7	23.0	19.8	22.7	22.0	25.2	23.4	21.4	20.0	18.0	16.1	16.2	17.6	22.1	23.6	25.0	24.4	26.5	31.2		
AVG:	6.53	6.53	5.98	7.10		12.29	12.15	10.69	10.12	10.48	10.09	8.84	8.70	8.54	9.27	8.79	7.88	8.69	8.32	8.19	7.89	8.57	8.33	7.78		

MONTHLY OBSERVATIONS: 693 MONTHLY MEAN: 8.77 MONTHLY MAX: 31.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JUNE 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	12.5	8.2	10.5	12.0	BF	14.9	14.4	17.1	19.2	18.8	12.2	9.7	11.9	10.8	14.3	11.7	8.2	9.5	4.0	7.5	15.1	25.4	19.7	16.4	23	25.4	
2	33.4	26.6	9.3	26.2	BF	8.6	5.0	12.9	7.6	6.5	6.4	11.5	12.1	6.7	15.0	9.3	9.5	5.6	1.3	2.9	4.6	10.0	22.9	29.9	23	33.4	
3	21.9	27.5	15.1	10.1	BF	10.3	17.5	38.8	16.5	17.0	14.6	10.2	12.5	9.7	10.4	8.3	2.5	1.6	.7	.7	3.1	5.1	9.9	15.5	23	38.8	
4	8.8	7.6	15.0	5.6	BF	5.6	4.3	9.7	7.9	9.1	7.0	8.7	9.9	8.4	9.8	8.9	11.0	17.2	12.4	7.6	6.8	4.3	6.9	3.9	23	17.2	
5	7.4	10.8	11.8	17.8	BF	41.1	41.3	33.1	35.7	33.3	32.6	33.0	20.0	16.6	22.0	14.2	7.3	3.0	7.6	8.7	6.1	7.5	7.7	8.2	23	41.3	
6	8.3	12.1	5.8	22.6	BF	52.7	44.6	18.3	6.2	6.5	4.1	4.0	4.9	4.9	3.4	2.6	1.0	.9	1.0	3.8	4.3	2.1	1.8	2.8	23	52.7	
7	2.0	1.3	1.5	1.5	AN	3.9	4.6	4.0	3.9	3.9	4.1	3.8	1.9	2.8	9.0	3.1	4.4	10.8	7.0	7.3	8.0	8.3	5.3	4.8	23	10.8	
8	1.7	1.3	1.3	1.2	BF	4.7	4.3	4.0	2.6	1.8	1.8	3.7	2.5	1.6	2.7	2.1	1.2	3.0	1.6	1.3	2.5	6.9	19.4	16.0	23	19.4	
9	14.6	12.1	10.7	8.6	BF	11.3	14.8	14.7	12.2	12.7	9.2	12.2	10.9	11.8	10.5	12.5	13.8	15.3	14.4	3.0	7.5	14.3	13.9	19.2	23	19.2	
10	18.6	8.1	4.0	3.3	BF	5.6	10.1	7.7	8.1	6.8	AX	AX	AX	7.4	7.5	8.8	9.3	8.3	9.5	2.4	4.0	4.5	9.2	4.3	20	18.6	
11	5.4	4.0	5.0	3.3	BF	4.7	6.0	4.5	4.5	5.2	5.5	5.3	5.6	6.0	5.1	6.1	5.6	9.3	10.1	6.8	2.5	6.1	9.1	8.7	23	10.1	
12	4.7	4.9	7.2	10.7	BF	21.5	18.9	16.3	18.4	16.5	14.6	13.4	15.9	15.7	12.0	11.6	11.5	13.6	13.1	12.1	16.6	14.9	14.1	9.3	23	21.5	
13	7.8	6.8	6.3	10.3	BF	17.1	16.2	14.5	16.3	15.3	13.7	11.8	10.8	11.1	10.8	9.7	11.4	15.5	13.6	10.6	12.2	12.7	12.0	11.1	23	17.1	
14	8.3	9.4	8.2	13.4	BF	15.6	14.2	12.8	12.6	14.1	14.0	13.4	13.4	17.8	12.4	11.9	10.6	11.1	13.3	3.0	2.0	4.0	7.4	7.2	23	17.8	
15	4.6	8.9	5.8	7.3	BF	4.4	8.0	7.6	AZ	AZ	AZ	AZ	AZ	AZ	8.6	8.2	5.3	14.2	5.6	7.8	5.1	10.0	10.4	8.4	17	14.2	
16	4.9	5.4	5.1	4.3	BF	5.5	9.1	11.6	10.0	15.7	10.7	8.3	7.4	4.8	7.1	4.5	3.2	5.9	4.0	7.9	11.4	4.7	5.3	4.4	23	15.7	
17	3.9	5.1	3.2	3.3	BF	9.3	9.6	8.8	6.1	6.1	5.5	6.9	7.1	8.0	8.5	6.8	5.6	4.6	2.8	5.3	7.8	7.7	7.1	5.9	23	9.6	
18	4.2	3.9	2.6	2.3	BF	4.1	3.6	4.6	4.2	4.5	4.4	4.2	4.4	3.2	4.1	5.3	4.9	4.7	3.2	3.3	4.4	3.2	4.1	3.7	23	5.3	
19	3.0	2.8	3.5	5.4	BF	8.8	10.0	9.4	7.3	9.3	8.6	7.3	8.4	6.8	7.8	6.3	8.7	7.3	6.1	6.3	4.3	9.2	6.3	3.5	23	10.0	
20	3.9	2.3	7.6	11.2	BF	22.6	21.5	17.4	18.1	15.9	12.6	11.8	11.6	11.6	12.5	11.8	12.5	11.5	10.2	9.7	8.6	10.9	7.5	8.7	23	22.6	
21	6.9	5.7	4.3	7.3	BF	21.7	16.6	18.0	13.8	9.8	11.5	9.2	7.7	8.6	7.4	8.1	9.2	12.5	11.6	6.3	4.9	7.0	5.9	3.9	23	21.7	
22	6.5	3.1	3.7	4.7	BF	8.4	9.8	7.3	7.0	8.1	10.3	9.8	11.2	10.2	10.4	13.0	10.6	11.4	9.1	6.6	7.1	7.3	5.9	6.3	23	13.0	
23	4.6	5.6	6.0	6.4	BF	7.9	8.4	9.6	6.7	4.6	6.2	5.8	4.6	4.3	5.3	5.6	6.2	7.0	8.6	7.9	6.9	5.2	3.7	3.9	23	9.6	
24	2.4	1.7	1.4	1.3	BF	5.2	6.1	3.9	4.6	5.9	6.6	5.9	7.8	6.2	6.3	6.8	7.3	6.8	9.3	6.0	9.5	9.1	7.8	6.3	23	9.5	
25	3.8	2.9	2.5	1.8	BF	4.3	4.2	3.9	3.6	2.5	AX	AX	AX	2.2	2.0	1.9	3.9	3.3	1.7	2.3	4.1	4.0	5.3	6.4	20	6.4	
26	5.5	5.6	4.4	3.9	BF	12.5	11.5	10.7	12.4	8.7	6.6	5.7	8.3	11.8	14.1	12.1	10.3	13.9	8.0	4.9	9.3	17.1	24.5	18.6	23	24.5	
27	17.6	18.0	15.7	13.9	BF	11.9	10.8	10.9	6.9	4.7	4.5	5.2	5.3	7.1	6.7	5.1	2.9	2.3	2.1	2.4	6.2	7.3	12.6	19.9	23	19.9	
28	18.6	15.2	14.4	14.2	BF	3.1	5.4	7.5	8.8	7.5	4.9	5.3	8.6	5.5	8.9	3.1	4.1	2.9	4.9	6.1	6.6	6.9	6.7	9.1	23	18.6	
29	10.3	4.8	2.9	5.5	BF	16.9	20.0	20.7	20.6	16.7	13.8	13.8	11.2	11.9	12.1	13.3	11.0	11.4	8.5	7.1	7.6	5.3	9.8	7.1	23	20.7	
30	5.7	6.9	11.6	5.3	BF	15.4	15.9	12.9	13.1	14.6	11.3	10.1	10.9	7.3	7.0	8.3	5.5	6.4	7.9	9.7	8.5	7.5	6.4	3.7	23	15.9	
31																										0	
NO.:	30	30	30	30		30	30	30	29	29	27	27	27	29	30	30	30	30	30	30	30	30	30	30	30		
MAX:	33.4	27.5	15.7	26.2		52.7	44.6	38.8	35.7	33.3	32.6	33.0	20.0	17.8	22.0	14.2	13.8	17.2	14.4	12.1	16.6	25.4	24.5	29.9			
AVG:	8.73	7.95	6.88	8.16		12.65	12.89	12.44	10.86	10.42	9.53	9.26	9.14	8.30	9.12	8.03	7.28	8.36	7.11	5.91	6.92	8.28	9.62	9.24			

MONTHLY OBSERVATIONS: 678 MONTHLY MEAN: 9.00 MONTHLY MAX: 52.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: JULY 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	4.1	3.8	3.3	3.0	BF	7.0	7.1	6.7	5.8	4.2	4.1	4.6	4.8	5.4	3.9	5.3	5.8	6.8	5.6	5.8	5.5	5.7	6.3	6.0	23	7.1	
2	5.2	6.1	3.7	4.6	BF	5.8	4.5	4.8	3.0	3.5	2.5	3.1	4.9	4.4	4.4	5.8	5.3	7.3	8.8	4.8	4.0	4.9	10.3	11.0	23	11.0	
3	12.2	6.5	7.3	7.7	BF	5.3	7.0	12.0	6.3	3.0	4.8	4.8	4.5	1.6	.8	1.0	3.0	7.0	5.7	8.3	9.2	11.1	6.5	6.9	23	12.2	
4	2.7	3.8	3.0	2.1	BF	4.2	6.0	5.8	3.8	3.2	3.3	4.2	3.4	3.6	2.9	2.2	.7	5.3	3.1	2.4	3.5	4.4	3.1	5.7	23	6.0	
5	4.0	6.8	7.3	3.3	BF	3.8	5.4	7.1	6.7	8.3	9.8	9.1	9.6	9.4	9.3	9.8	9.8	12.0	4.7	2.0	3.8	3.3	3.2	5.5	23	12.0	
6	3.5	4.2	5.4	3.9	BF	4.4	5.4	9.7	14.6	12.7	9.2	10.0	7.6	7.8	11.4	12.1	10.2	10.8	11.3	9.6	7.9	11.2	6.8	4.7	23	14.6	
7	3.3	3.3	3.2	5.7	BF	11.3	9.2	10.6	10.8	11.1	10.2	AX	AX	AX	BA	8.3	7.8	7.6	11.9	13.2	8.7	9.2	11.9	9.3	19	13.2	
8	7.1	6.2	5.0	3.6	BF	7.7	8.6	8.2	7.0	7.8	6.9	6.8	6.6	7.0	7.2	6.5	2.0	2.6	4.4	12.1	4.0	2.7	1.8	5.1	23	12.1	
9	4.5	3.6	3.1	3.2	BF	3.8	4.5	3.2	1.9	1.7	2.1	2.2	2.2	2.4	2.4	2.3	1.1	2.7	.9	3.3	2.3	5.7	10.2	7.6	23	10.2	
10	3.6	3.8	4.3	4.1	BF	10.7	12.8	14.9	14.0	11.4	12.6	11.5	8.4	5.1	13.0	10.8	9.7	10.5	7.6	9.4	8.7	10.7	8.2	8.0	23	14.9	
11	8.7	4.6	9.2	11.0	BF	14.4	12.8	12.5	10.6	12.0	11.4	12.3	11.7	11.5	10.9	12.9	11.3	14.5	12.3	12.1	10.9	15.1	12.0	7.2	23	15.1	
12	6.0	7.5	7.7	9.6	BF	14.5	13.2	8.7	12.6	10.4	10.0	11.2	9.9	12.7	13.8	9.1	9.4	11.6	9.2	10.0	12.6	11.7	5.4	5.1	23	14.5	
13	3.7	3.1	3.9	5.5	BF	8.7	9.4	7.6	8.5	9.8	8.5	7.7	9.2	8.5	11.7	11.1	10.7	11.1	11.0	7.4	6.3	10.1	10.1	5.0	23	11.7	
14	3.1	4.6	4.9	4.3	BF	8.3	10.9	9.4	7.9	9.6	11.4	9.1	12.2	9.5	8.7	9.7	9.0	9.6	16.2	16.5	16.2	12.1	7.6	4.2	23	16.5	
15	3.3	4.2	2.6	5.9	BF	10.3	9.1	10.0	7.2	5.6	5.1	4.9	2.2	4.7	3.4	3.6	4.1	1.7	3.4	1.9	6.9	8.5	4.6	4.1	23	10.3	
16	3.6	3.4	3.4	3.1	BF	5.7	6.7	4.7	3.4	4.3	5.6	3.9	6.3	2.6	6.3	6.6	8.4	7.1	8.5	8.3	10.2	8.4	8.4	7.1	23	10.2	
17	5.7	7.2	7.7	9.8	BF	13.9	14.1	11.6	12.0	13.3	11.4	13.7	13.8	9.1	14.4	11.8	8.1	11.0	10.8	14.0	10.3	14.3	7.0	4.1	23	14.4	
18	5.5	5.4	4.8	5.6	BF	13.3	13.4	12.8	13.0	10.6	11.3	11.0	11.7	8.1	10.3	3.6	18.7	14.9	14.0	11.0	5.2	7.7	5.7	7.8	23	18.7	
19	6.1	7.7	7.3	5.3	BF	11.1	10.9	11.3	10.8	15.3	11.9	7.4	6.5	9.4	4.1	3.2	2.0	2.5	.8	8.6	4.9	4.9	7.0	9.8	23	15.3	
20	6.6	4.2	8.8	10.8	BF	15.9	14.9	12.7	13.6	14.9	13.9	15.0	14.2	11.2	5.4	2.0	4.4	8.5	11.9	5.7	5.5	12.4	12.7	10.8	23	15.9	
21	5.9	7.9	8.6	11.1	BF	20.3	18.0	17.3	13.6	10.4	14.2	AX	AX	AX	11.9	11.6	7.5	4.7	10.1	11.4	9.9	8.8	10.4	9.8	20	20.3	
22	6.8	5.4	4.3	5.4	BF	9.9	7.3	9.1	7.5	7.6	7.0	7.3	6.2	6.1	6.8	6.5	5.0	6.2	5.9	7.9	5.4	5.6	3.9	3.9	23	9.9	
23	2.6	3.0	2.3	2.6	BF	3.2	3.7	2.4	4.8	4.6	4.6	4.4	4.2	5.3	5.1	7.3	4.7	4.0	10.1	10.6	4.2	3.3	7.1	8.7	23	10.6	
24	5.9	6.2	5.6	8.1	BF	11.4	14.0	13.4	9.8	9.1	12.6	9.4	9.7	11.7	11.4	10.3	10.1	11.5	14.8	5.0	13.5	17.1	7.1	4.5	23	17.1	
25	5.0	5.9	7.1	5.9	BF	10.5	9.6	8.5	6.2	7.2	4.8	4.5	7.6	5.5	5.0	4.3	6.2	1.4	2.4	1.4	5.6	4.9	5.7	6.5	23	10.5	
26	5.8	4.5	3.4	3.1	BF	12.4	9.5	7.3	12.4	9.8	9.5	8.7	8.5	11.8	10.2	12.9	10.7	4.2	9.0	5.8	6.5	9.0	7.5	6.7	23	12.9	
27	4.6	3.4	7.3	11.6	BF	20.8	17.2	12.3	15.5	15.0	9.5	11.9	12.4	12.2	14.5	14.6	18.8	16.1	17.4	14.1	3.2	4.1	6.7	6.2	23	20.8	
28	6.5	4.7	6.4	7.1	BF	12.3	12.0	10.7	13.3	12.4	12.6	10.5	11.1	12.3	11.8	14.2	9.1	13.8	6.3	6.2	10.9	10.0	AE	7.6	22	14.2	
29	6.5	4.2	2.3	4.4	BF	7.2	6.8	3.6	3.0	2.6	2.5	1.4	1.8	1.2	1.0	1.1	1.3	.9	1.5	1.0	1.0	1.0	.8	.9	23	7.2	
30	1.1	1.2	1.1	1.9	BF	2.3	2.6	1.9	1.2	1.8	1.0	1.1	1.0	1.1	1.3	2.9	1.1	.8	3.3	1.3	3.4	2.8	4.6	4.0	23	4.6	
31	3.4	9.3	6.8	6.3	BF	8.9	9.3	7.4	9.6	4.5	4.7	5.5	5.2	6.3	7.1	6.8	7.5	5.5	3.5	2.8	2.9	3.7	4.6	10.2	23	10.2	
NO.:	31	31	31	31		31	31	31	31	31	31	29	29	29	30	31	31	31	31	31	31	31	30	31			
MAX:	12.2	9.3	9.2	11.6		20.8	18.0	17.3	15.5	15.3	14.2	15.0	14.2	12.7	14.5	14.6	18.8	16.1	17.4	16.5	16.2	17.1	12.7	11.0			
AVG:	5.05	5.02	5.20	5.79		9.65	9.55	8.97	8.72	8.31	8.03	7.49	7.50	7.16	7.68	7.43	7.21	7.55	7.95	7.55	6.87	7.88	6.91	6.58			

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: 7.39 MONTHLY MAX: 20.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: AUGUST 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	8.7	8.4	9.3	12.8	BF	10.9	9.5	13.0	19.6	17.9	9.9	AX	AX	AX	AX	9.2	6.0	4.0	3.6	8.0	5.5	4.9	6.2	8.0	19	19.6	
2	12.1	5.4	4.5	6.2	BF	16.5	20.5	15.8	14.7	15.4	15.2	13.0	9.0	7.3	8.7	12.8	14.1	3.3	5.1	4.9	15.1	19.3	24.6	19.8	23	24.6	
3	14.1	10.9	9.5	14.5	BF	16.4	16.2	18.9	19.0	13.2	17.5	14.9	13.6	12.3	14.2	12.3	11.5	10.7	11.5	11.3	15.9	20.2	17.5	11.8	23	20.2	
4	9.5	10.7	8.8	12.1	BF	17.2	17.0	16.8	17.6	14.0	AX	AX	BC	BC	BC	BC	BC	10.5	8.5	10.5	10.4	9.2	7.5	2.7	16	17.6	
5	1.8	4.5	5.7	5.4	BF	10.2	13.3	11.1	7.8	4.7	4.9	5.5	5.9	7.5	6.7	5.5	6.9	5.5	2.1	3.3	2.6	1.7	1.2	1.6	23	13.3	
6	2.3	2.4	1.8	2.2	BF	3.7	5.2	5.5	6.0	6.0	5.4	5.0	5.5	7.3	5.6	5.8	4.0	5.7	5.3	4.1	5.8	5.9	7.3	6.1	23	7.3	
7	3.1	3.3	5.2	8.2	BF	15.1	14.0	12.5	11.2	10.3	8.4	8.8	5.9	8.3	7.1	7.6	10.5	9.4	8.2	6.7	7.5	6.6	4.8	5.1	23	15.1	
8	2.4	2.0	3.9	7.6	BF	11.3	18.2	12.8	6.6	5.8	4.0	3.5	3.3	3.4	6.5	5.4	5.7	5.6	5.0	7.3	2.8	3.4	3.7	3.2	23	18.2	
9	1.7	1.0	1.3	1.7	BF	3.2	4.2	4.8	4.1	4.4	4.1	7.9	5.9	7.7	4.1	7.8	3.4	1.8	3.8	2.9	2.9	3.8	3.9	3.8	23	7.9	
10	3.5	2.5	5.7	2.5	BF	4.3	5.0	10.1	9.1	9.1	13.3	11.7	12.5	12.7	8.9	12.5	6.0	6.5	3.3	2.6	3.4	3.8	5.7	6.6	23	13.3	
11	5.4	5.1	8.1	6.9	BF	14.3	14.6	11.9	10.8	11.4	17.1	13.4	15.3	9.4	13.8	13.0	15.7	17.8	6.2	5.5	5.3	6.0	4.8	4.5	23	17.8	
12	6.0	6.1	3.2	4.5	BF	7.0	9.1	6.4	AE	6.6	5.8	5.5	5.0	3.0	4.9	5.0	2.4	1.1	1.0	2.0	AE	5.0	9.2	6.9	21	9.2	
13	5.3	3.3	4.2	2.0	BF	1.3	1.6	3.2	1.7	1.0	1.3	1.0	1.2	1.2	2.8	.9	1.7	3.6	2.7	4.8	3.0	3.8	2.4	2.1	23	5.3	
14	1.9	2.2	1.3	1.8	BF	6.6	9.6	7.7	8.6	7.6	7.9	6.1	7.1	4.3	7.8	4.4	1.8	2.1	1.7	AE	2.7	5.2	AE	6.2	21	9.6	
15	3.9	4.0	3.1	3.3	AE	7.5	13.9	AE	14.2	14.9	11.1	13.7	9.9	10.6	10.8	9.9	2.0	3.6	2.8	2.1	3.0	2.8	2.4	3.8	22	14.9	
16	4.0	6.5	5.6	4.4	BF	3.1	3.3	4.5	4.5	4.7	AX	AX	AX	AX	4.8	5.9	4.1	2.7	2.2	2.5	3.7	7.0	9.0	7.1	19	9.0	
17	4.9	6.2	3.8	2.9	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	4	6.2
18	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
19	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
20	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
21	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
22	AN	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	0	
23	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	0	
24	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	BC	BC	BC	6.6	5.6	2.5	2.6	2.5	2.4	1.6	1.7	8	6.6
25	1.9	1.6	2.1	2.9	BF	6.1	7.0	6.2	6.0	4.6	4.8	3.9	8.6	9.8	2.9	1.6	1.3	1.9	8.6	5.0	5.2	6.2	5.3	4.0	23	9.8	
26	2.2	1.4	1.2	.9	BF	1.5	1.9	3.2	2.6	2.6	4.6	2.2	2.7	3.0	4.0	2.2	2.1	2.3	3.5	7.1	6.8	3.7	2.3	2.3	23	7.1	
27	1.7	1.5	1.1	1.0	BF	1.6	3.1	4.3	4.1	4.1	4.0	5.2	2.4	1.2	1.7	1.6	2.2	4.6	5.5	7.3	4.2	3.3	2.8	3.4	23	7.3	
28	1.9	1.6	2.1	2.5	BF	6.1	5.0	6.5	4.8	7.5	2.0	2.5	3.1	3.4	2.2	2.8	2.5	2.2	1.7	2.4	2.2	2.0	1.0	.8	23	7.5	
29	.8	1.0	.9	2.1	BF	2.4	2.9	2.4	3.7	3.2	3.4	4.1	3.9	3.9	3.6	5.9	6.0	6.1	4.6	4.4	5.0	4.8	3.8	3.2	23	6.1	
30	6.0	3.7	2.4	4.2	BF	3.7	6.7	8.5	10.8	12.2	9.1	10.8	16.0	11.5	12.4	11.8	12.7	14.6	4.1	6.2	9.2	11.2	5.3	7.2	23	16.0	
31	6.8	7.4	10.0	11.3	BF	18.2	17.6	15.9	16.0	12.7	11.4	11.4	14.8	12.9	14.0	11.3	8.8	9.7	13.4	13.6	6.8	10.9	9.9	6.8	23	18.2	
NO.:	24	24	24	24		23	23	22	22	23	21	20	20	20	21	22	23	24	24	23	23	24	23	24			
MAX:	14.1	10.9	10.0	14.5		18.2	20.5	18.9	19.6	17.9	17.5	14.9	16.0	12.9	14.2	13.0	15.7	17.8	13.4	13.6	15.9	20.2	24.6	19.8			
AVG:	4.66	4.28	4.37	5.16		8.18	9.54	9.18	9.25	8.43	7.87	7.51	7.58	7.04	7.02	7.05	6.00	5.87	4.87	5.53	5.72	6.38	6.18	5.36			

MONTHLY OBSERVATIONS: 521 MONTHLY MEAN: 6.60 MONTHLY MAX: 24.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality  
 MONITOR TYPE: SLAMS

REPORT FOR: SEPTEMBER 2017

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environmental Quality

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	6.0	5.8	5.6	6.6	BF	9.4	7.2	6.3	6.5	4.8	4.1	6.2	5.7	4.7	4.3	4.1	6.8	5.2	8.8	9.1	8.2	7.5	4.0	3.9	23	9.4	
2	1.7	1.2	1.1	.9	BF	2.3	1.6	2.1	1.7	2.4	3.3	4.6	5.7	4.7	5.3	6.1	6.1	7.6	8.9	3.2	2.7	3.6	2.3	2.1	23	8.9	
3	1.7	2.8	2.6	3.3	BF	3.9	4.1	4.2	3.5	3.8	3.3	4.5	4.5	4.3	4.2	6.1	6.2	6.9	6.8	5.0	9.8	17.0	15.0	11.3	23	17.0	
4	8.4	7.1	5.8	5.2	BF	4.5	4.4	4.1	8.4	9.9	6.3	7.8	7.5	5.9	7.5	7.0	9.3	11.4	7.7	4.8	9.7	16.8	7.7	8.0	23	16.8	
5	4.5	5.6	4.1	10.7	BF	20.5	16.7	14.1	12.8	13.7	12.3	9.3	9.4	9.0	11.8	11.4	11.8	12.1	17.1	11.8	5.2	6.3	7.9	7.3	23	20.5	
6	5.0	6.7	5.0	8.9	BF	14.3	18.2	17.9	14.3	13.8	13.4	15.5	AX	AX	BA	6.8	12.2	10.7	6.2	6.6	8.6	12.9	7.3	5.6	20	18.2	
7	5.8	6.5	7.6	8.4	BF	13.2	12.2	11.8	11.5	7.0	6.6	6.6	10.2	13.0	11.9	11.5	12.1	13.4	3.7	3.7	9.8	20.8	20.7	16.7	23	20.8	
8	14.0	11.4	13.7	11.3	BF	12.0	11.0	8.8	9.8	3.8	2.1	4.7	6.9	8.5	4.7	4.3	1.4	1.4	4.0	3.5	12.2	16.8	17.6	12.3	23	17.6	
9	8.6	3.5	2.8	3.1	AN	2.4	2.1	3.7	3.2	2.4	2.4	1.0	1.5	1.3	1.4	.8	1.2	1.1	3.9	1.9	2.5	1.5	1.6	1.9	23	8.6	
10	1.7	1.6	1.4	1.3	AN	1.9	2.4	2.2	2.0	1.6	1.0	.7	.7	.4	1.2	1.8	.7	.9	1.7	2.4	2.1	2.8	1.4	1.0	23	2.8	
11	.8	.7	.9	1.3	AN	7.0	4.6	5.6	6.0	4.5	7.1	3.7	3.5	3.3	4.2	5.5	7.5	10.2	6.2	9.6	7.0	6.6	3.0	3.2	23	10.2	
12	3.2	2.9	2.4	3.4	BF	10.0	7.8	10.4	9.2	8.1	12.7	12.1	13.2	8.7	6.4	5.7	3.9	6.9	5.7	4.7	6.4	4.1	6.5	7.4	23	13.2	
13	4.3	4.6	3.2	4.1	AN	11.8	11.8	11.1	11.4	10.8	11.6	9.3	10.4	12.0	13.5	12.1	10.9	13.8	19.7	10.2	7.9	11.9	10.3	5.7	23	19.7	
14	5.0	5.1	4.1	5.9	BF	14.7	15.3	12.7	16.1	16.0	15.2	16.3	13.6	14.1	15.8	13.3	15.9	12.0	4.3	11.8	21.4	19.3	15.5	11.8	23	21.4	
15	10.2	11.3	12.1	13.1	BF	3.2	3.9	6.8	7.5	8.8	11.2	7.2	5.6	9.1	6.5	6.2	1.4	3.1	2.3	3.5	9.5	7.2	11.2	4.1	23	13.1	
16	4.0	4.2	4.8	3.3	BF	4.0	2.6	2.8	2.9	1.5	1.0	1.7	3.4	1.7	1.1	1.9	1.6	1.8	2.8	2.3	3.4	3.3	2.2	1.3	23	4.8	
17	2.6	1.7	1.4	1.2	BF	1.1	1.3	2.1	2.1	1.3	1.4	.9	1.0	.7	.6	1.2	.8	1.9	3.4	5.3	6.6	3.3	3.0	3.2	23	6.6	
18	4.7	3.1	2.6	2.6	BF	7.0	6.4	3.1	2.9	2.5	1.8	1.6	2.3	3.0	2.7	2.7	1.6	2.8	1.3	1.6	1.9	1.6	1.6	2.6	23	7.0	
19	2.9	3.1	3.7	4.6	BF	7.3	8.4	8.5	7.3	5.8	8.1	6.2	7.9	6.0	5.6	7.2	5.8	2.3	3.0	4.6	24.2	23.1	19.3	17.0	23	24.2	
20	13.5	11.6	10.8	9.3	BF	12.2	17.5	18.7	20.2	AX	AX	AX	BA	15.1	16.2	7.5	10.9	11.8	3.9	6.5	12.3	14.1	15.4	19.5	19	20.2	
21	14.5	13.9	14.7	12.7	BF	3.6	5.7	6.2	5.5	5.6	6.0	7.8	6.2	6.4	8.7	3.4	4.8	7.7	5.2	7.3	16.5	18.0	18.9	17.5	23	18.9	
22	18.2	14.8	11.8	11.4	BF	7.9	5.7	6.6	9.7	10.0	5.1	5.1	6.3	7.8	5.2	3.0	1.6	1.4	3.9	7.2	21.5	23.9	21.7	9.9	23	23.9	
23	9.2	9.9	8.3	4.1	BF	9.8	8.5	5.4	4.2	2.1	5.2	3.9	2.2	3.5	3.2	5.4	3.6	1.4	1.3	4.1	6.0	6.0	5.2	3.4	23	9.9	
24	2.8	2.1	1.6	.9	BF	1.4	2.0	2.9	1.7	1.5	1.4	1.6	1.7	1.5	1.9	2.4	3.0	3.8	5.5	5.8	2.7	2.4	1.7	1.5	23	5.8	
25	1.2	1.4	3.6	3.9	BF	3.8	6.7	7.6	6.6	5.1	4.3	4.5	2.9	5.0	6.1	3.8	3.7	3.9	4.0	2.9	4.4	3.5	1.5	1.2	23	7.6	
26	1.1	1.3	.9	1.8	BF	4.1	5.9	6.8	5.4	5.8	3.9	3.6	2.3	3.7	2.7	1.6	1.6	1.9	3.7	1.7	1.9	4.0	2.5	1.8	23	6.8	
27	1.8	2.2	2.0	2.6	BF	5.6	7.1	5.3	3.5	3.9	2.6	6.0	5.4	3.8	3.8	4.7	5.0	5.4	3.0	4.8	9.0	17.5	22.4	15.0	23	22.4	
28	20.0	19.3	16.6	15.8	BF	16.0	17.7	17.5	17.4	11.3	8.1	16.2	11.6	16.6	15.2	17.9	6.5	4.6	3.5	9.0	5.7	9.3	2.5	2.4	23	20.0	
29	2.3	3.4	2.4	3.3	BF	8.8	8.5	7.8	7.1	13.4	8.2	8.3	10.3	14.9	9.2	9.4	7.1	8.2	6.1	6.8	7.0	5.5	11.2	9.8	23	14.9	
30	9.3	12.0	8.4	8.5	BF	6.8	6.0	3.4	2.1	2.0	2.4	1.3	1.7	2.9	2.1	1.4	1.4	1.3	2.8	3.6	5.4	2.5	2.6	2.2	23	12.0	
31																											0
NO.:	30	30	30	30		30	30	30	30	29	29	29	28	29	29	30	30	30	30	30	30	30	30	30	30		
MAX:	20.0	19.3	16.6	15.8		20.5	18.2	18.7	20.2	16.0	15.2	16.3	13.6	16.6	16.2	17.9	15.9	13.8	19.7	11.8	24.2	23.9	22.4	19.5			
AVG:	6.30	6.03	5.53	5.78		7.68	7.78	7.55	7.42	6.32	5.93	6.14	5.84	6.61	6.31	5.87	5.55	5.90	5.35	5.51	8.38	9.77	8.79	7.02			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: 6.67 MONTHLY MAX: 24.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: OCTOBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	2.3	1.2	1.1	1.4	BF	2.0	2.2	1.1	1.0	1.7	1.9	2.2	2.8	3.2	3.2	4.0	4.2	1.7	1.8	2.8	3.4	2.8	1.9	23	4.2		
2	1.8	2.2	2.3	2.0	BF	2.7	6.1	7.2	13.6	14.8	8.3	7.9	7.1	9.8	10.3	5.0	5.0	3.3	5.6	5.5	5.3	4.5	3.8	3.1	23	14.8	
3	2.2	1.8	1.6	1.9	BF	5.5	7.3	7.4	7.4	5.9	AX	AX	BA	9.1	6.3	3.1	3.7	3.6	3.3	10.4	15.2	14.1	9.7	3.0	20	15.2	
4	2.1	2.2	1.8	1.9	BF	2.4	3.7	6.4	7.4	5.0	6.9	12.7	17.0	13.0	14.7	17.5	15.6	20.6	21.2	11.3	10.8	11.6	11.6	12.3	23	21.2	
5	17.3	15.6	13.7	13.7	BF	12.3	12.8	10.2	20.1	22.8	17.4	15.6	15.5	16.8	13.5	15.7	16.0	12.7	7.4	16.9	20.6	14.4	16.5	12.7	23	22.8	
6	6.4	4.2	5.3	6.8	BF	6.8	10.0	11.8	16.8	16.0	11.9	15.3	13.7	12.5	11.7	11.3	11.3	7.6	6.5	11.7	13.2	10.4	12.3	12.2	23	16.8	
7	5.2	3.7	1.8	2.1	BF	4.6	7.4	5.8	9.8	9.3	8.1	7.6	6.6	5.7	6.8	5.6	7.8	6.0	5.5	6.8	5.0	4.0	3.8	1.8	23	9.8	
8	1.8	2.0	1.8	2.2	BF	3.9	5.4	3.7	2.7	3.8	4.3	5.1	4.1	3.9	6.0	6.1	7.1	7.0	6.5	5.1	4.1	2.3	2.3	2.0	23	7.1	
9	1.2	1.7	1.9	2.4	BF	5.9	6.9	8.3	7.1	7.6	6.9	8.8	7.0	7.5	8.9	10.7	13.8	11.9	11.1	8.0	6.4	7.0	6.3	3.5	23	13.8	
10	3.4	3.3	4.4	5.6	BF	10.4	11.6	9.6	9.7	11.7	10.6	9.1	8.7	11.4	13.5	AE	13.2	15.9	9.4	11.0	12.0	7.7	7.0	4.7	22	15.9	
11	4.4	3.3	2.7	4.7	BF	9.7	9.5	9.4	10.2	11.1	9.9	9.7	11.3	9.6	11.1	13.3	10.1	6.8	6.9	13.4	10.4	11.4	10.4	6.8	23	13.4	
12	4.9	4.4	5.7	5.2	BF	8.4	10.8	6.1	4.9	4.8	3.0	2.7	2.7	3.2	3.1	3.7	2.7	3.1	4.7	4.9	3.5	4.5	4.0	3.9	23	10.8	
13	1.6	1.1	1.6	1.6	BF	6.3	6.4	4.2	4.6	9.3	3.6	2.9	2.3	2.1	2.9	1.7	1.9	2.8	6.3	3.7	4.4	3.9	4.0	3.3	23	9.3	
14	3.3	2.3	1.4	1.6	BF	2.2	3.6	2.2	2.9	5.2	5.8	3.8	4.8	6.7	7.2	5.9	6.1	3.7	3.1	5.4	10.0	10.7	9.5	7.9	23	10.7	
15	4.4	3.7	3.3	1.8	BF	4.9	4.9	5.0	5.6	5.4	4.4	5.1	4.8	4.2	5.4	4.6	7.9	11.2	15.5	8.6	9.0	7.3	5.6	3.5	23	15.5	
16	3.6	4.9	4.1	8.6	BF	16.3	14.0	7.0	10.8	7.6	5.1	6.2	6.4	4.6	2.7	3.0	2.9	2.1	2.5	3.5	1.7	1.4	2.3	1.9	23	16.3	
17	1.7	1.6	1.8	3.7	BF	6.4	6.3	5.5	4.1	2.2	1.9	AI	AX	AX	AI	2.5	.9	1.9	8.8	9.3	11.1	13.8	14.3	9.7	19	14.3	
18	10.2	7.2	6.2	4.3	BF	6.6	8.9	8.6	7.8	6.3	9.8	5.2	6.3	8.3	8.6	5.0	3.2	3.2	5.2	23.6	26.3	23.2	21.0	19.3	23	26.3	
19	18.1	12.4	9.0	7.9	BF	6.2	6.5	5.9	10.5	16.7	17.5	15.1	14.2	12.8	13.8	16.0	19.1	7.4	16.1	27.7	24.0	21.5	18.2	14.9	23	27.7	
20	11.8	11.3	10.7	10.4	BF	12.3	11.6	11.6	14.4	13.6	6.3	8.9	9.6	5.9	6.3	3.8	3.9	5.0	11.7	20.9	24.8	25.4	24.5	23.6	23	25.4	
21	24.0	20.8	16.8	17.1	BF	9.1	8.8	5.8	4.5	6.2	6.2	9.7	9.7	11.2	9.9	10.1	3.2	3.9	4.2	7.5	7.0	7.7	13.9	18.3	23	24.0	
22	8.9	5.5	4.2	6.6	BF	7.4	9.2	8.9	10.5	12.1	9.1	8.3	7.7	5.4	7.4	9.5	8.2	3.7	6.8	8.1	12.4	10.8	6.9	5.8	23	12.4	
23	4.9	4.3	2.6	4.1	BF	14.2	13.0	11.9	20.4	19.5	19.0	17.6	16.1	15.7	16.6	14.1	8.8	9.2	6.8	3.4	4.6	4.7	9.1	8.0	23	20.4	
24	6.3	9.4	6.5	10.8	BF	18.7	16.2	15.6	16.1	14.0	12.3	9.1	10.7	11.6	12.2	12.1	15.4	15.4	9.4	18.3	16.9	17.3	9.3	7.7	23	18.7	
25	7.8	9.5	5.0	12.6	BF	14.4	18.2	17.8	13.9	9.8	7.6	6.3	8.2	13.8	12.4	11.5	16.4	13.3	14.0	24.6	12.5	4.7	3.1	2.3	23	24.6	
26	5.2	7.7	6.9	10.8	BF	20.5	20.9	20.1	11.8	8.9	8.7	9.3	11.1	11.9	12.9	13.5	14.5	7.0	20.5	26.3	24.1	20.9	19.9	15.6	23	26.3	
27	14.4	13.7	13.8	9.2	BF	12.5	14.9	15.1	19.8	18.9	19.0	12.1	14.0	14.8	14.0	12.0	16.4	18.9	11.7	17.6	12.2	13.7	14.9	7.5	23	19.8	
28	2.7	2.3	2.5	4.0	BF	2.9	2.8	5.0	16.4	10.6	12.2	10.4	8.3	8.6	8.0	9.1	7.8	4.1	6.5	4.2	3.8	7.4	6.3	6.5	23	16.4	
29	4.1	3.2	3.3	5.0	BF	3.1	6.5	5.4	6.2	8.3	8.1	10.3	11.0	10.1	4.9	AI	AV	AV	AV	AV	AV	AV	AV	AV	AV	14	11.0
30	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AE	9.0	10.4	10.0	12.0	14.8	18.2	11.6	17.1	19.5	17.2	16.1	13.3	11.2	13	19.5	
31	12.1	9.2	6.1	5.9	BF	14.5	16.0	14.9	15.3	11.9	9.6	AX	AX	AX	19.6	17.2	7.1	8.3	12.3	11.5	10.2	9.8	11.2	10.3	20	19.6	
NO.:	30	30	30	30		30	30	30	30	30	29	28	28	29	30	29	30	30	30	30	30	30	30	30			
MAX:	24.0	20.8	16.8	17.1		20.5	20.9	20.1	20.4	22.8	19.0	17.6	17.0	16.8	19.6	17.5	19.1	20.6	21.2	27.7	26.3	25.4	24.5	23.6			
AVG:	6.60	5.86	5.00	5.86		8.44	9.41	8.58	10.21	10.03	8.81	8.79	9.00	9.08	9.53	9.02	9.07	7.85	8.94	11.68	11.38	10.52	9.93	8.17			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: 8.77 MONTHLY MAX: 27.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: NOVEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	14.8	8.4	8.8	9.1	BF	11.6	11.8	13.3	22.5	22.4	20.5	17.0	19.7	15.5	19.5	15.2	8.7	8.6	11.8	12.7	11.7	9.2	10.8	10.0	23	22.5	
2	5.9	4.1	2.3	3.2	BF	4.5	7.0	12.5	21.5	17.8	13.5	14.5	14.3	12.2	14.7	13.6	8.8	5.6	5.7	9.0	10.7	11.5	13.2	11.0	23	21.5	
3	9.3	7.9	6.9	5.7	BF	8.5	7.3	6.4	13.7	19.0	15.7	12.9	14.9	16.5	17.6	17.3	14.4	7.8	19.2	23.3	18.8	16.7	16.5	15.0	23	23.3	
4	14.7	10.6	4.4	2.1	BF	4.0	8.0	9.2	6.0	3.6	2.9	3.5	2.9	3.0	2.7	2.3	2.2	2.2	3.4	3.1	2.3	2.1	1.7	1.5	23	14.7	
5	.9	1.2	1.5	1.7	BF	1.1	1.2	2.5	1.7	1.9	3.9	4.6	7.4	6.9	6.8	7.3	11.4	7.0	7.5	6.8	9.8	9.4	8.1	7.5	23	11.4	
6	7.2	7.3	7.1	9.0	BF	8.7	10.0	13.4	14.3	11.5	9.6	10.3	9.7	15.1	15.9	13.1	15.9	19.2	19.5	13.4	13.9	13.2	12.0	11.8	23	19.5	
7	8.7	8.5	8.1	6.8	BF	4.1	8.5	9.2	7.3	12.4	10.9	7.6	7.2	9.5	8.2	7.1	4.4	4.1	3.8	3.6	3.3	3.2	3.3	3.4	23	12.4	
8	3.0	2.7	2.7	2.7	BF	2.9	3.0	3.4	4.0	3.9	4.2	3.6	4.1	4.2	4.6	4.3	4.9	4.0	3.9	2.4	2.3	2.6	3.8	3.3	23	4.9	
9	3.5	3.8	4.3	4.5	BF	5.7	8.1	6.8	7.6	6.1	8.1	7.5	6.5	5.1	6.9	7.9	7.1	5.8	6.9	6.0	5.5	5.0	6.2	5.6	23	8.1	
10	6.8	6.5	3.2	3.1	BF	3.7	4.9	7.2	10.3	8.2	6.3	6.2	3.0	4.9	8.1	3.5	6.0	3.9	5.2	3.9	1.7	2.9	2.3	2.7	23	10.3	
11	2.1	1.7	1.9	1.5	BF	2.7	3.2	3.3	3.4	3.3	3.0	3.9	5.6	4.7	4.1	3.2	1.8	1.2	2.1	7.3	9.7	6.0	5.6	5.8	23	9.7	
12	7.0	7.1	5.1	6.0	BF	5.4	5.1	5.7	10.7	12.4	9.6	6.9	6.3	3.1	4.2	4.2	3.4	7.6	6.6	7.3	8.9	11.3	9.8	8.5	23	12.4	
13	7.8	4.1	5.6	2.9	BF	6.6	6.3	9.4	8.9	10.0	12.4	10.4	AX	AX	AX	4.5	2.9	3.2	6.1	5.7	7.8	5.8	3.8	3.0	20	12.4	
14	1.6	1.8	2.2	1.9	BF	4.5	4.6	4.9	4.9	3.6	3.2	3.7	4.4	3.7	2.5	1.9	3.4	2.6	2.6	2.4	1.5	1.6	1.6	1.3	23	4.9	
15	1.6	1.6	2.3	2.9	BF	3.1	6.7	8.4	7.1	3.2	3.6	6.3	5.0	6.7	4.5	4.8	4.1	4.8	11.7	19.9	23.1	20.0	17.3	15.3	23	23.1	
16	16.8	15.7	13.0	12.5	BF	11.7	11.3	14.1	16.4	19.0	17.7	13.4	13.9	15.8	14.8	15.7	23.4	9.2	23.9	27.7	27.0	26.3	24.2	23.3	23	27.7	
17	18.9	21.5	16.2	5.6	BF	8.0	6.8	6.7	10.0	4.5	5.0	10.3	8.9	5.1	7.4	5.6	3.7	6.2	16.6	20.6	19.7	18.2	17.5	15.6	23	21.5	
18	14.1	12.5	11.5	13.1	BF	14.9	17.5	14.4	12.4	9.3	9.0	7.0	7.0	7.0	7.6	8.4	9.0	10.7	11.8	8.8	5.2	5.8	5.7	3.9	23	17.5	
19	2.1	2.3	1.6	1.5	BF	3.2	3.5	3.8	4.1	3.5	3.4	3.0	2.4	4.4	4.7	6.0	6.9	3.8	4.2	2.7	3.8	5.6	6.7	11.9	23	11.9	
20	17.1	9.7	14.0	12.8	BF	15.9	16.7	16.8	20.2	13.8	11.6	11.5	12.2	7.6	14.1	20.3	15.6	17.7	25.5	24.5	24.4	24.2	21.6	22.3	23	25.5	
21	23.0	20.6	19.6	19.4	BF	18.5	17.7	17.8	21.6	29.0	25.6	22.7	20.3	16.4	19.5	21.0	28.9	13.3	14.4	13.6	15.3	8.2	8.1	7.9	23	29.0	
22	6.5	8.4	8.1	14.8	BF	17.6	14.1	12.5	11.3	6.3	5.8	6.8	4.7	3.4	2.9	5.8	4.0	4.5	5.6	8.6	6.5	3.4	2.6	3.0	23	17.6	
23	2.4	2.0	1.6	1.7	BF	3.1	4.7	4.4	4.7	3.3	4.6	4.2	4.1	3.9	4.6	3.6	2.2	3.5	4.5	3.9	5.1	8.7	10.0	12.3	23	12.3	
24	11.3	12.1	11.3	10.0	BF	8.0	7.6	7.3	6.0	14.3	8.8	5.4	3.1	2.3	2.0	1.4	2.8	5.6	5.9	21.2	25.6	23.3	22.7	21.0	23	25.6	
25	18.8	17.8	15.3	14.7	BF	13.9	14.5	13.3	13.5	10.4	8.0	5.8	5.2	7.2	9.6	11.8	9.9	13.6	13.3	16.8	16.3	16.2	7.3	12.6	23	18.8	
26	18.9	17.0	16.9	16.3	BF	14.7	13.2	11.8	6.1	3.8	2.5	5.7	5.3	4.7	5.1	6.6	10.3	4.1	4.5	19.3	26.4	25.9	23.8	21.8	23	26.4	
27	19.7	19.0	18.1	18.4	BF	17.5	19.2	18.2	19.3	20.1	12.6	6.9	AX	AX	AX	AX	8.8	20.3	24.6	29.2	28.4	28.1	28.9	26.3	19	29.2	
28	23.1	21.0	19.9	19.1	BF	17.1	18.4	16.3	15.7	30.9	29.0	20.0	18.4	17.5	16.4	19.1	22.7	10.7	16.3	27.5	30.8	27.8	25.9	25.7	23	30.9	
29	22.6	23.4	22.2	21.1	BF	20.3	19.3	20.2	27.1	25.2	20.6	18.1	11.5	9.1	12.5	27.0	19.0	12.9	35.1	38.1	34.3	37.0	33.8	33.0	23	38.1	
30	34.0	33.8	32.5	27.6	BF	17.2	22.9	17.9	16.3	23.5	19.5	22.6	25.0	20.6	30.2	36.4	21.5	28.3	36.5	37.4	36.5	34.7	31.3	29.0	23	37.4	
31																											0
NO.:	30	30	30	30		30	30	30	30	30	30	30	28	28	28	29	30	30	30	30	30	30	30	30	30		
MAX:	34.0	33.8	32.5	27.6		20.3	22.9	20.2	27.1	30.9	29.0	22.7	25.0	20.6	30.2	36.4	28.9	28.3	36.5	38.1	36.5	37.0	33.8	33.0			
AVG:	11.47	10.47	9.61	9.06		9.29	10.10	10.37	11.62	11.87	10.37	9.41	9.04	8.43	9.70	10.31	9.60	8.40	11.96	14.22	14.54	13.80	12.87	12.51			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: 10.84 MONTHLY MAX: 38.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
 AIR QUALITY SYSTEM  
 RAW DATA REPORT

May. 30, 2018

(42602) Nitrogen dioxide (NO2)

SITE ID: 37-183-0021 POC: 1  
 COUNTY: (183) Wake  
 CITY: (00000) Not in a city  
 SITE ADDRESS: 2826 TRIPLE OAK DRIVE  
 SITE COMMENTS:  
 MONITOR COMMENTS:

STATE: (37) North Carolina  
 AQCR: (166) EASTERN PIEDMONT  
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA  
 LAND USE: MOBILE  
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 10102-44-0  
 LATITUDE: 35.8652  
 LONGITUDE: -78.8197  
 UTM ZONE:  
 UTM NORTHING:  
 UTM EASTING:  
 ELEVATION-MSL: 97  
 PROBE HEIGHT: 4.5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environmental Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (200) Teledyne-API Model 200EUP or T200U

PQAO: (0776) North Carolina Dept Of Environmental Quality

REPORT FOR: DECEMBER 2017

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .1

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	29.3	28.5	26.5	25.2	BF	23.6	19.4	18.9	16.5	7.4	4.8	4.9	3.8	4.8	6.0	3.1	4.1	8.9	10.0	20.1	24.0	16.0	8.1	8.7	23	29.3	
2	5.2	4.1	5.6	3.9	BF	5.6	7.9	9.1	9.8	9.7	7.6	8.0	6.5	6.7	4.8	4.6	6.8	5.3	5.8	5.1	4.8	4.6	5.6	4.2	23	9.8	
3	4.5	3.6	4.1	3.0	BF	2.8	2.9	2.2	3.3	4.9	5.9	4.7	5.1	5.8	3.8	2.3	2.1	2.1	8.8	5.5	6.1	10.7	19.5	10.6	23	19.5	
4	17.7	12.2	10.5	7.7	BF	7.0	11.8	11.2	8.8	8.9	7.9	7.4	9.1	9.0	12.0	7.4	6.4	8.8	15.0	18.2	14.5	19.0	24.2	21.1	23	24.2	
5	19.7	20.3	19.8	19.0	BF	16.7	17.9	20.0	24.3	22.3	19.7	18.6	20.2	21.1	20.3	16.1	16.7	22.2	21.8	14.0	10.3	11.4	9.0	8.7	23	24.3	
6	9.2	10.2	9.9	10.7	BF	14.5	12.9	5.7	5.0	7.1	9.3	5.8	3.9	5.3	7.3	12.0	10.1	7.8	7.9	10.0	18.0	18.5	14.1	13.3	23	18.5	
7	9.9	8.2	12.7	11.8	BF	16.8	18.5	14.3	12.8	13.1	12.4	10.8	13.5	AX	AX	AX	24.6	22.4	26.7	23.3	19.2	18.7	18.4	17.0	20	26.7	
8	15.4	12.4	10.1	8.4	BF	13.1	13.0	8.0	14.2	11.8	5.5	6.7	3.9	3.5	3.2	5.5	5.8	4.6	6.4	4.3	4.1	4.9	3.1	2.4	23	15.4	
9	1.7	1.5	1.9	1.8	BF	1.3	1.4	1.4	1.4	1.9	1.5	1.4	1.4	2.1	3.5	6.6	15.1	12.6	12.0	11.9	6.9	8.5	10.7	8.9	23	15.1	
10	7.5	7.3	7.5	6.7	BF	6.6	6.2	10.8	7.0	4.3	4.4	4.6	4.4	4.4	4.7	5.8	10.0	6.6	15.5	18.6	16.9	16.4	18.4	16.5	23	18.6	
11	16.3	13.3	14.4	10.9	BF	14.4	20.4	21.5	19.3	19.1	16.2	BA	BA	17.0	15.7	17.5	22.7	17.0	27.4	26.3	18.7	25.7	26.3	18.8	21	27.4	
12	12.5	11.1	10.7	10.9	BF	15.1	19.5	17.9	16.0	15.7	14.7	15.3	16.1	14.6	11.7	16.8	15.4	12.3	5.5	5.7	2.7	2.5	4.3	6.9	23	19.5	
13	5.7	5.4	11.7	24.0	BF	21.7	26.6	27.1	16.6	BA	17.5	14.4	12.9	17.0	14.7	15.7	20.1	33.6	27.8	15.4	11.5	10.7	9.3	9.1	22	33.6	
14	8.3	4.3	6.9	8.5	BF	12.4	19.5	29.8	23.3	20.0	16.7	11.7	10.4	16.5	16.9	16.5	21.0	13.4	16.9	13.7	9.5	4.6	4.5	6.3	23	29.8	
15	5.3	4.6	5.6	6.3	BF	7.1	10.3	7.2	6.5	8.2	8.9	9.7	13.4	15.9	17.1	19.0	21.9	20.4	21.2	AN	AN	AN	AN	AN	18	21.9	
16	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
17	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
18	AN	AN	AN	AN	AN	AN	AN	AN	AN	17.9	25.1	BA	BA	BA	17.5	22.9	26.2	32.0	24.5	25.5	20.6	19.3	18.6	18.6	12	32.0	
19	14.2	14.2	14.3	13.3	BF	12.9	15.5	17.1	14.6	18.2	16.7	15.5	14.9	14.7	AN	21.7	30.2	33.7	24.9	27.3	21.5	23.0	13.7	16.5	22	33.7	
20	22.7	23.9	20.6	19.4	BF	22.5	17.0	20.9	18.6	22.9	22.7	20.8	22.6	23.3	24.0	15.4	11.6	13.7	17.5	17.8	14.0	14.7	12.5	10.9	23	24.0	
21	7.6	5.0	2.2	2.9	BF	4.0	5.3	6.1	7.4	6.5	4.8	4.2	7.2	AX	AX	AX	9.0	6.3	14.3	19.4	13.4	17.6	18.1	10.9	20	19.4	
22	9.2	5.6	5.3	6.0	BF	9.3	14.1	22.4	22.3	24.5	22.4	20.3	17.0	14.3	13.0	16.1	20.2	21.8	24.1	22.3	23.0	18.6	20.1	15.8	23	24.5	
23	14.7	12.2	7.9	7.0	BF	5.6	6.1	9.6	7.1	5.1	6.1	5.4	5.1	4.5	5.6	5.3	6.7	4.8	4.8	3.9	6.3	8.0	5.9	2.3	23	14.7	
24	1.3	.9	1.6	1.0	BF	1.1	1.1	1.2	1.7	2.6	3.8	2.3	2.9	3.9	3.2	3.5	4.2	4.2	4.7	4.0	5.7	5.1	6.0	5.3	23	6.0	
25	3.7	2.2	1.6	1.6	BF	1.8	1.5	2.4	1.4	1.3	1.0	1.7	3.0	2.8	3.6	4.2	4.9	5.8	10.2	9.8	10.7	10.1	6.8	4.6	23	10.7	
26	7.4	4.7	3.8	1.5	BF	2.8	3.5	5.3	7.8	5.3	4.6	5.3	7.7	6.1	4.5	3.3	3.1	5.3	10.0	18.0	25.7	26.6	24.7	23.7	23	26.6	
27	17.3	17.4	16.5	14.2	BF	10.2	7.7	4.9	14.4	16.0	12.6	14.0	6.9	6.8	7.2	6.2	10.7	7.6	4.7	4.0	3.1	3.9	3.1	1.7	23	17.4	
28	2.2	2.8	3.6	3.8	BF	3.1	2.3	4.2	3.8	3.2	3.1	2.3	2.2	1.8	1.8	3.0	2.8	2.9	5.6	11.9	10.4	8.1	9.1	10.1	23	11.9	
29	7.5	7.3	7.4	17.7	BF	10.3	18.4	25.3	26.7	21.3	20.3	15.3	11.0	12.6	14.8	17.9	19.8	16.9	21.3	26.4	26.4	24.9	24.5	23.3	23	26.7	
30	24.4	24.4	23.5	23.5	BF	19.4	18.2	16.3	14.3	10.2	7.3	7.2	8.6	8.6	7.0	7.2	16.9	12.0	7.0	8.1	3.4	3.3	2.3	3.2	23	24.4	
31	2.7	2.1	1.6	1.3	BF	1.1	1.3	1.4	1.0	.8	1.2	.9	1.1	1.2	1.2	1.4	.7	1.0	.8	.9	.6	.6	.5	.7	23	2.7	
NO.:	28	28	28	28		28	28	28	28	28	29	27	27	26	26	27	29	29	29	28	28	28	28	28			
MAX:	29.3	28.5	26.5	25.2		23.6	26.6	29.8	26.7	24.5	25.1	20.8	22.6	23.3	24.0	22.9	30.2	33.7	27.8	27.3	26.4	26.6	26.3	23.7			
AVG:	10.83	9.63	9.56	9.71		10.10	11.44	12.22	11.64	11.08	10.51	8.86	8.70	9.40	9.43	10.26	12.75	12.62	13.90	13.98	12.57	12.71	12.19	10.72			

MONTHLY OBSERVATIONS: 641 MONTHLY MEAN: 11.11 MONTHLY MAX: 33.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("\*\*") indicates that the region has reviewed the value and does not concur with the qualifier.

QUALIFIER CODES:

Qualifier Code	Qualifier Description	Qualifier Type
1	Deviation from a CFR/Critical Criteria Requirement	QA
2	Operational Deviation	QA
AE	Shelter Temperature Outside Limits	NULL
AH	Sample Flow Rate or CV out of Limits	NULL
AI	Insufficient Data (cannot calculate)	NULL
AK	Filter Leak	NULL
AN	Machine Malfunction	NULL
AO	Bad Weather	NULL
AV	Power Failure	NULL
AX	Precision Check	NULL
AZ	Q C Audit	NULL
BA	Maintenance/Routine Repairs	NULL
BC	Multi-point Calibration	NULL
BF	Precision/Zero/Span	NULL
BK	Site computer/data logger down	NULL

Note: Qualifier codes with regional concurrence are shown in upper case,  
and those without regional concurrence are shown in lower case.