

User ID: XJBAPAT

RAW DATA REPORT

Report Request ID: 1395297

Report Code: AMP350

Dec. 15, 2015

GEOGRAPHIC SELECTIONS

Tribal Code	State	County	Site	Parameter	POC	City	AQCR	UAR	CBSA	CSA	EPA Region
-------------	-------	--------	------	-----------	-----	------	------	-----	------	-----	------------

37

PROTOCOL SELECTIONS

Parameter Classification	Parameter	Method	Duration
CRITERIA	42401		

SELECTED OPTIONS

Option Type	Option Value
RAW DATA EVENTS	INCLUDE EVENTS
DAILY STATISTICS	MAXIMUM
UNITS	STANDARD
MERGE PDF FILES	YES
INCLUDE NULLS	YES
AGENCY ROLE	PQAO

SORT ORDER

Order	Column
1	STATE_CODE
2	COUNTY_CODE
3	SITE_ID
4	PARAMETER_CODE
5	POC

DATE CRITERIA

Start Date	End Date
2010 01 01	2010 12 31

APPLICABLE STANDARDS

Standard Description
SO2 1-hour 2010

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
3	BD	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	2.0	2.0	2.0	2.0	23	2.0
4	BD	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	2.0
5	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	BF	BA	BA	3.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	20	3.0
6	BD	2.0	2.0	1.0	2.0	2.0	1.0	2.0	2.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	3.0
7	BD	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	3.0	3.0	3.0	23	3.0
8	BD	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	23	4.0
9	BD	5.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	4.0	8.0	6.0	6.0	4.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	8.0
10	BD	1.0	1.0	1.0	2.0	3.0	3.0	5.0	6.0	10.0	12.0	5.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	12.0
11	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	4.0	4.0	4.0	4.0	4.0	23	4.0
12	BD	4.0	4.0	3.0	3.0	3.0	2.0	2.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	23	4.0
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	5.0	9.0	6.0	6.0	6.0	5.0	4.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	2.0	23	9.0
14	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	9.0	10.0	9.0	13.0	7.0	5.0	4.0	4.0	4.0	3.0	2.0	2.0	2.0	1.0	1.0	23	13.0
15	BD	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	5.0	5.0	5.0	6.0	6.0	6.0	5.0	4.0	4.0	4.0	2.0	2.0	1.0	1.0	1.0	23	6.0
16	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	7.0	3.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	23	7.0
17	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
18	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
19	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BF	BF	BF	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20	3.0
20	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	6.0	2.0	11.0	6.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	23	11.0
21	BD	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
22	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	23	2.0
23	BD	7.0	5.0	6.0	3.0	3.0	2.0	1.0	3.0	7.0	8.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	8.0
24	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
25	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
26	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
27	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
28	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	23	3.0
29	BD	2.0	8.0	3.0	2.0	2.0	1.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	4.0	2.0	23	8.0
30	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
31	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	4.0
NO.:		31	31	31	31	31	31	31	31	31	29	29	29	31	31	31	31	31	31	31	31	31	31	31		
MAX:		7.0	8.0	6.0	5.0	4.0	4.0	5.0	6.0	10.0	12.0	9.0	13.0	7.0	6.0	11.0	6.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0		
AVG:		1.65	1.71	1.48	1.42	1.48	1.32	1.42	1.77	2.84	3.34	2.76	2.66	2.52	2.19	2.35	2.00	1.81	1.71	1.55	1.52	1.52	1.48	1.45		

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: 1.90 MONTHLY MAX: 13.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	6.0	8.0	8.0	6.0	8.0	13.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	23	13.0	
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
4	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	8	2.0	
5	BD	BA	BA	BA	BA	BA	BA	BA	AT	AT	AT	AT	AT	AT	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	11	0.0	
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	4.0	23	4.0	
7	BD	1.0	.0	.0	.0	1.0	1.0	1.0	2.0	4.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	4.0	
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	13.0	8.0	3.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	13.0	
9	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
10	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	BF	BF	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	1.0	
11	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
12	BD	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
13	BD	.0	.0	.0	.0	AV	AV	.0	AV	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	20	2.0	
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	23	2.0	
15	BD	.0	.0	1.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
16	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
17	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
18	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
20	BD	.0	.0	.0	.0	.0	.0	.0	.0	5.0	28.0	21.0	4.0	3.0	5.0	7.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	28.0	
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	7.0	5.0	6.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	7.0	
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
23	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	AV	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0	
24	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	BF	BF	3.0	3.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	21	3.0	
25	BD	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
26	BD	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
27	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0	
28	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
29																										0	
30																										0	
31																										0	
NO.:	27	27	27	27	26	26	27	26	26	24	24	26	27	26	27	27	27	27	27	27	27	27	27	27	27		
MAX:	1.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	5.0	28.0	21.0	8.0	8.0	6.0	8.0	13.0	3.0	1.0	1.0	1.0	1.0	4.0	4.0			
AVG:	.26	.22	.22	.22	.27	.27	.41	.81	1.19	2.54	2.17	1.38	1.33	1.19	1.33	1.07	.67	.33	.19	.19	.22	.33	.33				

MONTHLY OBSERVATIONS: 609 MONTHLY MEAN: .73 MONTHLY MAX: 28.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
5	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	23	3.0
6	BD	.0	.0	.0	.0	.0	.0	2.0	3.0	5.0	3.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	5.0
7	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	4.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0
8	BD	1.0	1.0	1.0	.0	.0	.0	.0	2.0	2.0	1.0	1.0	4.0	5.0	6.0	5.0	5.0	4.0	1.0	.0	.0	.0	.0	.0	.0	23	6.0
9	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	23	2.0
10	BD	.0	1.0	1.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
11	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
12	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
15	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	3.0	2.0	1.0	1.0	2.0	2.0	3.0	.0	.0	.0	.0	.0	.0	.0	23	3.0
16	BD	.0	.0	.0	.0	.0	2.0	3.0	AX	AX	AX	3.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	3.0
17	BD	.0	.0	.0	.0	.0	.0	.0	4.0	5.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	5.0
18	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	7.0	8.0	1.0	1.0	2.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	8.0
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	23	4.0
20	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0
21	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
23	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
24	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
25	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
26	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
27	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
28	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
29	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
30	BD	.0	.0	.0	.0	.0	.0	.0	AX	AX	AX	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	1.0
31	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
NO.:		31	31	31	31	31	31	31	29	29	29	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:		1.0	1.0	1.0	2.0	2.0	2.0	3.0	4.0	5.0	7.0	8.0	4.0	5.0	6.0	5.0	5.0	4.0	2.0	1.0	1.0	3.0	1.0	1.0	1.0		
AVG:		.03	.06	.06	.06	.06	.13	.26	.62	.93	.97	.94	.77	.58	.52	.45	.52	.48	.26	.13	.13	.19	.03	.03			

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: .35 MONTHLY MAX: 8.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	4.0	8.0	.0	.0	4.0	5.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	8.0
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
7	BD	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
9	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
10	BD	.0	.0	.0	.0	.0	.0	.0	.0	3.0	4.0	1.0	1.0	1.0	3.0	2.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
11	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
12	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0
13	BD	.0	.0	.0	.0	.0	.0	BA	BA	5.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	5.0
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
15	BD	.0	.0	.0	.0	.0	.0	.0	13.0	19.0	7.0	.0	.0	2.0	4.0	3.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	23	19.0
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	3.0	23	3.0
17	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	23	1.0
18	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	5.0	3.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	5.0
19	BD	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
20	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	4.0	4.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
23	BD	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	4.0	4.0	3.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
24	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
25	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
26	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	0.0
27	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
28	BD	.0	.0	.0	.0	.0	6.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	6.0
29	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
30	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
31																										0	
NO.:	30	30	30	30	30	30	30	29	29	30	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	1.0	0.0	0.0	0.0	0.0	0.0	6.0	2.0	13.0	19.0	7.0	4.0	4.0	5.0	4.0	3.0	3.0	2.0	0.0	0.0	0.0	0.0	1.0	2.0	3.0		
AVG:	.03	0.00	0.00	0.00	0.00	0.00	.20	.17	.86	1.37	.83	.48	.67	.40	.37	.23	.23	.20	0.00	0.00	0.00	0.00	.03	.10	.10		

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: .27 MONTHLY MAX: 19.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM			
1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0		
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
4	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
7	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
9	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
10	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
11	BD	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0	
12	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
13	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
15	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
17	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
18	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	BA	BA	BA	BA	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	18	0.0	
20	BD	.0	.0	.0	.0	.0	.0	.0	.0	BA	AT	AT	AT	AT	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	18	0.0
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	4.0	
23	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
24	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
25	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
26	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
27	BD	.0	.0	.0	.0	.0	.0	.0	.0	9.0	7.0	11.0	2.0	5.0	4.0	3.0	2.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	23	11.0	
28	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
29	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
30	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
31	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
NO.:		31	31	31	31	31	31	31	30	28	28	28	29	30	31	31	31	31	31	31	31	31	31	31	31				
MAX:		0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	7.0	11.0	2.0	5.0	4.0	3.0	2.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AVG:		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	.32	.61	.11	.31	.27	.13	.06	.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

MONTHLY OBSERVATIONS: 700 MONTHLY MEAN: .09 MONTHLY MAX: 11.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	0.0	
4	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
6	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
7	BD	2.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
8	BD	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
9	BD	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
10	BD	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	AB	0	
11	BD	AT	AT	AT	AT	AT	AT	AT	AT	AT	AT	AT	AT	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	11	3.0	
12	BD	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	2.0	
13	BD	1.0	1.0	1.0	2.0	2.0	1.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	23	2.0	
14	BD	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	6.0	9.0	2.0	2.0	2.0	2.0	2.0	4.0	2.0	2.0	2.0	2.0	1.0	1.0	23	9.0		
15	BD	2.0	1.0	2.0	1.0	1.0	2.0	8.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	23	8.0		
16	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
17	BD	2.0	1.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	2.0		
18	BD	2.0	2.0	2.0	1.0	2.0	2.0	BA	BA	BF	BF	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	2.0		
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
20	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	23	1.0	
23	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
24	BD	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	23	1.0	
25	BD	2.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	3.0	5.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	5.0	
26	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	23	1.0	
27	BD	.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	23	2.0	
28	BD	.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
29	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
30	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
31																									0		
NO.:	26	26	26	26	26	26	25	25	25	24	25	26	27	27	27	27	27	27	27	27	27	27	27	27	27		
MAX:	2.0	2.0	2.0	2.0	2.0	2.0	8.0	2.0	6.0	9.0	5.0	2.0	3.0	2.0	2.0	2.0	4.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0		
AVG:	.69	.54	.54	.42	.42	.54	.96	.64	.92	1.17	.84	.65	.56	.48	.48	.48	.56	.59	.56	.44	.48	.41	.44				

MONTHLY OBSERVATIONS: 603 MONTHLY MEAN: .60 MONTHLY MAX: 9.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	3.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	3.0
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
3	BD	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
4	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
6	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
7	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	15.0	17.0	7.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	17.0
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
9	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	2.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
10	BD	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
11	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
12	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
15	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	2.0
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
17	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
18	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
20	BD	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	23	1.0
21	BD	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	6.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	6.0
23	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
24	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
25	BD	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	23	1.0
26	BD	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
27	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
28	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
29	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	2.0
30	BD	.0	.0	.0	.0	.0	1.0	8.0	2.0	2.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	8.0
31	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
NO.:		31	31	31	31	31	31	31	29	28	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:		2.0	1.0	1.0	1.0	0.0	1.0	8.0	3.0	15.0	17.0	7.0	2.0	1.0	1.0	1.0	4.0	2.0	1.0	0.0	0.0	0.0	0.0	1.0	1.0		
AVG:		.16	.13	.06	.06	0.00	.03	.39	.52	.86	1.28	.70	.26	.23	.13	.16	.23	.19	.03	0.00	0.00	0.00	0.00	.06	.03		

MONTHLY OBSERVATIONS: 705 MONTHLY MEAN: .23 MONTHLY MAX: 17.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
2	BD	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	23	1.0
5	BD	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
7	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	6.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	6.0
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
9	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
10	BD	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
11	BD	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
12	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	BF	BA	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	21	2.0
13	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
15	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
17	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
19	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
20	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
23	BD	.0	.0	.0	.0	.0	.0	.0	6.0	5.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	6.0
24	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	BA	BA	BA	BA	BA	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	17	0.0
25	BD	.0	.0	.0	1.0	1.0	.0	.0	2.0	8.0	4.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	8.0
26	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	BF	BC	BC	BC	BC	BC	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	14	1.0
27	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
28	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
29	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
30	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BF	BF	BA	BC	BC	BC	BC	9.0	9.0	1.0	1.0	.0	.0	.0	.0	.0	.0	16	9.0
31	BD	.0	.0	.0	.0	.0	.0	1.0	28.0	58.0	34.0	5.0	8.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	58.0
NO.:		31	31	31	31	31	31	31	29	28	27	28	28	28	28	29	30	31	31	31	31	31	31	31	31		
MAX:		2.0	2.0	1.0	1.0	1.0	1.0	1.0	28.0	58.0	34.0	5.0	8.0	2.0	2.0	9.0	9.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
AVG:		.23	.23	.16	.16	.16	.13	.29	1.52	2.86	1.67	.57	.57	.39	.36	.79	.60	.32	.23	.13	.13	.13	.13	.13	.13		

MONTHLY OBSERVATIONS: 689 MONTHLY MEAN: .50 MONTHLY MAX: 58.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	23	1.0
4	BD	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
5	BD	.0	.0	.0	.0	.0	.0	4.0	6.0	2.0	1.0	1.0	3.0	3.0	6.0	3.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	6.0
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
7	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
9	BD	.0	.0	.0	.0	.0	.0	6.0	3.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	6.0
10	BD	.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	7.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	7.0
11	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
12	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	7.0	5.0	3.0	1.0	1.0	1.0	3.0	2.0	23	7.0
13	BD	1.0	1.0	1.0	.0	.0	1.0	4.0	BF	BF	6.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	21	6.0
14	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	23	2.0
15	BD	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
17	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	1.0
18	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	23	1.0
19	BD	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
20	BD	.0	.0	.0	.0	1.0	1.0	.0	10.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	.0	.0	.0	23	10.0
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	1.0
22	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	23	1.0
23	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	2.0
24	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	23	1.0
25	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	23	1.0
26	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
27	BD	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BA	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	1.0
28	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
29	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
30	AV	AV	AV	AV	AV	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	1.0
31																									0	
NO.:	29	29	29	29	30	30	30	29	28	29	29	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	1.0	1.0	1.0	1.0	1.0	1.0	1.0	6.0	10.0	5.0	6.0	3.0	3.0	7.0	6.0	3.0	3.0	3.0	7.0	5.0	3.0	1.0	1.0	3.0	2.0	
AVG:	.10	.14	.10	.07	.07	.10	.60	1.03	.93	.93	.97	.79	.93	1.03	.90	.70	.63	.73	.43	.27	.10	.13	.17	.10		

MONTHLY OBSERVATIONS: 681 MONTHLY MEAN: .48 MONTHLY MAX: 10.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
2	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
4	BD	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
5	BD	.0	.0	1.0	1.0	.0	1.0	3.0	BA	AZ	AZ	AZ	2.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	.0	.0	1.0	1.0	19	3.0	
6	BD	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	23	1.0	
7	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	.0	1.0	.0	1.0	23	3.0	
8	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	6.0	5.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	23	6.0	
9	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	23	2.0	
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
11	BD	1.0	1.0	.0	.0	1.0	.0	1.0	BA	BA	BA	BA	BA	2.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	18	3.0	
12	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
13	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	1.0	
15	BD	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	23	2.0	
16	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
17	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
18	BD	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
19	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	4.0	3.0	3.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	23	4.0	
20	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0	
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
22	BD	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
23	BD	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	1.0	.0	23	1.0	
24	BD	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	23	1.0
25	BD	1.0	1.0	.0	1.0	.0	.0	.0	1.0	BA	BF	BF	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	20	1.0	
26	BD	1.0	.0	.0	.0	.0	1.0	BA	BA	BF	BF	BF	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	18	2.0	
27	BD	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
28	BD	1.0	.0	1.0	.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	23	1.0
29	BD	.0	.0	.0	3.0	10.0	5.0	4.0	7.0	6.0	8.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	7.0	1.0	1.0	23	10.0	
30	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	5.0	16.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	23	16.0	
31	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	23	2.0	
NO.:		31	31	31	31	31	31	30	28	27	27	27	30	31	31	31	31	31	31	31	31	31	31	31			
MAX:		1.0	1.0	1.0	3.0	10.0	5.0	4.0	7.0	6.0	16.0	6.0	5.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	2.0	7.0	1.0	1.0			
AVG:		.71	.65	.52	.71	.94	.84	.90	1.25	1.44	2.15	1.63	1.43	1.13	1.13	1.13	1.06	.94	.55	.48	.61	.81	.65	.65			

MONTHLY OBSERVATIONS: 696 MONTHLY MEAN: .95 MONTHLY MAX: 16.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BF	BF	BA	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20	1.0
4	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	BA	BC	BC	BC	BC	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	17	1.0
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
6	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	7.0	6.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	2.0	1.0	23	7.0
7	BD	.0	.0	.0	1.0	1.0	.0	1.0	1.0	11.0	12.0	4.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	12.0
8	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	23	2.0
9	BD	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
10	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	3.0	1.0	1.0	1.0	2.0	5.0	1.0	.0	.0	.0	.0	.0	.0	23	5.0
11	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	2.0	2.0	4.0	3.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
12	BD	.0	.0	.0	.0	.0	.0	.0	8.0	8.0	11.0	3.0	2.0	10.0	11.0	10.0	13.0	3.0	1.0	1.0	.0	.0	.0	.0	23	13.0
13	BD	.0	.0	.0	5.0	13.0	2.0	2.0	13.0	20.0	13.0	4.0	1.0	4.0	3.0	3.0	4.0	4.0	1.0	1.0	1.0	.0	.0	.0	23	20.0
14	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	8.0	34.0	37.0	30.0	11.0	15.0	8.0	1.0	.0	.0	.0	.0	.0	.0	23	37.0
15	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	3.0	2.0	4.0	3.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
16	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
17	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	BD	.0	.0	.0	.0	.0	.0	.0	AV	AV	10.0	2.0	5.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	21	10.0
19	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	BF	BF	2.0	3.0	7.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	21	7.0
20	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
21	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	11.0	17.0	9.0	5.0	3.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	23	17.0
22	BD	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
23	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
24	BD	.0	.0	.0	.0	.0	.0	1.0	9.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	9.0
25	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
26	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
27	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
28	BD	.0	.0	.0	1.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	3.0
29	BD	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
30	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
31																									0	
NO.:	30	30	30	30	30	30	30	30	27	27	27	28	29	29	30	30	30	30	30	30	30	30	30	30	30	
MAX:	1.0	1.0	1.0	1.0	5.0	13.0	2.0	2.0	13.0	20.0	13.0	34.0	37.0	30.0	11.0	15.0	13.0	4.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	
AVG:	.20	.20	.17	.40	.67	.33	.40	1.59	2.41	3.67	3.50	2.83	2.72	1.90	1.77	1.67	.60	.30	.30	.17	.20	.23	.20			

MONTHLY OBSERVATIONS: 677 MONTHLY MEAN: 1.12 MONTHLY MAX: 37.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-013-0007 POC: 1
 COUNTY: (013) Beaufort
 CITY: (02620) Aurora
 SITE ADDRESS: 1945 Sandy Landing
 SITE COMMENTS: Relocated from 37-013-0006 location by agreement with PCS property owner
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.345000009
 LONGITUDE: -76.78333
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 4
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	23	1.0	
2	BD	.0	.0	.0	.0	.0	1.0	1.0	BF	BF	BF	BA	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	19	1.0	
3	BD	.0	.0	.0	.0	.0	.0	.0	.0	2.0	5.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	5.0	
4	BD	.0	.0	.0	.0	.0	.0	1.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	23	3.0	
5	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	23	2.0	
6	BD	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	1.0	1.0	23	2.0	
7	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
8	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	8.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	23	8.0	
9	BD	1.0	1.0	3.0	2.0	2.0	1.0	2.0	7.0	4.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	23	7.0	
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	9.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	23	9.0	
11	BD	.0	1.0	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	23	1.0	
12	BD	1.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	1.0	
13	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
14	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
15	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	BF	BA	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	2.0	
16	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	1.0	
17	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	9.0	9.0	5.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	23	9.0	
18	BD	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	23	1.0	
19	BD	.0	.0	1.0	.0	1.0	.0	.0	.0	2.0	5.0	8.0	7.0	5.0	4.0	4.0	3.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	23	8.0	
20	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	23	4.0	
21	BD	1.0	2.0	1.0	1.0	2.0	2.0	2.0	3.0	3.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	23	4.0	
22	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	4.0	5.0	4.0	4.0	4.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	5.0	
23	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
24	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	23	3.0	
25	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0	
26	BD	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
27	BD	14.0	1.0	.0	1.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	14.0	
28	BD	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	3.0	3.0	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	10	3.0
29	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
30	AN	AN	AN	AN	AN	AN	AN	AN	AN	BA	BA	BA	BC	BC	BC	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	9	2.0	
31	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	2.0	2.0	7.0	29.0	17.0	9.0	1.0	.0	.0	.0	.0	.0	.0	23	29.0	
NO.:		29	29	29	29	29	29	29	27	27	28	27	28	28	28	29	29	29	29	29	29	29	29	29	29		
MAX:		14.0	3.0	3.0	3.0	3.0	3.0	3.0	7.0	4.0	5.0	9.0	9.0	9.0	29.0	17.0	9.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0		
AVG:		1.28	.86	.83	.79	.79	.83	.93	1.37	1.56	2.00	2.37	2.32	2.32	2.68	2.10	1.69	1.00	.86	.72	.83	.76	.72	.72			

MONTHLY OBSERVATIONS: 657 MONTHLY MEAN: 1.31 MONTHLY MAX: 29.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
2	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
3	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24	1.0
4	.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	24	1.0
5	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	24	2.0
6	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0
7	.0	.0	.0	.0	.0	1.0	1.0	4.0	2.0	1.0	3.0	3.0	2.0	1.0	.0	.0	.0	1.0	2.0	3.0	5.0	3.0	.0	.0	24	5.0
8	.0	2.0	2.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	4.0	4.0	4.0	3.0	3.0	3.0	24	4.0
9	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	2.0	3.0	2.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	24	3.0
10	2.0	3.0	3.0	4.0	5.0	5.0	5.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	24	5.0
11	.0	.0	.0	.0	.0	1.0	4.0	3.0	19.0	6.0	8.0	11.0	5.0	4.0	2.0	5.0	3.0	3.0	5.0	6.0	3.0	3.0	4.0	3.0	24	19.0
12	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	24	2.0
13	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	3.0	6.0	3.0	3.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	3.0	24	6.0
14	3.0	3.0	3.0	4.0	3.0	3.0	3.0	9.0	2.0	1.0	.0	4.0	2.0	.0	.0	.0	7.0	9.0	11.0	9.0	5.0	5.0	4.0	4.0	24	11.0
15	3.0	3.0	4.0	4.0	4.0	3.0	3.0	3.0	5.0	3.0	1.0	1.0	3.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	24	5.0
16	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	24	3.0
17	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
18	.0	.0	.0	.0	.0	.0	.0	3.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0
19	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0
20	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	3.0	3.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	24	3.0
21	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	24	1.0
22	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	24	2.0
24	1.0	2.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0
25	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
27	.0	.0	.0	.0	.0	.0	2.0	2.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	24	2.0
28	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	1.0	1.0	24	1.0
29	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24	4.0
30	1.0	4.0	3.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	3.0	3.0	3.0	3.0	4.0	3.0	2.0	1.0	1.0	.0	1.0	1.0	1.0	.0	24	4.0
31	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	3.0	2.0	24	3.0
NO.:	31	31	31	31	31	31	31	31	31	31	31	31	31	30	29	30	31	31	31	31	31	31	31	31	31	
MAX:	3.0	4.0	4.0	4.0	5.0	5.0	5.0	9.0	19.0	6.0	8.0	11.0	5.0	4.0	4.0	5.0	7.0	9.0	11.0	9.0	5.0	5.0	4.0	4.0		
AVG:	.74	.94	.97	.74	.71	.84	1.06	1.42	1.84	1.35	1.35	1.52	1.32	.93	.83	.77	.81	.97	1.19	1.16	1.06	1.13	1.16	.90		

MONTHLY OBSERVATIONS: 740 MONTHLY MEAN: 1.07 MONTHLY MAX: 19.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	BF	1.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	1.0	23	2.0		
2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	3.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0		
3	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	10.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	24	10.0		
4	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	BC	BC	BC	BC	BC	1.0	1.0	1.0	1.0	3.0	3.0	1.0	1.0	19	3.0		
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0		
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0		
8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	24	2.0		
9	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	24	2.0		
10	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0		
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0		
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0		
13	.0	.0	.0	1.0	1.0	.0	1.0	4.0	4.0	3.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0		
14	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
15	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	24	2.0		
16	1.0	.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
17	.0	.0	.0	.0	.0	.0	6.0	8.0	16.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	16.0		
18	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0		
19	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
20	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	6.0	5.0	2.0	1.0	2.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	24	6.0		
22	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	1.0	.0	.0	12.0	7.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	24	12.0		
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	14.0	3.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	14.0		
24	.0	2.0	2.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0		
25	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	24	1.0		
26	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0		
27	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0		
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0		
29																										0		
30																											0	
31																											0	
NO.:	28	28	28	28	28	28	28	28	28	28	27	26	27	26	26	27	28	28	28	28	28	28	28	28				
MAX:	2.0	2.0	2.0	2.0	2.0	2.0	6.0	8.0	16.0	14.0	3.0	2.0	12.0	7.0	3.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0	1.0			
AVG:	.25	.32	.36	.46	.46	.43	.71	.93	1.32	1.50	.74	.58	.93	.65	.38	.26	.29	.32	.32	.32	.36	.36	.29	.21				

MONTHLY OBSERVATIONS: 663 MONTHLY MEAN: .53 MONTHLY MAX: 16.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
2	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
3	.0	.0	.0	.0	.0	.0	1.0	2.0	3.0	2.0	3.0	3.0	3.0	4.0	4.0	4.0	2.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	24	4.0
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	24	1.0
5	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	24	2.0
6	1.0	1.0	1.0	3.0	3.0	2.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	24	3.0
7	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
8	.0	.0	.0	.0	3.0	3.0	4.0	4.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0
9	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
10	1.0	2.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	P93.0	P83.0	.0	.0	24	93.0
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
15	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	BF	1.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
19	.0	1.0	2.0	2.0	1.0	2.0	1.0	2.0	4.0	7.0	6.0	5.0	4.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	24	7.0
20	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	24	2.0
21	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
23	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	.0	.0	.0	AZ	AZ	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0
24	.0	.0	.0	.0	.0	.0	.0	1.0	5.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	24	5.0
25	2.0	2.0	2.0	3.0	3.0	1.0	2.0	3.0	5.0	3.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	2.0	.0	24	5.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	24	1.0
28	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
31	.0	.0	.0	.0	.0	.0	.0	3.0	5.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	5.0
NO.:	31	31	31	31	31	31	31	31	31	31	30	31	30	31	31	30	30	31	31	31	31	31	31	31		
MAX:	2.0	2.0	2.0	3.0	3.0	3.0	4.0	4.0	5.0	7.0	6.0	5.0	4.0	4.0	4.0	4.0	2.0	2.0	1.0	1.0	93.0	83.0	2.0	2.0		
AVG:	.23	.29	.29	.39	.48	.48	.55	.87	1.10	.87	.67	.55	.57	.35	.23	.30	.17	.10	.06	.13	3.13	2.87	.26	.26		

2 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 740 MONTHLY MEAN: .63 MONTHLY MAX: 93.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	7.0	3.0	2.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	24	7.0	
2	.0	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24	1.0	
3	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	24	2.0	
4	1.0	2.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
5	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	3.0	24	4.0	
6	1.0	.0	.0	.0	.0	.0	1.0	3.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	2.0	24	3.0	
7	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	24	2.0	
8	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
11	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	24	1.0	
12	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	24	2.0	
13	.0	.0	.0	.0	.0	.0	1.0	3.0	2.0	2.0	1.0	1.0	1.0	BF	BF	1.0	1.0	2.0	1.0	1.0	2.0	3.0	2.0	1.0	22	3.0	
14	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
15	.0	.0	.0	.0	.0	.0	2.0	.0	1.0	1.0	2.0	2.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	.0	24	2.0	
16	.0	.0	.0	.0	.0	.0	1.0	3.0	5.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	5.0	
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
19	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	2.0	.0	.0	.0	.0	.0	.0	24	2.0	
21	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	24	1.0	
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	24	1.0	
23	.0	.0	.0	.0	.0	1.0	4.0	1.0	4.0	3.0	2.0	.0	.0	2.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	24	4.0	
24	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
25	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
28	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
30	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	5.0	2.0	24	5.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	30	30	30	30	30	28	29	30	30	30	30	30	30	30	30	30	30		
MAX:	2.0	2.0	2.0	2.0	2.0	2.0	4.0	3.0	5.0	7.0	3.0	2.0	1.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	3.0	5.0	3.0			
AVG:	.37	.33	.27	.23	.23	.20	.57	.70	.80	.90	.67	.60	.30	.29	.24	.27	.17	.30	.20	.17	.23	.30	.60	.40			

MONTHLY OBSERVATIONS: 717 MONTHLY MEAN: .39 MONTHLY MAX: 7.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	1.0	2.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	24	2.0
2	.0	1.0	2.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
3	.0	.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	24	1.0
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	.0	24	3.0
5	.0	.0	.0	.0	.0	.0	.0	.0	BC	BC	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	5.0	3.0	22	5.0
6	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
7	.0	.0	.0	5.0	8.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	2.0	24	8.0
8	2.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
10	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	24	1.0
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
21	.0	.0	.0	.0	.0	.0	.0	.0	4.0	5.0	2.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	5.0
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
24	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
25	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	2.0
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
29	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
31	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	24	1.0
NO.:	31	31	31	31	31	31	31	31	30	30	31	31	29	29	31	31	31	31	31	31	31	31	31	31		
MAX:	2.0	2.0	2.0	5.0	8.0	1.0	1.0	2.0	4.0	5.0	2.0	2.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0	3.0	1.0	1.0	5.0	3.0		
AVG:	.13	.10	.19	.23	.29	.03	.06	.13	.23	.30	.23	.06	0.00	0.00	0.00	0.00	.06	.10	0.00	.13	.06	.06	.19	.19		

MONTHLY OBSERVATIONS: 738 MONTHLY MEAN: .12 MONTHLY MAX: 8.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
2	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	24	2.0	
4	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
8	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
10	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	AZ	AZ	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0	
19	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
23	.0	.0	.0	.0	.0	.0	2.0	.0	.0	1.0	.0	.0	BF	BF	.0	1.0	.0	.0	.0	.0	.0	.0	2.0	5.0	22	5.0	
24	.0	.0	.0	.0	.0	.0	5.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	5.0	
25	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	24	2.0	
27	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	24	3.0	
28	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	30	30	30	30	29	27	29	30	30	30	30	30	30	30	30	30	30		
MAX:	1.0	0.0	0.0	0.0	0.0	2.0	5.0	2.0	4.0	3.0	2.0	2.0	0.0	2.0	0.0	1.0	1.0	0.0	2.0	0.0	0.0	0.0	0.0	2.0	5.0		
AVG:	.07	0.00	0.00	0.00	0.00	.07	.23	.20	.30	.40	.17	.07	0.00	.07	0.00	.03	.03	0.00	.07	0.00	0.00	0.00	0.00	.07	.33		

MONTHLY OBSERVATIONS: 715 MONTHLY MEAN: .09 MONTHLY MAX: 5.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
5	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	24	2.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	.0	.0	.0	24	1.0	
8	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	BF	BF	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	2.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	3.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
16	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	2.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	5.0	5.0	24	5.0	
17	2.0	1.0	.0	.0	.0	1.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	5.0	1.0	.0	24	5.0	
24	.0	.0	.0	.0	.0	.0	1.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	4.0	5.0	6.0	2.0	24	6.0		
25	3.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0	
31	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
NO.:	31	31	31	31	31	31	31	31	31	31	30	29	30	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	3.0	1.0	0.0	0.0	0.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0	0.0	0.0	1.0	1.0	3.0	4.0	5.0	6.0	5.0		
AVG:	.16	.03	0.00	0.00	0.00	.03	.16	.19	.26	.16	.20	.07	.10	.07	0.00	0.00	0.00	0.00	.06	.03	.13	.13	.35	.39	.23		

MONTHLY OBSERVATIONS: 739 MONTHLY MEAN: .12 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM			
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0		
2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BC	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	24	1.0		
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
5	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
7	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	.0	24	4.0	
10	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	24	2.0	
11	.0	.0	.0	.0	.0	.0	4.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
13	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	2.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	2.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	6.0	2.0	.0	.0	.0	24	6.0	
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
24	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
25	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
27	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0	
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
31	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
NO.:	31	31	31	31	31	31	31	31	31	31	31	31	29	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31
MAX:	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	0.0	0.0	1.0	6.0	2.0	4.0	4.0	4.0	4.0	4.0	4.0
AVG:	0.00	0.00	0.00	0.00	0.00	0.00	.13	.19	.29	.23	.13	.06	.14	.03	.03	.06	.03	.03	0.00	0.00	.03	.19	.10	.13	.13	.13	.13	.13	.13

MONTHLY OBSERVATIONS: 739 MONTHLY MEAN: .08 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
2	.0	.0	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	24	2.0	
8	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
10	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	1.0	
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
15	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	24	4.0	
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	3.0	6.0	24	6.0	
17	4.0	1.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	24	4.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	24	2.0	
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
20	.0	.0	.0	.0	.0	.0	1.0	2.0	3.0	6.0	4.0	4.0	4.0	4.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	24	6.0	
21	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	24	1.0	
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
23	.0	.0	.0	.0	.0	.0	.0	2.0	3.0	4.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0	
24	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	1.0	2.0	2.0	2.0	.0	.0	.0	.0	.0	22	2.0	
25	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	AZ	AZ	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0	
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	AL	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	30	30	29	29	29	28	30	29	29	30	30	30	30	30	30	30	30		
MAX:	4.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	4.0	4.0	6.0	4.0	4.0	4.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	3.0	6.0		
AVG:	.20	.03	0.00	0.00	0.00	0.00	0.00	.20	.47	.50	.34	.24	.17	.14	.13	.10	.10	.17	.17	.17	.07	.07	.27	.27			

MONTHLY OBSERVATIONS: 713 MONTHLY MEAN: .16 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	24	1.0
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
6	.0	.0	.0	.0	.0	.0	.0	3.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0
7	.0	.0	.0	.0	.0	.0	3.0	1.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0
8	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	2.0
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
10	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
11	.0	.0	.0	.0	.0	.0	.0	.0	14.0	8.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	14.0
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
15	.0	.0	.0	.0	.0	1.0	7.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	7.0
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	4.0
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
24	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
25	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BC	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
31	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
NO.:	31	31	31	31	31	31	31	31	31	31	31	30	29	29	31	31	31	31	31	31	31	31	31	31	31	31	
MAX:	0.0	0.0	0.0	0.0	0.0	1.0	7.0	3.0	14.0	8.0	4.0	1.0	2.0	2.0	2.0	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AVG:	0.00	0.00	0.00	0.00	0.00	0.03	.32	.13	.58	.42	.26	.17	.07	.07	.10	.06	.06	0.00	.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

MONTHLY OBSERVATIONS: 739 MONTHLY MEAN: .10 MONTHLY MAX: 14.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
2	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	24	1.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
7	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	24	2.0	
8	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	24	2.0	
9	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	4.0	4.0	4.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	24	4.0	
10	2.0	2.0	1.0	1.0	.0	.0	.0	.0	1.0	4.0	5.0	4.0	2.0	2.0	AZ	AZ	AZ	1.0	1.0	1.0	.0	.0	.0	.0	21	5.0	
11	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	24	2.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	15.0	3.0	2.0	1.0	2.0	3.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	24	15.0	
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	24	1.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	24	1.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0	
16	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	3.0	1.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	3.0
20	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
21	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
22	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
23	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
24	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	1.0	.0	.0	BF	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	23	1.0
25	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
27	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
28	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	24	2.0
29	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.0	2.0	1.0	24	2.0
30	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
31																										0	
NO.:	30	30	30	30	30	30	30	30	30	30	30	30	28	29	28	29	29	30	30	30	30	30	30	30	30		
MAX:	2.0	2.0	1.0	1.0	0.0	1.0	1.0	1.0	2.0	15.0	5.0	4.0	4.0	4.0	4.0	4.0	3.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	
AVG:	.13	.10	.03	.03	0.00	.03	.03	.13	.33	.97	.60	.50	.50	.45	.39	.34	.34	.20	.20	.17	.13	.17	.20	.07			

MONTHLY OBSERVATIONS: 713 MONTHLY MEAN: .25 MONTHLY MAX: 15.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-067-0022 POC: 1
 COUNTY: (067) Forsyth
 CITY: (75000) Winston-Salem
 SITE ADDRESS: 1300 BLK. HATTIE AVENUE
 SITE COMMENTS: SLAMS SO2/NOX & SPM NOY/CO/O3/HYDROCARBON "PAMS" SITE.
 MONITOR COMMENTS: ML 8850 ANALYZER/CHANGED TO API 100A 2/96

STATE: (37) North Carolina
 AQCR: (136) NORTHERN PIEDMONT
 URBANIZED AREA: (9220) WINSTON-SALEM, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 36.110556
 LONGITUDE: -80.226667
 UTM ZONE: 17
 UTM NORTHING: 3996287
 UTM EASTING: 569604
 ELEVATION-MSL: 284
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0403) Forsyth County Environmental Affairs Department
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (100) INSTRUMENTAL ULTRAVIOLET FLUORESCENCE
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .4

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
4	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
5	.0	.0	.0	.0	.0	.0	2.0	3.0	3.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	3.0	
6	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
7	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
8	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	24	1.0	
10	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	3.0	2.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	2.0	1.0	24	3.0	
11	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	24	2.0	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	24	1.0	
14	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	2.0	.0	.0	1.0	1.0	1.0	2.0	2.0	24	2.0	
16	3.0	6.0	5.0	2.0	1.0	.0	1.0	.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	6.0	
17	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0	
18	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	2.0	3.0	4.0	3.0	1.0	24	4.0	
19	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
20	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	24	1.0	
21	1.0	1.0	1.0	1.0	.0	.0	.0	2.0	9.0	2.0	1.0	3.0	2.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	24	9.0	
22	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	BF	1.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	23	2.0	
23	2.0	3.0	4.0	3.0	2.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	2.0	.0	.0	.0	1.0	1.0	1.0	1.0	24	4.0	
24	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	24	1.0	
25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	24	1.0	
26	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	.0	24	2.0	
27	.0	.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.0	
28	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
29	.0	.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	24	2.0	
30	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24	2.0	
31	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	24	2.0	
NO.:	31	31	31	31	31	31	31	31	31	31	31	31	28	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	3.0	6.0	5.0	3.0	2.0	2.0	2.0	3.0	9.0	2.0	2.0	3.0	3.0	2.0	1.0	2.0	2.0	1.0	1.0	2.0	3.0	4.0	3.0	2.0			
AVG:	.48	.61	.65	.52	.42	.29	.32	.39	.90	.68	.61	.55	.54	.39	.26	.26	.29	.16	.16	.29	.35	.48	.65	.45			

MONTHLY OBSERVATIONS: 741 MONTHLY MEAN: .45 MONTHLY MAX: 9.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	23	2.0
2	.0	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	23	1.0
3	1.0	BD	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	23	1.0
4	.0	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
5	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
6	1.0	BD	1.0	1.0	1.0	1.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	3.0
7	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BF	BF	BA	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20	1.0
8	1.0	BD	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	23	4.0
9	4.0	BD	5.0	5.0	5.0	4.0	4.0	4.0	3.0	3.0	4.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	.0	.0	1.0	2.0	23	5.0
10	3.0	BD	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	2.0	3.0	4.0	4.0	2.0	1.0	23	4.0
11	1.0	BD	1.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	23	2.0
12	2.0	BD	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	5.0	3.0	3.0	4.0	3.0	3.0	2.0	2.0	2.0	1.0	2.0	1.0	23	5.0
13	1.0	BD	4.0	4.0	4.0	4.0	2.0	2.0	3.0	4.0	6.0	6.0	5.0	4.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	1.0	23	6.0
14	1.0	BD	2.0	2.0	1.0	1.0	1.0	1.0	2.0	3.0	6.0	6.0	8.0	10.0	6.0	6.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	2.0	23	10.0
15	4.0	BD	2.0	1.0	1.0	3.0	3.0	2.0	5.0	6.0	5.0	7.0	6.0	5.0	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	23	7.0
16	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	4.0	4.0	2.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0
17	1.0	BD	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	BF	BF	2.0	1.0	2.0	3.0	4.0	3.0	1.0	.0	.0	.0	.0	.0	21	4.0
20	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	3.0	4.0	4.0	2.0	3.0	3.0	2.0	2.0	23	4.0
21	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
23	1.0	BD	1.0	1.0	2.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	3.0
24	.0	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
25	1.0	BD	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	.0	23	1.0
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
27	1.0	BD	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0
28	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	2.0
29	1.0	BD	1.0	1.0	1.0	1.0	2.0	1.0	3.0	3.0	2.0	2.0	2.0	2.0	4.0	3.0	3.0	3.0	3.0	3.0	4.0	3.0	3.0	3.0	23	4.0
30	3.0	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	23	3.0
31	1.0	BD	1.0	1.0	2.0	3.0	4.0	5.0	5.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	23	5.0
NO.:	31		31	31	31	31	31	31	31	31	29	29	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	4.0		5.0	5.0	4.0	4.0	5.0	5.0	6.0	6.0	6.0	7.0	8.0	10.0	6.0	6.0	4.0	4.0	4.0	3.0	4.0	4.0	4.0	4.0		
AVG:	1.03		1.19	1.06	1.06	1.03	1.10	1.10	1.39	1.61	1.72	1.72	1.80	1.58	1.35	1.35	1.55	1.39	1.26	1.16	1.06	1.03	1.00	.97		

MONTHLY OBSERVATIONS: 708 MONTHLY MEAN: 1.28 MONTHLY MAX: 10.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM			
1	1.0	BD	1.0	1.0	1.0	1.0	1.0	.0	1.0	2.0	3.0	5.0	4.0	4.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	1.0	23	5.0		
2	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	BF	BA	BA	1.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	20	2.0		
3	.0	BD	1.0	1.0	.0	.0	.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	23	2.0		
4	.0	BD	.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	5.0	5.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	23	5.0		
5	1.0	BD	1.0	1.0	1.0	2.0	8.0	2.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	8.0		
6	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	2.0	1.0	1.0	2.0	1.0	2.0	23	2.0		
7	1.0	BD	2.0	2.0	3.0	3.0	3.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	4.0		
8	.0	BD	.0	.0	.0	1.0	2.0	2.0	AZ	AZ	AZ	AZ	AZ	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	18	2.0		
9	.0	BD	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	23	4.0		
10	.0	BD	.0	.0	1.0	1.0	1.0	1.0	1.0	3.0	4.0	4.0	5.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	23	5.0		
11	2.0	BD	2.0	1.0	2.0	2.0	2.0	2.0	2.0	BF	BC	BA	BA	BA	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	18	2.0		
12	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	3.0	1.0	2.0	23	3.0		
13	1.0	BD	2.0	3.0	2.0	3.0	2.0	2.0	2.0	4.0	5.0	4.0	3.0	3.0	4.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	23	5.0		
14	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
15	1.0	BD	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	3.0		
16	.0	BD	2.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	23	3.0		
17	1.0	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	23	1.0		
18	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
19	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	1.0		
20	.0	BD	1.0	1.0	.0	.0	.0	.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	3.0		
21	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	1.0	2.0	23	3.0		
22	1.0	BD	.0	.0	.0	.0	.0	2.0	5.0	4.0	BF	BF	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	21	5.0		
23	.0	BD	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	1.0		
24	1.0	BD	1.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	2.0	2.0	4.0	4.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	5.0	2.0	23	5.0		
25	1.0	BD	.0	.0	1.0	3.0	3.0	1.0	1.0	1.0	2.0	3.0	2.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
26	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0		
27	.0	BD	.0	.0	.0	.0	.0	.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
28	.0	BD	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0		
29																											0		
30																												0	
31																												0	
NO.:	28		28	28	28	28	28	28	27	26	25	24	25	26	28	28	28	28	28	28	28	28	28	28	28				
MAX:	2.0		2.0	3.0	3.0	3.0	8.0	4.0	5.0	4.0	5.0	5.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	5.0		
AVG:	.61		.82	.89	.93	1.07	1.25	1.14	1.59	1.81	2.04	1.96	1.84	1.73	1.64	1.43	1.29	1.18	1.07	.96	.96	.86	.82	.89					

MONTHLY OBSERVATIONS: 629 MONTHLY MEAN: 1.24 MONTHLY MAX: 8.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0	
2	1.0	BD	1.0	1.0	3.0	4.0	5.0	4.0	4.0	4.0	6.0	3.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	23	6.0	
3	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
4	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BA	BA	BF	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	20	2.0	
5	1.0	BD	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
6	1.0	BD	1.0	2.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	23	3.0	
7	.0	BD	.0	.0	.0	.0	.0	.0	2.0	4.0	4.0	4.0	4.0	4.0	4.0	3.0	2.0	2.0	2.0	1.0	1.0	.0	1.0	1.0	23	4.0	
8	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	5.0	6.0	6.0	6.0	5.0	4.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	2.0	23	6.0	
9	1.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	3.0	4.0	2.0	2.0	1.0	1.0	1.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	23	4.0	
10	1.0	BD	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	23	2.0	
11	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	1.0	1.0	23	3.0	
16	1.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
18	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	5.0	3.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	23	5.0	
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	3.0	3.0	3.0	5.0	4.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	21	5.0	
20	1.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	23	2.0	
21	2.0	BD	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	23	2.0	
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	1.0	
23	.0	BD	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
24	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
25	1.0	BD	.0	.0	.0	.0	.0	1.0	1.0	2.0	2.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	1.0	
27	1.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
30	.0	BD	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
31	.0	BD	2.0	2.0	2.0	1.0	1.0	1.0	BA	BA	BA	BF	BF	1.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	18	2.0	
NO.:	31		31	31	31	31	31	31	30	28	28	29	30	31	31	31	31	31	31	31	31	31	31	31			
MAX:	2.0		2.0	2.0	3.0	4.0	5.0	4.0	4.0	4.0	6.0	6.0	6.0	6.0	5.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0			
AVG:	.45		.42	.35	.45	.42	.45	.48	.80	1.07	1.25	1.24	1.07	.97	.90	.84	.58	.71	.65	.42	.32	.26	.39	.39			

MONTHLY OBSERVATIONS: 703 MONTHLY MEAN: .64 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	23	3.0	
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	3.0	4.0	.0	23	4.0	
5	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	23	1.0	
6	2.0	BD	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	23	2.0	
7	2.0	BD	1.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	23	2.0	
8	1.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0	
10	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
11	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	6.0	3.0	.0	1.0	.0	.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	23	6.0	
13	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	1.0	.0	.0	23	1.0	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	BF	BC	BC	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	0.0	
16	.0	BD	.0	.0	.0	1.0	1.0	3.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	1.0	.0	.0	23	3.0	
17	.0	BD	.0	.0	.0	1.0	1.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	.0	BD	.0	.0	.0	.0	.0	.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
23	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
24	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	0	
25	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	0	
26	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	0	
27	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	0	
28	AE	AE	AE	AE	AE	AE	AE	BC	BC	BA	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	14	1.0	
29	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	1.0	1.0	1.0	.0	23	2.0	
30	.0	BD	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
31																									0		
NO.:	25		25	25	25	25	25	25	24	24	25	25	26	26	26	26	26	26	26	26	26	26	26	26	26		
MAX:	2.0		1.0	1.0	1.0	1.0	1.0	3.0	6.0	3.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	3.0	4.0	2.0		
AVG:	.20		.08	.04	.04	.04	.12	.28	.83	.67	.60	.68	.65	.58	.46	.38	.42	.35	.31	.19	.12	.27	.35	.15			

MONTHLY OBSERVATIONS: 585 MONTHLY MEAN: .34 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
5	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
7	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	.0	.0	.0	.0	1.0	1.0	23	2.0
8	1.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
10	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
11	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	.0	.0	1.0	1.0	1.0	2.0	23	2.0
15	1.0	BD	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	.0	23	2.0
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
21	.0	BD	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
23	.0	BD	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
27	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	BA	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	20	1.0
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
31	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
NO.:	31		31	31	31	31	31	31	30	30	29	30	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	1.0		1.0	0.0	0.0	0.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	0.0	1.0	1.0	2.0	2.0		
AVG:	.06		.03	0.00	0.00	0.00	.03	.10	.20	.17	.17	.20	.10	.13	.06	.03	.10	.10	.03	0.00	.03	.06	.13	.10		

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: .08 MONTHLY MAX: 2.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
5	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
7	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
8	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	2.0	2.0	1.0	23	2.0		
10	1.0	BD	.0	.0	.0	.0	.0	BF	BF	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0	
11	.0	BD	.0	.0	.0	.0	.0	1.0	2.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	4.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
13	.0	BD	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
18	.0	BD	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
23	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
24	.0	BD	1.0	1.0	.0	1.0	2.0	BF	BA	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	2.0	
25	.0	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
26	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	1.0	
29	1.0	BD	1.0	.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
31																										0	
NO.:	30		30	30	30	30	30	28	28	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30			
MAX:	1.0		1.0	1.0	1.0	1.0	2.0	1.0	2.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	1.0	2.0	2.0	1.0			
AVG:	.07		.13	.03	.03	.03	.07	.21	.32	.40	.30	.10	.07	.10	.13	.10	.10	.03	.03	0.00	.03	.07	.07	.07			

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: .11 MONTHLY MAX: 4.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM				
1	.0	BD	.0	.0	.0	.0	.0	1.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	3.0			
2	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0		
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0		
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	23	2.0		
5	.0	BD	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0		
6	.0	BD	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0		
7	.0	BD	.0	.0	.0	.0	1.0	BF	BF	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	21	1.0		
8	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
10	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
11	.0	BD	.0	.0	.0	.0	.0	1.0	3.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	.0	BD	.0	.0	.0	.0	.0	BF	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
22	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
24	.0	BD	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
26	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
27	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
28	.0	BD	.0	.0	.0	.0	.0	.0	BA	BC	BC	BC	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	0.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
31	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
NO.:	31		31	31	31	31	31	29	27	28	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
MAX:	0.0		1.0	0.0	0.0	0.0	1.0	1.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVG:	0.00		.10	0.00	0.00	0.00	.06	.14	.30	.39	.30	.30	.29	.26	.19	.23	.13	.13	.13	.06	.03	.06	.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: .13 MONTHLY MAX: 3.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
5	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	0.0
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
7	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
8	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
10	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
11	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	AZ	AZ	AZ	AZ	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	0.0
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
19	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0
20	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
26	.0	BD	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
30	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
31	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
NO.:	31		31	31	31	31	31	31	29	28	29	30	30	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	0.0		0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AVG:	0.00		0.00	0.00	0.00	0.00	0.00	0.00	.10	.07	.07	.10	.13	.10	.13	.10	.10	.03	.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MONTHLY OBSERVATIONS: 704 MONTHLY MEAN: .04 MONTHLY MAX: 2.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
5	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
7	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
8	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
10	.0	BD	.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
11	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0
16	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	BA	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	1.0
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
20	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
23	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0
24	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
30	.0	BD	.0	.0	.0	.0	.0	.0	BF	BF	BF	.0	.0	.0	.0	.0	AV	AV	.0	.0	.0	.0	.0	.0	.0	18	0.0
31																										0	
NO.:	30		30	30	30	30	30	30	28	28	28	29	29	30	30	30	29	29	30	30	30	30	30	30	30		
MAX:	0.0		0.0	0.0	0.0	0.0	1.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0		
AVG:	0.00		0.00	0.00	0.00	0.00	.03	.07	.25	.46	.50	.45	.38	.30	.33	.27	.24	.17	.07	0.00	0.00	0.00	0.00	0.00	0.00		

MONTHLY OBSERVATIONS: 680 MONTHLY MEAN: .15 MONTHLY MAX: 2.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM			
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0		
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
5	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
7	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
8	.0	BD	.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
10	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
11	.0	BD	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	3.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
13	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
14	.0	BD	.0	.0	.0	.0	.0	BF	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
17	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	23	2.0		
18	2.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	23	2.0	
19	1.0	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	2.0	
22	1.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
28	.0	BD	.0	.0	.0	.0	.0	.0	BA	AN	.0	.0	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	9	0.0
29	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	13	1.0	
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
31	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
NO.:	30		30	30	30	30	30	29	28	28	30	31	30	30	30	30	30	30	30	30	30	30	30	30	30	30			
MAX:	2.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	2.0	3.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0			
AVG:	.13		.07	.07	.03	.03	.03	.10	.36	.61	.50	.48	.40	.33	.33	.33	.30	.13	.03	.03	.07	.07	.03	.10					

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: .20 MONTHLY MAX: 3.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
2	.0	BD	.0	.0	.0	1.0	1.0	2.0	3.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	23	3.0
3	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
4	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
5	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
6	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
7	.0	BD	1.0	1.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
8	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
9	1.0	BD	.0	.0	.0	.0	.0	.0	2.0	BF	BF	BF	BA	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	19	2.0
10	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
11	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	2.0	1.0	.0	.0	.0	.0	23	2.0
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
13	.0	BD	1.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	4.0
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	6.0	6.0	5.0	4.0	3.0	3.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	6.0
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	2.0
19	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	1.0
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
31																										0	
NO.:	30		30	30	30	30	30	30	30	28	28	28	29	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	1.0		1.0	1.0	0.0	1.0	1.0	2.0	3.0	3.0	6.0	6.0	5.0	4.0	3.0	3.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0		
AVG:	.03		.07	.03	0.00	.03	.03	.07	.23	.36	.68	.57	.55	.43	.37	.37	.37	.23	.10	.17	.10	.03	.07	.03			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: .21 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-117-0001 POC: 1
 COUNTY: (117) Martin
 CITY: (34320) Jamesville
 SITE ADDRESS: 1210 Hayes Street
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (168) NORTHERN COASTAL PLAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: AGRICULTURAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 35.81066
 LONGITUDE: -76.906249
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 14
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0		
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	BF	BF	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	0.0	
3	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
4	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
5	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	1.0	
6	.0	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
7	.0	BD	.0	.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
8	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
9	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	2.0	
10	.0	BD	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
11	.0	BD	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	2.0	
14	1.0	BD	1.0	1.0	1.0	.0	.0	.0	1.0	BF	BF	BF	BF	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	19	1.0	
15	1.0	BD	2.0	2.0	3.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	3.0	
16	.0	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	2.0	
18	.0	BD	.0	.0	1.0	.0	.0	3.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0	
19	1.0	BD	1.0	2.0	3.0	2.0	2.0	2.0	2.0	4.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	23	4.0	
20	4.0	BD	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0	
21	1.0	BD	1.0	1.0	1.0	2.0	2.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	4.0	23	4.0	
22	3.0	BD	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	3.0	
23	3.0	BD	3.0	2.0	3.0	3.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.0	
24	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	2.0	23	3.0	
26	2.0	BD	1.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	23	2.0		
27	2.0	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	2.0	
28	2.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	BF	BF	BF	2.0	1.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	4.0	5.0	5.0	20	5.0	
29	6.0	BD	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	4.0	5.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	23	6.0	
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	3.0	
31	.0	BD	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	4.0	4.0	4.0	3.0	3.0	2.0	2.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	23	4.0	
NO.:	31		31	31	31	31	31	31	31	29	28	28	29	31	31	31	31	31	31	31	31	31	31	31	31			
MAX:	6.0		4.0	4.0	4.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	4.0	5.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	5.0			
AVG:	.90		.77	.68	.84	.71	.74	.90	1.19	1.45	1.61	1.57	1.38	1.39	1.23	1.29	1.16	1.00	.81	.77	.71	.65	.71	.84				

MONTHLY OBSERVATIONS: 703 MONTHLY MEAN: 1.01 MONTHLY MAX: 6.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality
 MONITOR TYPE: SLAMS

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
2	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
3	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
4	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
5	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
6	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
7	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
8	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
9	3.5	3.2	2.7	BA	2.4	2.1	2.1	2.1	1.8	2.3	2.5	1.7	1.6	1.7	1.7	1.6	1.8	1.5	1.4	1.4	1.5	1.5	1.3	1.2	23	3.5	
10	1.2	1.3	1.2	BA	1.2	1.1	1.2	1.4	1.5	1.6	1.6	1.5	1.6	3.4	2.9	1.4	1.9	1.7	1.3	1.2	2.6	4.5	4.4	3.7	23	4.5	
11	3.9	3.6	3.0	BA	3.8	4.1	4.8	7.6	4.5	8.3	AV	3.3	1.9	1.3	.8	.6	.7	.8	1.1	1.0	1.4	1.2	1.8	3.4	22	8.3	
12	2.3	2.4	4.3	BA	2.0	1.4	1.2	2.1	3.1	2.9	2.3	AZ	AZ	AZ	1.9	2.3	2.4	2.4	2.0	2.4	2.9	2.8	2.6	2.5	20	4.3	
13	2.3	2.1	1.4	1.0	1.3	1.5	1.6	3.2	5.3	4.0	3.2	3.4	3.4	BA	13.3	7.5	5.6	3.7	3.9	3.1	4.0	3.6	2.7	1.9	23	13.3	
14	1.8	1.7	1.5	BA	1.3	2.1	2.9	3.3	3.9	4.7	5.0	7.2	7.5	9.8	12.0	11.6	9.7	8.6	7.7	6.9	6.5	5.7	5.6	4.0	23	12.0	
15	4.0	4.2	3.1	BA	1.7	1.9	2.6	3.7	6.3	5.9	8.9	15.0	14.5	12.2	9.0	7.6	6.2	6.1	5.8	7.8	6.4	7.8	6.3	6.6	23	15.0	
16	6.6	5.9	7.2	BA	7.0	5.9	5.5	5.8	5.7	6.5	4.8	3.9	5.3	5.3	3.7	4.3	4.0	4.0	1.6	1.2	1.0	1.0	1.1	.5	23	7.2	
17	.3	.1	.1	BA	.1	.1	.1	.1	.0	.1	.2	.2	.3	.3	.3	.2	.2	.2	.2	.2	.1	.2	.2	.3	23	.3	
18	.2	.2	.2	BA	.1	.1	.2	.5	.8	1.2	.8	1.1	.4	.3	.3	.5	.4	.2	.3	.4	.4	.9	2.0	1.4	23	2.0	
19	.9	.7	.9	BA	1.7	2.7	3.0	3.6	4.6	2.6	1.1	BF	BF	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	10	4.6	
20	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	0	
21	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	AN	BC	BC	.3	.3	.3	.3	.2	.2	.1	.2	.3	.3	.3	11	.3	
22	.3	.2	.1	BA	.1	.1	.0	.1	.1	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.1	.2	.3	.1	23	.3		
23	.0	.1	.0	BA	.0	.0	.0	.0	.2	.4	1.0	1.0	.8	.4	.5	.6	.8	.8	.6	1.2	.8	.6	.9	23	1.2		
24	.7	.7	.6	BA	.3	.2	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	23	.7	
25	.0	.0	.0	BA	.1	.8	.8	.5	.5	.3	.2	.1	.1	.0	.0	.1	.1	.2	.2	.1	.2	.1	.1	23	.8		
26	.4	.2	.2	BA	.1	.1	.1	.1	.2	.2	.2	.2	.2	.3	.5	.2	.3	.7	.0	.0	.0	.0	.1	.1	23	.7	
27	.3	.3	.2	BA	.5	.6	.7	1.8	2.1	1.2	.6	.6	1.0	1.6	1.7	2.4	3.7	5.7	6.1	5.0	5.1	4.7	3.6	4.0	23	6.1	
28	3.0	2.2	1.2	BA	.9	.4	.5	.8	2.8	2.0	.9	BF	BF	1.5	1.4	1.5	.9	1.2	.6	.9	.6	.7	.9	1.0	21	3.0	
29	.8	.9	1.2	BA	.9	1.0	2.2	3.4	1.7	1.6	1.9	1.5	1.4	1.2	1.2	1.1	.8	.6	.7	.6	.6	.7	.5	.4	23	3.4	
30	.4	.5	.5	BA	1.2	1.2	1.0	1.0	1.4	1.7	4.1	5.7	3.9	3.1	3.4	3.9	5.7	4.2	5.0	3.0	1.5	1.1	.8	.8	23	5.7	
31	.7	.7	.5	BA	.3	.3	.4	.6	.9	1.2	1.1	1.0	.8	.7	.7	.7	.6	.6	.7	.9	.9	.9	.8	.5	23	1.2	
NO.:	21	21	21	1	21	21	21	21	21	21	20	18	18	19	21	21	22	22	22	22	22	22	22	22	22		
MAX:	6.6	5.9	7.2	1.0	7.0	5.9	5.5	7.6	6.3	8.3	8.9	15.0	14.5	12.2	13.3	11.6	9.7	8.6	7.7	7.8	6.5	7.8	6.3	6.6			
AVG:	1.60	1.49	1.43	1.00	1.29	1.32	1.47	1.99	2.26	2.32	2.03	2.64	2.49	2.31	2.65	2.30	2.15	2.05	1.91	1.83	1.85	1.93	1.78	1.67			

MONTHLY OBSERVATIONS: 483 MONTHLY MEAN: 1.93 MONTHLY MAX: 15.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	.6	.8	.7	BA	.8	1.3	1.4	3.0	3.4	19.8	9.7	7.3	5.4	2.0	.9	.6	.7	1.5	1.5	1.9	1.7	1.9	1.8	1.1	23	19.8		
2	.8	.9	.9	BA	1.4	1.5	1.0	.9	.8	.3	.2	.2	.2	.2	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	23	1.5	
3	.0	.1	.1	BA	.1	.1	.0	.0	.2	.4	.7	1.0	1.2	.8	.7	.7	.6	.6	.6	1.0	1.6	1.5	1.0	1.0	23	1.6		
4	.9	.8	.5	BA	.5	.8	1.1	1.6	1.9	2.0	2.3	2.3	2.1	2.3	2.6	3.0	2.4	2.0	1.9	1.2	1.0	1.0	1.8	1.5	23	3.0		
5	.8	1.2	1.2	BA	.8	.8	1.0	.9	.5	.3	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.2	
6	.0	.0	.0	BA	.1	.1	.2	.3	.5	.8	.8	.7	.7	.7	.7	.9	1.0	.6	.7	.6	.5	.5	.4	.3	23	1.0		
7	.2	.2	.3	BA	.6	.8	.4	.2	.8	2.0	2.3	1.7	1.6	4.0	7.1	4.9	4.5	4.1	2.2	1.6	1.5	1.6	2.3	1.5	23	7.1		
8	2.1	5.3	10.1	BA	1.3	1.7	3.7	3.6	2.9	3.4	3.3	3.0	2.4	2.1	1.9	2.0	1.9	1.7	1.5	1.6	1.5	1.2	1.1	1.1	23	10.1		
9	.9	1.0	1.0	BA	1.0	1.8	1.8	1.8	1.6	BF	BF	1.2	1.1	1.2	1.1	.6	.4	.2	.2	.2	.1	.0	.0	.1	21	1.8		
10	.2	1.7	2.0	BA	8.4	9.0	9.8	1.7	1.7	2.1	1.3	.4	.5	.6	.6	.5	.5	.5	.5	.6	.6	.7	.7	.6	23	9.8		
11	.6	.5	.5	BA	6.1	4.5	1.2	1.2	1.8	2.1	1.6	1.9	9.7	1.9	1.2	1.6	4.4	3.6	1.3	.4	.3	.3	.4	.4	23	9.7		
12	.5	.5	.4	BA	.2	.2	.3	.6	.7	1.7	4.0	2.4	1.6	1.0	1.0	1.0	1.1	.9	.4	.2	.2	.2	.2	.1	23	4.0		
13	.1	.1	.2	BA	.1	.1	.1	.3	.6	1.1	2.7	3.7	4.2	2.3	2.5	1.2	.8	.8	1.1	10.1	3.7	2.5	2.3	2.2	23	10.1		
14	4.5	11.3	6.8	BA	1.6	1.0	1.0	1.3	1.3	3.8	7.3	6.5	.9	1.4	1.1	3.1	1.5	.9	.6	.6	.8	.7	.7	.7	23	11.3		
15	.5	.5	.4	BA	.3	.6	.6	2.1	2.2	.8	.4	.3	.3	.1	.1	.1	.2	.2	2.3	9.4	15.7	3.1	3.2	2.7	23	15.7		
16	1.8	1.7	1.5	BA	.9	.8	.8	1.1	.9	.5	1.2	2.4	2.8	3.3	1.3	.1	.9	1.6	.8	.3	.4	.5	.5	7.1	23	7.1		
17	4.4	.6	1.4	BA	1.0	.6	.9	1.8	1.9	6.7	.6	1.1	2.2	.5	.6	.7	3.1	4.1	.5	.2	.3	.3	5.0	5.6	23	6.7		
18	.3	2.1	.9	BA	.5	.3	.4	.6	.8	BF	8.9	7.0	8.0	6.7	1.6	.5	.6	.9	2.3	1.0	1.2	.4	.6	1.3	22	8.9		
19	1.2	1.1	.9	BA	1.2	1.2	1.7	2.3	2.6	3.6	2.8	6.4	3.8	2.7	1.0	1.3	.9	.7	.7	.7	1.8	2.5	3.0	2.4	23	6.4		
20	1.9	3.4	3.7	BA	3.9	3.3	3.1	3.8	2.3	1.4	1.6	1.7	2.0	2.6	3.3	2.7	2.1	1.9	1.8	2.7	3.6	3.3	5.1	4.5	23	5.1		
21	4.7	3.6	3.4	BA	3.4	3.8	3.5	3.7	2.9	2.8	8.1	4.6	4.3	2.8	2.1	1.8	1.6	1.6	1.8	1.9	1.9	2.1	2.5	3.2	23	8.1		
22	3.7	3.9	10.4	BA	4.4	3.9	2.6	2.0	1.9	1.2	1.2	1.2	2.0	1.9	.6	.4	.3	.2	.1	.1	.2	.7	.7	1.4	23	10.4		
23	1.6	1.1	1.5	BA	2.0	2.3	1.5	2.0	1.7	1.7	1.5	1.6	1.5	1.0	.7	.7	.6	1.2	.9	.4	.6	.4	.5	.5	23	2.3		
24	.6	.6	1.0	BA	.9	1.2	1.4	1.4	1.9	2.9	1.5	.5	.6	.6	.6	.6	.4	.2	.1	.1	.1	.1	.1	.2	23	2.9		
25	.4	.3	.6	BA	.8	2.2	1.2	1.3	1.8	1.7	1.7	2.5	3.0	2.6	3.2	2.1	2.8	4.4	3.1	1.9	1.6	1.3	1.1	1.5	23	4.4		
26	1.1	1.3	1.3	BA	1.0	.7	.8	1.0	1.1	.8	.7	.5	.4	.4	.4	.4	.5	.6	.6	.8	.7	.9	.8	.9	23	1.3		
27	1.0	1.1	1.8	BA	1.4	1.2	1.3	1.4	1.4	1.0	3.1	3.5	3.6	2.5	2.5	1.1	1.4	1.1	1.0	1.2	1.7	1.7	1.5	1.4	23	3.6		
28	1.0	.9	2.3	BA	3.5	1.0	.6	.7	.6	.6	.6	.5	.5	.7	.8	.8	.7	.7	.8	.7	1.0	1.7	1.1	.6	23	3.5		
29																										0		
30																											0	
31																											0	
NO.:	28	28	28		28	28	28	28	28	26	27	28	28	28	28	28	28	28	28	28	28	28	28	28	28			
MAX:	4.7	11.3	10.4		8.4	9.0	9.8	3.8	3.4	19.8	9.7	7.3	9.7	6.7	7.1	4.9	4.5	4.4	3.1	10.1	15.7	3.3	5.1	7.1				
AVG:	1.30	1.66	1.99		1.72	1.67	1.55	1.52	1.53	2.52	2.60	2.36	2.38	1.75	1.44	1.20	1.29	1.32	1.05	1.48	1.58	1.11	1.37	1.57				

MONTHLY OBSERVATIONS: 641 MONTHLY MEAN: 1.65 MONTHLY MAX: 19.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.4	.3	.2	BA	.9	1.5	2.1	2.1	3.2	BF	.5	.6	2.3	7.5	1.2	.8	.8	6.8	5.2	2.1	2.1	1.7	.8	.6	22	7.5	
2	.5	.4	1.4	2.1	1.3	2.0	2.2	1.8	1.9	2.9	2.8	1.9	1.1	.9	1.8	.6	1.1	.8	.6	.6	.5	.5	.4	.4	24	2.9	
3	.3	.3	.3	.2	.2	.3	1.3	3.0	3.0	2.8	3.3	3.5	3.4	3.0	3.0	3.5	3.5	2.4	5.9	2.3	1.4	1.7	2.1	1.2	24	5.9	
4	.6	.6	.5	.9	.9	1.1	1.5	1.8	2.0	1.2	1.3	.4	.6	1.0	.9	1.1	.9	1.2	1.4	1.4	4.1	1.3	1.1	1.1	24	4.1	
5	1.2	1.2	1.1	1.1	.9	1.3	2.0	3.2	2.0	1.1	1.0	1.2	1.0	.9	.8	.8	.8	.8	.7	.9	1.3	1.6	2.3	2.9	24	3.2	
6	3.1	3.2	3.5	3.4	2.7	2.5	2.2	3.4	5.0	5.1	4.3	3.5	2.4	2.1	2.3	2.1	2.0	1.9	1.7	1.8	2.3	3.5	2.7	2.3	24	5.1	
7	2.4	1.9	1.3	1.1	1.1	1.1	1.5	1.9	1.2	1.6	1.5	1.2	1.2	1.7	1.4	1.2	.8	.8	.8	.8	.8	.8	.9	.7	24	2.4	
8	.7	1.0	.9	1.4	2.1	2.0	3.9	5.4	2.8	2.3	1.7	1.4	1.3	1.0	.9	.9	.8	.7	.7	.8	1.4	2.4	1.1	1.3	24	5.4	
9	.9	1.1	.8	.7	1.0	1.2	1.5	4.6	3.2	2.6	1.7	1.4	.8	.7	.6	.6	.7	1.1	1.4	1.3	1.2	1.1	1.1	1.3	24	4.6	
10	1.4	1.5	1.3	1.2	.8	.9	1.0	.9	.9	1.6	1.4	1.4	1.5	.8	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.2	24	1.6
11	.3	.4	.4	.2	.1	.0	.1	.1	BF	BF	BF	.5	.4	.3	.6	.1	.1	.1	.0	.0	.0	.0	.0	.0	21	.6	
12	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	0.0
13	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.1	.0	.0	.0	.0	.0	.0	.0	.1	.5	.6	.2	24	.6	
14	.0	.0	.0	.0	.0	.0	.0	.0	.4	.9	.9	.3	.2	.3	.4	.1	.2	.0	.1	.1	.1	.4	.8	.1	24	.9	
15	.0	.0	.0	.1	.1	.3	.5	.7	.8	.7	.8	.8	.9	.8	.4	.2	.2	.1	.1	.0	.0	.0	.0	.0	.0	24	.9
16	.1	.2	.4	.2	.1	.3	1.1	1.0	.5	.4	.4	.3	.3	.2	.2	.2	.2	.1	.1	.1	.2	.2	.4	.4	24	1.1	
17	.5	.3	.2	.1	.1	.2	2.2	3.6	1.3	.2	.3	.3	.3	.3	.2	.3	.3	.3	.4	.3	.3	.3	.3	.3	.3	24	3.6
18	.3	.4	.4	.4	.3	.8	2.0	1.9	1.2	2.2	1.5	1.7	1.5	1.4	1.2	.8	.8	.6	.6	.5	.4	.3	.2	.3	24	2.2	
19	.4	.9	1.0	1.3	1.6	2.0	2.5	3.2	2.4	2.2	1.1	.5	.5	.5	.6	.6	.5	.4	.5	.4	.6	.8	.8	.5	24	3.2	
20	.5	.7	1.0	.9	.8	.8	.8	1.0	.8	.6	.5	1.0	1.7	1.0	.6	.4	.3	.4	.4	.5	.5	.5	.4	.4	24	1.7	
21	.4	.4	.5	.5	.4	.3	.3	.3	1.5	.8	.4	.3	.5	.4	.3	.2	.1	.0	.0	.0	.1	.1	.1	.0	24	1.5	
22	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.2	.2	.1	.1	24	.2	
23	.1	.0	.1	.2	.1	.1	.1	.3	BF	BF	.3	.4	.3	.2	.1	.0	.0	.0	.0	.1	.1	.2	.1	.2	22	.4	
24	.2	.4	.6	.6	.7	.7	1.0	1.8	1.9	.8	.4	.3	.3	.3	.4	.2	.2	.2	.1	.2	.3	.3	.3	.5	24	1.9	
25	.6	.8	.8	.8	.7	.4	.5	.9	.9	.9	.7	.4	.4	.3	.3	.4	.4	.3	.2	.2	.3	.8	.7	.4	24	.9	
26	.2	.2	.2	.1	.1	.1	.2	.2	.3	BA	.0	.0	.0	.2	.1	.4	.3	.3	.3	.4	.4	.3	.2	.2	23	.4	
27	.2	.2	.2	.1	.0	.1	.2	.3	.9	1.0	.6	.7	1.0	1.0	.8	.6	.5	1.0	.6	.5	.6	.7	.6	.8	24	1.0	
28	1.1	.4	.2	.2	.3	.3	.3	.2	.1	.1	.1	.4	.8	.1	.2	.4	.2	.3	.4	.6	.1	.0	.0	.0	24	1.1	
29	.0	.0	.0	.0	.0	.0	.0	.0	.1	BA	BA	BA	BA	.0	.0	.0	.1	.0	.0	.0	.2	.7	.1	.1	20	.7	
30	1.2	.1	.1	.3	.6	.6	.6	.7	.7	.7	.8	.8	.7	.5	.4	.2	.2	.2	.1	.2	.4	.7	.6	.6	24	1.2	
31	.6	.4	.4	.4	.4	.6	1.6	BF	BF	.7	.7	.6	.4	.4	.6	.5	.3	.6	.3	.2	.2	.3	.3	.4	22	1.6	
NO.:	31	31	31	30	31	31	31	30	28	26	29	30	30	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	3.1	3.2	3.5	3.4	2.7	2.5	3.9	5.4	5.0	5.1	4.3	3.5	3.4	7.5	3.0	3.5	3.5	6.8	5.9	2.3	4.1	3.5	2.7	2.9			
AVG:	.59	.56	.57	.62	.59	.69	1.07	1.48	1.40	1.29	1.01	.86	.87	.90	.66	.55	.53	.69	.73	.53	.65	.71	.62	.56			

MONTHLY OBSERVATIONS: 730 MONTHLY MEAN: .77 MONTHLY MAX: 7.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.6	.3	.2	.2	.3	1.1	1.7	4.3	2.0	1.0	1.3	.7	.6	.4	.5	.7	.4	.4	.4	.5	.9	.5	.4	.5	24	4.3	
2	.5	.6	1.4	1.9	1.4	.8	.9	1.6	1.8	3.1	2.4	2.1	1.4	1.5	1.7	1.9	1.3	1.1	1.2	.9	1.1	1.3	1.2	1.6	24	3.1	
3	1.8	2.0	2.5	2.5	2.1	1.9	1.9	2.2	1.7	1.7	2.8	1.7	1.3	1.2	1.1	.9	1.5	2.1	1.5	1.3	1.3	1.2	1.1	1.0	24	2.8	
4	.9	.9	.8	.6	.6	.4	.2	.9	1.0	.8	.7	.8	.7	.6	.5	.5	.5	.5	.4	.3	.4	.6	.4	.2	24	1.0	
5	.2	.1	.2	.4	.3	.1	.1	.7	1.7	4.3	2.8	1.4	1.0	1.1	1.3	.5	.4	.4	.3	.3	.3	1.6	1.1	.4	24	4.3	
6	1.0	.3	.3	.4	.5	.6	.7	1.2	1.4	AZ	AZ	AZ	AZ	AZ	.5	.4	.4	.3	.3	.4	.4	1.3	1.2	1.0	19	1.4	
7	.7	.6	.9	.8	.7	.4	.7	1.3	1.1	.9	.6	.9	1.3	.8	.9	.8	.8	.6	.6	.6	.5	.5	.5	.9	24	1.3	
8	1.1	1.3	1.0	.8	.8	.7	.7	1.3	.9	.4	.7	.6	.1	.1	.1	.3	.5	.3	.1	.0	.0	.0	.0	.2	24	1.3	
9	.0	.0	.0	.0	.1	.5	.9	.2	.3	.5	.4	1.3	1.0	.4	.5	.3	.2	.2	.3	2.5	5.3	6.0	3.3	3.3	24	6.0	
10	.9	.4	.4	.7	.9	.5	.7	.9	1.1	1.1	.7	.5	.4	.4	.3	.3	.3	.3	.3	.4	.4	.6	.5	.4	24	1.1	
11	.3	.2	.2	.3	.3	.2	.8	3.4	1.5	1.2	1.0	.7	.6	.5	.4	.4	.3	.3	.4	.5	.5	.5	.4	.3	24	3.4	
12	.2	.2	.2	.1	.1	.3	2.3	2.6	1.1	1.4	1.9	2.2	1.9	1.8	1.5	1.4	1.4	1.4	1.3	1.1	1.0	.9	.7	.6	24	2.6	
13	1.0	.9	.8	.7	.3	.2	1.2	1.2	BF	BF	1.2	1.2	1.1	1.0	.8	.7	.7	.8	1.1	1.3	1.2	.8	.7	.8	22	1.3	
14	.8	1.7	1.5	1.0	1.0	1.8	1.6	1.1	.7	BF	BF	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	BA	9	1.8
15	BA	BA	BA	BA	BA	BA	BA	BA	BC	BC	BC	3.1	2.1	1.2	.8	.7	.7	.4	.4	.3	.3	.3	.3	.2	13	3.1	
16	.2	.3	.2	.1	.1	1.2	1.0	1.5	1.6	3.4	1.9	1.3	1.8	1.7	.8	.7	.5	.5	.7	.8	.9	.9	1.0	.9	24	3.4	
17	1.0	.8	.8	.9	.6	.5	.7	.9	.5	.2	.2	.1	.1	.0	.1	.1	1.0	4.5	.2	.3	.4	.5	1.1	.5	24	4.5	
18	.2	.3	.4	.6	.8	.8	.5	1.6	2.2	1.5	.9	2.0	2.3	.4	.4	.5	.3	.3	.4	.5	.4	.4	.3	.4	24	2.3	
19	.3	.3	1.1	1.2	2.9	5.5	2.6	1.6	1.1	.8	1.4	1.4	1.3	1.2	2.2	4.3	3.3	3.3	2.4	1.8	1.5	1.4	1.1	.8	24	5.5	
20	1.0	.7	.5	.4	.4	.5	1.1	2.4	1.7	1.7	1.6	1.1	1.0	.9	.8	.8	.7	1.9	8.9	1.9	1.4	.8	.4	.3	24	8.9	
21	.1	.1	.0	.1	.1	.0	.2	.7	2.1	3.6	.2	.4	.3	.3	.2	3.7	4.3	.4	1.1	1.2	1.0	.8	.4	.3	24	4.3	
22	.8	.5	.3	.5	.3	.3	1.1	4.9	32.2	4.5	1.7	4.0	4.1	2.2	.7	.8	.8	.6	.9	.7	.7	.7	.6	.8	24	32.2	
23	.5	.3	.3	.7	.8	.8	1.2	4.2	2.8	BF	.3	.4	2.6	1.9	.7	.6	.8	1.0	1.3	1.1	.4	.4	.3	.8	23	4.2	
24	1.4	1.1	.8	.6	.5	.4	.2	.3	.5	.9	.6	.9	.2	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	1.4
25	.0	.0	.0	.0	.0	.1	.1	.2	.5	.1	.1	.0	.0	.0	.1	.1	.0	.0	.1	.1	.1	.1	.2	.2	24	.5	
26	.2	.2	.3	.2	.1	.1	.3	.8	1.6	1.3	.3	.1	.1	.1	.1	.3	.2	.2	.2	.0	.0	.0	.0	.0	.0	24	1.6
27	.0	.0	.0	.0	.0	.1	.1	.2	.1	.1	.1	.1	.1	.1	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	24	.2
28	.0	.0	.0	.1	.5	.1	.5	.6	.8	1.1	.9	.5	.5	.5	.5	.5	.4	.3	.3	.2	.4	.5	.4	.3	24	1.1	
29	.6	.8	.9	.5	.0	.1	1.4	1.9	1.5	.9	.6	.5	.4	.4	.4	.4	.4	.4	.4	.4	.3	.3	.3	.2	24	1.9	
30	.2	.1	.1	.0	.0	.2	.5	1.1	1.1	.9	.9	.7	.6	.5	.3	.3	.3	.3	.4	.3	.4	.4	.4	.4	24	1.1	
31																									0		
NO.:	29	29	29	29	29	29	29	29	28	25	27	28	28	28	29	29	29	29	29	29	29	29	29	29	29		
MAX:	1.8	2.0	2.5	2.5	2.9	5.5	2.6	4.9	32.2	4.5	2.8	4.0	4.1	2.2	2.2	4.3	4.3	4.5	8.9	2.5	5.3	6.0	3.3	3.3			
AVG:	.57	.52	.56	.56	.57	.70	.89	1.58	2.38	1.50	1.04	1.10	1.03	.76	.63	.79	.78	.79	.89	.68	.74	.80	.63	.60			

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: .87 MONTHLY MAX: 32.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.8	.8	.6	.3	.3	.2	.2	.5	.8	.4	.3	.2	.1	.1	.1	.1	.1	.1	.0	.0	.1	.3	.2	.3	24	.8	
2	.6	1.0	1.0	.6	.5	.3	.2	.1	.6	.4	.3	.3	.2	.3	.3	.4	.4	.3	.3	.5	.5	.8	.9	1.0	24	1.0	
3	1.4	1.7	1.5	1.2	1.2	1.0	1.0	.7	.2	.1	.0	.1	.2	.0	.0	.0	.1	.0	.0	.1	.1	.0	.0	.0	24	1.7	
4	.0	.3	.3	.6	.8	.5	.8	1.5	BF	BF	.4	.2	.3	.3	.2	.4	.9	.6	.3	.3	.2	.1	.1	.0	22	1.5	
5	.0	.0	.0	.0	.0	.1	.9	1.0	1.1	1.5	2.2	2.9	.6	.4	.3	.2	.2	.2	.2	.2	.2	.1	.1	.1	24	2.9	
6	.1	.1	.1	.1	.0	.0	.1	.8	1.2	.8	1.1	1.2	1.0	1.1	1.2	1.1	.9	.8	.7	.6	.6	.5	.8	.8	24	1.2	
7	.6	.6	.5	1.0	1.1	1.2	1.4	1.5	1.1	1.0	1.0	1.2	1.2	.9	.6	.4	.3	.3	.9	.9	.7	.6	1.1	.6	24	1.5	
8	.4	.3	.3	.3	.4	.3	.4	.7	1.1	.7	.4	.1	.0	.0	.0	.0	.3	.0	.0	.1	.2	.3	.3	.4	24	1.1	
9	.5	.7	.1	.0	.0	.1	.1	.6	.5	.9	.4	.3	.1	.1	.0	.0	.0	.1	.1	.1	.2	.1	.1	.0	24	.9	
10	.0	.0	.0	.0	.6	.8	1.0	1.4	1.5	.8	.6	.5	.5	.4	.4	.5	.4	.4	.4	.3	.3	.5	.3	.2	24	1.5	
11	.3	.3	.4	.3	.6	.5	.3	.2	.2	.1	.1	.0	.1	.2	.2	.5	.4	.3	.2	.1	.1	.1	.1	.0	24	.6	
12	.0	.0	.0	.0	.0	.0	.1	.6	.5	1.0	1.6	1.1	.5	.4	.3	.4	.3	.2	.4	.3	.2	.2	.2	.1	24	1.6	
13	.1	.1	.0	.0	.0	.0	.2	.8	.5	1.8	1.1	1.8	BF	BF	.4	.4	.5	.6	.5	.4	.3	.3	.4	.2	22	1.8	
14	.1	.0	.1	.1	.1	.0	.3	.8	.8	.9	.6	.8	.8	.6	.4	.4	.7	.9	.6	.6	.7	.7	1.1	1.1	24	1.1	
15	.5	.5	.9	.3	.2	.3	.3	2.0	3.8	3.8	.9	.6	.8	.7	1.0	.5	.1	.1	.1	.1	.2	.3	.2	.3	24	3.8	
16	.2	.3	.3	.1	.0	.5	.6	.5	.5	.4	.5	.8	.6	.3	.0	.0	.1	.1	.0	.1	.0	.0	.0	.0	24	.8	
17	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.1	.0	.0	.0	.3	.0	.0	.0	.0	.0	.4	24	.4	
18	.3	.1	.5	1.6	1.4	.2	.1	.0	.0	.0	.0	.0	.0	BA	.5	.8	.4	.2	.1	.1	.0	.1	.1	.1	23	1.6	
19	.1	.1	.0	BA	.0	.0	.1	.1	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.3	.2	23	.3	
20	.1	.1	.9	BA	1.9	2.1	.7	.5	1.0	1.4	1.9	1.3	1.1	.4	.2	.1	.1	.4	.6	.6	.5	.4	.4	.3	23	2.1	
21	.2	.1	.1	BA	.2	.4	.7	.8	.5	.2	.3	.3	.2	.9	.9	.6	.5	.2	.0	.0	.0	.0	.0	.0	23	.9	
22	.0	.0	.0	BA	.0	.0	.0	.1	.2	.3	.4	.3	.1	.1	.1	.0	.0	.2	.1	.0	.1	.4	.6	.4	23	.6	
23	.3	.1	.2	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.5	.8	.3	.1	.0	.0	.0	23	.8	
24	.0	.1	.2	BA	1.7	.9	.7	.5	.3	.0	.0	.1	.0	.0	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	23	1.7	
25	.2	.1	.1	BA	.0	.0	.2	.3	.0	.0	BF	BF	.0	.0	.1	.4	.5	.7	.6	.7	.5	.9	.3	.2	21	.9	
26	.2	1.0	.7	BA	1.1	.4	.9	1.2	1.0	.3	.2	.1	.1	.4	.5	.4	.3	.1	.3	.6	.6	.4	.5	.7	23	1.2	
27	.8	.9	.5	BA	.3	.6	1.3	.8	.8	.6	.4	.4	.4	.5	.3	.4	.5	.6	.7	.6	.5	.5	.4	.6	23	1.3	
28	1.0	1.0	.7	BA	.3	.8	1.0	.7	.5	.5	.4	.4	.3	.2	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
29	.0	.0	.0	BA	.0	.0	.3	.7	.8	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.0	23	.8	
30	.0	.1	.1	BA	.3	.2	.2	.1	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.3	.5	.6	.4	.2	.1	23	.6	
31	.1	.0	.0	BA	.2	.2	.5	.3	.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.2	.1	.1	23	.5	
NO.:	31	31	31	18	31	31	31	31	30	30	30	30	30	29	31	31	31	31	31	31	31	31	31	31	31		
MAX:	1.4	1.7	1.5	1.6	1.9	2.1	1.4	2.0	3.8	3.8	2.2	2.9	1.2	1.1	1.2	1.1	.9	.9	.9	.7	.9	.9	1.1	1.1			
AVG:	.29	.34	.33	.36	.43	.37	.47	.64	.67	.61	.51	.50	.31	.29	.27	.27	.26	.25	.25	.28	.25	.27	.29	.26			

MONTHLY OBSERVATIONS: 724 MONTHLY MEAN: .36 MONTHLY MAX: 3.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	BA	.0	.0	.0	.0	.0	.1	.2	.4	.5	.4	.4	.2	.0	.1	.0	.0	.0	.0	.0	.0	.0	23	.5
2	.0	.0	.0	BA	.0	.0	.3	.6	.6	.8	.7	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.8
3	.0	.0	.0	BF	.0	.0	.2	1.0	BF	BF	1.0	.9	.1	.2	.1	.0	.1	.1	.0	.0	.0	.0	.0	.0	.0	21	1.0
4	.0	.0	.0	BA	.0	.0	.1	.5	.6	.3	.3	.4	.5	.8	.8	.6	.5	.6	.3	.0	.0	.0	.0	.0	.1	23	.8
5	.1	.0	.0	BA	.1	.2	.7	1.0	.7	.5	.2	.2	.6	.8	.2	.3	.9	1.4	.9	.1	.1	.3	.4	.3	23	1.4	
6	.2	.3	.4	BA	.9	.7	.4	.2	.2	.2	.3	.7	.7	.4	.3	.2	.2	.2	.1	.6	.4	.5	.1	.1	23	.9	
7	.0	.0	.0	BA	.0	.1	.3	.2	.3	.5	.4	.4	.3	.4	.4	.4	.2	.2	.1	.1	.2	.2	.2	.3	23	.5	
8	.5	.5	.4	BA	.1	.2	.8	.9	1.5	1.6	1.2	.9	.7	.7	.9	.9	.7	.7	.3	.3	.2	.2	.2	.2	23	1.6	
9	.2	.3	.2	BA	.2	.5	.6	.6	.6	2.0	1.7	1.6	1.8	1.3	1.0	1.0	.5	.3	.2	.1	.0	.0	.2	1.7	23	2.0	
10	1.4	.8	1.2	BA	.4	.4	.5	1.0	1.8	1.6	15.3	8.7	.9	.7	.2	.1	.1	.0	.3	.3	2.3	.7	.3	.2	23	15.3	
11	.2	.2	.3	BA	.1	.1	1.3	4.3	2.6	1.6	1.5	2.4	2.4	1.9	1.6	1.6	1.4	1.2	1.1	.8	.6	.4	.3	23	4.3		
12	.3	.2	.3	BA	.3	.5	1.2	.9	.7	.8	2.3	3.8	1.4	.5	.5	.7	.7	.2	.2	.3	.3	.5	.6	1.2	23	3.8	
13	1.3	.8	.6	BA	.5	.2	.6	1.8	1.8	.4	.2	.2	.4	1.7	1.3	.1	.1	.0	.0	.0	.0	.0	.0	.1	23	1.8	
14	.1	.0	.0	BA	.0	.1	.4	.7	BF	BF	.4	10.7	7.0	.4	1.3	1.7	.1	.0	.0	.0	.0	.0	.1	.1	21	10.7	
15	.1	.3	.6	BA	.6	.5	1.5	3.9	6.2	9.0	3.8	2.6	1.8	2.0	2.5	.1	.0	.1	.0	.1	.1	.0	.1	.1	23	9.0	
16	.0	1.6	.7	BA	.4	.3	2.7	7.7	9.4	16.2	9.6	2.5	.6	.2	.2	.2	1.7	2.0	1.1	.6	.3	.1	1.4	23	16.2		
17	4.6	2.5	3.7	BA	.9	.7	.6	.7	.6	.6	.4	.2	1.3	5.5	.3	.2	.3	.9	2.7	3.3	.8	.3	.3	.2	23	5.5	
18	.5	.5	2.1	BA	2.1	.7	1.2	1.6	1.0	.8	.9	1.2	1.1	.9	.8	.6	.4	.4	.3	.3	.3	.4	.2	.1	23	2.1	
19	.0	.0	.0	BA	.0	.0	3.2	5.0	3.1	1.2	.6	.5	.4	.4	.5	.4	.3	.2	.2	.2	.1	.2	4.6	6.0	23	6.0	
20	.8	.3	.2	BA	.9	.4	.2	.2	.3	.4	.3	.2	.1	.1	.1	.2	.5	.5	.2	.2	.2	.2	.2	.3	23	.9	
21	.3	.2	.1	BA	.2	.2	.4	.8	1.1	.7	.6	.7	.6	.5	.4	.4	.5	.5	.5	.4	.3	.3	.3	.3	23	1.1	
22	.3	.2	.1	BA	.2	.2	.4	.6	2.6	15.0	6.1	4.3	1.0	3.6	3.6	2.0	4.0	6.8	4.0	2.5	.9	.4	.5	1.3	23	15.0	
23	.4	.2	.2	BA	.1	.1	.5	.7	.6	1.0	1.5	2.4	2.7	2.1	1.2	.3	.1	.2	.2	.7	.2	.2	.1	.1	23	2.7	
24	.1	.1	.2	BA	.2	.2	.6	1.1	BF	BF	10.1	.4	.7	.7	.8	1.1	1.3	1.3	.4	.2	.4	1.9	11.1	11.5	21	11.5	
25	6.2	2.3	1.0	BA	.7	.5	.6	3.7	1.5	.7	.5	.6	.5	.4	.3	.2	.2	.2	.2	.4	.4	.4	.3	.2	23	6.2	
26	.1	.1	.1	BA	.6	.3	.2	.8	1.0	.7	1.4	3.6	2.3	.4	3.5	3.1	3.2	2.3	1.6	1.4	.7	.6	.3	.7	23	3.6	
27	.6	.8	3.3	BA	1.7	1.6	1.0	2.8	.9	1.5	1.9	1.6	.8	.4	.4	.2	.0	.0	.4	1.2	1.0	.9	.3	23	3.3		
28	.2	.2	.1	BA	.2	.4	.8	1.3	.6	.5	3.3	1.3	.6	.6	.5	.2	.3	.6	.4	.4	.2	.4	1.0	1.3	23	3.3	
29	.7	.4	.2	BA	.2	.2	.5	.7	1.4	AZ	AZ	8.3	3.4	7.9	2.6	.3	.3	.7	2.3	2.8	1.2	.5	.4	.2	21	8.3	
30	.1	.0	.0	BA	.0	.0	.0	.2	.2	.1	.2	.2	.0	.1	.2	.3	.7	.4	.2	.2	.1	.1	.2	.3	23	.7	
31																										0	
NO.:	30	30	30		30	30	30	30	27	26	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	6.2	2.5	3.7		2.1	1.6	3.2	7.7	9.4	16.2	15.3	10.7	7.0	7.9	3.6	3.1	4.0	6.8	4.0	3.3	2.3	1.9	11.1	11.5			
AVG:	.64	.43	.53		.39	.31	.73	1.52	1.55	2.26	2.31	2.07	1.18	1.20	.90	.59	.60	.73	.62	.57	.39	.34	.77	.96			

MONTHLY OBSERVATIONS: 682 MONTHLY MEAN: .93 MONTHLY MAX: 16.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.8	.5	.6	BA	.2	.2	1.0	1.0	2.2	3.0	1.8	1.1	.5	.2	.1	.2	.3	.5	.6	.4	.4	.4	.4	.3	23	3.0
2	.3	.4	.5	BA	1.2	1.6	1.4	1.1	1.1	.8	.7	.7	.7	.8	.8	.6	.5	.4	.4	.3	.3	.2	.2	.3	23	1.6
3	.2	.1	.1	BA	.0	.1	.3	1.5	1.7	1.4	1.1	1.0	.9	.8	.7	.6	.6	.5	.5	.4	.4	.3	.3	.3	23	1.7
4	.3	.1	.0	BA	.0	.0	.3	.6	.7	.6	.6	.5	.4	.4	.4	.4	.5	.4	.3	.4	1.2	1.6	1.1	.9	23	1.6
5	.7	.5	.3	BA	.2	.2	.8	.9	.9	.8	.8	.6	.4	.3	.5	.3	.2	.3	.3	.3	.3	.4	.4	.3	23	.9
6	.2	.1	.1	BA	.1	.1	.7	BF	BF	2.6	1.3	1.2	.5	.3	.3	.2	.4	.7	.6	.5	.4	.3	.3	.3	21	2.6
7	.3	.2	.2	BA	.1	.2	.9	1.1	1.4	1.0	.8	BF	BF	BC	BC	BC	3.5	6.0	1.7	.8	.7	.6	.6	.7	18	6.0
8	1.0	.9	.7	BA	.5	.6	.8	1.0	1.7	2.4	2.4	2.4	2.1	2.1	2.1	1.2	.8	.7	.9	.8	.5	.4	.3	.3	23	2.4
9	.5	.3	.4	BA	.4	.6	1.0	2.4	2.0	1.8	1.5	1.0	.9	.9	1.0	.9	1.1	.8	.6	.5	.1	.0	.0	.0	23	2.4
10	.0	.0	.2	BA	.3	.3	1.1	2.2	4.5	.5	.4	.3	.3	.2	.3	.5	.6	.5	.3	.2	.1	.2	.2	.1	23	4.5
11	.1	.2	.1	BA	.2	.3	.3	.4	.4	.3	.3	.3	.3	.4	.4	.4	.3	.3	.2	.0	.0	.1	.2	.1	23	.4
12	.1	.1	.0	BA	.2	.5	.3	.1	.1	.3	.2	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	23	.5
13	.0	.0	.0	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.0	.0	.0	.3	.5	.6	23	.6
14	1.1	.7	.2	BA	.2	.8	1.1	5.4	2.1	.3	.1	.2	.2	.4	.1	.2	.2	.3	.3	.3	.2	.2	.2	.1	23	5.4
15	.2	.2	.2	BA	.6	.4	.6	1.1	BF	.9	.8	.5	.5	.4	.4	.4	.3	.3	.2	.1	.1	.6	1.2	1.8	22	1.8
16	1.4	1.2	.8	BA	.6	.3	.6	.5	.4	.3	.3	.3	.7	1.1	1.4	1.0	.0	.0	.0	.0	.2	.1	.0	.0	23	1.4
17	.0	.0	.0	BA	.0	.1	.4	.8	.5	.4	.2	.2	.2	.3	.3	.5	.0	.0	.0	.0	.0	.0	.0	.0	23	.8
18	.0	.0	.0	BA	.0	.0	.1	.3	.3	.4	.3	.3	.3	.1	.0	.0	.1	.1	.0	.0	.0	.0	.0	.0	23	.4
19	.0	.0	.0	BA	.1	.4	.5	.4	.6	1.1	.4	.3	.2	.1	.3	.6	.9	.9	.5	.3	.2	.3	.5	.7	23	1.1
20	.4	.2	.2	BA	.1	.1	.1	.2	.6	.5	.9	.8	.5	.4	.6	.9	1.6	.9	.3	.3	.2	.3	.3	.4	23	1.6
21	.5	.5	.4	.5	.8	.5	.6	.4	.3	1.4	1.7	.4	.4	.9	1.3	1.0	1.2	1.6	4.8	1.5	.5	.3	.2	.2	24	4.8
22	.1	.1	.1	.1	.1	.1	.4	1.4	3.0	.9	.3	.2	.2	.4	.4	1.1	1.9	1.4	.4	.1	.1	.1	.1	.1	24	3.0
23	.2	.2	.4	.8	.7	.7	.9	1.3	BF	31.4	11.5	2.0	2.6	.9	1.8	1.7	1.0	.4	.2	.1	.2	.5	.8	.5	23	31.4
24	.6	.8	.8	.8	.7	.6	.6	.7	.8	.6	.4	.2	.1	.0	.0	.0	.0	.1	.2	.1	.0	.1	.7	1.1	24	1.1
25	.8	.5	.3	.2	.2	.2	.3	.9	1.7	.7	.6	.5	.5	.5	.5	.8	.6	.4	.5	.4	.1	.0	.7	.8	24	1.7
26	.3	.2	.3	.2	.2	.2	.8	2.0	2.8	2.4	2.3	1.8	.3	.1	.1	.1	.1	.1	.2	.3	.1	.0	.0	1.0	24	2.8
27	1.6	.5	.2	.1	.1	.1	.2	.3	.4	.2	.2	.2	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	24	1.6
28	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.8	.8	.7	.7	1.1	1.8	2.6	1.6	.4	.2	.2	.1	.1	.0	24	2.6
29	.0	.1	.1	.1	.1	.1	.3	.3	2.8	1.2	.1	.0	.0	.1	.0	.2	2.3	2.4	8.8	10.1	4.3	1.2	.9	.4	24	10.1
30	.3	.3	.2	.1	.2	.4	.5	.5	.6	1.1	2.0	.8	.4	.4	.4	.4	.4	.4	1.1	1.2	.6	.3	.3	.2	24	2.0
31	.2	.4	.2	.2	.3	.5	.5	.8	.7	.6	.6	.6	.5	.3	.2	.1	.2	.1	.0	.0	.0	.0	.0	.0	24	.8
NO.:	31	31	31	11	31	31	31	30	28	31	31	30	30	30	30	30	31	31	31	31	31	31	31	31	31	
MAX:	1.6	1.2	.8	.8	1.2	1.6	1.4	5.4	4.5	31.4	11.5	2.4	2.6	2.1	2.1	1.8	3.5	6.0	8.8	10.1	4.3	1.6	1.2	1.8		
AVG:	.39	.30	.25	.28	.27	.33	.56	.99	1.23	1.94	1.14	.65	.52	.45	.52	.54	.72	.71	.78	.64	.37	.29	.34	.37		

MONTHLY OBSERVATIONS: 715 MONTHLY MEAN: .61 MONTHLY MAX: 31.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality
 MONITOR TYPE: SLAMS

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.6	.2	.1	.0	.1	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	2.0	1.9	1.8	1.8	24	2.0	
2	1.8	1.9	2.8	2.6	1.5	1.2	1.0	.6	.4	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	24	2.8	
3	.1	.1	.1	.2	.4	.6	.5	.7	1.0	1.1	.5	.3	.1	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	24	1.1	
4	.0	.1	.0	.0	.0	.1	.1	.3	.3	.3	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	24	.3	
5	.1	.0	.0	.1	.2	.3	.3	BF	BF	.4	.3	.3	.4	.2	.1	.1	.0	.0	.3	.1	.0	.0	.0	.0	22	.4	
6	.0	.0	.0	.0	.0	.0	.0	.1	.2	1.1	.4	.3	3.4	6.3	.9	.6	2.0	.6	.5	.1	.0	.0	.0	.1	24	6.3	
7	.1	.0	.0	.0	.0	.0	.2	1.2	2.0	1.7	1.0	1.1	1.1	.9	.6	.8	.7	.7	.6	.4	.3	.3	.3	.3	24	2.0	
8	.2	.2	.2	.9	1.4	1.2	1.6	1.8	1.7	.8	.3	.2	.1	.1	.1	.0	.0	.1	.1	.1	.1	.1	.1	.1	.0	24	1.8
9	.0	.1	.0	.0	.0	.0	.2	.3	1.0	.9	.8	1.0	2.3	3.0	1.2	.2	.8	.6	.4	.2	.1	.1	.1	.1	24	3.0	
10	.1	.1	.2	.1	.1	.1	.2	1.0	1.9	2.0	1.4	.8	.5	.4	.3	.3	.3	.5	.5	.4	.3	.3	.2	.1	24	2.0	
11	.1	.1	.2	.2	.3	.2	.3	.3	.1	.3	.5	1.1	1.4	1.1	.7	.7	.6	.7	.5	.4	.4	.4	.1	.4	24	1.4	
12	.5	.3	.2	.2	.4	.7	.5	1.4	1.8	2.5	2.4	2.3	2.7	5.7	4.8	4.8	3.2	1.4	.4	.2	1.9	1.8	1.0	.5	24	5.7	
13	.3	.2	.1	.2	.2	.3	1.2	1.7	1.3	2.5	1.9	.7	1.0	.7	.5	.4	.3	.2	.1	.1	.1	.1	.0	.0	24	2.5	
14	.0	.0	.0	.0	.2	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	.2	
15	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	24	.1	
16	.0	.0	.0	.0	.0	.0	.1	.2	.4	.3	.3	.2	.1	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.5	24	.5	
17	.4	.1	.0	.0	.0	.0	.2	1.3	BF	BF	.7	.5	.2	.1	.1	.1	.0	.0	.0	.5	.3	.2	.3	.2	22	1.3	
18	.2	.2	.1	.3	.5	.3	.2	.1	.2	.1	.5	1.2	1.6	.6	.7	.8	.2	.3	.2	.0	.0	.0	.0	.0	24	1.6	
19	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	.1	
20	.0	.0	.0	.4	.4	1.0	1.3	.8	.6	1.7	1.5	1.0	.5	.2	.0	.0	.0	.0	.1	.1	.1	.1	.3	.0	24	1.7	
21	.1	.2	.1	.1	.1	.1	.3	.3	.4	.7	1.1	1.2	.5	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.7	24	1.2	
22	.2	.1	.0	.0	.0	.0	.0	.2	.2	.9	2.2	1.3	1.2	4.5	.8	.6	2.0	3.0	.6	.2	.2	.1	.0	.0	24	4.5	
23	.0	.0	.2	.3	.1	.1	.3	.7	.7	.5	.4	.3	.3	.2	.2	.3	.6	.9	1.0	.7	.5	.3	.2	.2	24	1.0	
24	.3	.3	.3	.5	.5	.4	.6	.5	.5	.2	.0	.0	.0	.1	.0	.0	.0	.0	.0	.3	.3	.0	.1	.6	24	.6	
25	.7	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.5	.5	.3	.1	.1	.0	.0	.0	.0	24	.7	
26	.0	.0	.0	.0	.0	.2	.9	1.1	BF	BF	.3	.1	.1	.3	.3	.3	.2	.2	.2	.1	.1	.1	.1	.0	22	1.1	
27	.0	.0	.0	.0	.2	.4	1.4	1.9	1.3	1.1	.5	.3	.1	.0	.0	.1	.1	.1	.1	.1	.0	.0	.0	.0	24	1.9	
28	.2	.2	.1	.2	.1	.0	.0	.3	.4	.2	.1	.1	.0	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	24	.4
29	.1	.1	.0	.0	.0	.0	.0	.1	.2	.3	.2	.2	.1	.1	.1	.0	.0	.0	.0	.0	.1	.1	.0	.0	24	.3	
30	.0	.2	.1	.0	.0	.0	.3	.8	1.1	2.0	1.2	.4	.3	.2	.2	.3	.2	.2	.2	.1	.1	.1	.1	.1	24	2.0	
31	.2	.4	.7	.7	.8	1.2	1.2	.4	.6	1.0	.6	.4	.3	.5	.5	.7	.9	.8	.6	.4	.3	.2	.2	.1	24	1.2	
NO.:	31	31	31	31	31	31	31	30	28	29	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	1.8	1.9	2.8	2.6	1.5	1.2	1.6	1.9	2.0	2.5	2.4	2.3	3.4	6.3	4.8	4.8	3.2	3.0	.9	1.0	2.0	1.9	1.8	1.8			
AVG:	.19	.17	.18	.23	.24	.30	.43	.61	.65	.79	.62	.50	.60	.85	.41	.36	.41	.34	.23	.17	.25	.22	.18	.20			

MONTHLY OBSERVATIONS: 738 MONTHLY MEAN: .38 MONTHLY MAX: 6.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.4	.3	.3	.7	1.0	.8	.5	.6	.5	.7	1.2	1.2	1.0	1.0	1.1	.7	.5	.4	.4	.4	.5	.4	.5	.6	24	1.2	
2	.4	.3	.2	.1	.1	.2	.8	1.3	1.4	1.4	.9	1.0	1.3	1.6	.8	.5	.3	.3	.3	.2	.2	.5	.5	.5	24	1.6	
3	.9	.4	.6	.2	.2	.3	.3	.5	.7	.8	1.2	1.6	1.1	.5	.4	.3	.3	.4	.8	.7	.5	.6	2.9	4.1	24	4.1	
4	.2	.1	.1	.3	.7	.7	.6	1.3	1.6	1.6	1.2	.7	.6	.7	.6	.8	1.1	.8	.6	.4	.4	.5	.5	.5	24	1.6	
5	.7	.8	.9	.7	.5	.4	.4	.5	.5	.4	.4	.4	.6	.5	.4	.4	.4	.4	.3	.3	.2	.4	.3	.3	24	.9	
6	1.3	.8	.7	.4	.2	.1	.7	1.5	.8	.6	.7	.7	.6	.4	.3	.3	.2	.2	.3	.2	.2	.3	.7	1.2	24	1.5	
7	1.0	.2	.0	.0	.1	.3	.6	.5	.3	BF	BF	.7	.5	.3	.3	.3	.3	.4	.4	.2	.2	.2	.1	.1	22	1.0	
8	.1	.4	.2	.2	.3	.2	.3	.4	.3	.2	.2	1.8	.9	1.9	5.8	6.3	13.2	4.4	6.6	.8	.5	.4	.2	.1	24	13.2	
9	.1	.1	.1	.1	.1	.2	.4	.5	.9	1.9	2.3	1.9	1.8	2.6	1.6	1.9	1.6	1.3	.7	1.0	.9	2.0	1.7	.9	24	2.6	
10	.7	.6	.5	.7	1.2	1.2	1.2	1.3	1.3	1.3	1.2	1.0	.9	.8	.7	.7	.6	.6	.6	.5	.5	.4	.4	.5	24	1.3	
11	.5	.6	1.3	1.3	1.7	1.1	.8	1.4	2.1	1.6	1.6	1.8	.9	.5	.5	.3	.3	.1	.2	.2	.2	.1	.2	.2	24	2.1	
12	.1	.0	.0	.0	.0	.0	.0	.1	.1	.0	.0	.1	.2	.3	.3	.1	.2	.2	.1	.1	.3	.2	.5	.3	24	.5	
13	.1	.1	.1	.6	.6	.3	.3	.7	1.2	1.2	.6	.3	.5	1.0	1.2	1.4	1.1	.8	.6	.4	.3	.3	.2	.2	24	1.4	
14	.2	.3	.2	.2	.2	.2	.6	1.5	1.2	1.1	1.6	1.8	1.5	1.3	1.0	.8	.8	.7	.9	.7	.7	1.1	.7	.6	24	1.8	
15	.4	.5	.3	.2	.2	.5	1.1	2.1	2.9	1.4	1.5	1.3	1.1	.8	.7	.6	.6	.5	.5	.7	.4	.3	.3	.3	24	2.9	
16	.3	.3	.4	.3	.3	.5	.7	BF	BF	.6	.8	.7	.3	.2	.1	.1	.1	.1	.2	.2	.3	.4	1.3	1.0	22	1.3	
17	1.1	.5	.3	.4	.5	.3	.3	.3	.6	1.3	1.9	.8	.5	.4	.4	.3	.3	.3	.3	.3	.3	.3	.2	.2	24	1.9	
18	.2	.2	.5	2.3	4.3	2.0	1.9	2.3	1.8	1.7	1.4	1.0	.8	.8	.8	.7	.5	.6	2.1	2.1	1.0	.6	.4	.3	24	4.3	
19	.2	.4	.2	.2	.2	.1	.1	.4	.8	.5	.6	.6	.5	.5	.6	.6	.5	.4	.4	.4	.4	.3	.3	.4	24	.8	
20	1.1	.5	.4	.2	.1	.2	1.0	1.8	1.9	2.0	2.8	2.3	2.1	1.9	1.4	1.6	1.5	1.6	1.4	1.2	1.4	1.2	1.1	1.1	24	2.8	
21	.9	.8	.7	.6	.9	.8	.6	.6	.6	AZ	AZ	.8	.9	.9	1.0	1.1	.9	.8	.7	.6	.4	.3	.4	.5	22	1.1	
22	.6	1.0	.9	.8	.6	.6	.5	.8	1.4	3.3	3.8	2.8	1.0	1.1	1.6	1.4	1.1	1.0	1.0	1.0	.7	1.2	1.2	.6	24	3.8	
23	.4	1.0	1.8	1.0	.4	.4	.5	1.3	3.2	2.6	4.4	4.1	2.4	.8	.6	.3	.5	.7	.5	.6	.5	2.3	1.9	2.5	24	4.4	
24	2.6	3.0	2.2	1.4	1.4	.6	.3	.9	8.4	4.6	2.0	3.4	.7	.6	.4	.2	.2	.1	.2	.2	.2	.2	.2	.2	.2	24	8.4
25	.9	1.3	1.3	.6	.4	.4	.3	.6	.9	1.0	.9	.8	.6	.7	.3	.3	.3	.3	.5	.4	.5	.1	.1	.0	24	1.3	
26	.0	.0	.0	.0	.0	.0	.3	.3	.7	.7	.6	.3	.3	.3	.2	.2	.2	.3	.2	.1	.1	.0	.0	.0	24	.7	
27	.0	.0	.0	.0	.0	.0	.0	.3	.2	.1	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	.3	
28	.0	.0	.0	.0	.0	.0	.0	.3	BF	BF	1.2	2.9	3.4	2.7	3.1	2.3	1.3	.6	.3	.2	.1	.0	.0	.0	22	3.4	
29	.0	.0	.0	.2	.4	.1	.2	.2	.1	.3	.3	.3	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	24	.4	
30	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.0	.1	.2	.2	.0	.0	.0	.0	.0	.9	1.3	.5	.8	.3	24	1.3	
31																										0	
NO.:	30	30	30	30	30	30	30	29	28	27	28	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	2.6	3.0	2.2	2.3	4.3	2.0	1.9	2.3	8.4	4.6	4.4	4.1	3.4	2.7	5.8	6.3	13.2	4.4	6.6	2.1	1.4	2.3	2.9	4.1			
AVG:	.51	.48	.47	.46	.55	.42	.51	.84	1.30	1.23	1.26	1.24	.92	.85	.87	.82	.95	.63	.71	.50	.45	.51	.58	.58			

MONTHLY OBSERVATIONS: 712 MONTHLY MEAN: .73 MONTHLY MAX: 13.2

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	1.0	.6	1.4	1.3	1.2	1.4	1.8	1.8	1.4	1.0	.8	.5	.4	.4	.3	.2	.2	.2	.3	.3	.3	.6	.5	.7	24	1.8
2	.8	.7	.6	.6	.6	.5	.3	.6	.6	.8	.9	.8	.7	.7	.7	.6	.5	.5	.3	.2	.2	.2	.2	.2	24	.9
3	.3	.6	.4	.4	.3	.1	.1	.2	.2	.3	.4	.5	.5	.4	.2	.2	.2	.2	.1	.2	.2	.1	.0	.0	24	.6
4	.0	.0	.0	.0	.0	.1	.1	.5	.4	.2	BF	BF	BC	BC	.1	.1	.1	.1	.2	.2	1.0	1.7	.5	.1	20	1.7
5	.1	.1	.0	.0	.0	.3	1.2	1.9	.9	.5	.3	.5	.3	.3	.3	.2	.2	.2	.4	.6	.6	.3	.3	.2	24	1.9
6	.4	.5	.3	.1	.3	.3	.6	1.3	1.4	1.2	1.2	1.1	1.2	1.3	1.5	.9	.5	.4	.4	.5	.8	.5	.6	.4	24	1.5
7	.4	.2	.2	.1	.2	.4	1.0	BF	BF	1.5	1.7	2.1	1.2	1.8	2.6	1.8	1.7	1.2	2.5	2.2	.9	.9	1.2	1.3	22	2.6
8	1.0	1.2	.9	.9	.9	.9	.5	1.0	1.3	1.2	1.5	1.5	1.4	1.3	1.3	1.2	1.1	1.0	.7	.6	.8	.6	.7	.8	24	1.5
9	.9	.9	1.5	1.5	1.4	1.2	1.5	1.3	1.0	1.4	1.2	1.3	1.2	1.4	1.1	.8	.7	1.0	.9	1.0	1.0	.5	.6	.8	24	1.5
10	1.0	1.3	1.4	1.9	2.1	1.5	1.2	.6	1.0	2.2	1.7	1.6	1.7	1.6	1.4	1.7	1.2	1.1	.9	.5	.4	.3	.2	.1	24	2.2
11	.1	.1	.1	.0	.0	.1	.3	.3	1.8	1.8	1.6	1.9	1.8	1.2	.8	.6	.5	.5	.6	.5	.4	.4	.4	.4	24	1.9
12	.3	.2	.1	.1	.0	.1	.3	.3	1.8	1.8	1.3	1.1	1.6	2.0	1.6	1.2	1.1	1.2	.9	.7	1.0	.6	.4	.2	24	2.0
13	.1	.1	.0	.0	.0	.0	.1	.3	.4	.7	1.1	1.2	1.2	1.1	.9	.8	.8	.7	.5	.5	.5	.8	.8	.8	24	1.2
14	1.1	1.0	.5	.2	.1	.2	.1	.1	.6	.5	.4	.2	.2	.3	.1	.3	.1	.0	.1	.2	.1	.1	.2	.1	24	1.1
15	.1	.1	.0	.0	.0	.2	.7	.6	.8	1.0	.8	.8	.8	.7	.7	.4	.6	.6	.6	.8	.6	.5	.3	.2	24	1.0
16	.1	.2	.3	.1	.1	.1	.2	.5	.6	1.1	1.0	1.0	.7	.4	.3	.2	.3	.3	.2	.1	.2	.3	1.3	1.9	24	1.9
17	1.9	1.8	1.3	1.3	1.1	1.4	1.4	1.4	.6	.6	.9	.8	1.0	1.0	.9	.7	.5	.4	.3	.2	.2	.2	.3	.3	24	1.9
18	.3	.2	.0	.0	.0	.3	.6	.7	BF	1.7	1.7	1.2	1.1	1.1	.7	.3	.3	.3	.2	.2	.2	.3	.2	.2	23	1.7
19	.1	.1	.0	.0	.0	.1	.4	.6	1.2	2.1	2.0	1.5	1.1	.9	.9	.9	.9	.7	.5	.4	.3	.3	.2	.2	24	2.1
20	.1	.1	.1	.1	.1	.3	.4	.3	.3	.3	.4	.3	.3	.3	.2	.2	.3	.2	.0	.1	.2	.4	.7	.7	24	.7
21	.5	.4	.6	.4	.4	.6	.8	1.3	1.0	.5	1.3	1.1	.8	.7	.7	.7	.8	.6	.4	.4	.4	.3	.4	.3	24	1.3
22	.3	.9	.2	.8	1.2	1.5	1.0	1.3	1.5	1.4	1.3	1.1	.9	.7	.6	.5	.5	.4	1.0	1.3	3.0	2.5	2.1	1.7	24	3.0
23	1.4	1.6	1.5	1.7	1.4	1.3	1.4	1.9	1.3	3.3	2.5	2.3	1.8	1.7	1.2	1.5	2.0	1.9	1.4	2.2	1.3	.8	.4	.3	24	3.3
24	.2	.2	.1	.1	.1	.1	.1	.4	.6	.7	.5	.5	.6	.5	.4	.8	.8	.7	.5	.3	.2	.1	.2	.3	24	.8
25	.2	.2	.2	.2	.2	.1	.0	.1	.2	.2	.1	.0	.0	.0	.0	.1	.1	.0	.0	.0	.0	.0	.0	.0	24	.2
26	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.3	.2	.0	.0	.0	.4	.8	.6	.7	24	.8
27	.6	.4	.4	.2	.1	.1	.1	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.1	.2	.1	.0	.0	.0	.0	24	.6
28	.0	.0	.0	.0	.0	.0	.0	BF	BF	.1	.1	.1	.1	.2	.4	.3	.3	.4	.3	.2	.3	.2	.1	.2	22	.4
29	.2	.2	.4	.7	.7	.6	.7	.8	1.4	1.5	1.4	1.3	1.2	1.1	1.0	.8	.8	.6	1.1	.6	2.9	2.1	1.9	1.4	24	2.9
30	1.2	.4	.4	.3	.1	.1	.0	.3	1.0	1.0	.9	.8	1.1	1.0	.6	.5	.6	.6	.4	.3	.4	.5	.4	.4	24	1.2
31	.5	.8	1.0	1.0	.9	.5	.4	.5	1.2	1.4	1.5	1.0	.9	.6	.5	.5	.5	.4	.4	.8	1.0	1.0	1.4	.9	24	1.5
NO.:	31	31	31	31	31	31	31	29	28	31	30	30	30	30	31	31	31	31	31	31	31	31	31	31	31	
MAX:	1.9	1.8	1.5	1.9	2.1	1.5	1.8	1.9	1.8	3.3	2.5	2.3	1.8	2.0	2.6	1.8	2.0	1.9	2.5	2.2	3.0	2.5	2.1	1.9		
AVG:	.49	.49	.45	.45	.44	.46	.56	.72	.88	1.04	1.02	.94	.86	.83	.72	.62	.59	.53	.53	.52	.64	.58	.55	.51		

MONTHLY OBSERVATIONS: 735 MONTHLY MEAN: .64 MONTHLY MAX: 3.3

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	.6	.8	.8	.9	1.0	.8	.9	1.0	1.2	1.2	1.3	1.2	1.1	1.1	1.1	1.1	1.0	.8	.8	1.2	.8	.6	.6	24	1.3	
2	.5	.4	.5	1.0	1.3	1.2	1.0	1.3	1.1	.9	.7	.4	.4	.5	.5	.5	.5	.5	.5	.5	.5	.7	1.3	.6	24	1.3	
3	.7	.7	.7	.6	.6	.6	.7	.8	.7	.6	.5	.4	.4	.5	.3	.3	.3	.3	.2	.1	.0	.0	.0	.0	24	.8	
4	.0	.0	.0	.0	.0	.0	.2	.3	.3	.3	.3	.2	.1	.1	.1	.1	.1	.0	.2	.3	.2	.4	.2	.2	24	.4	
5	.1	.1	.1	.1	.1	.3	.9	1.1	.9	.5	.3	.3	.2	.4	.2	.1	.1	.1	.3	.2	.1	.1	.3	.2	24	1.1	
6	.4	.2	.1	.0	.1	.2	.6	.8	.5	.4	.6	.7	.7	.5	.5	.5	.4	.4	.6	.8	.7	.6	.6	.6	24	.8	
7	.7	.9	.8	.6	.7	.7	.7	.9	1.0	1.1	1.1	1.2	1.1	1.0	.9	.8	.8	.7	.5	.3	.7	.9	1.1	1.2	24	1.2	
8	1.1	1.5	1.1	.9	.9	.8	1.5	2.4	BF	BF	1.7	.7	.8	.5	.9	.8	1.2	1.3	1.2	.9	.8	.6	.3	22	2.4		
9	.2	.4	.6	.5	.6	.7	.7	1.1	1.6	.9	.9	1.1	.9	1.0	1.1	.8	.7	.6	.8	1.3	2.5	2.6	3.0	3.2	24	3.2	
10	3.2	2.8	2.7	2.7	3.0	2.6	2.2	1.5	3.0	2.2	2.8	5.2	5.7	5.3	5.6	4.9	4.1	3.6	3.3	2.9	3.4	2.7	2.5	3.3	24	5.7	
11	3.2	2.7	2.1	1.1	1.0	1.1	1.6	1.7	1.1	1.7	2.1	1.1	1.2	1.0	1.1	1.0	1.0	.9	1.4	1.5	2.2	2.2	1.6	1.5	24	3.2	
12	1.2	.7	.5	.5	.5	.9	.6	1.3	1.7	1.9	1.9	1.6	1.2	1.1	1.0	.9	.8	.8	1.7	4.7	5.3	5.1	5.4	4.2	24	5.4	
13	3.9	3.5	2.9	2.2	1.6	1.4	1.2	1.1	.6	2.8	1.7	1.1	.9	.7	.8	.8	.6	.5	.9	4.0	3.1	2.1	2.7	3.0	24	4.0	
14	3.3	3.1	2.7	2.1	2.0	2.1	1.8	2.1	1.5	1.1	1.1	.9	.8	1.0	1.2	1.3	1.2	1.1	1.0	1.3	1.4	1.1	.8	.7	24	3.3	
15	.8	.7	.5	.5	.4	.5	.9	1.2	1.6	1.9	2.2	1.9	1.9	1.2	1.0	.9	.8	1.2	1.5	1.0	.6	.6	.6	.6	24	2.2	
16	.7	.8	.7	.8	.7	.6	.5	.6	1.0	1.3	1.4	1.1	.9	.5	.5	.2	.4	.4	1.0	.5	.2	.1	.2	.2	24	1.4	
17	.2	.1	.1	.0	.0	.1	.2	.2	.4	.3	.3	.4	.4	.4	.5	.4	.3	.3	.4	.8	.9	2.0	1.4	1.8	24	2.0	
18	2.1	2.3	2.0	.7	1.0	.3	.4	1.2	BF	BF	.7	.7	.7	.8	.8	.8	.6	.6	.6	1.4	3.5	3.3	2.5	3.6	22	3.6	
19	3.2	3.0	3.2	2.6	1.0	.5	.7	.8	1.2	1.2	1.1	.8	.8	.9	.9	.9	.9	1.2	1.1	1.4	1.7	.9	.3	.4	24	3.2	
20	.5	.6	.7	.8	.8	.4	.2	.3	.3	1.0	1.8	1.8	1.9	1.7	1.6	1.6	1.3	1.1	.9	.8	1.0	.9	1.0	.6	24	1.9	
21	.7	1.1	1.3	1.5	1.8	1.4	.9	1.1	1.0	.8	.8	1.0	.7	.6	.6	.6	.5	.5	1.0	.6	.8	1.1	.7	1.0	24	1.8	
22	.4	.4	.2	.3	.2	.2	1.0	2.4	3.3	1.8	1.2	1.5	1.6	1.1	.8	.6	.4	.7	.6	.4	.2	.2	.2	1.0	24	3.3	
23	1.7	1.7	.9	.5	.3	.2	.3	.3	.4	.5	.7	.9	.8	.4	.5	.3	.1	.0	.0	.0	.0	.2	.4	.2	24	1.7	
24	.3	.3	.0	.0	.0	.0	.1	.5	1.3	1.1	.6	.6	.6	.5	.4	.4	.4	.4	.9	.9	.9	.9	.4	.4	24	1.3	
25	.4	.3	.3	.3	.3	.4	.5	.6	.3	.3	.3	.3	.4	.4	.4	.3	.2	.1	.1	.3	.6	.3	.1	.1	24	.6	
26	.0	.0	.1	.2	.2	.2	.2	.0	.0	.0	.0	.0	.0	.6	.2	.1	.1	.2	.2	.0	.0	.0	.0	.0	24	.6	
27	.0	.1	.1	.1	.0	.0	.1	.4	.5	.4	.4	.4	.4	.4	.4	.3	.4	.3	.4	1.2	.8	.8	.8	.8	24	1.2	
28	.7	.5	.5	.4	.4	.3	.2	.3	.8	1.9	1.8	1.9	1.5	1.2	1.1	1.2	1.2	1.1	1.1	1.1	1.3	1.4	1.3	.8	24	1.9	
29	.6	.6	.3	.4	.8	1.0	1.1	.9	1.3	2.1	2.5	2.6	2.5	2.3	2.0	1.3	1.0	.7	.6	.6	.9	.8	.8	1.0	24	2.6	
30	.9	.5	.4	.4	.4	.3	.3	.4	.4	BF	BF	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	.9	
31																										0	
NO.:	30	30	30	30	30	30	30	30	28	27	29	30	30	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	3.9	3.5	3.2	2.7	3.0	2.6	2.2	2.4	3.3	2.8	2.8	5.2	5.7	5.3	5.6	4.9	4.1	3.6	3.3	4.7	5.3	5.1	5.4	4.2			
AVG:	1.09	1.02	.90	.75	.72	.67	.73	.94	1.00	1.13	1.14	1.08	1.03	.92	.92	.80	.72	.67	.77	1.07	1.21	1.12	1.04	1.07			

MONTHLY OBSERVATIONS: 714 MONTHLY MEAN: .94 MONTHLY MAX: 5.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-119-0041 POC: 2
 COUNTY: (119) Mecklenburg
 CITY: (12000) Charlotte
 SITE ADDRESS: 1130 EASTWAY DRIVE
 SITE COMMENTS: 1/1 PM2.5 Sampling on roof of monitoring shelter. MOVED SHELTER 230 M SW OF ORIGIN
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (167) METROPOLITAN CHARLOTTE
 URBANIZED AREA: (1510) CHARLOTTE, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: URBAN AND CENTER CITY

CAS NUMBER: 7446-09-5
 LATITUDE: 35.2401000009
 LONGITUDE: -80.785683
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 232
 PROBE HEIGHT: 5

SUPPORT AGENCY: (0669) Mecklenburg County Air Quality

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.3	.3	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.3	24	.5	
2	.5	.8	1.4	1.4	1.3	1.7	1.7	3.3	4.0	4.3	1.5	1.0	.9	.9	.9	.5	2.1	2.2	1.5	1.8	1.6	2.1	2.2	.4	24	4.3	
3	.6	.6	.4	.5	.7	1.0	1.4	3.9	2.4	1.3	1.7	1.4	.9	1.2	1.0	1.1	1.2	.9	1.1	2.3	2.3	3.4	1.8	.8	24	3.9	
4	.8	.8	.8	1.4	.8	.6	.6	1.0	1.6	1.9	1.5	1.4	1.2	1.0	.6	.6	.5	.4	.4	.5	.5	.5	.3	.3	24	1.9	
5	.3	.2	.1	.1	.3	.2	.2	.2	.3	.6	1.3	1.2	.9	.7	1.0	.8	.7	.5	.5	.6	.7	.6	.4	.4	24	1.3	
6	.5	.4	.4	.3	.3	.4	1.0	2.1	.8	3.6	2.8	2.9	1.6	.6	1.8	1.5	.7	3.1	2.3	.4	.6	.8	1.1	1.9	24	3.6	
7	1.6	1.3	1.2	1.0	1.8	2.3	1.6	2.0	2.6	1.7	2.9	6.0	4.6	2.6	5.4	4.9	1.9	1.2	1.2	1.3	1.3	1.1	1.0	.6	24	6.0	
8	.7	.6	.4	.4	.6	1.0	1.5	3.1	2.5	1.1	2.8	20.4	12.0	14.6	3.4	2.7	3.5	3.4	1.4	1.2	1.0	2.4	3.3	2.1	24	20.4	
9	1.4	1.1	1.1	1.2	1.7	1.9	1.9	2.1	2.0	BF	1.3	1.4	1.4	1.3	1.3	1.2	1.2	1.3	2.1	3.5	3.3	3.0	2.3	2.0	23	3.5	
10	2.1	1.2	1.2	3.4	5.3	3.0	1.8	1.8	2.6	2.4	1.9	1.8	1.6	1.5	1.4	1.4	1.4	1.8	1.6	2.8	3.1	3.5	3.5	3.1	24	5.3	
11	3.3	3.6	3.4	3.1	3.5	2.6	2.9	2.2	2.1	2.2	1.6	1.5	3.3	5.2	4.0	3.4	3.0	2.7	2.3	1.0	.6	.3	.2	.2	24	5.2	
12	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.2	.1	.2	.1	.1	.2	.2	.3	.3	24	.3	
13	.4	.7	.6	1.1	1.4	1.0	1.2	.9	1.0	1.2	2.9	7.1	3.4	2.9	1.6	2.5	3.4	7.7	4.6	12.8	1.5	12.5	7.7	1.9	24	12.8	
14	1.0	1.0	1.0	1.0	1.0	1.0	1.3	1.5	1.6	1.5	1.4	1.6	5.0	4.0	1.2	.8	.7	.7	.7	2.8	1.1	1.2	1.3	1.5	24	5.0	
15	1.2	1.1	1.3	1.1	1.5	1.8	1.9	3.3	5.7	3.4	AZ	AZ	8.3	9.1	1.1	.8	1.2	.6	.4	.8	.9	.8	.6	.7	22	9.1	
16	.7	.5	.4	.3	.3	.3	.3	.8	1.7	1.6	1.3	1.1	1.0	.9	.9	.7	.5	.6	.5	.6	.5	.5	.4	.5	24	1.7	
17	2.4	.8	.5	.5	.5	.4	.5	.7	3.1	BF	BF	1.3	1.1	1.0	.9	BA	.9	.7	.6	.4	.2	.5	.7	.5	21	3.1	
18	.7	3.6	1.2	.9	1.1	1.2	1.2	1.4	2.3	3.7	4.3	3.8	3.0	2.4	1.7	1.7	2.0	1.7	1.4	1.3	1.6	2.0	2.2	2.2	24	4.3	
19	1.8	1.2	1.1	1.5	1.9	2.2	1.8	1.5	2.1	4.4	3.3	2.6	1.8	1.5	1.4	1.6	1.8	1.0	.8	.3	.2	.3	.2	.2	24	4.4	
20	.3	.3	.3	.4	.5	.5	.7	1.2	1.2	2.1	2.2	1.0	1.1	BA	BA	.7	.8	.9	.9	1.6	3.3	3.5	3.2	3.3	22	3.5	
21	3.7	2.6	2.5	2.3	1.3	1.2	1.3	.9	2.8	5.1	3.6	2.5	2.0	2.5	3.2	3.7	3.4	3.1	3.1	4.4	5.6	5.1	4.2	2.4	24	5.6	
22	1.5	.7	.5	.5	.4	.4	.4	.6	.9	.8	.7	1.6	1.9	2.0	1.4	.9	.6	.6	.7	1.9	2.1	1.3	1.2	1.2	24	2.1	
23	1.3	1.5	1.4	1.3	1.2	2.1	2.2	1.8	1.5	1.0	1.8	1.1	1.1	1.1	1.0	.9	.8	.5	.6	.7	1.4	1.1	.8	.8	24	2.2	
24	.8	.8	.6	.6	.7	.5	.5	.9	1.3	1.1	1.1	1.1	.9	.9	1.0	1.2	1.4	1.4	1.3	3.6	3.3	3.3	2.7	3.1	24	3.6	
25	2.3	2.8	2.1	.8	.5	.9	1.0	1.6	2.5	2.0	1.7	1.6	2.3	1.9	1.9	1.8	1.7	1.0	.6	.2	.3	.2	.3	.2	24	2.8	
26	.5	.4	.8	1.6	1.5	1.3	1.4	1.5	1.4	1.4	2.1	1.8	1.9	1.8	1.6	1.9	2.1	2.1	1.9	1.9	1.8	1.7	1.2	.9	24	2.1	
27	.7	.5	.7	.5	.8	4.9	2.6	1.3	3.7	10.0	9.1	5.7	8.2	4.0	3.3	2.2	1.9	.8	.7	1.9	13.9	18.1	.7	.8	24	18.1	
28	1.0	1.1	1.2	1.2	.8	.7	1.3	1.1	1.3	2.4	7.9	.7	1.9	.5	.8	.9	.8	.8	.9	.7	.9	2.3	1.3	.9	24	7.9	
29	2.2	3.6	3.6	2.0	1.0	.7	.5	.6	1.0	1.5	BF	BF	BC	BC	BC	BC	1.6	1.4	2.0	2.1	2.5	2.7	2.9	2.1	18	3.6	
30	2.4	3.5	3.7	3.1	2.8	3.3	3.1	4.0	3.5	1.9	1.0	.9	1.0	1.0	1.0	1.0	.9	.9	.8	.8	1.0	1.6	1.8	1.1	24	4.0	
31	1.0	.9	1.0	.8	.8	1.0	1.6	1.7	2.5	4.7	4.6	4.5	4.4	3.4	2.9	2.7	2.6	2.3	2.1	2.3	3.6	1.4	2.1	3.8	24	4.7	
NO.:	31	31	31	31	31	31	31	31	31	29	28	29	30	29	29	29	31	31	31	31	31	31	31	31	31		
MAX:	3.7	3.6	3.7	3.4	5.3	4.9	3.1	4.0	5.7	10.0	9.1	20.4	12.0	14.6	5.4	4.9	3.5	7.7	4.6	12.8	13.9	18.1	7.7	3.8			
AVG:	1.22	1.24	1.13	1.11	1.17	1.29	1.27	1.58	2.00	2.38	2.46	2.74	2.64	2.43	1.65	1.53	1.47	1.50	1.26	1.83	1.97	2.52	1.68	1.31			

MONTHLY OBSERVATIONS: 730 MONTHLY MEAN: 1.71 MONTHLY MAX: 20.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	2.0	3.0	2.0	2.0	2.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0
2	BD	1.0	2.0	1.0	2.0	3.0	2.0	1.0	2.0	2.0	2.0	2.0	1.0	5.0	8.0	8.0	16.0	7.0	7.0	4.0	2.0	2.0	2.0	2.0	23	16.0
3	BD	1.0	7.0	10.0	15.0	8.0	12.0	3.0	1.0	15.0	13.0	2.0	2.0	12.0	23.0	14.0	12.0	4.0	2.0	3.0	4.0	5.0	4.0	3.0	23	23.0
4	BD	4.0	2.0	2.0	2.0	2.0	2.0	6.0	5.0	2.0	BC	BC	BC	21.0	11.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	19	21.0
5	BD	2.0	1.0	2.0	3.0	2.0	2.0	2.0	3.0	9.0	6.0	20.0	42.0	42.0	18.0	27.0	9.0	6.0	2.0	2.0	2.0	6.0	3.0	8.0	23	42.0
6	BD	7.0	3.0	6.0	5.0	2.0	2.0	2.0	3.0	32.0	19.0	31.0	27.0	18.0	9.0	15.0	12.0	3.0	2.0	2.0	2.0	2.0	2.0	12.0	23	32.0
7	BD	5.0	4.0	2.0	1.0	2.0	1.0	1.0	3.0	18.0	19.0	58.0	5.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	58.0
8	BD	1.0	1.0	2.0	3.0	4.0	4.0	3.0	3.0	3.0	9.0	23.0	8.0	15.0	11.0	4.0	1.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	23	23.0
9	BD	4.0	5.0	6.0	7.0	5.0	6.0	23.0	18.0	8.0	6.0	5.0	5.0	4.0	5.0	5.0	5.0	3.0	3.0	5.0	2.0	1.0	1.0	1.0	23	23.0
10	BD	9.0	3.0	2.0	2.0	2.0	3.0	3.0	5.0	5.0	4.0	4.0	8.0	7.0	7.0	5.0	7.0	8.0	14.0	16.0	8.0	3.0	2.0	1.0	23	16.0
11	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	11.0	10.0	5.0	4.0	2.0	2.0	4.0	4.0	3.0	2.0	2.0	2.0	2.0	1.0	2.0	23	11.0
12	BD	5.0	5.0	5.0	6.0	6.0	5.0	4.0	7.0	11.0	6.0	4.0	3.0	4.0	3.0	4.0	4.0	5.0	3.0	4.0	4.0	3.0	4.0	9.0	23	11.0
13	BD	5.0	4.0	6.0	5.0	8.0	7.0	9.0	10.0	6.0	9.0	14.0	10.0	21.0	67.0	8.0	22.0	7.0	5.0	4.0	3.0	2.0	2.0	1.0	23	67.0
14	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	BC	BC	BC	8.0	6.0	5.0	5.0	5.0	5.0	4.0	3.0	2.0	1.0	1.0	20	8.0
15	BD	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	5.0	6.0	4.0	5.0	4.0	12.0	6.0	7.0	7.0	3.0	2.0	1.0	1.0	1.0	1.0	23	12.0
16	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	10.0	9.0	6.0	6.0	6.0	6.0	5.0	5.0	4.0	4.0	3.0	3.0	3.0	3.0	23	10.0
17	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
18	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	7.0	13.0	3.0	3.0	2.0	3.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	13.0
19	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	3.0	4.0	5.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	23	5.0
20	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	3.0	3.0	3.0	4.0	3.0	5.0	4.0	3.0	2.0	3.0	2.0	2.0	2.0	23	5.0
21	BD	3.0	3.0	7.0	15.0	43.0	32.0	31.0	12.0	5.0	4.0	3.0	2.0	2.0	11.0	3.0	2.0	2.0	2.0	23.0	41.0	10.0	4.0	2.0	23	43.0
22	BD	2.0	3.0	4.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0
23	BD	2.0	18.0	24.0	5.0	2.0	2.0	2.0	3.0	4.0	26.0	41.0	49.0	21.0	3.0	2.0	2.0	AV	2.0	2.0	4.0	5.0	3.0	2.0	22	49.0
24	BD	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
25	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
26	BD	1.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
27	BD	1.0	1.0	1.0	1.0	2.0	1.0	1.0	6.0	9.0	4.0	7.0	9.0	8.0	24.0	18.0	18.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	23	24.0
28	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BC	BC	BC	2.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	20	3.0
29	BD	1.0	1.0	11.0	54.0	27.0	25.0	10.0	17.0	37.0	35.0	30.0	32.0	21.0	38.0	23.0	33.0	14.0	38.0	35.0	67.0	39.0	29.0	9.0	23	67.0
30	BD	3.0	19.0	24.0	8.0	3.0	33.0	25.0	21.0	13.0	53.0	17.0	37.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	23	53.0
31	BD	5.0	5.0	6.0	6.0	8.0	5.0	4.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	5.0	3.0	2.0	1.0	2.0	3.0	23	8.0
NO.:		31	31	31	31	31	31	31	31	31	28	28	28	30	31	31	31	30	31	31	31	31	31	31		
MAX:		9.0	19.0	24.0	54.0	43.0	33.0	31.0	21.0	37.0	53.0	58.0	49.0	42.0	67.0	27.0	33.0	14.0	38.0	35.0	67.0	39.0	29.0	12.0		
AVG:		2.42	3.26	4.35	5.03	4.71	5.19	4.68	4.77	7.61	9.39	10.71	9.75	7.60	9.71	6.23	6.45	3.83	4.00	4.29	5.48	3.45	2.71	2.58		

MONTHLY OBSERVATIONS: 702 MONTHLY MEAN: 5.52 MONTHLY MAX: 67.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	BD	1.0	1.0	1.0	2.0	4.0	2.0	2.0	3.0	13.0	40.0	22.0	8.0	10.0	29.0	26.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	23	40.0		
2	BD	3.0	4.0	3.0	3.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	1.0	1.0	2.0	6.0	3.0	2.0	1.0	23	6.0		
3	BD	1.0	1.0	1.0	1.0	1.0	4.0	5.0	3.0	AZ	AZ	AZ	AZ	2.0	2.0	3.0	3.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	19	5.0		
4	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	4.0	5.0	5.0	7.0	25.0	41.0	13.0	6.0	4.0	4.0	4.0	3.0	4.0	3.0	3.0	3.0	23	41.0		
5	BD	2.0	2.0	14.0	20.0	11.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	20.0		
6	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	13.0	14.0	25.0	4.0	2.0	3.0	5.0	2.0	1.0	2.0	2.0	1.0	23	25.0		
7	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	2.0	5.0	2.0	2.0	2.0	4.0	3.0	3.0	1.0	1.0	1.0	23	5.0		
8	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	66.0	22.0	20.0	24.0	34.0	29.0	9.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	23	66.0		
9	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BC	BC	BC	9.0	13.0	14.0	5.0	16.0	11.0	41.0	21.0	22.0	14.0	4.0	4.0	3.0	20	41.0		
11	BD	21.0	27.0	4.0	4.0	4.0	4.0	7.0	29.0	2.0	1.0	2.0	14.0	16.0	12.0	20.0	25.0	8.0	2.0	2.0	1.0	1.0	3.0	2.0	23	29.0		
12	BD	3.0	2.0	1.0	2.0	2.0	3.0	4.0	4.0	6.0	20.0	29.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	22.0	2.0	1.0	1.0	1.0	23	29.0		
13	BD	1.0	1.0	1.0	1.0	1.0	2.0	7.0	8.0	4.0	5.0	3.0	2.0	3.0	10.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	23	10.0		
14	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	9.0	23.0	41.0	6.0	25.0	10.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	41.0		
15	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0		
16	BD	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	35.0	5.0	9.0	13.0	5.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	35.0		
17	BD	2.0	2.0	1.0	2.0	2.0	2.0	2.0	4.0	24.0	26.0	31.0	48.0	17.0	14.0	6.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	23	48.0		
18	BD	2.0	3.0	2.0	2.0	2.0	2.0	3.0	7.0	44.0	34.0	20.0	29.0	11.0	10.0	16.0	15.0	8.0	2.0	2.0	2.0	2.0	1.0	2.0	23	44.0		
19	BD	1.0	1.0	1.0	2.0	2.0	3.0	3.0	10.0	8.0	11.0	19.0	18.0	43.0	17.0	17.0	7.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	43.0		
20	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	9.0	11.0	7.0	17.0	28.0	23.0	4.0	6.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	23	28.0		
21	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	7.0	45.0	8.0	4.0	4.0	3.0	3.0	10.0	9.0	3.0	4.0	4.0	2.0	1.0	1.0	23	45.0		
22	BD	1.0	1.0	1.0	2.0	1.0	1.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0		
23	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BC	BC	2.0	4.0	4.0	33.0	29.0	3.0	11.0	2.0	1.0	1.0	1.0	1.0	1.0	21	33.0		
24	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	6.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	6.0		
25	BD	1.0	1.0	1.0	1.0	1.0	3.0	5.0	6.0	5.0	19.0	13.0	14.0	23.0	33.0	3.0	5.0	17.0	22.0	6.0	5.0	3.0	3.0	3.0	23	33.0		
26	BD	2.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	23	3.0		
27	BD	3.0	3.0	3.0	2.0	1.0	2.0	3.0	3.0	26.0	26.0	19.0	3.0	2.0	3.0	2.0	3.0	3.0	3.0	2.0	2.0	1.0	2.0	1.0	23	26.0		
28	BD	8.0	7.0	2.0	2.0	3.0	3.0	7.0	3.0	2.0	3.0	10.0	6.0	9.0	6.0	10.0	15.0	7.0	3.0	4.0	2.0	1.0	1.0	1.0	23	15.0		
29																										0		
30																											0	
31																											0	
NO.:		28	28	28	28	28	28	28	27	25	25	27	27	28	28	28	28	28	28	28	28	28	28	28	28			
MAX:		21.0	27.0	14.0	20.0	11.0	4.0	7.0	29.0	66.0	45.0	41.0	48.0	43.0	33.0	29.0	25.0	41.0	22.0	22.0	14.0	4.0	4.0	4.0				
AVG:		2.32	2.54	1.82	2.18	1.89	1.89	2.64	4.30	11.40	12.56	10.63	10.41	11.46	10.64	7.04	4.96	5.25	3.64	3.50	2.43	1.57	1.64	1.50				

MONTHLY OBSERVATIONS: 635 MONTHLY MEAN: 5.06 MONTHLY MAX: 66.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	1.0	2.0	3.0	4.0	2.0	2.0	5.0	5.0	4.0	46.0	33.0	22.0	8.0	10.0	33.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	23	46.0
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	9.0	4.0	7.0	12.0	8.0	4.0	4.0	2.0	3.0	5.0	7.0	8.0	3.0	3.0	2.0	2.0	23	12.0
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	4.0	5.0	5.0	3.0	3.0	5.0	5.0	4.0	3.0	4.0	5.0	5.0	5.0	3.0	3.0	4.0	23	5.0
4	BD	4.0	3.0	4.0	4.0	3.0	4.0	7.0	6.0	7.0	7.0	6.0	5.0	11.0	13.0	7.0	7.0	6.0	3.0	2.0	2.0	2.0	1.0	2.0	23	13.0
5	BD	3.0	3.0	5.0	4.0	3.0	3.0	7.0	9.0	5.0	4.0	7.0	7.0	14.0	12.0	7.0	3.0	4.0	3.0	7.0	2.0	1.0	2.0	2.0	23	14.0
6	BD	2.0	1.0	4.0	6.0	3.0	8.0	6.0	5.0	4.0	3.0	3.0	3.0	3.0	3.0	4.0	3.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	23	8.0
7	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	5.0	17.0	10.0	25.0	16.0	16.0	14.0	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	23	25.0
8	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	5.0	11.0	5.0	5.0	12.0	7.0	7.0	17.0	10.0	5.0	4.0	3.0	3.0	2.0	1.0	1.0	23	17.0
9	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	5.0	BC	BC	BC	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	20	5.0
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	23	4.0
11	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
12	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	19.0	18.0	2.0	4.0	3.0	1.0	2.0	2.0	1.0	1.0	23	19.0
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
14	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
15	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	2.0	8.0	7.0	14.0	14.0	3.0	8.0	41.0	18.0	3.0	6.0	5.0	15.0	3.0	2.0	23	41.0
16	BD	1.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	3.0	2.0	1.0	1.0	1.0	2.0	4.0	3.0	8.0	2.0	1.0	23	8.0
17	BD	1.0	1.0	1.0	2.0	1.0	2.0	1.0	1.0	7.0	23.0	15.0	2.0	20.0	2.0	1.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	23.0
18	BD	2.0	1.0	2.0	2.0	1.0	1.0	1.0	6.0	2.0	3.0	6.0	3.0	2.0	4.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	23	6.0
19	BD	1.0	1.0	2.0	5.0	4.0	3.0	5.0	12.0	8.0	4.0	11.0	6.0	4.0	4.0	6.0	13.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	23	13.0
20	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	23	4.0
21	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	4.0
22	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
23	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BC	BC	BC	2.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	20	2.0
24	BD	2.0	1.0	1.0	1.0	1.0	1.0	2.0	7.0	7.0	4.0	23.0	25.0	5.0	26.0	21.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	26.0
25	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
26	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	3.0	6.0	6.0	7.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	3.0	23	7.0
27	BD	1.0	3.0	2.0	1.0	1.0	1.0	19.0	33.0	10.0	8.0	15.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	2.0	3.0	23	33.0
28	BD	1.0	1.0	1.0	41.0	6.0	3.0	4.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	23	41.0
29	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	9.0	3.0	6.0	6.0	4.0	25.0	31.0	11.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	23	31.0
30	BD	3.0	3.0	2.0	2.0	2.0	3.0	6.0	4.0	3.0	13.0	8.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	1.0	23	13.0
31	BD	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	3.0	4.0	14.0	21.0	28.0	29.0	6.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	29.0
NO.:		31	31	31	31	31	31	31	30	30	29	30	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:		4.0	3.0	5.0	41.0	6.0	8.0	19.0	33.0	17.0	46.0	33.0	25.0	21.0	28.0	33.0	41.0	18.0	7.0	8.0	5.0	15.0	3.0	4.0		
AVG:		1.32	1.32	1.58	3.03	1.58	1.74	3.10	4.80	4.50	6.10	7.00	5.70	5.42	6.68	7.10	4.48	2.94	2.32	2.39	1.87	2.10	1.52	1.55		

MONTHLY OBSERVATIONS: 707 MONTHLY MEAN: 3.47 MONTHLY MAX: 46.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	1.0	1.0	1.0	1.0	2.0	1.0	1.0	6.0	23.0	51.0	22.0	23.0	38.0	8.0	3.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	23	51.0	
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	3.0	4.0	4.0	2.0	1.0	1.0	1.0	23	4.0	
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
4	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
5	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
6	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	BC	BC	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	2.0	
7	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
8	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
9	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	9.0	11.0	5.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	11.0	
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	57.0	18.0	27.0	38.0	15.0	7.0	12.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	57.0	
11	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	31.0	33.0	24.0	11.0	2.0	2.0	2.0	1.0	1.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	23	33.0	
12	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	21.0	12.0	30.0	33.0	6.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	23	33.0	
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	23	4.0	
14	BD	1.0	1.0	1.0	1.0	12.0	44.0	40.0	50.0	21.0	22.0	35.0	18.0	54.0	18.0	13.0	2.0	2.0	57.0	67.0	P83.0	49.0	35.0	12.0	23	83.0	
15	BD	7.0	3.0	2.0	1.0	1.0	1.0	5.0	49.0	58.0	12.0	14.0	8.0	23.0	50.0	8.0	4.0	5.0	4.0	3.0	2.0	1.0	1.0	1.0	23	58.0	
16	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	5.0	3.0	2.0	1.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	1.0	1.0	23	5.0	
17	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	28.0	23	28.0	
18	BD	3.0	45.0	21.0	62.0	53.0	39.0	60.0	21.0	11.0	48.0	30.0	27.0	8.0	14.0	2.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	23	62.0	
19	BD	1.0	1.0	1.0	1.0	1.0	1.0	35.0	27.0	13.0	24.0	21.0	7.0	11.0	10.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	35.0	
20	BD	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	10.0	28.0	25.0	BC	BC	BC	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	20	28.0	
21	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	18.0	6.0	13.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	18.0	
22	BD	1.0	1.0	1.0	1.0	1.0	1.0	3.0	5.0	5.0	16.0	62.0	10.0	19.0	27.0	12.0	16.0	5.0	3.0	2.0	1.0	1.0	1.0	1.0	23	62.0	
23	BD	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	3.0	3.0	30.0	40.0	35.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	40.0	
24	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	16.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	16.0	
25	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
26	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
27	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
28	BD	1.0	2.0	2.0	1.0	2.0	4.0	6.0	4.0	4.0	5.0	10.0	31.0	13.0	11.0	16.0	8.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	23	31.0	
29	BD	1.0	1.0	1.0	1.0	1.0	2.0	15.0	20.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	23	20.0	
30	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
31																										0	
NO.:	30	30	30	30	30	30	30	30	30	29	29	30	29	29	29	30	30	30	30	30	30	30	30	30	30		
MAX:	7.0	45.0	21.0	62.0	53.0	44.0	60.0	50.0	58.0	51.0	62.0	31.0	54.0	50.0	35.0	16.0	5.0	57.0	67.0	83.0	49.0	35.0	28.0				
AVG:	1.20	2.53	1.73	3.03	3.20	3.87	8.33	9.53	8.72	11.45	10.37	6.41	8.52	8.17	4.40	2.70	1.90	3.60	3.73	4.00	2.63	2.13	2.27				

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 685 MONTHLY MEAN: 4.95 MONTHLY MAX: 83.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
3	BD	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
4	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BC	BC	BC	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20	1.0
5	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	8.0	11.0	7.0	6.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	11.0
6	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
7	BD	3.0	1.0	1.0	1.0	1.0	2.0	11.0	25.0	14.0	4.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	25.0
8	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	3.0	1.0	23	3.0
9	BD	5.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	4.0	5.0	8.0	9.0	3.0	3.0	4.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	9.0
10	BD	3.0	1.0	1.0	1.0	2.0	17.0	55.0	16.0	13.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	55.0
11	BD	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
12	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
13	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	16.0	58.0	5.0	4.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	58.0
14	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
15	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	5.0	7.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	7.0
16	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
17	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
18	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	9.0	19.0	16.0	BC	BC	21.0	18.0	3.0	4.0	1.0	1.0	1.0	1.0	1.0	21	21.0
19	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	12.0	18.0	35.0	4.0	4.0	2.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	23	35.0
20	BD	6.0	8.0	17.0	4.0	2.0	12.0	17.0	17.0	28.0	6.0	10.0	10.0	8.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	28.0
21	BD	3.0	1.0	1.0	1.0	1.0	1.0	25.0	8.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	3.0	2.0	3.0	2.0	1.0	1.0	23	25.0
22	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	35.0	38.0	9.0	4.0	5.0	2.0	3.0	2.0	2.0	2.0	3.0	1.0	1.0	1.0	1.0	23	38.0
23	BD	3.0	1.0	1.0	1.0	1.0	5.0	37.0	13.0	5.0	20.0	8.0	17.0	12.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	37.0
24	BD	3.0	2.0	1.0	1.0	10.0	22.0	5.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	8.0	23	22.0
25	BD	5.0	29.0	10.0	11.0	7.0	15.0	6.0	7.0	62.0	31.0	23.0	30.0	14.0	10.0	5.0	33.0	17.0	3.0	2.0	2.0	2.0	2.0	1.0	23	62.0
26	BD	3.0	1.0	1.0	1.0	1.0	10.0	16.0	8.0	6.0	3.0	34.0	32.0	8.0	13.0	12.0	10.0	9.0	14.0	8.0	3.0	2.0	2.0	2.0	23	34.0
27	BD	3.0	2.0	2.0	2.0	2.0	2.0	5.0	5.0	2.0	16.0	P87.0	60.0	32.0	38.0	6.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	87.0
28	BD	3.0	2.0	1.0	2.0	1.0	2.0	14.0	4.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	14.0
29	BD	3.0	2.0	6.0	4.0	10.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	10.0
30	BD	3.0	1.0	1.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
31	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	23	3.0
NO.:		31	31	31	31	31	31	31	30	30	30	31	31	30	30	31	31	31	31	31	31	31	31	31		
MAX:		6.0	29.0	17.0	11.0	10.0	22.0	55.0	25.0	62.0	38.0	87.0	60.0	32.0	38.0	21.0	33.0	17.0	14.0	8.0	3.0	2.0	3.0	8.0		
AVG:		2.97	2.29	2.06	1.65	1.90	3.65	7.13	5.07	7.43	6.70	8.16	8.81	4.17	3.47	2.77	3.32	2.23	1.90	1.45	1.32	1.16	1.23	1.39		

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 708 MONTHLY MEAN: 3.56 MONTHLY MAX: 87.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	3.0	1.0	1.0	1.0	1.0	3.0	BC	2.0	BC	BC	BC	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	19	3.0	
2	BD	3.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BA	BC	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	3.0	
3	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
4	BD	3.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
5	BD	3.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	23	3.0	
6	BD	3.0	2.0	2.0	2.0	3.0	3.0	2.0	2.0	3.0	3.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	23	3.0	
7	BD	3.0	1.0	1.0	2.0	3.0	2.0	3.0	3.0	3.0	2.0	2.0	5.0	34.0	5.0	14.0	3.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	23	34.0	
8	BD	3.0	2.0	2.0	2.0	2.0	2.0	10.0	5.0	9.0	20.0	35.0	20.0	40.0	33.0	12.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	40.0	
9	BD	3.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
10	BD	3.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	6.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	6.0	
11	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	42.0	13.0	16.0	21.0	4.0	12.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	42.0	
12	BD	3.0	2.0	1.0	1.0	2.0	5.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	23	5.0	
13	BD	3.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	23	4.0	
14	BD	3.0	1.0	1.0	1.0	1.0	1.0	5.0	BC	BC	BC	BC	BC	12.0	4.0	2.0	1.0	2.0	2.0	2.0	1.0	2.0	1.0	2.0	18	12.0	
15	BD	3.0	3.0	9.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	7.0	3.0	17.0	11.0	14.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	23	17.0	
16	BD	3.0	2.0	1.0	1.0	1.0	12.0	11.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	9.0	9.0	24.0	19.0	22.0	5.0	2.0	2.0	2.0	23	24.0	
17	BD	3.0	2.0	1.0	1.0	1.0	2.0	2.0	7.0	20.0	3.0	2.0	6.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	23	20.0	
18	BD	3.0	2.0	1.0	1.0	2.0	3.0	25.0	20.0	15.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	25.0	
19	BD	3.0	2.0	2.0	9.0	6.0	63.0	67.0	4.0	2.0	2.0	2.0	6.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	67.0	
20	BD	3.0	2.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
21	BD	4.0	2.0	1.0	1.0	1.0	2.0	3.0	17.0	4.0	9.0	71.0	36.0	4.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	71.0	
22	BD	3.0	2.0	1.0	1.0	2.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
23	BD	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	7.0	6.0	4.0	1.0	1.0	1.0	1.0	3.0	1.0	1.0	1.0	1.0	23	7.0	
24	BD	3.0	2.0	1.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	23	3.0	
25	BD	3.0	2.0	1.0	1.0	1.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	14.0	2.0	1.0	1.0	1.0	1.0	23	14.0	
26	BD	3.0	2.0	2.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	23	3.0	
27	BD	2.0	2.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
28	BD	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	BC	BC	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	2.0	
29	BD	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	3.0	1.0	1.0	23	3.0	
30	BD	2.0	2.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	16.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	16.0	
31																										0	
NO.:	30	30	30	30	30	30	30	29	29	26	26	28	29	30	30	30	30	30	30	30	30	30	30	30	30		
MAX:	4.0	3.0	9.0	9.0	6.0	63.0	67.0	42.0	20.0	20.0	71.0	36.0	40.0	33.0	14.0	16.0	24.0	19.0	22.0	5.0	3.0	2.0	2.0	2.0			
AVG:	2.87	1.73	1.40	1.50	1.57	4.37	5.97	5.21	4.15	3.62	6.46	4.28	5.33	3.17	3.00	2.23	2.23	2.37	2.03	1.37	1.23	1.13	1.20				

MONTHLY OBSERVATIONS: 677 MONTHLY MEAN: 2.94 MONTHLY MAX: 71.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	17.0	15.0	12.0	54.0	22.0	P159.	58.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	2.0	23	159.0
2	BD	34.0	7.0	8.0	17.0	34.0	P114.	32.0	13.0	56.0	26.0	45.0	27.0	55.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	114.0
3	BD	3.0	4.0	5.0	4.0	3.0	3.0	20.0	3.0	28.0	24.0	23.0	13.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	28.0
4	BD	2.0	2.0	1.0	1.0	1.0	1.0	13.0	24.0	9.0	5.0	9.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	24.0
5	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	61.0	43.0	4.0	2.0	2.0	1.0	2.0	3.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	23	61.0
6	BD	2.0	2.0	1.0	1.0	1.0	1.0	5.0	32.0	44.0	26.0	P98.0	47.0	37.0	33.0	20.0	4.0	4.0	2.0	1.0	2.0	1.0	1.0	1.0	23	98.0
7	BD	3.0	2.0	1.0	1.0	2.0	4.0	3.0	2.0	2.0	3.0	3.0	5.0	24.0	11.0	3.0	3.0	3.0	4.0	2.0	1.0	1.0	1.0	1.0	23	24.0
8	BD	2.0	2.0	1.0	2.0	2.0	2.0	36.0	25.0	9.0	9.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	36.0
9	BD	2.0	2.0	1.0	1.0	1.0	1.0	4.0	20.0	15.0	31.0	28.0	4.0	6.0	14.0	7.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	31.0
10	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
11	BD	19.0	21.0	4.0	2.0	1.0	4.0	3.0	5.0	4.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	21.0
12	BD	2.0	2.0	1.0	1.0	1.0	1.0	4.0	BC	BC	BC	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	20	4.0
13	BD	2.0	2.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0
14	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	10.0	1.0	1.0	1.0	1.0	1.0	1.0	23	10.0
15	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
16	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
17	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	23	2.0
18	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	3.0	1.0	1.0	1.0	1.0	1.0	23	3.0
19	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
20	BD	2.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
21	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
22	BD	2.0	2.0	2.0	2.0	1.0	2.0	11.0	4.0	12.0	22.0	26.0	25.0	40.0	10.0	4.0	3.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	23	40.0
23	BD	2.0	2.0	1.0	1.0	1.0	1.0	2.0	BC	BC	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	2.0
24	BD	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
25	BD	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
26	BD	2.0	2.0	2.0	2.0	2.0	2.0	3.0	25.0	15.0	8.0	23.0	10.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	25.0
27	BD	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
28	BD	2.0	2.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
29	BD	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	1.0	2.0	1.0	2.0	1.0	1.0	1.0	23	3.0
30	BD	2.0	2.0	2.0	2.0	1.0	2.0	2.0	36.0	24.0	26.0	16.0	21.0	5.0	6.0	8.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	23	36.0
31	BD	2.0	10.0	16.0	4.0	5.0	5.0	15.0	7.0	5.0	31.0	35.0	23.0	4.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	23	35.0
NO.:		31	31	31	31	31	31	31	29	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:		34.0	21.0	16.0	17.0	34.0	114.0	36.0	36.0	61.0	43.0	98.0	47.0	159.0	58.0	20.0	4.0	4.0	4.0	2.0	2.0	2.0	2.0	2.0	2.0	
AVG:		3.58	3.10	2.13	1.87	2.35	5.26	5.65	8.14	11.10	9.70	12.65	7.32	11.65	5.23	2.39	1.58	1.81	1.42	1.13	1.19	1.10	1.10	1.06		

3 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 708 MONTHLY MEAN: 4.42 MONTHLY MAX: 159.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	5.0	6.0	5.0	16.0	2.0	2.0	2.0	12.0	3.0	28.0	2.0	2.0	6.0	11.0	7.0	2.0	10.0	27.0	7.0	3.0	2.0	2.0	2.0	23	28.0
2	BD	41.0	37.0	48.0	22.0	31.0	21.0	23.0	44.0	8.0	AZ	AZ	BA	BA	BA	9.0	16.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	18	48.0
3	BD	1.0	2.0	2.0	1.0	1.0	2.0	14.0	AT	AT	AT	AT	AT	AT	7.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	17	14.0
4	BD	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	23	1.0
5	BD	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
6	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
7	BD	1.0	1.0	1.0	.0	.0	1.0	2.0	2.0	19.0	18.0	16.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	19.0
8	BD	1.0	8.0	24.0	5.0	17.0	15.0	8.0	11.0	40.0	32.0	2.0	1.0	1.0	.0	1.0	1.0	.0	1.0	.0	.0	1.0	1.0	.0	23	40.0
9	BD	1.0	1.0	1.0	1.0	1.0	35.0	27.0	32.0	31.0	26.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	23	35.0
10	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
11	BD	1.0	1.0	1.0	1.0	1.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	3.0
12	BD	1.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	1.0	1.0	.0	.0	.0	.0	23	3.0
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	10.0	18.0	16.0	4.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	18.0
14	BD	.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
15	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.0
16	BD	1.0	1.0	1.0	.0	.0	6.0	68.0	11.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	68.0
17	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	BC	BC	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0
18	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	20.0	5.0	1.0	23	20.0
19	BD	8.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	8.0
20	BD	.0	1.0	1.0	3.0	1.0	1.0	1.0	1.0	1.0	24.0	17.0	35.0	4.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	1.0	23	35.0
21	BD	1.0	5.0	18.0	2.0	10.0	11.0	2.0	33.0	7.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	2.0	5.0	23	33.0
22	BD	1.0	1.0	2.0	4.0	8.0	28.0	35.0	18.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	6.0	1.0	1.0	1.0	1.0	23	35.0
23	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	9.0	6.0	3.0	20.0	5.0	4.0	29.0	9.0	9.0	8.0	1.0	2.0	1.0	1.0	2.0	23	29.0
24	BD	1.0	2.0	1.0	3.0	1.0	4.0	1.0	1.0	5.0	1.0	1.0	13.0	2.0	18.0	32.0	1.0	9.0	6.0	73.0	23.0	37.0	39.0	2.0	23	73.0
25	BD	1.0	2.0	1.0	1.0	36.0	28.0	42.0	28.0	18.0	5.0	19.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	42.0
26	BD	1.0	1.0	1.0	1.0	1.0	1.0	19.0	30.0	9.0	32.0	BA	P81.0	12.0	3.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	22	81.0
27	BD	.0	1.0	1.0	1.0	.0	1.0	7.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	23	7.0
28	BD	1.0	2.0	1.0	2.0	1.0	30.0	29.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	30.0
29	BD	.0	1.0	1.0	3.0	18.0	12.0	11.0	20.0	4.0	46.0	50.0	51.0	4.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	23	51.0
30	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	12.0	43.0	13.0	3.0	7.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	43.0
31	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	BC	BC	32.0	25.0	7.0	8.0	9.0	3.0	2.0	2.0	3.0	1.0	1.0	1.0	.0	.0	21	32.0
NO.:		31	31	31	31	31	31	31	29	28	28	28	29	29	30	31	31	31	31	31	31	31	31	31		
MAX:		41.0	37.0	48.0	22.0	36.0	35.0	68.0	44.0	40.0	46.0	50.0	81.0	12.0	18.0	32.0	16.0	10.0	27.0	73.0	23.0	37.0	39.0	5.0		
AVG:		2.52	2.87	3.97	2.55	4.55	6.90	10.06	9.28	6.86	11.50	6.21	8.03	2.24	2.27	3.10	1.39	1.39	1.84	3.16	1.23	2.23	1.84	1.55		

1 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 697 MONTHLY MEAN: 4.13 MONTHLY MAX: 81.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	1.0	1.0	1.0	1.0	.0	.0	30.0	20.0	14.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	23	30.0		
2	BD	10.0	8.0	12.0	11.0	4.0	36.0	17.0	69.0	P84.0	13.0	16.0	40.0	26.0	5.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	3.0	2.0	23	84.0	
3	BD	5.0	8.0	7.0	4.0	2.0	2.0	2.0	3.0	8.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	8.0	
4	BD	2.0	2.0	2.0	2.0	1.0	1.0	3.0	2.0	1.0	4.0	22.0	8.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	2.0	1.0	.0	.0	23	22.0	
5	BD	.0	2.0	1.0	1.0	3.0	12.0	2.0	64.0	34.0	75.0	23.0	30.0	8.0	3.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	75.0	
6	BD	.0	1.0	1.0	.0	21.0	19.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	21.0	
7	BD	.0	.0	.0	.0	.0	.0	9.0	27.0	3.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	27.0	
8	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	2.0	1.0	.0	.0	23	2.0	
9	BD	1.0	2.0	1.0	1.0	1.0	1.0	3.0	2.0	12.0	50.0	17.0	35.0	39.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	23	50.0	
10	BD	1.0	1.0	1.0	1.0	2.0	1.0	1.0	9.0	7.0	45.0	13.0	8.0	15.0	75.0	23.0	3.0	2.0	1.0	1.0	.0	1.0	.0	.0	23	75.0	
11	BD	.0	1.0	1.0	1.0	23.0	47.0	18.0	19.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	23	47.0	
12	BD	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	3.0	1.0	1.0	1.0	.0	4.0	.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	8.0	15.0	23	15.0
13	BD	1.0	1.0	1.0	27.0	3.0	1.0	3.0	1.0	BC	BC	8.0	10.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	21	27.0	
14	BD	.0	1.0	1.0	1.0	1.0	1.0	2.0	7.0	29.0	28.0	P117.	24.0	25.0	10.0	4.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	117.0	
15	BD	2.0	2.0	2.0	1.0	1.0	2.0	5.0	4.0	7.0	32.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	32.0	
16	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
17	BD	.0	1.0	1.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
18	BD	.0	1.0	1.0	1.0	1.0	.0	4.0	54.0	33.0	52.0	3.0	23.0	9.0	4.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	23	54.0	
19	BD	4.0	2.0	1.0	1.0	1.0	2.0	12.0	44.0	31.0	19.0	9.0	10.0	16.0	4.0	10.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	23	44.0	
20	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	4.0	
21	BD	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	2.0	
22	BD	1.0	1.0	1.0	1.0	.0	.0	6.0	3.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	6.0	
23	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	1.0	2.0	1.0	1.0	2.0	1.0	1.0	.0	.0	.0	23	3.0	
24	BD	1.0	1.0	1.0	1.0	1.0	.0	1.0	20.0	11.0	2.0	1.0	1.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	20.0	
25	BD	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	23	2.0	
26	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	6.0	35.0	7.0	1.0	1.0	.0	.0	.0	.0	.0	23	35.0	
27	BD	.0	1.0	1.0	3.0	1.0	.0	.0	1.0	1.0	BC	BC	3.0	20.0	2.0	1.0	6.0	3.0	.0	.0	.0	.0	.0	.0	21	20.0	
28	BD	.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	2.0	4.0	23	4.0	
29	BD	1.0	2.0	5.0	2.0	1.0	4.0	2.0	6.0	25.0	40.0	42.0	14.0	60.0	32.0	51.0	23.0	45.0	45.0	19.0	14.0	10.0	1.0	3.0	23	60.0	
30	BD	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	6.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	6.0	
31																										0	
NO.:		30	30	30	30	30	30	30	30	29	28	29	30	30	30	30	30	30	30	30	30	30	30	30			
MAX:		10.0	8.0	12.0	27.0	23.0	47.0	30.0	69.0	84.0	75.0	117.0	40.0	60.0	75.0	51.0	23.0	45.0	45.0	19.0	14.0	10.0	8.0	15.0			
AVG:		1.17	1.67	1.70	2.20	2.37	4.43	4.20	12.13	10.86	13.57	10.00	7.40	7.93	5.50	5.07	2.10	2.53	2.23	1.27	.93	.67	.53	.90			

2 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 686 MONTHLY MEAN: 4.36 MONTHLY MAX: 117.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	BD	.0	1.0	1.0	.0	1.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	.0	.0	1.0	2.0	26.0	1.0	.0	1.0	5.0	9.0	8.0	23	26.0
2	BD	2.0	2.0	7.0	2.0	1.0	1.0	1.0	1.0	8.0	17.0	26.0	P105.	P172.	62.0	13.0	16.0	11.0	1.0	20.0	44.0	34.0	16.0	1.0	23	172.0
3	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
4	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	.0	1.0	7.0	1.0	3.0	4.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	7.0
5	BD	.0	15.0	21.0	41.0	30.0	32.0	40.0	19.0	7.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	5.0	1.0	23	41.0
6	BD	1.0	1.0	1.0	1.0	1.0	1.0	7.0	4.0	1.0	2.0	2.0	3.0	3.0	2.0	8.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	8.0
7	BD	.0	1.0	1.0	.0	.0	1.0	2.0	4.0	18.0	6.0	11.0	5.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	18.0
8	BD	.0	1.0	3.0	5.0	1.0	1.0	2.0	23.0	26.0	14.0	35.0	13.0	9.0	34.0	3.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	35.0
9	BD	.0	1.0	1.0	1.0	.0	.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	10.0	19.0	3.0	1.0	1.0	.0	.0	.0	.0	.0	23	19.0
10	BD	.0	1.0	1.0	.0	.0	.0	.0	1.0	6.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	6.0
11	BD	.0	1.0	1.0	.0	.0	.0	1.0	2.0	BC	BC	2.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	21	2.0
12	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0
13	BD	1.0	1.0	1.0	.0	.0	.0	1.0	2.0	15.0	17.0	3.0	3.0	13.0	21.0	27.0	7.0	2.0	1.0	.0	.0	.0	.0	.0	23	27.0
14	BD	.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	23	2.0
15	BD	1.0	2.0	2.0	3.0	2.0	1.0	2.0	6.0	24.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	24.0
16	BD	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	6.0	8.0	5.0	1.0	1.0	.0	.0	.0	.0	.0	23	8.0
17	BD	.0	1.0	.0	.0	.0	.0	.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	3.0
18	BD	1.0	1.0	1.0	.0	.0	.0	1.0	2.0	3.0	4.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	23	4.0
19	BD	.0	1.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	23	2.0
20	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	2.0	2.0	2.0	1.0	2.0	5.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	23	5.0
21	BD	.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
22	BD	.0	1.0	1.0	.0	1.0	1.0	15.0	31.0	8.0	3.0	25.0	2.0	2.0	11.0	9.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	23	31.0
23	BD	.0	1.0	.0	.0	.0	.0	1.0	18.0	24.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	24.0
24	BD	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0
25	BD	.0	1.0	.0	.0	.0	.0	.0	BC	BC	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0
26	BD	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
27	BD	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
28	BD	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
29	BD	1.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	2.0	3.0	8.0	2.0	1.0	.0	.0	.0	23	8.0
30	BD	.0	1.0	.0	.0	.0	.0	31.0	49.0	P78.0	21.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	78.0
31	BD	1.0	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
NO.:	31	31	31	31	31	31	31	31	30	29	30	31	31	31	31	31	31	31	31	31	31	31	31	31	31	
MAX:	2.0	15.0	21.0	41.0	30.0	32.0	40.0	49.0	78.0	21.0	35.0	105.0	172.0	62.0	27.0	16.0	26.0	8.0	20.0	44.0	34.0	16.0	8.0			
AVG:	.35	1.65	1.65	1.84	1.32	1.35	3.52	5.83	8.10	3.60	4.13	5.13	7.58	5.48	3.52	2.03	2.10	.87	1.03	1.71	1.42	1.06	.45			

3 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 709 MONTHLY MEAN: 2.84 MONTHLY MAX: 172.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	.0	1.0	1.0	.0	16.0	50.0	51.0	62.0	73.0	41.0	55.0	35.0	40.0	6.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	3.0	21.0	23	73.0	
2	BD	53.0	65.0	75.0	56.0	8.0	11.0	22.0	52.0	21.0	46.0	4.0	30.0	34.0	31.0	40.0	3.0	4.0	1.0	58.0	P82.0	53.0	56.0	47.0	23	82.0	
3	BD	69.0	45.0	15.0	14.0	27.0	37.0	18.0	5.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	69.0	
4	BD	.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	1.0	23	1.0	
5	BD	2.0	2.0	3.0	2.0	2.0	1.0	1.0	4.0	2.0	2.0	5.0	9.0	2.0	3.0	3.0	1.0	1.0	1.0	.0	1.0	2.0	1.0	1.0	23	9.0	
6	BD	1.0	1.0	.0	.0	.0	1.0	3.0	4.0	3.0	3.0	2.0	1.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	1.0	.0	.0	2.0	23	4.0	
7	BD	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	2.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	9	2.0	
8	BD	AE	AE	AE	AE	AE	AE	AE	AE	BC	BC	BC	17.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	12	17.0	
9	BD	3.0	3.0	2.0	1.0	1.0	1.0	1.0	6.0	4.0	10.0	12.0	5.0	4.0	3.0	3.0	4.0	2.0	1.0	1.0	1.0	1.0	.0	.0	23	12.0	
10	BD	1.0	1.0	1.0	1.0	.0	.0	.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	.0	1.0	.0	.0	.0	.0	23	4.0	
11	BD	.0	1.0	.0	.0	.0	.0	.0	1.0	2.0	1.0	2.0	1.0	1.0	3.0	1.0	.0	1.0	1.0	.0	1.0	3.0	1.0	4.0	23	4.0	
12	BD	1.0	1.0	1.0	.0	.0	.0	.0	1.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	23	3.0	
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	21.0	7.0	12.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	23	21.0	
14	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	47.0	31.0	27.0	40.0	40.0	16.0	3.0	4.0	3.0	1.0	1.0	.0	.0	.0	.0	23	47.0	
15	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	.0	.0	23	2.0	
16	BD	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
17	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	3.0	3.0	1.0	1.0	2.0	1.0	1.0	.0	.0	.0	.0	.0	23	3.0	
18	BD	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	3.0	3.0	1.0	1.0	.0	.0	.0	.0	23	3.0	
19	BD	1.0	1.0	1.0	1.0	1.0	.0	13.0	68.0	17.0	41.0	31.0	29.0	5.0	18.0	5.0	5.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	68.0	
20	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
21	BD	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	17.0	24.0	3.0	4.0	2.0	2.0	2.0	2.0	1.0	.0	.0	.0	.0	1.0	.0	23	24.0	
22	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	41.0	BC	BC	18.0	2.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	21	41.0	
23	BD	1.0	1.0	1.0	.0	.0	1.0	1.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
24	BD	1.0	1.0	1.0	.0	.0	.0	.0	1.0	28.0	26.0	30.0	56.0	23.0	12.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	56.0
25	BD	1.0	1.0	1.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	2.0	
26	BD	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	23	1.0	
27	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	4.0	2.0	10.0	2.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	10.0	
28	BD	1.0	1.0	1.0	1.0	1.0	9.0	38.0	46.0	3.0	26.0	13.0	26.0	6.0	19.0	13.0	2.0	2.0	2.0	2.0	6.0	7.0	5.0	2.0	23	46.0	
29	BD	22.0	48.0	P81.0	33.0	48.0	38.0	42.0	37.0	5.0	49.0	49.0	56.0	6.0	4.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	23	81.0	
30	BD	3.0	5.0	3.0	1.0	1.0	1.0	1.0	5.0	4.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	23	5.0	
31																									0		
NO.:		28	28	28	28	28	28	28	28	28	27	27	29	29	29	30	30	30	30	30	30	30	30	30	30		
MAX:		69.0	65.0	81.0	56.0	48.0	50.0	51.0	68.0	73.0	49.0	55.0	56.0	40.0	31.0	40.0	5.0	4.0	2.0	58.0	82.0	53.0	56.0	47.0			
AVG:		6.07	6.79	7.11	4.21	4.07	5.68	7.18	11.07	10.36	12.56	9.48	12.41	6.48	5.14	3.30	1.60	1.33	.77	2.47	3.30	2.50	2.53	2.80			

2 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 663 MONTHLY MEAN: 5.52 MONTHLY MAX: 82.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-129-0006 POC: 1
 COUNTY: (129) New Hanover
 CITY: (00000) Not in a city
 SITE ADDRESS: HIGHWAY 421 NORTH
 SITE COMMENTS:
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (170) SOUTHERN COASTAL PLAIN
 URBANIZED AREA: (9200) WILMINGTON, NC
 LAND USE: INDUSTRIAL
 LOCATION SETTING: RURAL

CAS NUMBER: 7446-09-5
 LATITUDE: 34.268403
 LONGITUDE: -77.956529
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 6
 PROBE HEIGHT: 3

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	4.0	3.0	23	4.0		
2	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	BC	BC	1.0	3.0	13.0	21.0	6.0	2.0	1.0	.0	1.0	.0	.0	.0	21	21.0	
3	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	5.0	6.0	2.0	6.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	6.0	
4	BD	1.0	1.0	.0	.0	.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	9.0	30.0	46.0	28.0	11.0	2.0	1.0	1.0	1.0	.0	.0	23	46.0	
5	BD	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	10.0	6.0	2.0	2.0	2.0	1.0	1.0	2.0	1.0	1.0	23	10.0	
6	BD	2.0	4.0	2.0	2.0	2.0	2.0	4.0	5.0	4.0	17.0	22.0	12.0	12.0	10.0	10.0	13.0	6.0	10.0	4.0	3.0	2.0	2.0	3.0	23	22.0	
7	BD	4.0	4.0	2.0	2.0	2.0	2.0	8.0	14.0	3.0	26.0	12.0	3.0	4.0	6.0	7.0	6.0	5.0	3.0	2.0	2.0	2.0	2.0	3.0	23	26.0	
8	BD	2.0	2.0	2.0	1.0	1.0	2.0	1.0	4.0	2.0	3.0	4.0	28.0	43.0	21.0	9.0	8.0	3.0	2.0	2.0	3.0	3.0	7.0	3.0	23	43.0	
9	BD	3.0	5.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	23	5.0	
10	BD	2.0	3.0	2.0	2.0	2.0	1.0	2.0	2.0	3.0	3.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
11	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	23	2.0	
12	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
13	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	15.0	19.0	9.0	7.0	15.0	26.0	39.0	24.0	12.0	4.0	1.0	14.0	23	39.0	
14	BD	18.0	49.0	73.0	41.0	15.0	27.0	37.0	57.0	40.0	9.0	41.0	22.0	39.0	33.0	13.0	20.0	5.0	4.0	2.0	2.0	2.0	4.0	4.0	23	73.0	
15	BD	2.0	9.0	18.0	5.0	3.0	3.0	41.0	11.0	11.0	8.0	8.0	12.0	14.0	13.0	23.0	4.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	23	41.0	
16	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	BC	BC	BC	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	20	3.0	
17	BD	2.0	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	23	2.0	
18	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	.0	1.0	23	2.0	
19	BD	2.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	3.0	3.0	3.0	3.0	45.0	7.0	7.0	6.0	5.0	4.0	23	45.0	
20	BD	4.0	3.0	2.0	2.0	2.0	2.0	2.0	3.0	4.0	4.0	5.0	4.0	3.0	3.0	3.0	3.0	2.0	3.0	1.0	1.0	1.0	1.0	1.0	23	5.0	
21	BD	2.0	3.0	2.0	2.0	2.0	4.0	4.0	4.0	9.0	10.0	11.0	20.0	12.0	7.0	4.0	3.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	23	20.0	
22	BD	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	5.0	7.0	7.0	4.0	3.0	2.0	1.0	1.0	1.0	.0	.0	1.0	23	7.0	
23	BD	2.0	2.0	1.0	2.0	3.0	3.0	4.0	5.0	4.0	4.0	3.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	23	5.0	
24	BD	3.0	3.0	2.0	2.0	2.0	2.0	2.0	3.0	5.0	2.0	2.0	3.0	3.0	6.0	10.0	6.0	2.0	2.0	1.0	1.0	1.0	1.0	.0	23	10.0	
25	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	3.0	
26	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	2.0	2.0	2.0	4.0	7.0	11.0	2.0	2.0	2.0	2.0	23	11.0	
27	BD	3.0	3.0	2.0	2.0	2.0	1.0	2.0	18.0	43.0	P78.0	P76.0	35.0	45.0	51.0	44.0	8.0	2.0	2.0	2.0	1.0	2.0	7.0	8.0	23	78.0	
28	BD	3.0	2.0	4.0	4.0	2.0	3.0	2.0	3.0	5.0	BC	BC	18.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	21	18.0	
29	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	3.0	3.0	4.0	2.0	50.0	6.0	3.0	3.0	4.0	3.0	1.0	1.0	1.0	1.0	23	50.0	
30	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	4.0	4.0	4.0	3.0	3.0	4.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	23	4.0	
31	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	4.0	5.0	4.0	5.0	4.0	3.0	3.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	23	5.0	
NO.:		31	31	31	31	31	31	31	31	31	28	28	30	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:		18.0	49.0	73.0	41.0	15.0	27.0	41.0	57.0	43.0	78.0	76.0	35.0	45.0	51.0	44.0	20.0	26.0	45.0	24.0	12.0	6.0	7.0	14.0			
AVG:		2.55	3.71	4.35	2.84	1.87	2.39	4.26	5.03	5.29	7.04	7.96	7.47	8.77	10.26	7.19	4.58	2.97	4.58	2.52	1.81	1.52	1.74	2.10			

2 Values marked with 'P' exceed the PRIMARY STANDARD of: 75.5

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: 4.44 MONTHLY MAX: 78.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-173-0002 POC: 1
 COUNTY: (173) Swain
 CITY: (08480) Bryson City (RR name Bryson)
 SITE ADDRESS: 30 Recreation Park Drive
 SITE COMMENTS: Address before Mar 2010 was 470 CENTER STREET, +35.435509, -83.443697 (173 M move)
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (171) WESTERN MOUNTAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.434767
 LONGITUDE: -83.442133
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 560
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: OTHER

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR

COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT

UNITS: Parts per billion

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM			
1	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	23	1.0		
2	1.0	1.0	1.0	BD	1.0	1.0	1.0	.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	2.0		
3	.0	AE	AE	BD	AE	AE	AE	AE	AE	AE	AE	AE	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	14	2.0		
4	.0	AE	AE	BD	AE	AE	AE	AE	AE	AE	AE	AE	.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	13	2.0	
5	1.0	3.0	4.0	BD	4.0	4.0	4.0	3.0	4.0	4.0	3.0	2.0	1.0	BA	BA	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	20	4.0		
6	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
7	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
8	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	AE	AE	BD	AE	AE	AE	AE	AE	AE	AE	AE	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	13	0.0	
10	.0	.0	AE	BD	AE	AE	AE	AE	AE	AE	AE	AE	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	14	0.0	
11	.0	.0	.0	BD	.0	.0	.0	.0	AE	AE	AE	.0	BA	.0	.0	.0	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	11	0.0	
12	AE	AE	AE	BD	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	0	
13	AE	AE	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	AE	9	0.0	
14	AE	AE	AE	BD	AE	.0	.0	.0	.0	.0	.0	BF	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	15	0.0	
15	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
16	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
17	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
18	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
19	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
20	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
22	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
23	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
24	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
25	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
26	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
27	.0	.0	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	21	3.0	
28	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0	
29	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0	
30	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0	
31	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0	
NO.:	28	25	25		25	26	26	26	25	25	25	26	27	26	26	28	28	28	28	28	28	28	28	28	28				
MAX:	3.0	3.0	4.0		4.0	4.0	4.0	3.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0			
AVG:	.50	.64	.68		.68	.65	.65	.58	.68	.72	.64	.65	.59	.65	.62	.68	.71	.71	.68	.68	.64	.64	.61	.57					

MONTHLY OBSERVATIONS: 613 MONTHLY MEAN: .65 MONTHLY MAX: 4.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("*") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-173-0002 POC: 1
 COUNTY: (173) Swain
 CITY: (08480) Bryson City (RR name Bryson)
 SITE ADDRESS: 30 Recreation Park Drive
 SITE COMMENTS: Address before Mar 2010 was 470 CENTER STREET, +35.435509, -83.443697 (173 M move)
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (171) WESTERN MOUNTAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.434767
 LONGITUDE: -83.442133
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 560
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0		
2	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0		
3	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	4.0		
4	3.0	3.0	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	4.0		
5	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	3.0		
6	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	4.0	5.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	4.0	5.0	5.0	4.0	4.0	23	5.0		
7	4.0	BD	4.0	4.0	4.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0	3.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	23	4.0		
8	3.0	BD	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	BF	BF	BF	1.0	1.0	1.0	1.0	1.0	3.0	2.0	2.0	2.0	20	3.0		
9	2.0	BD	3.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	23	3.0		
10	2.0	BD	2.0	2.0	2.0	3.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
11	2.0	BD	2.0	1.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	23	2.0		
12	1.0	BD	2.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
13	2.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	3.0	2.0	2.0	2.0	3.0	4.0	5.0	5.0	5.0	4.0	4.0	4.0	4.0	3.0	23	5.0		
14	3.0	BD	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
15	1.0	BD	2.0	2.0	2.0	2.0	1.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
16	2.0	BD	2.0	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	2.0		
17	2.0	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
18	2.0	BD	2.0	3.0	3.0	3.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
19	2.0	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
20	2.0	BD	2.0	2.0	2.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	23	2.0		
21	2.0	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	23	3.0		
22	2.0	BD	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	BF	BF	BF	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	20	2.0		
23	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0		
24	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0		
25	1.0	BD	2.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
26	1.0	BD	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	23	3.0		
27	2.0	BD	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0		
28	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0		
29																										0		
30																											0	
31																											0	
NO.:	28	4	28	24	28	28	28	28	28	28	28	28	26	26	26	28	28	28	28	28	28	28	28	28	28			
MAX:	4.0	3.0	4.0	4.0	4.0	3.0	3.0	3.0	3.0	4.0	4.0	5.0	5.0	5.0	5.0	4.0	5.0	5.0	5.0	4.0	5.0	5.0	5.0	4.0	4.0			
AVG:	2.07	3.00	2.14	1.88	2.07	2.14	2.04	2.00	2.14	2.18	2.29	2.18	2.08	2.15	2.23	2.21	2.11	2.11	2.11	1.96	2.11	2.07	2.07	2.00				

MONTHLY OBSERVATIONS: 638 MONTHLY MEAN: 2.11 MONTHLY MAX: 5.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-173-0002 POC: 1
 COUNTY: (173) Swain
 CITY: (08480) Bryson City (RR name Bryson)
 SITE ADDRESS: 30 Recreation Park Drive
 SITE COMMENTS: Address before Mar 2010 was 470 CENTER STREET, +35.435509, -83.443697 (173 M move)
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (171) WESTERN MOUNTAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.434767
 LONGITUDE: -83.442133
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 560
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
2	1.0	BD	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
3	3.0	BD	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	23	3.0
4	2.0	BD	2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0
5	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	1.0	3.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	23	3.0
6	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
7	1.0	BD	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
8	1.0	BD	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	BF	BF	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21	2.0
9	1.0	BD	1.0	1.0	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	1.0	1.0	1.0	1.0	23	3.0
10	1.0	BD	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	.0	23	1.0	
11	1.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	23	1.0
12	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	1.0
15	1.0	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
16	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	23	1.0
17	.0	BD	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	1.0	.0	23	1.0	
18	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	2.0	3.0	2.0	1.0	1.0	1.0	1.0	23	3.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	.0	.0	23	2.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
21	.0	BD	1.0	.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
22	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	BF	BF	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	1.0	1.0	21	1.0
23	.0	BD	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0	
24	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	1.0	23	1.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	AE	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	22	1.0
26	.0	BD	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	23	1.0
27	1.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
28	1.0	BD	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
30	.0	BD	.0	.0	.0	.0	.0	.0	1.0	.0	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	23	1.0
31	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0
NO.:	31		31	31	31	31	31	31	30	31	30	31	31	30	30	31	31	31	31	31	31	31	31	31	31		
MAX:	3.0		2.0	2.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0	3.0	2.0	2.0	3.0	3.0	2.0	2.0	2.0	2.0	2.0		
AVG:	.52		.52	.39	.45	.42	.35	.45	.67	.81	.93	.77	.81	.81	.70	.87	.81	.74	.84	.84	.71	.68	.61	.65			

MONTHLY OBSERVATIONS: 708 MONTHLY MEAN: .67 MONTHLY MAX: 3.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-173-0002 POC: 1
 COUNTY: (173) Swain
 CITY: (08480) Bryson City (RR name Bryson)
 SITE ADDRESS: 30 Recreation Park Drive
 SITE COMMENTS: Address before Mar 2010 was 470 CENTER STREET, +35.435509, -83.443697 (173 M move)
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (171) WESTERN MOUNTAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.434767
 LONGITUDE: -83.442133
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 560
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	1.0	BD	1.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
2	1.0	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	2.0	
3	1.0	BD	.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	.0	.0	23	1.0	
4	.0	BD	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	23	1.0	
5	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	BF	BF	BF	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	20	1.0	
6	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
7	1.0	BD	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	23	1.0	
8	1.0	BD	.0	.0	.0	1.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0	
9	.0	BD	.0	1.0	1.0	.0	.0	.0	1.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	23	1.0	
10	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0	
11	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0	
12	.0	BD	1.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	BJ	BJ	BJ	BJ	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	19	2.0	
13	.0	BD	1.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	23	2.0	
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	.0	.0	1.0	.0	.0	.0	.0	.0	23	1.0
17	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	1.0	1.0	.0	.0	.0	23	2.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	21	1.0
21	.0	BD	.0	AV	.0	.0	.0	.0	.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	.0	22	2.0	
22	.0	BD	1.0	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	1.0	1.0	.0	23	1.0	
23	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	.0	.0	23	1.0	
24	.0	BD	.0	.0	.0	.0	.0	.0	1.0	1.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	1.0	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	14	0.0
27	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
28	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
29	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
30	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
31																										0	
NO.:	26		26	25	26	26	26	26	26	26	24	24	24	25	25	24	25	25	25	25	25	25	25	25	25		
MAX:	1.0		1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	2.0	2.0	2.0	1.0	1.0	2.0	2.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	1.0		
AVG:	.19		.23	.08	.08	.19	.08	.23	.50	.73	.92	.83	.75	.76	.72	.71	.72	.72	.76	.72	.60	.52	.24	.24			

MONTHLY OBSERVATIONS: 579 MONTHLY MEAN: .50 MONTHLY MAX: 2.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-173-0002 POC: 1
 COUNTY: (173) Swain
 CITY: (08480) Bryson City (RR name Bryson)
 SITE ADDRESS: 30 Recreation Park Drive
 SITE COMMENTS: Address before Mar 2010 was 470 CENTER STREET, +35.435509, -83.443697 (173 M move)
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (171) WESTERN MOUNTAIN
 URBANIZED AREA: (0000) NOT IN AN URBAN AREA
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.434767
 LONGITUDE: -83.442133
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 560
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: OTHER
 COLLECTION AND ANALYSIS METHOD: (009) INSTRUMENTAL PULSED FLUORESCENT
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: 2

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
2	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
3	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
4	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
5	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
6	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
7	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
8	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
9	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
10	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
11	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	AV	0		
12	.0	BD	.0	.0	.0	.0	.0	AV	AV	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	8	0.0	
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	AV	.0	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	.0	.0	22	1.0	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
15	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
16	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
17	.0	BD	.0	.0	.0	.0	.0	.0	AV	.0	.0	.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	19	0.0	
18	.0	BD	.0	.0	.0	.0	AV	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	22	0.0	
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
21	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
25	.0	BD	.0	.0	.0	.0	.0	.0	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	7	0.0	
26	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
27	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
28	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
29	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
30	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
31	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	BE	0	
NO.:	14		14	14	14	14	13	13	11	13	13	12	12	12	13	14	14	14	14	14	14	14	14	14	14			
MAX:	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0			
AVG:	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00			

MONTHLY OBSERVATIONS: 306 MONTHLY MEAN: 0.00 MONTHLY MAX: 1.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JANUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.5	BD	.4	.4	.4	.4	.4	.4	.6	1.7	2.0	1.5	1.3	1.2	2.1	1.4	.9	.7	.6	.6	.7	.7	.7	.8	23	2.1	
2	1.0	BD	1.6	1.5	1.3	1.4	1.9	1.7	1.8	2.0	1.5	1.4	1.2	1.1	.9	.9	.9	.9	.9	1.0	1.1	1.1	1.0	1.3	23	2.0	
3	1.6	BD	2.0	2.2	2.3	1.8	2.1	2.1	2.0	2.1	1.9	1.9	1.8	1.9	1.8	1.8	1.6	2.3	2.3	2.3	2.9	2.7	2.2	2.0	23	2.9	
4	2.3	BD	2.6	2.8	2.9	2.9	3.4	4.2	4.5	BF	BF	3.1	BA	2.3	1.9	2.9	3.5	2.3	2.0	1.8	1.8	1.8	2.0	2.1	20	4.5	
5	2.2	BD	2.5	3.5	2.5	2.0	1.8	2.3	2.7	2.9	2.9	2.7	2.6	2.5	2.4	2.4	2.7	2.2	1.9	2.4	3.1	2.0	1.8	2.8	23	3.5	
6	2.8	BD	2.8	1.9	1.5	2.2	2.0	2.2	2.5	2.6	2.7	2.4	3.1	3.5	2.5	2.4	2.0	2.1	2.3	2.3	1.9	1.9	2.2	3.1	23	3.5	
7	2.6	BD	2.9	2.9	3.0	2.8	2.9	3.3	4.9	BC	BC	BC	1.6	1.6	.9	.8	2.5	6.3	3.6	1.6	2.2	2.6	2.3	2.1	20	6.3	
8	2.3	BD	3.1	1.9	1.1	.8	.8	.8	1.1	1.4	.9	1.4	1.7	2.3	2.7	2.9	3.1	3.1	3.1	3.3	4.0	4.4	4.4	4.3	23	4.4	
9	4.3	BD	4.3	4.2	4.3	5.3	4.6	4.0	4.5	4.6	4.6	3.9	3.5	3.8	3.6	3.6	4.2	4.6	2.9	2.1	2.2	3.3	3.8	3.8	23	5.3	
10	3.0	BD	1.8	1.7	1.8	1.8	2.1	2.7	3.1	3.0	2.7	2.4	1.8	1.6	1.6	1.4	2.0	2.4	3.3	2.7	1.7	1.9	1.8	1.6	23	3.3	
11	1.4	BD	2.8	3.7	5.0	6.5	6.6	5.1	4.3	5.2	2.3	3.0	7.6	5.1	6.5	3.1	1.7	1.6	1.8	1.9	2.5	2.1	2.9	3.7	23	7.6	
12	3.7	BD	3.8	2.4	2.3	1.9	2.0	3.2	3.5	3.0	3.3	2.3	2.8	3.1	5.8	5.1	5.3	4.5	4.3	4.0	3.6	2.9	2.7	4.0	23	5.8	
13	4.2	BD	4.1	4.3	4.6	4.8	4.3	5.8	6.5	7.8	6.7	5.9	8.2	5.1	2.8	2.0	2.4	3.7	6.9	7.3	9.9	8.7	7.3	8.6	23	9.9	
14	7.6	BD	5.8	6.1	7.6	9.3	7.6	8.4	8.8	9.7	7.6	5.2	7.3	6.6	10.2	7.1	4.1	3.0	3.6	3.0	4.0	4.0	4.1	3.3	23	10.2	
15	2.7	BD	2.7	3.0	3.3	3.4	4.8	9.0	7.6	5.7	7.7	4.4	2.9	2.1	1.5	1.2	1.4	2.9	5.9	7.7	7.4	10.5	9.0	7.5	23	10.5	
16	5.2	BD	5.0	4.9	4.4	3.9	4.3	4.1	4.2	6.5	5.0	2.0	1.6	2.6	3.3	3.5	3.7	4.0	4.9	4.2	4.1	4.4	3.5	2.5	23	6.5	
17	2.4	BD	2.3	1.0	.3	.1	.0	.0	.0	.1	.4	.2	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	2.4	
18	.0	BD	.0	.0	.0	.0	.0	.1	.7	1.5	2.1	1.1	.2	.8	.8	.7	.4	.7	2.8	2.8	3.7	3.2	4.2	3.2	23	4.2	
19	3.0	BD	1.0	.7	1.1	1.8	2.2	3.2	4.6	3.2	1.8	1.2	.6	.3	.2	.3	.4	2.0	5.2	5.9	5.5	4.8	4.8	4.7	23	5.9	
20	3.4	BD	2.1	2.7	2.3	1.7	2.0	3.8	4.4	5.0	2.3	1.5	.9	.7	.5	.4	.5	1.3	1.1	1.0	2.9	3.9	2.8	2.5	23	5.0	
21	2.3	BD	2.0	2.1	1.5	1.3	1.3	1.7	1.8	BF	BF	BF	.6	.8	.8	.5	.5	.6	.5	.2	.0	.0	.0	.0	20	2.3	
22	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0	
23	.1	BD	.1	.0	.0	.0	.1	.3	1.3	2.6	2.3	1.5	1.2	1.0	.8	.8	1.1	.7	.7	.5	.2	.1	.0	.0	23	2.6	
24	.1	BD	.0	.0	.0	.0	.0	.0	.0	.1	1.1	1.1	.4	.1	.2	.2	.0	.0	.1	.3	.1	.0	.0	.0	23	1.1	
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.0	.0	.3	.3	.3	.1	2.2	.8	.0	.0	.0	.0	23	2.2	
26	.0	BD	.0	.0	.0	.0	.3	1.3	3.7	4.0	.7	.6	.3	.6	.3	.2	.1	.0	.0	.0	.1	.1	.3	.8	23	4.0	
27	1.0	BD	.4	.4	.3	.4	.9	.9	AZ	AZ	AZ	AZ	.6	.6	.5	.4	.4	.8	2.8	4.0	2.5	2.3	2.9	2.1	19	4.0	
28	1.6	BD	.9	1.1	1.4	1.5	6.5	29.5	9.9	9.0	3.7	6.6	8.1	1.7	.6	.7	.7	.5	.6	1.2	.8	.7	.7	.8	23	29.5	
29	2.6	BD	1.2	1.0	1.1	1.5	1.2	1.4	1.5	1.4	1.2	1.2	1.2	1.3	1.5	1.5	1.3	1.5	1.7	1.3	1.2	1.4	1.3	1.9	23	2.6	
30	2.5	BD	2.6	1.9	1.1	1.0	1.3	2.0	2.1	2.2	2.4	2.3	2.4	3.5	2.9	1.5	1.1	.9	1.3	1.3	1.2	1.2	1.3	1.3	23	3.5	
31	1.5	BD	1.5	.9	.9	.9	.7	.8	.7	.6	.6	.4	.5	.6	.7	1.0	1.0	1.3	2.6	2.5	3.7	3.2	3.6	2.2	23	3.7	
NO.:	31		31	31	31	31	31	31	30	27	27	28	30	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	7.6		5.8	6.1	7.6	9.3	7.6	29.5	9.9	9.7	7.7	6.6	8.2	6.6	10.2	7.1	5.3	6.3	6.9	7.7	9.9	10.5	9.0	8.6			
AVG:	2.19		2.01	1.91	1.88	1.98	2.20	3.36	3.11	3.26	2.61	2.19	2.20	1.89	1.95	1.65	1.60	1.85	2.32	2.26	2.44	2.45	2.38	2.35			

MONTHLY OBSERVATIONS: 700 MONTHLY MEAN: 2.25 MONTHLY MAX: 29.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: FEBRUARY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE:

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM		
1	1.8	BD	2.0	2.8	1.9	1.7	2.0	2.6	3.4	3.1	3.1	2.6	2.4	2.2	1.6	1.6	1.5	1.7	2.2	1.8	1.4	1.6	1.3	1.7	23	3.4		
2	.9	BD	1.3	1.2	1.1	1.1	1.4	1.9	1.5	1.0	.9	.7	.4	.3	.3	.2	.1	.2	.2	.1	.2	.3	.6	1.2	23	1.9		
3	.9	BD	.3	.3	.5	.6	.3	1.6	2.9	3.7	7.6	4.6	3.4	3.9	2.7	2.3	1.9	1.6	1.3	1.9	2.5	1.9	1.2	1.2	23	7.6		
4	1.4	BD	2.3	1.8	1.7	1.6	1.8	2.2	2.8	BF	BF	3.7	3.3	2.9	2.8	3.7	3.7	3.4	3.3	3.4	2.9	2.1	1.6	1.8	21	3.7		
5	2.5	BD	3.2	2.9	2.5	2.4	2.2	1.4	.8	.7	.5	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	3.2		
6	.0	BD	.0	.0	.0	.3	.5	.7	1.0	1.3	1.6	1.5	1.1	.7	.4	.3	.4	.4	.5	.5	.4	.5	.4	.4	23	1.6		
7	.3	BD	.3	.2	.1	.1	.1	.3	.6	1.6	2.1	2.1	2.2	1.9	1.8	1.9	1.9	1.7	1.6	1.5	1.4	.8	.8	1.5	23	2.2		
8	1.3	BD	1.0	1.3	1.1	.9	.9	1.4	1.5	3.7	3.9	3.1	2.8	2.6	2.2	1.8	1.7	2.2	1.9	1.5	1.8	1.8	1.6	2.1	23	3.9		
9	1.4	BD	1.0	1.0	.7	.7	.9	1.4	1.3	1.3	1.3	1.6	1.2	1.3	1.1	.6	.3	.3	.2	.1	.1	.0	.0	.0	23	1.6		
10	.0	BD	.1	.2	.3	.4	.5	1.1	2.6	2.4	2.3	2.0	1.6	1.4	1.3	1.2	1.2	1.3	1.3	1.4	1.4	1.7	1.8	1.5	23	2.6		
11	1.4	BD	1.6	1.5	1.3	1.8	1.4	1.1	.9	.8	.7	.7	.7	.6	.6	.7	.6	.5	.5	.4	.5	.5	.5	.6	23	1.8		
12	.8	BD	1.2	1.8	2.5	2.7	2.9	3.6	4.3	3.9	3.0	2.1	1.7	1.6	1.6	1.6	1.6	1.6	1.4	1.2	1.1	.6	.6	.6	23	4.3		
13	.6	BD	.6	.7	.8	.7	1.0	1.0	.8	1.2	1.5	2.0	1.7	3.2	5.0	4.6	4.6	2.7	1.7	1.1	1.1	1.0	.8	.7	23	5.0		
14	1.8	BD	1.5	2.8	2.8	2.2	2.3	2.4	2.1	2.0	1.8	1.4	1.1	1.1	1.0	.8	.6	.8	1.3	1.7	1.9	2.1	2.4	2.8	23	2.8		
15	1.8	BD	1.1	.8	.9	.9	1.9	2.1	2.8	3.0	2.7	2.2	1.4	1.2	.5	.3	.3	.3	.2	.2	.9	.4	.7	.9	23	3.0		
16	1.6	BD	2.2	2.3	1.9	1.5	1.7	1.8	1.6	1.7	2.0	1.3	1.3	1.1	1.0	.8	.8	1.2	1.1	.9	1.1	.7	.8	1.1	23	2.3		
17	1.0	BD	1.0	1.0	.9	1.0	1.2	1.4	1.1	1.2	1.3	1.0	1.1	.8	.8	.8	.8	1.0	1.0	1.0	1.0	.9	.7	.8	23	1.4		
18	.9	BD	1.0	.8	.8	.8	.9	1.2	1.2	BF	BF	BA	2.1	1.6	1.2	.8	.9	.7	.6	.4	.4	.7	.8	.7	20	2.1		
19	.7	BD	1.4	1.6	1.1	1.2	1.3	2.0	2.4	2.1	2.1	2.4	2.0	1.6	1.4	1.4	1.5	1.6	1.7	1.8	2.0	3.9	3.4	3.5	23	3.9		
20	2.1	BD	1.4	1.4	1.3	1.4	2.0	3.1	2.8	4.7	3.3	3.3	2.4	1.6	1.2	1.0	1.1	1.2	1.9	4.5	2.5	2.1	4.4	4.4	23	4.7		
21	4.4	BD	2.4	1.7	1.6	1.3	1.0	1.8	2.7	1.4	1.7	1.4	1.4	1.2	1.4	4.2	5.1	4.7	3.7	2.0	1.7	1.8	1.3	1.5	23	5.1		
22	1.3	BD	1.1	.9	.6	.3	.6	2.2	1.9	1.9	BA	.9	.9	.7	.5	.3	.3	.1	.0	.4	.3	.0	.8	1.2	22	2.2		
23	1.3	BD	.9	.6	.3	.3	.2	.2	.4	.4	.6	.6	.5	.4	.4	.4	.4	.4	.8	.8	.5	1.0	1.0	.3	23	1.3		
24	.4	BD	1.6	1.7	1.6	1.4	1.3	1.2	1.5	1.7	1.7	2.3	2.2	1.9	1.5	1.4	1.2	1.2	1.3	.9	1.0	.6	.3	.3	23	2.3		
25	.3	BD	.5	1.1	.9	1.3	2.1	1.9	2.3	2.7	2.7	2.5	2.2	2.3	2.0	2.0	1.7	1.5	1.7	1.6	1.7	1.5	1.5	1.2	23	2.7		
26	1.3	BD	1.2	1.2	1.1	1.1	1.2	1.4	1.4	1.5	1.3	1.0	.8	.7	.7	.8	.7	.6	.5	.5	.7	.7	1.0	.8	23	1.5		
27	.8	BD	1.6	1.6	1.4	1.4	1.4	1.7	2.2	1.9	1.7	1.5	1.6	1.5	1.4	1.2	1.1	1.1	1.1	1.0	1.0	1.0	.8	.8	23	2.2		
28	.7	BD	.6	.7	.8	.9	1.1	1.8	3.1	2.2	1.8	1.6	1.4	1.2	.9	.9	.6	.7	.6	.5	.5	.6	.7	.7	23	3.1		
29																										0		
30																											0	
31																											0	
NO.:	28		28	28	28	28	28	28	28	26	25	27	28	28	28	28	28	28	28	28	28	28	28	28	28			
MAX:	4.4		3.2	2.9	2.8	2.7	2.9	3.6	4.3	4.7	7.6	4.6	3.4	3.9	5.0	4.6	5.1	4.7	3.7	4.5	2.9	3.9	4.4	4.4				
AVG:	1.20		1.23	1.28	1.16	1.14	1.29	1.66	1.93	2.04	2.13	1.86	1.61	1.48	1.33	1.34	1.31	1.24	1.20	1.18	1.14	1.10	1.14	1.23				

MONTHLY OBSERVATIONS: 638 MONTHLY MEAN: 1.39 MONTHLY MAX: 7.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MARCH 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.7	BD	2.3	2.0	1.4	1.3	1.5	1.3	1.2	1.1	1.2	1.5	1.3	1.3	1.0	.8	1.2	1.5	1.0	.6	1.2	.9	2.4	.9	23	2.4	
2	.9	BD	1.4	2.7	2.9	3.3	3.8	3.4	2.3	2.1	2.1	2.1	1.9	1.7	1.4	.7	.6	.5	.7	1.5	1.2	1.2	.6	.3	23	3.8	
3	.3	BD	.3	.3	.3	.4	.5	.5	.6	.8	1.1	1.3	1.6	3.2	2.8	2.4	1.8	1.7	1.7	1.9	2.5	3.1	2.8	2.9	23	3.2	
4	3.2	BD	4.2	5.0	5.6	5.4	4.2	2.7	3.4	2.7	BF	BF	1.9	.9	.9	.9	1.0	1.6	1.9	1.9	2.1	4.1	6.0	6.0	21	6.0	
5	4.3	BD	3.3	4.1	3.9	4.0	4.1	5.0	3.7	2.9	2.6	1.5	1.0	.9	.6	.5	.5	.5	.9	1.2	1.1	1.3	1.1	1.6	23	5.0	
6	1.6	BD	1.6	1.9	2.6	2.6	2.5	2.5	2.7	3.3	3.3	3.3	3.0	2.7	2.3	2.1	1.7	1.5	1.4	1.7	2.0	3.7	2.3	2.1	23	3.7	
7	2.9	BD	1.3	1.4	1.1	.9	1.0	3.1	2.6	1.2	1.5	2.0	1.9	1.7	1.6	1.8	2.1	1.5	1.5	2.3	3.1	3.9	3.1	2.1	23	3.9	
8	2.0	BD	2.0	2.4	2.5	2.9	3.1	4.5	4.5	4.2	3.9	3.6	3.6	4.3	3.5	2.4	2.0	1.7	2.1	2.9	3.1	5.0	3.5	3.1	23	5.0	
9	1.9	BD	1.9	1.7	1.6	1.2	.8	3.0	4.5	6.1	4.0	1.5	1.3	1.2	1.3	1.3	1.3	2.9	3.8	3.7	3.4	4.3	3.3	1.7	23	6.1	
10	1.0	BD	1.2	1.1	1.2	1.4	1.7	2.1	3.8	7.8	7.2	2.9	1.4	1.1	1.1	1.6	1.1	1.1	1.4	1.9	1.4	.5	.1	.0	23	7.8	
11	.0	BD	.0	.0	.0	.0	.0	.0	.1	.0	.0	.3	.0	.0	.1	1.0	.4	.1	.1	.0	.0	.0	.0	.1	23	1.0	
12	.2	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.2
13	.0	BD	.0	.0	.0	.0	.0	.0	.0	.4	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.4
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.1	.1	.1	.2	.2	.2	.2	.1	.1	.4	.3	23	.4	
15	.1	BD	.3	.5	.8	.6	1.0	1.3	1.6	2.3	2.8	2.7	2.2	1.3	.6	.4	.6	.5	.9	1.1	.6	.5	.4	.4	23	2.8	
16	.6	BD	.7	.7	.5	.5	.5	.5	.4	BA	BA	BA	.0	.0	.2	.2	.1	.1	.0	1.3	1.6	.6	.6	.7	20	1.6	
17	1.4	BD	.1	.7	.9	1.8	1.1	2.5	2.5	.5	.3	.4	.5	.5	.4	.3	.3	.3	.3	.5	.5	.2	.3	.2	23	2.5	
18	.2	BD	.6	.3	.6	.7	.3	.7	BF	BF	BC	BC	BC	1.0	.9	.7	.7	.6	.6	.6	1.5	2.5	2.1	.6	18	2.5	
19	.4	BD	.3	.2	.5	1.1	1.6	2.6	2.2	2.4	2.4	2.6	2.5	2.4	2.7	2.0	1.5	1.4	2.4	2.4	2.8	3.0	3.8	4.2	23	4.2	
20	4.6	BD	3.1	2.7	2.4	2.5	2.2	2.2	5.3	3.6	2.0	1.6	3.7	2.5	1.4	1.4	1.8	2.2	3.4	4.9	2.5	1.8	1.7	1.8	23	5.3	
21	1.9	BD	1.5	1.4	1.1	1.0	1.1	1.1	1.1	1.0	.8	.6	.6	.5	.5	.6	.4	.4	.2	.1	.1	.0	.0	.0	23	1.9	
22	.3	BD	.0	.4	.0	.0	.0	.5	.8	5.4	2.6	1.9	.1	.2	.2	.0	.0	.0	.0	.2	.1	.0	.0	.1	23	5.4	
23	2.3	BD	2.3	1.7	.2	.2	.3	.4	.3	.2	.3	.6	.4	.4	.3	.3	.2	.1	.0	.0	.0	.0	.2	.0	23	2.3	
24	.0	BD	.1	.2	.3	.5	1.0	1.0	1.3	2.3	2.3	1.9	1.7	1.6	1.5	1.4	1.5	1.7	1.7	1.3	1.2	1.2	1.2	1.0	23	2.3	
25	.7	BD	.5	.6	.5	.9	1.3	1.4	1.6	1.6	1.6	1.3	2.0	1.3	.9	1.1	1.2	1.3	1.2	1.0	.6	.3	.2	.2	23	2.0	
26	.3	BD	.2	.0	.0	.0	.1	1.1	.7	.3	.2	.1	.2	.4	.0	.0	.0	.0	.1	.1	.1	.2	.3	.3	23	1.1	
27	.3	BD	.0	.1	AV	AV	2.6	1.9	1.4	1.2	1.0	1.0	1.1	.8	.7	.7	.8	.4	.3	.3	.2	.2	.1	.1	21	2.6	
28	.1	BD	.1	.1	.1	.1	.1	.1	.1	.1	.4	1.0	AV	BA	.0	.3	.3	.2	.0	.0	.0	.0	.0	.0	21	1.0	
29	.0	BD	BA	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.0	.0	22	.2	
30	.1	BD	.5	1.0	.6	.7	.6	.6	.7	.5	.4	.4	.3	.2	.1	.3	.4	.4	.8	1.2	1.2	.8	.7	.7	23	1.2	
31	.8	BD	1.1	1.1	1.1	.9	1.1	1.2	1.1	1.0	1.0	.9	.7	.7	.6	.7	.6	.5	1.4	2.0	3.0	2.3	1.2	1.8	23	3.0	
NO.:	31		30	31	30	30	31	31	30	29	28	28	29	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	4.6		4.2	5.0	5.6	5.4	4.2	5.0	5.3	7.8	7.2	3.6	3.7	4.3	3.5	2.4	2.1	2.9	3.8	4.9	3.4	5.0	6.0	6.0			
AVG:	1.07		1.03	1.11	1.09	1.16	1.23	1.52	1.68	1.90	1.61	1.33	1.21	1.10	.89	.84	.79	.80	.97	1.16	1.20	1.38	1.25	1.07			

MONTHLY OBSERVATIONS: 698 MONTHLY MEAN: 1.19 MONTHLY MAX: 7.8

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: APRIL 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE:

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	2.0	BD	2.2	1.9	2.0	2.5	2.4	5.3	BF	BF	BF	.8	.7	.6	.6	.7	.8	.9	.9	.7	.8	1.0	1.0	20	5.3	
2	.7	BD	.5	.3	.2	.3	.6	1.1	1.8	2.2	2.1	1.6	1.3	.9	.8	.8	.9	.9	.9	1.0	1.2	1.9	2.0	2.2	23	2.2
3	2.1	BD	1.6	1.3	1.2	.9	1.3	1.3	1.3	.9	.7	.5	.5	.4	.4	.6	.5	.4	.4	.4	.5	.4	.4	.2	23	2.1
4	.2	BD	.4	.4	.4	.4	.4	1.2	3.1	2.7	2.2	1.7	1.2	.9	.7	1.0	2.4	1.9	.6	.6	.6	.6	.8	.6	23	3.1
5	.5	BD	.6	.4	.5	.4	.6	2.7	5.3	6.2	5.9	3.3	2.1	2.5	3.4	2.4	1.6	1.5	1.4	.8	.8	1.2	1.3	1.4	23	6.2
6	1.5	BD	1.0	.8	.7	.9	1.3	2.1	4.2	4.3	3.3	2.9	4.5	2.9	.4	.8	.8	.4	.8	1.0	1.1	1.0	.9	.9	23	4.5
7	.9	BD	.6	.5	.5	.7	1.3	1.9	3.4	4.5	3.5	1.8	1.1	1.1	.9	.5	.5	.6	1.0	.5	.6	.7	.5	.8	23	4.5
8	1.0	BD	.2	.3	.3	.3	.5	.6	.6	.5	.3	.1	.1	.2	.3	.0	.0	.0	.1	.1	.4	.0	.0	.0	23	1.0
9	.0	BD	.0	.0	.0	.0	1.5	2.3	.4	.9	1.0	1.3	1.3	1.6	1.0	.2	.1	.0	.1	.2	.2	.2	.2	.3	23	2.3
10	.6	BD	.8	.5	.3	.4	.8	1.2	1.5	1.7	1.5	1.2	1.0	1.0	1.0	.9	.9	.9	1.0	1.0	.8	.6	.5	.5	23	1.7
11	.4	BD	.2	.2	.2	.2	.4	.8	1.1	2.3	1.9	1.5	1.3	.9	.6	.5	.5	.6	.7	.7	.5	.5	.5	.7	23	2.3
12	.5	BD	1.9	.9	.4	.3	1.6	2.5	2.5	1.6	1.5	1.1	1.8	1.9	1.4	1.0	.9	.9	.8	.7	.7	.9	1.0	.6	23	2.5
13	.4	BD	.1	.0	.0	.2	.6	.6	1.4	2.3	1.4	1.0	.7	.7	.9	1.0	.8	.6	.3	.3	.5	.2	.1	23	2.3	
14	.1	BD	.2	.2	.1	.1	.2	.2	.3	.4	BF	BF	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.0	21	.4	
15	.0	BD	.0	.2	.2	.6	1.4	1.0	.4	.4	.4	.5	.4	.2	.1	.2	.3	.6	.7	2.9	3.6	2.9	2.6	1.3	23	3.6
16	.9	BD	.4	.3	.3	.7	2.0	1.2	1.6	1.5	1.6	1.5	1.1	.8	.6	1.0	.6	.5	9.4	6.5	3.6	.9	3.4	23	9.4	
17	5.0	BD	3.3	4.4	2.4	1.1	1.0	1.3	1.2	.6	.3	.1	.0	.0	.0	.0	.0	.0	.0	.2	.1	.5	.9	23	5.0	
18	.6	BD	.3	.2	.2	.1	.2	.2	AV	.8	.8	.7	.6	.9	1.3	1.2	1.2	1.0	.8	.7	.7	.6	.4	.5	22	1.3
19	.4	BD	.8	.7	.5	.3	1.2	1.4	1.0	.7	.7	.5	.7	.9	1.4	2.1	2.1	1.6	1.2	1.1	.6	.5	.4	.2	23	2.1
20	.2	BD	.2	.3	.2	.5	1.4	2.6	1.3	.9	1.0	1.1	1.0	1.1	1.0	.9	.9	.9	.8	.7	.6	.7	.7	.6	23	2.6
21	.6	BD	.0	.0	.0	.0	.0	.2	.2	.3	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.6
22	.0	BD	.0	.0	.0	.0	.2	.9	2.2	1.8	1.9	1.4	1.0	.9	.8	.9	.7	.5	.6	.7	1.0	1.0	.9	4.1	23	4.1
23	11.7	BD	1.5	.7	.3	.4	1.0	2.3	3.4	1.3	.8	1.1	1.0	1.1	.9	.9	.7	.5	.5	.5	.5	.4	.4	.9	23	11.7
24	.4	BD	.1	.0	.0	.0	.0	.4	.6	.7	.7	.6	1.0	2.8	.7	.4	.5	.5	.7	.5	.2	.0	.0	.0	23	2.8
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	23	.2
26	.1	BD	.0	.0	.3	.5	1.1	1.0	AZ	AZ	AZ	.0	BF	BF	BF	.0	.0	.0	.0	.0	.0	.0	.0	.0	17	1.1
27	.0	BD	.0	.0	.0	.0	.1	.3	.4	.4	.3	.3	.4	.3	.0	.0	.0	.0	.0	.0	.0	.0	.1	.4	23	.4
28	.6	BD	.3	.5	.3	.7	1.0	2.2	1.2	.8	.7	.5	.5	.6	.8	.8	.6	.4	.4	.4	.4	.4	.5	.7	23	2.2
29	.8	BD	.9	.4	.7	1.2	1.8	2.0	1.6	1.1	.8	.6	.6	.6	.5	.5	.5	.4	.3	.4	.8	1.3	.9	.5	23	2.0
30	.6	BD	.7	.4	.3	.4	1.1	1.1	1.0	1.4	1.1	1.2	1.0	.9	.9	.9	.9	.7	.5	.4	.5	.4	.4	.3	23	1.4
31																									0	
NO.:	30		30	30	30	30	30	30	27	28	27	29	29	29	29	30	30	30	30	30	30	30	30	30		
MAX:	11.7		3.3	4.4	2.4	2.5	2.4	5.3	5.3	6.2	5.9	3.3	4.5	2.9	3.4	2.4	2.4	1.9	1.4	9.4	6.5	3.6	2.6	4.1		
AVG:	1.09		.63	.53	.42	.47	.90	1.40	1.59	1.54	1.35	1.00	.93	.92	.73	.65	.67	.58	.54	.86	.80	.71	.60	.78		

MONTHLY OBSERVATIONS: 678 MONTHLY MEAN: .85 MONTHLY MAX: 11.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: MAY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.2	BD	.3	.2	.0	.0	.2	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	23	.3	
2	.3	BD	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.4	23	.4	
3	.5	BD	.1	.0	.0	.0	.0	.1	.1	.2	.8	.5	.0	.2	.0	.0	.4	.0	.0	.0	.0	.0	3.6	.5	23	3.6	
4	.7	BD	.3	.0	.2	.1	.3	.4	.5	.5	.6	1.0	.9	2.2	1.2	.4	.4	.2	.2	.5	.7	1.1	.8	.9	23	2.2	
5	.7	BD	.6	.2	.3	.7	.6	1.4	1.1	.8	1.0	1.4	1.0	.8	.5	.2	.0	.0	.1	.4	.5	.2	.3	.2	23	1.4	
6	.1	BD	.3	.2	.0	.1	1.6	3.3	3.8	1.7	.5	.4	BF	BF	BF	.2	.2	.3	.3	.4	.5	.2	.0	.0	20	3.8	
7	.0	BD	.2	.4	1.0	.6	.7	1.6	2.2	1.7	1.4	1.1	.8	1.0	1.7	.5	.5	.7	.9	.6	.5	.6	.5	.7	23	2.2	
8	.6	BD	.3	.3	.5	.8	.9	1.6	1.3	.2	.2	.2	.0	.0	.0	.0	.0	.1	.1	.0	.0	.0	.0	.2	23	1.6	
9	.2	BD	.0	.0	.0	.0	.0	.1	.1	.1	.3	.1	.1	.0	.1	.2	.4	.4	.4	.3	.3	.3	.3	.7	23	.7	
10	1.3	BD	1.5	1.2	1.1	1.4	.5	.5	.7	.9	.7	.6	.6	.6	.5	.5	.5	.5	.5	.5	.5	.4	.3	.3	.2	23	1.5
11	.2	BD	.3	.3	.6	.5	.3	.3	.3	.4	.3	.2	1.7	.4	.3	.3	.3	.3	.2	.3	.3	.6	.8	.8	23	1.7	
12	.7	BD	.3	.1	.2	.3	.4	1.2	2.1	1.8	1.7	.4	.8	1.4	1.2	.2	.3	.0	.0	1.7	1.3	.2	.2	.1	23	2.1	
13	.0	BD	1.1	2.1	1.7	.9	.9	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	23	2.1	
14	.4	BD	.0	.0	.0	.0	.1	.5	.6	1.7	2.7	2.5	2.3	3.1	2.7	1.6	.9	.2	.2	.1	.0	.1	.1	1.6	23	3.1	
15	.8	BD	1.1	.6	2.5	3.3	1.9	.7	1.6	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	1.1	6.3	23	6.3	
16	.1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.1
17	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
18	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	23	.2
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
20	.0	BD	.0	.0	.0	.2	.0	BF	BF	BF	BC	BC	BC	BC	.1	.2	.2	.3	.3	.2	.3	.3	.8	.8	16	.8	
21	.4	BD	.6	.5	.4	.6	1.1	1.4	6.8	3.4	1.8	1.5	1.3	.9	.8	.6	.5	.3	.3	.2	.3	.2	.2	.3	23	6.8	
22	.3	BD	.2	.2	.3	.4	.5	.6	.7	.5	.4	.4	.3	.2	.2	.2	.1	.1	.0	.0	.0	.0	.0	.0	.0	23	.7
23	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
24	.0	BD	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.1
25	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.0	.2	.4	.4	.3	.1	.1	.2	23	.4	
26	.5	BD	.3	.3	.1	.1	.3	.7	.9	1.8	1.8	1.4	.8	.3	.1	.2	.3	.4	.3	.2	.1	.1	.1	.1	.1	23	1.8
27	.0	BD	.1	.1	.1	.1	.3	1.0	.9	.3	.3	.5	.6	.5	.4	.3	.4	.3	.3	.0	.0	.0	.0	.0	.0	23	1.0
28	.0	BD	.1	.2	.1	.0	.0	.1	.0	.0	.1	.1	.1	.1	.1	.1	.1	.2	.2	.1	.1	.7	.0	.0	.0	23	.7
29	.0	BD	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.1	.1	.0	.0	.0	.0	.0	.0	.1	.0	.1	.0	.0	23	.2
30	.0	BD	.0	.0	.3	1.0	.3	.0	.0	.0	.0	.0	.0	.0	.5	1.9	1.7	1.2	.4	.0	.1	.1	.1	.1	.1	23	1.9
31	.1	BD	.3	.5	.3	.9	3.7	8.1	4.5	2.2	.1	.0	.0	.0	.1	.2	.0	.0	.7	.2	.0	.0	.0	.0	.0	23	8.1
NO.:	31		31	31	31	31	31	30	30	30	30	29	29	30	31	31	31	31	31	31	31	31	31	31	31		
MAX:	1.3		1.5	2.1	2.5	3.3	3.7	8.1	6.8	3.4	2.7	2.5	2.3	3.1	2.7	1.9	1.7	1.2	.9	1.7	1.3	1.1	3.6	6.3			
AVG:	.26		.26	.24	.31	.39	.47	.78	.95	.66	.50	.41	.39	.41	.36	.25	.23	.19	.19	.20	.20	.18	.31	.47			

MONTHLY OBSERVATIONS: 703 MONTHLY MEAN: .37 MONTHLY MAX: 8.1

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JUNE 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.1	.1	.0	.0	.1	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.3
2	.0	BD	.0	.2	.9	.8	.7	4.2	7.2	6.2	1.5	.2	1.1	.3	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	7.2
3	.0	BD	.0	.0	.0	.5	2.3	1.5	.7	BF	BF	.0	.2	.5	3.5	3.0	1.4	.8	.3	.1	.0	.0	.0	.0	.0	21	3.5
4	.0	BD	.0	.0	.0	.1	.4	.9	3.6	4.3	.7	.2	.8	3.3	1.7	.6	.6	.5	5.3	1.4	.4	.5	.4	.5	.5	23	5.3
5	2.3	BD	2.3	2.1	4.6	4.4	3.2	2.1	.9	.7	.3	.1	.2	.2	.0	.0	.0	.0	.0	.1	.7	1.8	2.3	12.4	23	12.4	
6	8.5	BD	8.2	4.8	7.3	4.7	5.6	2.0	.6	.4	.3	.2	.0	.0	.0	.0	.0	.1	.2	.2	AV	AV	.1	.1	21	8.5	
7	.1	BD	.3	.6	.7	1.5	2.2	3.2	2.4	1.7	2.4	1.4	.3	.3	.3	.6	.5	.7	.7	.4	1.6	.9	.6	.4	23	3.2	
8	.3	BD	.2	.4	.7	.8	.5	.6	.5	.5	.5	.4	.3	.3	.3	.4	.4	.4	.3	.4	.3	.2	.2	.2	23	.8	
9	.3	BD	.3	.9	2.3	3.0	1.5	.6	.8	.8	.8	.7	.5	.4	.5	.5	.6	.6	.4	.5	.3	.2	.4	.5	23	3.0	
10	.5	BD	.9	1.1	3.4	1.5	.7	.6	.6	.4	.3	.2	.2	.1	.1	.0	.0	.0	.0	2.6	5.8	1.6	3.5	3.0	23	5.8	
11	1.2	BD	.4	.6	.6	.8	1.4	1.7	1.7	1.7	1.5	1.3	1.0	1.0	.7	.6	.5	.4	.3	.3	.2	.3	.3	.3	23	1.7	
12	.3	BD	6.0	1.2	.6	.9	.7	.4	.3	.2	.3	.4	.5	.7	.7	.6	.1	.0	.0	.0	.1	.1	.0	.1	23	6.0	
13	.4	BD	.0	.0	.0	.0	.0	.2	1.4	.8	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.4	
14	.0	BD	.0	.0	.0	.1	.8	2.6	1.5	2.1	2.9	.6	.4	.4	.5	.2	.1	.1	.2	.2	.0	.0	.0	.1	23	2.9	
15	.3	BD	.3	.5	1.0	1.2	1.1	1.0	1.6	1.2	.5	.4	.2	.1	.1	.1	.0	.0	.1	.1	.1	.0	.1	.2	23	1.6	
16	.6	BD	3.0	1.6	.3	.4	.5	.3	.4	.6	.6	.6	.7	.3	1.1	.2	.1	.1	.0	.0	.1	1.0	.6	.2	23	3.0	
17	.0	BD	.0	.1	1.2	.6	.3	.5	BF	BF	BF	1.5	.9	.9	1.0	1.2	1.5	1.1	1.0	.8	.6	.5	.4	.3	20	1.5	
18	.2	BD	.4	.4	.4	.5	.6	.8	.9	.8	.9	.7	.6	.4	.3	.3	.2	.3	.3	.3	.3	.2	.1	.1	23	.9	
19	.0	BD	.0	.0	.0	.0	.0	.2	.3	.2	.2	.1	.0	.0	.0	.0	.0	.0	.5	.2	.0	.0	.1	.1	23	.5	
20	.1	BD	.0	.1	.2	.3	.8	.6	.6	.2	.9	1.1	.9	.7	1.0	1.0	.6	.6	.6	.5	.6	.3	.2	.2	23	1.1	
21	.3	BD	1.0	1.7	1.6	1.1	1.7	2.0	1.7	1.3	.9	.7	.8	.9	.7	.6	.5	.6	1.0	1.2	1.0	.8	.6	.5	23	2.0	
22	.3	BD	.2	.1	.3	.8	1.6	4.8	5.1	2.4	.6	.5	1.2	2.8	1.7	.6	.2	.5	.0	.1	.1	.1	.0	2.5	23	5.1	
23	5.5	BD	4.2	1.0	1.6	.9	.6	.5	1.0	1.1	1.5	1.0	.6	.4	.4	.0	.0	.1	.0	.1	.1	.1	.4	.8	23	5.5	
24	.2	BD	.0	.0	.0	.1	.5	.9	1.7	1.4	.8	.7	.4	.1	.2	.3	.1	.3	.2	.2	.2	.3	.4	.4	23	1.7	
25	.3	BD	.6	1.4	1.6	1.5	1.1	.7	.3	.2	.1	.2	.2	.1	.0	.0	.0	.1	.1	.1	.1	.0	.0	.0	23	1.6	
26	.0	BD	1.0	.1	.0	.0	.0	.2	.9	.5	.6	.3	.2	.1	.1	.1	.1	.1	.0	.0	.1	.0	.0	.0	23	1.0	
27	3.3	BD	1.8	3.6	2.7	1.1	4.1	5.2	3.6	1.7	.6	.4	.3	.3	1.2	1.3	.2	.1	.1	.2	.4	.1	.0	.0	23	5.2	
28	.0	BD	.3	.0	.1	.4	1.5	3.1	3.9	3.6	2.8	.4	.2	.1	.1	.2	.4	.6	.3	.2	.3	.4	.0	.0	23	3.9	
29	.4	BD	3.1	4.3	7.3	5.7	4.4	1.5	1.3	1.2	1.2	.7	.4	.2	.0	.0	.0	.0	.0	.0	.1	.3	.0	.0	23	7.3	
30	.0	BD	.2	.0	.0	.0	.0	.3	.6	.4	.4	.5	.6	.6	.5	.4	.4	.5	.6	.6	.4	.2	.1	.3	23	.6	
31																										0	
NO.:	30		30	30	30	30	30	30	29	28	28	30	30	30	30	30	30	30	30	29	29	30	30				
MAX:	8.5		8.2	4.8	7.3	5.7	5.6	5.2	7.2	6.2	2.9	1.5	1.2	3.3	3.5	3.0	1.5	1.1	5.3	2.6	5.8	1.8	3.5	12.4			
AVG:	.85		1.16	.89	1.31	1.12	1.29	1.44	1.59	1.31	.87	.52	.47	.52	.56	.43	.28	.29	.42	.36	.48	.34	.36	.77			

MONTHLY OBSERVATIONS: 683 MONTHLY MEAN: .76 MONTHLY MAX: 12.4

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: JULY 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM
1	.5	BD	.8	.4	.6	.2	.3	.5	1.3	BF	BF	2.0	1.5	1.9	2.6	2.2	2.0	1.5	1.4	1.2	.8	.7	.3	.2	21	2.6
2	.7	BD	.3	.6	.8	.8	.6	1.1	1.2	1.3	.7	.7	.6	.5	.7	.8	.7	.6	.7	.7	.7	.7	.4	.3	23	1.3
3	.2	BD	.3	.1	.1	.1	.3	.3	.3	.3	.4	.4	.4	.4	.4	.3	.3	.2	.2	.2	.2	.6	.4	.3	23	.6
4	.2	BD	.3	.3	.3	.8	2.3	1.5	1.0	.7	.4	.5	.8	2.0	1.6	.7	.4	.4	.3	.3	1.2	1.6	1.1	.7	23	2.3
5	.6	BD	.4	.3	1.7	4.2	1.6	1.0	.8	.7	.6	.4	.4	.5	2.2	.7	.4	.4	.4	.4	.5	.5	.3	.3	23	4.2
6	.2	BD	.2	1.7	2.8	1.9	1.2	1.5	1.4	1.6	1.5	1.2	.9	.7	.7	.8	.7	.6	.5	.4	.5	.8	.7	3.3	23	3.3
7	13.7	BD	1.9	.8	.8	1.9	1.8	1.8	2.2	1.9	1.8	1.4	.6	.3	.3	.3	.2	.2	.1	.2	.2	.2	.5	.9	23	13.7
8	.9	BD	1.2	.9	.9	.9	1.1	1.8	1.9	2.1	1.8	2.9	3.5	1.7	.9	.4	.0	.1	.1	.1	.1	.0	.0	.0	23	3.5
9	.0	BD	.1	.1	.1	.3	.4	.2	.2	.2	.2	.2	.2	.1	.0	.0	.0	.1	.0	.0	.0	.0	.0	.3	23	.4
10	.0	BD	.0	.1	.4	.0	.1	.1	.0	.1	.3	.3	.7	.9	.5	.3	.3	.6	.1	.1	.0	.0	.0	.0	23	.9
11	.0	BD	1.2	.2	.1	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.2	.1	.0	.1	.1	.1	.2	23	1.2
12	.2	BD	.4	.4	.4	.3	.3	.6	1.4	1.2	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	2.4	23	2.4
13	3.7	BD	.3	.1	.1	.5	.6	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.4	.1	.2	.0	23	3.7
14	.0	BD	.0	.0	.3	1.0	2.9	1.5	BF	BF	BF	.7	.6	.6	.6	1.0	.8	.6	.6	.5	.5	.4	.3	.2	20	2.9
15	.1	BD	.0	.0	.2	.5	.8	.7	.5	.2	.1	.1	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	23	.8
16	.1	BD	.1	.1	.1	.2	.3	.7	.8	.5	.6	.5	.3	.3	.2	.2	.1	.1	.0	.0	.0	.0	.0	1.9	23	1.9
17	1.8	BD	.2	.3	.9	.8	1.1	1.4	3.1	4.4	2.7	2.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.3	1.4	23	4.4
18	1.3	BD	.6	.5	.6	.6	.4	.5	.4	.3	.3	.2	.1	.3	.4	.2	.2	.5	.6	.3	.2	.0	.0	.0	23	1.3
19	.2	BD	.3	.5	.7	.9	1.4	1.8	1.0	1.0	1.1	1.0	.8	.9	1.8	2.0	1.2	.1	.1	.1	.1	.1	.2	6.0	23	6.0
20	.9	BD	.4	.3	.2	.8	1.4	1.2	2.1	3.2	4.1	.9	.3	.2	.1	.2	.1	.0	.0	.0	.0	.0	.0	.0	23	4.1
21	.1	BD	.1	.2	.8	3.4	6.1	3.0	.6	.5	.4	.3	.2	.3	.5	.5	.5	.6	.8	.8	.7	.9	.4	.2	23	6.1
22	.2	BD	2.1	1.7	.8	.4	.2	.1	.5	.7	1.1	1.1	1.1	1.1	1.1	.9	1.1	1.5	1.5	1.3	1.0	.8	.4	.3	23	2.1
23	.2	BD	.2	.4	.3	.3	.9	1.6	1.3	.8	.7	1.9	1.4	.2	.2	.1	.2	.1	.0	.0	.0	.0	.0	.0	23	1.9
24	.0	BD	.0	.4	.9	.9	2.2	2.4	.7	.3	.2	.6	1.5	1.3	1.4	1.2	1.0	.6	3.4	4.3	.4	.4	.2	.2	23	4.3
25	.4	BD	1.1	3.7	5.7	6.4	4.4	1.7	1.4	1.2	1.1	1.0	.7	.9	2.0	1.8	1.7	.5	.1	.1	.4	.2	.0	.0	23	6.4
26	.0	BD	.0	.0	.0	.0	.5	.2	.6	.7	.6	.6	.6	.5	.4	.4	.3	.2	.3	.5	.4	.2	.7	.1	23	.7
27	.0	BD	.0	.1	.1	1.4	1.4	.2	.2	BF	BF	3.0	1.0	1.0	1.1	.9	.3	.1	.1	.0	.0	.1	.1	.1	21	3.0
28	.0	BD	.0	.0	.0	.0	.1	.2	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.2
29	.0	BD	.3	.1	.0	.1	1.8	4.6	1.7	.7	.5	.3	.1	.1	.1	.1	.1	.0	.0	.0	.0	.0	.0	.0	23	4.6
30	.0	BD	.0	.0	.0	.1	1.0	1.0	1.0	1.0	.9	.8	.6	.4	.3	.3	.3	.3	.5	.3	.4	.4	.3	.3	23	1.0
31	.5	BD	.2	.1	.1	.1	.1	.3	.3	.2	.2	.2	.2	.2	.2	.2	.0	.0	.0	.1	.1	.0	.0	.0	23	.5
NO.:	31		31	31	31	31	31	31	30	28	28	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	13.7		2.1	3.7	5.7	6.4	6.1	4.6	3.1	4.4	4.1	3.0	3.5	2.0	2.6	2.2	2.0	1.5	3.4	4.3	1.2	1.6	1.1	6.0		
AVG:	.86		.42	.46	.67	.96	1.21	1.09	.94	.92	.81	.82	.62	.56	.66	.54	.42	.33	.39	.39	.29	.30	.23	.63		

MONTHLY OBSERVATIONS: 706 MONTHLY MEAN: .63 MONTHLY MAX: 13.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: AUGUST 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0362

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	23	.1
2	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
3	.0	BD	.0	.0	.0	.0	.0	.1	.7	1.5	1.5	1.0	.3	.1	.0	.1	.1	.1	.1	.1	.1	.1	.4	.3	23	1.5	
4	.1	BD	.0	.0	.1	.1	.5	1.2	2.7	4.2	6.5	2.2	1.6	.2	.2	.4	.4	.2	.1	.1	.0	.0	.0	.0	.0	23	6.5
5	.0	BD	.0	.0	.0	.0	.0	.4	.5	.5	.4	.3	.5	.2	.1	.1	.1	.1	.0	.0	.0	.0	.8	.2	23	.8	
6	.0	BD	.8	.1	.0	.0	.0	.0	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1	.2	.2	.4	.5	4.2	23	4.2	
7	3.4	BD	.5	.6	.2	.1	1.4	1.8	1.0	.9	.8	.7	.7	.5	.4	.4	.3	.2	.2	.1	.2	.2	.1	.1	23	3.4	
8	.0	BD	.0	.0	.0	.0	.0	.2	.1	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.0	.0	.0	.0	23	.2
9	.0	BD	.3	.1	.0	.5	1.1	1.8	2.6	1.6	.5	.1	.0	.0	.1	.0	.1	.1	.1	.1	.1	.2	.5	.3	23	2.6	
10	.1	BD	.5	1.1	1.3	1.6	2.6	3.4	1.9	BA	BA	BA	1.1	BF	BF	1.0	1.0	.9	.2	.5	.3	.0	.0	3.0	18	3.4	
11	7.7	BD	7.1	8.0	5.1	6.4	5.8	3.4	1.5	2.1	1.3	.8	.5	.4	.3	.2	.2	.2	.4	.7	7.1	1.6	.5	.0	23	8.0	
12	.0	BD	.0	.0	.0	.1	.7	1.7	.9	AZ	AZ	AZ	AZ	.2	.1	.3	.2	.3	.2	.0	.1	.0	.0	.0	.0	19	1.7
13	.0	BD	.0	.0	.0	.0	.0	BA	BA	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	21	.1
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	23	.3	
15	.0	BD	.0	.0	.0	.0	.0	.1	1.2	4.1	.7	.1	.0	.0	.0	.0	.0	.0	.5	.6	.3	.1	.4	1.0	23	4.1	
16	1.1	BD	1.1	.9	.6	.4	.6	1.9	1.2	.6	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.0	23	1.9
17	.2	BD	1.0	1.5	1.2	.7	.8	2.0	4.3	2.2	1.2	.5	.5	.6	.3	.1	.0	.0	.1	.1	.0	.1	.2	.0	23	4.3	
18	.0	BD	.1	.6	.6	.7	.7	1.1	1.1	1.1	.4	.1	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	23	1.1
19	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.8	.7	.3	.2	.2	.3	.2	.2	.0	.0	.0	.0	23	.8
21	.0	BD	.0	.0	.0	.0	.0	.2	.4	.4	.8	.4	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.1	.1	23	.8
22	.0	BD	.0	.0	.0	.0	.0	.3	.6	1.0	.7	.2	.2	.5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	1.0
23	.0	BD	.6	.0	.1	.2	.2	.0	BF	BF	.6	.6	.3	.2	.2	.0	.0	.1	.0	.0	.0	.1	.0	.0	.0	21	.6
24	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.3	.2	.0	.0	.0	.1	.0	.0	.0	.2	.0	.0	.0	.0	.0	23	.3
25	.0	BD	.0	.1	.2	.9	1.3	1.2	1.0	.8	.1	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	23	1.3
26	.0	BD	.0	.0	.0	.4	.8	1.5	.8	1.3	.7	.6	.6	.5	.5	.4	.3	.4	.3	.2	.3	.2	.1	.2	23	1.5	
27	.4	BD	.0	.0	.1	.0	.3	.7	.5	.4	.3	.3	.4	.4	.3	.3	.3	.2	.0	.0	.0	.0	.0	.0	.0	23	.7
28	.0	BD	.0	.0	.0	.0	.0	.5	6.6	3.4	.7	.3	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	23	6.6
29	.0	BD	.0	.0	.0	.0	.0	.3	.4	.7	.8	.5	.3	.2	.3	.2	.1	.1	.1	.1	.1	.0	.1	.1	.1	23	.8
30	.1	BD	.1	.1	.4	.5	.8	1.0	.6	.4	.3	.2	.1	.0	.0	.1	.2	.2	.1	.2	.1	.1	.0	.0	23	1.0	
31	.0	BD	.0	.2	.3	.5	.6	1.0	1.0	1.0	.8	.7	.6	.6	.6	.5	.4	.4	.7	.5	.4	.4	.3	.3	23	1.0	
NO.:	31		31	31	31	31	31	30	29	28	29	29	30	30	30	31	31	31	31	31	31	31	31	31	31		
MAX:	7.7		7.1	8.0	5.1	6.4	5.8	3.4	6.6	4.2	6.5	2.2	1.6	.8	.7	1.0	1.0	.9	.5	.7	7.1	1.6	.8	4.2			
AVG:	.42		.39	.43	.33	.42	.59	.86	1.09	1.02	.69	.35	.29	.20	.15	.16	.14	.14	.12	.14	.32	.12	.15	.32			

MONTHLY OBSERVATIONS: 700 MONTHLY MEAN: .38 MONTHLY MAX: 8.0

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: SEPTEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0863

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.4	BD	.3	.2	.1	.2	.8	.6	.8	BF	BF	.8	1.3	1.5	.5	.3	.2	.2	.2	.3	.2	.1	.4	1.0	21	1.5	
2	.9	BD	.1	.0	.0	.2	.3	.8	.8	.3	.2	.1	.1	.0	.0	.0	.1	.5	.4	.5	.9	.8	.3	.2	23	.9	
3	.3	BD	1.2	.6	1.5	3.5	3.4	3.6	1.5	.7	.8	.7	.7	1.0	.9	.8	.8	.5	.6	.5	.5	.5	.4	.4	23	3.6	
4	.2	BD	.2	.1	.2	.3	.9	1.3	.9	.8	.7	.6	.5	.4	.4	.3	.2	.3	.3	.3	.3	.2	.2	.2	23	1.3	
5	.3	BD	.5	.4	.2	.2	.5	.3	.5	.5	.5	.4	.4	.4	.4	.4	.4	.4	.4	.4	.2	.1	.4	.5	23	.5	
6	.6	BD	.1	.1	.2	.1	.9	.8	.5	.3	.4	.3	.3	.2	.2	.1	.1	.1	.2	.2	.3	.2	.2	.2	23	.9	
7	.2	BD	.1	.1	.1	.2	.4	.7	.7	.4	.8	.8	.1	BA	.1	.1	.1	.0	BA	.2	.1	.3	.4	.2	21	.8	
8	.1	.3	.4	.2	.1	.2	BA	2.3	1.2	.3	.2	.3	.3	.5	.5	.2	.0	.0	BA	.0	.0	.0	.0	.0	.0	22	2.3
9	.1	.0	.0	.0	.1	.4	BA	.6	.9	2.6	2.9	2.1	1.8	1.5	1.1	.9	1.0	1.0	BA	.9	1.0	.8	.7	1.1	22	2.9	
10	1.4	.9	.6	.5	1.0	1.1	BA	1.4	1.1	1.3	1.4	1.7	1.9	1.5	1.4	1.2	1.1	1.1	BA	1.2	1.1	.9	.9	.9	22	1.9	
11	.7	.7	.8	.6	.6	.5	BA	.5	.5	.6	.4	.5	.4	.6	.7	.6	1.4	1.4	BA	.3	.1	.0	.0	.0	22	1.4	
12	.0	.0	.0	.2	.0	.0	BA	.0	.0	.1	.5	.7	.7	.5	.6	.5	.3	.2	BA	.1	.1	.0	.0	.0	22	.7	
13	.1	.1	.1	.0	.0	.0	BA	.2	.6	.6	.5	.3	.3	.2	.3	.5	.9	.8	BA	.8	.7	.7	.9	.9	22	.9	
14	1.2	1.1	1.0	.9	1.1	1.1	BA	1.5	1.9	2.2	2.6	2.4	1.7	1.3	1.0	.7	.8	.8	.9	.7	.7	.7	1.7	1.0	23	2.6	
15	1.2	BD	.4	.5	.3	.3	1.2	1.4	1.1	.9	1.0	.9	.7	BF	BF	.5	.5	.4	.6	.5	.4	.4	.4	.3	21	1.4	
16	.2	BD	.2	.1	.0	.1	.2	.7	1.4	2.3	4.0	2.8	.9	.6	.5	.4	.5	.4	.3	.3	.3	.3	.4	.4	.4	23	4.0
17	.4	BD	.2	.3	.5	1.1	3.2	3.6	1.0	.9	.8	.7	.6	.5	.6	1.1	1.4	1.1	1.0	.8	.7	.7	.3	1.0	23	3.6	
18	.8	BD	.5	.6	.7	1.0	1.9	1.7	2.4	1.2	.8	.6	.5	.4	.3	.2	.2	.2	.2	.2	.2	.2	.9	.6	23	2.4	
19	.4	BD	.0	.0	.0	.0	.0	.1	.7	.6	.4	.5	.5	.5	.4	.3	.3	.4	.4	.3	.2	.2	.1	.1	23	.7	
20	.1	BD	.0	.0	.0	.3	.5	.8	1.0	.6	1.0	.9	1.7	1.3	1.3	1.4	1.4	1.5	1.3	.9	.8	.5	.4	.6	23	1.7	
21	.5	BD	.5	.3	.2	.2	.3	.6	1.1	.9	.6	.6	.8	.7	.7	1.3	.5	.4	.4	.4	.3	.2	.3	.3	23	1.3	
22	.3	BD	.3	.6	.6	.5	.6	.8	.6	1.2	3.3	1.5	1.4	1.3	2.0	2.3	1.3	.6	.6	.6	.5	.4	.3	.4	23	3.3	
23	.3	BD	.3	.3	.3	1.2	2.4	1.8	1.6	1.8	1.6	1.5	1.2	.9	.8	.7	.7	1.4	1.1	.8	.8	.7	1.2	1.4	23	2.4	
24	1.1	BD	.5	.4	1.0	2.0	1.8	3.3	2.3	BF	BF	BF	1.5	1.0	.4	.4	.4	.7	.4	.4	.3	.4	.2	.4	20	3.3	
25	.6	BD	.4	.2	.2	.3	.7	1.5	3.0	4.1	4.1	3.0	3.0	2.9	1.9	1.9	1.2	.2	.2	.3	.6	1.2	1.3	1.0	23	4.1	
26	.7	BD	.7	.6	.5	.6	1.4	2.0	2.7	2.4	2.2	1.9	1.5	1.3	1.2	.7	.0	.0	.0	.0	.0	.0	.0	.0	23	2.7	
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.1	.0	.0	.0	23	.2	
28	.0	BD	.0	.0	.0	.0	.0	.1	1.1	3.3	4.6	3.4	.0	.0	.0	.1	.0	.1	.2	.2	.2	.4	.2	.0	23	4.6	
29	.0	BD	.0	.1	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.1	
30	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	23	.1	
31																										0	
NO.:	30	7	30	30	30	30	23	30	30	28	28	29	30	28	29	30	30	30	23	30	30	30	30	30			
MAX:	1.4	1.1	1.2	.9	1.5	3.5	3.4	3.6	3.0	4.1	4.6	3.4	3.0	2.9	2.0	2.3	1.4	1.5	1.3	1.2	1.1	1.2	1.7	1.4			
AVG:	.44	.44	.31	.26	.32	.52	.92	1.11	1.06	1.10	1.30	1.04	.83	.75	.63	.60	.53	.49	.43	.41	.39	.37	.42	.44			

MONTHLY OBSERVATIONS: 675 MONTHLY MEAN: .63 MONTHLY MAX: 4.6

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: OCTOBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .0863

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.1	.0	.0	.1	.3	.8	.9	1.4	2.1	1.9	1.3	.6	.4	.2	.3	.1	.2	.1	.1	.1	.5	.9	23	2.1	
2	1.0	BD	.9	.4	.1	.2	.7	.8	.7	.6	.6	.5	.6	.5	.4	.4	.4	.4	.3	.3	.4	.7	.2	.2	23	1.0	
3	.2	BD	.2	.2	.2	.2	.1	.2	1.2	.6	.3	.2	.2	.2	.3	.1	.1	.1	.1	.4	.4	.1	.1	.1	23	1.2	
4	.1	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.0	.3	.4	.1	.1	.2	23	.4	
5	.2	BD	.1	.1	.1	.3	1.2	1.2	.8	1.1	.8	.4	.6	.3	.3	.3	.2	.2	.4	.3	.2	.2	.3	.6	23	1.2	
6	.7	BD	.5	.6	.6	.6	1.1	1.1	1.0	1.1	.9	.9	1.1	1.2	1.0	.7	.5	.5	.7	1.7	1.7	.9	1.5	1.4	23	1.7	
7	1.0	BD	.6	.6	.7	.9	1.3	1.5	2.1	BF	BF	BC	BC	BC	1.3	1.2	1.2	1.2	1.3	1.1	.9	.9	1.5	2.1	18	2.1	
8	1.7	BD	.8	.5	.5	.7	1.4	1.9	1.2	1.6	1.0	.7	.5	.5	.4	.4	.6	.6	1.0	1.9	2.2	2.3	2.4	1.9	23	2.4	
9	1.7	BD	.9	.9	.6	.9	1.0	1.7	1.1	2.2	2.5	1.6	1.1	1.0	.9	1.0	.9	.7	.7	1.0	1.4	1.9	1.7	1.1	23	2.5	
10	.7	BD	1.3	1.3	1.0	1.1	1.1	1.2	.7	.9	1.4	1.3	1.6	1.5	1.4	1.2	1.2	3.4	6.7	6.5	4.2	2.4	1.7	.8	23	6.7	
11	4.7	BD	2.2	.9	.4	.8	2.1	2.7	1.1	.8	.6	.5	.5	.9	5.8	1.8	.9	1.2	1.4	1.1	1.1	.9	.7	.7	23	5.8	
12	.7	BD	.5	.5	.3	.4	1.0	2.1	1.1	1.1	1.5	1.4	1.5	1.2	1.7	1.7	1.8	1.8	2.1	2.5	2.8	2.5	1.7	1.2	23	2.8	
13	.9	BD	.6	.8	.9	1.0	1.7	2.1	2.4	2.4	2.1	1.8	1.5	1.2	1.1	.9	.8	.7	.5	.4	.3	.1	.1	.0	23	2.4	
14	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.2	.9	.3	.1	.7	1.2	1.1	23	1.2	
15	.8	BD	.5	.3	.2	.4	.8	1.0	.6	.6	1.3	1.8	2.5	1.5	.8	.6	.6	.8	1.3	1.0	.9	1.0	1.0	.9	23	2.5	
16	.8	BD	.6	.5	.4	.4	.4	.8	.9	1.0	1.1	1.0	1.2	1.3	1.0	.7	.5	.6	.9	1.3	1.7	1.7	1.4	.5	23	1.7	
17	.4	BD	.1	.0	.0	.1	.1	.5	.6	.5	.5	.8	.8	.7	.7	.7	.7	1.3	2.4	2.5	1.6	1.2	1.3	1.8	23	2.5	
18	1.2	BD	.2	.2	.2	.8	2.4	3.9	1.7	1.9	9.7	9.0	4.6	3.4	1.2	.3	.4	.5	.5	.6	.6	.5	.4	.6	23	9.7	
19	.7	BD	.5	.5	.4	.5	.8	2.0	4.9	2.1	1.4	1.4	1.4	1.3	1.1	1.0	.9	.7	.5	.3	.0	.0	.0	.0	23	4.9	
20	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	BF	BF	BF	.0	.0	.0	.0	.1	.5	.3	.3	.2	.5	21	.5	
21	.5	BD	.0	.0	.0	.2	.6	1.0	AZ	AZ	AZ	AZ	AZ	.7	.6	.5	.5	.6	.7	1.2	1.8	.4	1.1	.9	18	1.8	
22	.9	BD	.2	.3	.2	.1	1.1	5.8	4.8	2.5	1.9	2.0	3.0	2.1	2.1	2.2	2.2	1.1	.9	.7	1.1	1.0	1.6	1.7	23	5.8	
23	1.6	BD	1.5	1.3	1.4	1.9	2.2	2.5	1.5	.8	.7	.7	.6	.7	.7	.7	.6	.7	.9	1.4	1.6	1.3	.8	.5	23	2.5	
24	.5	BD	.2	.1	.2	.1	.4	.6	.7	.6	.4	.4	.3	.2	.2	.1	.1	.2	.2	.1	.1	.0	.0	.0	.0	23	.7
25	.0	BD	.0	.0	.0	.0	.1	.4	.2	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	.4
26	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	23	0.0
27	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.4	.3	.2	.0	23	.4	
28	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.6	23	.6	
29	.4	BD	1.4	2.0	1.8	1.5	1.7	1.7	1.4	.8	.3	.2	.1	.5	1.8	2.8	1.3	.7	.6	.7	1.3	1.7	.7	1.0	23	2.8	
30	1.4	BD	.3	.1	.0	.1	.3	.9	.9	.7	.5	.6	.6	.7	1.1	.9	.8	.7	.7	.5	.5	.5	.5	.6	23	1.4	
31	.8	BD	2.2	2.6	1.5	.7	.8	.9	1.1	1.0	1.0	.9	.8	.6	.6	.6	.6	1.0	2.2	1.7	1.6	.8	.5	.5	23	2.6	
NO.:	31		31	31	31	31	31	31	30	29	29	28	28	30	31	31	31	31	31	31	31	31	31	31			
MAX:	4.7		2.2	2.6	1.8	1.9	2.4	5.8	4.9	2.5	9.7	9.0	4.6	3.4	5.8	2.8	2.2	3.4	6.7	6.5	4.2	2.5	2.4	2.1			
AVG:	.76		.53	.47	.38	.45	.80	1.27	1.12	.91	1.12	1.07	.95	.76	.87	.69	.59	.65	.91	.99	.96	.79	.76	.72			

MONTHLY OBSERVATIONS: 701 MONTHLY MEAN: .80 MONTHLY MAX: 9.7

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources
 MONITOR TYPE: SLAMS
 COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43
 PQAQ: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: NOVEMBER 2010

DURATION: 1 HOUR
 UNITS: Parts per billion
 MIN DETECTABLE: .0863

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.6	BD	.5	.6	.7	.8	.9	1.8	1.9	1.3	.9	.8	.8	.9	1.0	1.1	1.0	.7	.6	.5	.4	.4	1.2	1.4	23	1.9	
2	1.2	BD	.4	.5	.6	.4	.5	.7	.7	.5	.5	.5	BF	BF	BF	.4	.3	.3	.3	.4	.4	.3	.2	.2	20	1.2	
3	.5	BD	.8	.6	.5	.4	.4	.4	.4	BF	BF	BC	BC	BC	.2	.3	.4	.4	.2	.2	.3	.2	.0	.0	18	.8	
4	.0	BD	BF	.0	.0	.0	.3	.1	.2	.0	.0	.0	.0	1.4	.3	.4	.5	.1	.0	.0	.0	.3	1.3	1.6	22	1.6	
5	2.0	BD	1.2	1.1	.7	.5	.7	.9	1.0	1.0	.9	.9	1.0	1.0	.9	.7	.6	.4	.3	.5	.4	.3	.4	.6	23	2.0	
6	.8	BD	2.7	2.2	1.2	.9	.6	.7	.7	.7	.4	.5	.6	.4	.5	.5	.5	.4	.1	.2	.4	.3	.4	.6	23	2.7	
7	.6	BD	.9	1.5	2.4	2.8	3.0	2.2	1.5	1.4	1.4	1.0	.8	.8	.7	.9	1.2	1.1	1.3	1.4	.7	1.2	1.8	1.3	23	3.0	
8	1.0	BD	.4	.2	.4	.7	1.4	1.9	1.8	2.0	2.3	2.8	2.3	2.4	2.1	2.0	1.7	2.2	2.2	1.8	1.3	1.6	1.6	1.7	23	2.8	
9	1.9	BD	1.5	1.8	1.5	1.8	1.8	3.2	3.3	5.0	4.2	3.6	3.0	2.8	3.3	2.9	3.3	3.0	5.2	8.2	4.4	2.7	2.5	2.8	23	8.2	
10	1.6	BD	.4	.3	.8	.5	.4	.9	1.0	.9	1.2	1.5	1.8	1.6	1.1	.9	.8	1.1	2.6	.7	1.6	1.5	1.1	1.8	23	2.6	
11	1.3	BD	.1	.0	.0	.0	.0	.3	.8	.4	.4	.5	.4	.5	.3	.3	.2	.3	.7	1.1	.6	1.6	1.0	1.3	23	1.6	
12	1.3	BD	.3	.1	.2	.4	.4	.7	1.1	1.3	1.6	1.2	.8	.5	.5	.4	.5	.5	1.1	.9	.8	.6	.7	.7	23	1.6	
13	.6	BD	.7	.7	.9	1.0	1.1	1.2	1.3	1.2	.8	.6	.5	.5	.5	.5	.5	.6	2.2	1.5	2.2	2.4	1.7	1.7	23	2.4	
14	1.7	BD	1.7	1.4	1.2	.9	.9	1.4	1.6	1.5	2.4	1.7	5.5	3.1	1.3	.7	.9	1.3	1.9	1.6	1.4	3.1	2.9	1.7	23	5.5	
15	1.5	BD	1.0	.8	.7	.6	1.0	2.3	4.0	7.8	6.3	6.5	11.6	3.8	1.4	1.5	1.6	2.1	2.9	1.8	1.3	1.7	1.6	1.4	23	11.6	
16	.8	BD	.4	.3	.2	.2	.3	.7	.8	.8	.5	.3	BF	BF	.1	.0	.0	.0	.0	.0	.1	.2	.1	.1	21	.8	
17	.0	BD	BF	BF	.0	1.5	.6	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.0	1.0	2.1	1.6	.4	.5	21	2.1	
18	.6	BD	.6	.8	.5	.7	.9	2.0	2.7	1.8	1.7	1.4	1.4	1.7	1.0	.9	.9	1.5	1.4	2.2	2.4	1.4	1.3	1.0	23	2.7	
19	1.3	BD	.3	.2	.3	1.3	1.8	.6	2.0	3.4	3.6	3.1	2.6	2.1	1.8	1.8	1.7	2.4	3.1	2.8	3.2	3.9	2.8	2.6	23	3.9	
20	1.4	BD	.4	.4	.4	.3	.5	.9	11.9	8.4	1.8	1.1	1.1	1.1	1.1	1.4	2.0	2.2	3.2	2.4	2.7	3.5	3.0	2.1	23	11.9	
21	1.9	BD	1.1	1.0	1.3	1.7	1.6	1.4	1.9	1.4	1.1	1.0	1.2	1.2	1.0	.9	1.0	.7	2.4	1.1	.7	.7	1.1	1.6	23	2.4	
22	1.0	BD	.5	.1	.5	.4	1.2	1.7	2.1	1.7	1.5	1.8	1.0	.6	1.4	.7	.7	1.0	1.0	.8	.4	.3	.2	.1	23	2.1	
23	.1	BD	.1	.1	.1	.2	.5	1.0	1.2	1.3	.7	1.3	1.2	.2	.1	.0	.1	.2	.6	.4	.4	.4	.3	.2	23	1.3	
24	.2	BD	.2	.4	.3	.2	.6	2.1	2.3	3.4	1.7	1.2	.9	.6	.4	.5	.6	.6	.8	.8	1.0	1.1	.8	.8	23	3.4	
25	.6	BD	.4	.2	.1	.1	.1	.2	.4	.7	.7	.5	.4	.4	.3	.2	.2	.2	.2	.1	.0	.1	.0	.0	23	.7	
26	BF	BD	.0	.0	.0	.0	.1	.2	.0	BF	.0	.0	.0	.0	.0	.0	.1	.1	.0	.4	.2	.0	.0	.0	21	.4	
27	.0	BD	.0	.0	.0	.1	.1	.2	.4	.5	.7	.7	.6	.5	.5	.5	.5	1.1	2.9	1.3	1.6	1.0	1.0	.9	23	2.9	
28	.6	BD	.5	.6	.6	.6	.9	1.6	1.5	1.1	1.5	1.4	1.5	1.3	1.2	1.3	1.4	1.4	1.4	.6	.8	.9	1.1	.8	23	1.6	
29	1.2	BD	.5	.4	.5	.4	.4	.7	1.1	BF	BF	.5	.5	.4	.4	.5	.4	.4	.6	.4	.5	.4	.3	.2	21	1.2	
30	.3	BD	.2	.2	.2	.2	.3	.4	.5	.7	1.5	.3	.1	.2	.3	.5	.4	.2	.1	.2	.0	.0	.0	BF	22	1.5	
31																										0	
NO.:	29		28	29	30	30	30	30	30	27	28	29	27	27	29	30	30	30	30	30	30	30	30	29			
MAX:	2.0		2.7	2.2	2.4	2.8	3.0	3.2	11.9	8.4	6.3	6.5	11.6	3.8	3.3	2.9	3.3	3.0	5.2	8.2	4.4	3.9	3.0	2.8			
AVG:	.92		.64	.57	.56	.65	.78	1.09	1.67	1.86	1.44	1.27	1.54	1.11	.82	.75	.80	.89	1.34	1.18	1.07	1.12	1.04	1.02			

MONTHLY OBSERVATIONS: 672 MONTHLY MEAN: 1.04 MONTHLY MAX: 11.9

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 AIR QUALITY SYSTEM
 RAW DATA REPORT

Dec. 15, 2015

(42401) Sulfur dioxide

SITE ID: 37-183-0014 POC: 2
 COUNTY: (183) Wake
 CITY: (55000) Raleigh
 SITE ADDRESS: 3801 SPRING FOREST RD.
 SITE COMMENTS: PROGRESS ENERGY METER NO. ACDB68089G35
 MONITOR COMMENTS:

STATE: (37) North Carolina
 AQCR: (166) EASTERN PIEDMONT
 URBANIZED AREA: (6639) RALEIGH, NC
 LAND USE: RESIDENTIAL
 LOCATION SETTING: SUBURBAN

CAS NUMBER: 7446-09-5
 LATITUDE: 35.856111
 LONGITUDE: -78.574167
 UTM ZONE:
 UTM NORTHING:
 UTM EASTING:
 ELEVATION-MSL: 100
 PROBE HEIGHT:

SUPPORT AGENCY: (0776) North Carolina Dept Of Environment And Natural Resources

MONITOR TYPE: SLAMS

COLLECTION AND ANALYSIS METHOD: (560) INSTRUMENTAL Pulsed Fluorescent 43

PQAO: (0776) North Carolina Dept Of Environment And Natural Resources

REPORT FOR: DECEMBER 2010

DURATION: 1 HOUR

UNITS: Parts per billion

MIN DETECTABLE: .0863

DAY	0000	0100	0200	0300	0400	0500	0600	0700	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	OBS	MAXIMUM	
1	.0	BD	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	23	.2	
2	.1	BD	.2	.2	.1	1.0	.8	.9	.6	.7	1.0	1.1	1.2	.4	.4	.4	.5	.6	.5	.5	1.0	1.8	1.5	1.0	23	1.8	
3	1.5	BD	.7	2.3	2.0	1.0	1.3	1.7	1.8	1.2	1.0	.8	.9	1.4	1.8	1.0	.6	1.2	1.1	1.7	.7	1.1	1.2	1.3	23	2.3	
4	1.5	BD	3.2	3.1	2.5	2.0	2.0	1.7	1.9	1.2	1.4	1.7	1.6	1.5	1.3	.6	.5	.4	.4	.3	.2	.2	.2	.2	23	3.2	
5	.2	BD	.3	.6	.5	.9	.9	.5	1.0	1.7	1.8	2.1	2.7	1.9	1.0	.8	.8	.6	.6	.7	.7	.5	.5	.4	23	2.7	
6	.8	BD	.4	.4	.7	.7	.8	.9	.8	.6	.5	.6	.7	.7	.6	.5	.6	.6	.5	.3	.4	.7	1.0	.9	23	1.0	
7	.8	BD	1.0	.9	.8	1.1	AE	.8	.7	.8	.9	1.0	.8	.8	.8	.9	1.0	1.1	1.3	1.3	1.2	1.1	1.0	1.1	22	1.3	
8	1.3	BD	2.3	2.3	1.5	1.5	2.4	3.0	2.9	3.0	BF	BF	1.9	1.8	1.9	2.7	3.3	3.6	3.0	2.6	2.4	1.9	1.8	1.8	21	3.6	
9	1.9	BD	3.0	2.6	2.3	2.0	2.5	2.5	2.5	2.9	2.5	2.2	2.3	2.3	2.9	3.2	2.8	4.5	3.6	3.9	4.4	3.8	2.6	1.7	23	4.5	
10	2.1	BD	1.4	1.2	.9	1.2	2.6	3.0	2.9	3.3	2.5	2.0	1.9	1.8	1.9	1.9	2.1	3.4	2.8	2.0	4.3	3.8	3.3	2.1	23	4.3	
11	1.4	BD	1.5	1.2	1.1	1.7	1.2	1.4	2.1	1.9	1.6	1.2	1.0	.8	.6	.5	.4	.3	.4	.3	.3	.2	.2	.2	23	2.1	
12	.1	BD	.1	.1	.1	.1	.1	.2	.3	.3	.3	.2	.2	.1	.1	.2	.2	.1	.1	.1	.1	.1	.0	.0	23	.3	
13	.0	BD	.5	.3	.3	.6	.9	1.0	1.1	1.7	2.2	2.5	2.0	1.3	1.0	.8	.7	.7	.5	.5	.5	.5	.5	.5	23	2.5	
14	.4	BD	.6	.9	.8	.8	.9	1.9	1.1	.7	.7	1.5	1.6	1.5	1.1	.8	.8	.8	.9	.8	1.3	3.1	2.4	1.1	23	3.1	
15	1.1	BD	.6	.7	.8	1.1	1.3	1.9	3.2	2.0	2.2	1.8	1.6	1.4	1.0	1.2	1.5	1.5	2.1	2.3	2.9	3.0	2.9	4.3	23	4.3	
16	3.8	BD	5.4	4.9	2.5	1.9	.7	.6	.8	1.0	1.1	1.3	1.4	1.4	1.4	1.4	1.2	1.3	1.5	1.2	.6	.6	.5	.4	23	5.4	
17	.4	BD	.6	.7	.7	.4	.3	.3	.5	.6	.7	.7	.8	1.1	1.5	1.6	1.7	1.4	2.3	2.1	2.3	1.4	1.1	1.1	23	2.3	
18	.6	BD	.5	.7	.9	.8	.9	.7	.9	1.8	2.8	3.7	3.9	3.2	2.7	2.3	2.3	2.2	2.0	1.9	1.4	1.5	1.7	1.8	23	3.9	
19	2.1	BD	1.9	2.1	1.9	1.9	2.1	2.1	2.7	4.0	4.7	6.1	5.5	4.3	3.2	2.9	4.0	3.2	2.2	2.0	2.0	2.0	2.7	2.5	23	6.1	
20	3.5	BD	5.3	5.4	5.6	4.8	4.7	6.4	7.0	6.5	6.1	2.9	2.3	2.0	1.6	1.6	1.6	1.8	2.1	2.7	3.3	3.4	3.4	3.8	23	7.0	
21	4.1	BD	4.0	4.4	4.7	4.9	5.2	6.6	5.6	BF	BF	BF	3.1	2.4	2.2	2.0	1.7	1.5	1.8	3.1	3.8	1.9	1.5	2.7	20	6.6	
22	5.4	BD	3.3	2.1	1.9	1.7	1.6	2.0	2.5	3.2	3.2	2.9	3.7	3.7	3.2	2.6	3.4	2.7	1.7	1.0	1.1	1.6	2.4	5.4	23	5.4	
23	8.8	BD	9.0	7.8	6.0	4.3	2.1	1.8	2.5	2.3	1.8	1.7	1.7	1.4	1.5	1.8	1.6	1.4	1.1	1.0	.9	1.3	2.2	1.8	23	9.0	
24	1.5	BD	2.6	2.6	2.6	3.9	3.7	2.8	2.3	2.5	2.3	1.9	1.7	1.6	1.3	1.2	1.6	3.1	4.5	5.8	5.6	4.6	3.1	3.7	23	5.8	
25	3.5	BD	3.2	2.7	2.0	1.8	1.3	1.0	1.0	.9	1.1	1.3	1.5	2.1	2.2	1.8	1.6	1.2	1.2	.8	.4	.3	.3	.4	23	3.5	
26	.3	BD	.4	.7	.9	1.3	4.0	4.0	2.6	2.2	1.8	1.6	1.0	1.3	2.0	3.2	2.3	1.2	1.1	1.2	1.3	1.1	1.2	1.4	23	4.0	
27	1.4	BD	1.3	1.4	2.1	AE	AE	AE	2.2	1.7	1.5	1.8	1.8	1.8	1.9	1.8	1.5	1.4	1.5	1.2	1.2	1.4	1.7	1.8	20	2.2	
28	1.8	BD	1.8	1.8	1.9	1.8	1.7	AE	1.7	1.8	1.5	1.5	1.3	1.1	1.1	1.1	1.1	1.9	3.5	3.1	2.9	1.9	1.2	1.3	22	3.5	
29	1.7	BD	1.5	1.7	1.5	1.4	1.5	1.7	1.9	3.5	3.6	3.4	3.7	2.7	1.5	1.4	1.3	3.0	5.2	4.9	4.8	3.8	2.6	2.0	23	5.2	
30	3.3	BD	2.5	2.4	2.1	2.1	3.2	3.4	4.7	4.3	3.4	3.0	2.1	2.7	5.6	4.4	5.5	5.3	3.9	3.0	2.6	2.7	5.1	4.4	23	5.6	
31	3.0	BD	3.7	2.4	3.0	3.2	3.2	3.0	2.8	5.6	13.0	17.5	10.3	8.0	9.2	9.5	6.2	5.9	3.0	2.3	2.3	2.1	1.7	1.8	23	17.5	
NO.:	31		31	31	31	30	29	29	31	30	29	31	31	31	31	31	31	31	31	31	31	31	31	31	31		
MAX:	8.8		9.0	7.8	6.0	4.9	5.2	6.6	7.0	6.5	13.0	17.5	10.3	8.0	9.2	9.5	6.2	5.9	5.2	5.8	5.6	4.6	5.1	5.4			
AVG:	1.88		2.03	1.95	1.76	1.73	1.86	1.99	2.08	2.13	2.32	2.41	2.14	1.89	1.89	1.81	1.75	1.87	1.82	1.76	1.84	1.72	1.66	1.71			

MONTHLY OBSERVATIONS: 703 MONTHLY MEAN: 1.91 MONTHLY MAX: 17.5

Note: Qualifier codes with regional concurrence are shown in upper case, and those without regional review are shown in lower case. An asterisk ("**") indicates that the region has reviewed the value and does not concur with the qualifier.

QUALIFIER CODES:

Qualifier Code	Qualifier Description	Qualifier Type
AB	Technician Unavailable	NULL
AE	Shelter Temperature Outside Limits	NULL
AL	Voided by Operator	NULL
AN	Machine Malfunction	NULL
AT	Calibration	NULL
AV	Power Failure	NULL
AX	Precision Check	NULL
AZ	Q C Audit	NULL
BA	Maintenance/Routine Repairs	NULL
BC	Multi-point Calibration	NULL
BD	Auto Calibration	NULL
BE	Building/Site Repair	NULL
BF	Precision/Zero/Span	NULL
BJ	Operator Error	NULL

Note: Qualifier codes with regional concurrence are shown in upper case,
and those without regional concurrence are shown in lower case.