

North Carolina Division of Air Quality Monthly Hazardous Air Pollutant Report

Report Date	November 25, 2015		
Data period	10/1/2015	to	10/31/2015
Prepared by	Ambient Monitoring Section		



Limits and restrictions: Every effort has been made to ensure these data are accurate. This report is for informational purposes.

2015	24-Hour Average Sample Concentration (ppbv)								Year to Date		
	Samples are collected 1 every 6 days								High	90th Percentile	
	Hazardous Air Pollutant	Site Name	County	AQS ID	3-Oct Saturday	9-Oct Friday	15-Oct Thursday	21-Oct Wednesday			27-Oct Tuesday
Acetaldehyde*	AB Tech.	Buncombe	37-021-0035	NO	NO	NO	NO	NO	NO	NO	NO
	Garinger	Mecklenburg	37-119-0041	NO	NO	NO	NO	NO	NO	NO	NO
	Hattie Ave.	Forsyth	37-067-0022	NO	NO	NO	NO	NO	NO	NO	NO
	Candor	Montgomery	37-123-0001	0.17	0.50	1.27	0.65	0.28	1.27	0.75	
	Blackstone	Lee	37-105-0002	0.19	0.70	0.54	0.56	0.23	1.14	0.73	
	Millbrook	Wake	37-183-0014	0.15	0.82	0.81	1.14	0.30	1.34	0.98	
	Battleship	New Hanover	37-129-0010	NO	NO	NO	NO	NO	NO	NO	NO
Benzene	AB Tech.	Buncombe	37-021-0035	0.04	0.16	ND	0.26	0.07	0.26	0.17	
	Garinger	Mecklenburg	37-119-0041	0.06	0.17	0.22	0.57	0.09	0.57	0.26	
	Hattie Ave.	Forsyth	37-067-0022	0.04	0.15	0.15	0.46	0.08	0.58	0.26	
	Candor	Montgomery	37-123-0001	0.05	0.05	0.06	0.06	0.09	0.20	0.16	
	Blackstone	Lee	37-105-0002	0.06	0.06	0.07	0.13	0.07	0.21	0.18	
	Millbrook	Wake	37-183-0014	0.10	0.29	0.23	0.52	0.07	0.52	0.29	
	Battleship	New Hanover	37-129-0010	ND	0.14	0.13	0.11	0.06	0.19	0.14	
Ethylbenzene	AB Tech.	Buncombe	37-021-0035	ND	0.07	ND	0.09	ND	0.09	0.07	
	Garinger	Mecklenburg	37-119-0041	ND	0.11	0.12	0.24	ND	0.24	0.11	
	Hattie Ave.	Forsyth	37-067-0022	ND	0.06	0.07	0.20	ND	0.20	0.08	
	Candor	Montgomery	37-123-0001	ND	ND	ND	ND	ND	0.04	0.03	
	Blackstone	Lee	37-105-0002	ND	ND	ND	ND	ND	0.06	0.03	
	Millbrook	Wake	37-183-0014	ND	0.07	0.08	0.21	ND	0.32	0.08	
	Battleship	New Hanover	37-129-0010	ND	0.06	ND	0.05	ND	0.06	0.05	
Formaldehyde*	AB Tech.	Buncombe	37-021-0035	NO	NO	NO	NO	NO	NO	NO	
	Garinger	Mecklenburg	37-119-0041	NO	NO	NO	NO	NO	NO	NO	
	Hattie Ave.	Forsyth	37-067-0022	NO	NO	NO	NO	NO	NO	NO	
	Candor	Montgomery	37-123-0001	0.39	1.19	2.66	1.92	0.77	5.42	3.46	
	Blackstone	Lee	37-105-0002	0.38	1.99	1.63	1.81	0.58	7.84	3.69	
	Millbrook	Wake	37-183-0014	0.40	2.28	2.24	2.95	0.92	8.03	4.21	
	Battleship	New Hanover	37-129-0010	NO	NO	NO	NO	NO	NO	NO	
n-Hexane	AB Tech.	Buncombe	37-021-0035	ND	0.26	ND	0.18	0.04	0.27	0.15	
	Garinger	Mecklenburg	37-119-0041	ND	0.12	0.17	0.58	ND	0.58	0.20	
	Hattie Ave.	Forsyth	37-067-0022	ND	0.05	0.19	0.50	ND	0.50	0.18	
	Candor	Montgomery	37-123-0001	ND	ND	ND	0.07	ND	0.08	0.06	
	Blackstone	Lee	37-105-0002	ND	0.03	ND	0.08	0.07	0.13	0.07	
	Millbrook	Wake	37-183-0014	ND	0.11	0.29	0.79	ND	0.79	0.32	
	Battleship	New Hanover	37-129-0010	ND	0.12	0.10	ND	ND	0.31	0.11	
Styrene	AB Tech.	Buncombe	37-021-0035	ND	ND	ND	ND	ND	0.13	0.09	
	Garinger	Mecklenburg	37-119-0041	ND	0.07	0.06	0.09	ND	0.14	0.09	
	Hattie Ave.	Forsyth	37-067-0022	ND	ND	ND	0.05	ND	0.11	0.08	
	Candor	Montgomery	37-123-0001	ND	ND	ND	ND	ND	0.10	0.07	
	Blackstone	Lee	37-105-0002	ND	ND	ND	ND	ND	0.18	0.10	
	Millbrook	Wake	37-183-0014	ND	ND	ND	0.09	ND	0.13	0.07	
	Battleship	New Hanover	37-129-0010	ND	0.06	ND	ND	ND	0.13	0.10	

ND = not detected in sample
NS = no valid sample / data
NO = site not operating
 * Acetaldehyde and Formaldehyde are not monitored at all sites
 Blackstone site began operating in November 2013

North Carolina Division of Air Quality Monthly Hazardous Air Pollutant Report

Report Date	November 25, 2015		
Data period	10/1/2015	to	10/31/2015
Prepared by	Ambient Monitoring Section		



Limits and restrictions: Every effort has been made to ensure these data are accurate. This report is for informational purposes.

2015	24-Hour Average Sample Concentration (ppbv)								Year to Date	
	Samples are collected 1 every 6 days								High	90th Percentile
Hazardous Air Pollutant	Site Name	County	AQS ID	3-Oct	9-Oct	15-Oct	21-Oct	27-Oct		
				Saturday	Friday	Thursday	Wednesday	Tuesday		
Toluene	AB Tech.	Buncombe	37-021-0035	0.19	1.32	ND	0.81	0.27	1.57	1.07
	Garinger	Mecklenburg	37-119-0041	0.17	0.70	0.85	1.37	0.17	1.37	0.71
	Hattie Ave.	Forsyth	37-067-0022	0.15	0.52	0.41	1.31	0.11	1.31	0.57
	Candor	Montgomery	37-123-0001	0.18	0.08	0.15	0.10	0.21	0.25	0.19
	Blackstone	Lee	37-105-0002	0.16	0.21	0.24	0.23	0.07	0.31	0.24
	Millbrook	Wake	37-183-0014	0.14	0.59	0.60	1.47	0.16	1.47	0.59
	Battleship	New Hanover	37-129-0010	0.17	0.34	0.31	0.30	0.11	1.06	0.30
1,2,4-Trimethylbenzene	AB Tech.	Buncombe	37-021-0035	0.06	0.11	ND	0.17	ND	0.17	0.09
	Garinger	Mecklenburg	37-119-0041	0.14	0.11	0.17	0.37	0.12	0.37	0.25
	Hattie Ave.	Forsyth	37-067-0022	ND	0.09	0.14	0.27	ND	0.27	0.13
	Candor	Montgomery	37-123-0001	ND	0.06	ND	ND	0.13	0.13	0.06
	Blackstone	Lee	37-105-0002	ND	0.07	0.06	ND	0.06	0.11	0.08
	Millbrook	Wake	37-183-0014	0.10	0.09	0.13	0.35	ND	0.35	0.13
	Battleship	New Hanover	37-129-0010	0.11	0.09	0.12	0.14	ND	0.22	0.14
m/p-Xylene	AB Tech.	Buncombe	37-021-0035	0.04	0.23	ND	0.30	0.05	0.30	0.20
	Garinger	Mecklenburg	37-119-0041	0.05	0.38	0.40	0.83	0.05	0.83	0.38
	Hattie Ave.	Forsyth	37-067-0022	0.03	0.18	0.21	0.66	0.03	0.66	0.25
	Candor	Montgomery	37-123-0001	0.04	ND	0.02	ND	ND	0.10	0.05
	Blackstone	Lee	37-105-0002	0.04	0.04	0.05	0.07	ND	0.15	0.08
	Millbrook	Wake	37-183-0014	0.04	0.22	0.24	0.73	ND	1.10	0.33
	Battleship	New Hanover	37-129-0010	0.04	0.18	0.13	0.17	0.04	0.22	0.14
o-Xylene	AB Tech.	Buncombe	37-021-0035	ND	0.09	ND	0.16	0.03	0.16	0.09
	Garinger	Mecklenburg	37-119-0041	0.03	0.14	0.16	0.30	ND	0.30	0.13
	Hattie Ave.	Forsyth	37-067-0022	ND	0.08	0.09	0.24	ND	0.24	0.10
	Candor	Montgomery	37-123-0001	ND	ND	ND	ND	ND	0.05	0.01
	Blackstone	Lee	37-105-0002	ND	ND	ND	0.04	ND	0.07	0.04
	Millbrook	Wake	37-183-0014	ND	0.09	0.10	0.28	ND	0.46	0.11
	Battleship	New Hanover	37-129-0010	ND	0.07	0.07	0.07	ND	0.09	0.07

ND = not detected in sample
NS = no valid sample / data
NO = site not operating
 * Acetaldehyde and Formaldehyde are not monitored at all sites
 Blackstone site began operating in November 2013

24-hour Average Values (Most Recent 3 Years), ppbv

Hazardous Air Pollutant	Site Name	County	RYTD Valid Sample Days***	24-hr Average Concentrations 90 th Percentile				Normalized 3 yr. Mean 90 th Percentiles**
				RYTD 2015	2014	2013	2012	
Acetaldehyde *	AB Tech.	Buncombe	NO	NO	NO	NO	NO	
	Garinger	Mecklenburg	NO	NO	NO	NO	NO	
	Hattie Ave.	Forsyth	NO	NO	NO	NO	NO	
	Candor	Montgomery	55	0.74	0.68	0.54	NO	
	Blackstone	Lee	55	0.72	0.74	0.64	NO	
	Millbrook	Wake	55	0.99	1.01	0.80	NO	
	Battleship	New Hanover	NO	NO	NO	NO	NO	
Benzene	AB Tech.	Buncombe	56	0.18	0.26	0.25	0.29	
	Garinger	Mecklenburg	58	0.28	0.31	0.35	0.43	
	Hattie Ave.	Forsyth	59	0.26	0.31	0.33	0.34	
	Candor	Montgomery	59	0.16	0.21	0.19	0.16	
	Blackstone	Lee	59	0.18	0.22	0.14	NO	
	Millbrook	Wake	58	0.29	0.27	0.36	0.43	
	Battleship	New Hanover	59	0.14	0.23	0.19	0.22	
Ethylbenzene	AB Tech.	Buncombe	56	0.07	0.02	0.11	0.12	
	Garinger	Mecklenburg	58	0.10	0.08	0.16	0.12	
	Hattie Ave.	Forsyth	59	0.07	0.05	0.20	0.13	
	Candor	Montgomery	59	0.01	0.00	0.06	0.04	
	Blackstone	Lee	59	0.03	0.00	0.00	NO	
	Millbrook	Wake	58	0.07	0.05	0.15	0.19	
	Battleship	New Hanover	59	0.05	0.01	0.09	0.08	
Formaldehyde*	AB Tech.	Buncombe	NO	NO	NO	NO	NO	
	Garinger	Mecklenburg	NO	NO	NO	NO	NO	
	Hattie Ave.	Forsyth	NO	NO	NO	NO	NO	
	Candor	Montgomery	60	3.45	2.85	2.36	NO	
	Blackstone	Lee	61	3.60	2.99	1.40	NO	
	Millbrook	Wake	61	4.13	3.59	2.99	NO	
	Battleship	New Hanover	NO	NO	NO	NO	NO	
n-Hexane	AB Tech.	Buncombe	56	0.15	0.13	0.15	0.14	
	Garinger	Mecklenburg	58	0.22	0.23	0.26	0.28	
	Hattie Ave.	Forsyth	59	0.20	0.20	0.30	0.25	
	Candor	Montgomery	59	0.07	0.07	0.06	0.06	
	Blackstone	Lee	59	0.08	0.08	0.06	NO	
	Millbrook	Wake	58	0.35	0.23	0.36	0.42	
	Battleship	New Hanover	59	0.11	0.10	0.15	0.26	
Styrene	AB Tech.	Buncombe	56	0.08	0.00	0.13	0.12	
	Garinger	Mecklenburg	58	0.09	0.00	0.14	0.11	
	Hattie Ave.	Forsyth	59	0.06	0.00	0.12	0.10	
	Candor	Montgomery	59	0.06	0.00	0.11	0.09	
	Blackstone	Lee	59	0.09	0.00	0.00	NO	
	Millbrook	Wake	58	0.04	0.00	0.13	0.11	
	Battleship	New Hanover	59	0.07	0.00	0.12	0.09	

Notes:

ND = not detected in sample

NS = no valid sample / data

NO = site not operating

RYTD = rolling-year-to-date

* Acetaldehyde and Formaldehyde are not monitored at all sites


***The maximum possible number of valid sample days = 61.

Blackstone site began operating in November 2013

**The white bar shows the 90th percentile value for each pollutant at each site as averaged from the previous 3 years of data and normalized to show how it compares to a 90th percentile statewide historical value (1.0 on the graph). Similarly, the black bar shows the normalized 90th percentile for the latest 3 years, including a rolling 1 year value (RYTD) for the current year's value.

24-hour Average Values (Most Recent 3 Years), ppbv

Hazardous Air Pollutant	Site Name	County	RYTD Valid Sample Days***	24-hr Average Concentrations 90th Percentile			
				RYTD 2015	2014	2013	2012
Toluene	AB Tech.	Buncombe	56	0.95	0.52	0.71	0.74
	Garinger	Mecklenburg	58	0.71	0.57	0.75	0.76
	Hattie Ave.	Forsyth	59	0.53	0.37	0.87	0.79
	Candor	Montgomery	59	0.18	0.13	0.19	0.13
	Blackstone	Lee	59	0.23	0.13	0.11	NO
	Millbrook	Wake	58	0.59	0.42	0.75	1.09
	Battleship	New Hanover	59	0.30	0.19	0.29	0.54
1,2,4-Trimethylbenzene	AB Tech.	Buncombe	56	0.09	0.05	0.26	0.15
	Garinger	Mecklenburg	58	0.23	0.08	0.31	0.21
	Hattie Ave.	Forsyth	59	0.12	0.05	0.40	0.18
	Candor	Montgomery	59	0.06	0.15	0.00	0.01
	Blackstone	Lee	59	0.07	0.06	ND	NO
	Millbrook	Wake	57	0.11	0.09	0.31	0.25
	Battleship	New Hanover	59	0.13	0.05	0.16	0.16
m/p-Xylene	AB Tech.	Buncombe	56	0.20	0.15	0.47	0.30
	Garinger	Mecklenburg	58	0.38	0.31	0.88	0.39
	Hattie Ave.	Forsyth	59	0.24	0.20	1.01	0.39
	Candor	Montgomery	59	0.05	0.04	0.18	0.08
	Blackstone	Lee	59	0.08	0.05	0.03	NO
	Millbrook	Wake	58	0.29	0.19	0.76	0.57
	Battleship	New Hanover	59	0.13	0.13	0.50	0.60
o-Xylene	AB Tech.	Buncombe	56	0.09	0.03	0.13	0.11
	Garinger	Mecklenburg	58	0.13	0.08	0.19	0.15
	Hattie Ave.	Forsyth	59	0.09	0.05	0.27	0.15
	Candor	Montgomery	59	0.00	0.00	0.06	0.04
	Blackstone	Lee	59	0.04	0.00	0.00	NO
	Millbrook	Wake	58	0.09	0.05	0.19	0.24
	Battleship	New Hanover	59	0.07	0.02	0.10	0.09



Notes:

ND = not detected in sample
 NS = no valid sample / data
 NO = site not operating
 RYTD = rolling-year-to-date
 * Acetaldehyde and Formaldehyde are not monitored at all sites
 ***The maximum possible number of valid sample days = 61.
 Blackstone site began operating in November 2013

**The white bar shows the 90th percentile value for each pollutant at each site as averaged from the previous 3 years of data and normalized to show how it compares to a 90th percentile statewide historical value (1.0 on the graph). Similarly, the black bar shows the normalized 90th percentile for the latest 3 years, including a rolling 1 year value (RYTD) for the current year's value.