

North Carolina
Division of Marine Fisheries
License and Statistics Section



2011 Annual Report

November 3, 2011

License Data

Commercial Fishing Statistics

Recreational Fishing Statistics

NORTH CAROLINA
LICENSE AND STATISTICS SECTION
SUMMARY STATISTICS
OF
LICENSE AND PERMIT PROGRAM
COMMERCIAL TRIP TICKET PROGRAM
MARINE RECREATIONAL FISHERY STATISTICS SURVEY
STRIPED BASS CREEL SURVEY IN THE CENTRAL
AND SOUTHERN MANAGEMENT AREA

Prepared By:

North Carolina Division of Marine Fisheries

License and Statistics Section

November 3, 2011



TABLE OF CONTENTS

ACKNOWLEDGMENTS	ii
LICENSE AND STATISTICS SECTION OVERVIEW	1
Chapter I: LICENSE AND PERMIT PROGRAM AND STATISTICS	I-1
Chapter II: COMMERCIAL TRIP TICKET PROGRAM AND STATISTICS	II-1
Chapter III: NORTH CAROLINA MARINE RECREATIONAL INFORMATION PROGRAM	III-1
Chapter IV: STRIPED BASS CREEL SURVEY IN THE CENTRAL AND SOUTHERN MANAGEMENT AREA PROGRAM AND STATISTICS	IV-1

ACKNOWLEDGEMENTS

We want to thank all the commercial fishermen, recreational fishermen, and licensed dealers in North Carolina who provide harvest, landings, and effort data to us through monthly reports or participating in surveys and interviews. Without their assistance, constructive criticisms, and of course, tolerance, the North Carolina Division of Marine Fisheries (NCDMF) commercial and recreational fisheries license and statistics programs would not have achieved the current level of success and acclaim.

We want to thank all the various staff members who enter, compile, edit, and analyze data, and conduct the surveys and interviews that are submitted to our respective offices each year. Without their hard work and perseverance, this document would not have been accomplished. These staff members in alphabetical order are:

Kerry Anderson	Brenda Harris	Pamela Rusher
Jon Anglemyer	William Hartman	McLean Seward
Rene Basnight	Nicholas Harvey	Pam Simmons
Alan Bianchi	William Hatfield	Scott Smith
Anna Branch	Don Hesselman	Connie Sowers
Martin Brill	Raquel Hewitt	Mechelle Stone
Roz Camp	Blake Hocker	Dennis Trowell
Brenda Clark	Jack Holland	Dallis Tucker
David Daniel	Grace Kemp	Angela Twiford
Chuck Davis	Larry Lowrimore	Kyle Wald
Emily Davis	Stephanie McInerny	Amos Williams
Susanne Day	Brian Melott	Travis Williams
Beth Egbert	Beckie Midgett	Chris Wilson
Kelly Fitzpatrick	Sonya Midgette	Jeannie Woolard
Janice Fulcher	Doug Mumford	Kim Worrell
Cristy Giddens	Andrea Olsen	Mary Alice Young
Gina Griffin	Anne Pearce	John Zuaboni
Brenda Grogan	Bobby Peterson	
Andrew Gross	Carolyn Piner	
John Hadley	Jack Poston	
Susan Hammonds	Joey Roberts	

We especially want to acknowledge the aid and assistance Gina Griffin provided in preparation of this document.

And lastly we want to thank the assistance of the following agencies for providing funds for the various programs:

- Partial support for the trip ticket program is provided by the National Marine Fisheries Service under the NC/NOAA Cooperative Statistics Grant and the NC/NOAA Atlantic Coastal Fisheries Cooperative Management Act.
- The Marine Recreational Information Program (MRIP) is supported, in part, by the United States Fish and Wildlife Service, Sport Fish Restoration Act.
- The Central Southern Management Area Recreational Striped Bass Creel Survey was funded through a cooperative agreement with the North Carolina Wildlife and Resources Commission and, in part, by the United States Fish and Wildlife Service Sport Fish Restoration Act.
- Funding for the North Carolina Highly Migratory Species (HMS) Catch Card Program was provided by the National Oceanic and Atmospheric Administration (NOAA) HMS Division.
- Partial Funding for the Coastal Angler Program was provided by the N. C. Marine Resources Fund.

LICENSE AND STATISTICS SECTION OVERVIEW

Purpose

This document provides summaries of commercial and recreational harvest and landings data and commercial and recreational fishing licenses issued for the State of North Carolina. The purpose is to disseminate the data in content and formats most often requested and to illustrate the types of information collected through the various programs within the License and Statistics Section of the North Carolina Division of Marine Fisheries.

This is the seventh year that recreational and commercial landings and fishing license data have been presented in the same report. Separate and distinct summary reports for each program are released on an annual basis.

More detailed statistics are available upon request by contacting the Section Chief, License and Statistics Section, P.O. Box 769, Morehead City, NC 28557, (252) 726-7021 or (800) 682-2632, via e-mail Don.Hesselman@ncdenr.gov, and on the NCDMF website at www.ncfisheries.net.

Description

The License and Statistics Section of the NCDMF includes programs that collect, process, and disseminate data on identified populations of users and the harvest and landings of coastal fisheries resources and their economic value and social impacts in North Carolina. North Carolina General Statute 113-181 authorizes these programs.

Section Mission

To license fishery participants, obtain accurate and timely data on fishery catch and effort, its social and economic importance, analyze, and distribute these data for evaluation and establishment of fishery management plans.

Section Goals

- License fishery participants
- Collect and analyze recreational and commercial fishery catch, effort, and participation data
- Provide fishery biological data from recreational angler fishery participants
- Provide timely, accurate data on commercial and recreational catch, effort, participation, license, and social and economic information to customers and fishery managers
- Collect, analyze and disseminate reliable and current social and economic data

- Provide excellent customer service

Chapter I: LICENSE AND PERMIT PROGRAM AND STATISTICS

TABLE OF CONTENTS

PROGRAM NARRATIVE	I-3
Program Goal.....	I-3
Types of Licenses	I-3
Types of Issuable Permits.....	I-7
Licenses/Permits Issued	I-9
Permits Issued	I-17

LIST OF TABLES

Table 1. Number of commercial licenses issued by fiscal year.....	I-9
Table 2. Number of Standard Commercial Fishing Licenses (SCFL), Endorsements, and Assignments issued by fiscal year.	I-10
Table 3. Number of Retired Standard Commercial Fishing Licenses (RSCFL) and Endorsements issued by fiscal year.	I-10
Table 4. Number of SCFL/RSCFLs available from the SCFL Eligibility Pool at the end of each fiscal year.	I-11
Table 5. Number of Shellfish Licenses issued by fiscal year.....	I-11
Table 6. Number of Commercial Fishing Vessel Registrations (CFVR) issued by vessel length category by fiscal year.	I-11
Table 7. Number of Fish Dealer Licenses and number of Fish Dealer license categories by fiscal year.	I-12
Table 8. Number of Ocean Fishing Pier Licenses issued for FY1993-FY2010 with length range and average.	I-12
Table 9. Number of Recreational Fishing Tournament Licenses to Sell Fish issued for FY2000 to date.	I-13
Table 10. Number of Spotter Plane Licenses issued by fiscal year.	I-13
Table 11. Number of Menhaden Licenses for Non-Residents without SCFLs issued by fiscal year.	I-13
Table 12. Number of Licenses to Land Flounder from the Atlantic Ocean issued by fiscal year.	I-14
Table 13. Number of Land or Sell Licenses issued by fiscal year.	I-14
Table 14. Number of Recreational Commercial Gear Licenses (RCGL) issued by fiscal year.	I-14
Table 15. Number of licenses with selling privileges that could have potentially reported on trip tickets. ...	I-15
Table 16. Number of license transfers by license type by fiscal year.....	I-16
Table 17. Number of Permits issued by fiscal year.	I-17
Table 18. Number of Blue Crab Shedding Permits issued by fiscal year.....	I-17
Table 19. Number of Striped Bass Dealer Permits (total and by validation area) issued by fiscal year.	I-17
Table 20. Number of Atlantic Ocean Flounder Dealer Permits issued by fiscal year.....	I-18
Table 21. Number of Atlantic Ocean American Shad Dealer Permits issued for FY2001-FY2005.....	I-18
Table 22. Number of Albemarle Sound Management Area River Herring Dealer Permits issued by fiscal year.	I-18
Table 23. Number of Horseshoe Crab Biomedical Use Permits issued by fiscal year.....	I-18
Table 24. Number of Permits to Waive the Requirement to use TEDs in the Atlantic Ocean issued by fiscal year.....	I-19
Table 25. Number of Pamlico Sound Gill Net Restricted Area Permits (PSGNRA) issued (electronically) FY2002 to date.	I-19
Table 26. Number of For-Hire Fishing Permits and number of permits that have associated commercial fishing licenses.....	I-19
Table 27. Number of Spiny Dogfish Dealer Permits issued for FY2004 to date.	I-20
Table 28. Number of Black Sea Bass North of Cape Hatteras Dealer Permits issued for FY2004 to date.	I-20
Table 29. Number of Monkfish Large Mesh Gill Net Permits issued for FY2006 to date.	I-20
Table 30. Number of River Herring Discretionary Permits issued by fiscal year.....	I-21
Table 31. Number of Atlantic Ocean Striped Bass Commercial Gear Permits issued by fiscal year.....	I-21
Table 32. Number of Coastal Recreational Fishing License For-Hire Blanket Licenses and number with associated commercial licenses.....	I-21

Table 33. Number of Coastal Recreational Blanket For-Hire Fishing Licenses issued by fiscal year by passenger capacity	I-21
Table 34. Number of Coastal Recreational Fishing License Exemption Permits issued by fiscal year.	I-21
Table 35. Distribution of North Carolina Coastal Recreational Fishing License (CRFL) sales by type of license and residency classification, 2007-2010.	I-22
Table 36. Distribution of North Carolina CRFL sales by type of license and month, 2007-2010.	I-26
Table 37. Distribution of North Carolina CRFL sales by type of license (license categories collapsed) and month, 2007-2010.....	I-30
Table 38. Distribution of North Carolina CRFL sales by collapsed license group with group components, 2007-2010.....	I-35
Table 39. Distribution of CRFL sales by gender and residency type, 2007-2010.	I-39
Table 40. Distribution of CRFL sales by race and residency type, 2007-2010.	I-40
Table 41. Distribution of CRFL sales by age group and residency type, 2007-2010.	I-41
Table 42. Number of CRFLs sold by county of residence, 2007-2010.....	I-42

LIST OF FIGURES

Figure 1. Distribution of 10-day CRFL sales by week and residency, 2007-2010.....	I-32
Figure 2. Distribution of annual CRFL sales by week and residence, 2007-2010.....	I-33
Figure 3. Distribution of total CRFL sales by week and residency, 2007-2010.	I-34

PROGRAM NARRATIVE

The License Program issues licenses and issuable permits to users as mandated by general statutes and Marine Fisheries Commission rules. Data from licenses and permits are used to identify participants (individuals and businesses) and vessels involved in various fishing activities. Various survey data are also collected at the time of license and permit issuance. Program staff is involved in verifying information collected and generation of reports used for fishery management and compliance purposes.

The NCDMF License Program issues approximately 30,000 commercial, recreational, and issuable permits, annually.

Program Goal

To license and permit fishery participants while providing accurate, timely, and courteous service.

Types of Licenses

Standard Commercial Fishing License (SCFL)

The SCFL allows the fisherman to harvest and sell fish, shrimp, crabs, or any marine species, except menhaden (captured by purse seine) and bivalve shellfish. To harvest menhaden with purse seines or bivalve shellfish, fishermen must elect endorsements to the SCFL.

The Shellfish Endorsement includes harvest of scallops, clams, conchs, whelks, oysters, and mussels in North Carolina waters. Only individual North Carolina residents are eligible for this endorsement.

The Menhaden Endorsement allows harvest and sale of menhaden by purse seine.

The SCFL is a personal license issued to an individual or business entity. It is not a vessel license. If a vessel is to be used, the vessel must have a Commercial Fishing Vessel Registration. The SCFL can be temporarily assigned to another person or can be transferred.

Retired Standard Commercial Fishing License (RSCFL)

The RSCFL allows the fisherman to harvest and sell fish, shrimp, crabs, or any marine species, except menhaden and bivalve shellfish. To harvest menhaden or bivalve shellfish, fishermen must elect endorsement(s) to the RSCFL.

The Shellfish Endorsement includes harvest of scallops, clams, conchs, whelks, oysters, and mussels in North Carolina waters.

The Menhaden Endorsement allows harvest and sale of menhaden by purse seine.

The RSCFL is a personal license issued to individuals only. It is not a vessel license. If a vessel is to be used, the vessel must have a Commercial Fishing Vessel Registration. The license can be transferred.

Standard Commercial Fishing License Eligibility Pool

There is a cap on the number of SCFL/RSCFL that can be issued within the state. The cap is 8,896 SCFL/RSCFL licenses. Fishermen can only renew the SCFL/RSCFL held the previous year. Licenses not renewed are returned to a pool. Persons who do not hold a SCFL/RSCFL can apply for a SCFL/RSCFL from the pool. The SCFL Eligibility Pool Board awards the right to purchase a SCFL or RSCFL to eligible fishermen.

Shellfish License

This license allows the commercial harvest and sale of bivalve shellfish. The shellfish license holder does not need a SCFL or RSCFL to harvest and sell commercial quantities of bivalve shellfish. Bivalve shellfish includes scallops, clams, conchs, whelks, oysters, and mussels.

If a vessel is to be used, the vessel must have a Commercial Fishing Vessel Registration.

Commercial Fishing Vessel Registration (CFVR)

The registration designates a vessel that can be used in commercial fishing operations. A CFVR is required if a vessel is going to be used with a SCFL, RSCFL, Shellfish License, or Menhaden License for Non-Residents. The decal must be adhered to the port side of the vessel. The registration can be transferred.

Fish Dealer License

This license authorizes a North Carolina resident entity (individual or business) with a physical location within North Carolina to buy fish for resale from any person who holds a valid SCFL, RSCFL, Shellfish License, Land or Sell License, Menhaden License for Non-Residents Without a SCFL, or Recreational Fishing Tournament License to Sell Fish. Fishermen who sell their own harvested catch to the public are required to have a Fish Dealer License, as well as a SCFL, RSCFL, Shellfish License, Land or Sell License, or Menhaden License for Non-Residents Without a SCFL. A person who buys fish for resale from another licensed Fish Dealer does not need to buy a Fish Dealer License. The dealer can only deal in each category designated (i.e., finfish, crab, etc.) on the license.

Any fish or shellfish harvested and landed in North Carolina must go through a North Carolina licensed fish dealer (either the fisherman has a Fish Dealer License or transfers fish to a licensed dealer).

A Fish Dealer License is required for each location. If the dealer sells to the public from a different location from that where fish were purchased from fishermen, this is considered resale and the dealer does not need a separate Fish Dealer License for that location, but must have documentation (i.e., bill of sale, bill of lading) that shows where the fish were purchased.

The license must be displayed at each location for public viewing.

Ocean Fishing Pier License

This license authorizes the manager of an ocean fishing pier to charge the public a fee to fish from a pier. Ocean Fishing Pier Licenses do not include the right to deal in fish, such as bait; the appropriate Fish Dealer License must be purchased for that authority.

The license must be displayed at each location for public viewing.

Menhaden License for Non-Residents Without a SCFL

Non-residents not eligible for a SCFL/RSCFL and who wish to engage only in menhaden purse seine fishing operations can purchase this license.

Vessels may be used in conjunction with a Menhaden License for Non-Residents Without a SCFL, but the vessel must be registered to operate as a commercial fishing vessel (i.e., requires a CFVR).

Land or Sell License

This license is available to any non-resident vessel owner or Vessel Master who fishes beyond the state's territorial (greater than 3 miles in the ocean) waters and wishes to land the catch in North Carolina.

The license must be purchased prior to offloading.

License to Land Flounder From the Atlantic Ocean

A person wishing to land more than 100 pounds per trip of flounder taken from the Atlantic Ocean must have this license.

This license is not assignable. The Vessel Master must be designated at the time of license purchase. The license must be updated if the Vessel Master changes. The license can be transferred.

Spotter Plane License

This license authorizes the use of aircraft to identify the location of fish (other than food fish) in coastal waters for a commercial fishing operation.

Coastal Recreational Fishing License (CRFL)

This license is required to recreationally harvest finfish in the state's coastal waters, which include sounds, coastal rivers and tributaries, and out to three miles in the ocean. This license is also required to land fish caught greater than three miles in the ocean. This CRFL is issued by Wildlife Resources Commission sales agents such as bait and tackle shops, online, by phone, and at DMF license offices. There are a multitude of different licenses available, all of them valid from date of purchase (i.e., not on the calendar or fiscal year). A CRFL is not required to recreationally harvest shellfish (crabs, clams and oysters). The license was first implemented on January 1, 2007.

Coastal Recreational Fishing License blanket licenses

The Coastal Recreational Fishing License (CRFL) legislation enacted two new 'blanket' licenses that are issued only by the Division. Blanket licenses allow all anglers fishing aboard for-hire vessels or on piers that charge a fee to legally fish without having an individual CRFL. The For Hire Blanket CRFL is designed for charter/guide boats and can be purchased for either six or fewer passengers or more than six passengers. The For Hire Blanket CRFL differs from the free For Hire Permit in that it covers the anglers; the permit does not cover the fishing license for the angler although both the license and the permit require the holder to have a Captains license. The Blanket Pier license is designed for ocean fishing piers and must be purchased along with an Ocean Pier License.

Recreational Fishing Tournament License To Sell Fish

To sell fish taken in a tournament, the tournament organizer must obtain a Recreational Fishing Tournament License to Sell Fish by applying 30 days in advance of the event. The holder of the license can only sell the tournament's catch to a licensed Fish Dealer. Tournaments that wish to sell to the public must acquire a Fish Dealer License.

Proceeds from the sale of fish must be used for charitable, religious, educational, civic, or conservation purposes. Proceeds are not to be used for tournament expenses.

Recreational Commercial Gear License (RCGL)

An individual holding this license is allowed to use limited amounts of specified commercial gear to catch seafood for personal consumption or recreational purposes. The holder of this license may not sell the catch and the catch must stay within recreational harvest limits.

Blocks of 10 Ten-Day Coastal Recreational Fishing Licenses

This license allows vessel owners to issue ten-day Coastal Recreational Fishing Licenses to anglers aboard their vessel so that the angler does not have to purchase his/her own license. Each license is valid for ten consecutive days. The vessel owner is required to return used licenses to DMF, which allows DMF to remain in compliance with federal saltwater angler registration requirements.

Types of Issuable Permits

The NCDMF issues permits through two processes 1) Issuable and 2) Reviewable. Issuable permits are issued at the time of application with the only review being done by the license clerk issuing the permit. Reviewable means the permit is not issued until other Division staff that may stipulate conditions on use of the permit review the application.

This document only includes Issuable Permits issued by the Division's License Office.

Atlantic Ocean Striped Bass Commercial Gear Permit

This permit is required to harvest striped bass from the Atlantic Ocean by gill net, trawl, or beach seine. The permit was established to aid managing the striped bass fishery by limiting participation and setting appropriate quotas.

Dealer Permits for Commercial Fishery Quota Monitoring

- Striped Bass Dealer Permit with Validation Areas of Atlantic Ocean, Albemarle Sound Management Area (ASMA), Central Area, and Southern Area
- ASMA River Herring Dealer Permit
- Atlantic Ocean Flounder Dealer Permit
- Atlantic Ocean American Shad Dealer Permit (this permit was eliminated in FY05)
- Spiny Dogfish Dealer Permit
- Black Sea Bass – North of Cape Hatteras Dealer Permit

These permits allow the Division to monitor fisheries under a quota or allocation scheme and a licensed dealer to possess, sell, or offer for sale the designated fish within the specified limits from commercial fishermen. These specific limits are established by rule or proclamation. Fish

dealers having more than one location must be issued a permit for each location where the dealer wishes to purchase fish. There are daily reporting requirements during open seasons.

Blue Crab Shedding Permit

This permit is required if a shedding operation possesses more than 50 crabs at any time. The owner of the shedding operation must be the holder of the permit. Persons having more than one shedding location must be issued a permit for each location. There are no reporting requirements associated with this permit.

Horseshoe Crab Biomedical Use Permit

This permit is required for the use of horseshoe crabs by biomedical facilities. There are reporting requirements associated with this permit.

Permit to Waive Requirement To Use TEDs in the Atlantic Ocean

This permit is needed only when trawling for shrimp in the Atlantic Ocean from Browns Inlet to Rich Inlet and the vessel will not be using a Turtle Excluder Device (TED). The permit is valid only when allowed by proclamation from April 1 through November 30. There are reporting requirements associated with this permit.

For Hire Fishing Permit

This permit is required for an owner of a vessel, originating from or returning to a North Carolina port, taking persons to participate in any fishing activity for recreational purposes for a fee, including bartering, in coastal waters as defined in G.S. 113-120(4). A permit must be issued to each vessel engaged in for-hire fishing.

Types of for-hire fishing vessels included, but are not limited to:

- Charter boat – vessel for hire engaged in recreational fishing typically hired on a per trip basis
- Headboat – vessel for hire engaged in recreational fishing typically hired on a per person basis
- Guide boat – vessel carrying a fish guide and recreational fishermen engaged in fishing
- Dive boat – vessel for hire engaged in underwater diving that allows persons to take fish for recreational purposes.

Monkfish Large Mesh Gill Net Permit

This permit is required for fishermen participating in the monkfish large mesh gill net fishery in NC state ocean waters (0-3 miles). There are reporting requirements associated with this permit.

Pamlico Sound Gill Net Restricted Area Permit (PSGNRA)

This permit is required to fish large mesh gill nets in certain restricted areas of Pamlico Sound under a Section 10 permit of the Endangered Species Act. The purpose is to allow continuation of this fishery while avoiding excessive interactions with protected sea turtles. The permit is valid when allowed by proclamation from September 1 to November 30. There are reporting requirements associated with this permit and permit holders are required to allow observers on board.

CRFL Exemption Permit

Individuals or organizations seeking exemption from the saltwater fishing license requirements may apply for a Coastal Recreational Fishing License (CRFL) Exemption Permit. The permit can only be issued for an event held solely for participation by individuals with physical/mental limitations, for military appreciation events, for educational purposes, or for events such as Take-A-Kid-Fishing that are directed toward assisting disadvantaged youth.

River Herring Discretionary Permit

This permit is required to harvest river herring from the joint fishing waters of the Chowan River during the discretionary harvest season. The discretionary harvest season was established when the state Marine Fisheries Commission elected to impose a moratorium on the harvest of river herring. The short 4-day discretionary harvest was intended to alleviate the hardship imposed on traditional river herring festivals. The season is usually open just before Easter Monday to coincide with the Jamesville Herring Festival.

Licenses/Permits Issued

NOTE: Fiscal Year (FY) is July 1 – June 30. More detailed information can be located in other statistical reports. Data are derived from the Fisheries Information Network (FIN) database, except where noted.

Table 1. Number of commercial licenses issued by fiscal year.

Fiscal Year	Number of Licenses Issued
2000	29,971
2001	26,343

Table 1. Number of commercial licenses issued by fiscal year (continued).

Fiscal Year	Number of Licenses Issued
2002	26,497
2003	26,155
2004	25,313
2005	24,551
2006	23,752
2007	23,574
2008	23,584
2009	24,458
2010	24,039
2011	23,694

Table 2. Number of Standard Commercial Fishing Licenses (SCFL), Endorsements, and Assignments issued by fiscal year.

Fiscal Year	Number of Licenses	Shellfish Endorsement	Menhaden Endorsement	Assignments
2000	6,990	6,481	5	547
2001	6,783	6,191	6	585
2002	6,632	6,092	6	671
2003	6,505	5,984	6	736
2004	6,421	5,923	5	734
2005	6,301	5,484	5	783
2006	6,171	5,752	2	703
2007	6,053	5,669	0	780
2008	5,947	5,572	0	805
2009	5,868	5,507	0	870
2010	5,547	5,438	1	867
2011	5,747	5,433	0	832

Table 3. Number of Retired Standard Commercial Fishing Licenses (RSCFL) and Endorsements issued by fiscal year.

Fiscal Year	Number of Licenses	Shellfish Endorsement	Menhaden Endorsement
2000	515	480	0
2001	630	601	0
2002	676	656	0
2003	727	704	0
2004	754	733	0
2005	754	742	0
2006	787	771	0
2007	853	836	0
2008	912	900	0
2009	959	951	0
2010	1,104	1,015	0
2011	1,070	1,070	0

Table 4. Number of SCFL/RSCFLs available from the SCFL Eligibility Pool at the end of each fiscal year.

Fiscal Year	Number of Licenses Available
2000	500
2001	1,314
2002	1,423
2003	1,458
2004	1,421
2005	1,423
2006	1,536
2007	1,596
2008	1,557
2009	1,559
2010	1,420
2011	1,375

SCFL/RSCFL cap = 8,896

Table 5. Number of Shellfish Licenses issued by fiscal year.

Fiscal Year	Number of Licenses
2000	2,098
2001	2,176
2002	2,304
2003	2,131
2004	1,835
2005	1,623
2006	1,529
2007	1,626
2008	1,706
2009	2,129
2010	2,001
2011	2,150

Table 6. Number of Commercial Fishing Vessel Registrations (CFVR) issued by vessel length category by fiscal year.

Fiscal Year	0-18 ft.	>18 to 38 ft.	>38 to 50 ft.	>50 ft.	Total
2000	4,361	4,003	298	281	8,943
2001	4,650	4,191	300	316	9,457
2002	4,584	4,262	314	312	9,472
2003	4,489	4,333	309	324	9,455
2004	4,328	4,311	303	318	9,260
2005	4,078	4,332	304	306	9,020
2006	3,967	4,241	304	289	8,801
2007	4,013	4,221	295	302	8,831
2008	4,003	4,249	286	308	8,846
2009	4,120	4,363	289	316	9,088
2010	4,030	4,311	282	293	8,916
2011	4,015	4,224	264	296	8,799

Table 7. Number of Fish Dealer Licenses and number of Fish Dealer license categories by fiscal year.

Fiscal Year ¹	Number of Licenses	Category ²							Consolidated
		Finfish	Shrimp	Crab	Oyster	Scallop	Clam	Menhaden Dehydrate	
1994	846	-	-	-	-	-	-	-	-
1995	849	-	-	-	-	-	-	-	-
1996	918	-	-	-	-	-	-	-	-
1997	851	-	-	-	-	-	-	-	-
1998	853	-	-	-	-	-	-	-	-
1999	883	-	-	-	-	-	-	-	-
2000	850	508	338	378	139	28	76	1	64
2001	836	492	339	365	139	28	79	1	72
2002	844	497	352	361	142	35	83	1	66
2003	874	498	383	334	145	31	82	1	74
2004	872	504	374	345	131	33	82	1	70
2005	832	511	380	370	108	27	69	1	41
2006	769	467	334	352	112	27	72	0	41
2007	756	478	344	331	122	21	74	0	34
2008	738	466	327	309	133	21	77	1	34
2009	788	494	340	330	134	40	73	1	35
2010	834	532	374	356	147	26	76	1	34
2011	832	515	379	371	169	26	83	0	35

¹1994-1999 data derived from hard copy sales reports housed in the Historical License Statistics Book located within the L&S Library.

²Summing categories will not equal Number of licenses. One license can have multiple categories listed.

Table 8. Number of Ocean Fishing Pier Licenses issued for FY1993-FY2010 with length range and average.

Fiscal Year	Number of Licenses ¹	Length Range (ft) ¹	Average Length (ft) ²
1993	31	n/a	n/a
1994	33	364 – 867	645
1995	32	471 – 900	685
1996	32	471 – 900	685
1997	29	471 – 875	675
1998	23	20 – 940	682
1999	26	20 – 940	674
2000	25	30 - 1,019	686
2001	25	30 - 1,019	686
2002	25	30 - 1,019	686
2003	26	30 - 1,019	683
2004	26	30 - 1,019	683
2005	25	30 - 1,019	701
2006	24	30 - 1,019	691
2007	21	378 - 1,019	700
2008	20	245 - 919	651
2009	21	245 - 919	656
2010	21	245 - 919	671
2011	21	245 - 919	671

¹1993-1999 data derived from hard copy sales reports housed in the Historical License Statistics Book located within the L&S Library.

²Length data provided are derived from hard copy data reports.

Table 9. Number of Recreational Fishing Tournament Licenses to Sell Fish issued for FY2000 to date.

Fiscal Year	Number of Licenses
2000	30
2001 ¹	25
2002	31
2003	30
2004	39
2005	41
2006	29
2007	30
2008	32
2009	22
2010	17
2011	17

¹ License reports show that 25 licenses were issued, but one license was issued in error. Only 24 tournaments were actually licensed.

Table 10. Number of Spotter Plane Licenses issued by fiscal year.

Fiscal Year ¹	Number of Licenses
1994	11
1995	21
1996	20
1997	19
1998	21
1999	17
2000	15
2001	14
2002	11
2003	11
2004	10
2005	10
2006	9
2007	9
2008	9
2009	9
2010	9
2011	10

¹1994-1999 data derived from hard copy sales reports housed in the Historical License Statistics Book located within the L&S Library.

Table 11. Number of Menhaden Licenses for Non-Residents without SCFLs issued by fiscal year.

Fiscal Year	Number of Licenses
2000	14
2001	10
2002	10
2003	10
2004	10
2005	12
2006	11

Table 11. Number of Menhaden Licenses for Non-Residents without SCFLs issued by fiscal year (continued).

Fiscal Year	Number of Licenses
2007	11
2008	10
2009	10
2010	10
2011	12

Table 12. Number of Licenses to Land Flounder from the Atlantic Ocean issued by fiscal year.

Fiscal Year	Number of Licenses
2000	132
2001	132
2002	133
2003	138
2004	131
2005	136
2006	136
2007	140
2008	147
2009	141
2010	143
2011	148

Table 13. Number of Land or Sell Licenses issued by fiscal year.

Fiscal Year	Number of Licenses
2000	64
2001	53
2002	59
2003	91
2004	87
2005	144
2006	117
2007	110
2008	104
2009	143
2010	117
2011	83

Table 14. Number of Recreational Commercial Gear Licenses (RCGL) issued by fiscal year.

Fiscal Year	Number of Licenses
2000	6,740
2001	6,202
2002	6,300
2003	6,157

Table 14. Number of Recreational Commercial Gear Licenses (RCGL) issued by fiscal year (continued).

Fiscal Year	Number of Licenses
2004	5,868
2005	5,653
2006	5,368
2007	5,134
2008	5,113
2009	5,280
2010	5,458
2011	4,802

Table 15. Number of licenses with selling privileges that could have potentially reported on trip tickets.

Fiscal Year ¹	Number of Licenses
1994 ²	6,779
1995 ²	7,535
1996 ²	7,798
1997 ²	8,173
1998 ²	8,595
1999 ²	8,426
2000 ³	9,711
2001 ³	9,677
2002 ³	9,712
2003 ³	9,494
2004 ³	9,146
2005 ³	8,875
2006 ³	8,645
2007 ³	8,683
2008 ³	8,711
2009 ³	9,108
2010 ³	8,959
2011	8,799

¹1994-1998 data derived from hard copy sales reports housed in the Historical License Statistics book located within the L&S Library. 1999 data derived from hard copy report used to establish the SCFL Eligibility Pool.

²FY1994-FY1999 are Endorsement to Sell Licenses.

³FY2000-Present includes number of SCFL, RSCFL, Shellfish, Menhaden License for Non-residents without SCFL, Recreational Fishing Tournament License to Sell Fish, and Land or Sell Licenses.

Table 16. Number of license transfers by license type by fiscal year.

Fiscal Year	SCFL	RSCFL	CFVR	Flounder	Total
2000	788	39	192	15	1,034
2001	630	64	220	27	941
2002	489	43	127	17	676
2003	489	48	153	25	715
2004	494	65	150	29	738
2005	500	76	122	23	721
2006	488	69	92	24	673
2007	465	73	111	28	677
2008	443	76	115	40	674
2009	418	87	131	26	662
2010	417	86	106	46	655
2011	375	75	97	37	584

Permits Issued

Permits issued by NCDMF License Offices only.

Table 17. Number of Permits issued by fiscal year.

Fiscal Year	Number of Permits
2001	538
2002	840
2003	771
2004	1,508
2005	1,488
2006	1,497
2007	1,429
2008*	827
2009*	945
2010 **	1,634
2011	1,744

* Implementation of the blanket for-hire license reduced demand for the for-hire permit.

** Implementation of the Atlantic Ocean striped bass commercial gear permit.

Table 18. Number of Blue Crab Shedding Permits issued by fiscal year.

Fiscal Year	Number of Permits
2001	318
2002	370
2003	353
2004	349
2005	338
2006	330
2007	314
2008	305
2009	300
2010	302
2011	293

Table 19. Number of Striped Bass Dealer Permits (total and by validation area) issued by fiscal year.

Fiscal Year	Total	ASMA	Central	Southern	Ocean
2001	96	58	64	15	46
2002	98	55	58	10	51
2003	106	58	56	6	49
2004	108	51	55	14	59
2005	102	48	57	55	73
2006	100	49	53	53	65
2007	100	47	54	54	72
2008	88	50	40	40	64
2009	90	53	42	42	68
2010	98	64	38	38	74
2011	99	53	39	39	64

NOTE: Summing validation areas will not equal total number of permits. One permit can have multiple areas listed.

Table 20. Number of Atlantic Ocean Flounder Dealer Permits issued by fiscal year.

Fiscal Year	Number of Permits
2001	42
2002	41
2003	39
2004	31
2005	28
2006	26
2007	26
2008	24
2009	25
2010	24
2011	27

Table 21. Number of Atlantic Ocean American Shad Dealer Permits issued for FY2001-FY2005.

Fiscal Year	Number of Permits
2001	37
2002	38
2003	37
2004	31
2005	2

NOTE: Permit eliminated in FY2005.

Table 22. Number of Albemarle Sound Management Area River Herring Dealer Permits issued by fiscal year.

Fiscal Year	Number of Permits
2001	44
2002	47
2003	49
2004	44
2005	43
2006	37
2007	36
2008	17
2009	20
2010	21
2011	22

NOTE: Although permit is still active, a moratorium on commercial harvest was enacted in 2007. There will continue to be up to a 7,500 pound discretionary harvest allowed each year.

Table 23. Number of Horseshoe Crab Biomedical Use Permits issued by fiscal year.

Fiscal Year	Number of Permits
2001	1
2002	0
2003	0
2004	0
2005	0
2006	0

Table 23. Number of Horseshoe Crab Biomedical Use Permits issued by fiscal year (continued).

Fiscal Year	Number of Permits
2007	0
2008	1
2009	1
2010	1
2011	1

*Recent Horseshoe Crab Biomedical Use permits were issued in error and subsequently revoked.

Table 24. Number of Permits to Waive the Requirement to use TEDs in the Atlantic Ocean issued by fiscal year.

Fiscal Year	Number of Permits
2001	0
2002	16
2003	26
2004	22
2005	15
2006	12
2007	2
2008	0
2009	1
2010	0
2011	0

Table 25. Number of Pamlico Sound Gill Net Restricted Area Permits (PSGNRA) issued (electronically) FY2002 to date.

Fiscal Year	Number of Permits
2002	230
2003	161
2004	158
2005	153
2006	144
2007	138
2008	136
2009	153
2010	157
2011	174

Table 26. Number of For-Hire Fishing Permits and number of permits that have associated commercial fishing licenses.

Fiscal Year	Number of Permits	Number of Permits with SCFL	Number of Permits with RSCFL	Number of Permits with Shellfish Licenses	Number of Permits with CFVR
2004	711	319	12	8	382
2005	757	349	13	5	446

Table 26. Number of For-Hire Fishing Permits and number of permits that have associated commercial fishing licenses (continued).

Fiscal Year	Number of Permits	Number of Permits with SCFL	Number of Permits with RSCFL	Number of Permits with Shellfish Licenses	Number of Permits with CFVR
2006	787	365	13	6	465
2007 July-Dec	750	358	12	2	451
2008	148	71	6	1	78
2009	164	22	1	4	24
2010	164	80	4	1	85
2011	186	82	4	4	85

NOTE: The CRFL blanket license for For-Hire vessels changed the demand for the For-Hire permit during fiscal year 2007. If an operator has the blanket CRFL license then no permit is needed. If the operator chooses not to obtain a blanket CRFL license then he must obtain a For-Hire permit.

Table 27. Number of Spiny Dogfish Dealer Permits issued for FY2004 to date.

Fiscal Year	Number of Permits
2004	27
2005	24
2006	22
2007	26
2008	26
2009	27
2010	31
2011	33

Table 28. Number of Black Sea Bass North of Cape Hatteras Dealer Permits issued for FY2004 to date.

Fiscal Year	Number of Permits
2004	27
2005	26
2006	24
2007	24
2008	24
2009	25
2010	29
2011	29

Table 29. Number of Monkfish Large Mesh Gill Net Permits issued for FY2006 to date.

Fiscal Year	Number of Permits
2006	15
2007	13
2008	14
2009	15
2010	10
2011	7

Table 30. Number of River Herring Discretionary Permits issued by fiscal year.

Fiscal Year	Number of Permits	Number of Active Participants
2007	15	10
2008	13	9
2009	27	14
2010	30	16
2011	23	19

Table 31. Number of Atlantic Ocean Striped Bass Commercial Gear Permits issued by fiscal year.

Fiscal Year	Number of Permits
2010	780
2011	844

Table 32. Number of Coastal Recreational Fishing License For-Hire Blanket Licenses and number with associated commercial licenses.

Fiscal Year	Number of Licenses	Number of Licenses with SCFL	Number of Licenses with RSCFL	Number of Licenses with Shellfish Licenses	Number of Licenses with CFVR
2008	653	273	5	6	251
2009	612	263	9	1	237
2010	631	238	4	6	221
2011	642	248	11	3	211

Table 33. Number of Coastal Recreational Blanket For-Hire Fishing Licenses issued by fiscal year by passenger capacity.

Fiscal Year	Six or Fewer Passengers	More than Six Passengers	Total
2007	577	70	647
2008	588	65	653
2009	554	58	612
2010	580	51	631
2011	590	60	650

Table 34. Number of Coastal Recreational Fishing License Exemption Permits issued by fiscal year.

Fiscal Year	Applications	Approved	Denied
2008	23	21	2
2009	17	17	0
2010	17	17	0
2011	15	14	1

Table 35. Distribution of North Carolina Coastal Recreational Fishing License (CRFL) sales by type of license and residency classification, 2007-2010.

Year	Type of License	Residence Classification				Year Total
		Resident of NC	Nonresident	Military stationed in NC	Student at NC School	
2007	10 Day CRFL - Nonresident	1,539	129,445	100	20	131,104
	10 Day CRFL - Resident	39,589	209	433	24	40,255
	Annual CRFL - Nonresident	1,289	22,478	21	6	23,794
	Annual CRFL - Resident	176,230	758	2,862	73	179,923
	Annual Inland Fishing/CRFL - Subsistence Waiver	5,947	2	1	2	5,952
	Annual Unified Inland Fishing/CRFL	20,050	105	410	7	20,572
	Annual Unified Sportsman with CRFL	23,926	93	286	5	24,310
	Lifetime CRFL - Adult NC Resident	947	4	0	1	952
	Lifetime CRFL - Adult Nonresident	2	32	0	0	34
	Lifetime CRFL - Age 65	20,734	29	4	1	20,768
	Lifetime CRFL - Disabled Veteran	682	2	3	0	687
	Lifetime CRFL - Infant	126	7	0	0	133
	Lifetime CRFL - Totally Disabled	1,324	2	0	0	1,326
	Lifetime CRFL - Youth	79	8	0	0	87
	Lifetime Comprehensive Inland Fishing with CRFL - Over 70	1	0	0	0	1
	Lifetime Unified Inland Fishing/CRFL	527	1	0	0	528
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	844	0	0	0	844
	Lifetime Unified Inland Fishing/CRFL - Blind	158	0	0	0	158
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	0	20	0	0	20
	Lifetime Unified Sportsman with CRFL - Adult Resident	1,096	18	2	0	1,116
	Lifetime Unified Sportsman with CRFL - Age 65	12,887	10	1	0	12,898
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	357	5	3	0	365
	Lifetime Unified Sportsman with CRFL - Infant	2,762	66	0	1	2,829
	Lifetime Unified Sportsman with CRFL - Totally Disabled	420	2	0	0	422
	Lifetime Unified Sportsman with CRFL - Youth	433	9	1	1	444
	Year Total	311,949	153,305	4,127	141	469,522

Table 35. Distribution of North Carolina Coastal Recreational Fishing License (CRFL) sales by type of license and residency classification, 2007-2010 (continued).

Year	Type of License	Residence Classification				Year Total
		Resident of NC	Nonresident	Military stationed in NC	Student at NC School	
2008	10 Day CRFL - Nonresident	1,125	124,332	94	13	125,564
	10 Day CRFL - Resident	38,433	180	471	26	39,110
	Annual CRFL - Nonresident	887	18,308	19	9	19,223
	Annual CRFL - Resident	140,062	462	3,228	58	143,810
	Annual Inland Fishing/CRFL - Subsistence Waiver	7,902	2	0	0	7,904
	Annual Unified Inland Fishing/CRFL	22,147	93	464	6	22,710
	Annual Unified Sportsman with CRFL	31,883	71	459	7	32,420
	Lifetime CRFL - Adult NC Resident	290	1	0	0	291
	Lifetime CRFL - Adult Nonresident	0	18	0	0	18
	Lifetime CRFL - Age 65	8,269	7	3	1	8,280
	Lifetime CRFL - Disabled Veteran	429	3	1	0	433
	Lifetime CRFL - Infant	46	3	0	0	49
	Lifetime CRFL - Totally Disabled	849	0	0	0	849
	Lifetime CRFL - Youth	43	5	0	0	48
	Lifetime Unified Inland Fishing/CRFL	232	0	0	0	232
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	486	0	0	0	486
	Lifetime Unified Inland Fishing/CRFL - Blind	144	0	0	0	144
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	1	14	0	0	15
	Lifetime Unified Sportsman with CRFL - Adult Resident	614	6	4	0	624
	Lifetime Unified Sportsman with CRFL - Age 65	5,831	7	1	0	5,839
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	301	1	7	0	309
	Lifetime Unified Sportsman with CRFL - Infant	2,688	41	0	0	2,729
	Lifetime Unified Sportsman with CRFL - Totally Disabled	459	1	0	0	460
	Lifetime Unified Sportsman with CRFL - Youth	329	3	1	1	334
	Year Total	263,450	143,558	4,752	121	411,881

Table 35. Distribution of North Carolina Coastal Recreational Fishing License (CRFL) sales by type of license and residency classification, 2007-2010 (continued).

Year	Type of License	Residence Classification				Year Total
		Resident of NC	Nonresident	Military stationed in NC	Student at NC School	
2009	10 Day CRFL - Nonresident	931	131,177	74	11	132,193
	10 Day CRFL - Resident	44,902	159	638	25	45,724
	Annual CRFL - Nonresident	679	18,700	15	5	19,399
	Annual CRFL - Resident	138,228	272	4,008	62	142,570
	Annual Inland Fishing/CRFL - Subsistence Waiver	15,506	3	0	1	15,510
	Annual Unified Inland Fishing/CRFL	22,435	49	451	6	22,941
	Annual Unified Sportsman with CRFL	35,817	55	585	6	36,463
	Lifetime CRFL - Adult NC Resident	220	1	1	0	222
	Lifetime CRFL - Adult Nonresident	0	8	0	0	8
	Lifetime CRFL - Age 65	7,563	5	4	0	7,572
	Lifetime CRFL - Disabled Veteran	667	2	6	0	675
	Lifetime CRFL - Infant	55	5	0	0	60
	Lifetime CRFL - Totally Disabled	903	1	1	0	905
	Lifetime CRFL - Youth	53	3	0	0	56
	Lifetime Unified Inland Fishing/CRFL	189	0	0	0	189
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	579	0	0	0	579
	Lifetime Unified Inland Fishing/CRFL - Blind	135	0	0	0	135
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	2	7	0	0	9
	Lifetime Unified Sportsman with CRFL - Adult Resident	528	3	1	0	532
	Lifetime Unified Sportsman with CRFL - Age 65	5,286	3	1	0	5,290
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	451	0	8	0	459
	Lifetime Unified Sportsman with CRFL - Infant	2,661	75	0	0	2,736
	Lifetime Unified Sportsman with CRFL - Totally Disabled	489	1	2	0	492
	Lifetime Unified Sportsman with CRFL - Youth	351	17	1	1	370
	Year Total	278,630	150,546	5,796	117	435,089

Table 35. Distribution of North Carolina Coastal Recreational Fishing License (CRFL) sales by type of license and residency classification, 2007-2010 (continued).

Year	Type of License	Residence Classification				Year Total
		Resident of NC	Nonresident	Military stationed in NC	Student at NC School	
2010	10 Day CRFL - Nonresident	545	136,461	44	15	137,065
	10 Day CRFL - Resident	46,701	106	779	33	47,619
	Annual CRFL - Nonresident	380	19,859	12	4	20,255
	Annual CRFL - Resident	136,549	144	4,697	86	141,476
	Annual Inland Fishing/CRFL - Subsistence Waiver	22,203	1	0	1	22,205
	Annual Unified Inland Fishing/CRFL	25,696	26	753	16	26,491
	Annual Unified Sportsman with CRFL	38,788	16	713	10	39,527
	Lifetime CRFL - Adult NC Resident	244	0	1	0	245
	Lifetime CRFL - Adult Nonresident	0	17	0	0	17
	Lifetime CRFL - Age 65	6,653	1	4	0	6,658
	Lifetime CRFL - Disabled Veteran	600	1	9	0	610
	Lifetime CRFL - Infant	45	2	0	0	47
	Lifetime CRFL - Totally Disabled	767	0	0	0	767
	Lifetime CRFL - Youth	54	6	0	0	60
	Lifetime Unified Inland Fishing/CRFL	209	0	0	0	209
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	428	0	0	0	428
	Lifetime Unified Inland Fishing/CRFL - Blind	155	0	0	0	155
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	0	9	0	0	9
	Lifetime Unified Sportsman with CRFL - Adult Resident	515	4	1	0	520
	Lifetime Unified Sportsman with CRFL - Age 65	5,165	1	0	0	5,166
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	460	0	11	0	471
	Lifetime Unified Sportsman with CRFL - Infant	2,688	70	0	0	2,758
	Lifetime Unified Sportsman with CRFL - Totally Disabled	404	1	1	0	406
	Lifetime Unified Sportsman with CRFL - Youth	351	5	0	0	356
	Year Total	289,600	156,730	7,025	165	453,520

Table 36. Distribution of North Carolina CRFL sales by type of license and month, 2007-2010.

Year 2007	Type of License	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Year Total
	10 Day CRFL - Nonresident	671	375	1,679	6,122	11,635	22,886	26,771	21,520	17,275	14,635	6,084	1,451	131,104
	10 Day CRFL - Resident	173	96	503	1,431	3,059	5,844	7,030	4,846	5,187	8,375	3,243	468	40,255
	Annual CRFL - Nonresident	2,262	703	1,852	3,363	4,064	3,140	2,632	1,513	1,473	1,476	836	480	23,794
	Annual CRFL - Resident	14,904	4,050	15,021	20,161	29,942	28,570	20,588	12,773	12,640	13,894	5,276	2,104	179,923
	Annual Inland Fishing/CRFL - Subsistence Waiver	243	190	568	870	1,124	920	716	482	344	289	135	71	5,952
	Annual Unified Inland Fishing/CRFL	1,730	711	2,652	2,770	2,910	2,369	2,330	1,505	1,505	1,275	508	307	20,572
	Annual Unified Sportsman with CRFL	974	427	1,205	1,437	1,325	1,493	2,024	4,355	4,389	4,005	2,020	656	24,310
	Lifetime CRFL - Adult NC Resident	268	47	127	110	138	87	60	29	13	19	19	35	952
	Lifetime CRFL - Adult Nonresident	5	4	3	7	2	3	0	0	1	2	2	5	34
	Lifetime CRFL - Age 65	2,499	691	1,881	2,343	2,906	2,551	1,933	1,179	1,659	2,276	688	162	20,768
	Lifetime CRFL - Disabled Veteran	91	49	75	88	73	65	70	55	34	49	25	13	687
	Lifetime CRFL - Infant	23	21	14	10	10	8	10	6	9	8	8	6	133
	Lifetime CRFL - Totally Disabled	160	100	160	169	180	123	121	85	91	82	36	19	1,326
	Lifetime CRFL - Youth	14	5	13	8	3	14	5	2	6	4	5	8	87
	Lifetime Comprehensive Inland Fishing with CRFL - Over 70	0	0	0	0	0	0	0	0	1	0	0	0	1
	Lifetime Unified Inland Fishing/CRFL	94	28	60	55	69	70	41	19	27	25	14	26	528
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	5	28	63	90	229	144	65	98	72	32	16	2	844
	Lifetime Unified Inland Fishing/CRFL - Blind	4	5	8	8	13	20	21	20	16	30	6	7	158
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	1	1	1	0	3	1	0	6	1	3	0	3	20
	Lifetime Unified Sportsman with CRFL - Adult Resident	140	39	58	69	101	98	66	150	112	97	77	109	1,116
	Lifetime Unified Sportsman with CRFL - Age 65	1,761	596	1,260	1,174	1,073	1,017	1,103	1,150	1,227	1,459	766	312	12,898
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	65	25	34	31	22	24	20	34	39	29	25	17	365
	Lifetime Unified Sportsman with CRFL - Infant	327	225	235	189	202	179	202	247	192	209	250	372	2,829
	Lifetime Unified Sportsman with CRFL - Totally Disabled	10	11	37	40	30	28	32	50	71	72	30	11	422
	Lifetime Unified Sportsman with CRFL - Youth	55	18	30	29	28	30	24	39	35	40	52	64	444
	Year Total	26,479	8,445	27,539	40,574	59,141	69,684	65,864	50,163	46,419	48,385	20,121	6,708	469,522

Table 36. Distribution of North Carolina CRFL sales by type of license and month, 2007-2010 (continued).

Year 2008	Type of License	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Year Total
	10 Day CRFL - Nonresident	600	475	2,399	4,516	11,841	22,808	24,016	23,687	14,529	13,479	5,801	1,413	125,564
	10 Day CRFL - Resident	156	154	849	1,237	3,510	5,945	6,431	5,692	3,837	7,650	3,140	509	39,110
	Annual CRFL - Nonresident	837	506	1,155	1,847	3,274	2,784	2,322	2,051	1,283	1,751	959	454	19,223
	Annual CRFL - Resident	3,476	3,366	7,443	12,367	23,881	23,174	20,155	16,991	9,329	15,079	6,469	2,080	143,810
	Annual Inland Fishing/CRFL - Subsistence Waiver	127	215	583	1,164	1,374	1,172	1,022	787	559	574	196	131	7,904
	Annual Unified Inland Fishing/CRFL	606	807	2,311	2,983	4,294	3,196	2,684	2,016	1,199	1,562	705	347	22,710
	Annual Unified Sportsman with CRFL	518	409	869	1,348	1,572	1,653	2,655	7,256	5,575	6,595	3,027	943	32,420
	Lifetime CRFL - Adult NC Resident	14	9	20	37	53	43	40	20	11	15	7	22	291
	Lifetime CRFL - Adult Nonresident	0	0	0	1	3	1	2	5	1	1	2	2	18
	Lifetime CRFL - Age 65	242	222	467	663	1,025	1,082	1,066	922	725	1,310	427	129	8,280
	Lifetime CRFL - Disabled Veteran	31	25	36	52	39	44	46	40	36	42	20	22	433
	Lifetime CRFL - Infant	5	4	5	3	3	3	3	5	5	4	4	5	49
	Lifetime CRFL - Totally Disabled	26	55	70	127	108	118	117	63	58	53	37	17	849
	Lifetime CRFL - Youth	3	4	7	2	5	7	4	3	4	2	1	6	48
	Lifetime Unified Inland Fishing/CRFL	8	10	11	27	30	30	28	25	17	13	14	19	232
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	3	1	39	68	83	136	79	10	42	19	5	1	486
	Lifetime Unified Inland Fishing/CRFL - Blind	3	12	13	20	19	17	14	9	15	10	9	3	144
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	2	0	0	2	0	2	1	2	2	0	4	0	15
	Lifetime Unified Sportsman with CRFL - Adult Resident	25	22	41	47	32	39	47	107	71	53	52	88	624
	Lifetime Unified Sportsman with CRFL - Age 65	261	236	401	527	521	496	563	705	618	794	476	241	5,839
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	14	17	15	19	30	21	28	35	42	45	27	16	309
	Lifetime Unified Sportsman with CRFL - Infant	224	181	213	217	195	200	233	226	191	211	229	409	2,729
	Lifetime Unified Sportsman with CRFL - Totally Disabled	15	18	37	37	31	45	31	57	74	52	41	22	460
	Lifetime Unified Sportsman with CRFL - Youth	19	16	25	31	24	22	24	24	32	27	33	57	334
	Year Total	7,215	6,764	17,009	27,342	51,947	63,038	61,611	60,738	38,255	49,341	21,685	6,936	411,881

Table 36. Distribution of North Carolina CRFL sales by type of license and month, 2007-2010 (continued).

Year 2009	Type of License	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Year Total
	10 Day CRFL - Nonresident	440	376	1,328	5,887	12,360	21,371	25,975	24,589	19,054	14,650	5,242	921	132,193
	10 Day CRFL - Resident	194	227	654	2,225	4,284	6,432	7,941	5,551	5,969	9,180	2,819	248	45,724
	Annual CRFL - Nonresident	558	373	703	2,234	3,183	2,885	2,651	1,856	1,824	1,884	928	320	19,399
	Annual CRFL - Resident	2,173	2,684	5,823	14,861	22,548	23,430	21,395	12,701	14,691	15,711	5,240	1,313	142,570
	Annual Inland Fishing/CRFL - Subsistence Waiver	181	347	1,137	2,372	2,592	2,755	2,085	1,308	1,172	809	500	252	15,510
	Annual Unified Inland Fishing/CRFL	419	665	1,708	3,528	3,851	3,481	3,147	1,782	1,838	1,599	685	238	22,941
	Annual Unified Sportsman with CRFL	525	357	758	1,573	1,474	1,767	2,994	5,259	10,106	7,426	3,206	1,018	36,463
	Lifetime CRFL - Adult NC Resident	6	10	1	17	24	35	43	22	18	17	9	20	222
	Lifetime CRFL - Adult Nonresident	0	1	1	3	2	0	0	0	0	1	0	0	8
	Lifetime CRFL - Age 65	156	162	371	663	904	1,044	992	717	919	1,192	376	76	7,572
	Lifetime CRFL - Disabled Veteran	35	24	88	94	64	83	77	51	62	41	31	25	675
	Lifetime CRFL - Infant	9	4	4	3	5	4	6	2	6	5	6	6	60
	Lifetime CRFL - Totally Disabled	24	46	100	117	123	115	98	81	77	59	44	21	905
	Lifetime CRFL - Youth	3	5	4	3	3	6	3	8	3	7	2	9	56
	Lifetime Unified Inland Fishing/CRFL	4	5	18	18	30	17	25	11	18	11	13	19	189
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	2	35	50	65	94	83	88	78	35	28	4	17	579
	Lifetime Unified Inland Fishing/CRFL - Blind	5	7	15	13	16	15	9	13	7	26	1	8	135
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	1	0	0	1	1	0	0	1	1	2	1	1	9
	Lifetime Unified Sportsman with CRFL - Adult Resident	25	12	19	25	37	33	39	67	79	60	60	76	532
	Lifetime Unified Sportsman with CRFL - Age 65	174	201	336	471	433	528	578	537	703	739	394	196	5,290
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	16	32	48	33	31	46	35	49	50	55	44	20	459
	Lifetime Unified Sportsman with CRFL - Infant	202	192	225	177	191	215	227	220	203	244	244	396	2,736
	Lifetime Unified Sportsman with CRFL - Totally Disabled	15	23	43	38	44	48	43	58	73	58	38	11	492
	Lifetime Unified Sportsman with CRFL - Youth	32	17	28	21	27	21	35	28	29	28	41	63	370
	Year Total	5,199	5,805	13,462	34,442	52,321	64,414	68,486	54,989	56,937	53,832	19,928	5,274	435,089

Table 36. Distribution of North Carolina CRFL sales by type of license and month, 2007-2010 (continued).

Year 2010	Type of License	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Year Total
	10 Day CRFL - Nonresident	589	224	1,578	5,286	12,383	21,792	28,483	26,472	18,822	15,378	5,289	769	137,065
	10 Day CRFL - Resident	148	109	669	2,209	4,305	6,332	8,973	5,780	6,077	9,392	3,348	277	47,619
	Annual CRFL - Nonresident	648	224	929	2,119	3,164	2,733	2,972	2,020	1,849	2,089	1,030	478	20,255
	Annual CRFL - Resident	1,669	1,369	6,140	13,947	21,298	21,207	23,454	14,314	14,777	15,754	6,404	1,143	141,476
	Annual Inland Fishing/CRFL - Subsistence Waiver	345	370	1,975	3,925	3,250	3,379	2,783	2,049	1,732	1,276	778	343	22,205
	Annual Unified Inland Fishing/CRFL	340	449	1,993	3,725	3,905	3,931	3,977	2,345	2,396	2,232	955	243	26,491
	Annual Unified Sportsman with CRFL	466	259	916	1,734	1,399	1,698	3,034	5,715	11,234	8,133	3,770	1,169	39,527
	Lifetime CRFL - Adult NC Resident	5	7	5	21	31	39	45	28	11	17	14	22	245
	Lifetime CRFL - Adult Nonresident	2	0	1	1	5	2	5	0	0	0	0	1	17
	Lifetime CRFL - Age 65	97	97	318	615	774	875	831	672	829	1,077	403	70	6,658
	Lifetime CRFL - Disabled Veteran	24	23	56	79	80	81	63	50	58	31	42	23	610
	Lifetime CRFL - Infant	3	3	6	5	3	4	3	3	5	2	6	4	47
	Lifetime CRFL - Totally Disabled	18	34	86	107	101	108	86	67	68	43	33	16	767
	Lifetime CRFL - Youth	3	4	4	2	5	5	5	11	5	3	5	8	60
	Lifetime Unified Inland Fishing/CRFL	3	2	14	20	31	38	26	21	13	17	9	15	209
	Lifetime Unified Inland Fishing/CRFL - Adult Care Home	8	1	12	48	84	138	12	22	56	36	10	1	428
	Lifetime Unified Inland Fishing/CRFL - Blind	6	11	10	28	24	12	13	16	7	6	18	4	155
	Lifetime Unified Sportsman with CRFL - Adult Nonresident	0	0	0	0	0	1	0	1	1	0	1	5	9
	Lifetime Unified Sportsman with CRFL - Adult Resident	16	7	29	26	42	30	49	53	85	62	46	75	520
	Lifetime Unified Sportsman with CRFL - Age 65	114	119	313	463	462	505	514	649	722	690	431	184	5,166
	Lifetime Unified Sportsman with CRFL - Disabled Veteran	14	20	28	52	38	34	42	76	70	51	30	16	471
	Lifetime Unified Sportsman with CRFL - Infant	187	180	236	188	195	182	231	229	197	241	286	406	2,758
	Lifetime Unified Sportsman with CRFL - Totally Disabled	9	20	30	24	24	34	32	57	68	49	37	22	406
	Lifetime Unified Sportsman with CRFL - Youth	20	14	19	25	18	15	24	42	42	31	41	65	356
Year Total		4,734	3,546	15,367	34,649	51,621	63,175	75,657	60,692	59,124	56,610	22,986	5,359	453,520

Table 37. Distribution of North Carolina CRFL sales by type of license (license categories collapsed) and month, 2007-2010.

Year	Month	Type of License/Collapsed							
		10-Day License		Annual License		Lifetime Licenses		Year Total	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
2007	January	844	0.5	20,113	7.9	5,522	12.7	26,479	5.6
	February	471	0.3	6,081	2.4	1,893	4.3	8,445	1.8
	March	2,182	1.3	21,298	8.4	4,059	9.3	27,539	5.9
	April	7,553	4.4	28,601	11.2	4,420	10.1	40,574	8.6
	May	14,694	8.6	39,365	15.5	5,082	11.7	59,141	12.6
	June	28,730	16.8	36,492	14.3	4,462	10.2	69,684	14.8
	July	33,801	19.7	28,290	11.1	3,773	8.7	65,864	14.0
	August	26,366	15.4	20,628	8.1	3,169	7.3	50,163	10.7
	September	22,462	13.1	20,351	8.0	3,606	8.3	46,419	9.9
	October	23,010	13.4	20,939	8.2	4,436	10.2	48,385	10.3
	November	9,327	5.4	8,775	3.4	2,019	4.6	20,121	4.3
	December	1,919	1.1	3,618	1.4	1,171	2.7	6,708	1.4
	All	171,359	100.0	254,551	100.0	43,612	100.0	469,522	100.0
2008	January	756	0.5	5,564	2.5	895	4.2	7,215	1.8
	February	629	0.4	5,303	2.3	832	3.9	6,764	1.6
	March	3,248	2.0	12,361	5.5	1,400	6.6	17,009	4.1
	April	5,753	3.5	19,709	8.7	1,880	8.9	27,342	6.6
	May	15,351	9.3	34,395	15.2	2,201	10.4	51,947	12.6
	June	28,753	17.5	31,979	14.1	2,306	10.9	63,038	15.3
	July	30,447	18.5	28,838	12.8	2,326	11.0	61,611	15.0
	August	29,379	17.8	29,101	12.9	2,258	10.7	60,738	14.7
	September	18,366	11.2	17,945	7.9	1,944	9.2	38,255	9.3
	October	21,129	12.8	25,561	11.3	2,651	12.5	49,341	12.0
	November	8,941	5.4	11,356	5.0	1,388	6.6	21,685	5.3
	December	1,922	1.2	3,955	1.7	1,059	5.0	6,936	1.7
	All	164,674	100.0	226,067	100.0	21,140	100.0	411,881	100.0
2009	January	634	0.4	3,856	1.6	709	3.5	5,199	1.2
	February	603	0.3	4,426	1.9	776	3.8	5,805	1.3
	March	1,982	1.1	10,129	4.3	1,351	6.7	13,462	3.1
	April	8,112	4.6	24,568	10.4	1,762	8.7	34,442	7.9
	May	16,644	9.4	33,648	14.2	2,029	10.0	52,321	12.0
	June	27,803	15.6	34,318	14.5	2,293	11.3	64,414	14.8
	July	33,916	19.1	32,272	13.6	2,298	11.3	68,486	15.7
	August	30,140	16.9	22,906	9.7	1,943	9.6	54,989	12.6
	September	25,023	14.1	29,631	12.5	2,283	11.3	56,937	13.1
	October	23,830	13.4	27,429	11.6	2,573	12.7	53,832	12.4
	November	8,061	4.5	10,559	4.5	1,308	6.4	19,928	4.6
	December	1,169	0.7	3,141	1.3	964	4.8	5,274	1.2
	All	177,917	100.0	236,883	100.0	20,289	100.0	435,089	100.0

Table 37. Distribution of North Carolina CRFL sales by type of license (license categories collapsed) and month, 2007-2010 (continued).

Year	Month	Type of License/Collapsed							
		10-Day License		Annual License		Lifetime Licenses		Year Total	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
2010	January	737	0.4	3,468	1.4	529	2.8	4,734	1.0
	February	333	0.2	2,671	1.1	542	2.9	3,546	0.8
	March	2,247	1.2	11,953	4.8	1,167	6.2	15,367	3.4
	April	7,495	4.1	25,450	10.2	1,704	9.0	34,649	7.6
	May	16,688	9.0	33,016	13.2	1,917	10.2	51,621	11.4
	June	28,124	15.2	32,948	13.2	2,103	11.1	63,175	13.9
	July	37,456	20.3	36,220	14.5	1,981	10.5	75,657	16.7
	August	32,252	17.5	26,443	10.6	1,997	10.6	60,692	13.4
	September	24,899	13.5	31,988	12.8	2,237	11.8	59,124	13.0
	October	24,770	13.4	29,484	11.8	2,356	12.5	56,610	12.5
	November	8,637	4.7	12,937	5.2	1,412	7.5	22,986	5.1
	December	1,046	0.6	3,376	1.4	937	5.0	5,359	1.2
	All	184,684	100.0	249,954	100.0	18,882	100.0	453,520	100.0




Figure 1. Distribution of 10-day CRFL sales by week and residency, 2007-2010.




Figure 2. Distribution of annual CRFL sales by week and residence, 2007-2010.




Figure 3. Distribution of total CRFL sales by week and residency, 2007-2010.

Table 38. Distribution of North Carolina CRFL sales by collapsed license group with group components, 2007-2010.

Year	Type of License/Collapsed	Type of License	Number	Percent of License Group
2007	10-Day License	10 Day CRFL - Nonresident	131,104	76.5
		10 Day CRFL - Resident	40,255	23.5
		All	171,359	100.0
	Annual License	Annual CRFL - Nonresident	23,794	9.3
		Annual CRFL - Resident	179,923	70.7
		Annual Inland Fishing/CRFL - Subsistence Waiver	5,952	2.3
		Annual Unified Inland Fishing/CRFL	20,572	8.1
		Annual Unified Sportsman with CRFL	24,310	9.6
		All	254,551	100.0
	Lifetime Licenses	Lifetime CRFL - Adult NC Resident	952	2.2
		Lifetime CRFL - Adult Nonresident	34	0.1
		Lifetime CRFL - Age 65	20,768	47.6
		Lifetime CRFL - Disabled Veteran	687	1.6
		Lifetime CRFL - Infant	133	0.3
		Lifetime CRFL - Totally Disabled	1,326	3.0
		Lifetime CRFL - Youth	87	0.2
		Lifetime Comprehensive Inland Fishing with CRFL - Over 70	1	0.0
		Lifetime Unified Inland Fishing/CRFL	528	1.2
		Lifetime Unified Inland Fishing/CRFL - Adult Care Home	844	1.9
		Lifetime Unified Inland Fishing/CRFL - Blind	158	0.4
		Lifetime Unified Sportsman with CRFL - Adult Nonresident	20	0.0
		Lifetime Unified Sportsman with CRFL - Adult Resident	1,116	2.6
		Lifetime Unified Sportsman with CRFL - Age 65	12,898	29.6
		Lifetime Unified Sportsman with CRFL - Disabled Veteran	365	0.8
		Lifetime Unified Sportsman with CRFL - Infant	2,829	6.5
		Lifetime Unified Sportsman with CRFL - Totally Disabled	422	1.0
	Lifetime Unified Sportsman with CRFL - Youth	444	1.0	
	All	43,612	100.0	

Table 38. Distribution of North Carolina CRFL sales by collapsed license group with group components, 2007-2010 (continued).

Year	Type of License/Collapsed	Type of License	Number	Percent of License Group
2008	10-Day License	10 Day CRFL - Nonresident	125,564	76.3
		10 Day CRFL - Resident	39,110	23.7
		All	164,674	100.0
	Annual License	Annual CRFL - Nonresident	19,223	8.5
		Annual CRFL - Resident	143,810	63.6
		Annual Inland Fishing/CRFL - Subsistence Waiver	7,904	3.5
		Annual Unified Inland Fishing/CRFL	22,710	10.0
		Annual Unified Sportsman with CRFL	32,420	14.3
		All	226,067	100.0
	Lifetime Licenses	Lifetime CRFL - Adult NC Resident	291	1.4
		Lifetime CRFL - Adult Nonresident	18	0.1
		Lifetime CRFL - Age 65	8,280	39.2
		Lifetime CRFL - Disabled Veteran	433	2.0
		Lifetime CRFL - Infant	49	0.2
		Lifetime CRFL - Totally Disabled	849	4.0
		Lifetime CRFL - Youth	48	0.2
		Lifetime Unified Inland Fishing/CRFL	232	1.1
		Lifetime Unified Inland Fishing/CRFL - Adult Care Home	486	2.3
		Lifetime Unified Inland Fishing/CRFL - Blind	144	0.7
		Lifetime Unified Sportsman with CRFL - Adult Nonresident	15	0.1
		Lifetime Unified Sportsman with CRFL - Adult Resident	624	3.0
Lifetime Unified Sportsman with CRFL - Age 65		5,839	27.6	
Lifetime Unified Sportsman with CRFL - Disabled Veteran		309	1.5	
Lifetime Unified Sportsman with CRFL - Infant		2,729	12.9	
Lifetime Unified Sportsman with CRFL - Totally Disabled	460	2.2		
Lifetime Unified Sportsman with CRFL - Youth	334	1.6		
All	21,140	100.0		

Table 38. Distribution of North Carolina CRFL sales by collapsed license group with group components, 2007-2010 (continued).

Year	Type of License/Collapsed	Type of License	Number	Percent of License Group
2009	10-Day License	10 Day CRFL - Nonresident	132,193	74.3
		10 Day CRFL - Resident	45,724	25.7
		All	177,917	100.0
	Annual License	Annual CRFL - Nonresident	19,399	8.2
		Annual CRFL - Resident	142,570	60.2
		Annual Inland Fishing/CRFL - Subsistence Waiver	15,510	6.5
		Annual Unified Inland Fishing/CRFL	22,941	9.7
		Annual Unified Sportsman with CRFL	36,463	15.4
		All	236,883	100.0
	Lifetime Licenses	Lifetime CRFL - Adult NC Resident	222	1.1
		Lifetime CRFL - Adult Nonresident	8	0.0
		Lifetime CRFL - Age 65	7,572	37.3
		Lifetime CRFL - Disabled Veteran	675	3.3
		Lifetime CRFL - Infant	60	0.3
		Lifetime CRFL - Totally Disabled	905	4.5
		Lifetime CRFL - Youth	56	0.3
		Lifetime Unified Inland Fishing/CRFL	189	0.9
		Lifetime Unified Inland Fishing/CRFL - Adult Care Home	579	2.9
		Lifetime Unified Inland Fishing/CRFL - Blind	135	0.7
		Lifetime Unified Sportsman with CRFL - Adult Nonresident	9	0.0
Lifetime Unified Sportsman with CRFL - Adult Resident		532	2.6	
Lifetime Unified Sportsman with CRFL - Age 65		5,290	26.1	
Lifetime Unified Sportsman with CRFL - Disabled Veteran		459	2.3	
Lifetime Unified Sportsman with CRFL - Infant		2,736	13.5	
Lifetime Unified Sportsman with CRFL - Totally Disabled		492	2.4	
Lifetime Unified Sportsman with CRFL - Youth		370	1.8	
All	20,289	100.0		

Table 38. Distribution of North Carolina CRFL sales by collapsed license group with group components, 2007-2010 (continued).

Year	Type of License/Collapsed	Type of License	Number	Percent of License Group
2010	10-Day License	10 Day CRFL - Nonresident	137,065	74.2
		10 Day CRFL - Resident	47,619	25.8
		All	184,684	100.0
	Annual License	Annual CRFL - Nonresident	20,255	8.1
		Annual CRFL - Resident	141,476	56.6
		Annual Inland Fishing/CRFL - Subsistence Waiver	22,205	8.9
		Annual Unified Inland Fishing/CRFL	26,491	10.6
		Annual Unified Sportsman with CRFL	39,527	15.8
		All	249,954	100.0
	Lifetime Licenses	Lifetime CRFL - Adult NC Resident	245	1.3
		Lifetime CRFL - Adult Nonresident	17	0.1
		Lifetime CRFL - Age 65	6,658	35.3
		Lifetime CRFL - Disabled Veteran	610	3.2
		Lifetime CRFL - Infant	47	0.2
		Lifetime CRFL - Totally Disabled	767	4.1
		Lifetime CRFL - Youth	60	0.3
		Lifetime Unified Inland Fishing/CRFL	209	1.1
		Lifetime Unified Inland Fishing/CRFL - Adult Care Home	428	2.3
		Lifetime Unified Inland Fishing/CRFL - Blind	155	0.8
		Lifetime Unified Sportsman with CRFL - Adult Nonresident	9	0.0
		Lifetime Unified Sportsman with CRFL - Adult Resident	520	2.8
		Lifetime Unified Sportsman with CRFL - Age 65	5,166	27.4
		Lifetime Unified Sportsman with CRFL - Disabled Veteran	471	2.5
		Lifetime Unified Sportsman with CRFL - Infant	2,758	14.6
		Lifetime Unified Sportsman with CRFL - Totally Disabled	406	2.2
		Lifetime Unified Sportsman with CRFL - Youth	356	1.9
	All	18,882	100.0	

Table 39. Distribution of CRFL sales by gender and residency type, 2007-2010.

Gender*	Resident of NC		Nonresident		Military Stationed in NC		Student at NC School		All	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2007										
Male	148,940	77.7	54,939	84.6	2,020	88.4	54	77.1	205,953	79.5
Female	42,818	22.3	9,974	15.4	265	11.6	16	22.9	53,073	20.5
2008										
Male	127,744	77.2	50,410	84.9	2,421	88.7	58	78.4	180,633	79.4
Female	37,660	22.8	8,960	15.1	309	11.3	16	21.6	46,945	20.6
2009										
Male	134,703	76.1	52,136	85.3	2,872	88.6	48	88.9	189,759	78.6
Female	42,244	23.9	8,956	14.7	370	11.4	6	11.1	51,576	21.4
2010										
Male	139,003	75.4	53,141	85.2	3,244	89.5	70	75.3	195,458	78.1
Female	45,346	24.6	9,232	14.8	381	10.5	23	24.7	54,982	22.0

* Not mandatory field, missing on some applications

Table 40. Distribution of CRFL sales by race and residency type, 2007-2010.

Race*	Resident of NC		Nonresident		Military Stationed in NC		Student at NC School		All	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2007										
Caucasian	173,683	90.6	62,609	96.5	1,950	85.3	62	88.6	238,304	92.0
African American	12,607	6.6	1,011	1.6	162	7.1	5	7.1	13,785	5.3
Asian	981	0.5	398	0.6	45	2.0	2	2.9	1,426	0.6
Native American	1,806	0.9	205	0.3	6	0.3	-	-	2,017	0.8
Other	601	0.3	325	0.5	22	1.0	-	-	948	0.4
Hispanic	2,080	1.1	365	0.6	100	4.4	1	1.4	2,546	1.0
2008										
Caucasian	148,125	89.6	57,204	96.4	2,341	85.8	68	91.9	207,738	91.3
African American	12,245	7.4	967	1.6	165	6.0	4	5.4	13,381	5.9
Asian	900	0.5	405	0.7	65	2.4	1	1.4	1,371	0.6
Native American	1,400	0.9	142	0.2	7	0.3	-	-	1,549	0.7
Other	556	0.3	321	0.5	16	0.6	-	-	893	0.4
Hispanic	2,178	1.3	331	0.6	136	5.0	1	1.4	2,646	1.2
2009										
Caucasian	155,190	87.7	58,881	96.4	2,816	86.9	51	94.4	216,938	89.9
African American	15,769	8.9	991	1.6	185	5.7	2	3.7	16,947	7.0
Asian	1,076	0.6	366	0.6	43	1.3	-	-	1,485	0.6
Native American	1,844	1.0	143	0.2	9	0.3	-	-	1,996	0.8
Other	673	0.4	334	0.6	29	0.9	-	-	1,036	0.4
Hispanic	2,395	1.4	377	0.6	160	4.9	1	1.9	2,933	1.2
2010										
Caucasian	160,466	87.0	60,010	96.2	3,184	87.8	85	91.4	223,745	89.3
African American	17,404	9.4	984	1.6	178	4.9	3	3.2	18,569	7.4
Asian	1,115	0.6	507	0.8	53	1.5	4	4.3	1,679	0.7
Native American	2,185	1.2	118	0.2	12	0.3	1	1.1	2,316	0.9
Other	745	0.4	355	0.6	35	1.0	-	-	1,135	0.5
Hispanic	2,435	1.3	399	0.6	163	4.5	-	-	2,997	1.2

* Not mandatory field, missing on some applications

Table 41. Distribution of CRFL sales by age group and residency type, 2007-2010.

Age Group*	Resident of NC		Nonresident		Military stationed in NC		Student at NC School		All	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2007										
Under 16	1,510	0.8	100	0.2	3	0.1	2	2.9	1,615	0.6
16 through 25	22,493	11.7	7,274	11.2	1,193	52.2	56	80.0	31,016	12.0
26 through 35	30,711	16.0	10,580	16.3	706	30.9	6	8.6	42,003	16.2
36 through 45	41,513	21.7	15,993	24.6	304	13.3	4	5.7	57,814	22.3
46 through 55	43,516	22.7	15,532	23.9	62	2.7	-	-	59,110	22.8
56 through 65	35,267	18.4	10,906	16.8	14	0.6	1	1.4	46,188	17.8
66 through 75	14,937	7.8	3,694	5.7	-	-	1	1.4	18,632	7.2
76 through 85	1,677	0.9	754	1.2	3	0.1	-	-	2,434	0.9
Greater than 85	132	0.1	80	0.1	-	-	-	-	212	0.1
2008										
Under 16	1,331	0.8	83	0.1	2	0.1	1	1.4	1,417	0.6
16 through 25	20,208	12.2	6,511	11.0	1,519	55.6	64	86.5	28,302	12.4
26 through 35	28,023	16.9	9,541	16.1	791	29.0	5	6.8	38,360	16.9
36 through 45	37,185	22.5	13,934	23.5	338	12.4	3	4.1	51,460	22.6
46 through 55	39,854	24.1	14,344	24.2	64	2.3	-	-	54,262	23.8
56 through 65	33,042	20.0	10,494	17.7	13	0.5	-	-	43,549	19.1
66 through 75	5,049	3.1	3,650	6.2	1	0.0	1	1.4	8,701	3.8
76 through 85	653	0.4	739	1.2	2	0.1	-	-	1,394	0.6
Greater than 85	59	0.0	74	0.1	-	-	-	-	133	0.1
2009										
Under 16	1,368	0.8	90	0.2	1	0.0	1	1.9	1,460	0.6
16 through 25	22,417	12.7	6,691	11.0	1,859	57.3	42	77.8	31,009	12.9
26 through 35	29,628	16.7	9,750	16.0	883	27.2	6	11.1	40,267	16.7
36 through 45	39,552	22.4	13,566	22.2	393	12.1	5	9.3	53,516	22.2
46 through 55	43,144	24.4	14,776	24.2	86	2.7	-	-	58,006	24.0
56 through 65	35,387	20.0	11,263	18.4	18	0.6	-	-	46,668	19.3
66 through 75	4,749	2.7	4,074	6.7	2	0.1	-	-	8,825	3.7
76 through 85	638	0.4	786	1.3	-	-	-	-	1,424	0.6
Greater than 85	63	0.0	96	0.2	-	-	-	-	159	0.1
2010										
Under 16	1,411	0.8	47	0.1	1	0.0	-	-	1,459	0.6
16 through 25	23,901	13.0	6,991	11.2	1,916	52.9	78	83.9	32,886	13.1
26 through 35	31,768	17.2	10,082	16.2	1,142	31.5	10	10.8	43,002	17.2
36 through 45	40,202	21.8	13,383	21.5	458	12.6	5	5.4	54,048	21.6
46 through 55	44,944	24.4	14,987	24.0	96	2.7	-	-	60,027	24.0
56 through 65	37,129	20.1	11,781	18.9	11	0.3	-	-	48,921	19.5
66 through 75	4,393	2.4	4,263	6.8	1	0.0	-	-	8,657	3.5
76 through 85	541	0.3	776	1.2	-	-	-	-	1,317	0.5
Greater than 85	57	0.0	63	0.1	-	-	-	-	120	0.1

* Not mandatory field, missing on some applications

Table 42. Number of CRFLs sold by county of residence, 2007-2010.

County of License Holder	2010		2009		2008		2007	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Alamance	4,013	0.88	3,855	0.89	3,569	0.87	4,233	0.90
Alexander	696	0.15	607	0.14	537	0.13	576	0.12
Alleghany	235	0.05	227	0.05	197	0.05	212	0.05
Anson	614	0.14	534	0.12	417	0.10	393	0.08
Ashe	387	0.09	378	0.09	334	0.08	457	0.10
Avery	234	0.05	213	0.05	203	0.05	191	0.04
Beaufort	5,751	1.27	5,869	1.35	5,797	1.41	7,005	1.49
Bertie	1,735	0.38	1,579	0.36	1,553	0.38	1,888	0.40
Bladen	1,722	0.38	1,620	0.37	1,559	0.38	1,740	0.37
Brunswick	10,638	2.35	10,775	2.48	10,707	2.60	12,854	2.74
Buncombe	1,737	0.38	1,631	0.37	1,552	0.38	1,816	0.39
Burke	1,513	0.33	1,347	0.31	1,130	0.27	1,419	0.30
Cabarrus	2,938	0.65	2,940	0.68	2,644	0.64	3,307	0.70
Caldwell	2,442	0.54	1,801	0.41	1,154	0.28	1,227	0.26
Camden	824	0.18	867	0.20	823	0.20	956	0.20
Carteret	11,371	2.51	10,821	2.49	11,233	2.73	13,946	2.97
Caswell	571	0.13	580	0.13	524	0.13	602	0.13
Catawba	2,893	0.64	2,571	0.59	2,147	0.52	2,378	0.51
Chatham	1,807	0.40	1,813	0.42	1,644	0.40	1,975	0.42
Cherokee	135	0.03	112	0.03	118	0.03	83	0.02
Chowan	1,712	0.38	1,667	0.38	1,552	0.38	1,768	0.38
Clay	129	0.03	91	0.02	58	0.01	68	0.01
Cleveland	1,546	0.34	1,165	0.27	980	0.24	1,133	0.24
Columbus	2,970	0.65	2,839	0.65	2,567	0.62	2,951	0.63
Craven	9,468	2.09	9,023	2.07	9,138	2.22	10,088	2.15
Cumberland	7,495	1.65	7,073	1.63	6,625	1.61	8,051	1.71
Currituck	1,952	0.43	2,067	0.48	1,973	0.48	2,304	0.49
Dare	6,193	1.37	6,253	1.44	6,404	1.55	7,997	1.70
Davidson	5,142	1.13	4,702	1.08	4,518	1.10	5,568	1.19
Davie	1,272	0.28	1,198	0.28	1,130	0.27	1,380	0.29
Duplin	3,612	0.80	3,437	0.79	3,327	0.81	3,914	0.83
Durham	3,640	0.80	3,250	0.75	3,163	0.77	3,714	0.79
Edgecombe	2,236	0.49	2,037	0.47	1,906	0.46	2,258	0.48
Forsyth	6,549	1.44	6,176	1.42	6,026	1.46	7,389	1.57
Franklin	1,711	0.38	1,621	0.37	1,572	0.38	1,816	0.39
Gaston	3,573	0.79	3,449	0.79	3,051	0.74	3,390	0.72
Gates	556	0.12	572	0.13	499	0.12	637	0.14
Graham	79	0.02	92	0.02	49	0.01	58	0.01
Granville	1,212	0.27	1,158	0.27	1,129	0.27	1,327	0.28
Greene	1,184	0.26	1,173	0.27	1,088	0.26	1,323	0.28
Guilford	8,314	1.83	7,897	1.82	7,383	1.79	8,710	1.86
Halifax	1,419	0.31	1,281	0.29	931	0.23	1,191	0.25
Harnett	4,084	0.90	3,856	0.89	3,800	0.92	4,600	0.98
Haywood	337	0.07	323	0.07	317	0.08	382	0.08
Henderson	573	0.13	541	0.12	579	0.14	628	0.13
Hertford	967	0.21	1,006	0.23	887	0.22	1,027	0.22
Hoke	1,323	0.29	1,254	0.29	1,054	0.26	1,233	0.26

Table 42. Number of CRFLs sold by county of residence, 2007-2010 (continued).

County of License Holder	2010		2009		2008		2007	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Hyde	976	0.22	940	0.22	963	0.23	1,051	0.22
Iredell	2,376	0.52	2,340	0.54	2,239	0.54	2,709	0.58
Jackson	218	0.05	244	0.06	209	0.05	232	0.05
Johnston	8,762	1.93	8,574	1.97	8,008	1.94	9,648	2.05
Jones	1,081	0.24	990	0.23	914	0.22	1,068	0.23
Lee	1,724	0.38	1,745	0.40	1,548	0.38	1,877	0.40
Lenoir	4,289	0.95	4,174	0.96	3,936	0.96	4,717	1.00
Lincoln	1,428	0.31	1,362	0.31	1,296	0.31	1,489	0.32
Macon	175	0.04	154	0.04	188	0.05	172	0.04
Madison	132	0.03	146	0.03	129	0.03	175	0.04
Martin	2,101	0.46	2,120	0.49	2,021	0.49	2,316	0.49
McDowell	628	0.14	610	0.14	467	0.11	601	0.13
Mecklenburg	7,305	1.61	6,880	1.58	6,463	1.57	7,093	1.51
Mitchell	157	0.03	170	0.04	161	0.04	192	0.04
Montgomery	742	0.16	747	0.17	600	0.15	684	0.15
Moore	2,154	0.47	2,056	0.47	1,923	0.47	2,344	0.50
Nash	3,605	0.79	3,564	0.82	3,452	0.84	4,050	0.86
New Hanover	16,248	3.58	15,604	3.59	15,137	3.68	17,909	3.81
Northampton	812	0.18	781	0.18	540	0.13	593	0.13
Out of State	158,651	34.98	152,046	34.95	144,929	35.18	154,831	32.98
Onslow	15,609	3.44	14,485	3.33	13,352	3.24	14,645	3.12
Orange	2,536	0.56	2,515	0.58	2,346	0.57	2,684	0.57
Pamlico	1,878	0.41	1,915	0.44	2,048	0.50	2,454	0.52
Pasquotank	2,288	0.50	2,373	0.55	2,244	0.54	2,513	0.54
Pender	5,224	1.15	5,277	1.21	5,080	1.23	6,206	1.32
Perquimans	1,228	0.27	1,237	0.28	1,263	0.31	1,451	0.31
Person	854	0.19	870	0.20	787	0.19	915	0.19
Pitt	9,207	2.03	9,150	2.10	8,869	2.15	9,881	2.10
Polk	126	0.03	115	0.03	125	0.03	142	0.03
Randolph	4,404	0.97	4,037	0.93	3,466	0.84	4,236	0.90
Richmond	1,201	0.26	1,128	0.26	954	0.23	1,084	0.23
Robeson	4,983	1.10	4,497	1.03	3,830	0.93	4,724	1.01
Rockingham	1,855	0.41	1,795	0.41	1,752	0.43	2,126	0.45
Rowan	4,085	0.90	4,124	0.95	3,881	0.94	4,995	1.06
Rutherford	660	0.15	587	0.13	507	0.12	615	0.13
Sampson	3,401	0.75	3,464	0.80	3,319	0.81	4,123	0.88
Scotland	920	0.20	875	0.20	848	0.21	884	0.19
Stanly	1,863	0.41	1,745	0.40	1,439	0.35	1,709	0.36
Stokes	1,525	0.34	1,561	0.36	1,394	0.34	1,671	0.36
Surry	1,401	0.31	1,428	0.33	1,217	0.30	1,421	0.30
Swain	127	0.03	96	0.02	90	0.02	142	0.03
Transylvania	238	0.05	198	0.05	168	0.04	278	0.06
Tyrrell	584	0.13	603	0.14	622	0.15	680	0.14
Union	3,100	0.68	2,851	0.66	2,639	0.64	3,075	0.65
Vance	1,072	0.24	1,093	0.25	854	0.21	722	0.15
Wake	22,260	4.91	21,201	4.87	20,167	4.90	23,387	4.98
Warren	524	0.12	506	0.12	311	0.08	366	0.08

Table 42. Number of CRFLs sold by county of residence, 2007-2010 (continued).

County of License Holder	2010		2009		2008		2007	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Washington	1,683	0.37	1,830	0.42	1,659	0.40	1,776	0.38
Watauga	636	0.14	658	0.15	590	0.14	689	0.15
Wayne	6,259	1.38	6,151	1.41	5,811	1.41	7,042	1.50
Wilkes	1,161	0.26	1,102	0.25	993	0.24	1,168	0.25
Wilson	4,242	0.94	3,782	0.87	3,501	0.85	4,408	0.94
Yadkin	1,157	0.26	1,115	0.26	943	0.23	1,250	0.27
Yancey	161	0.04	137	0.03	141	0.03	146	0.03
All	453,520	100.00	435,089	100.00	411,881	100.00	469,522	100.00

Chapter II: COMMERCIAL TRIP TICKET PROGRAM AND STATISTICS

TABLE OF CONTENTS

COMMERCIAL FISHERIES LANDINGS OVERVIEW.....	II-3
---	------

LIST OF TABLES

Table 43. Commercial landings of finfish and shellfish from 1950 to 2010.....	II-6
Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010.....	II-9
Table 45. Top five species by waterbody from 1994 to 2010.	II-30
Table 46. Commercial oyster landings, 1887-2010.	II-98
Table 47. Commercial oyster landings by gear type from 1930 to 2010.	II-100
Table 48. Commercial seafood landings by county of landing from 1962 to 2010.	II-102
Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010.....	II-119
Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010.	II-137
Table 51. Annual landings by major finfish fisheries from 1994 to 2010.	II-150
Table 52. Number of Tournaments Reporting Landings from 2000 to 2010 by calendar year.....	II-152
Table 53. Tournament Landings (Pounds) of Species from 2000 to 2010 by calendar year.	II-152
Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010.....	II-153
Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010.	II-159
Table 56. Number of participants and total ex-vessel value of product for various income ranges from 1994 to 2010.	II-159
Table 57. Number of dealers and total ex-vessel value of product purchased from licensed fishermen for various income ranges from 1994 to 2010.	II-171
Table 58. Total economic impact from commercial fishing in NC from 2001 to 2010.	II-173
Table 59. Total licenses with ability to sell finfish or shellfish issued and used by product year, July 1 - June 30, 1994 to 2010.....	II-174

LIST OF FIGURES

Figure 4. Commercial landings of finfish and shellfish from 1950 to 2010.....	II-7
Figure 5. Ex-vessel value of finfish and shellfish from 1950 to 2010.	II-8
Figure 6. Commercial oyster landings in pounds and value from 1887 to 2010.....	II-99
Figure 7. Commercial oyster landings by gear type from 1930 to 2010.	II-101
Figure 8. Total licenses with the ability to sell finfish or shellfish issued and used by product year, July 1 - June 30, 1994 to 2010.....	II-174

LIST OF APPENDICES

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets.....	II-175
Appendix 2. Trip Ticket Waterbody Codes and Maps.....	II-183
Appendix 3. Trip Ticket Gear List.....	II-191

COMMERCIAL FISHERIES LANDINGS OVERVIEW

This chapter of the document contains commercial fishery landings for North Carolina from 1950 to 2010. From 1950 to 1978, commercial landings in North Carolina were obtained by the National Marine Fisheries Service (NMFS). These data were kindly provided to the North Carolina Division of Marine Fisheries for inclusion in this document. From 1978 to 1993, data were obtained via a NMFS/NCDMF cooperative statistics program. These two programs depended on surveying dealers for monthly landings and value.

Although these two programs provided invaluable information, there were shortcomings. First, not all licensed dealers were surveyed. Instead, mostly larger, established firms representing a regional cross section of the state were surveyed. These dealers voluntarily supplied the information and not all dealers were willing to be involved. Second, these data were not obtained at the trip level. Trip level data allow the analyst to provide fisheries managers with effort data not available at the monthly summary level.

The North Carolina legislature mandated trip level reporting by licensed dealers of all commercial fishery landings to alleviate the shortcomings of the voluntary survey method. The resulting trip ticket program began in 1994. This program requires dealers to complete a trip ticket for each transaction with a fisherman and to submit these reports to the NCDMF on a monthly basis. The program currently allows dealers to submit either paper or electronic reports.

Changes in reporting methods over the years are evident in the presentation of the data in this document. If all the data in a particular table were available from 1950 to 2010 then it is presented as such. In most cases, landings of commercially important species, including the gear used and the harvest area, are available back to 1972. In other instances, such as oyster landings, data were available as far back as 1887 and are therefore included. However, some data, primarily that involving participation or effort variables, can only be provided back to 1994, the beginning of the trip ticket program.

There are approximately 200 three-digit species codes of finfish and shellfish obtained via trip tickets. Some codes consist of individual species, others as genera, families, or unclassified fish or shellfish. Each code was devised to allow dealers flexibility in how they code certain landings while maintaining as much specificity as possible. The codes are further developed to over eleven hundred individual trip ticket codes in use that contain the species along with the condition, size, and market grade at the time of landing. Since it would have made this document extremely protracted to present data on each and every species, we took the luxury of grouping the species into about 50 groups. Determination of how to develop the

groups was based on the relative importance of the species to the NCDMF mission. For example, data for individual species are presented if there is either a state or council fishery management plan for that species. If a species was determined to be relatively unimportant, it was grouped into “Finfish, Other” or “Shellfish, Other”. Data for species grouped as “Other” are available by specific request. All pounds are converted to whole weight.

All ex-vessel value data included in this book were obtained by monthly surveys of dealers voluntarily supplying price information. The NCDMF does not mandate dealers to supply price information. Prices voluntarily supplied are usually on a price per pound basis, but may also be price per unit (i.e. per bushel or per number). These data have not been adjusted for inflation.

Some of the data contained in this book are confidential and if so, are hidden and indicated by three asterisks (***). The NCDMF’s confidentiality policy states that if the data are derived from fewer than three fishermen, vessels, or dealers then the data are confidential and cannot be distributed outside the NCDMF. N.C. General Statute 113-170.3(c) protects the confidentiality of trip ticket data. Confidential data can only be released in a summarized format that does not allow the user to track landings or purchases to any individual. We may under certain situations allow users access to confidential data if the data are necessary for conservation purposes or if demanded by a court order.

There are other important considerations to take into account when viewing these data. When a dealer completes a trip ticket (Appendix 1), there is only one waterbody recorded per trip (Appendix 2). If the fisherman happens to fish more than one waterbody during a given trip, then the waterbody from which most of the catch is taken is recorded as the waterbody on the trip ticket to which all of the catch from that trip is assigned. Similarly, a fisherman can record up to three gears per trip (Appendix 3). However, in some cases, the catch made during that trip is not directly assigned to the gear from which it was caught. During these analyses, all landings from a given trip are reported under the first gear type listed on the trip ticket for that given trip. This gear type may not be the actual gear used to harvest the landings assigned to it. Data supplied in an electronic format are not affected by these limitations. The software allows dealers to record each species with a specific gear used to harvest the catch and the specific waterbody where harvest occurred.

Within the trip ticket program, we constantly strive to provide the most timely data practical while ensuring that all data are as accurate as possible. To ensure that all data are accurate, we correct errors that are brought to our attention or are found during screening and editing stages. An unfortunate consequence of ensuring accuracy is that we have to accept that historical data may change. This book contains the most current data available at the time of publication and, because of this; you may find that some of these data differ from other

published reports from the NCDMF. If you require the most current commercial landings data, have a need for specific data not found in this book, or require clarification, please contact the Trip Ticket Coordinator, License and Statistics Section, Division of Marine Fisheries at (252) 726-7021 or via e-mail at Alan.Bianchi@ncdenr.gov. Summary North Carolina commercial landings data are also available on the NCDMF website at <http://portal.ncdenr.org/web/mf/home> and via the Atlantic Coastal Cooperative Statistics Program website at www.ACCSP.org.

Table 43. Commercial landings of finfish and shellfish from 1950 to 2010.

Year	Finfish		Shellfish		Total	
	Pounds	Value	Pounds	Value	Pounds	Value
1950	154,880,200	\$3,753,339	17,458,400	\$3,046,816	172,338,600	\$6,800,155
1951	139,058,900	\$3,214,723	18,805,900	\$3,114,348	157,864,800	\$6,329,071
1952	222,565,900	\$4,198,634	17,625,900	\$3,017,367	240,191,800	\$7,216,001
1953	165,303,400	\$3,568,981	27,344,200	\$4,696,411	192,647,600	\$8,265,392
1954	192,951,800	\$4,242,595	20,313,800	\$2,693,839	213,265,600	\$6,936,434
1955	212,335,400	\$3,981,159	20,760,800	\$3,303,177	233,096,200	\$7,284,336
1956	284,547,800	\$5,414,049	16,170,100	\$2,700,842	300,717,900	\$8,114,891
1957	216,130,700	\$4,571,746	21,026,800	\$3,551,680	237,157,500	\$8,123,426
1958	273,633,400	\$5,632,806	16,617,500	\$2,062,802	290,250,900	\$7,695,608
1959	319,564,100	\$5,160,993	23,048,000	\$3,081,492	342,612,100	\$8,242,485
1960	242,377,100	\$3,856,426	22,871,100	\$3,163,453	265,248,200	\$7,019,879
1961	265,871,500	\$4,325,514	20,879,300	\$2,343,004	286,750,800	\$6,668,518
1962	162,851,200	\$3,333,240	19,533,000	\$3,422,087	182,384,200	\$6,755,327
1963	232,964,700	\$4,385,693	23,687,000	\$2,661,207	256,651,700	\$7,046,900
1964	208,757,800	\$4,519,059	29,821,400	\$3,503,993	238,579,200	\$8,023,052
1965	203,410,000	\$5,060,844	30,550,600	\$4,180,510	233,960,600	\$9,241,354
1966	222,881,700	\$5,013,392	28,049,800	\$4,557,549	250,931,500	\$9,570,941
1967	203,166,300	\$4,800,080	21,921,500	\$3,527,727	225,087,800	\$8,327,807
1968	206,881,200	\$4,600,437	25,297,700	\$5,104,104	232,178,900	\$9,704,541
1969	187,577,500	\$5,055,456	31,456,100	\$7,469,965	219,033,600	\$12,525,421
1970	145,176,735	\$4,570,898	28,464,800	\$4,794,947	173,641,535	\$9,365,845
1971	119,235,800	\$4,378,815	24,239,000	\$6,848,447	143,474,800	\$11,227,262
1972	146,847,017	\$5,760,579	21,054,543	\$6,038,260	167,901,560	\$11,798,839
1973	111,866,832	\$8,515,708	18,585,830	\$7,438,924	130,452,662	\$15,954,632
1974	173,240,234	\$10,346,553	22,808,968	\$6,977,884	196,049,202	\$17,324,437
1975	214,517,385	\$12,255,425	17,186,106	\$7,197,252	231,703,491	\$19,452,677
1976	200,023,988	\$14,613,266	20,453,247	\$12,796,018	220,477,235	\$27,409,284
1977	224,865,426	\$16,079,228	19,885,159	\$12,295,207	244,750,585	\$28,374,435
1978	269,229,292	\$24,388,794	30,312,055	\$16,220,071	299,541,347	\$40,608,865
1979	354,085,423	\$32,829,300	36,386,661	\$25,624,765	390,472,084	\$58,454,065
1980	308,046,031	\$34,725,754	48,146,775	\$34,057,756	356,192,806	\$68,783,510
1981	388,552,891	\$36,280,328	43,452,992	\$21,239,682	432,005,883	\$57,520,010
1982	259,889,675	\$31,974,441	48,078,248	\$31,849,411	307,967,923	\$63,823,852
1983	244,086,111	\$27,752,454	43,646,719	\$29,672,531	287,732,830	\$57,424,985
1984	235,844,829	\$31,214,354	41,324,162	\$26,048,714	277,168,991	\$57,263,068
1985	170,331,478	\$28,986,432	44,542,610	\$35,606,434	214,874,088	\$64,592,866
1986	134,399,216	\$29,183,330	34,482,409	\$34,047,519	168,881,625	\$63,230,849
1987	114,956,317	\$29,698,852	42,367,602	\$36,008,434	157,323,919	\$65,707,286
1988	143,831,049	\$34,243,428	48,862,127	\$43,513,326	192,693,176	\$77,756,754
1989	117,328,601	\$33,449,737	47,868,878	\$40,507,870	165,197,479	\$73,957,607
1990	125,181,567	\$31,388,992	49,811,302	\$39,303,298	174,992,869	\$70,692,290

Table 43. Commercial landings of finfish and shellfish from 1950 to 2010 (continued).

Year	Finfish		Shellfish		Total	
	Pounds	Value	Pounds	Value	Pounds	Value
1991	157,651,237	\$28,648,802	54,989,911	\$38,138,904	212,641,148	\$66,787,706
1992	106,089,955	\$26,359,229	48,339,866	\$31,665,415	154,429,821	\$58,024,644
1993	118,359,356	\$29,660,592	52,338,120	\$34,943,200	170,697,476	\$64,603,792
1994	130,406,672	\$37,327,563	62,505,653	\$53,942,991	192,912,325	\$91,270,554
1995	118,636,627	\$45,657,944	57,128,394	\$63,710,032	175,765,022	\$109,367,976
1996	117,381,211	\$42,806,993	73,741,354	\$62,723,664	191,122,565	\$105,530,656
1997	163,514,248	\$46,295,327	65,051,082	\$62,692,789	228,565,330	\$108,988,117
1998	111,407,313	\$38,616,552	68,823,070	\$62,401,712	180,230,384	\$101,018,264
1999	86,092,743	\$34,774,113	67,649,408	\$64,906,937	153,742,151	\$99,681,050
2000	102,060,290	\$39,593,160	52,159,808	\$68,721,651	154,220,098	\$108,314,811
2001	98,046,600	\$36,085,805	39,119,735	\$52,057,384	137,166,335	\$88,143,189
2002	110,937,770	\$37,266,815	49,236,536	\$57,480,726	160,174,305	\$94,747,541
2003	88,672,089	\$33,742,337	50,751,417	\$53,370,495	139,423,505	\$87,112,832
2004	91,381,709	\$38,903,978	42,725,593	\$40,801,008	134,107,302	\$79,704,986
2005	49,433,258	\$34,896,733	30,195,429	\$29,992,539	79,628,687	\$64,889,272
2006	35,643,190	\$37,670,132	33,100,157	\$32,415,388	68,743,347	\$70,085,519
2007	30,415,458	\$36,193,660	32,459,521	\$46,090,964	62,874,979	\$82,284,625
2008	27,621,026	\$34,419,935	43,579,163	\$52,389,826	71,200,188	\$86,809,761
2009	32,330,334	\$33,983,752	36,630,571	\$43,196,108	68,960,906	\$77,179,860
2010	32,495,198	\$33,366,480	39,501,903	\$46,458,373	71,997,100	\$79,824,853




Figure 4. Commercial landings of finfish and shellfish from 1950 to 2010.




Figure 5. Ex-vessel value of finfish and shellfish from 1950 to 2010.

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (*) indicates confidential data).**

	2010		2009		2008	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	128,762	\$95,599	153,099	\$104,982	160,769	\$110,236
Blue Crabs, Hard	29,792,089	\$23,798,844	29,140,473	\$25,039,379	32,338,889	\$25,429,231
Blue Crabs, Peeler	568,210	\$1,197,855	367,881	\$1,106,883	351,986	\$882,319
Blue Crabs, Soft	320,472	\$1,544,342	198,878	\$1,282,733	225,816	\$1,243,836
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	0	\$0
Bluefish	3,216,019	\$1,129,688	2,360,077	\$782,597	1,930,391	\$707,749
Catfishes	354,622	\$64,272	412,122	\$77,709	361,456	\$91,752
Clams, Hard	354,961	\$2,581,033	350,669	\$2,036,793	382,049	\$2,355,279
Croaker, Atlantic	7,312,159	\$3,409,671	6,135,437	\$3,003,861	5,791,766	\$3,141,877
Dolphinfish	239,551	\$492,270	611,962	\$1,030,145	289,548	\$573,364
Drum, Red	231,760	\$421,659	200,296	\$325,625	229,809	\$352,426
Eel, American	122,104	\$351,048	65,481	\$154,536	23,833	\$53,624
Finfish, Other	796,828	\$618,487	860,612	\$683,139	971,022	\$627,548
Flounder, Southern	1,689,493	\$3,695,756	2,396,128	\$4,609,709	2,602,390	\$5,650,295
Flounder, Summer	3,310,992	\$7,212,191	2,859,039	\$5,513,799	2,406,603	\$5,236,001
Goosefish	47,305	\$60,322	99,549	\$112,354	109,102	\$127,688
Groupers	561,926	\$1,730,542	637,447	\$1,878,701	785,555	\$2,274,335
Herring, River	1,765	\$1,765	643	\$836	1,292	\$775
Herring, Thread	0	\$0	0	\$0	0	\$0
Hog Snapper	13,046	\$37,897	10,839	\$28,476	13,035	\$34,731
Kingfishes	886,841	\$958,377	721,924	\$789,000	921,120	\$815,149
Mackerel, King	328,806	\$643,861	777,585	\$1,500,112	1,036,852	\$1,631,665
Mackerel, Spanish	911,866	\$1,026,562	961,811	\$929,748	415,405	\$545,300
Menhaden, Atlantic	1,299,130	\$111,552	2,124,733	\$229,648	645,231	\$70,339
Mullet, Striped	2,082,636	\$1,002,386	1,685,615	\$715,265	1,675,859	\$672,108
Oysters	1,040,407	\$5,045,127	573,630	\$2,655,463	466,176	\$2,039,175
Perch, White	200,472	\$162,369	376,820	\$303,971	398,307	\$318,802
Perch, Yellow	57,027	\$68,576	66,949	\$68,153	43,507	\$49,763
Porgies	80,105	\$105,846	91,922	\$112,138	105,873	\$134,119
Scallop, Bay	336	\$2,100	29,003	\$124,256	0	\$0
Scup	102,853	\$51,424	244,337	\$100,956	205,868	\$164,204
Sea Basses	401,489	\$947,900	615,179	\$1,401,506	484,892	\$1,155,772
Seatrout, Spotted	200,500	\$350,349	320,247	\$528,985	304,430	\$466,588
Shad, American	233,267	\$190,348	167,631	\$204,142	118,971	\$168,826
Shad, Gizzard	87,340	\$43,670	73,232	\$2,197	58,933	\$1,768
Shad, Hickory	108,032	\$20,951	86,662	\$22,963	66,767	\$11,665
Sharks	629,421	\$325,080	447,405	\$238,806	468,864	\$210,829
Sharks, Dogfishes	3,323,280	\$760,260	2,637,512	\$593,955	984,967	\$291,504
Shellfish, Other	1,470,093	\$1,597,673	562,330	\$2,422,887	399,827	\$1,212,265
Shrimp, Brown	4,233,181	\$7,291,146	3,804,694	\$5,742,975	5,502,793	\$10,742,274
Shrimp, Pink	52,657	\$107,759	250,213	\$365,475	830,488	\$1,326,887
Shrimp, Unclassified	10,815	\$39,979	5,240	\$29,084	4,694	\$38,491
Shrimp, White	1,658,681	\$3,252,515	1,347,561	\$2,390,181	3,076,444	\$7,120,069
Snappers	320,260	\$955,643	374,081	\$1,072,841	602,838	\$1,784,321
Spadefish	18,827	\$6,116	20,636	\$6,520	11,694	\$3,293
Spot	572,315	\$384,386	1,006,500	\$601,844	736,484	\$454,115
Striped Bass	499,740	\$1,220,542	310,604	\$747,308	373,445	\$822,556
Swordfish	629,933	\$1,897,151	502,884	\$1,319,917	444,559	\$1,133,936
Tilefishes	430,394	\$817,388	469,293	\$735,189	404,295	\$659,213
Triggerfish	225,682	\$349,179	215,759	\$303,580	198,724	\$283,028
Tunas	719,702	\$1,509,787	1,048,741	\$2,946,307	1,062,410	\$3,419,059
Wahoo	12,626	\$30,329	16,397	\$39,022	11,643	\$27,068
Weakfish	106,319	\$105,282	163,146	\$163,210	162,516	\$142,545

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	2007		2006		2005	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	133,519	\$93,910	101,722	\$65,811	122,361	\$72,800
Blue Crabs, Hard	20,562,159	\$18,109,497	24,408,932	\$14,146,592	23,571,451	\$15,374,714
Blue Crabs, Peeler	498,904	\$1,186,031	549,916	\$1,172,353	1,166,270	\$1,902,625
Blue Crabs, Soft	363,896	\$2,136,426	384,311	\$1,768,450	692,398	\$2,996,574
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	0	\$0
Bluefish	2,329,718	\$700,707	2,791,157	\$815,639	2,837,612	\$790,304
Catfishes	475,217	\$129,282	429,948	\$121,288	401,516	\$91,165
Clams, Hard	425,333	\$2,600,658	422,293	\$2,631,373	412,995	\$2,777,957
Croaker, Atlantic	7,271,162	\$2,714,046	10,396,554	\$3,562,502	11,903,292	\$3,408,528
Dolphinfish	369,472	\$726,111	159,452	\$307,239	139,761	\$258,625
Drum, Red	243,658	\$354,400	169,206	\$232,818	128,770	\$173,040
Eel, American	37,937	\$73,977	33,581	\$70,893	49,278	\$106,769
Finfish, Other	927,658	\$600,270	893,092	\$491,721	718,577	\$353,187
Flounder, Southern	2,083,043	\$4,970,881	2,287,823	\$4,850,300	1,870,754	\$3,462,308
Flounder, Summer	2,670,110	\$6,363,870	3,981,413	\$8,449,646	4,064,464	\$7,500,273
Goosefish	153,346	\$188,124	164,953	\$176,908	90,099	\$86,084
Groupers	827,766	\$2,394,336	708,863	\$1,905,570	579,271	\$1,474,124
Herring, River	1,103	\$856	109,847	\$84,276	250,021	\$128,834
Herring, Thread	0	\$0	26	\$18	7,489	\$3,195
Hog Snapper	7,112	\$17,072	7,296	\$16,717	7,877	\$18,127
Kingfishes	817,588	\$795,412	559,440	\$550,566	296,263	\$271,731
Mackerel, King	1,059,107	\$1,967,079	1,185,534	\$2,120,138	1,246,089	\$2,053,692
Mackerel, Spanish	487,879	\$731,076	470,662	\$617,689	446,001	\$586,845
Menhaden, Atlantic	1,134,167	\$139,178	962,648	\$147,779	13,386,245	\$1,223,078
Mullet, Striped	1,668,804	\$721,171	1,728,607	\$977,756	1,620,394	\$801,181
Oysters	441,415	\$2,244,626	447,889	\$2,234,558	378,014	\$1,682,646
Perch, White	174,494	\$130,426	156,426	\$124,299	178,146	\$108,855
Perch, Yellow	45,698	\$58,012	34,599	\$34,815	23,254	\$28,488
Porgies	86,449	\$104,244	53,071	\$61,715	38,423	\$41,619
Scallop, Bay	0	\$0	0	\$0	0	\$0
Scup	66,979	\$42,756	140,062	\$96,932	352,422	\$156,920
Sea Basses	474,297	\$1,195,325	778,230	\$1,715,625	690,201	\$1,332,261
Seatrout, Spotted	374,722	\$524,465	312,620	\$410,695	129,601	\$173,533
Shad, American	300,032	\$280,582	184,965	\$201,026	191,301	\$205,304
Shad, Gizzard	84,998	\$2,550	66,808	\$2,672	82,963	\$4,148
Shad, Hickory	35,808	\$7,726	54,802	\$10,639	173,886	\$39,687
Sharks	348,717	\$170,201	835,415	\$373,881	1,175,544	\$610,086
Sharks, Dogfishes	788,449	\$221,379	621,821	\$180,262	666,443	\$187,148
Shellfish, Other	630,583	\$1,908,391	1,150,167	\$1,320,628	1,616,784	\$848,900
Shrimp, Brown	3,110,266	\$4,896,325	1,944,380	\$3,331,938	1,523,028	\$2,559,206
Shrimp, Pink	84,168	\$148,452	65,232	\$135,004	43,489	\$99,351
Shrimp, Unclassified	2,913	\$16,904	44,508	\$104,515	10,830	\$28,346
Shrimp, White	6,339,883	\$12,843,654	3,682,529	\$5,569,978	780,169	\$1,722,220
Snappers	550,617	\$1,601,228	345,071	\$953,292	432,829	\$1,116,056
Spadefish	19,567	\$6,939	19,623	\$6,851	35,445	\$9,059
Spot	879,082	\$612,673	1,364,743	\$998,047	1,714,485	\$905,013
Striped Bass	576,157	\$1,238,523	281,736	\$680,902	864,289	\$1,673,068
Swordfish	645,396	\$1,769,054	615,877	\$1,500,495	609,200	\$1,508,598
Tilefishes	58,218	\$87,888	138,090	\$186,677	44,014	\$52,576
Triggerfish	155,261	\$186,141	126,354	\$146,634	145,639	\$162,533
Tunas	1,852,257	\$4,066,942	1,991,550	\$4,070,818	1,282,284	\$3,328,019
Wahoo	24,306	\$55,644	16,426	\$37,879	14,980	\$32,814
Weakfish	175,589	\$149,202	363,078	\$310,697	421,779	\$357,062

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	2004		2003		2002	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	106,507	\$63,415	135,991	\$84,218	120,644	\$69,982
Blue Crabs, Hard	32,592,768	\$20,248,333	41,644,612	\$32,904,677	36,461,890	\$29,349,251
Blue Crabs, Peeler	982,874	\$1,678,928	693,294	\$1,815,304	718,897	\$1,465,913
Blue Crabs, Soft	554,966	\$2,538,582	431,891	\$2,388,111	555,532	\$2,333,268
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	0	\$0
Bluefish	3,762,944	\$849,302	3,470,100	\$767,566	2,323,964	\$776,570
Catfishes	414,694	\$100,507	385,888	\$99,695	367,665	\$95,257
Clams, Hard	542,935	\$3,357,124	533,027	\$3,339,172	619,721	\$3,505,642
Croaker, Atlantic	11,993,003	\$3,527,983	14,429,197	\$2,923,946	10,189,153	\$3,233,402
Dolphinfish	255,805	\$452,590	186,262	\$329,370	168,429	\$243,510
Drum, Red	54,086	\$69,753	90,525	\$105,671	81,370	\$89,199
Eel, American	128,875	\$270,986	172,065	\$267,300	59,940	\$83,517
Finfish, Other	856,324	\$409,709	769,384	\$379,342	1,239,024	\$527,054
Flounder, Southern	2,454,577	\$3,880,410	2,198,503	\$3,661,597	3,436,753	\$5,165,017
Flounder, Summer	4,844,126	\$7,619,934	3,572,448	\$6,009,296	4,129,119	\$6,106,076
Goosefish	386,821	\$372,198	335,338	\$314,344	278,608	\$232,940
Groupers	584,916	\$1,391,452	651,949	\$1,535,714	699,579	\$1,584,584
Herring, River	188,541	\$80,694	199,716	\$88,862	174,830	\$65,712
Herring, Thread	0	\$0	4	\$0	2,889,740	\$231,179
Hog Snapper	8,902	\$18,811	9,135	\$19,263	10,637	\$20,309
Kingfishes	567,659	\$492,452	652,636	\$644,920	619,737	\$603,854
Mackerel, King	955,002	\$1,572,495	764,831	\$1,214,205	778,427	\$1,177,216
Mackerel, Spanish	456,242	\$526,015	456,784	\$418,064	698,448	\$617,860
Menhaden, Atlantic	50,577,983	\$4,532,534	48,936,502	\$3,943,814	69,190,596	\$5,045,407
Mullet, Striped	1,598,617	\$721,855	1,629,314	\$779,570	2,596,304	\$1,251,676
Oysters	367,961	\$1,551,870	261,043	\$1,017,887	243,775	\$991,004
Perch, White	218,067	\$122,661	498,133	\$292,690	280,860	\$161,260
Perch, Yellow	39,785	\$37,976	98,783	\$98,534	78,828	\$76,482
Porgies	37,268	\$42,253	40,626	\$45,088	64,219	\$62,411
Scallop, Bay			14,194	\$48,628	19,219	\$68,365
Scup	523,554	\$332,019	143,004	\$75,453		
Sea Basses	881,360	\$1,486,300	850,550	\$1,416,659	592,260	\$878,251
Seatrout, Spotted	130,961	\$172,033	181,462	\$243,394	175,555	\$213,668
Shad, American	270,245	\$180,304	395,251	\$251,532	274,657	\$174,142
Shad, Gizzard	96,060	\$2,409	152,010	\$16,542	227,459	\$9,298
Shad, Hickory	187,463	\$32,329	68,938	\$18,543	51,158	\$8,286
Sharks	1,079,817	\$583,701	1,274,163	\$665,837	1,707,186	\$869,823
Sharks, Dogfishes	1,146,273	\$185,935	373,078	\$110,487	341,722	\$101,358
Shellfish, Other	2,803,193	\$1,962,920	1,005,985	\$917,639	648,484	\$1,402,518
Shrimp, Brown	2,749,009	\$5,301,307	4,828,513	\$8,210,280	6,029,219	\$10,905,493
Shrimp, Pink	143,954	\$308,718	219,010	\$459,906	879,894	\$1,503,822
Shrimp, Unclassified	64,393	\$157,620	19,720	\$57,021	545,562	\$1,061,263
Shrimp, White	1,923,460	\$3,695,206	1,100,128	\$2,211,871	2,514,342	\$4,894,187
Snappers	339,453	\$873,299	269,230	\$687,027	490,591	\$1,186,998
Spadefish	44,521	\$10,284	28,519	\$3,775	38,400	\$7,757
Spot	2,317,169	\$1,068,031	2,043,387	\$910,301	2,184,032	\$931,528
Striped Bass	911,399	\$1,160,540	565,919	\$717,981	701,459	\$855,457
Swordfish	604,095	\$1,508,281	630,874	\$1,799,063	480,948	\$935,892
Tilefishes	78,126	\$134,695	87,102	\$96,556	220,331	\$221,262
Triggerfish	136,211	\$147,096	117,396	\$123,681	90,934	\$84,599
Tunas	1,436,789	\$3,331,817	941,051	\$2,007,154	1,015,421	\$2,169,542
Wahoo	22,006	\$50,026	17,222	\$42,380	19,952	\$38,298
Weakfish	685,463	\$488,894	848,822	\$532,904	1,828,150	\$1,051,137

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	2001		2000		1999	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	121,966	\$64,071	127,117	\$82,065	129,245	\$78,239
Blue Crabs, Hard	29,939,494	\$25,079,256	38,889,273	\$32,154,369	56,094,091	\$33,526,081
Blue Crabs, Peeler	1,319,202	\$3,081,350	998,971	\$1,946,369	942,150	\$2,111,690
Blue Crabs, Soft	921,693	\$4,070,990	750,140	\$3,336,990	510,435	\$2,174,429
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	0	\$0
Bluefish	4,066,000	\$1,091,020	3,368,610	\$1,104,129	2,761,084	\$877,734
Catfishes	564,183	\$153,609	879,447	\$268,895	731,283	\$206,169
Clams, Hard	763,573	\$5,007,241	675,814	\$4,680,245	576,970	\$3,774,453
Croaker, Atlantic	12,017,424	\$3,080,205	10,122,627	\$2,986,816	10,185,507	\$3,119,799
Dolphinfish	160,546	\$220,795	197,259	\$306,688	209,488	\$343,808
Drum, Red	149,616	\$170,548	270,953	\$294,871	372,942	\$398,282
Eel, American	107,070	\$122,416	127,099	\$176,576	99,939	\$134,085
Finfish, Other	1,011,094	\$538,498	1,291,412	\$588,721	1,595,891	\$453,835
Flounder, Southern	3,522,136	\$5,690,481	3,205,792	\$5,660,767	2,933,331	\$5,154,205
Flounder, Summer	2,784,741	\$4,451,356	3,386,578	\$5,991,402	2,869,055	\$5,011,482
Goosefish	208,413	\$232,017	745,164	\$966,739	599,538	\$654,846
Groupers	558,626	\$1,255,386	636,942	\$1,420,414	758,068	\$1,629,812
Herring, River	306,761	\$118,546	332,336	\$126,685	443,494	\$180,874
Herring, Thread	0	\$0	707,541	\$42,452	9	\$1
Hog Snapper	8,203	\$15,666	7,727	\$14,852	12,405	\$21,712
Kingfishes	489,743	\$501,999	551,940	\$520,965	607,465	\$621,078
Mackerel, King	839,107	\$1,353,511	1,045,554	\$1,655,894	1,082,693	\$1,695,944
Mackerel, Spanish	653,673	\$524,263	659,426	\$499,446	459,100	\$265,834
Menhaden, Atlantic	56,012,396	\$4,551,445	56,280,112	\$3,495,744	42,799,080	\$2,680,633
Mullet, Striped	2,317,655	\$1,181,912	2,829,086	\$1,602,702	1,460,850	\$838,924
Oysters	258,086	\$1,068,352	203,427	\$804,212	216,858	\$922,910
Perch, White	244,817	\$159,075	202,192	\$139,704	353,246	\$263,296
Perch, Yellow	90,527	\$87,596	94,085	\$98,297	113,545	\$102,646
Porgies	56,415	\$62,303	23,727	\$24,753	77,137	\$92,189
Scallop, Bay	2,517	\$10,423	21,029	\$78,554	29,651	\$102,998
Scup	0	\$0	0	\$0		
Sea Basses	644,840	\$1,063,189	567,385	\$973,041	613,577	\$1,078,908
Seatrout, Spotted	105,714	\$134,848	376,574	\$467,122	546,675	\$670,460
Shad, American	151,075	\$94,373	297,990	\$213,010	131,617	\$108,145
Shad, Gizzard	245,261	\$12,263	287,453	\$20,122	205,656	\$13,097
Shad, Hickory	172,236	\$52,166	92,564	\$14,502	112,140	\$20,769
Sharks	1,139,068	\$520,162	1,460,709	\$548,830	1,666,655	\$704,666
Sharks, Dogfishes	510,756	\$125,925	3,885,221	\$678,308	4,224,232	\$619,912
Shellfish, Other	661,037	\$1,828,824	286,239	\$314,996	274,940	\$199,997
Shrimp, Brown	3,923,540	\$8,830,577	6,489,495	\$16,000,250	1,672,959	\$4,323,442
Shrimp, Pink	211,858	\$449,929	161,422	\$383,245	10,060	\$11,294
Shrimp, Unclassified	255,580	\$653,514	469,137	\$956,056	3,661,992	\$7,947,452
Shrimp, White	863,153	\$1,976,927	3,214,862	\$8,066,365	3,659,302	\$9,812,191
Snappers	523,742	\$1,219,289	510,897	\$1,281,042	441,783	\$1,067,328
Spadefish	41,994	\$11,579	46,235	\$12,888	34,320	\$9,536
Spot	3,093,872	\$1,278,327	2,829,818	\$1,172,231	2,262,175	\$1,001,980
Striped Bass	626,052	\$773,102	407,440	\$471,837	588,311	\$724,844
Swordfish	596,178	\$1,313,372	414,801	\$937,555	611,029	\$1,044,237
Tilefishes	106,674	\$99,198	85,467	\$98,130	76,697	\$67,734
Triggerfish	87,628	\$82,532	88,277	\$84,106	150,387	\$110,496
Tunas	1,729,572	\$2,599,881	1,727,787	\$3,414,429	1,126,551	\$1,257,270
Wahoo	20,503	\$41,714	19,905	\$46,475	28,963	\$58,314
Weakfish	1,960,324	\$1,037,169	1,869,042	\$1,089,958	2,617,580	\$1,390,987

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1998		1997		1996	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	101,739	\$60,263	178,310	\$107,052	139,737	\$63,966
Blue Crabs, Hard	60,402,332	\$40,466,879	54,353,545	\$33,165,872	65,682,500	\$39,873,553
Blue Crabs, Peeler	976,097	\$1,932,820	1,022,668	\$1,768,855	878,382	\$1,280,991
Blue Crabs, Soft	697,741	\$2,559,941	713,896	\$2,751,311	519,318	\$1,887,890
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	0	\$0
Bluefish	2,925,929	\$763,583	4,003,160	\$1,166,023	3,298,571	\$861,528
Catfishes	910,154	\$230,009	1,031,144	\$282,601	802,420	\$238,016
Clams, Hard	689,510	\$4,559,846	696,295	\$4,878,022	619,837	\$4,380,620
Croaker, Atlantic	10,865,897	\$3,449,817	10,711,667	\$4,116,446	9,961,834	\$3,642,602
Dolphinfish	149,990	\$238,611	229,791	\$347,270	128,586	\$215,423
Drum, Red	294,366	\$288,397	52,502	\$56,939	113,338	\$112,881
Eel, American	91,084	\$231,505	128,668	\$327,032	141,592	\$247,786
Finfish, Other	1,468,810	\$489,518	2,391,193	\$809,055	2,516,855	\$770,667
Flounder, Southern	3,952,729	\$7,118,989	4,076,793	\$7,981,377	3,807,009	\$7,235,817
Flounder, Summer	2,983,107	\$5,418,829	1,501,171	\$2,828,186	4,227,052	\$6,784,624
Goosefish	686,715	\$478,014	704,036	\$446,669	535,092	\$432,712
Groupers	745,665	\$1,647,973	719,550	\$1,547,970	651,106	\$1,350,819
Herring, River	521,930	\$202,437	334,809	\$128,988	529,503	\$132,389
Herring, Thread	6,586,500	\$559,853	13,278,060	\$1,195,025	6,271,870	\$439,031
Hog Snapper	12,037	\$22,166	14,010	\$26,297	13,841	\$23,864
Kingfishes	399,313	\$414,315	872,888	\$864,030	528,260	\$470,545
Mackerel, King	1,143,342	\$1,749,357	1,558,439	\$2,375,084	793,534	\$1,271,857
Mackerel, Spanish	372,415	\$261,973	766,958	\$474,882	401,839	\$204,507
Menhaden, Atlantic	57,976,455	\$4,121,667	97,727,057	\$8,794,202	53,850,943	\$4,858,471
Mullet, Striped	2,218,108	\$1,061,430	2,442,657	\$1,777,617	1,756,863	\$1,091,892
Oysters	224,214	\$925,559	218,970	\$888,963	210,931	\$793,123
Perch, White	142,672	\$116,945	123,040	\$97,913	172,879	\$124,218
Perch, Yellow	79,313	\$70,303	76,740	\$66,146	53,828	\$42,360
Porgies	183,885	\$240,149	188,885	\$239,501	237,310	\$265,183
Scallop, Bay	102,644	\$288,911	54,606	\$183,173	27,388	\$105,716
Scup	14,885	\$8,140	1,365	\$761	58,861	\$19,824
Sea Basses	743,243	\$1,099,982	766,841	\$1,124,023	778,349	\$998,801
Seatrout, Spotted	307,671	\$380,724	232,497	\$283,425	226,580	\$252,404
Shad, American	327,556	\$233,761	219,526	\$149,203	199,638	\$172,104
Shad, Gizzard	230,094	\$18,746	253,667	\$16,657	410,963	\$26,546
Shad, Hickory	93,504	\$18,312	138,228	\$17,405	187,887	\$40,326
Sharks	1,167,236	\$409,568	1,487,669	\$512,328	1,871,203	\$771,563
Sharks, Dogfishes	5,451,610	\$744,243	8,135,923	\$1,083,374	13,673,758	\$2,228,922
Shellfish, Other	1,095,343	\$812,460	1,002,858	\$852,327	541,975	\$1,037,904
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	4,635,189	\$10,855,296	6,988,243	\$18,204,266	5,261,023	\$13,363,867
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	352,021	\$851,510	366,482	\$872,983	350,341	\$764,246
Spadefish	38,994	\$13,369	57,384	\$13,321	55,890	\$13,497
Spot	2,396,979	\$1,001,659	2,627,925	\$1,155,343	2,290,000	\$866,053
Striped Bass	422,869	\$520,039	587,786	\$711,091	181,600	\$220,945
Swordfish	265,064	\$666,673	176,266	\$458,988	194,862	\$484,105
Tilefishes	67,770	\$89,593	149,402	\$177,223	158,586	\$229,734
Triggerfish	274,641	\$201,113	342,134	\$257,514	277,741	\$210,942
Tunas	1,064,415	\$1,376,822	1,277,938	\$1,490,572	1,526,784	\$2,268,042
Wahoo	22,600	\$47,861	20,628	\$45,190	26,675	\$53,364
Weakfish	3,354,008	\$1,698,336	3,561,060	\$1,869,620	3,977,633	\$2,304,415

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1995		1994		1993	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	171,613	\$85,800	152,007	\$74,529	129,011	\$52,669
Blue Crabs, Hard	45,033,543	\$33,053,805	52,260,168	\$26,896,282	42,867,109	\$14,262,152
Blue Crabs, Peeler	724,442	\$1,052,607	642,238	\$771,697	0	\$0
Blue Crabs, Soft	685,555	\$2,132,875	610,717	\$1,931,975	0	\$0
Blue Crabs, Soft and Peeler	0	\$0	0	\$0	805,623	\$1,515,569
Bluefish	3,010,640	\$1,078,889	1,782,345	\$542,228	2,705,278	\$661,515
Catfishes	877,715	\$230,201	1,276,359	\$284,725	1,364,430	\$276,573
Clams, Hard	702,654	\$4,628,830	690,794	\$3,582,049	741,248	\$3,922,932
Croaker, Atlantic	6,021,284	\$2,002,297	4,615,754	\$1,451,056	3,267,652	\$990,961
Dolphinfish	354,188	\$573,863	160,742	\$243,740	149,043	\$195,528
Drum, Red	248,122	\$223,310	142,169	\$102,362	238,099	\$203,955
Eel, American	173,698	\$366,503	95,991	\$175,664	32,711	\$61,081
Finfish, Other	2,666,945	\$854,884	2,674,592	\$602,552	2,416,216	\$651,639
Flounder, Southern	4,166,966	\$7,611,412	4,878,609	\$8,044,845	4,272,368	\$5,596,669
Flounder, Summer	4,582,176	\$8,190,341	3,592,781	\$5,852,930	3,120,901	\$3,872,667
Goosefish	535,887	\$421,834	336,759	\$204,536	80,881	\$52,147
Groupers	773,372	\$1,529,751	775,431	\$1,569,894	724,852	\$1,368,289
Herring, River	453,984	\$134,934	644,334	\$100,999	916,235	\$67,494
Herring, Thread	6,391,228	\$447,386	7,252,434	\$362,803	6,558,702	\$239,326
Hog Snapper	33,507	\$55,964	19,133	\$33,393	21,404	\$27,540
Kingfishes	1,058,785	\$746,603	620,841	\$424,307	1,194,224	\$701,314
Mackerel, King	1,013,319	\$1,589,704	849,909	\$1,267,066	887,810	\$1,358,915
Mackerel, Spanish	402,392	\$216,116	531,371	\$247,003	589,868	\$252,157
Menhaden, Atlantic	58,374,081	\$3,560,953	73,853,901	\$3,178,605	64,711,384	\$1,954,299
Mullet, Striped	2,298,446	\$1,944,319	1,726,242	\$1,058,691	3,063,853	\$1,942,472
Oysters	220,661	\$815,070	183,704	\$632,634	223,993	\$843,617
Perch, White	111,366	\$75,348	213,337	\$166,773	180,294	\$145,507
Perch, Yellow	61,872	\$40,837	67,978	\$55,063	48,578	\$37,408
Porgies	249,062	\$263,535	250,377	\$256,417	265,691	\$231,771
Scallop, Bay	173,796	\$345,447	63,954	\$120,054	152,504	\$365,274
Scup	24,047	\$9,865	306,048	\$114,726	88,702	\$43,892
Sea Basses	493,702	\$597,057	706,111	\$772,545	737,950	\$953,000
Seatrout, Spotted	574,296	\$634,061	412,358	\$492,461	449,886	\$525,840
Shad, American	205,867	\$188,541	110,975	\$95,703	178,790	\$149,739
Shad, Gizzard	317,540	\$19,052	229,310	\$11,466	70,117	\$3,456
Shad, Hickory	67,569	\$19,301	57,543	\$17,263	75,375	\$25,023
Sharks	2,727,300	\$1,146,157	3,147,137	\$1,490,036	2,321,177	\$639,797
Sharks, Dogfishes	9,357,602	\$1,553,086	9,877,658	\$1,013,669	8,806,064	\$735,603
Shellfish, Other	919,112	\$1,363,816	769,285	\$1,015,814	768,881	\$443,196
Shrimp, Brown	0	\$0	0	\$0	3,672,780	\$7,267,558
Shrimp, Pink	0	\$0	0	\$0	1,382,650	\$2,367,160
Shrimp, Unclassified	8,668,632	\$20,317,583	7,284,793	\$18,992,486	2,154	\$4,611
Shrimp, White	0	\$0	0	\$0	1,721,178	\$3,951,131
Snappers	403,950	\$931,878	450,221	\$1,012,178	435,277	\$967,485
Spadefish	40,873	\$8,175	23,347	\$3,969	23,564	\$4,710
Spot	3,006,845	\$932,122	2,937,311	\$980,536	2,672,164	\$749,339
Striped Bass	446,789	\$606,529	261,900	\$353,565	262,447	\$330,351
Swordfish	171,299	\$517,858	96,677	\$292,410	27,144	\$95,941
Tilefishes	160,860	\$228,295	231,584	\$335,292	217,781	\$281,584
Triggerfish	304,540	\$216,211	271,503	\$187,337	190,672	\$144,095
Tunas	2,148,910	\$3,555,023	1,263,343	\$1,894,566	529,391	\$785,293
Wahoo	40,731	\$84,675	20,319	\$41,718	24,121	\$42,402
Weakfish	4,113,260	\$2,165,276	3,489,929	\$1,917,948	4,309,249	\$2,241,146

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1992		1991		1990	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	107,328	\$38,487	124,820	\$41,609	85,264	\$29,922
Blue Crabs, Hard	40,507,415	\$12,836,836	41,074,063	\$9,154,358	36,985,206	\$9,156,390
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	560,959	\$996,904	755,613	\$1,389,140	1,085,122	\$2,136,942
Bluefish	2,839,057	\$550,619	3,919,786	\$643,997	4,578,172	\$738,993
Catfishes	1,466,594	\$283,419	1,351,189	\$272,081	986,429	\$203,026
Clams, Hard	722,235	\$3,853,005	984,410	\$5,235,182	1,354,842	\$6,584,756
Croaker, Atlantic	2,796,612	\$1,010,646	3,436,960	\$1,518,888	5,769,512	\$2,959,259
Dolphinfish	72,119	\$89,179	140,837	\$146,823	96,207	\$103,362
Drum, Red	128,497	\$86,859	96,045	\$56,989	183,216	\$106,450
Eel, American	17,739	\$32,388	12,082	\$2,903	56,494	\$64,048
Finfish, Other	2,919,029	\$622,644	5,286,995	\$1,041,613	7,736,485	\$1,188,879
Flounder, Southern	3,145,020	\$4,026,402	4,163,374	\$4,978,710	2,560,459	\$4,105,161
Flounder, Summer	2,613,003	\$3,505,193	3,630,629	\$4,456,810	2,829,105	\$4,490,873
Goosefish	36,656	\$25,270	143,589	\$106,102	135,882	\$76,157
Groupers	761,909	\$1,365,580	609,520	\$1,009,066	798,613	\$1,297,609
Herring, River	1,723,178	\$172,453	1,575,378	\$118,272	1,157,625	\$174,259
Herring, Thread	3,955,739	\$136,286	3,796,220	\$119,472	5,574,400	\$171,591
Hog Snapper	24,186	\$29,528	19,426	\$23,621	24,216	\$29,017
Kingfishes	851,708	\$464,525	864,651	\$439,283	738,612	\$412,824
Mackerel, King	1,034,694	\$1,552,953	1,102,862	\$1,263,235	1,130,805	\$1,271,936
Mackerel, Spanish	738,362	\$302,887	858,808	\$309,143	838,914	\$317,880
Menhaden, Atlantic	57,515,712	\$1,744,030	110,528,754	\$3,002,829	72,231,989	\$1,820,654
Mullet, Striped	1,820,494	\$1,171,094	1,467,448	\$823,424	2,994,604	\$1,861,881
Oysters	293,956	\$1,172,397	319,040	\$1,229,293	328,850	\$1,160,171
Perch, White	165,141	\$156,533	119,445	\$99,365	155,544	\$141,835
Perch, Yellow	28,929	\$20,029	42,982	\$26,999	61,795	\$37,076
Porgies	338,695	\$287,201	357,046	\$307,472	582,722	\$545,189
Scallop, Bay	21,721	\$54,124	44,545	\$99,661	62,018	\$127,545
Scup	174,397	\$54,005	127,427	\$45,579	103,124	\$81,892
Sea Basses	792,875	\$1,053,519	707,781	\$1,101,723	1,035,697	\$1,366,464
Seatrout, Spotted	526,271	\$563,136	660,662	\$545,164	250,634	\$225,553
Shad, American	239,162	\$194,629	276,507	\$201,880	313,550	\$170,161
Shad, Gizzard	11,795	\$700	12,048	\$836	18,405	\$987
Shad, Hickory	18,603	\$4,919	16,466	\$10,425	11,478	\$1,575
Sharks	1,272,213	\$272,749	609,873	\$191,732	903,459	\$498,589
Sharks, Dogfishes	8,634,923	\$691,163	1,463,221	\$122,862	41,446	\$3,799
Shellfish, Other	737,769	\$1,893,036	1,081,199	\$2,452,365	2,193,659	\$4,298,901
Shrimp, Brown	2,639,281	\$5,755,336	6,772,054	\$11,822,329	5,148,317	\$10,969,703
Shrimp, Pink	1,983,357	\$3,267,003	2,547,992	\$4,114,150	1,504,081	\$2,367,414
Shrimp, Unclassified	0	\$0	0	\$0	0	\$0
Shrimp, White	873,173	\$1,836,774	1,410,995	\$2,642,426	1,149,207	\$2,501,476
Snappers	335,167	\$759,267	594,111	\$1,162,881	626,857	\$1,239,569
Spadefish	19,288	\$3,232	25,096	\$3,543	16,456	\$2,386
Spot	2,826,138	\$642,491	3,047,305	\$708,356	3,455,460	\$801,181
Striped Bass	161,009	\$204,434	122,816	\$175,822	113,939	\$159,630
Swordfish	60,810	\$238,273	48,075	\$169,227	112,465	\$312,514
Tilefishes	360,740	\$441,907	247,084	\$281,754	165,744	\$187,830
Triggerfish	135,190	\$94,100	133,107	\$66,172	82,039	\$49,375
Tunas	544,039	\$959,187	583,545	\$719,899	804,938	\$886,550
Wahoo	14,383	\$23,954	18,620	\$30,155	16,653	\$26,050
Weakfish	4,862,551	\$2,483,359	5,308,647	\$2,302,086	5,802,159	\$3,227,006

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1989		1988		1987	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	63,498	\$19,970	56,983	\$12,487	33,683	\$6,551
Blue Crabs, Hard	33,935,992	\$8,790,304	35,136,232	\$10,211,661	31,760,413	\$7,345,210
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	788,681	\$1,567,298	468,191	\$921,403	663,191	\$2,263,437
Bluefish	3,291,468	\$587,992	5,039,039	\$683,232	4,561,101	\$818,046
Catfishes	815,657	\$151,061	1,128,613	\$163,753	1,234,525	\$199,981
Clams, Hard	1,294,628	\$8,388,051	939,976	\$6,178,117	1,207,400	\$7,822,801
Croaker, Atlantic	6,824,088	\$3,380,041	8,434,415	\$3,542,549	7,289,191	\$2,956,025
Dolphinfish	98,899	\$117,260	56,098	\$67,622	70,516	\$83,873
Drum, Red	274,356	\$173,755	220,271	\$125,289	249,657	\$148,205
Eel, American	152,565	\$254,815	57,369	\$86,532	127,964	\$220,626
Finfish, Other	6,852,169	\$859,180	10,069,403	\$684,006	7,910,177	\$668,534
Flounder, Southern	3,225,955	\$5,267,360	3,314,027	\$3,584,908	2,621,651	\$3,238,358
Flounder, Summer	4,329,403	\$5,707,719	6,951,749	\$7,152,183	5,362,322	\$6,251,598
Goosefish	126,091	\$78,026	245,995	\$161,861	123,714	\$94,901
Groupers	780,911	\$1,247,069	776,314	\$1,192,552	792,144	\$1,182,559
Herring, River	1,491,077	\$183,842	4,191,211	\$502,166	3,194,975	\$368,062
Herring, Thread	0	\$0	1,238,830	\$47,724	922,670	\$26,017
Hog Snapper	9,581	\$12,200	7,243	\$9,214	5,350	\$7,264
Kingfishes	562,424	\$334,358	503,949	\$223,357	959,928	\$426,366
Mackerel, King	720,401	\$928,266	886,344	\$1,089,656	1,348,502	\$1,279,793
Mackerel, Spanish	589,383	\$214,563	438,222	\$140,815	504,063	\$145,141
Menhaden, Atlantic	66,756,288	\$1,808,906	73,715,713	\$2,566,832	55,498,571	\$1,624,511
Mullet, Striped	2,062,147	\$1,637,650	3,060,829	\$1,634,408	2,590,360	\$654,536
Oysters	529,858	\$1,575,634	913,100	\$2,162,931	1,425,584	\$2,875,406
Perch, White	295,095	\$233,886	587,228	\$264,471	791,764	\$427,934
Perch, Yellow	64,213	\$35,827	33,506	\$12,486	42,929	\$15,067
Porgies	384,519	\$347,173	377,192	\$339,921	313,705	\$290,173
Scallop, Bay	84,474	\$214,136	38,923	\$73,179	154,568	\$500,068
Scup	18,231	\$11,075	125,817	\$60,999	252,731	\$189,273
Sea Basses	996,352	\$1,174,020	1,229,440	\$1,268,695	535,814	\$540,320
Seatrout, Spotted	451,909	\$435,504	296,538	\$247,852	315,380	\$261,455
Shad, American	323,396	\$214,896	283,050	\$171,962	327,646	\$215,115
Shad, Gizzard	15,067	\$754	133,926	\$6,693	315,916	\$15,370
Shad, Hickory	18,510	\$4,254	92,922	\$28,919	45,341	\$10,204
Sharks	1,031,532	\$502,049	329,538	\$84,879	264,301	\$68,401
Sharks, Dogfishes	0	\$0	301,768	\$36,208	0	\$0
Shellfish, Other	2,312,438	\$4,352,142	3,254,928	\$7,479,993	2,743,368	\$7,045,964
Shrimp, Brown	5,080,971	\$9,105,939	5,315,539	\$11,894,700	1,104,847	\$2,542,505
Shrimp, Pink	3,146,334	\$5,149,390	2,711,655	\$4,386,117	3,018,230	\$4,985,217
Shrimp, Unclassified	0	\$0	0	\$0	0	\$0
Shrimp, White	695,502	\$1,364,976	83,583	\$205,225	290,001	\$627,826
Snappers	587,532	\$1,226,085	489,529	\$969,503	402,695	\$804,920
Spadefish	22,953	\$2,871	19,801	\$2,115	21,530	\$2,532
Spot	3,254,473	\$787,150	3,080,258	\$682,260	2,806,041	\$648,742
Striped Bass	100,830	\$101,002	115,915	\$116,776	262,221	\$262,542
Swordfish	64,434	\$277,606	36,972	\$135,437	34,964	\$129,619
Tilefishes	115,083	\$164,178	131,165	\$162,504	84,706	\$72,181
Triggerfish	40,372	\$25,025	51,340	\$27,008	49,831	\$19,817
Tunas	392,071	\$575,021	610,866	\$705,020	789,549	\$878,355
Wahoo	9,921	\$15,929	19,783	\$28,099	15,827	\$22,721
Weakfish	10,115,747	\$4,351,399	15,091,878	\$5,220,475	11,882,362	\$4,423,164

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1986		1985		1984	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	40,676	\$7,170	11,403	\$2,295	3,477	\$791
Blue Crabs, Hard	23,159,779	\$5,429,534	29,329,547	\$6,089,982	32,490,769	\$6,664,731
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	595,468	\$684,822	326,978	\$350,373	199,771	\$276,302
Bluefish	3,450,230	\$477,273	3,604,445	\$576,234	3,559,997	\$557,672
Catfishes	1,198,213	\$190,483	1,297,728	\$261,774	1,394,307	\$253,331
Clams, Hard	1,356,316	\$7,522,393	1,393,294	\$5,653,779	1,387,864	\$5,506,233
Croaker, Atlantic	9,424,828	\$3,088,174	8,714,432	\$2,946,914	9,170,775	\$3,027,261
Dolphinfish	35,923	\$40,438	42,348	\$44,805	47,144	\$41,162
Drum, Red	249,076	\$106,808	152,676	\$50,384	283,020	\$82,458
Eel, American	338,377	\$355,747	224,263	\$165,834	706,298	\$483,051
Finfish, Other	9,305,126	\$826,031	9,649,332	\$679,022	11,763,851	\$782,355
Flounder, Southern	2,613,970	\$2,650,535	1,960,200	\$1,661,321	2,294,059	\$1,689,008
Flounder, Summer	6,231,310	\$6,700,683	8,968,385	\$7,877,020	12,792,430	\$7,349,308
Goosefish	183,126	\$100,670	340,988	\$127,968	195,428	\$69,479
Groupers	770,532	\$1,142,209	724,599	\$958,733	910,907	\$1,075,403
Herring, River	6,814,323	\$647,293	11,548,278	\$845,906	6,516,109	\$596,428
Herring, Thread	134,890	\$2,313	3,364,773	\$110,048	3,358,710	\$104,118
Hog Snapper	5,052	\$5,732	4,683	\$5,729	2,219	\$2,107
Kingfishes	993,390	\$391,492	632,440	\$241,653	464,351	\$174,597
Mackerel, King	1,006,128	\$929,705	833,357	\$896,959	757,598	\$658,613
Mackerel, Spanish	232,197	\$81,184	173,186	\$67,127	127,467	\$42,043
Menhaden, Atlantic	66,377,931	\$1,590,955	97,738,403	\$2,330,061	157,667,480	\$4,745,831
Mullet, Striped	1,932,190	\$425,586	1,486,583	\$310,804	1,688,522	\$323,123
Oysters	745,548	\$1,452,056	545,439	\$1,037,153	724,557	\$1,207,277
Perch, White	672,153	\$325,532	701,278	\$376,791	440,774	\$189,347
Perch, Yellow	26,047	\$7,754	49,383	\$13,214	19,505	\$4,944
Porgies	459,509	\$426,969	1,030,442	\$733,396	1,561,644	\$854,968
Scallop, Bay	306,176	\$837,722	455,649	\$1,072,296	383,625	\$876,122
Scup	367,019	\$172,936	351	\$134	0	\$0
Sea Basses	1,097,887	\$975,210	1,218,762	\$1,002,066	990,089	\$740,632
Seatrout, Spotted	191,514	\$146,254	109,048	\$93,076	152,934	\$123,686
Shad, American	373,794	\$228,819	329,639	\$152,547	584,843	\$241,009
Shad, Gizzard	555,493	\$26,239	160,147	\$5,034	120,808	\$6,448
Shad, Hickory	20,822	\$3,899	42,121	\$8,898	59,698	\$13,300
Sharks	131,534	\$31,992	123,666	\$30,294	202,952	\$53,203
Sharks, Dogfishes	0	\$0	1,029	\$489	0	\$0
Shellfish, Other	2,184,348	\$4,216,993	815,024	\$277,929	1,100,827	\$1,042,384
Shrimp, Brown	4,118,661	\$10,085,043	10,377,162	\$18,845,277	3,662,603	\$7,648,310
Shrimp, Pink	1,904,050	\$3,532,093	1,254,851	\$2,189,280	1,277,111	\$2,549,688
Shrimp, Unclassified	0	\$0	0	\$0	0	\$0
Shrimp, White	112,063	\$286,863	44,666	\$90,365	97,035	\$277,667
Snappers	568,621	\$1,121,119	511,347	\$963,869	434,042	\$824,785
Spadefish	19,293	\$2,183	49,149	\$5,144	15,736	\$1,768
Spot	3,354,191	\$772,495	4,043,843	\$874,490	3,481,920	\$813,587
Striped Bass	188,992	\$189,859	279,940	\$229,586	512,896	\$452,002
Swordfish	94,005	\$324,097	77,729	\$224,722	132,302	\$419,142
Tilefishes	87,111	\$104,609	81,185	\$65,846	142,675	\$101,305
Triggerfish	39,794	\$12,018	29,831	\$8,597	33,278	\$9,040
Tunas	498,563	\$347,058	185,162	\$135,418	255,142	\$202,445
Wahoo	6,014	\$7,742	9,426	\$9,175	8,716	\$7,640
Weakfish	14,309,372	\$4,196,065	9,825,498	\$3,893,055	12,990,726	\$4,096,964

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1983		1982		1981	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	6,364	\$1,036	5,018	\$1,010	14,737	\$3,490
Blue Crabs, Hard	34,689,455	\$8,444,863	38,206,327	\$7,184,748	37,927,573	\$8,172,428
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	87,570	\$188,223	148,364	\$296,838	77,748	\$100,860
Bluefish	6,746,956	\$794,848	4,290,809	\$1,045,693	6,610,459	\$1,242,677
Catfishes	1,177,170	\$210,477	1,342,456	\$247,791	1,908,521	\$495,789
Clams, Hard	1,341,620	\$5,401,824	1,701,793	\$6,606,132	1,458,196	\$5,386,803
Croaker, Atlantic	7,249,680	\$2,842,139	10,824,953	\$4,031,186	11,205,342	\$3,944,643
Dolphinfish	30,393	\$23,985	41,448	\$32,471	5,939	\$4,460
Drum, Red	219,871	\$51,958	52,561	\$12,273	93,420	\$18,817
Eel, American	404,157	\$270,670	475,524	\$291,352	436,007	\$256,433
Finfish, Other	10,095,768	\$537,481	10,367,796	\$795,192	13,525,926	\$1,126,398
Flounder, Southern	2,533,417	\$1,586,072	1,940,195	\$1,393,349	2,212,948	\$1,438,282
Flounder, Summer	7,279,379	\$4,098,101	6,499,785	\$4,278,486	7,563,300	\$4,759,904
Goosefish	64,522	\$23,540	140,118	\$57,590	234,539	\$96,500
Groupers	949,537	\$798,338	914,496	\$739,446	882,696	\$824,392
Herring, River	5,868,332	\$464,389	9,437,703	\$704,599	4,753,723	\$316,850
Herring, Thread	3,014,330	\$116,695	84,420	\$2,430	924,600	\$28,322
Hog Snapper	1,743	\$1,569	1,229	\$1,116	0	\$0
Kingfishes	441,881	\$155,857	361,052	\$123,817	254,651	\$89,396
Mackerel, King	843,336	\$608,183	1,207,108	\$1,157,301	736,073	\$648,544
Mackerel, Spanish	41,336	\$15,221	189,217	\$61,268	51,639	\$22,004
Menhaden, Atlantic	177,973,440	\$6,167,878	187,015,090	\$5,773,042	309,414,710	\$10,038,759
Mullet, Striped	1,068,014	\$206,253	1,492,179	\$283,196	1,293,902	\$259,094
Oysters	724,509	\$1,124,147	611,998	\$908,676	550,502	\$730,293
Perch, White	498,694	\$205,319	665,082	\$276,147	395,312	\$120,827
Perch, Yellow	11,000	\$3,733	10,003	\$3,429	7,611	\$1,791
Porgies	1,473,107	\$825,378	2,297,459	\$1,334,546	2,178,151	\$1,172,247
Scallop, Bay	202,479	\$498,539	136,634	\$352,169	189,441	\$655,725
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	532,500	\$413,660	810,302	\$573,699	1,197,431	\$910,076
Seatrout, Spotted	165,360	\$125,482	83,847	\$59,896	113,304	\$59,371
Shad, American	445,879	\$187,360	411,852	\$183,483	351,500	\$189,793
Shad, Gizzard	255,966	\$13,494	529,076	\$26,446	270,400	\$5,471
Shad, Hickory	69,966	\$14,841	24,742	\$5,006	81,312	\$11,831
Sharks	136,612	\$28,376	94,580	\$23,674	96,434	\$46,810
Sharks, Dogfishes	90	\$23	6,405	\$713	4,506	\$671
Shellfish, Other	486,987	\$450,829	245,968	\$89,376	692,106	\$898,364
Shrimp, Brown	3,030,727	\$7,612,327	0	\$0	0	\$0
Shrimp, Pink	2,633,067	\$4,802,628	0	\$0	0	\$0
Shrimp, Unclassified	0	\$0	7,027,164	\$16,411,472	2,557,426	\$5,295,209
Shrimp, White	450,305	\$1,149,151	0	\$0	0	\$0
Snappers	485,591	\$908,669	598,093	\$1,048,857	512,378	\$938,864
Spadefish	1,370	\$249	4,309	\$604	13,860	\$2,460
Spot	2,952,295	\$685,370	4,918,763	\$1,080,090	3,511,574	\$823,728
Striped Bass	361,275	\$491,491	338,310	\$531,470	417,324	\$451,824
Swordfish	160,740	\$419,324	146,565	\$378,204	251,428	\$562,317
Tilefishes	80,711	\$44,807	57,241	\$25,357	55,648	\$26,391
Triggerfish	33,936	\$9,690	59,386	\$20,190	40,876	\$11,099
Tunas	170,381	\$85,658	95,563	\$49,347	36,134	\$24,045
Wahoo	7,274	\$6,495	2,708	\$1,674	1,030	\$922
Weakfish	10,233,738	\$4,308,345	12,052,232	\$5,319,001	16,893,546	\$5,305,036

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1980		1979		1978	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	6,764	\$1,531	3,982	\$608	0	\$0
Blue Crabs, Hard	34,322,937	\$5,975,221	26,623,723	\$4,622,539	23,558,546	\$4,326,084
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	87,482	\$132,448	80,367	\$129,908	46,826	\$89,718
Bluefish	5,443,558	\$760,630	3,405,674	\$654,727	1,948,110	\$256,666
Catfishes	1,625,739	\$368,106	1,651,842	\$345,886	1,740,102	\$351,246
Clams, Hard	1,541,719	\$5,554,047	1,449,570	\$4,473,737	892,235	\$2,449,054
Croaker, Atlantic	21,146,798	\$5,213,755	20,558,193	\$4,345,433	19,945,471	\$2,735,282
Dolphinfish	23,887	\$11,886	5,490	\$2,104	7,644	\$1,963
Drum, Red	243,223	\$47,133	126,517	\$21,728	21,774	\$2,480
Eel, American	960,196	\$1,038,575	954,534	\$800,529	695,605	\$472,252
Finfish, Other	14,398,575	\$673,446	18,670,522	\$973,074	8,568,825	\$262,296
Flounder, Southern	2,965,023	\$1,629,142	2,043,142	\$1,037,799	1,407,847	\$796,438
Flounder, Summer	13,916,867	\$6,259,110	16,376,919	\$7,800,437	10,903,165	\$5,510,225
Goosefish	623,409	\$218,598	356,622	\$66,669	102,286	\$22,338
Groupers	664,354	\$537,458	675,840	\$456,953	597,494	\$323,223
Herring, River	6,218,523	\$444,327	5,119,150	\$313,779	6,607,153	\$286,705
Herring, Thread	5,467,870	\$254,390	18,760	\$439	1,670,310	\$68,891
Hog Snapper	0	\$0	104	\$76	0	\$0
Kingfishes	342,605	\$110,436	310,503	\$69,580	153,954	\$29,534
Mackerel, King	768,946	\$646,543	381,616	\$274,229	171,877	\$107,687
Mackerel, Spanish	75,306	\$29,898	12,721	\$3,549	39,851	\$8,126
Menhaden, Atlantic	196,920,370	\$7,139,327	254,329,990	\$8,059,572	192,324,170	\$7,498,037
Mullet, Striped	2,215,532	\$360,145	1,767,955	\$343,427	1,752,233	\$230,787
Oysters	723,099	\$987,958	665,439	\$925,964	449,544	\$547,783
Perch, White	104,803	\$26,954	361,032	\$94,557	498,493	\$126,595
Perch, Yellow	4,658	\$883	7,122	\$1,678	29,894	\$6,862
Porgies	1,751,763	\$865,848	1,695,116	\$671,878	1,212,182	\$433,808
Scallop, Bay	327,780	\$1,107,072	193,437	\$514,419	218,548	\$389,161
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,530,986	\$931,324	1,374,662	\$806,513	1,149,444	\$533,903
Seatrout, Spotted	171,334	\$75,216	105,034	\$44,977	97,304	\$37,356
Shad, American	199,206	\$88,112	278,070	\$121,662	402,017	\$144,986
Shad, Gizzard	1,312,093	\$39,372	384,146	\$11,527	49,168	\$1,058
Shad, Hickory	91,501	\$12,680	31,716	\$5,163	20,507	\$3,790
Sharks	20,891	\$2,673	13,036	\$1,698	10,031	\$2,103
Sharks, Dogfishes	2,866	\$463	0	\$0	0	\$0
Shellfish, Other	1,320,268	\$3,116,016	2,432,885	\$5,229,281	2,185,594	\$4,534,435
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	9,823,490	\$17,184,994	4,941,240	\$9,728,917	2,960,762	\$3,883,836
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	422,374	\$727,478	332,062	\$526,627	174,742	\$230,361
Spadefish	295	\$207	1,200	\$252	152	\$27
Spot	7,100,053	\$1,493,437	7,303,405	\$1,430,017	4,878,437	\$627,225
Striped Bass	472,503	\$435,479	614,184	\$577,004	697,864	\$623,250
Swordfish	316,576	\$455,243	0	\$0	439,306	\$668,688
Tilefishes	24,708	\$8,907	20,241	\$5,180	50,487	\$13,236
Triggerfish	29,573	\$6,830	9,087	\$2,679	3,446	\$644
Tunas	116,024	\$24,774	24,945	\$16,430	6,275	\$1,952
Wahoo	2,327	\$1,515	1,092	\$541	2,359	\$849
Weakfish	20,343,952	\$3,783,923	14,759,197	\$2,940,319	10,849,313	\$1,967,925

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1977		1976		1975	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	12,220,812	\$2,148,346	11,731,946	\$2,405,635	11,072,059	\$1,454,456
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	15,974	\$17,000	20,065	\$26,549	20,234	\$16,996
Bluefish	2,331,446	\$218,663	1,356,036	\$128,325	1,975,169	\$165,658
Catfishes	2,073,054	\$424,091	1,538,124	\$303,691	1,686,647	\$279,711
Clams, Hard	739,066	\$1,068,880	306,179	\$258,163	285,089	\$226,087
Croaker, Atlantic	18,994,577	\$2,076,370	15,037,793	\$1,577,235	10,251,515	\$904,219
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	19,637	\$2,673	168,259	\$21,700	214,236	\$21,537
Eel, American	258,296	\$112,227	510,083	\$234,422	237,684	\$84,156
Finfish, Other	484,478	\$57,468	665,877	\$73,680	631,790	\$62,540
Flounder, Southern	704,212	\$318,829	1,706,267	\$622,423	1,730,809	\$580,701
Flounder, Summer	10,432,882	\$4,679,311	9,745,926	\$3,431,147	9,778,824	\$2,965,889
Goosefish	1,607	\$81	0	\$0	0	\$0
Groupers	29,378	\$15,753	11,833	\$6,575	44,894	\$21,842
Herring, River	8,523,813	\$421,603	6,401,360	\$336,750	5,952,067	\$215,501
Herring, Thread	4,891,000	\$180,164	11,006,760	\$478,308	6,842,040	\$222,374
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	204,603	\$33,926	123,896	\$20,173	212,530	\$31,635
Mackerel, King	244,771	\$125,978	156,405	\$108,822	100,001	\$60,122
Mackerel, Spanish	46,223	\$7,072	30,585	\$4,514	48,696	\$6,823
Menhaden, Atlantic	158,119,330	\$4,369,012	134,902,490	\$4,534,354	153,805,201	\$3,258,977
Mullet, Striped	1,834,935	\$193,291	2,071,741	\$208,208	1,952,748	\$204,083
Oysters	365,714	\$353,581	333,315	\$292,058	424,831	\$329,794
Perch, White	268,489	\$38,106	183,625	\$29,596	288,597	\$51,891
Perch, Yellow	36,819	\$5,579	11,248	\$1,784	2,806	\$448
Porgies	136,392	\$48,677	215,574	\$71,484	149,498	\$47,952
Scallop, Bay	412,476	\$711,311	248,468	\$194,457	134,752	\$104,622
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,464,668	\$629,009	573,338	\$292,174	1,147,761	\$447,012
Seatrout, Spotted	323,408	\$106,695	637,326	\$219,007	632,603	\$207,963
Shad, American	121,022	\$54,764	167,190	\$65,227	241,240	\$82,815
Shad, Gizzard	219,789	\$2,200	343,682	\$7,397	189,205	\$3,636
Shad, Hickory	22,109	\$1,755	18,716	\$1,797	29,202	\$2,485
Sharks	0	\$0	0	\$0	0	\$0
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	530,788	\$757,009	1,170,561	\$1,447,762	85,531	\$11,353
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	5,600,329	\$7,239,080	6,642,713	\$8,171,394	5,163,610	\$5,053,944
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	27,465	\$33,171	5,229	\$4,305	32,781	\$26,073
Spadefish	3,036	\$158	7,488	\$424	8,962	\$389
Spot	3,805,126	\$468,675	2,674,161	\$348,153	8,299,854	\$860,993
Striped Bass	571,651	\$405,263	1,038,154	\$522,637	1,303,197	\$629,928
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	1,300	\$260	1,352	\$135
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	8,671,210	\$1,048,664	8,713,522	\$958,694	6,725,476	\$807,937

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1974		1973		1972	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	13,163,411	\$1,373,499	11,963,252	\$1,536,873	13,479,254	\$1,345,159
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	33,439	\$23,130	45,280	\$27,762	49,809	\$29,186
Bluefish	2,182,973	\$186,574	2,008,046	\$152,320	1,167,721	\$98,854
Catfishes	1,793,904	\$288,240	1,957,475	\$286,525	2,398,012	\$333,753
Clams, Hard	287,675	\$321,983	379,573	\$294,098	274,153	\$162,655
Croaker, Atlantic	6,082,108	\$600,375	4,323,979	\$372,198	4,108,859	\$227,052
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	142,437	\$15,781	70,264	\$7,775	42,919	\$5,228
Eel, American	451,956	\$187,997	133,506	\$55,772	77,389	\$12,177
Finfish, Other	418,092	\$50,198	376,246	\$41,446	600,508	\$70,720
Flounder, Southern	1,617,306	\$434,365	904,700	\$309,569	785,348	\$277,446
Flounder, Summer	10,195,618	\$2,407,504	6,460,336	\$1,850,989	3,870,149	\$1,110,605
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	70,008	\$28,294	16,483	\$3,950	0	\$0
Herring, River	6,209,542	\$246,753	7,925,898	\$213,519	11,237,143	\$196,145
Herring, Thread	4,411,950	\$121,975	3,721,180	\$168,647	21,423,920	\$366,150
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	314,584	\$54,445	428,647	\$60,556	683,048	\$82,740
Mackerel, King	40,249	\$24,244	25,767	\$6,816	8,920	\$2,671
Mackerel, Spanish	73,372	\$9,396	64,211	\$8,983	96,251	\$12,999
Menhaden, Atlantic	121,197,640	\$2,886,563	66,943,030	\$2,539,604	84,692,020	\$1,219,329
Mullet, Striped	2,137,502	\$206,927	1,092,620	\$91,951	1,176,918	\$97,932
Oysters	558,821	\$435,804	548,351	\$446,485	470,112	\$344,217
Perch, White	309,250	\$57,146	145,280	\$21,826	201,855	\$26,923
Perch, Yellow	27,487	\$4,449	11,480	\$1,726	24,885	\$3,327
Porgies	65,653	\$20,036	27,710	\$7,434	39,188	\$9,364
Scallop, Bay	220,428	\$199,391	37,384	\$33,059	128,288	\$110,339
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,316,746	\$523,374	683,702	\$227,159	635,210	\$204,518
Seatrout, Spotted	669,607	\$207,154	611,004	\$181,902	502,792	\$153,421
Shad, American	368,833	\$105,668	321,000	\$85,491	468,484	\$111,609
Shad, Gizzard	387,351	\$7,745	169,169	\$2,361	0	\$0
Shad, Hickory	41,725	\$2,635	65,973	\$3,186	69,190	\$3,725
Sharks	0	\$0	0	\$0	0	\$0
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	104,991	\$17,714	608,573	\$362,424	1,089,666	\$497,212
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	8,440,203	\$4,606,363	5,003,417	\$4,738,223	5,563,261	\$3,549,492
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	21,076	\$17,406	6,784	\$3,241	121	\$36
Spadefish	1,658	\$97	1,462	\$79	634	\$33
Spot	5,606,952	\$624,919	5,397,368	\$675,908	3,902,144	\$378,138
Striped Bass	1,016,191	\$393,187	1,751,936	\$591,811	1,261,060	\$358,312
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	12,130	\$1,826	0	\$0	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	6,056,334	\$631,280	6,221,576	\$542,964	7,372,329	\$397,372

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1971		1970		1969	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	14,475,500	\$1,127,829	20,880,200	\$1,237,567	22,159,300	\$2,125,500
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	48,900	\$25,414	59,800	\$23,246	93,400	\$42,224
Bluefish	578,000	\$59,072	495,500	\$41,825	871,100	\$95,703
Catfishes	2,029,800	\$283,942	1,996,400	\$286,510	1,854,000	\$266,949
Clams, Hard	253,300	\$147,593	281,900	\$157,208	252,300	\$140,690
Croaker, Atlantic	948,200	\$53,605	806,800	\$37,875	1,368,700	\$62,089
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	17,200	\$1,718	7,500	\$648	3,900	\$330
Eel, American	167,200	\$26,628	15,500	\$1,516	17,600	\$791
Finfish, Other	2,961,300	\$95,822	2,656,235	\$67,516	2,080,900	\$59,682
Flounder, Southern	352,300	\$105,583	522,300	\$138,048	641,900	\$186,286
Flounder, Summer	3,658,600	\$1,012,840	2,640,500	\$641,676	2,124,300	\$519,862
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	14,000	\$2,520	0	\$0	400	\$63
Herring, River	12,721,900	\$203,122	11,521,400	\$193,756	19,761,700	\$303,717
Herring, Thread	6,281,900	\$107,646	5,161,000	\$83,970	4,442,100	\$60,442
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	478,200	\$55,785	563,000	\$74,217	842,700	\$99,878
Mackerel, King	8,900	\$2,228	12,300	\$2,965	16,100	\$3,586
Mackerel, Spanish	95,200	\$14,032	63,300	\$8,520	88,600	\$11,803
Menhaden, Atlantic	79,488,200	\$1,116,093	108,235,200	\$1,570,489	145,235,000	\$2,227,738
Mullet, Striped	713,000	\$50,049	1,123,000	\$59,230	1,090,100	\$81,785
Oysters	423,400	\$288,784	382,500	\$269,119	370,300	\$259,551
Perch, White	366,600	\$45,126	211,200	\$30,031	206,600	\$24,343
Perch, Yellow	24,100	\$3,080	43,200	\$5,913	28,200	\$2,892
Porgies	206,400	\$34,732	212,100	\$26,990	252,500	\$35,648
Scallop, Bay	60,000	\$42,412	130,200	\$91,087	612,500	\$382,718
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	747,500	\$163,987	1,178,300	\$229,127	1,047,000	\$191,564
Seatrout, Spotted	337,600	\$103,561	404,600	\$107,964	189,100	\$55,992
Shad, American	680,200	\$116,770	953,200	\$192,796	718,600	\$136,686
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	62,400	\$3,498	61,400	\$2,644	100,900	\$5,302
Sharks	2,000	\$60	2,800	\$113	0	\$0
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	1,363,000	\$450,919	1,675,900	\$523,953	114,100	\$43,454
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	7,614,900	\$4,765,496	5,054,300	\$2,492,767	7,854,200	\$4,475,828
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	7,400	\$3,591	500	\$80	400	\$109
Spadefish	3,900	\$184	2,000	\$75	300	\$32
Spot	1,190,100	\$173,265	1,528,900	\$142,247	1,487,800	\$187,819
Striped Bass	1,449,000	\$313,800	2,317,500	\$479,185	1,568,000	\$325,557
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	0	\$0	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	3,644,700	\$226,476	2,441,100	\$144,972	1,539,000	\$108,808

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1968		1967		1966	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	19,171,200	\$1,833,539	14,272,300	\$703,754	18,914,100	\$867,932
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	83,500	\$31,354	86,100	\$36,972	125,600	\$56,342
Bluefish	872,200	\$101,617	887,800	\$80,797	820,500	\$67,074
Catfishes	1,684,100	\$236,475	1,784,800	\$276,722	1,786,400	\$278,230
Clams, Hard	203,600	\$116,690	200,200	\$105,648	232,800	\$93,158
Croaker, Atlantic	1,200,800	\$59,836	1,282,800	\$65,101	1,267,000	\$62,549
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	12,500	\$834	12,800	\$1,236	35,200	\$3,579
Eel, American	24,500	\$1,024	23,100	\$921	54,400	\$2,277
Finfish, Other	4,516,300	\$69,853	6,945,200	\$104,541	6,741,500	\$104,649
Flounder, Southern	697,200	\$170,006	519,400	\$111,191	449,300	\$83,819
Flounder, Summer	1,905,600	\$455,713	3,872,000	\$756,235	3,568,100	\$660,428
Goosefish	4,000	\$237	5,600	\$321	0	\$0
Groupers	25,000	\$4,267	9,000	\$673	7,400	\$688
Herring, River	15,524,900	\$234,669	18,486,000	\$317,716	12,519,300	\$134,261
Herring, Thread	2,723,700	\$35,405	6,307,300	\$68,561	2,582,200	\$34,973
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	635,400	\$67,841	839,300	\$72,664	766,600	\$58,119
Mackerel, King	7,500	\$1,789	23,700	\$5,038	94,900	\$18,534
Mackerel, Spanish	68,900	\$7,486	72,700	\$8,113	78,500	\$9,414
Menhaden, Atlantic	167,189,100	\$1,957,865	150,480,700	\$1,693,735	182,288,900	\$2,537,808
Mullet, Striped	1,172,100	\$89,583	1,063,100	\$72,830	1,444,900	\$99,308
Oysters	402,900	\$268,416	518,500	\$316,376	726,100	\$398,993
Perch, White	299,100	\$30,695	384,500	\$46,073	402,300	\$23,870
Perch, Yellow	45,700	\$4,328	36,900	\$3,405	23,600	\$1,794
Porgies	176,400	\$17,215	462,100	\$44,826	1,925,800	\$115,545
Scallop, Bay	638,700	\$422,136	387,300	\$211,291	399,100	\$184,198
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,192,700	\$194,169	1,994,200	\$303,688	1,266,600	\$157,839
Seatrout, Spotted	97,200	\$31,118	122,500	\$36,142	115,900	\$33,886
Shad, American	842,700	\$127,547	777,200	\$154,702	701,300	\$169,810
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	141,600	\$6,342	130,300	\$8,406	196,700	\$5,929
Sharks	5,600	\$357	5,400	\$330	2,600	\$149
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	181,700	\$75,210	1,538,400	\$344,400	1,955,100	\$390,945
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	4,616,100	\$2,356,759	4,918,700	\$1,809,286	5,697,000	\$2,565,981
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	42,400	\$15,582	4,000	\$1,352	10,800	\$4,155
Spadefish	1,600	\$93	0	\$0	0	\$0
Spot	1,575,100	\$187,338	3,047,900	\$205,099	1,091,300	\$94,030
Striped Bass	1,911,800	\$384,971	1,817,200	\$253,217	652,800	\$100,095
Swordfish	0	\$0	0	\$0	76,900	\$38,353
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	0	\$0	13,700	\$2,029
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	2,285,500	\$106,182	1,768,800	\$106,445	1,896,300	\$110,198

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1965		1964		1963	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	22,333,700	\$1,262,651	24,091,500	\$1,275,164	18,835,400	\$945,064
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	237,000	\$85,133	69,700	\$32,924	83,400	\$37,530
Bluefish	703,800	\$49,101	514,700	\$64,392	812,700	\$97,022
Catfishes	1,531,000	\$163,445	1,274,200	\$127,420	1,229,700	\$109,966
Clams, Hard	312,900	\$136,868	255,400	\$98,217	331,700	\$129,808
Croaker, Atlantic	1,753,400	\$107,913	1,866,900	\$139,066	2,275,700	\$152,442
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	71,400	\$8,505	101,500	\$9,022	71,200	\$4,812
Eel, American	40,000	\$1,807	53,000	\$2,650	38,600	\$1,930
Finfish, Other	9,487,200	\$169,948	12,075,100	\$158,685	11,498,100	\$131,088
Flounder, Southern	695,000	\$138,182	373,900	\$77,998	386,400	\$67,190
Flounder, Summer	4,026,000	\$813,224	2,076,600	\$402,838	2,287,500	\$375,796
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	0	\$0	1,400	\$112	400	\$24
Herring, River	12,825,800	\$132,601	7,560,900	\$76,880	15,099,600	\$150,996
Herring, Thread	1,074,700	\$13,853	0	\$0	0	\$0
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	1,337,000	\$118,982	1,141,300	\$95,669	1,071,300	\$111,307
Mackerel, King	138,900	\$28,287	88,500	\$17,700	52,600	\$10,520
Mackerel, Spanish	117,200	\$11,824	78,300	\$11,745	135,300	\$20,295
Menhaden, Atlantic	160,595,300	\$2,072,174	172,991,700	\$2,248,892	190,213,800	\$2,326,005
Mullet, Striped	1,260,100	\$83,160	1,219,900	\$90,128	1,911,000	\$122,621
Oysters	863,700	\$473,549	727,700	\$414,775	694,000	\$356,705
Perch, White	260,800	\$26,699	339,700	\$36,296	259,300	\$26,500
Perch, Yellow	32,400	\$2,973	60,400	\$5,437	43,300	\$2,718
Porgies	982,200	\$125,778	491,500	\$26,252	191,700	\$11,698
Scallop, Bay	379,000	\$196,342	339,700	\$172,622	321,100	\$121,914
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,089,800	\$146,836	906,200	\$121,827	738,500	\$77,405
Seatrout, Spotted	175,100	\$53,212	204,800	\$71,680	232,400	\$73,778
Shad, American	1,068,800	\$214,065	639,900	\$127,472	693,400	\$167,693
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	202,000	\$7,089	232,900	\$8,577	292,400	\$8,772
Sharks	2,100	\$125	13,900	\$1,390	4,100	\$353
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	1,008,100	\$306,732	58,400	\$7,052	47,500	\$5,355
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	5,416,200	\$1,719,235	4,279,000	\$1,503,239	3,373,900	\$1,064,831
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	0	\$0	500	\$150	2,200	\$616
Spadefish	200	\$7	2,100	\$168	9,900	\$788
Spot	912,600	\$69,363	1,251,200	\$110,591	915,500	\$84,021
Striped Bass	484,300	\$76,809	714,500	\$116,746	735,800	\$114,908
Swordfish	524,000	\$283,320	482,800	\$232,790	1,200	\$648
Tilefishes	0	\$0	700	\$56	200	\$16
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	59,500	\$11,334	33,100	\$2,895	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	1,959,400	\$130,228	1,965,700	\$133,535	1,760,900	\$133,765

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1962		1961		1960	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	12,221,300	\$494,161	15,880,100	\$608,478	14,936,700	\$716,387
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	97,700	\$34,200	100,800	\$35,280	90,900	\$31,815
Bluefish	954,600	\$117,662	752,400	\$93,833	614,600	\$78,145
Catfishes	1,060,900	\$84,872	1,093,400	\$87,472	1,057,900	\$85,352
Clams, Hard	246,700	\$98,680	490,400	\$196,160	431,500	\$172,600
Croaker, Atlantic	1,662,800	\$145,544	1,753,500	\$143,774	2,092,800	\$158,029
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	60,900	\$4,920	89,700	\$7,262	79,300	\$6,480
Eel, American	43,300	\$1,732	56,700	\$2,268	65,900	\$2,636
Finfish, Other	9,088,600	\$124,977	11,402,200	\$148,650	22,570,700	\$248,607
Flounder, Southern	381,600	\$56,355	362,000	\$54,553	327,400	\$48,728
Flounder, Summer	1,494,000	\$170,180	1,534,700	\$175,176	908,600	\$86,826
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	500	\$39	1,200	\$91	500	\$35
Herring, River	14,302,400	\$143,024	11,951,100	\$119,511	12,815,000	\$128,150
Herring, Thread	0	\$0	4,127,900	\$44,994	0	\$0
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	1,262,300	\$120,871	1,476,100	\$135,919	927,500	\$84,026
Mackerel, King	49,300	\$9,810	43,000	\$8,600	47,900	\$9,580
Mackerel, Spanish	83,200	\$12,480	133,600	\$20,040	118,500	\$17,775
Menhaden, Atlantic	122,898,100	\$1,364,169	221,555,400	\$2,414,953	190,431,300	\$1,980,480
Mullet, Striped	2,285,400	\$160,544	2,193,500	\$175,480	3,236,000	\$258,880
Oysters	961,400	\$485,589	1,209,100	\$615,467	1,216,200	\$560,442
Perch, White	320,300	\$32,030	346,500	\$34,650	303,600	\$30,360
Perch, Yellow	47,200	\$2,832	40,000	\$2,400	16,600	\$996
Porgies	292,800	\$23,470	240,800	\$19,264	138,600	\$11,088
Scallop, Bay	168,500	\$67,400	105,700	\$42,280	68,700	\$27,480
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	1,287,200	\$147,184	634,600	\$70,204	126,300	\$12,630
Seatrout, Spotted	204,700	\$61,410	209,100	\$52,275	171,200	\$42,800
Shad, American	765,000	\$191,250	673,200	\$168,300	506,700	\$126,675
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	171,700	\$8,585	276,500	\$13,825	180,700	\$9,035
Sharks	2,600	\$152	2,200	\$110	2,300	\$115
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	32,700	\$2,974	77,100	\$15,715	238,800	\$69,507
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	5,804,700	\$2,239,083	3,016,100	\$829,624	5,888,300	\$1,585,222
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	2,500	\$700	5,900	\$1,287	300	\$84
Spadefish	2,800	\$224	2,300	\$184	3,800	\$304
Spot	1,218,300	\$78,804	2,055,700	\$115,396	2,610,500	\$179,144
Striped Bass	747,300	\$119,568	549,700	\$87,952	782,300	\$125,168
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	400	\$32	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	900	\$45	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	2,160,500	\$149,820	2,307,700	\$127,046	2,240,300	\$124,298

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1959		1958		1957	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	14,738,900	\$851,234	12,523,500	\$717,152	11,571,600	\$657,148
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	124,400	\$37,320	75,600	\$21,415	63,600	\$15,900
Bluefish	740,400	\$87,417	436,900	\$58,270	815,900	\$106,669
Catfishes	1,464,800	\$117,184	1,533,900	\$123,881	1,258,500	\$100,680
Clams, Hard	339,500	\$135,800	277,500	\$111,000	243,300	\$97,320
Croaker, Atlantic	3,056,600	\$228,331	6,920,600	\$530,542	2,915,900	\$219,543
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	5,000	\$400	6,600	\$412	139,600	\$11,168
Eel, American	99,100	\$3,956	86,800	\$3,472	63,000	\$2,520
Finfish, Other	3,401,800	\$98,566	1,388,000	\$77,879	1,836,500	\$87,263
Flounder, Southern	373,000	\$54,210	181,600	\$26,188	451,700	\$61,137
Flounder, Summer	1,156,400	\$132,754	518,300	\$58,718	784,200	\$88,050
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	9,300	\$674	31,600	\$2,296	84,900	\$5,889
Herring, River	14,153,700	\$141,537	14,914,300	\$149,143	11,773,200	\$117,734
Herring, Thread	4,371,100	\$50,704	74,400	\$5,200	12,057,300	\$166,390
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	780,100	\$71,866	1,054,300	\$97,699	1,599,800	\$144,308
Mackerel, King	30,900	\$5,995	59,200	\$11,720	45,800	\$8,290
Mackerel, Spanish	156,400	\$23,460	211,300	\$31,695	247,800	\$37,170
Menhaden, Atlantic	279,887,800	\$3,246,699	235,384,500	\$3,483,690	172,522,300	\$2,380,826
Mullet, Striped	2,326,000	\$158,843	2,229,000	\$157,715	2,127,100	\$145,090
Oysters	1,311,000	\$587,607	1,041,500	\$434,311	1,086,500	\$479,757
Perch, White	442,300	\$44,230	381,400	\$38,140	472,200	\$47,220
Perch, Yellow	45,100	\$3,246	35,700	\$2,142	22,100	\$1,326
Porgies	34,000	\$2,716	35,200	\$2,816	23,800	\$1,890
Scallop, Bay	128,300	\$51,314	169,400	\$57,935	108,400	\$37,073
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	40,900	\$4,090	27,200	\$2,720	36,000	\$3,540
Seatrout, Spotted	388,800	\$97,200	177,300	\$44,325	578,300	\$144,575
Shad, American	418,600	\$104,650	492,800	\$123,200	837,000	\$209,250
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	99,500	\$5,970	193,200	\$6,656	247,900	\$14,874
Sharks	12,900	\$645	4,200	\$210	0	\$0
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	28,100	\$4,744	11,900	\$1,614	20,300	\$1,538
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	6,377,800	\$1,413,473	2,518,100	\$719,375	7,933,100	\$2,262,944
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	15,400	\$4,171	27,700	\$7,756	225,100	\$63,028
Spadefish	4,800	\$366	0	\$0	0	\$0
Spot	2,264,900	\$147,046	2,320,900	\$172,606	2,157,500	\$156,244
Striped Bass	871,500	\$157,456	1,096,000	\$197,280	597,000	\$89,550
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	300	\$28	400	\$32	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	0	\$0	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	2,912,700	\$166,583	3,810,100	\$216,403	2,210,300	\$157,522

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1956		1955		1954	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	8,245,000	\$412,250	9,480,100	\$568,696	9,727,200	\$348,610
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	71,000	\$14,200	25,800	\$5,170	95,100	\$14,265
Bluefish	632,800	\$63,280	434,800	\$52,938	323,100	\$39,282
Catfishes	1,087,600	\$87,008	950,900	\$75,536	930,200	\$75,456
Clams, Hard	147,700	\$51,695	122,000	\$34,460	244,000	\$72,264
Croaker, Atlantic	4,828,800	\$289,728	992,600	\$53,636	1,015,500	\$50,593
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	30,100	\$3,010	135,400	\$13,540	267,400	\$24,714
Eel, American	113,100	\$4,524	45,200	\$2,922	37,000	\$2,258
Finfish, Other	1,254,700	\$64,096	1,542,100	\$74,530	1,747,500	\$103,132
Flounder, Southern	214,500	\$32,175	191,600	\$26,724	333,800	\$49,102
Flounder, Summer	787,600	\$79,905	934,500	\$112,290	1,311,300	\$193,743
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	26,700	\$1,602	0	\$0	0	\$0
Herring, River	12,553,400	\$134,810	12,647,900	\$129,670	12,758,000	\$127,580
Herring, Thread	5,000,000	\$68,500	0	\$0	0	\$0
Hog Snapper	0	\$0	0	\$0	0	\$0
Kingfishes	1,433,800	\$114,704	1,281,300	\$103,194	1,879,400	\$136,770
Mackerel, King	7,300	\$1,314	13,200	\$2,500	0	\$0
Mackerel, Spanish	345,600	\$55,296	165,400	\$25,035	329,500	\$42,227
Menhaden, Atlantic	246,647,900	\$3,379,080	184,918,700	\$2,292,993	160,301,000	\$2,067,883
Mullet, Striped	2,194,100	\$175,528	1,888,200	\$191,720	1,781,100	\$184,273
Oysters	1,318,000	\$563,777	731,000	\$286,395	1,008,400	\$395,870
Perch, White	417,000	\$32,860	799,500	\$68,252	1,504,600	\$103,352
Perch, Yellow	53,400	\$3,184	27,900	\$2,046	28,200	\$1,872
Porgies	97,700	\$5,862	15,000	\$1,039	41,100	\$2,109
Scallop, Bay	125,200	\$62,600	78,300	\$39,150	51,700	\$25,850
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	79,700	\$7,970	19,100	\$2,706	41,400	\$4,700
Seatrout, Spotted	389,400	\$116,820	442,600	\$132,780	659,900	\$173,940
Shad, American	773,200	\$193,300	649,000	\$159,619	1,444,700	\$258,185
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	268,300	\$16,098	250,700	\$11,988	324,400	\$16,725
Sharks	0	\$0	0	\$0	0	\$0
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	20,000	\$1,952	0	\$0	5,000	\$500
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	6,243,200	\$1,594,368	10,323,600	\$2,369,306	9,182,400	\$1,836,480
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	130,400	\$36,512	0	\$0	0	\$0
Spadefish	0	\$0	0	\$0	0	\$0
Spot	2,574,800	\$180,236	1,898,000	\$189,692	2,389,900	\$159,698
Striped Bass	763,500	\$119,255	736,000	\$120,099	1,121,700	\$188,303
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	0	\$0	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	1,842,400	\$147,392	1,355,800	\$135,710	2,381,100	\$236,698

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1953		1952		1951	
	Pounds	Value	Pounds	Value	Pounds	Value
Amberjack	0	\$0	0	\$0	0	\$0
Blue Crabs, Hard	10,486,900	\$354,449	6,161,700	\$196,854	7,822,200	\$212,035
Blue Crabs, Peeler	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft	0	\$0	0	\$0	0	\$0
Blue Crabs, Soft and Peeler	167,800	\$33,560	124,200	\$18,630	167,000	\$24,906
Bluefish	541,700	\$66,984	736,800	\$83,089	925,900	\$104,901
Catfishes	942,800	\$80,341	992,900	\$85,720	529,900	\$50,834
Clams, Hard	444,800	\$115,887	724,500	\$166,740	834,800	\$192,051
Croaker, Atlantic	1,433,900	\$69,118	1,346,300	\$66,325	2,102,100	\$112,531
Dolphinfish	0	\$0	0	\$0	0	\$0
Drum, Red	285,100	\$28,276	222,700	\$26,584	182,400	\$21,888
Eel, American	52,400	\$2,440	38,600	\$1,452	32,600	\$1,682
Finfish, Other	1,545,100	\$103,261	2,592,500	\$154,576	2,934,300	\$102,888
Flounder, Southern	398,900	\$60,440	501,700	\$85,928	463,300	\$86,299
Flounder, Summer	1,444,600	\$214,603	1,654,300	\$261,712	1,015,500	\$168,547
Goosefish	0	\$0	0	\$0	0	\$0
Groupers	0	\$0	0	\$0	100	\$15
Herring, River	13,841,500	\$138,415	6,510,200	\$81,221	12,534,500	\$129,267
Herring, Thread	0	\$0	0	\$0	0	\$0
Hog Snapper	0	\$0	0	\$0	2,000	\$60
Kingfishes	1,490,200	\$132,416	1,484,500	\$141,167	1,122,100	\$100,373
Mackerel, King	0	\$0	0	\$0	300	\$36
Mackerel, Spanish	107,400	\$16,455	174,300	\$29,079	206,300	\$31,781
Menhaden, Atlantic	132,104,700	\$1,387,098	191,341,300	\$1,626,501	104,012,900	\$978,562
Mullet, Striped	2,505,800	\$243,842	3,850,400	\$361,647	4,013,000	\$393,356
Oysters	1,525,300	\$536,015	1,620,900	\$600,238	1,531,900	\$632,122
Perch, White	696,500	\$47,303	458,100	\$41,724	394,100	\$42,213
Perch, Yellow	58,600	\$3,926	45,800	\$3,784	39,200	\$3,928
Porgies	44,900	\$2,310	104,500	\$7,423	152,800	\$7,650
Scallop, Bay	65,300	\$32,650	253,800	\$126,900	183,400	\$95,696
Scup	0	\$0	0	\$0	0	\$0
Sea Basses	82,300	\$9,556	109,800	\$13,002	94,000	\$9,818
Seatrout, Spotted	631,700	\$155,160	643,400	\$191,230	267,400	\$80,840
Shad, American	1,187,800	\$292,640	1,479,200	\$377,091	1,244,500	\$300,116
Shad, Gizzard	0	\$0	0	\$0	0	\$0
Shad, Hickory	438,700	\$16,494	453,000	\$19,799	196,000	\$14,007
Sharks	0	\$0	0	\$0	6,600	\$390
Sharks, Dogfishes	0	\$0	0	\$0	0	\$0
Shellfish, Other	9,000	\$900	28,200	\$2,940	67,100	\$7,631
Shrimp, Brown	0	\$0	0	\$0	0	\$0
Shrimp, Pink	0	\$0	0	\$0	0	\$0
Shrimp, Unclassified	14,645,100	\$3,622,950	8,712,600	\$1,905,065	8,199,500	\$1,949,907
Shrimp, White	0	\$0	0	\$0	0	\$0
Snappers	0	\$0	5,000	\$1,000	7,500	\$1,500
Spadefish	0	\$0	0	\$0	0	\$0
Spot	2,814,700	\$175,546	5,548,000	\$249,355	4,614,500	\$210,728
Striped Bass	757,000	\$137,319	647,000	\$121,231	702,200	\$134,110
Swordfish	0	\$0	0	\$0	0	\$0
Tilefishes	0	\$0	0	\$0	0	\$0
Triggerfish	0	\$0	0	\$0	0	\$0
Tunas	0	\$0	0	\$0	0	\$0
Wahoo	0	\$0	0	\$0	0	\$0
Weakfish	1,897,100	\$185,038	1,625,600	\$167,994	1,262,900	\$126,403

Table 44. Commercial landings of select species of finfish and shellfish from 1950 to 2010 (continued).

	1950	
	Pounds	Value
Amberjack	0	\$0
Blue Crabs, Hard	6,680,500	\$266,888
Blue Crabs, Peeler	0	\$0
Blue Crabs, Soft	0	\$0
Blue Crabs, Soft and Peeler	208,800	\$24,753
Bluefish	1,272,200	\$181,088
Catfishes	671,300	\$53,805
Clams, Hard	836,400	\$157,132
Croaker, Atlantic	2,095,800	\$103,406
Dolphinfish	0	\$0
Drum, Red	200,900	\$20,793
Eel, American	174,600	\$21,490
Finfish, Other	2,254,700	\$115,379
Flounder, Southern	618,200	\$93,432
Flounder, Summer	1,221,500	\$184,491
Goosefish	0	\$0
Groupers	0	\$0
Herring, River	6,422,500	\$128,459
Herring, Thread	32,000	\$240
Hog Snapper	4,400	\$132
Kingfishes	1,398,600	\$126,800
Mackerel, King	0	\$0
Mackerel, Spanish	147,500	\$23,725
Menhaden, Atlantic	124,904,900	\$1,221,468
Mullet, Striped	3,220,800	\$357,194
Oysters	1,322,100	\$555,686
Perch, White	510,200	\$50,913
Perch, Yellow	34,900	\$3,490
Porgies	59,400	\$4,198
Scallop, Bay	71,600	\$38,906
Scup	0	\$0
Sea Basses	75,600	\$6,140
Seatrout, Spotted	482,000	\$143,719
Shad, American	1,100,300	\$339,970
Shad, Gizzard	0	\$0
Shad, Hickory	294,900	\$13,684
Sharks	5,500	\$550
Sharks, Dogfishes	0	\$0
Shellfish, Other	27,800	\$4,093
Shrimp, Brown	0	\$0
Shrimp, Pink	0	\$0
Shrimp, Unclassified	8,311,200	\$1,999,358
Shrimp, White	0	\$0
Snappers	0	\$0
Spadefish	0	\$0
Spot	5,172,300	\$234,090
Striped Bass	796,800	\$165,207
Swordfish	0	\$0
Tilefishes	0	\$0
Triggerfish	0	\$0
Tunas	141,000	\$4,231
Wahoo	0	\$0
Weakfish	1,567,400	\$155,245

Table 45. Top five species by waterbody from 1994 to 2010 (*) indicates confidential data).**

2010			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	13,322,303	1
	Flounder, Southern	302,525	2
	Catfishes	203,365	3
	Mullet, Striped	195,431	4
	Blue Crabs, Soft	168,558	5
Alligator River	Blue Crabs, Hard	1,179,713	1
	Blue Crabs, Peeler	12,322	2
	Mullet, Striped	10,061	3
	Perch, White	8,122	4
	Catfishes	6,682	5
Back Bay (VA)	Blue Crabs, Hard	***	1
Bay River	Blue Crabs, Hard	312,827	1
	Seatrout, Spotted	16,062	2
	Oysters	11,458	3
	Flounder, Southern	4,805	4
	Blue Crabs, Peeler	3,945	5
Bogue Sound	Blue Crabs, Hard	124,565	1
	Mullet, Striped	113,602	2
	Clams, Hard	31,368	3
	Flounder, Southern	19,933	4
	Shrimp, White	19,492	5
Cape Fear River	Blue Crabs, Hard	494,628	1
	Shrimp, White	127,810	2
	Shad, American	23,718	3
	Blue Crabs, Peeler	18,787	4
	Flounder, Southern	17,332	5
Chowan River	Catfishes	67,139	1
	Shad, Gizzard	55,994	2
	Perch, White	14,871	3
	Striped Bass	12,571	4
	Shad, American	6,027	5
Core Sound	Mullet, Striped	294,139	1
	Flounder, Southern	231,185	2
	Blue Crabs, Hard	217,962	3
	Menhaden, Atlantic	166,497	4
	Spot	155,524	5
Croatan Sound	Blue Crabs, Hard	1,230,364	1
	Menhaden, Atlantic	122,006	2
	Blue Crabs, Peeler	69,099	3
	Mullet, Striped	61,063	4
	Blue Crabs, Soft	49,642	5
Currituck Sound	Blue Crabs, Hard	2,322,952	1
	Flounder, Southern	67,554	2
	Eel, American	65,047	3
	Blue Crabs, Peeler	59,135	4
	Mullet, Striped	50,615	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2010			
Waterbody	Species	Pounds	Rank
Inland Waterway (Brunswick)	Blue Crabs, Hard	125,754	1
	Shrimp, White	19,697	2
	Shrimp, Brown	10,203	3
	Mullet, Striped	4,310	4
	Spot	3,931	5
Inland Waterway (Onslow)	Clams, Hard	30,697	1
	Shrimp, White	30,012	2
	Blue Crabs, Hard	24,838	3
	Shrimp, Brown	16,812	4
	Flounder, Southern	6,362	5
Lockwood Folly	Blue Crabs, Hard	24,977	1
	Oysters	21,276	2
	Clams, Hard	4,570	3
	Flounder, Southern	1,523	4
	Mullet, Striped	1,271	5
Masonboro Sound	Blue Crabs, Hard	125,355	1
	Mullet, Striped	69,596	2
	Flounder, Southern	27,148	3
	Oysters	25,465	4
	Clams, Hard	7,005	5
Neuse River	Blue Crabs, Hard	663,177	1
	Mullet, Striped	263,163	2
	Shrimp, Brown	105,794	3
	Mackerel, Spanish	31,549	4
	Seatrout, Spotted	29,062	5
New River	Blue Crabs, Hard	164,760	1
	Clams, Hard	131,141	2
	Shrimp, White	116,561	3
	Mullet, Striped	61,829	4
	Spot	31,410	5
Newport River	Blue Crabs, Hard	125,219	1
	Shrimp, Brown	59,215	2
	Clams, Hard	40,238	3
	Shrimp, White	32,343	4
	Mullet, Striped	17,425	5
North River/Back Sound	Shrimp, White	33,053	1
	Oysters	21,693	2
	Shrimp, Brown	21,601	3
	Blue Crabs, Hard	12,465	4
	Clams, Hard	11,792	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,145,777	1
	Bluefish	635,105	2
	Sharks, Dogfishes	489,411	3
	Striped Bass	260,988	4
	Kingfishes	87,317	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2010			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	5,181,371	1
	Flounder, Summer	3,252,448	2
	Bluefish	1,560,526	3
	Shellfish, Other	1,393,697	4
	Tunas	414,396	5
Ocean >3 mi, S of Cape Hatt	Groupers	556,555	1
	Croaker, Atlantic	502,719	2
	Swordfish	366,564	3
	Menhaden, Atlantic	336,906	4
	Snappers	320,256	5
Pamlico River	Blue Crabs, Hard	2,926,135	1
	Mullet, Striped	64,816	2
	Flounder, Southern	44,044	3
	Blue Crabs, Peeler	24,684	4
	Seatrout, Spotted	23,411	5
Pamlico Sound	Blue Crabs, Hard	4,394,809	1
	Shrimp, Brown	3,483,015	2
	Flounder, Southern	784,715	3
	Oysters	730,065	4
	Mackerel, Spanish	684,690	5
Pasquotank River	Blue Crabs, Hard	***	1
	Flounder, Southern	***	2
	Blue Crabs, Peeler	***	3
	Striped Bass	***	4
	Catfishes	***	5
Perquimans River	Catfishes	***	1
	Flounder, Southern	***	2
	Perch, Yellow	11,706	3
	Perch, White	***	4
	Shad, American	***	5
Pungo River	Blue Crabs, Hard	983,273	1
	Blue Crabs, Peeler	4,418	2
	Menhaden, Atlantic	***	3
	Seatrout, Spotted	2,115	4
	Mullet, Striped	900	5
Roanoke River	Catfishes	***	1
	Perch, White	***	2
Roanoke Sound	Blue Crabs, Hard	714,172	1
	Croaker, Atlantic	116,512	2
	Mullet, Striped	71,822	3
	Blue Crabs, Soft	64,775	4
	Menhaden, Atlantic	50,287	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2010			
Waterbody	Species	Pounds	Rank
Shallotte River	Oysters	27,646	1
	Blue Crabs, Hard	21,158	2
	Clams, Hard	15,760	3
	Mullet, Striped	2,288	4
	Flounder, Southern	1,682	5
Stump Sound	Blue Crabs, Hard	54,862	1
	Oysters	47,254	2
	Clams, Hard	13,582	3
	Shrimp, Brown	9,861	4
	Mullet, Striped	9,791	5
Topsail Sound	Blue Crabs, Hard	188,228	1
	Oysters	83,187	2
	Mullet, Striped	63,620	3
	Shrimp, Brown	21,652	4
	Clams, Hard	17,923	5
White Oak River	Blue Crabs, Hard	32,497	1
	Mullet, Striped	16,850	2
	Shrimp, White	14,531	3
	Flounder, Southern	11,631	4

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2009			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	14,882,186	1
	Flounder, Southern	642,811	2
	Perch, White	227,517	3
	Catfishes	202,572	4
	Mullet, Striped	114,347	5
Alligator River	Blue Crabs, Hard	1,632,504	1
	Blue Crabs, Peeler	13,115	2
	Catfishes	8,023	3
	Perch, White	4,726	4
	Flounder, Southern	2,707	5
Back Bay (VA)	Blue Crabs, Hard	***	1
Bay River	Blue Crabs, Hard	174,130	1
	Flounder, Southern	16,573	2
	Seatrout, Spotted	13,823	3
	Mullet, Striped	8,374	4
	Blue Crabs, Peeler	7,596	5
Bogue Sound	Blue Crabs, Hard	100,583	1
	Mullet, Striped	54,004	2
	Clams, Hard	27,112	3
	Flounder, Southern	26,212	4
	Spot	21,759	5
Cape Fear River	Blue Crabs, Hard	625,345	1
	Shrimp, White	39,743	2
	Flounder, Southern	21,266	3
	Shad, American	19,227	4
	Blue Crabs, Peeler	16,486	5
Chowan River	Catfishes	87,377	1
	Shad, Gizzard	39,919	2
	Perch, White	24,942	3
	Striped Bass	9,572	4
	Shad, American	3,938	5
Core Sound	Mullet, Striped	325,547	1
	Spot	273,765	2
	Flounder, Southern	259,641	3
	Blue Crabs, Hard	184,359	4
	Bluefish	90,891	5
Croatan Sound	Blue Crabs, Hard	1,345,758	1
	Flounder, Southern	195,838	2
	Menhaden, Atlantic	82,616	3
	Mullet, Striped	68,818	4
	Bluefish	34,984	5
Currituck Sound	Blue Crabs, Hard	3,274,001	1
	Flounder, Southern	117,108	2
	Blue Crabs, Peeler	100,676	3
	Perch, White	72,917	4
	Catfishes	43,970	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2009			
Waterbody	Species	Pounds	Rank
Inland Waterway (Brunswick)	Blue Crabs, Hard	150,245	1
	Shrimp, Brown	11,435	2
	Spot	8,708	3
	Shrimp, White	4,059	4
	Flounder, Southern	3,489	5
Inland Waterway (Onslow)	Blue Crabs, Hard	44,357	1
	Shrimp, Brown	28,743	2
	Clams, Hard	25,059	3
	Shrimp, White	22,936	4
	Mullet, Striped	15,140	5
Lockwood Folly	Oysters	37,937	1
	Blue Crabs, Hard	11,052	2
	Clams, Hard	7,620	3
	Spot	3,337	4
	Flounder, Southern	2,639	5
Masonboro Sound	Blue Crabs, Hard	136,744	1
	Flounder, Southern	26,243	2
	Spot	24,325	3
	Oysters	18,006	4
	Clams, Hard	9,706	5
Neuse River	Blue Crabs, Hard	389,297	1
	Mullet, Striped	269,435	2
	Shrimp, Brown	105,004	3
	Flounder, Southern	76,426	4
	Spot	41,324	5
New River	Blue Crabs, Hard	123,161	1
	Clams, Hard	111,296	2
	Flounder, Southern	55,061	3
	Spot	41,211	4
	Mullet, Striped	36,144	5
Newport River	Blue Crabs, Hard	91,659	1
	Shrimp, White	40,377	2
	Shrimp, Brown	32,193	3
	Clams, Hard	27,588	4
	Oysters	18,597	5
North River/Back Sound	Shrimp, White	39,183	1
	Clams, Hard	25,317	2
	Blue Crabs, Hard	22,556	3
	Oysters	17,859	4
	Shrimp, Brown	13,759	5
Ocean 0-3 mi, N of Cape Hatt	Sharks, Dogfishes	936,067	1
	Croaker, Atlantic	745,413	2
	Menhaden, Atlantic	523,080	3
	Bluefish	162,386	4
	Striped Bass	159,764	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2009			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, S of Cape Hatt	Sharks, Dogfishes	973,953	1
	Shrimp, White	489,568	2
	Kingfishes	455,768	3
	Shrimp, Brown	352,412	4
	Mackerel, Spanish	308,833	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	4,913,897	1
	Flounder, Summer	2,776,394	2
	Bluefish	1,538,902	3
	Menhaden, Atlantic	1,043,050	4
	Sharks, Dogfishes	682,106	5
Ocean >3 mi, S of Cape Hatt	Groupers	624,558	1
	Mackerel, King	613,060	2
	Sea Basses	436,424	3
	Snappers	374,075	4
	Dolphinfish	342,041	5
Pamlico River	Blue Crabs, Hard	1,059,885	1
	Flounder, Southern	97,789	2
	Mullet, Striped	92,800	3
	Seatrout, Spotted	62,568	4
	Blue Crabs, Peeler	22,977	5
Pamlico Sound	Blue Crabs, Hard	3,289,219	1
	Shrimp, Brown	2,999,794	2
	Flounder, Southern	696,981	3
	Shrimp, White	556,062	4
	Mackerel, Spanish	452,863	5
Pasquotank River	Blue Crabs, Hard	4,898	1
	Flounder, Southern	***	2
	Catfishes	213	3
	Perch, Yellow	***	4
	Perch, White	43	5
Perquimans River	Flounder, Southern	***	1
	Perch, White	14,626	2
	Perch, Yellow	12,952	3
	Catfishes	12,314	4
	Blue Crabs, Hard	10,651	5
Pungo River	Blue Crabs, Hard	491,072	1
	Menhaden, Atlantic	16,955	2
	Seatrout, Spotted	8,721	3
	Perch, White	7,040	4
	Blue Crabs, Peeler	4,333	5
Roanoke River	Catfishes	***	1
	Perch, White	***	2
	Striped Bass	***	3
	Flounder, Southern	***	4

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2009			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	772,921	1
	Blue Crabs, Soft	54,056	2
	Mullet, Striped	49,206	3
	Flounder, Southern	44,741	4
	Bluefish	40,941	5
Shalotte River	Oysters	20,076	1
	Clams, Hard	14,168	2
	Blue Crabs, Hard	8,290	3
	Spot	1,549	4
	Blue Crabs, Peeler	***	5
Stump Sound	Blue Crabs, Hard	70,325	1
	Oysters	26,859	2
	Flounder, Southern	17,234	3
	Shrimp, Brown	11,618	4
	Clams, Hard	8,635	5
Topsail Sound	Blue Crabs, Hard	202,016	1
	Oysters	67,535	2
	Spot	45,662	3
	Shrimp, Brown	21,704	4
	Clams, Hard	19,502	5
White Oak River	Clams, Hard	35,527	1
	Shrimp, White	32,013	2
	Blue Crabs, Hard	20,372	3
	Flounder, Southern	18,661	4
	Mullet, Striped	10,120	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2008			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	17,682,813	1
	Flounder, Southern	741,184	2
	Perch, White	221,066	3
	Mullet, Striped	179,740	4
	Catfishes	168,776	5
Alligator River	Blue Crabs, Hard	1,219,525	1
	Blue Crabs, Peeler	9,257	2
	Catfishes	4,348	3
	Perch, White	612	4
	Flounder, Southern	611	5
Bay River	Blue Crabs, Hard	124,751	1
	Flounder, Southern	18,527	2
	Menhaden, Atlantic	***	3
	Seatrout, Spotted	10,003	4
	Mullet, Striped	7,836	5
Bogue Sound	Blue Crabs, Hard	139,211	1
	Mullet, Striped	66,311	2
	Shrimp, White	52,441	3
	Clams, Hard	38,645	4
	Spot	19,899	5
Cape Fear River	Blue Crabs, Hard	703,944	1
	Shrimp, White	45,846	2
	Mullet, Striped	22,763	3
	Flounder, Southern	19,393	4
	Shad, American	15,912	5
Chowan River	Catfishes	88,567	1
	Shad, Gizzard	44,887	2
	Perch, White	42,902	3
	Shad, American	9,232	4
	Striped Bass	7,211	5
Core Sound	Flounder, Southern	482,590	1
	Shrimp, Pink	332,997	2
	Mullet, Striped	310,423	3
	Blue Crabs, Hard	209,832	4
	Spot	202,285	5
Croatan Sound	Blue Crabs, Hard	1,033,747	1
	Flounder, Southern	179,978	2
	Mullet, Striped	85,106	3
	Menhaden, Atlantic	62,185	4
	Blue Crabs, Peeler	41,924	5
Currituck Sound	Blue Crabs, Hard	2,390,063	1
	Flounder, Southern	128,291	2
	Perch, White	107,514	3
	Blue Crabs, Peeler	53,393	4
	Catfishes	43,787	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2008			
Waterbody	Species	Pounds	Rank
Inland Waterway (Brunswick)	Blue Crabs, Hard	81,748	1
	Shrimp, White	12,312	2
	Shrimp, Brown	5,525	3
	Spot	5,487	4
	Flounder, Southern	3,470	5
Inland Waterway (Onslow)	Blue Crabs, Hard	39,209	1
	Clams, Hard	27,197	2
	Shrimp, White	16,712	3
	Shrimp, Brown	12,407	4
	Mullet, Striped	7,837	5
Lockwood Folly	Blue Crabs, Hard	31,128	1
	Oysters	31,023	2
	Clams, Hard	12,739	3
	Flounder, Southern	3,784	4
	Spot	3,412	5
Masonboro Sound	Blue Crabs, Hard	137,474	1
	Mullet, Striped	27,106	2
	Flounder, Southern	24,092	3
	Oysters	21,458	4
	Spot	21,284	5
Neuse River	Blue Crabs, Hard	673,069	1
	Shrimp, Brown	285,582	2
	Mullet, Striped	145,045	3
	Menhaden, Atlantic	81,154	4
	Shrimp, White	60,890	5
New River	Clams, Hard	146,578	1
	Blue Crabs, Hard	101,176	2
	Shrimp, White	90,115	3
	Mullet, Striped	47,946	4
	Spot	40,807	5
Newport River	Shrimp, White	112,610	1
	Blue Crabs, Hard	***	2
	Oysters	33,297	3
	Clams, Hard	32,774	4
	Mullet, Striped	21,621	5
North River/Back Sound	Shrimp, White	80,276	1
	Shrimp, Pink	44,496	2
	Clams, Hard	25,830	3
	Oysters	24,561	4
	Shrimp, Brown	20,942	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	457,348	1
	Striped Bass	255,353	2
	Bluefish	214,673	3
	Sharks, Dogfishes	101,211	4
	Kingfishes	68,514	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2008			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, S of Cape Hatt	Shrimp, White	1,456,919	1
	Sharks, Dogfishes	476,483	2
	Kingfishes	474,671	3
	Shrimp, Brown	222,084	4
	Mackerel, King	215,106	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	5,134,804	1
	Flounder, Summer	2,333,390	2
	Bluefish	1,277,865	3
	Tunas	735,664	4
	Tilefishes	379,258	5
Ocean >3 mi, S of Cape Hatt	Groupers	778,890	1
	Mackerel, King	763,491	2
	Snappers	602,832	3
	Tunas	281,643	4
	Sea Basses	273,878	5
Pamlico River	Blue Crabs, Hard	1,470,198	1
	Mullet, Striped	140,406	2
	Flounder, Southern	81,585	3
	Seatrout, Spotted	48,686	4
	Blue Crabs, Peeler	28,342	5
Pamlico Sound	Shrimp, Brown	4,768,829	1
	Blue Crabs, Hard	4,100,667	2
	Shrimp, White	881,192	3
	Flounder, Southern	641,029	4
	Shrimp, Pink	293,810	5
Pasquotank River	Perch, White	***	1
	Catfishes	***	2
	Flounder, Southern	***	3
	Blue Crabs, Hard	***	4
	Mullet, Striped	***	5
Perquimans River	Flounder, Southern	34,576	1
	Blue Crabs, Hard	11,550	2
	Catfishes	10,409	3
	Perch, Yellow	6,624	4
	Perch, White	4,741	5
Pungo River	Blue Crabs, Hard	595,069	1
	Seatrout, Spotted	13,662	2
	Catfishes	12,926	3
	Flounder, Southern	11,644	4
	Menhaden, Atlantic	10,616	5
Roanoke River	Catfishes	5,268	1
	Perch, White	1,566	2
	Flounder, Southern	***	3
	Mullet, Striped	***	4

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2008			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	1,234,717	1
	Blue Crabs, Soft	74,674	2
	Flounder, Southern	65,824	3
	Mullet, Striped	48,159	4
	Spot	26,080	5
Shalotte River	Clams, Hard	20,938	1
	Oysters	19,438	2
	Blue Crabs, Hard	***	3
	Mullet, Striped	3,131	4
	Spot	3,056	5
Stump Sound	Blue Crabs, Hard	42,528	1
	Oysters	41,549	2
	Shrimp, White	23,287	3
	Flounder, Southern	10,495	4
	Clams, Hard	8,693	5
Topsail Sound	Blue Crabs, Hard	166,054	1
	Oysters	70,268	2
	Mullet, Striped	43,004	3
	Spot	29,666	4
	Clams, Hard	23,509	5
White Oak River	Blue Crabs, Hard	55,642	1
	Shrimp, White	20,009	2
	Flounder, Southern	15,514	3
	Mullet, Striped	9,096	4
	Blue Crabs, Peeler	8,951	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2007			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	10,609,952	1
	Flounder, Southern	656,273	2
	Catfishes	290,312	3
	Blue Crabs, Soft	165,679	4
	Shad, American	163,672	5
Alligator River	Blue Crabs, Hard	756,228	1
	Catfishes	13,804	2
	Blue Crabs, Peeler	12,610	3
	Mullet, Striped	***	4
	Perch, White	***	5
Bay River	Blue Crabs, Hard	122,980	1
	Seatrout, Spotted	14,444	2
	Flounder, Southern	11,938	3
	Spot	7,052	4
	Blue Crabs, Peeler	5,924	5
Bogue Sound	Blue Crabs, Hard	115,326	1
	Clams, Hard	46,773	2
	Shrimp, White	39,067	3
	Mullet, Striped	31,587	4
	Flounder, Southern	26,160	5
Cape Fear River	Blue Crabs, Hard	538,072	1
	Shrimp, White	45,514	2
	Shad, American	29,449	3
	Flounder, Southern	24,613	4
	Blue Crabs, Peeler	11,953	5
Chowan River	Catfishes	84,819	1
	Shad, Gizzard	43,633	2
	Blue Crabs, Hard	18,314	3
	Perch, White	14,264	4
	Striped Bass	9,972	5
Core Sound	Menhaden, Atlantic	364,534	1
	Flounder, Southern	273,356	2
	Blue Crabs, Hard	244,041	3
	Spot	219,289	4
	Mullet, Striped	213,262	5
Croatan Sound	Blue Crabs, Hard	549,436	1
	Flounder, Southern	110,534	2
	Menhaden, Atlantic	104,138	3
	Blue Crabs, Peeler	68,397	4
	Mullet, Striped	52,282	5
Currituck Sound	Blue Crabs, Hard	1,573,220	1
	Flounder, Southern	111,511	2
	Perch, White	60,338	3
	Blue Crabs, Peeler	39,632	4
	Catfishes	29,331	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2007			
Waterbody	Species	Pounds	Rank
Inland Waterway	Mullet, Striped	***	1
	Spot	***	2
	Menhaden, Atlantic	***	3
	Flounder, Southern	***	4
	Shrimp, White	***	5
Inland Waterway (Brunswick)	Blue Crabs, Hard	63,113	1
	Shrimp, White	6,299	2
	Shrimp, Brown	4,947	3
	Flounder, Southern	3,818	4
	Spot	2,946	5
Inland Waterway (Onslow)	Mullet, Striped	76,549	1
	Blue Crabs, Hard	27,013	2
	Clams, Hard	21,027	3
	Shrimp, White	20,734	4
	Flounder, Southern	19,671	5
Lockwood Folly	Blue Crabs, Hard	53,046	1
	Oysters	29,617	2
	Clams, Hard	17,469	3
	Flounder, Southern	3,772	4
	Spot	3,533	5
Masonboro Sound	Blue Crabs, Hard	105,940	1
	Flounder, Southern	27,812	2
	Oysters	16,813	3
	Clams, Hard	15,137	4
	Spot	13,070	5
Neuse River	Blue Crabs, Hard	646,879	1
	Mullet, Striped	277,295	2
	Menhaden, Atlantic	234,200	3
	Shrimp, White	95,234	4
	Flounder, Southern	62,568	5
New River	Blue Crabs, Hard	164,752	1
	Clams, Hard	140,985	2
	Shrimp, White	128,440	3
	Oysters	44,904	4
	Mullet, Striped	42,477	5
Newport River	Shrimp, White	140,290	1
	Blue Crabs, Hard	96,362	2
	Clams, Hard	40,598	3
	Shrimp, Brown	29,693	4
	Oysters	20,269	5
North River/Back Sound	Shrimp, White	158,782	1
	Oysters	54,519	2
	Clams, Hard	30,714	3
	Blue Crabs, Hard	21,428	4
	Shrimp, Brown	15,278	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2007			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	733,112	1
	Striped Bass	338,867	2
	Bluefish	237,728	3
	Sharks, Dogfishes	186,900	4
	Mackerel, Spanish	154,623	5
Ocean 0-3 mi, S of Cape Hatt	Shrimp, White	1,220,049	1
	Kingfishes	573,845	2
	Sharks, Dogfishes	385,263	3
	Shrimp, Brown	320,192	4
	Mullet, Striped	232,918	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	6,460,618	1
	Flounder, Summer	2,588,798	2
	Tunas	1,553,915	3
	Bluefish	1,443,537	4
	Shellfish,Other	553,543	5
Ocean >3 mi, S of Cape Hatt	Groupers	823,141	1
	Mackerel, King	738,221	2
	Snappers	550,509	3
	Sea Basses	278,473	4
	Dolphinfish	239,161	5
Pamlico River	Blue Crabs, Hard	1,807,866	1
	Mullet, Striped	111,811	2
	Flounder, Southern	78,881	3
	Blue Crabs, Peeler	36,250	4
	Seatrout, Spotted	27,061	5
Pamlico Sound	Shrimp, White	4,252,361	1
	Shrimp, Brown	2,498,095	2
	Blue Crabs, Hard	1,562,070	3
	Flounder, Southern	517,152	4
	Bluefish	377,304	5
Pasquotank River	Blue Crabs, Hard	***	1
	Flounder, Southern	***	2
	Catfishes	***	3
	Striped Bass	***	4
	Blue Crabs, Soft	***	5
Perquimans River	Perch, Yellow	13,046	1
	Shad, American	***	2
	Catfishes	***	3
	Flounder, Southern	***	4
	Perch, White	***	5
Pungo River	Blue Crabs, Hard	543,484	1
	Flounder, Southern	14,655	2
	Menhaden, Atlantic	13,867	3
	Catfishes	10,351	4
	Blue Crabs, Peeler	7,107	5
Roanoke River	Shellfish,Other	***	1
	Catfishes	2,740	2
	Perch, White	2,469	3
	Mullet, Striped	***	4
	Flounder, Southern	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2007			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	636,224	1
	Blue Crabs, Soft	124,197	2
	Mullet, Striped	47,359	3
	Flounder, Southern	33,362	4
	Bluefish	31,241	5
Shalotte River	Clams, Hard	31,521	1
	Blue Crabs, Hard	***	2
	Oysters	14,549	3
	Flounder, Southern	2,018	4
	Spot	1,589	5
Stump Sound	Blue Crabs, Hard	61,816	1
	Oysters	47,921	2
	Shrimp, White	13,416	3
	Clams, Hard	6,724	4
	Flounder, Southern	6,471	5
Topsail Sound	Blue Crabs, Hard	160,518	1
	Oysters	68,704	2
	Spot	43,981	3
	Flounder, Southern	26,689	4
	Mullet, Striped	26,364	5
White Oak River	Blue Crabs, Hard	40,989	1
	Shrimp, White	23,316	2
	Flounder, Southern	14,239	3
	Mullet, Striped	12,879	4
	Clams, Hard	11,910	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2006			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	11,553,527	1
	Flounder, Southern	664,968	2
	Catfishes	222,069	3
	Blue Crabs, Peeler	168,972	4
	Blue Crabs, Soft	168,661	5
Alligator River	Blue Crabs, Hard	378,520	1
	Blue Crabs, Peeler	20,634	2
	Herring, River	***	3
	Catfishes	1,960	4
	Flounder, Southern	***	5
Bay River	Blue Crabs, Hard	117,210	1
	Mullet, Striped	40,601	2
	Seatrout, Spotted	19,665	3
	Flounder, Southern	16,210	4
	Blue Crabs, Peeler	4,590	5
Bogue Sound	Blue Crabs, Hard	174,026	1
	Shrimp, White	65,752	2
	Mullet, Striped	47,838	3
	Clams, Hard	42,139	4
	Flounder, Southern	28,866	5
Cape Fear River	Blue Crabs, Hard	580,083	1
	Shrimp, White	34,794	2
	Flounder, Southern	28,973	3
	Shad, American	16,130	4
	Blue Crabs, Peeler	12,088	5
Chowan River	Catfishes	86,705	1
	Herring, River	67,404	2
	Shad, Gizzard	52,615	3
	Perch, White	17,510	4
	Striped Bass	12,402	5
Core Sound	Spot	482,472	1
	Blue Crabs, Hard	429,681	2
	Flounder, Southern	276,473	3
	Mullet, Striped	239,126	4
	Shrimp, White	110,920	5
Croatan Sound	Blue Crabs, Hard	686,397	1
	Menhaden, Atlantic	137,867	2
	Flounder, Southern	114,329	3
	Mullet, Striped	79,964	4
	Blue Crabs, Peeler	50,160	5
Currituck Sound	Blue Crabs, Hard	1,067,110	1
	Flounder, Southern	97,680	2
	Blue Crabs, Peeler	40,079	3
	Perch, White	22,457	4
	Eel, American	18,105	5
Inland Waterway	Spot	***	1
	Flounder, Southern	***	2

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2006			
Waterbody	Species	Pounds	Rank
Inland Waterway (Brunswick)	Blue Crabs, Hard	152,649	1
	Shrimp, Brown	4,835	2
	Spot	3,817	3
	Flounder, Southern	3,534	4
	Shrimp, White	3,227	5
Inland Waterway (Onslow)	Shrimp, White	44,197	1
	Mullet, Striped	42,718	2
	Blue Crabs, Hard	***	3
	Clams, Hard	17,026	4
	Shrimp, Brown	12,295	5
Lockwood Folly	Blue Crabs, Hard	***	1
	Oysters	17,121	2
	Clams, Hard	12,527	3
	Mullet, Striped	5,442	4
	Spot	2,936	5
Masonboro Sound	Blue Crabs, Hard	171,480	1
	Mullet, Striped	30,596	2
	Flounder, Southern	27,553	3
	Spot	20,384	4
	Oysters	18,875	5
Neuse River	Blue Crabs, Hard	1,546,790	1
	Mullet, Striped	254,548	2
	Menhaden, Atlantic	119,885	3
	Shrimp, Brown	77,242	4
	Flounder, Southern	73,926	5
New River	Clams, Hard	160,841	1
	Blue Crabs, Hard	152,975	2
	Shrimp, White	128,929	3
	Mullet, Striped	85,131	4
	Flounder, Southern	49,612	5
Newport River	Shrimp, White	177,047	1
	Blue Crabs, Hard	86,738	2
	Clams, Hard	31,548	3
	Shrimp, Brown	21,905	4
	Oysters	18,299	5
North River/Back Sound	Shrimp, White	249,397	1
	Oysters	65,531	2
	Blue Crabs, Hard	64,184	3
	Clams, Hard	21,432	4
	Spot	11,590	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	574,085	1
	Bluefish	168,947	2
	Spot	144,518	3
	Flounder, Summer	123,061	4
	Mackerel, Spanish	107,298	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2006			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, S of Cape Hatt	Shrimp, White	1,329,465	1
	Shrimp, Brown	496,727	2
	Kingfishes	384,092	3
	Mullet, Striped	267,342	4
	Mackerel, King	248,939	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	9,533,146	1
	Flounder, Summer	3,838,302	2
	Bluefish	2,181,472	3
	Tunas	1,633,451	4
	Shellfish,Other	1,085,216	5
Ocean >3 mi, S of Cape Hatt	Mackerel, King	881,058	1
	Groupers	693,613	2
	Sea Basses	440,320	3
	Snappers	345,071	4
	Swordfish	312,243	5
Ocean less than 3 miles	Blue Crabs, Hard	***	1
	Shellfish,Other	***	2
Pamlico River	Blue Crabs, Hard	2,637,918	1
	Mullet, Striped	79,826	2
	Flounder, Southern	79,484	3
	Blue Crabs, Peeler	51,306	4
	Perch, White	16,258	5
Pamlico Sound	Blue Crabs, Hard	2,409,507	1
	Shrimp, White	1,315,718	2
	Shrimp, Brown	1,122,509	3
	Flounder, Southern	685,285	4
	Menhaden, Atlantic	310,300	5
Pasquotank River	Catfishes	14,361	1
	Blue Crabs, Hard	***	2
	Spot	***	3
	Perch, White	***	4
	Flounder, Southern	***	5
Perquimans River	Blue Crabs, Hard	18,967	1
	Flounder, Southern	***	2
	Shad, American	***	3
	Catfishes	4,429	4
	Perch, Yellow	3,606	5
Pungo River	Blue Crabs, Hard	1,219,434	1
	Menhaden, Atlantic	44,647	2
	Catfishes	32,339	3
	Flounder, Southern	17,655	4
	Perch, White	6,861	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2006			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	25,387	1
	Perch, White	5,264	2
	Shellfish, Other	***	3
	Shad, Gizzard	***	4
	Mullet, Striped	***	5
Roanoke Sound	Blue Crabs, Hard	566,325	1
	Blue Crabs, Soft	138,366	2
	Spot	93,501	3
	Flounder, Southern	35,812	4
	Croaker, Atlantic	28,744	5
Shallotte River	Clams, Hard	31,787	1
	Blue Crabs, Hard	26,413	2
	Oysters	13,899	3
	Spot	2,310	4
	Mullet, Striped	1,560	5
Stump Sound	Blue Crabs, Hard	94,081	1
	Oysters	43,691	2
	Shrimp, White	8,407	3
	Flounder, Southern	7,892	4
	Clams, Hard	7,662	5
Topsail Sound	Blue Crabs, Hard	164,243	1
	Oysters	53,167	2
	Spot	38,902	3
	Mullet, Striped	27,051	4
	Flounder, Southern	23,170	5
White Oak River	Shrimp, White	58,582	1
	Blue Crabs, Hard	29,088	2
	Flounder, Southern	15,451	3
	Blue Crabs, Peeler	***	4
	Spot	10,755	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2005			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	7,736,515	1
	Flounder, Southern	453,009	2
	Blue Crabs, Peeler	323,771	3
	Mullet, Striped	292,362	4
	Blue Crabs, Soft	276,696	5
Alligator River	Blue Crabs, Hard	348,643	1
	Blue Crabs, Peeler	21,360	2
	Mullet, Striped	6,707	3
	Catfishes	6,412	4
	Herring, River	2,666	5
Back Bay (VA)	Blue Crabs, Hard	***	1
Bay River	Blue Crabs, Hard	338,781	1
	Flounder, Southern	17,483	2
	Blue Crabs, Peeler	10,249	3
	Seatrout, Spotted	6,440	4
	Mullet, Striped	6,195	5
Bogue Sound	Blue Crabs, Hard	156,740	1
	Mullet, Striped	32,186	2
	Flounder, Southern	30,594	3
	Clams, Hard	23,448	4
	Oysters	14,126	5
Cape Fear River	Blue Crabs, Hard	488,545	1
	Shrimp, White	43,464	2
	Flounder, Southern	27,278	3
	Shad, American	17,310	4
	Blue Crabs, Peeler	16,862	5
Chowan River	Herring, River	157,087	1
	Catfishes	103,870	2
	Shad, Gizzard	57,777	3
	Perch, White	10,316	4
	Blue Crabs, Hard	9,178	5
Core Sound	Blue Crabs, Hard	636,963	1
	Spot	311,251	2
	Shrimp, Brown	283,541	3
	Menhaden, Atlantic	250,346	4
	Flounder, Southern	246,161	5
Croatan Sound	Blue Crabs, Hard	485,364	1
	Blue Crabs, Peeler	158,442	2
	Blue Crabs, Soft	129,978	3
	Mullet, Striped	113,546	4
	Flounder, Southern	83,499	5
Currituck Sound	Blue Crabs, Hard	695,372	1
	Blue Crabs, Peeler	135,390	2
	Flounder, Southern	97,936	3
	Blue Crabs, Soft	15,494	4
	Eel, American	14,526	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2005			
Waterbody	Species	Pounds	Rank
Inland Waterway	Mullet, Striped	22,505	1
	Blue Crabs, Hard	6,104	2
	Shrimp, White	5,208	3
	Shrimp, Brown	3,980	4
	Shrimp, Unclassified	***	5
Inland Waterway (Brunswick)	Blue Crabs, Hard	142,695	1
	Shrimp, White	10,520	2
	Shrimp, Brown	5,645	3
	Mullet, Striped	4,205	4
	Spot	3,032	5
Inland Waterway (Onslow)	Clams, Hard	31,741	1
	Mullet, Striped	30,274	2
	Blue Crabs, Hard	29,703	3
	Shrimp, Brown	28,472	4
	Shrimp, White	16,516	5
Lockwood Folly	Blue Crabs, Hard	17,930	1
	Oysters	12,849	2
	Clams, Hard	8,161	3
	Mullet, Striped	4,607	4
	Flounder, Southern	1,979	5
Masonboro Sound	Blue Crabs, Hard	188,508	1
	Spot	44,764	2
	Oysters	22,615	3
	Clams, Hard	20,525	4
	Flounder, Southern	19,510	5
Neuse River	Blue Crabs, Hard	2,082,635	1
	Mullet, Striped	165,547	2
	Shrimp, Brown	108,227	3
	Flounder, Southern	66,823	4
	Shad, Hickory	57,353	5
New River	Blue Crabs, Hard	213,681	1
	Clams, Hard	158,894	2
	Oysters	40,421	3
	Shrimp, White	35,783	4
	Mullet, Striped	29,095	5
Newport River	Blue Crabs, Hard	259,524	1
	Shrimp, Brown	50,137	2
	Clams, Hard	38,679	3
	Shrimp, White	19,093	4
	Oysters	16,179	5
North River/Back Sound	Blue Crabs, Hard	97,307	1
	Shrimp, Brown	73,671	2
	Spot	57,482	3
	Oysters	35,918	4
	Flounder, Southern	14,775	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2005			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,305,103	1
	Striped Bass	361,515	2
	Spot	143,288	3
	Bluefish	141,037	4
	Mackerel, Spanish	102,052	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	11,934,768	1
	Shrimp, White	565,943	2
	Croaker, Atlantic	393,629	3
	Sharks, Dogfishes	345,984	4
	Shrimp, Brown	332,753	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	9,229,831	1
	Flounder, Summer	3,991,768	2
	Bluefish	2,062,275	3
	Shellfish,Other	1,556,524	4
	Tunas	887,814	5
Ocean >3 mi, S of Cape Hatt	Mackerel, King	899,857	1
	Croaker, Atlantic	873,192	2
	Groupers	569,284	3
	Snappers	432,698	4
	Tunas	353,608	5
Ocean less than 3 miles	Blue Crabs, Hard	***	1
	Shellfish,Other	***	2
Pamlico River	Blue Crabs, Hard	3,495,335	1
	Flounder, Southern	87,684	2
	Mullet, Striped	64,536	3
	Blue Crabs, Peeler	36,957	4
	Catfishes	23,956	5
Pamlico Sound	Blue Crabs, Hard	4,040,450	1
	Menhaden, Atlantic	720,149	2
	Flounder, Southern	584,779	3
	Shrimp, Brown	555,460	4
	Mullet, Striped	350,214	5
Pasquotank River	Catfishes	***	1
	Blue Crabs, Peeler	***	2
	Blue Crabs, Hard	***	3
	Perch, Yellow	***	4
Perquimans River	Catfishes	7,351	1
	Herring, River	6,484	2
	Perch, Yellow	4,124	3
	Blue Crabs, Hard	***	4
	Flounder, Southern	1,804	5
Pungo River	Blue Crabs, Hard	1,073,772	1
	Menhaden, Atlantic	36,712	2
	Flounder, Southern	23,479	3
	Catfishes	17,064	4
	Mullet, Striped	11,356	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2005			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	48,153	1
	Shellfish, Other	***	2
	Herring, River	***	3
	Perch, White	***	4
	Flounder, Southern	***	5
Roanoke Sound	Blue Crabs, Hard	608,747	1
	Blue Crabs, Soft	244,392	2
	Spot	171,405	3
	Mullet, Striped	54,829	4
	Blue Crabs, Peeler	33,721	5
Shallotte River	Blue Crabs, Hard	44,279	1
	Clams, Hard	18,309	2
	Oysters	10,464	3
	Spot	8,640	4
	Mullet, Striped	1,944	5
Stump Sound	Blue Crabs, Hard	114,455	1
	Oysters	40,375	2
	Shrimp, Brown	10,727	3
	Clams, Hard	5,545	4
	Shrimp, White	5,477	5
Topsail Sound	Blue Crabs, Hard	151,431	1
	Spot	107,959	2
	Oysters	40,307	3
	Mullet, Striped	16,603	4
	Shrimp, Brown	15,499	5
White Oak River	Blue Crabs, Hard	95,667	1
	Blue Crabs, Peeler	14,389	2
	Flounder, Southern	12,380	3
	Spot	7,561	4
	Clams, Hard	6,732	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2004			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	9,567,626	1
	Flounder, Southern	522,304	2
	Blue Crabs, Peeler	261,677	3
	Blue Crabs, Soft	236,869	4
	Catfishes	195,925	5
Alligator River	Blue Crabs, Hard	356,474	1
	Blue Crabs, Peeler	17,263	2
	Catfishes	16,716	3
	Mullet, Striped	2,536	4
	Herring, River	***	5
Back Bay (VA)	Blue Crabs, Hard	***	1
Bay River	Blue Crabs, Hard	415,389	1
	Flounder, Southern	11,971	2
	Mullet, Striped	11,402	3
	Blue Crabs, Peeler	10,062	4
	Menhaden, Atlantic	***	5
Bogue Sound	Blue Crabs, Hard	159,558	1
	Spot	42,175	2
	Clams, Hard	41,047	3
	Flounder, Southern	39,801	4
	Mullet, Striped	33,654	5
Cape Fear River	Blue Crabs, Hard	499,891	1
	Clams, Hard	35,175	2
	Shrimp, White	32,046	3
	Flounder, Southern	28,908	4
	Shad, American	28,769	5
Chowan River	Catfishes	91,001	1
	Herring, River	77,177	2
	Shad, Gizzard	62,119	3
	Perch, White	7,495	4
	Menhaden, Atlantic	***	5
Core Sound	Blue Crabs, Hard	833,165	1
	Spot	511,511	2
	Flounder, Southern	350,925	3
	Menhaden, Atlantic	323,947	4
	Mullet, Striped	207,817	5
Croatan Sound	Blue Crabs, Hard	853,171	1
	Blue Crabs, Peeler	146,568	2
	Striped Bass	102,536	3
	Blue Crabs, Soft	94,813	4
	Flounder, Southern	94,186	5
Currituck Sound	Blue Crabs, Hard	1,970,820	1
	Blue Crabs, Peeler	83,980	2
	Flounder, Southern	75,670	3
	Eel, American	26,841	4
	Catfishes	20,113	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2004			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	73,445	1
	Mullet, Striped	33,403	2
	Shrimp, White	10,670	3
	Spot	7,054	4
	Shrimp, Brown	2,578	5
Inland Waterway (Brunswick)	Blue Crabs, Hard	52,673	1
	Clams, Hard	5,751	2
	Shrimp, White	5,055	3
	Spot	3,390	4
	Flounder, Southern	2,695	5
Inland Waterway (Onslow)	Blue Crabs, Hard	62,980	1
	Clams, Hard	36,838	2
	Mullet, Striped	31,045	3
	Spot	15,969	4
	Shrimp, Brown	14,242	5
Lockwood Folly	Oysters	20,224	1
	Blue Crabs, Hard	15,804	2
	Clams, Hard	10,844	3
	Mullet, Striped	3,090	4
	Flounder, Southern	1,512	5
Masonboro Sound	Blue Crabs, Hard	114,737	1
	Spot	41,756	2
	Clams, Hard	27,135	3
	Oysters	21,316	4
	Flounder, Southern	19,109	5
Neuse River	Blue Crabs, Hard	2,245,031	1
	Mullet, Striped	173,455	2
	Flounder, Southern	91,612	3
	Shrimp, Brown	73,550	4
	Shad, Hickory	52,967	5
New River	Blue Crabs, Hard	249,932	1
	Clams, Hard	166,217	2
	Shrimp, White	120,957	3
	Flounder, Southern	74,822	4
	Mullet, Striped	55,255	5
Newport River	Blue Crabs, Hard	234,184	1
	Shrimp, White	96,256	2
	Clams, Hard	50,493	3
	Spot	37,759	4
	Shrimp, Brown	27,514	5
North River/Back Sound	Blue Crabs, Hard	132,832	1
	Spot	108,068	2
	Shrimp, White	83,393	3
	Shrimp, Brown	38,069	4
	Oysters	26,847	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2004			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,478,831	1
	Bluefish	414,198	2
	Striped Bass	332,504	3
	Goosefish	283,553	4
	Spot	205,548	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	49,553,748	1
	Shrimp, White	874,869	2
	Croaker, Atlantic	746,417	3
	Shrimp, Brown	658,259	4
	Sharks, Dogfishes	603,420	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	9,229,755	1
	Flounder, Summer	4,716,923	2
	Shellfish,Other	2,712,439	3
	Bluefish	2,695,680	4
	Tunas	817,714	5
Ocean >3 mi, S of Cape Hatt	Mackerel, King	793,455	1
	Groupers	582,440	2
	Tunas	567,022	3
	Sharks	524,682	4
	Sea Basses	505,850	5
Ocean less than 3 miles	Blue Crabs, Hard	6,405	1
	Shellfish,Other	659	2
	Sea Basses	***	3
	Blue Crabs, Peeler	***	4
	Flounder, Summer	***	5
Ocean more than 3 miles	Sharks	***	1
Pamlico River	Blue Crabs, Hard	3,849,922	1
	Mullet, Striped	143,583	2
	Flounder, Southern	127,682	3
	Blue Crabs, Peeler	27,129	4
	Catfishes	25,286	5
Pamlico Sound	Blue Crabs, Hard	8,473,910	1
	Shrimp, Brown	1,602,778	2
	Flounder, Southern	848,669	3
	Shrimp, White	442,449	4
Pamlico Sound	Mullet, Striped	357,368	5
Pasquotank River	Blue Crabs, Peeler	***	1
	Eel, American	***	2
	Blue Crabs, Hard	684	3
	Flounder, Southern	***	4
	Catfishes	***	5
Perquimans River	Herring, River	11,824	1
	Shad, American	10,396	2
	Catfishes	6,629	3
	Perch, Yellow	4,174	4
	Flounder, Southern	3,670	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2004			
Waterbody	Species	Pounds	Rank
Pungo River	Blue Crabs, Hard	1,343,181	1
	Flounder, Southern	34,527	2
	Catfishes	33,705	3
	Menhaden, Atlantic	14,531	4
	Mullet, Striped	13,727	5
Roanoke River	Catfishes	14,342	1
	Shellfish, Other	***	2
	Herring, River	***	3
	Perch, White	***	4
	Perch, Yellow	***	5
Roanoke Sound	Blue Crabs, Hard	724,601	1
	Blue Crabs, Soft	187,517	2
	Spot	137,804	3
	Flounder, Southern	49,808	4
	Mullet, Striped	49,080	5
Shallotte River	Blue Crabs, Hard	45,941	1
	Clams, Hard	20,268	2
	Oysters	19,687	3
	Spot	4,356	4
	Flounder, Southern	1,923	5
Stump Sound	Blue Crabs, Hard	98,033	1
	Oysters	49,551	2
	Mullet, Striped	11,974	3
	Shrimp, White	8,180	4
	Clams, Hard	7,305	5
Topsail Sound	Spot	110,364	1
	Blue Crabs, Hard	108,140	2
	Oysters	40,400	3
	Mullet, Striped	20,429	4
	Flounder, Southern	17,723	5
White Oak River	Blue Crabs, Hard	96,070	1
	Shrimp, White	58,968	2
	Spot	30,959	3
	Clams, Hard	15,350	4
	Blue Crabs, Peeler	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2003			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	12,783,193	1
	Perch, White	386,481	2
	Flounder, Southern	363,200	3
	Mullet, Striped	336,464	4
	Shad, American	233,318	5
Alligator River	Blue Crabs, Hard	2,474,712	1
	Blue Crabs, Peeler	46,441	2
	Perch, White	10,272	3
	Herring, River	7,387	4
	Catfishes	5,292	5
Bay River	Blue Crabs, Hard	484,341	1
	Menhaden, Atlantic	***	2
	Seatrout, Spotted	22,678	3
	Mullet, Striped	19,120	4
	Blue Crabs, Peeler	13,133	5
Bogue Sound	Blue Crabs, Hard	241,760	1
	Shrimp, Brown	114,744	2
	Spot	44,868	3
	Clams, Hard	36,797	4
	Flounder, Southern	32,976	5
Cape Fear River	Blue Crabs, Hard	422,513	1
	Shrimp, White	99,401	2
	Clams, Hard	52,833	3
	Shad, American	34,540	4
	Flounder, Southern	23,245	5
Chowan River	Shad, Gizzard	110,368	1
	Catfishes	94,412	2
	Herring, River	84,591	3
	Perch, White	24,805	4
	Striped Bass	12,474	5
Core Sound	Blue Crabs, Hard	1,173,043	1
	Shrimp, Brown	682,709	2
	Spot	467,463	3
	Menhaden, Atlantic	417,926	4
	Flounder, Southern	234,776	5
Croatan Sound	Blue Crabs, Hard	768,840	1
	Flounder, Southern	111,291	2
	Spot	92,021	3
	Striped Bass	79,687	4
	Menhaden, Atlantic	74,289	5
Currituck Sound	Blue Crabs, Hard	2,177,062	1
	Blue Crabs, Peeler	113,688	2
	Flounder, Southern	73,904	3
	Eel, American	54,706	4
	Perch, White	34,031	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2003			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	163,038	1
	Shrimp, White	22,930	2
	Shrimp, Brown	21,541	3
	Flounder, Southern	8,204	4
	Spot	7,986	5
Inland Waterway (Brunswick)	Blue Crabs, Hard	30,850	1
	Shrimp, White	14,829	2
	Spot	5,971	3
	Shrimp, Brown	3,319	4
	Clams, Hard	3,313	5
Inland Waterway (Onslow)	Blue Crabs, Hard	86,096	1
	Mullet, Striped	35,456	2
	Clams, Hard	29,460	3
	Shrimp, Brown	18,171	4
	Shrimp, White	13,454	5
Lockwood Folly	Blue Crabs, Hard	41,364	1
	Oysters	20,758	2
	Clams, Hard	13,150	3
	Mullet, Striped	2,284	4
	Spot	1,852	5
Masonboro Sound	Blue Crabs, Hard	146,496	1
	Spot	42,996	2
	Flounder, Southern	26,755	3
	Clams, Hard	22,523	4
	Oysters	17,294	5
Neuse River	Blue Crabs, Hard	1,743,801	1
	Mullet, Striped	270,656	2
	Menhaden, Atlantic	190,350	3
	Flounder, Southern	125,280	4
	Shrimp, Brown	99,077	5
New River	Blue Crabs, Hard	298,954	1
	Clams, Hard	161,944	2
	Shrimp, White	129,863	3
	Flounder, Southern	115,529	4
	Shrimp, Brown	91,506	5
Newport River	Blue Crabs, Hard	247,149	1
	Shrimp, Brown	97,760	2
	Shrimp, White	42,616	3
	Clams, Hard	35,468	4
	Spot	23,886	5
North River/Back Sound	Blue Crabs, Hard	114,639	1
	Shrimp, Brown	86,595	2
	Shrimp, White	26,824	3
	Oysters	18,477	4
	Flounder, Southern	10,182	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2003			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,760,601	1
	Flounder, Summer	381,332	2
	Goosefish	202,749	3
	Bluefish	187,569	4
	Striped Bass	97,355	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	47,285,353	1
	Shrimp, Brown	1,360,824	2
	Shrimp, White	587,746	3
	Kingfishes	473,599	4
	Spot	398,473	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	11,488,335	1
	Flounder, Summer	3,173,392	2
	Bluefish	2,397,480	3
	Shellfish, Other	884,124	4
	Tunas	548,314	5
Ocean >3 mi, S of Cape Hatt	Croaker, Atlantic	823,221	1
	Sharks	778,357	2
	Groupers	641,385	3
	Mackerel, King	636,610	4
	Sea Basses	475,470	5
Ocean less than 3 miles	Blue Crabs, Hard	8,726	1
	Shellfish, Other	277	2
	Blue Crabs, Peeler	***	3
Pamlico River	Blue Crabs, Hard	3,408,471	1
	Flounder, Southern	187,085	2
	Mullet, Striped	174,347	3
	Blue Crabs, Peeler	33,370	4
	Seatrout, Spotted	26,554	5
Pamlico Sound	Blue Crabs, Hard	10,917,974	1
	Shrimp, Brown	1,991,780	2
	Flounder, Southern	740,141	3
	Menhaden, Atlantic	511,128	4
	Bluefish	419,456	5
Pasquotank River	Blue Crabs, Hard	10,386	1
	Blue Crabs, Peeler	4,110	2
	Spot	***	3
	Mullet, Striped	1,487	4
	Perch, White	737	5
Perquimans River	Catfishes	23,456	1
	Perch, Yellow	23,342	2
	Herring, River	15,639	3
	Perch, White	13,036	4
	Shad, American	7,487	5
Pungo River	Blue Crabs, Hard	1,428,006	1
	Menhaden, Atlantic	***	2
	Flounder, Southern	28,625	3
	Mullet, Striped	15,450	4
	Blue Crabs, Peeler	4,068	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2003			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	***	1
	Flounder, Southern	***	2
	Perch, White	***	3
Roanoke Sound	Blue Crabs, Hard	2,074,428	1
	Blue Crabs, Soft	179,947	2
	Spot	93,958	3
	Blue Crabs, Peeler	59,228	4
	Flounder, Southern	31,188	5
Shalotte River	Blue Crabs, Hard	26,864	1
	Oysters	26,511	2
	Clams, Hard	22,309	3
	Shrimp, White	***	4
	Mullet, Striped	2,331	5
Stump Sound	Blue Crabs, Hard	111,539	1
	Oysters	31,367	2
	Shrimp, Brown	11,997	3
	Shrimp, White	9,877	4
	Flounder, Southern	9,803	5
Topsail Sound	Blue Crabs, Hard	112,107	1
	Spot	74,127	2
	Oysters	34,489	3
	Clams, Hard	26,112	4
	Shrimp, White	21,743	5
White Oak River	Blue Crabs, Hard	143,504	1
	Shrimp, White	43,159	2
	Flounder, Southern	23,086	3
	Clams, Hard	22,442	4
	Spot	14,723	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2002			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	15,605,382	1
	Flounder, Southern	665,861	2
	Mullet, Striped	328,746	3
	Blue Crabs, Soft	254,392	4
	Perch, White	187,848	5
Alligator River	Blue Crabs, Hard	2,176,081	1
	Blue Crabs, Peeler	40,842	2
	Catfishes	18,607	3
	Perch, White	15,163	4
	Herring, River	9,905	5
Bay River	Blue Crabs, Hard	418,196	1
	Mullet, Striped	36,686	2
	Seatrout, Spotted	14,456	3
	Shrimp, Brown	14,070	4
	Flounder, Southern	12,994	5
Bogue Sound	Mullet, Striped	130,381	1
	Blue Crabs, Hard	89,103	2
	Spot	48,669	3
	Clams, Hard	39,456	4
	Shrimp, White	25,853	5
Cape Fear River	Blue Crabs, Hard	629,164	1
	Shrimp, White	80,739	2
	Clams, Hard	38,270	3
	Flounder, Southern	28,156	4
	Blue Crabs, Peeler	21,820	5
Chowan River	Shad, Gizzard	170,151	1
	Catfishes	108,645	2
	Herring, River	93,048	3
	Blue Crabs, Hard	48,376	4
	Perch, White	28,591	5
Core Sound	Menhaden, Atlantic	1,270,761	1
	Blue Crabs, Hard	419,014	2
	Spot	414,138	3
	Shrimp, Pink	389,850	4
	Flounder, Southern	344,339	5
Croatan Sound	Blue Crabs, Hard	748,566	1
	Mullet, Striped	196,331	2
	Menhaden, Atlantic	177,420	3
	Flounder, Southern	144,176	4
	Spot	89,305	5
Currituck Sound	Blue Crabs, Hard	2,498,507	1
	Flounder, Southern	160,312	2
	Blue Crabs, Peeler	68,846	3
	Catfishes	35,824	4
	Blue Crabs, Soft	20,433	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2002			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	192,988	1
	Mullet, Striped	77,569	2
	Spot	69,791	3
	Shrimp, White	35,303	4
	Clams, Hard	26,855	5
Inland Waterway (Brunswick)	Oysters	926	1
	Spot	***	2
	Clams, Hard	758	3
	Mullet, Striped	***	4
	Kingfishes	***	5
Inland Waterway (Onslow)	Mullet, Striped	***	1
	Clams, Hard	8,609	2
	Shrimp, White	2,966	3
	Oysters	194	4
	Seatrout, Spotted	***	5
Lockwood Folly	Oysters	20,283	1
	Clams, Hard	12,865	2
	Blue Crabs, Hard	6,916	3
	Mullet, Striped	3,945	4
	Spot	1,607	5
Masonboro Sound	Blue Crabs, Hard	134,379	1
	Spot	36,439	2
	Flounder, Southern	23,657	3
	Clams, Hard	20,411	4
	Oysters	18,329	5
Neuse River	Blue Crabs, Hard	1,348,704	1
	Mullet, Striped	344,416	2
	Menhaden, Atlantic	163,233	3
	Shrimp, Brown	162,861	4
	Flounder, Southern	132,204	5
New River	Shrimp, White	309,104	1
	Blue Crabs, Hard	281,726	2
	Clams, Hard	179,171	3
	Flounder, Southern	123,678	4
	Shrimp, Brown	81,500	5
Newport River	Shrimp, White	206,125	1
	Blue Crabs, Hard	195,980	2
	Shrimp, Brown	82,322	3
	Mullet, Striped	69,206	4
	Clams, Hard	46,177	5
North River/Back Sound	Shrimp, White	155,024	1
	Blue Crabs, Hard	38,415	2
	Shrimp, Brown	26,765	3
	Clams, Hard	11,596	4
	Flounder, Southern	8,111	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2002			
Waterbody	Species	Pounds	Rank
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,753,854	1
	Menhaden, Atlantic	971,047	2
	Flounder, Summer	714,323	3
	Weakfish	544,934	4
	Striped Bass	263,213	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	64,192,768	1
	Herring, Thread	***	2
	Shrimp, White	696,326	3
	Spot	605,563	4
	Shrimp, Brown	531,956	5
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	7,400,141	1
	Flounder, Summer	3,375,524	2
	Bluefish	1,573,229	3
	Menhaden, Atlantic	1,188,525	4
	Weakfish	696,561	5
Ocean >3 mi, S of Cape Hatt	Sharks	1,013,866	1
	Groupers	682,242	2
	Croaker, Atlantic	673,667	3
	Mackerel, King	607,307	4
	Menhaden, Atlantic	584,058	5
Ocean less than 3 miles	Blue Crabs, Hard	***	1
	Shellfish, Other	***	2
Pamlico River	Blue Crabs, Hard	2,946,023	1
	Mullet, Striped	173,220	2
	Flounder, Southern	163,767	3
	Shrimp, Brown	102,185	4
	Blue Crabs, Peeler	30,198	5
Pamlico Sound	Blue Crabs, Hard	5,324,600	1
	Shrimp, Brown	4,618,086	2
	Flounder, Southern	1,426,777	3
	Shrimp, White	666,338	4
	Shrimp, Unclassified	519,071	5
Pasquotank River	Blue Crabs, Hard	***	1
	Mullet, Striped	***	2
	Blue Crabs, Peeler	***	3
	Spot	***	4
	Flounder, Southern	***	5
Perquimans River	Perch, Yellow	25,856	1
	Blue Crabs, Hard	14,813	2
	Herring, River	9,243	3
	Perch, White	7,283	4
	Catfishes	5,096	5
Pungo River	Blue Crabs, Hard	1,463,293	1
	Menhaden, Atlantic	34,067	2
	Mullet, Striped	16,792	3
	Flounder, Southern	15,467	4
	Shrimp, Brown	7,805	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2002			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	***	1
	Shad, Gizzard	***	2
	Perch, White	***	3
	Shad, Hickory	***	4
	Mullet, Striped	***	5
Roanoke Sound	Blue Crabs, Hard	1,487,061	1
	Blue Crabs, Soft	214,033	2
	Flounder, Southern	77,598	3
	Blue Crabs, Peeler	61,049	4
	Spot	30,869	5
Shalotte River	Blue Crabs, Hard	34,858	1
	Clams, Hard	25,335	2
	Oysters	20,361	3
	Shrimp, White	***	4
	Flounder, Southern	1,728	5
Stump Sound	Blue Crabs, Hard	92,380	1
	Oysters	39,820	2
	Shrimp, White	34,662	3
	Shrimp, Brown	10,885	4
	Clams, Hard	9,564	5
Topsail Sound	Blue Crabs, Hard	76,708	1
	Spot	42,052	2
	Oysters	41,715	3
	Clams, Hard	27,345	4
	Shrimp, White	9,462	5
White Oak River	Blue Crabs, Hard	149,058	1
	Shrimp, White	130,878	2
	Clams, Hard	28,983	3
	Flounder, Southern	20,794	4
	Blue Crabs, Peeler	17,522	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2001			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	9,747,116	1
	Flounder, Southern	909,970	2
	Blue Crabs, Soft	391,407	3
	Blue Crabs, Peeler	373,693	4
	Mullet, Striped	255,632	5
Alligator River	Blue Crabs, Hard	984,321	1
	Blue Crabs, Peeler	34,337	2
	Catfishes	29,102	3
	Herring, River	7,626	4
	Mullet, Striped	6,168	5
Bay River	Blue Crabs, Hard	501,631	1
	Mullet, Striped	45,180	2
	Flounder, Southern	16,269	3
	Blue Crabs, Peeler	13,998	4
	Seatrout, Spotted	9,587	5
Bogue Sound	Mullet, Striped	165,507	1
	Blue Crabs, Hard	159,684	2
	Spot	85,148	3
	Clams, Hard	44,183	4
	Flounder, Southern	23,713	5
Cape Fear River	Blue Crabs, Hard	541,097	1
	Blue Crabs, Peeler	28,497	2
	Flounder, Southern	22,235	3
	Clams, Hard	20,264	4
	Mullet, Striped	17,062	5
Chowan River	Herring, River	201,717	1
	Catfishes	195,940	2
	Shad, Gizzard	190,762	3
	Perch, White	27,280	4
	Striped Bass	9,948	5
Core Sound	Menhaden, Atlantic	947,331	1
	Spot	873,152	2
	Blue Crabs, Hard	820,518	3
	Flounder, Southern	306,129	4
	Shrimp, Brown	305,471	5
Croatan Sound	Blue Crabs, Hard	743,605	1
	Mullet, Striped	152,849	2
	Flounder, Southern	147,395	3
	Blue Crabs, Peeler	134,238	4
	Menhaden, Atlantic	110,184	5
Currituck Sound	Blue Crabs, Hard	1,236,333	1
	Flounder, Southern	151,748	2
	Blue Crabs, Peeler	73,675	3
	Catfishes	46,003	4
	Perch, White	42,068	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2001			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	225,525	1
	Mullet, Striped	148,921	2
	Spot	81,193	3
	Clams, Hard	44,904	4
	Shrimp, Brown	36,020	5
Lockwood Folly	Clams, Hard	28,575	1
	Blue Crabs, Hard	19,906	2
	Oysters	18,824	3
	Mullet, Striped	5,540	4
	Spot	1,401	5
Masonboro Sound	Blue Crabs, Hard	132,361	1
	Spot	33,916	2
	Clams, Hard	31,320	3
	Oysters	23,004	4
	Mullet, Striped	18,921	5
Neuse River	Blue Crabs, Hard	1,542,024	1
	Mullet, Striped	197,037	2
	Flounder, Southern	97,280	3
	Menhaden, Atlantic	73,264	4
	Shad, Hickory	43,277	5
New River	Blue Crabs, Hard	411,811	1
	Clams, Hard	139,482	2
	Flounder, Southern	84,635	3
	Shrimp, Brown	71,630	4
	Shrimp, White	62,964	5
Newport River	Blue Crabs, Hard	201,491	1
	Shrimp, White	130,909	2
	Clams, Hard	77,394	3
	Shrimp, Brown	43,954	4
	Mullet, Striped	33,647	5
North River/Back Sound	Shrimp, White	53,827	1
	Blue Crabs, Hard	40,166	2
	Shrimp, Brown	17,285	3
	Clams, Hard	12,668	4
	Spot	9,998	5
Ocean 0-3 mi, N of Cape Hatt	Menhaden, Atlantic	9,798,082	1
	Croaker, Atlantic	2,484,782	2
	Bluefish	457,930	3
	Flounder, Summer	325,054	4
	Weakfish	318,480	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	43,906,760	1
	Croaker, Atlantic	1,197,216	2
	Spot	1,096,078	3
	Shrimp, Brown	790,288	4
	Weakfish	614,360	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2001			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	7,263,907	1
	Bluefish	2,581,335	2
	Flounder, Summer	2,015,342	3
	Tunas	1,282,213	4
	Shellfish,Other	553,524	5
Ocean >3 mi, S of Cape Hatt	Croaker, Atlantic	791,721	1
	Mackerel, King	622,772	2
	Sharks	590,369	3
	Groupers	547,520	4
	Snappers	522,815	5
Ocean less than 3 miles	Sharks, Dogfishes	***	1
	Blue Crabs, Hard	***	2
	Shellfish,Other	***	3
	Spot	***	4
	Kingfishes	***	5
Pamlico River	Blue Crabs, Hard	2,070,166	1
	Mullet, Striped	215,149	2
	Flounder, Southern	136,897	3
	Blue Crabs, Peeler	25,949	4
	Menhaden, Atlantic	21,232	5
Pamlico Sound	Blue Crabs, Hard	7,438,597	1
	Shrimp, Brown	2,495,245	2
	Flounder, Southern	1,398,512	3
	Menhaden, Atlantic	825,050	4
	Spot	415,267	5
Pasquotank River	Blue Crabs, Hard	***	1
	Flounder, Southern	18,145	2
	Blue Crabs, Peeler	12,861	3
	Catfishes	11,217	4
	Mullet, Striped	10,162	5
Perquimans River	Perch, Yellow	27,350	1
	Herring, River	5,770	2
	Catfishes	5,585	3
	Blue Crabs, Hard	***	4
	Shad, Gizzard	***	5
Pungo River	Blue Crabs, Hard	858,835	1
	Menhaden, Atlantic	73,971	2
	Flounder, Southern	31,847	3
	Mullet, Striped	12,267	4
	Catfishes	11,676	5
Roanoke River	Catfishes	***	1
	Shad, Gizzard	***	2
	Herring, River	***	3
	Menhaden, Atlantic	***	4
	Perch, White	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2001			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	1,802,418	1
	Blue Crabs, Soft	292,165	2
	Flounder, Southern	89,486	3
	Blue Crabs, Peeler	84,895	4
	Mullet, Striped	45,895	5
Shalotte River	Blue Crabs, Hard	46,122	1
	Clams, Hard	45,303	2
	Oysters	24,265	3
	Spot	5,458	4
	Shrimp, White	***	5
Stump Sound	Blue Crabs, Hard	102,067	1
	Oysters	49,155	2
	Clams, Hard	17,957	3
	Shrimp, White	8,898	4
	Flounder, Southern	5,815	5
Topsail Sound	Blue Crabs, Hard	108,640	1
	Spot	67,623	2
	Clams, Hard	43,996	3
	Oysters	33,712	4
	Mullet, Striped	26,010	5
White Oak River	Blue Crabs, Hard	153,323	1
	Shrimp, White	56,218	2
	Clams, Hard	49,154	3
	Mullet, Striped	30,698	4
	Blue Crabs, Peeler	19,557	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2000			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	12,565,314	1
	Flounder, Southern	842,136	2
	Blue Crabs, Soft	354,947	3
	Mullet, Striped	323,854	4
	Blue Crabs, Peeler	250,477	5
Alligator River	Blue Crabs, Hard	1,542,430	1
	Blue Crabs, Peeler	41,045	2
	Catfishes	22,230	3
	Mullet, Striped	13,926	4
	Perch, White	8,442	5
Bay River	Blue Crabs, Hard	1,140,150	1
	Mullet, Striped	47,770	2
	Seatrout, Spotted	39,122	3
	Shrimp, Brown	35,179	4
	Flounder, Southern	17,680	5
Bogue Sound	Blue Crabs, Hard	212,494	1
	Mullet, Striped	158,882	2
	Spot	100,617	3
	Clams, Hard	32,603	4
	Flounder, Southern	28,859	5
Cape Fear River	Blue Crabs, Hard	573,289	1
	Shrimp, White	45,087	2
	Mullet, Striped	25,852	3
	Flounder, Southern	24,297	4
	Blue Crabs, Peeler	20,759	5
Chowan River	Catfishes	408,536	1
	Herring, River	184,741	2
	Shad, Gizzard	120,218	3
	Perch, White	26,383	4
	Striped Bass	14,366	5
Core Sound	Menhaden, Atlantic	1,175,919	1
	Blue Crabs, Hard	871,643	2
	Spot	835,440	3
	Mullet, Striped	272,252	4
	Shrimp, Brown	265,147	5
Croatan Sound	Blue Crabs, Hard	619,484	1
	Flounder, Southern	131,685	2
	Menhaden, Atlantic	88,701	3
	Mullet, Striped	72,285	4
	Blue Crabs, Soft	69,562	5
Currituck Sound	Blue Crabs, Hard	1,717,661	1
	Flounder, Southern	203,282	2
	Catfishes	34,272	3
	Blue Crabs, Peeler	32,520	4
	Eel, American	31,836	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2000			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	288,443	1
	Mullet, Striped	149,241	2
	Spot	74,751	3
	Shrimp, White	46,262	4
	Clams, Hard	43,912	5
Lockwood Folly	Clams, Hard	25,690	1
	Oysters	11,276	2
	Blue Crabs, Hard	7,309	3
	Mullet, Striped	1,087	4
	Flounder, Southern	926	5
Masonboro Sound	Blue Crabs, Hard	122,044	1
	Spot	37,161	2
	Oysters	25,233	3
	Clams, Hard	22,667	4
	Flounder, Southern	22,042	5
Neuse River	Blue Crabs, Hard	2,021,216	1
	Mullet, Striped	411,330	2
	Shrimp, Brown	193,960	3
	Flounder, Southern	115,777	4
	Seatrout, Spotted	44,799	5
New River	Blue Crabs, Hard	425,570	1
	Shrimp, White	405,545	2
	Clams, Hard	177,642	3
	Flounder, Southern	113,465	4
	Mullet, Striped	70,487	5
Newport River	Blue Crabs, Hard	231,567	1
	Shrimp, White	168,118	2
	Shrimp, Brown	71,818	3
	Clams, Hard	56,989	4
	Mullet, Striped	31,801	5
North River/Back Sound	Shrimp, White	147,708	1
	Shrimp, Brown	65,062	2
	Blue Crabs, Hard	19,347	3
	Clams, Hard	13,097	4
	Blue Crabs, Peeler	9,498	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	2,856,397	1
	Sharks, Dogfishes	875,875	2
	Flounder, Summer	691,179	3
	Bluefish	491,613	4
	Weakfish	476,763	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	52,826,541	1
	Sharks, Dogfishes	1,278,295	2
	Spot	965,102	3
	Shrimp, White	911,810	4
	Herring, Thread	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2000			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	6,807,136	1
	Flounder, Summer	2,470,563	2
	Bluefish	2,386,816	3
	Tunas	1,319,472	4
	Sharks, Dogfishes	1,254,385	5
Ocean >3 mi, S of Cape Hatt	Menhaden, Atlantic	1,681,156	1
	Mackerel, King	783,443	2
	Sharks	742,725	3
	Groupers	625,793	4
	Snappers	510,378	5
Ocean less than 3 miles	Kingfishes	***	1
	Spot	***	2
	Menhaden, Atlantic	***	3
	Weakfish	***	4
	Bluefish	***	5
Pamlico River	Blue Crabs, Hard	3,688,300	1
	Mullet, Striped	176,277	2
	Flounder, Southern	128,073	3
	Shrimp, Brown	43,269	4
	Blue Crabs, Peeler	43,122	5
Pamlico Sound	Blue Crabs, Hard	9,443,501	1
	Shrimp, Brown	5,102,820	2
	Flounder, Southern	1,167,748	3
	Shrimp, White	1,117,588	4
	Mullet, Striped	543,453	5
Pasquotank River	Mullet, Striped	14,450	1
	Blue Crabs, Peeler	6,220	2
	Blue Crabs, Hard	5,576	3
	Catfishes	3,386	4
	Flounder, Southern	***	5
Perquimans River	Perch, Yellow	14,634	1
	Herring, River	5,928	2
	Catfishes	4,861	3
	Perch, White	3,081	4
	Shad, Gizzard	2,945	5
Pungo River	Blue Crabs, Hard	2,151,742	1
	Mullet, Striped	55,821	2
	Flounder, Southern	46,369	3
	Seatrout, Spotted	28,105	4
	Shrimp, Brown	***	5
Roanoke River	Catfishes	45,644	1
	Shad, Gizzard	***	2
	Herring, River	337	3
	Shad, Hickory	***	4
	Perch, White	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

2000			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	886,379	1
	Blue Crabs, Soft	231,536	2
	Blue Crabs, Peeler	62,005	3
	Flounder, Southern	49,114	4
	Mullet, Striped	24,050	5
Shallotte River	Clams, Hard	38,794	1
	Oysters	20,032	2
	Blue Crabs, Hard	16,966	3
	Mullet, Striped	6,609	4
	Spot	3,557	5
Stump Sound	Blue Crabs, Hard	135,536	1
	Oysters	29,263	2
	Shrimp, White	19,205	3
	Clams, Hard	9,498	4
	Flounder, Southern	7,519	5
Topsail Sound	Blue Crabs, Hard	88,746	1
	Spot	75,267	2
	Clams, Hard	40,826	3
	Oysters	38,950	4
	Shrimp, White	19,853	5
White Oak River	Blue Crabs, Hard	112,649	1
	Shrimp, White	53,053	2
	Mullet, Striped	27,232	3
	Clams, Hard	21,933	4
	Blue Crabs, Peeler	16,265	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

		1999	
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	12,390,190	1
	Flounder, Southern	578,650	2
	Perch, White	244,691	3
	Catfishes	243,051	4
	Mullet, Striped	217,576	5
Alligator River	Blue Crabs, Hard	1,285,184	1
	Blue Crabs, Peeler	25,600	2
	Catfishes	19,539	3
	Perch, White	13,921	4
	Perch, Yellow	10,459	5
Bay River	Blue Crabs, Hard	1,556,229	1
	Shrimp, Unclassified	25,454	2
	Seatrout, Spotted	21,783	3
	Blue Crabs, Peeler	20,265	4
	Mullet, Striped	17,091	5
Bogue Sound	Blue Crabs, Hard	151,166	1
	Spot	85,116	2
	Shrimp, White	42,292	3
	Mullet, Striped	30,733	4
	Clams, Hard	27,869	5
Cape Fear River	Blue Crabs, Hard	540,562	1
	Shrimp, White	70,922	2
	Shrimp, Unclassified	47,464	3
	Blue Crabs, Peeler	17,208	4
	Flounder, Southern	16,313	5
Chowan River	Catfishes	360,529	1
	Herring, River	332,466	2
	Blue Crabs, Hard	55,182	3
	Shad, Gizzard	52,903	4
	Perch, White	37,471	5
Core Sound	Blue Crabs, Hard	1,547,119	1
	Menhaden, Atlantic	1,236,815	2
	Spot	615,991	3
	Shrimp, Unclassified	582,603	4
	Shrimp, White	194,738	5
Croatan Sound	Blue Crabs, Hard	1,690,190	1
	Menhaden, Atlantic	196,585	2
	Flounder, Southern	101,193	3
	Blue Crabs, Soft	83,538	4
	Blue Crabs, Peeler	62,510	5
Currituck Sound	Blue Crabs, Hard	1,668,788	1
	Flounder, Southern	117,179	2
	Catfishes	42,975	3
	Blue Crabs, Peeler	38,437	4
	Perch, White	24,787	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1999			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	217,099	1
	Spot	95,742	2
	Mullet, Striped	66,495	3
	Shrimp, Unclassified	31,391	4
	Shrimp, White	28,754	5
Lockwood Folly	Clams, Hard	13,750	1
	Blue Crabs, Hard	8,186	2
	Oysters	5,487	3
	Spot	***	4
	Flounder, Southern	636	5
Masonboro Sound	Blue Crabs, Hard	106,452	1
	Spot	41,492	2
	Oysters	21,206	3
	Clams, Hard	18,410	4
	Flounder, Southern	12,706	5
Neuse River	Blue Crabs, Hard	4,236,004	1
	Shrimp, Unclassified	173,644	2
	Mullet, Striped	154,071	3
	Flounder, Southern	97,657	4
	Blue Crabs, Peeler	38,762	5
New River	Blue Crabs, Hard	304,759	1
	Shrimp, White	139,789	2
	Flounder, Southern	132,656	3
	Clams, Hard	128,606	4
	Shrimp, Unclassified	80,522	5
Newport River	Blue Crabs, Hard	364,911	1
	Shrimp, White	194,492	2
	Shrimp, Unclassified	78,610	3
	Clams, Hard	70,483	4
	Shrimp, Brown	33,980	5
North River/Back Sound	Shrimp, White	133,443	1
	Blue Crabs, Hard	43,148	2
	Clams, Hard	21,755	3
	Shrimp, Unclassified	16,920	4
	Shrimp, Brown	6,724	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	3,083,322	1
	Sharks, Dogfishes	1,108,497	2
	Bluefish	742,413	3
	Flounder, Summer	721,774	4
	Weakfish	489,639	5
Ocean 0-3 mi, S of Cape Hatt	Shrimp, White	1,667,134	1
	Sharks, Dogfishes	1,176,854	2
	Croaker, Atlantic	679,757	3
	Shrimp, Unclassified	623,580	4
	Spot	622,964	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

		1999		
Waterbody	Species	Pounds	Rank	
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	5,608,393	1	
	Flounder, Summer	1,646,633	2	
	Bluefish	1,207,594	3	
	Sharks, Dogfishes	1,154,140	4	
	Tunas	806,177	5	
Ocean >3 mi, S of Cape Hatt	Mackerel, King	880,089	1	
	Sharks	807,703	2	
	Groupers	728,180	3	
	Sharks, Dogfishes	703,204	4	
	Sea Basses	473,613	5	
Ocean less than 3 miles	Menhaden, Atlantic	40,164,670	1	
	Croaker, Atlantic	238,362	2	
	Kingfishes	69,858	3	
	Flounder, Summer	69,184	4	
	Sharks, Dogfishes	***	5	
Ocean more than 3 miles	Flounder, Summer	266,021	1	
	Croaker, Atlantic	215,530	2	
	Weakfish	78,688	3	
	Swordfish	***	4	
	Bluefish	45,472	5	
Pamlico River	Blue Crabs, Hard	7,565,541	1	
	Mullet, Striped	129,727	2	
	Flounder, Southern	118,751	3	
	Blue Crabs, Peeler	60,138	4	
	Shrimp, Unclassified	30,037	5	
Pamlico Sound	Blue Crabs, Hard	18,516,650	1	
	Shrimp, Unclassified	1,771,888	2	
	Flounder, Southern	1,391,270	3	
	Shrimp, Brown	1,215,880	4	
	Shrimp, White	887,339	5	
Pasquotank River	Flounder, Southern	***	1	
	Mullet, Striped	***	2	
	Blue Crabs, Hard	***	3	
	Blue Crabs, Peeler	9,321	4	
	Catfishes	9,029	5	
Perquimans River	Perch, Yellow	21,625	1	
	Catfishes	5,678	2	
	Perch, White	2,526	3	
	Herring, River	827	4	
	Blue Crabs, Hard	***	5	
Pungo River	Blue Crabs, Hard	2,140,409	1	
	Mullet, Striped	12,459	2	
	Flounder, Southern	12,004	3	
	Shrimp, Brown	***	4	
	Blue Crabs, Peeler	6,306	5	

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1999			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	6,683	1
	Shad, Gizzard	5,224	2
	Herring, River	***	3
	Mullet, Striped	***	4
	Perch, White	***	5
Roanoke Sound	Blue Crabs, Hard	1,249,087	1
	Blue Crabs, Soft	165,632	2
	Blue Crabs, Peeler	73,848	3
	Flounder, Southern	46,663	4
	Mullet, Striped	28,276	5
Shallotte River	Clams, Hard	31,974	1
	Oysters	16,388	2
	Spot	11,407	3
	Blue Crabs, Hard	8,606	4
	Flounder, Southern	2,202	5
Stump Sound	Blue Crabs, Hard	158,118	1
	Oysters	47,773	2
	Shrimp, White	12,154	3
	Clams, Hard	9,810	4
	Flounder, Southern	8,985	5
Topsail Sound	Blue Crabs, Hard	112,882	1
	Spot	93,341	2
	Shrimp, Unclassified	37,087	3
	Shrimp, White	31,028	4
	Oysters	28,723	5
White Oak River	Blue Crabs, Hard	157,186	1
	Shrimp, White	31,812	2
	Flounder, Southern	25,765	3
	Clams, Hard	25,535	4
	Blue Crabs, Peeler	16,520	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1998			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	11,983,253	1
	Flounder, Southern	1,011,910	2
	Catfishes	319,707	3
	Mullet, Striped	248,952	4
	Blue Crabs, Soft	183,991	5
Alligator River	Blue Crabs, Hard	1,346,944	1
	Flounder, Southern	33,084	2
	Catfishes	29,539	3
	Blue Crabs, Peeler	18,151	4
	Shad, Gizzard	***	5
Bay River	Blue Crabs, Hard	3,074,082	1
	Mullet, Striped	34,731	2
	Seatrout, Spotted	23,614	3
	Spot	20,257	4
	Blue Crabs, Peeler	20,109	5
Bogue Sound	Blue Crabs, Hard	211,821	1
	Mullet, Striped	98,090	2
	Shrimp, Unclassified	41,849	3
	Clams, Hard	31,857	4
	Scallop, Bay	30,551	5
Cape Fear River	Blue Crabs, Hard	607,124	1
	Shrimp, Unclassified	82,592	2
	Blue Crabs, Peeler	20,508	3
	Flounder, Southern	18,855	4
	Mullet, Striped	17,497	5
Chowan River	Herring, River	377,311	1
	Catfishes	340,478	2
	Shad, Gizzard	73,804	3
	Perch, White	15,848	4
	Striped Bass	13,847	5
Core Sound	Menhaden, Atlantic	1,935,100	1
	Blue Crabs, Hard	1,855,509	2
	Spot	749,333	3
	Shrimp, Unclassified	547,488	4
	Mullet, Striped	369,388	5
Croatan Sound	Blue Crabs, Hard	2,712,422	1
	Blue Crabs, Peeler	111,754	2
	Flounder, Southern	103,663	3
	Blue Crabs, Soft	72,774	4
	Menhaden, Atlantic	59,076	5
Currituck Sound	Blue Crabs, Hard	2,145,134	1
	Flounder, Southern	196,368	2
	Blue Crabs, Peeler	85,618	3
	Catfishes	48,573	4
	Blue Crabs, Soft	33,643	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1998			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	201,169	1
	Mullet, Striped	105,009	2
	Shrimp, Unclassified	54,768	3
	Spot	39,912	4
	Menhaden, Atlantic	30,296	5
Lockwood Folly	Oysters	14,182	1
	Clams, Hard	14,081	2
	Blue Crabs, Hard	11,086	3
	Spot	1,938	4
	Mullet, Striped	939	5
Masonboro Sound	Blue Crabs, Hard	161,602	1
	Spot	30,622	2
	Clams, Hard	28,873	3
	Oysters	23,324	4
	Mullet, Striped	22,159	5
Neuse River	Blue Crabs, Hard	3,878,696	1
	Mullet, Striped	300,425	2
	Flounder, Southern	127,974	3
	Shrimp, Unclassified	83,765	4
	Blue Crabs, Peeler	46,484	5
New River	Blue Crabs, Hard	276,393	1
	Shrimp, Unclassified	259,274	2
	Clams, Hard	189,424	3
	Flounder, Southern	147,266	4
	Mullet, Striped	65,566	5
Newport River	Blue Crabs, Hard	443,067	1
	Clams, Hard	90,799	2
	Shrimp, Unclassified	71,793	3
	Mullet, Striped	24,250	4
	Blue Crabs, Peeler	***	5
North River/Back Sound	Blue Crabs, Hard	206,965	1
	Mullet, Striped	30,760	2
	Shrimp, Unclassified	27,391	3
	Clams, Hard	26,360	4
	Oysters	5,106	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	2,683,429	1
	Menhaden, Atlantic	1,821,406	2
	Weakfish	826,864	3
	Sharks, Dogfishes	801,292	4
	Bluefish	602,298	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	8,336,039	1
	Herring, Thread	***	2
	Sharks, Dogfishes	2,003,584	3
	Croaker, Atlantic	1,559,612	4
	Shrimp, Unclassified	1,493,129	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1998			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	3,055,576	1
	Bluefish	963,190	2
	Sharks, Dogfishes	920,623	3
	Shellfish, Other	900,906	4
	Flounder, Summer	821,650	5
Ocean >3 mi, S of Cape Hatt	Croaker, Atlantic	1,830,663	1
	Sharks, Dogfishes	1,308,967	2
	Mackerel, King	718,242	3
	Groupers	650,255	4
	Flounder, Summer	610,857	5
Ocean less than 3 miles	Menhaden, Atlantic	45,035,594	1
	Herring, Thread	***	2
	Croaker, Atlantic	908,250	3
	Shrimp, Unclassified	344,408	4
	Sharks, Dogfishes	227,818	5
Ocean more than 3 miles	Croaker, Atlantic	633,400	1
	Flounder, Summer	613,820	2
	Sharks, Dogfishes	132,240	3
	Sea Basses	118,216	4
	Mackerel, King	113,211	5
Pamlico River	Blue Crabs, Hard	6,598,595	1
	Mullet, Striped	170,491	2
	Flounder, Southern	140,745	3
	Blue Crabs, Peeler	67,223	4
	Catfishes	33,963	5
Pamlico Sound	Blue Crabs, Hard	21,498,456	1
	Flounder, Southern	1,739,754	2
	Shrimp, Unclassified	1,115,961	3
	Menhaden, Atlantic	703,333	4
	Weakfish	529,243	5
Pasquotank River	Catfishes	41,816	1
	Blue Crabs, Hard	***	2
	Mullet, Striped	***	3
	Flounder, Southern	6,340	4
	Perch, White	2,115	5
Perquimans River	Catfishes	20,762	1
	Perch, Yellow	16,478	2
	Herring, River	4,334	3
	Flounder, Southern	1,792	4
	Mullet, Striped	1,740	5
Pungo River	Blue Crabs, Hard	1,684,587	1
	Flounder, Southern	22,189	2
	Mullet, Striped	16,566	3
	Catfishes	8,430	4
	Blue Crabs, Peeler	6,771	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1998			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	***	1
	Shad, Gizzard	***	2
	Shad, Hickory	***	3
	Herring, River	***	4
	Mullet, Striped	***	5
Roanoke Sound	Blue Crabs, Hard	1,007,238	1
	Blue Crabs, Soft	268,831	2
	Flounder, Southern	62,054	3
	Blue Crabs, Peeler	48,683	4
	Mullet, Striped	22,556	5
Shallotte River	Clams, Hard	41,330	1
	Oysters	18,500	2
	Blue Crabs, Hard	12,283	3
	Spot	6,743	4
	Flounder, Southern	1,684	5
Stump Sound	Blue Crabs, Hard	167,741	1
	Oysters	42,098	2
	Shrimp, Unclassified	16,038	3
	Clams, Hard	13,392	4
	Flounder, Southern	8,027	5
Topsail Sound	Blue Crabs, Hard	142,012	1
	Spot	49,902	2
	Shrimp, Unclassified	36,579	3
	Oysters	30,835	4
	Clams, Hard	23,986	5
White Oak River	Blue Crabs, Hard	141,195	1
	Mullet, Striped	26,435	2
	Shrimp, Unclassified	23,582	3
	Clams, Hard	19,003	4
	Flounder, Southern	15,905	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1997			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	7,630,225	1
	Flounder, Southern	1,135,465	2
	Catfishes	415,567	3
	Mullet, Striped	220,755	4
	Blue Crabs, Peeler	190,259	5
Alligator River	Blue Crabs, Hard	645,564	1
	Catfishes	31,421	2
	Blue Crabs, Peeler	16,557	3
	Shad, Gizzard	***	4
	Mullet, Striped	8,232	5
Bay River	Blue Crabs, Hard	3,905,733	1
	Mullet, Striped	72,878	2
	Flounder, Southern	35,185	3
	Seatrout, Spotted	24,741	4
	Blue Crabs, Peeler	17,399	5
Bogue Sound	Blue Crabs, Hard	195,123	1
	Mullet, Striped	139,239	2
	Clams, Hard	32,804	3
	Spot	21,550	4
	Flounder, Southern	19,468	5
Cape Fear River	Blue Crabs, Hard	542,423	1
	Shrimp, Unclassified	138,424	2
	Flounder, Southern	26,171	3
	Clams, Hard	25,449	4
	Mullet, Striped	24,829	5
Chowan River	Catfishes	322,896	1
	Herring, River	201,928	2
	Shad, Gizzard	76,074	3
	Flounder, Southern	14,605	4
	Shad, American	13,215	5
Core Sound	Blue Crabs, Hard	2,129,434	1
	Menhaden, Atlantic	1,866,719	2
	Spot	972,889	3
	Shrimp, Unclassified	636,805	4
	Weakfish	286,798	5
Croatan Sound	Blue Crabs, Hard	1,604,460	1
	Blue Crabs, Soft	159,571	2
	Blue Crabs, Peeler	136,926	3
	Flounder, Southern	105,459	4
	Mullet, Striped	27,838	5
Currituck Sound	Blue Crabs, Hard	1,872,575	1
	Flounder, Southern	261,285	2
	Catfishes	76,068	3
	Blue Crabs, Peeler	54,970	4
	Mullet, Striped	17,644	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1997			
Waterbody	Species	Pounds	Rank
Inland Waterway	Mullet, Striped	217,457	1
	Blue Crabs, Hard	160,473	2
	Shrimp, Unclassified	66,675	3
	Spot	38,618	4
	Flounder, Southern	26,546	5
Lockwood Folly	Clams, Hard	30,859	1
	Oysters	28,290	2
	Blue Crabs, Hard	11,493	3
	Spot	8,524	4
	Mullet, Striped	2,298	5
Masonboro Sound	Blue Crabs, Hard	80,903	1
	Spot	41,216	2
	Mullet, Striped	33,758	3
	Clams, Hard	23,851	4
	Oysters	21,641	5
Neuse River	Blue Crabs, Hard	4,495,550	1
	Mullet, Striped	290,782	2
	Shrimp, Unclassified	164,538	3
	Flounder, Southern	73,542	4
	Blue Crabs, Peeler	49,820	5
New River	Blue Crabs, Hard	251,376	1
	Shrimp, Unclassified	244,360	2
	Clams, Hard	168,807	3
	Flounder, Southern	107,367	4
	Mullet, Striped	82,298	5
Newport River	Blue Crabs, Hard	382,214	1
	Shrimp, Unclassified	213,818	2
	Clams, Hard	84,997	3
	Mullet, Striped	33,985	4
	Blue Crabs, Peeler	20,101	5
North River/Back Sound	Shrimp, Unclassified	92,489	1
	Blue Crabs, Hard	60,408	2
	Clams, Hard	15,930	3
	Spot	8,292	4
	Flounder, Southern	7,433	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,800,306	1
	Sharks, Dogfishes	1,733,998	2
	Bluefish	1,185,674	3
	Menhaden, Atlantic	706,064	4
	Weakfish	499,512	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	39,178,202	1
	Sharks, Dogfishes	2,073,838	2
	Shrimp, Unclassified	1,029,785	3
	Croaker, Atlantic	779,892	4
	Weakfish	575,093	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1997			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	3,526,660	1
	Sharks, Dogfishes	1,584,540	2
	Bluefish	1,311,711	3
	Sharks	834,536	4
	Shellfish, Other	819,597	5
Ocean >3 mi, S of Cape Hatt	Menhaden, Atlantic	988,057	1
	Croaker, Atlantic	971,831	2
	Mackerel, King	758,323	3
	Sharks, Dogfishes	743,557	4
	Groupers	504,709	5
Ocean less than 3 miles	Menhaden, Atlantic	53,845,165	1
	Herring, Thread	***	2
	Croaker, Atlantic	1,216,533	3
	Sharks, Dogfishes	864,242	4
	Weakfish	447,083	5
Ocean more than 3 miles	Croaker, Atlantic	2,263,367	1
	Sharks, Dogfishes	1,100,162	2
	Flounder, Summer	404,895	3
	Mackerel, King	323,327	4
	Weakfish	260,460	5
Pamlico River	Blue Crabs, Hard	7,813,444	1
	Mullet, Striped	157,056	2
	Flounder, Southern	99,841	3
	Catfishes	57,660	4
	Blue Crabs, Peeler	51,628	5
Pamlico Sound	Blue Crabs, Hard	18,687,618	1
	Shrimp, Unclassified	3,722,785	2
	Flounder, Southern	1,738,638	3
	Weakfish	644,614	4
	Menhaden, Atlantic	616,848	5
Pasquotank River	Blue Crabs, Hard	31,907	1
	Catfishes	25,715	2
	Flounder, Southern	9,426	3
	Mullet, Striped	***	4
	Spot	***	5
Perquimans River	Perch, Yellow	25,169	1
	Catfishes	11,251	2
	Mullet, Striped	3,708	3
	Shad, Gizzard	***	4
	Flounder, Southern	1,193	5
Pungo River	Blue Crabs, Hard	2,504,660	1
	Menhaden, Atlantic	25,541	2
	Flounder, Southern	21,592	3
	Mullet, Striped	17,072	4
	Catfishes	11,094	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1997			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	61,065	1
	Shad, Gizzard	***	2
	Eel, American	***	3
	Herring, River	***	4
	Shellfish, Other	***	5
Roanoke Sound	Blue Crabs, Hard	1,004,655	1
	Blue Crabs, Soft	301,340	2
	Flounder, Southern	60,408	3
	Blue Crabs, Peeler	57,129	4
	Mullet, Striped	28,173	5
Shalotte River	Clams, Hard	49,438	1
	Oysters	41,140	2
	Blue Crabs, Hard	15,547	3
	Spot	5,758	4
	Shrimp, Unclassified	2,413	5
Stump Sound	Blue Crabs, Hard	151,814	1
	Oysters	33,853	2
	Shrimp, Unclassified	29,139	3
	Clams, Hard	14,719	4
	Flounder, Southern	7,259	5
Topsail Sound	Blue Crabs, Hard	82,462	1
	Spot	55,102	2
	Oysters	35,996	3
	Shrimp, Unclassified	22,508	4
	Mullet, Striped	16,084	5
White Oak River	Blue Crabs, Hard	69,721	1
	Clams, Hard	21,266	2
	Flounder, Southern	20,431	3
	Shrimp, Unclassified	12,986	4
	Blue Crabs, Peeler	10,283	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1996			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	19,999,382	1
	Flounder, Southern	652,187	2
	Catfishes	376,317	3
	Blue Crabs, Peeler	197,084	4
	Blue Crabs, Soft	195,115	5
Alligator River	Blue Crabs, Hard	2,173,821	1
	Blue Crabs, Peeler	36,093	2
	Mullet, Striped	31,334	3
	Catfishes	27,970	4
	Perch, White	27,805	5
Bay River	Blue Crabs, Hard	3,886,472	1
	Mullet, Striped	49,695	2
	Seatrout, Spotted	24,905	3
	Flounder, Southern	18,481	4
	Blue Crabs, Peeler	12,027	5
Bogue Sound	Blue Crabs, Hard	272,190	1
	Spot	50,695	2
	Mullet, Striped	46,156	3
	Shrimp, Unclassified	45,689	4
	Clams, Hard	27,939	5
Cape Fear River	Blue Crabs, Hard	539,057	1
	Shrimp, Unclassified	80,354	2
	Clams, Hard	42,393	3
	Flounder, Southern	34,629	4
	Shad, American	26,818	5
Chowan River	Herring, River	404,884	1
	Catfishes	229,224	2
	Shad, Gizzard	105,380	3
	Blue Crabs, Hard	13,034	4
	Perch, White	9,960	5
Core Sound	Blue Crabs, Hard	2,303,252	1
	Shrimp, Unclassified	737,829	2
	Spot	577,430	3
	Flounder, Southern	391,209	4
	Menhaden, Atlantic	252,289	5
Croatan Sound	Blue Crabs, Hard	2,854,368	1
	Flounder, Southern	181,449	2
	Blue Crabs, Peeler	110,380	3
	Blue Crabs, Soft	82,518	4
	Menhaden, Atlantic	19,535	5
Currituck Sound	Blue Crabs, Hard	2,335,954	1
	Flounder, Southern	179,773	2
	Catfishes	74,738	3
	Blue Crabs, Peeler	52,248	4
	Perch, White	22,138	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1996			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	342,295	1
	Shrimp, Unclassified	84,630	2
	Mullet, Striped	81,128	3
	Spot	79,632	4
	Clams, Hard	28,691	5
Lockwood Folly	Oysters	34,946	1
	Clams, Hard	24,513	2
	Blue Crabs, Hard	20,628	3
	Spot	3,931	4
	Mullet, Striped	3,840	5
Masonboro Sound	Blue Crabs, Hard	99,655	1
	Spot	37,127	2
	Oysters	23,264	3
	Clams, Hard	20,519	4
	Mullet, Striped	18,228	5
Neuse River	Blue Crabs, Hard	5,229,019	1
	Mullet, Striped	316,524	2
	Shrimp, Unclassified	111,098	3
	Flounder, Southern	73,592	4
	Blue Crabs, Peeler	59,398	5
New River	Flounder, Southern	235,587	1
	Blue Crabs, Hard	186,289	2
	Shrimp, Unclassified	148,257	3
	Clams, Hard	122,137	4
	Mullet, Striped	114,838	5
Newport River	Blue Crabs, Hard	330,894	1
	Shrimp, Unclassified	125,092	2
	Clams, Hard	72,567	3
	Blue Crabs, Peeler	***	4
	Oysters	12,897	5
North River/Back Sound	Shrimp, Unclassified	56,511	1
	Blue Crabs, Hard	53,060	2
	Clams, Hard	21,562	3
	Shellfish, Other	5,767	4
	Oysters	5,475	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	1,755,347	1
	Sharks, Dogfishes	949,931	2
	Bluefish	392,505	3
	Weakfish	341,829	4
	Flounder, Summer	318,322	5
Ocean 0-3 mi, S of Cape Hatt	Menhaden, Atlantic	4,287,713	1
	Sharks, Dogfishes	3,157,383	2
	Croaker, Atlantic	1,431,318	3
	Shrimp, Unclassified	1,228,650	4
	Weakfish	796,245	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

		1996	
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Croaker, Atlantic	2,829,914	1
	Sharks, Dogfishes	2,672,243	2
	Flounder, Summer	1,751,369	3
	Tunas	1,137,362	4
	Bluefish	912,559	5
Ocean >3 mi, S of Cape Hatt	Croaker, Atlantic	592,062	1
	Flounder, Summer	476,088	2
	Sharks, Dogfishes	441,058	3
	Sharks	411,035	4
	Groupers	364,469	5
Ocean less than 3 miles	Menhaden, Atlantic	48,719,228	1
	Herring, Thread	***	2
	Sharks, Dogfishes	2,590,043	3
	Croaker, Atlantic	1,217,986	4
	Weakfish	995,679	5
Ocean more than 3 miles	Sharks, Dogfishes	3,814,910	1
	Croaker, Atlantic	1,564,115	2
	Flounder, Summer	1,069,513	3
	Bluefish	755,981	4
	Weakfish	579,237	5
Pamlico River	Blue Crabs, Hard	8,188,298	1
	Flounder, Southern	134,539	2
	Mullet, Striped	113,953	3
	Blue Crabs, Peeler	39,264	4
	Catfishes	24,241	5
Pamlico Sound	Blue Crabs, Hard	13,037,832	1
	Shrimp, Unclassified	1,933,423	2
	Flounder, Southern	1,700,141	3
	Spot	521,770	4
	Croaker, Atlantic	441,417	5
Pasquotank River	Blue Crabs, Hard	107,645	1
	Catfishes	14,084	2
	Mullet, Striped	9,562	3
	Flounder, Southern	6,748	4
	Perch, White	5,516	5
Perquimans River	Catfishes	16,000	1
	Perch, Yellow	14,782	2
	Shad, Gizzard	13,293	3
	Blue Crabs, Hard	9,472	4
	Mullet, Striped	5,285	5
Pungo River	Blue Crabs, Hard	2,245,047	1
	Flounder, Southern	23,984	2
	Mullet, Striped	16,636	3
	Menhaden, Atlantic	***	4
	Eel, American	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1996			
Waterbody	Species	Pounds	Rank
Roanoke River	Shad, Gizzard	59,730	1
	Catfishes	9,732	2
	Eel, American	***	3
	Herring, River	2,176	4
	Blue Crabs, Hard	***	5
Roanoke Sound	Blue Crabs, Hard	1,114,552	1
	Blue Crabs, Soft	132,110	2
	Blue Crabs, Peeler	57,158	3
	Flounder, Southern	53,621	4
	Mullet, Striped	25,545	5
Shallotte River	Clams, Hard	40,303	1
	Oysters	37,271	2
	Blue Crabs, Hard	17,918	3
	Spot	5,032	4
	Flounder, Southern	2,126	5
Stump Sound	Blue Crabs, Hard	124,092	1
	Shrimp, Unclassified	27,088	2
	Oysters	22,505	3
	Clams, Hard	11,032	4
	Flounder, Southern	8,435	5
Topsail Sound	Blue Crabs, Hard	89,677	1
	Oysters	39,116	2
	Spot	32,958	3
	Shrimp, Unclassified	21,898	4
	Mullet, Striped	18,474	5
White Oak River	Blue Crabs, Hard	92,276	1
	Shrimp, Unclassified	23,825	2
	Clams, Hard	22,253	3
	Mullet, Striped	15,258	4
	Flounder, Southern	12,495	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1995			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	14,273,299	1
	Flounder, Southern	1,216,950	2
	Catfishes	499,433	3
	Blue Crabs, Soft	217,995	4
	Shad, Gizzard	141,702	5
Alligator River	Blue Crabs, Hard	1,458,331	1
	Herring, River	46,331	2
	Catfishes	35,375	3
	Perch, White	22,528	4
	Blue Crabs, Peeler	13,986	5
Bay River	Blue Crabs, Hard	1,822,560	1
	Mullet, Striped	38,676	2
	Flounder, Southern	22,447	3
	Seatrout, Spotted	19,849	4
	Blue Crabs, Peeler	11,280	5
Bogue Sound	Blue Crabs, Hard	178,314	1
	Mullet, Striped	175,282	2
	Spot	117,421	3
	Clams, Hard	45,928	4
	Shrimp, Unclassified	34,345	5
Cape Fear River	Blue Crabs, Hard	668,286	1
	Shrimp, Unclassified	114,261	2
	Clams, Hard	44,403	3
	Flounder, Southern	34,352	4
	Mullet, Striped	26,749	5
Chowan River	Herring, River	280,681	1
	Catfishes	203,504	2
	Shad, Gizzard	136,551	3
	Perch, White	13,062	4
	Flounder, Southern	6,407	5
Core Sound	Menhaden, Atlantic	2,259,862	1
	Blue Crabs, Hard	1,071,988	2
	Shrimp, Unclassified	1,069,213	3
	Spot	948,727	4
	Mullet, Striped	325,503	5
Croatan Sound	Blue Crabs, Hard	1,766,313	1
	Flounder, Southern	196,938	2
	Blue Crabs, Soft	173,605	3
	Blue Crabs, Peeler	119,695	4
	Mullet, Striped	40,614	5
Currituck Sound	Blue Crabs, Hard	3,348,814	1
	Flounder, Southern	146,326	2
	Catfishes	61,733	3
	Blue Crabs, Soft	35,047	4
	Blue Crabs, Peeler	20,362	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1995			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	396,709	1
	Mullet, Striped	134,248	2
	Shrimp, Unclassified	110,409	3
	Spot	69,062	4
	Clams, Hard	55,913	5
Lockwood Folly	Oysters	42,024	1
	Blue Crabs, Hard	30,381	2
	Clams, Hard	24,576	3
	Mullet, Striped	6,776	4
	Spot	6,531	5
Masonboro Sound	Blue Crabs, Hard	166,423	1
	Spot	49,863	2
	Clams, Hard	27,313	3
	Mullet, Striped	26,752	4
	Oysters	23,014	5
Neuse River	Blue Crabs, Hard	2,651,343	1
	Mullet, Striped	323,043	2
	Shrimp, Unclassified	114,705	3
	Flounder, Southern	58,612	4
	Seatrout, Spotted	32,509	5
New River	Blue Crabs, Hard	331,690	1
	Shrimp, Unclassified	274,212	2
	Flounder, Southern	173,368	3
	Mullet, Striped	139,959	4
	Clams, Hard	80,152	5
Newport River	Blue Crabs, Hard	314,232	1
	Shrimp, Unclassified	275,058	2
	Clams, Hard	66,594	3
	Blue Crabs, Peeler	***	4
	Oysters	12,332	5
North River/Back Sound	Shrimp, Unclassified	196,322	1
	Clams, Hard	43,279	2
	Spot	42,378	3
	Blue Crabs, Hard	35,592	4
	Oysters	10,177	5
Ocean 0-3 mi, N of Cape Hatt	Croaker, Atlantic	450,689	1
	Flounder, Summer	189,817	2
	Bluefish	103,716	3
	Weakfish	96,393	4
	Sharks, Dogfishes	90,566	5
Ocean 0-3 mi, S of Cape Hatt	Shrimp, Unclassified	337,606	1
	Spot	233,126	2
	Kingfishes	148,851	3
	Mackerel, Spanish	101,880	4
	Menhaden, Atlantic	80,970	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1995			
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Tunas	902,449	1
	Croaker, Atlantic	801,346	2
	Flounder, Summer	186,110	3
	Sharks	132,394	4
	Mackerel, King	102,264	5
Ocean >3 mi, S of Cape Hatt	Mackerel, King	48,284	1
	Shrimp, Unclassified	17,649	2
	Bluefish	15,750	3
	Spot	9,854	4
	Sharks	9,542	5
Ocean less than 3 miles	Menhaden, Atlantic	55,782,307	1
	Herring, Thread	***	2
	Sharks, Dogfishes	4,683,456	3
	Shrimp, Unclassified	1,477,664	4
	Weakfish	1,384,696	5
Ocean more than 3 miles	Sharks, Dogfishes	4,480,121	1
	Flounder, Summer	3,907,411	2
	Croaker, Atlantic	3,076,917	3
	Sharks	2,276,638	4
	Bluefish	1,988,026	5
Pamlico River	Blue Crabs, Hard	5,527,871	1
	Mullet, Striped	207,585	2
	Flounder, Southern	172,845	3
	Menhaden, Atlantic	44,396	4
	Shrimp, Unclassified	34,756	5
Pamlico Sound	Blue Crabs, Hard	8,887,306	1
	Shrimp, Unclassified	4,096,435	2
	Flounder, Southern	1,648,259	3
	Weakfish	623,270	4
	Mullet, Striped	390,848	5
Pasquotank River	Blue Crabs, Hard	177,416	1
	Catfishes	15,731	2
	Mullet, Striped	5,643	3
	Flounder, Southern	4,541	4
	Shad, Gizzard	4,416	5
Perquimans River	Blue Crabs, Hard	39,459	1
	Perch, Yellow	23,650	2
	Catfishes	12,874	3
	Shad, Gizzard	4,632	4
	Flounder, Southern	2,531	5
Pungo River	Blue Crabs, Hard	537,639	1
	Menhaden, Atlantic	***	2
	Flounder, Southern	***	3
	Blue Crabs, Peeler	2,720	4
	Eel, American	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1995			
Waterbody	Species	Pounds	Rank
Roanoke River	Catfishes	***	1
	Shad, Gizzard	***	2
	Herring, River	2,858	3
	Perch, Yellow	***	4
	Perch, White	***	5
Roanoke Sound	Blue Crabs, Hard	889,087	1
	Blue Crabs, Soft	150,982	2
	Blue Crabs, Peeler	80,999	3
	Flounder, Southern	60,469	4
	Mullet, Striped	19,680	5
Shallotte River	Clams, Hard	41,518	1
	Oysters	28,705	2
	Blue Crabs, Hard	16,198	3
	Spot	2,905	4
	Shrimp, Unclassified	1,491	5
Stump Sound	Blue Crabs, Hard	170,486	1
	Shrimp, Unclassified	25,546	2
	Oysters	20,005	3
	Clams, Hard	13,417	4
	Flounder, Southern	12,093	5
Topsail Sound	Blue Crabs, Hard	149,291	1
	Shrimp, Unclassified	59,202	2
	Oysters	43,970	3
	Spot	26,823	4
	Clams, Hard	17,543	5
White Oak River	Blue Crabs, Hard	99,431	1
	Shrimp, Unclassified	39,013	2
	Clams, Hard	34,057	3
	Spot	28,713	4
	Mullet, Striped	18,708	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1994			
Waterbody	Species	Pounds	Rank
Albemarle Sound	Blue Crabs, Hard	10,767,252	1
	Flounder, Southern	1,530,111	2
	Catfishes	621,827	3
	Mullet, Striped	292,057	4
	Herring, River	180,296	5
Alligator River	Blue Crabs, Hard	1,329,788	1
	Catfishes	47,728	2
	Perch, White	38,253	3
	Herring, River	27,996	4
	Blue Crabs, Peeler	11,551	5
Bay River	Blue Crabs, Hard	2,147,708	1
	Shrimp, Unclassified	20,051	2
	Mullet, Striped	18,195	3
	Blue Crabs, Peeler	17,492	4
	Flounder, Southern	16,104	5
Bogue Sound	Blue Crabs, Hard	261,909	1
	Mullet, Striped	99,361	2
	Spot	48,988	3
	Clams, Hard	42,806	4
	Shrimp, Unclassified	23,344	5
Cape Fear River	Blue Crabs, Hard	764,281	1
	Shrimp, Unclassified	149,791	2
	Clams, Hard	55,810	3
	Flounder, Southern	25,157	4
	Mullet, Striped	22,177	5
Chowan River	Herring, River	390,852	1
	Catfishes	361,353	2
	Shad, Gizzard	141,774	3
	Blue Crabs, Hard	43,665	4
	Perch, White	23,511	5
Core Sound	Menhaden, Atlantic	4,318,752	1
	Blue Crabs, Hard	1,922,675	2
	Spot	890,002	3
	Shrimp, Unclassified	863,245	4
	Flounder, Southern	529,870	5
Croatan Sound	Blue Crabs, Hard	1,882,087	1
	Flounder, Southern	294,857	2
	Blue Crabs, Soft	132,487	3
	Blue Crabs, Peeler	69,531	4
	Striped Bass	24,694	5
Currituck Sound	Blue Crabs, Hard	2,218,236	1
	Flounder, Southern	95,751	2
	Catfishes	94,224	3
	Mullet, Striped	27,689	4
	Blue Crabs, Peeler	23,604	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1994			
Waterbody	Species	Pounds	Rank
Inland Waterway	Blue Crabs, Hard	375,365	1
	Mullet, Striped	96,738	2
	Shrimp, Unclassified	50,936	3
	Clams, Hard	45,663	4
	Spot	42,441	5
Lockwood Folly	Oysters	26,646	1
	Clams, Hard	21,887	2
	Mullet, Striped	15,474	3
	Spot	5,564	4
	Blue Crabs, Hard	2,891	5
Masonboro Sound	Blue Crabs, Hard	138,048	1
	Spot	39,426	2
	Flounder, Southern	24,021	3
	Oysters	20,997	4
	Clams, Hard	17,546	5
Neuse River	Blue Crabs, Hard	3,693,585	1
	Mullet, Striped	124,063	2
	Shrimp, Unclassified	115,689	3
	Flounder, Southern	64,787	4
	Seatrout, Spotted	37,556	5
New River	Blue Crabs, Hard	259,983	1
	Clams, Hard	106,381	2
	Shrimp, Unclassified	103,006	3
	Flounder, Southern	87,653	4
	Mullet, Striped	82,086	5
Newport River	Blue Crabs, Hard	376,303	1
	Shrimp, Unclassified	166,380	2
	Clams, Hard	45,515	3
	Mullet, Striped	13,356	4
	Flounder, Southern	12,758	5
North River/Back Sound	Blue Crabs, Hard	139,399	1
	Shrimp, Unclassified	127,327	2
	Clams, Hard	34,076	3
	Oysters	11,860	4
	Flounder, Southern	4,957	5
Ocean 0-3 mi, N of Cape Hatt	Shrimp, Unclassified	***	1
	Flounder, Summer	***	2
	Sea Basses	***	3
	Weakfish	***	4
Ocean 0-3 mi, S of Cape Hatt	Spot	***	1
	Weakfish	***	2
	Croaker, Atlantic	***	3
	Mackerel, Spanish	***	4
	Bluefish	***	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

		1994	
Waterbody	Species	Pounds	Rank
Ocean >3 mi, N of Cape Hatt	Flounder, Summer	***	1
	Sharks, Dogfishes	***	2
	Shellfish, Other	***	3
	Sea Basses	***	4
	Sharks	***	5
Ocean >3 mi, S of Cape Hatt	Bluefish	***	1
	Mackerel, Spanish	***	2
	Sharks	***	3
	Sea Basses	***	4
	Weakfish	***	5
Ocean less than 3 miles	Menhaden, Atlantic	69,103,182	1
	Herring, Thread	7,252,148	2
	Sharks, Dogfishes	3,979,392	3
	Weakfish	1,439,736	4
	Shrimp, Unclassified	1,372,415	5
Ocean more than 3 miles	Sharks, Dogfishes	5,875,436	1
	Flounder, Summer	3,471,167	2
	Croaker, Atlantic	3,242,368	3
	Sharks	2,677,513	4
	Weakfish	1,190,706	5
Pamlico River	Blue Crabs, Hard	7,499,888	1
	Flounder, Southern	150,302	2
	Menhaden, Atlantic	96,329	3
	Blue Crabs, Peeler	60,864	4
	Mullet, Striped	59,693	5
Pamlico Sound	Blue Crabs, Hard	16,878,425	1
	Shrimp, Unclassified	3,861,536	2
	Flounder, Southern	1,909,228	3
	Weakfish	563,913	4
	Spot	548,574	5
Pasquotank River	Blue Crabs, Hard	254,957	1
	Catfishes	32,419	2
	Flounder, Southern	7,401	3
	Mullet, Striped	3,137	4
	Striped Bass	2,172	5
Perquimans River	Blue Crabs, Hard	61,240	1
	Perch, Yellow	27,208	2
	Catfishes	9,835	3
	Flounder, Southern	3,567	4
	Mullet, Striped	2,060	5
Roanoke River	Catfishes	61,067	1
	Shad, Gizzard	***	2
	Flounder, Southern	1,210	3
	Herring, River	***	4
	Perch, White	412	5

Table 45. Top five species by waterbody from 1994 to 2010 (continued).

1994			
Waterbody	Species	Pounds	Rank
Roanoke Sound	Blue Crabs, Hard	817,654	1
	Blue Crabs, Soft	183,569	2
	Flounder, Southern	57,243	3
	Blue Crabs, Peeler	52,067	4
	Shrimp, Unclassified	14,776	5
Shalotte River	Clams, Hard	57,564	1
	Oysters	26,225	2
	Blue Crabs, Hard	14,463	3
	Spot	13,438	4
	Mullet, Striped	1,873	5
Stump Sound	Blue Crabs, Hard	103,823	1
	Oysters	13,542	2
	Flounder, Southern	10,312	3
	Shrimp, Unclassified	8,553	4
	Clams, Hard	8,286	5
Topsail Sound	Blue Crabs, Hard	155,801	1
	Oysters	31,397	2
	Shrimp, Unclassified	29,485	3
	Clams, Hard	16,329	4
	Mullet, Striped	15,591	5
White Oak River	Blue Crabs, Hard	130,848	1
	Shrimp, Unclassified	44,995	2
	Clams, Hard	35,643	3
	Mullet, Striped	11,447	4
	Spot	8,969	5

Table 46. Commercial oyster landings, 1887-2010.

Year	Pounds Meat	Bushels*	Value
1887	1,175,650	167,950	\$48,353
1888	1,129,960	161,423	\$46,129
1889	5,528,942	789,849	\$194,272
1890	4,456,075	636,582	\$175,567
1897	4,740,675	677,239	\$241,099
1902	5,645,928	806,561	\$268,363
1908	4,159,320	594,189	\$227,300
1910	1,834,058	262,008	\$63,405
1918	1,197,630	171,090	\$70,280
1923	3,089,146	441,307	\$229,576
1927	2,397,750	342,536	\$200,742
1928	2,286,610	326,659	\$167,490
1929	2,828,420	404,060	\$245,533
1930	2,205,674	536,660	\$155,148
1931	1,500,571	353,076	\$92,061
1932	1,201,356	274,282	\$51,339
1934	1,160,700	271,192	\$53,092
1936	2,480,500	651,050	\$160,631
1937	1,940,900	457,759	\$112,051
1938	1,426,900	334,169	\$98,468
1939	1,055,600	313,234	\$72,964
1940	690,400	204,260	\$52,560
1945	1,707,100	554,253	\$400,210
1950	1,322,100	237,788	\$555,686
1951	1,531,900	253,626	\$632,122
1952	1,620,900	331,472	\$600,238
1953	1,525,300	310,652	\$536,015
1954	1,008,400	211,849	\$395,870
1955	731,000	149,489	\$286,395
1956	1,318,000	285,281	\$563,777
1957	1,086,500	239,317	\$395,870
1958	1,041,500	228,399	\$434,311
1959	1,311,000	286,871	\$587,607
1960	1,216,200	288,884	\$560,442
1961	1,209,100	232,967	\$615,467
1962	961,400	192,280	\$485,589
1963	694,000	133,462	\$356,705
1964	727,700	152,558	\$414,775
1965	863,700	165,460	\$473,549
1966	726,209	137,801	\$398,993
1967	518,514	98,203	\$316,379
1968	402,959	83,601	\$268,743
1969	369,928	80,245	\$259,600
1970	381,978	78,758	\$269,138
1971	423,675	88,321	\$288,800
1972	470,112	102,937	\$344,217
1973	548,351	111,977	\$446,485
1974	558,821	109,465	\$435,804
1975	424,831	84,042	\$329,794
1976	333,315	61,395	\$292,058
1977	365,714	68,717	\$353,581
1978	449,544	83,589	\$547,783
1979	665,439	131,770	\$925,964
1980	723,099	138,419	\$987,958
1981	550,502	118,796	\$730,293
1982	611,998	154,506	\$908,676
1983	724,509	123,237	\$1,124,147
1984	724,557	127,675	\$1,207,277

Table 46. Commercial oyster landings, 1887-2010 (continued).

Year	Pounds Meat	Bushels*	Value
1985	545,439	99,824	\$1,037,153
1986	745,548	120,405	\$1,452,056
1987	1,425,584	226,283	\$2,875,406
1988	913,100	157,350	\$2,162,931
1989	529,858	91,687	\$1,575,634
1990	328,850	51,902	\$1,160,171
1991	319,040	48,215	\$1,229,293
1992	293,956	49,933	\$1,172,397
1993	223,993	35,420	\$843,617
1994	183,704	34,727	\$632,634
1995	220,661	41,713	\$815,070
1996	210,931	39,874	\$793,123
1997	218,970	41,393	\$888,963
1998	224,214	42,385	\$925,559
1999	216,858	40,994	\$922,910
2000	203,427	38,455	\$804,212
2001	258,086	48,788	\$1,068,352
2002	243,775	46,082	\$991,004
2003	261,043	49,347	\$1,017,887
2004	367,961	69,558	\$1,551,870
2005	378,014	71,458	\$1,682,646
2006	447,889	84,667	\$2,234,558
2007	441,415	83,443	\$2,244,626
2008	466,176	88,124	\$2,039,175
2009	573,630	108,437	\$2,655,463
2010	1,040,407	196,674	\$5,045,127

*Bushels were calculated based on documented conversion rates from Chestnut and Davis (1975) for the period of 1887 to 1971. From 1972 to 1993, conversion rates came from NMFS and DMF tables. From 1994 to the present, a standard conversion rate of 5.29 was adopted.




Figure 6. Commercial oyster landings in pounds and value from 1887 to 2010.

Table 47. Commercial oyster landings by gear type from 1930 to 2010 (*) indicates confidential data).**

Year	Dredge	Tongs, Rakes, By Hand, Misc. Gears	Total
1930	1,516,987	688,687	2,205,674
1931	892,320	606,846	1,499,166
1932	590,754	610,602	1,201,356
1934	766,900	393,800	1,160,700
1936	1,948,700	531,800	2,480,500
1937	1,726,300	214,600	1,940,900
1938	1,191,500	235,400	1,426,900
1939	933,700	121,900	1,055,600
1940	540,200	150,200	690,400
1945	1,586,700	220,400	1,807,100
1950	1,021,000	301,100	1,322,100
1951	1,229,200	302,700	1,531,900
1952	1,418,500	202,247	1,620,747
1953	1,319,700	205,600	1,525,300
1954	822,800	175,600	998,400
1955	493,000	238,000	731,000
1956	1,053,300	264,700	1,318,000
1957	766,900	319,600	1,086,500
1958	576,300	465,200	1,041,500
1959	782,000	529,000	1,311,000
1960	664,000	552,200	1,216,200
1961	538,200	670,900	1,209,100
1962	378,700	582,700	961,400
1963	164,400	529,600	694,000
1964	266,800	460,900	727,700
1965	267,300	596,400	863,700
1966	213,600	512,600	726,200
1967	195,500	319,400	514,900
1968	114,100	288,500	402,600
1969	138,400	231,900	370,300
1970	155,400	227,100	382,500
1971	247,000	176,400	423,400
1972	215,030	255,082	470,112
1973	349,963	198,388	548,351
1974	335,722	223,099	558,821
1975	248,842	175,989	424,831
1976	170,698	162,617	333,315
1977	216,345	149,369	365,714
1978	120,890	328,597	449,487
1979	282,726	379,584	662,310
1980	377,785	344,831	722,616
1981	244,388	306,114	550,502
1982	281,027	330,971	611,998
1983	432,037	292,472	724,509
1984	502,266	222,291	724,557
1985	336,754	208,685	545,439
1986	446,762	298,786	745,548
1987	1,108,060	317,524	1,425,584
1988	675,698	237,402	913,100
1989	244,788	285,070	529,858
1990	122,481	206,316	328,797
1991	74,649	244,391	319,040

Table 47. Commercial oyster landings by gear type from 1930 to 2010 (continued).

Year	Dredge	Tongs, Rakes, By Hand, Misc. Gears	Total
1992	30,852	263,104	293,956
1993	7,807	214,316	222,123
1994	11,543	172,161	183,704
1995	2,820	217,842	220,661
1996	***	210,915	***
1997	1,957	217,013	218,970
1998	34,446	189,768	224,214
1999	46,138	170,719	216,858
2000	18,626	184,800	203,427
2001	39,127	218,959	258,086
2002	33,081	210,694	243,775
2003	48,927	212,116	261,043
2004	110,410	257,551	367,961
2005	129,811	248,203	378,014
2006	147,053	300,836	447,889
2007	106,403	335,012	441,415
2008	156,924	309,253	466,176
2009	297,680	275,949	573,630
2010	732,977	307,430	1,040,407




Figure 7. Commercial oyster landings by gear type from 1930 to 2010.

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data).**

County	2010		2009		2008	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	4,820,494	\$4,641,715	3,837,501	\$3,474,501	4,580,352	\$4,099,485
BERTIE	***	***	***	***	***	***
BLADEN	***	***	***	***	***	***
BRUNSWICK	1,589,803	\$3,169,609	1,887,602	\$3,537,217	1,924,329	\$4,147,938
CAMDEN	3,645,964	\$3,189,118	3,832,549	\$4,104,569	4,245,487	\$3,647,911
CARTERET	6,063,962	\$9,239,699	5,576,263	\$9,542,039	6,026,421	\$11,225,438
CATAWBA	0	\$0	0	\$0	***	***
CHOWAN	451,643	\$389,701	765,565	\$657,421	1,024,048	\$896,818
COLUMBUS	37,607	\$124,008	52,906	\$114,321	39,601	\$120,132
CRAVEN	614,054	\$729,869	515,899	\$523,024	579,851	\$604,878
CUMBERLAND	***	***	0	\$0	0	\$0
CURRITUCK	1,812,282	\$1,801,092	2,739,021	\$3,087,300	2,507,798	\$2,409,156
DARE	25,613,532	\$22,016,774	25,446,484	\$21,930,359	22,710,955	\$23,001,078
DAVIDSON	0	\$0	***	***	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	***	***	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	***	***	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	***	***	***	***	***	***
GREENE	***	***	***	***	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	13,462	\$8,808	***	***	***	***
HYDE	9,231,578	\$10,594,119	7,008,594	\$8,119,852	8,692,564	\$10,825,916
JOHNSTON	***	***	***	***	***	***
JONES	0	\$0	0	\$0	***	***
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	***	***	0	\$0
LINCOLN	0	\$0	0	\$0	***	***
MARTIN	0	\$0	***	***	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,475,824	\$2,271,526	1,465,220	\$2,130,711	1,723,567	\$2,492,971
ONslow	2,018,639	\$4,418,531	2,027,622	\$3,937,389	2,623,349	\$6,108,686
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	4,410,038	\$8,425,328	3,559,703	\$6,240,609	4,566,908	\$7,679,743
PASQUOTANK	1,829,314	\$1,696,429	1,781,300	\$1,808,029	1,499,484	\$1,452,721
PENDER	838,681	\$1,353,670	823,706	\$1,066,679	698,382	\$999,536
PERQUIMANS	2,177,957	\$2,017,789	2,161,602	\$2,405,460	1,867,846	\$2,026,609
PITT	22,196	\$18,696	23,535	\$14,841	***	***
ROBESON	***	***	***	***	***	***
ROCKINGHAM	***	***	***	***	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	***	***	***	***	***	***
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	***	***	***	***	0	\$0
TYRRELL	4,726,778	\$3,320,459	4,526,443	\$3,709,536	4,569,584	\$3,763,164
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	0	\$0
WASHINGTON	***	***	874,490	\$720,229	1,248,633	\$1,256,436
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	***	***	***	***	0	\$0
Confidential	603,292	\$397,914	54,902	\$55,774	71,030	\$51,146
Total	71,997,100	\$79,824,853	68,960,906	\$77,179,860	71,200,188	\$86,809,761

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	2007		2006		2005	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	3,642,129	\$3,465,855	4,613,054	\$3,072,646	4,733,634	\$3,499,334
BERTIE	***	***	***	***	***	***
BLADEN	***	***	***	***	***	***
BRUNSWICK	1,951,133	\$3,804,821	2,271,507	\$3,856,756	2,008,666	\$3,375,102
CAMDEN	2,973,324	\$3,032,980	2,054,055	\$1,496,357	2,092,856	\$1,666,401
CARTERET	6,577,089	\$11,751,802	6,690,483	\$10,542,785	19,297,720	\$11,424,680
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	771,057	\$631,346	683,120	\$432,011	724,349	\$374,744
COLUMBUS	47,263	\$148,222	42,165	\$114,292	38,376	\$97,754
CRAVEN	417,932	\$429,187	712,691	\$477,942	699,967	\$533,639
CUMBERLAND	***	***	***	***	***	***
CURRITUCK	1,991,169	\$2,266,885	1,511,440	\$1,246,796	1,313,922	\$1,237,746
DARE	22,371,544	\$23,117,103	26,590,180	\$22,805,371	27,042,154	\$20,870,854
DAVIDSON	0	\$0	0	\$0	***	***
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	***	***	0	\$0	***	***
EDGECOMBE	***	***	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	***	***	***	***	***	***
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	***	***	***	***	***	***
HYDE	6,388,500	\$9,967,451	6,618,692	\$7,406,185	7,365,279	\$6,158,186
JOHNSTON	***	***	***	***	***	***
JONES	***	***	***	***	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	***	***	***	***
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	0	\$0	***	***	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,575,216	\$2,661,874	1,709,296	\$2,325,840	1,381,366	\$1,984,655
ONSLow	2,550,192	\$5,542,425	2,549,223	\$5,060,902	1,517,726	\$3,682,460
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	4,838,538	\$8,191,869	4,149,317	\$4,998,134	5,048,666	\$5,321,618
PASQUOTANK	766,193	\$1,053,125	782,475	\$843,480	1,057,464	\$954,930
PENDER	694,859	\$1,083,064	635,549	\$754,742	624,865	\$566,199
PERQUIMANS	1,147,958	\$1,452,648	1,669,396	\$1,452,089	1,063,408	\$927,389
PITT	***	***	***	***	36,516	\$15,479
ROBESON	0	\$0	***	***	***	***
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	***	***	19,953	\$23,803	***	***
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	3,059,919	\$2,469,638	4,097,877	\$2,190,365	2,923,396	\$1,618,754
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	***	***
WASHINGTON	1,025,286	\$1,143,071	1,254,764	\$913,557	563,723	\$522,475
WAYNE	***	***	***	***	***	***
WILSON	***	***	0	\$0	0	\$0
Confidential	85,679	\$71,257	88,110	\$71,466	94,634	\$56,875
Total	62,874,979	\$82,284,625	68,743,347	\$70,085,519	79,628,687	\$64,889,272

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	2004		2003		2002	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	5,218,169	\$3,671,694	6,247,212	\$5,290,595	6,409,978	\$5,702,674
BERTIE	28,383	\$11,075	21,820	\$11,566	85,522	\$34,711
BLADEN	***	***	***	***	***	***
BRUNSWICK	2,402,712	\$3,786,351	2,233,574	\$3,459,256	2,176,642	\$3,303,863
CAMDEN	2,072,470	\$1,834,027	3,654,632	\$4,102,430	2,417,663	\$2,927,849
CARTERET	61,071,095	\$19,414,006	59,161,337	\$18,759,619	82,063,534	\$19,750,593
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	609,001	\$301,324	874,079	\$483,472	942,148	\$449,909
COLUMBUS	42,064	\$85,780	42,101	\$76,705	46,091	\$83,598
CRAVEN	807,392	\$515,457	963,336	\$751,616	873,648	\$740,739
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	2,097,390	\$1,643,460	2,014,165	\$2,151,322	3,320,548	\$3,614,111
DARE	31,185,781	\$20,518,618	32,531,807	\$20,075,541	28,885,154	\$23,012,023
DAVIDSON	***	***	***	***	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	***	***	***	***	***	***
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	***	***	0	\$0
FRANKLIN	0	\$0	***	***	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	***	***	0	\$0	0	\$0
HALIFAX	0	\$0	***	***	***	***
HERTFORD	***	***	***	***	***	***
HYDE	9,230,668	\$7,875,959	10,576,504	\$8,823,278	10,647,958	\$9,540,281
JOHNSTON	***	***	0	\$0	0	\$0
JONES	0	\$0	***	***	***	***
LEE	0	\$0	0	\$0	0	\$0
LENOIR	***	***	***	***	***	***
LINCOLN	0	\$0	0	\$0	***	***
MARTIN	***	***	2,547	\$1,387	***	***
MECKLENBURG	***	***	***	***	0	\$0
NEW HANOVER	1,725,600	\$2,224,553	1,811,094	\$2,677,715	1,763,671	\$2,556,967
ONslow	2,333,216	\$4,609,788	2,933,792	\$5,291,573	2,930,145	\$5,502,292
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	7,035,847	\$7,219,044	5,517,436	\$5,800,535	5,826,838	\$7,021,721
PASQUOTANK	1,897,746	\$1,541,135	3,239,107	\$3,006,559	3,341,211	\$2,996,952
PENDER	555,950	\$622,679	612,019	\$732,465	551,806	\$748,296
PERQUIMANS	1,318,462	\$1,153,182	1,758,319	\$1,524,524	2,369,701	\$2,374,948
PITT	39,954	\$18,580	36,390	\$23,989	69,519	\$43,327
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	***	***
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	***	***	***	***	***	***
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	3,282,247	\$1,848,597	4,259,950	\$3,339,298	3,966,659	\$3,092,913
UNION	0	\$0	***	***	***	***
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	326	\$627
WASHINGTON	1,057,670	\$735,924	781,818	\$622,457	1,351,769	\$1,170,404
WAYNE	***	***	***	***	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	95,485	\$73,753	150,466	\$106,931	133,774	\$78,743
Total	134,107,302	\$79,704,986	139,423,505	\$87,112,832	160,174,305	\$94,747,541

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	2001		2000		1999	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	4,776,900	\$4,907,553	7,394,463	\$7,156,333	10,820,570	\$7,370,878
BERTIE	74,534	\$29,393	109,037	\$46,188	147,642	\$62,508
BLADEN	***	***	***	***	***	***
BRUNSWICK	2,410,822	\$3,694,046	2,600,902	\$4,294,369	2,946,186	\$5,300,956
CAMDEN	2,308,912	\$2,689,077	2,768,148	\$3,330,128	2,023,684	\$1,527,574
CARTERET	66,193,598	\$18,800,443	69,004,113	\$20,757,742	57,126,855	\$19,451,867
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	1,036,071	\$440,313	1,566,293	\$697,358	1,394,165	\$685,536
COLUMBUS	35,938	\$79,907	52,171	\$94,348	37,089	\$69,968
CRAVEN	755,321	\$628,082	669,274	\$548,526	877,582	\$644,186
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	2,054,782	\$2,050,575	2,074,254	\$2,021,142	2,372,177	\$1,698,542
DARE	31,515,245	\$24,829,692	33,330,693	\$26,351,359	33,693,109	\$22,667,632
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	18,362	\$10,510	10,149	\$10,714	***	***
EDGECOMBE	0	\$0	***	***	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	***	***	***	***	***	***
HERTFORD	***	***	28,013	\$11,379	60,776	\$23,118
HYDE	9,100,236	\$8,211,135	11,985,385	\$12,705,953	15,653,652	\$12,656,699
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	***	***	***	***	***	***
LEE	0	\$0	0	\$0	***	***
LENOIR	***	***	***	***	11,654	\$18,632
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	0	\$0	***	***	***	***
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,651,734	\$2,371,855	1,735,017	\$2,490,520	2,060,133	\$2,883,016
ONslow	2,767,330	\$5,435,104	3,015,797	\$6,431,071	2,679,239	\$5,669,808
ORANGE	0	\$0	0	\$0	***	***
PAMLICO	4,943,147	\$6,448,001	8,754,679	\$12,476,980	11,050,913	\$10,683,368
PASQUOTANK	1,979,675	\$2,093,436	2,279,306	\$2,420,605	2,563,545	\$1,940,050
PENDER	549,449	\$817,232	585,902	\$874,054	663,516	\$833,652
PERQUIMANS	1,623,054	\$1,704,309	1,718,345	\$1,804,635	2,273,449	\$1,938,768
PITT	28,776	\$21,160	39,498	\$33,791	80,400	\$42,491
ROBESON	***	***	***	***	***	***
ROCKINGHAM	***	***	0	\$0	***	***
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	***	***	***	***	***	***
SCOTLAND	***	***	0	\$0	***	***
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	3,032,481	\$2,612,295	3,760,970	\$3,068,124	4,427,709	\$2,875,156
UNION	***	***	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	756	\$829
WASHINGTON	200,844	\$209,883	701,177	\$661,440	751,025	\$613,989
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	109,125	\$59,191	36,513	\$28,051	26,325	\$21,827
Total	137,166,335	\$88,143,189	154,220,098	\$108,314,811	153,742,151	\$99,681,050

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1998		1997		1996	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	10,104,914	\$8,015,017	11,730,954	\$8,272,671	13,854,084	\$9,773,319
BERTIE	***	***	***	***	***	***
BLADEN	***	***	***	***	5,277	\$4,812
BRUNSWICK	2,996,541	\$4,845,754	2,785,412	\$4,604,358	2,784,278	\$4,593,013
CAMDEN	1,690,689	\$1,532,161	1,357,224	\$928,689	1,040,711	\$721,420
CARTERET	81,009,265	\$21,377,140	128,823,406	\$29,062,208	75,236,813	\$23,130,854
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	1,801,899	\$918,753	1,612,346	\$866,035	2,045,417	\$1,052,106
COLUMBUS	26,932	\$66,528	30,646	\$64,864	31,849	\$67,752
CRAVEN	836,710	\$624,378	751,578	\$604,430	962,425	\$719,409
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	2,145,108	\$1,867,611	2,109,005	\$1,697,383	2,610,442	\$1,861,066
DARE	36,570,105	\$23,468,050	37,965,834	\$24,148,242	43,052,953	\$23,479,634
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	***	***	***	***	***	***
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	***	***
HALIFAX	***	***	0	\$0	0	\$0
HERTFORD	60,557	\$22,062	17,232	\$8,345	97,697	\$24,685
HYDE	16,122,447	\$10,943,463	14,831,012	\$11,461,200	15,051,299	\$9,753,965
JOHNSTON	***	***	0	\$0	***	***
JONES	***	***	0	\$0	0	\$0
LEE	***	***	***	***	***	***
LENOIR	7,616	\$9,605	***	***	***	***
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	3,207	\$2,208	***	***	7,033	\$8,999
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	2,033,257	\$2,876,083	2,224,068	\$3,167,476	1,804,819	\$2,645,583
ONslow	2,664,600	\$5,217,762	2,522,319	\$5,122,150	2,388,049	\$4,444,496
ORANGE	***	***	***	***	***	***
PAMLICO	10,471,211	\$9,252,962	12,829,209	\$11,800,957	13,460,405	\$11,832,530
PASQUOTANK	3,824,416	\$3,500,197	2,471,794	\$2,188,552	6,043,775	\$4,610,345
PENDER	544,388	\$792,659	596,240	\$776,830	561,248	\$689,317
PERQUIMANS	1,911,045	\$1,819,887	1,239,824	\$1,127,763	1,859,839	\$1,310,008
PITT	47,292	\$27,743	26,471	\$15,892	28,099	\$15,997
ROBESON	***	***	***	***	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	***	***
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	4,750,585	\$3,329,741	4,031,660	\$2,543,786	7,173,036	\$4,091,829
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	***	***
WASHINGTON	434,161	\$404,801	457,383	\$471,216	727,822	\$517,718
WAYNE	***	***	***	***	***	***
WILSON	0	\$0	0	\$0	0	\$0
Confidential	173,438	\$103,700	151,714	\$55,069	295,196	\$181,799
Total	180,230,384	\$101,018,264	228,565,330	\$108,988,117	191,122,565	\$105,530,656

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1995		1994		1993	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	9,905,250	\$8,658,047	10,076,108	\$6,442,223	4,918,238	\$2,272,079
BERTIE	***	***	177,297	\$153,594	173,364	\$21,002
BLADEN	***	***	***	***	40,200	\$37,450
BRUNSWICK	3,707,410	\$5,326,154	2,976,168	\$4,497,336	2,396,479	\$3,567,143
CAMDEN	209,842	\$239,536	5,898	\$5,244	90,788	\$45,678
CARTERET	80,532,099	\$24,906,957	96,559,262	\$20,535,216	89,947,140	\$18,309,071
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	1,610,296	\$802,703	2,328,338	\$922,836	2,434,738	\$510,823
COLUMBUS	43,813	\$55,854	27,332	\$31,968	11,300	\$11,725
CRAVEN	504,012	\$504,291	635,902	\$503,097	581,414	\$311,401
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	2,684,864	\$1,940,097	2,001,798	\$1,013,343	1,295,049	\$476,743
DARE	38,983,539	\$27,251,217	38,183,420	\$21,336,701	34,035,050	\$14,040,502
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	***	***	***	***	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	***	***	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	53,148	\$13,921	61,806	\$10,182	9,180	\$2,151
HYDE	10,980,132	\$9,682,914	13,586,291	\$10,639,441	12,189,360	\$6,131,467
JOHNSTON	***	***	***	***	0	\$0
JONES	***	***	0	\$0	0	\$0
LEE	***	***	***	***	0	\$0
LENOIR	4,741	\$6,267	***	***	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	***	***	***	***	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	2,218,600	\$3,218,894	2,365,571	\$3,073,359	1,954,103	\$2,847,124
ONslow	3,031,492	\$4,969,282	2,791,546	\$4,201,379	3,506,305	\$4,388,078
ORANGE	***	***	***	***	0	\$0
PAMLICO	8,543,045	\$10,886,663	9,217,487	\$9,960,997	5,705,948	\$4,932,715
PASQUOTANK	6,191,765	\$5,471,849	6,522,378	\$4,400,584	6,780,917	\$3,237,332
PENDER	683,842	\$800,128	637,684	\$737,368	1,483,311	\$1,873,426
PERQUIMANS	1,168,039	\$1,070,720	214,815	\$135,216	8,996	\$2,112
PITT	18,304	\$13,385	29,723	\$16,260	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	***	***	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	4,497,879	\$3,402,560	4,402,877	\$2,515,137	2,887,573	\$1,472,192
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	***	***	***	***	0	\$0
WASHINGTON	***	***	47,564	\$57,993	248,023	\$113,578
WAYNE	***	***	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	192,911	\$146,539	63,062	\$81,080	0	\$0
Total	175,765,022	\$109,367,976	192,912,325	\$91,270,554	170,697,476	\$64,603,792

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1992		1991		1990	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	2,108,611	\$1,170,303	4,377,009	\$1,989,928	5,556,306	\$2,493,771
BERTIE	157,714	\$18,623	153,827	\$16,774	166,260	\$33,104
BLADEN	21,300	\$15,480	22,880	\$10,520	19,148	\$9,980
BRUNSWICK	2,295,970	\$3,505,909	2,653,153	\$3,802,878	2,994,535	\$4,594,695
CAMDEN	506,431	\$132,779	851,551	\$146,994	665,256	\$140,918
CARTERET	78,968,484	\$16,506,222	136,587,982	\$22,665,854	101,254,152	\$22,683,982
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	3,858,334	\$779,232	3,498,293	\$539,760	2,396,190	\$491,418
COLUMBUS	6,400	\$4,850	0	\$0	0	\$0
CRAVEN	597,943	\$293,949	864,408	\$325,093	345,500	\$121,045
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	1,995,809	\$553,806	2,190,552	\$850,324	1,731,874	\$618,699
DARE	29,904,877	\$13,008,123	22,850,723	\$11,160,676	22,913,372	\$14,038,249
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	154,549	\$15,458	17,561	\$1,534	11,754	\$1,788
HYDE	11,970,320	\$6,089,075	15,183,668	\$7,753,016	15,028,053	\$7,239,892
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	0	\$0	0	\$0	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,751,694	\$2,520,307	2,026,266	\$2,552,618	2,405,520	\$3,283,629
ONslow	2,722,744	\$2,809,277	4,067,256	\$4,217,004	4,166,198	\$4,605,631
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	7,081,927	\$5,946,775	10,119,620	\$7,660,184	10,342,871	\$7,774,458
PASQUOTANK	6,967,831	\$2,688,331	3,868,682	\$1,202,734	2,973,731	\$969,460
PENDER	1,006,837	\$1,176,446	1,277,035	\$1,423,856	1,142,231	\$1,295,114
PERQUIMANS	0	\$0	1,000	\$241	6,625	\$1,017
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	2,064,389	\$759,571	1,863,839	\$455,515	639,345	\$253,359
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	287,657	\$30,128	165,843	\$12,203	233,948	\$42,081
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	154,429,821	\$58,024,644	212,641,148	\$66,787,706	174,992,869	\$70,692,290

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1989		1988		1987	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	2,632,337	\$1,675,668	4,069,784	\$2,528,514	3,296,819	\$1,550,486
BERTIE	249,986	\$47,008	465,794	\$68,891	326,278	\$37,276
BLADEN	4,700	\$4,100	0	\$0	0	\$0
BRUNSWICK	2,407,619	\$3,914,181	2,051,142	\$3,116,662	1,943,686	\$3,058,356
CAMDEN	1,703,198	\$391,001	710,883	\$197,754	2,500	\$3,125
CARTERET	93,410,724	\$25,431,593	109,943,042	\$26,105,193	85,811,501	\$22,790,252
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	3,012,743	\$686,692	5,155,562	\$873,512	4,862,409	\$895,859
COLUMBUS	0	\$0	0	\$0	4,550	\$4,138
CRAVEN	271,090	\$123,679	644,442	\$209,919	457,640	\$163,260
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	2,447,521	\$722,743	1,723,722	\$531,990	2,024,397	\$489,706
DARE	24,739,171	\$15,597,018	30,682,803	\$16,698,565	28,781,569	\$15,892,184
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	83,542	\$10,663
HERTFORD	3,189	\$389	155,879	\$18,706	232,726	\$27,927
HYDE	13,925,983	\$6,819,235	13,395,274	\$7,698,443	8,922,881	\$4,829,627
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	0	\$0	0	\$0	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	2,058,831	\$2,918,980	1,277,604	\$1,963,640	1,476,499	\$2,828,109
ONslow	3,431,810	\$4,085,663	2,894,257	\$3,757,805	2,129,130	\$2,379,833
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	9,457,998	\$8,312,504	14,510,649	\$11,504,691	11,089,384	\$8,334,103
PASQUOTANK	3,170,757	\$1,375,860	2,468,098	\$803,244	2,397,102	\$719,737
PENDER	831,723	\$1,078,680	932,465	\$1,096,553	673,873	\$733,242
PERQUIMANS	1,128	\$1,974	6,974	\$8,718	48,771	\$12,757
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,185,008	\$730,988	1,459,083	\$552,078	2,724,132	\$930,477
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	251,963	\$39,651	145,719	\$21,876	34,530	\$16,169
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	165,197,479	\$73,957,607	192,693,176	\$77,756,754	157,323,919	\$65,707,286

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1986		1985		1984	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	3,299,166	\$2,123,922	5,309,486	\$2,776,841	6,260,734	\$2,109,096
BERTIE	1,079,174	\$158,461	1,605,101	\$166,555	1,002,168	\$108,705
BLADEN	5,000	\$3,750	0	\$0	6,908	\$3,882
BRUNSWICK	2,108,991	\$3,309,899	1,854,634	\$2,435,251	12,405,410	\$4,248,812
CAMDEN	4,803	\$4,103	11,199	\$2,086	0	\$0
CARTERET	98,899,661	\$24,478,964	133,175,357	\$22,707,433	185,268,781	\$21,299,023
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	6,999,375	\$872,745	9,622,835	\$991,933	5,280,668	\$666,081
COLUMBUS	13,000	\$7,950	0	\$0	54,528	\$20,942
CRAVEN	688,710	\$218,442	857,433	\$342,586	558,570	\$204,978
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	1,742,901	\$390,934	899,559	\$190,117	665,361	\$178,999
DARE	27,208,180	\$12,331,686	27,389,079	\$13,308,344	28,054,470	\$10,845,759
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	759,300	\$66,118	1,211,850	\$75,179	258,448	\$25,597
HYDE	5,238,109	\$3,734,769	7,479,009	\$4,470,615	10,121,620	\$3,286,808
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	54,000	\$9,150	105,834	\$16,968	128,041	\$22,279
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,556,849	\$2,057,497	1,039,237	\$1,173,873	1,601,163	\$1,869,010
ONSLow	2,481,480	\$2,539,348	3,039,006	\$2,905,366	2,829,568	\$3,217,880
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	10,734,563	\$8,858,206	15,301,487	\$11,082,686	17,564,259	\$7,112,074
PASQUOTANK	2,788,966	\$619,169	2,264,278	\$507,090	900,456	\$253,382
PENDER	837,800	\$764,814	838,861	\$843,139	936,242	\$1,073,338
PERQUIMANS	4,500	\$4,950	465,506	\$91,857	287,355	\$69,974
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,858,472	\$554,089	1,731,373	\$442,711	1,503,822	\$455,028
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	518,625	\$121,883	672,964	\$62,236	1,480,419	\$191,421
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	168,881,625	\$63,230,849	214,874,088	\$64,592,866	277,168,991	\$57,263,068

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1983		1982		1981	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	4,729,171	\$1,944,485	5,552,376	\$2,446,716	6,895,157	\$2,006,372
BERTIE	1,085,024	\$115,925	1,328,498	\$128,274	1,239,711	\$118,586
BLADEN	1,150	\$575	0	\$0	0	\$0
BRUNSWICK	46,484,504	\$5,647,185	105,751,534	\$6,791,497	164,743,964	\$8,970,536
CAMDEN	69,637	\$45,196	18,800	\$13,216	0	\$0
CARTERET	167,199,484	\$21,620,473	116,427,330	\$20,028,014	177,208,124	\$17,406,837
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	4,911,080	\$519,941	7,089,979	\$727,144	3,875,757	\$540,154
COLUMBUS	62,692	\$23,386	0	\$0	0	\$0
CRAVEN	485,140	\$268,372	59,853	\$101,171	115,960	\$33,127
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	1,493,431	\$371,745	2,319,182	\$487,810	1,178,710	\$253,846
DARE	27,018,184	\$9,387,301	32,476,683	\$12,998,991	39,421,902	\$12,892,976
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	5,453	\$10,240	0	\$0	0	\$0
HERTFORD	256,147	\$25,484	1,423,916	\$98,890	730,038	\$46,491
HYDE	9,190,366	\$3,632,096	9,537,139	\$3,457,336	10,251,802	\$2,956,529
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	73,140	\$14,058	98,207	\$16,472	131,124	\$22,375
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	1,551,832	\$1,610,953	2,223,125	\$2,460,660	2,416,735	\$2,168,425
ONslow	2,995,544	\$3,005,742	4,078,931	\$4,346,447	2,377,552	\$1,993,147
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	14,022,233	\$7,134,653	14,020,197	\$7,687,936	17,329,190	\$6,710,365
PASQUOTANK	2,735,308	\$657,014	1,590,704	\$400,674	963,225	\$295,913
PENDER	729,642	\$808,587	1,055,175	\$1,087,334	684,544	\$622,902
PERQUIMANS	168,828	\$30,444	241,808	\$33,653	151,507	\$18,849
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,637,102	\$455,471	1,535,758	\$361,359	1,466,183	\$327,955
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	827,738	\$95,659	1,138,728	\$150,258	824,698	\$134,625
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	287,732,830	\$57,424,985	307,967,923	\$63,823,852	432,005,883	\$57,520,010

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1980		1979		1978	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	6,867,847	\$2,732,881	7,147,150	\$1,941,975	4,736,063	\$1,525,129
BERTIE	1,507,313	\$120,242	1,752,034	\$174,717	2,234,582	\$133,638
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	72,507,742	\$6,515,337	85,555,801	\$5,746,083	94,461,695	\$5,762,468
CAMDEN	0	\$0	0	\$0	0	\$0
CARTERET	181,156,111	\$23,307,684	218,540,649	\$21,396,881	139,365,478	\$14,527,552
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	5,837,756	\$527,714	4,659,482	\$467,946	5,427,526	\$498,335
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	206,261	\$43,747	160,471	\$35,463	42,300	\$8,638
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	486,548	\$125,989	920,208	\$212,209	1,006,234	\$267,836
DARE	41,585,041	\$13,731,161	34,562,545	\$12,987,797	22,562,451	\$9,083,654
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	1,043,865	\$73,353	0	\$0	0	\$0
HYDE	13,055,684	\$4,181,970	8,014,483	\$2,040,360	8,327,769	\$1,885,751
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	178,517	\$37,576	301,785	\$40,809	151,050	\$6,091
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	3,140,795	\$2,770,507	3,000,611	\$2,535,326	1,039,871	\$782,429
ONslow	4,092,464	\$3,385,907	3,472,332	\$3,066,936	1,623,357	\$899,741
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	21,380,720	\$9,736,730	19,525,274	\$6,573,003	15,412,700	\$4,317,501
PASQUOTANK	344,835	\$186,528	349,483	\$162,067	591,469	\$206,447
PENDER	1,144,164	\$961,309	793,467	\$720,476	296,214	\$136,792
PERQUIMANS	149,366	\$16,422	86,050	\$6,550	0	\$0
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	976,122	\$228,303	1,250,187	\$276,583	1,729,385	\$440,298
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	531,655	\$100,150	380,072	\$68,884	533,203	\$126,565
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	356,192,806	\$68,783,510	390,472,084	\$58,454,065	299,541,347	\$40,608,865

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1977		1976		1975	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	5,864,808	\$1,983,389	5,964,262	\$2,202,949	3,802,110	\$916,736
BERTIE	1,604,374	\$81,238	2,214,413	\$118,241	1,540,042	\$64,246
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	67,319,250	\$2,332,580	74,949,763	\$3,415,740	86,944,826	\$2,764,349
CAMDEN	0	\$0	0	\$0	0	\$0
CARTERET	121,281,802	\$10,367,106	93,212,768	\$9,329,389	100,941,760	\$7,062,131
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	8,256,173	\$684,251	5,377,678	\$475,161	5,475,228	\$412,675
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	7,903	\$1,263	25,979	\$6,278	14,070	\$3,619
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	637,407	\$126,901	530,085	\$119,870	262,416	\$105,497
DARE	18,412,125	\$5,035,096	20,122,591	\$5,017,852	15,951,759	\$3,285,932
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	0	\$0	0	\$0	0	\$0
HYDE	4,993,276	\$1,604,012	2,875,720	\$938,959	3,203,818	\$769,914
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	169,677	\$20,018	124,692	\$20,887	227,034	\$21,017
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	776,972	\$304,723	671,916	\$316,605	749,810	\$322,226
ONslow	1,431,849	\$846,685	1,676,625	\$976,509	1,752,615	\$842,229
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	12,024,886	\$4,484,026	10,830,259	\$3,954,003	9,164,029	\$2,536,257
PASQUOTANK	256,462	\$91,936	453,397	\$127,018	196,068	\$54,725
PENDER	227,005	\$60,158	101,088	\$65,738	107,758	\$60,213
PERQUIMANS	0	\$0	0	\$0	0	\$0
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,001,559	\$240,111	748,719	\$200,422	765,776	\$143,105
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	485,057	\$110,942	597,280	\$123,663	604,372	\$87,806
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	244,750,585	\$28,374,435	220,477,235	\$27,409,284	231,703,491	\$19,452,677

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1974		1973		1972	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	3,437,377	\$733,580	2,971,873	\$773,498	2,790,289	\$589,440
BERTIE	902,347	\$41,339	1,998,488	\$67,107	3,011,901	\$59,270
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	44,906,656	\$1,884,041	40,568,944	\$2,566,849	60,075,470	\$1,602,702
CAMDEN	0	\$0	0	\$0	0	\$0
CARTERET	110,276,372	\$7,536,820	54,932,175	\$6,528,120	72,359,105	\$4,958,032
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	6,985,110	\$491,881	7,555,810	\$473,071	9,821,572	\$411,212
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	27,100	\$4,805	28,126	\$4,943	15,995	\$2,990
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	430,458	\$103,398	87,562	\$15,677	204,695	\$27,460
DARE	13,905,356	\$2,480,926	11,699,304	\$2,175,304	9,565,406	\$1,505,273
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	0	\$0	0	\$0	0	\$0
HYDE	3,663,667	\$924,528	2,224,540	\$615,937	2,448,435	\$531,414
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	142,277	\$12,552	85,240	\$3,274	92,366	\$2,721
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	882,617	\$323,435	558,105	\$251,136	582,616	\$216,322
ONslow	1,548,851	\$660,758	1,536,401	\$701,340	1,487,021	\$522,516
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	7,281,038	\$1,864,885	4,439,458	\$1,533,697	3,750,526	\$1,145,027
PASQUOTANK	298,423	\$56,017	186,485	\$28,883	175,220	\$23,695
PENDER	214,553	\$46,727	180,193	\$36,588	181,998	\$31,199
PERQUIMANS	0	\$0	0	\$0	0	\$0
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	778,441	\$92,719	1,130,395	\$146,384	1,068,159	\$131,449
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	368,559	\$66,026	269,563	\$32,824	270,786	\$38,117
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	196,049,202	\$17,324,437	130,452,662	\$15,954,632	167,901,560	\$11,798,839

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1971		1970		1969	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	4,219,500	\$612,744	0	\$0	0	\$0
BERTIE	2,889,300	\$54,297	0	\$0	0	\$0
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	48,059,000	\$1,397,172	0	\$0	0	\$0
CAMDEN	0	\$0	0	\$0	0	\$0
CARTERET	53,979,300	\$3,945,222	1,925,735	\$9,631	0	\$0
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	10,321,600	\$381,084	0	\$0	0	\$0
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	37,000	\$5,125	0	\$0	0	\$0
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	238,300	\$20,455	0	\$0	0	\$0
DARE	9,066,800	\$1,489,186	0	\$0	0	\$0
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	0	\$0	0	\$0	0	\$0
HYDE	2,944,100	\$913,614	0	\$0	0	\$0
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	674,700	\$10,582	0	\$0	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	582,800	\$209,442	0	\$0	0	\$0
ONSLOW	1,117,400	\$419,359	0	\$0	0	\$0
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	4,999,700	\$1,510,326	0	\$0	0	\$0
PASQUOTANK	168,700	\$22,566	0	\$0	0	\$0
PENDER	138,500	\$35,482	0	\$0	0	\$0
PERQUIMANS	0	\$0	0	\$0	0	\$0
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,656,000	\$146,645	0	\$0	0	\$0
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	2,086,300	\$10,532	171,715,800	\$9,356,214	219,033,600	\$12,525,421
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	295,800	\$43,429	0	\$0	0	\$0
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	143,474,800	\$11,227,262	173,641,535	\$9,365,845	219,033,600	\$12,525,421

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1968		1967		1966	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	3,937,300	\$556,967	0	\$0	3,855,800	\$455,482
BERTIE	5,132,900	\$81,920	0	\$0	4,395,100	\$55,250
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	37,122,400	\$787,366	0	\$0	12,053,800	\$719,352
CAMDEN	0	\$0	0	\$0	0	\$0
CARTERET	151,741,700	\$4,242,415	5,497,600	\$27,498	194,956,600	\$4,915,113
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	10,650,600	\$354,571	0	\$0	9,671,200	\$312,630
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	50,900	\$5,311	0	\$0	69,800	\$10,847
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	370,600	\$32,533	0	\$0	143,700	\$12,825
DARE	10,548,900	\$1,340,447	0	\$0	11,401,400	\$989,628
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	1,100	\$164	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	11,700	\$1,292	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	0	\$0	0	\$0	0	\$0
HYDE	3,311,600	\$574,707	0	\$0	3,384,800	\$305,954
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	800,800	\$12,014	0	\$0	0	\$0
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	324,400	\$81,597	0	\$0	508,600	\$105,609
ONslow	1,024,400	\$292,886	0	\$0	1,493,300	\$290,140
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	4,456,500	\$973,529	0	\$0	7,520,400	\$1,205,698
PASQUOTANK	302,500	\$39,915	0	\$0	184,500	\$26,840
PENDER	172,600	\$33,797	0	\$0	286,900	\$39,607
PERQUIMANS	0	\$0	0	\$0	0	\$0
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	1,340,000	\$130,907	0	\$0	675,100	\$80,263
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	1,500	\$44	219,590,200	\$8,300,309	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	876,500	\$162,159	0	\$0	330,500	\$45,703
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	232,178,900	\$9,704,541	225,087,800	\$8,327,807	250,931,500	\$9,570,941

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1965		1964		1963	
	Pounds	Value	Pounds	Value	Pounds	Value
BEAUFORT	5,577,600	\$492,164	4,415,700	\$407,615	3,892,800	\$302,119
BERTIE	4,514,100	\$53,479	1,447,100	\$24,012	6,883,700	\$79,005
BLADEN	0	\$0	0	\$0	0	\$0
BRUNSWICK	35,000,000	\$981,200	54,061,500	\$961,934	30,010,900	\$614,063
CAMDEN	85,700	\$12,142	131,900	\$17,118	105,500	\$11,364
CARTERET	153,090,300	\$4,147,297	146,011,600	\$3,599,904	184,392,400	\$3,561,594
CATAWBA	0	\$0	0	\$0	0	\$0
CHOWAN	8,965,800	\$192,640	5,670,200	\$141,451	7,863,900	\$142,160
COLUMBUS	0	\$0	0	\$0	0	\$0
CRAVEN	177,000	\$30,411	119,400	\$15,529	100,700	\$12,055
CUMBERLAND	0	\$0	0	\$0	0	\$0
CURRITUCK	259,700	\$23,312	302,700	\$27,408	421,200	\$30,396
DARE	12,559,500	\$1,372,421	12,695,600	\$1,103,777	9,305,800	\$766,986
DAVIDSON	0	\$0	0	\$0	0	\$0
DAVIE	0	\$0	0	\$0	0	\$0
DUPLIN	0	\$0	0	\$0	0	\$0
EDGECOMBE	0	\$0	0	\$0	0	\$0
FORSYTH	0	\$0	0	\$0	0	\$0
FRANKLIN	0	\$0	0	\$0	0	\$0
GATES	0	\$0	0	\$0	0	\$0
GREENE	0	\$0	0	\$0	0	\$0
HALIFAX	0	\$0	0	\$0	0	\$0
HERTFORD	0	\$0	14,400	\$788	13,000	\$535
HYDE	1,883,100	\$269,428	1,653,500	\$256,739	1,443,800	\$208,289
JOHNSTON	0	\$0	0	\$0	0	\$0
JONES	0	\$0	0	\$0	0	\$0
LEE	0	\$0	0	\$0	0	\$0
LENOIR	0	\$0	0	\$0	0	\$0
LINCOLN	0	\$0	0	\$0	0	\$0
MARTIN	0	\$0	630,500	\$8,438	304,000	\$3,725
MECKLENBURG	0	\$0	0	\$0	0	\$0
NEW HANOVER	708,400	\$116,657	836,000	\$138,609	569,400	\$77,396
ONslow	1,240,300	\$254,923	1,114,700	\$217,248	969,700	\$176,862
ORANGE	0	\$0	0	\$0	0	\$0
PAMLICO	8,151,500	\$1,137,012	7,866,500	\$955,384	8,573,500	\$894,979
PASQUOTANK	271,500	\$35,986	304,600	\$41,247	239,500	\$28,053
PENDER	235,900	\$29,093	76,700	\$18,681	119,800	\$32,092
PERQUIMANS	602,000	\$26,476	408,900	\$20,036	425,000	\$17,200
PITT	0	\$0	0	\$0	0	\$0
ROBESON	0	\$0	0	\$0	0	\$0
ROCKINGHAM	0	\$0	0	\$0	0	\$0
ROWAN	0	\$0	0	\$0	0	\$0
SAMPSON	0	\$0	0	\$0	0	\$0
SCOTLAND	0	\$0	0	\$0	0	\$0
STOKES	0	\$0	0	\$0	0	\$0
TYRRELL	319,600	\$38,174	283,300	\$36,560	612,200	\$63,023
UNION	0	\$0	0	\$0	0	\$0
UNKNOWN	0	\$0	0	\$0	0	\$0
WAKE	0	\$0	0	\$0	0	\$0
WASHINGTON	318,600	\$28,539	534,400	\$30,574	404,900	\$25,004
WAYNE	0	\$0	0	\$0	0	\$0
WILSON	0	\$0	0	\$0	0	\$0
Confidential	0	\$0	0	\$0	0	\$0
Total	233,960,600	\$9,241,354	238,579,200	\$8,023,052	256,651,700	\$7,046,900

Table 48. Commercial seafood landings by county of landing from 1962 to 2010 (*) indicates confidential data) (continued).**

County	1962	
	Pounds	Value
BEAUFORT	3,186,800	\$352,262
BERTIE	6,688,500	\$76,946
BLADEN	0	\$0
BRUNSWICK	33,589,100	\$760,474
CAMDEN	84,700	\$11,412
CARTERET	110,299,600	\$2,779,185
CATAWBA	0	\$0
CHOWAN	7,186,200	\$116,349
COLUMBUS	0	\$0
CRAVEN	145,200	\$20,613
CUMBERLAND	0	\$0
CURRITUCK	310,500	\$28,277
DARE	8,203,000	\$708,847
DAVIDSON	0	\$0
DAVIE	0	\$0
DUPLIN	0	\$0
EDGECOMBE	0	\$0
FORSYTH	0	\$0
FRANKLIN	0	\$0
GATES	0	\$0
GREENE	0	\$0
HALIFAX	0	\$0
HERTFORD	6,700	\$332
HYDE	1,135,000	\$370,361
JOHNSTON	0	\$0
JONES	0	\$0
LEE	0	\$0
LENOIR	0	\$0
LINCOLN	0	\$0
MARTIN	100,900	\$1,071
MECKLENBURG	0	\$0
NEW HANOVER	726,200	\$106,446
ONSLOW	1,041,200	\$193,293
ORANGE	0	\$0
PAMLICO	7,767,900	\$1,046,309
PASQUOTANK	205,000	\$27,877
PENDER	105,900	\$48,540
PERQUIMANS	261,100	\$14,672
PITT	0	\$0
ROBESON	0	\$0
ROCKINGHAM	0	\$0
ROWAN	0	\$0
SAMPSON	0	\$0
SCOTLAND	0	\$0
STOKES	0	\$0
TYRRELL	657,600	\$65,971
UNION	0	\$0
UNKNOWN	0	\$0
WAKE	0	\$0
WASHINGTON	683,100	\$26,090
WAYNE	0	\$0
WILSON	0	\$0
Confidential	0	\$0
Total	182,384,200	\$6,755,327

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (*) indicates confidential data).**

County	Dealer City	2010		2009	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	831,971	\$692,692	466,580	\$432,226
	Bath	1,798,599	\$1,519,560	1,177,057	\$1,085,403
	Beaufort Other	10,000	\$938	5,905	\$7,399
	Belhaven	1,279,438	\$1,523,318	1,640,882	\$1,316,624
	Washington	900,487	\$905,207	547,077	\$632,849
BERTIE	Bertie Other	***	***	***	***
BRUNSWICK	Brunswick Other	8,020	\$11,821	4,207	\$5,879
	Calabash	206,612	\$261,293	223,004	\$198,603
	Shallotte	886,019	\$1,909,829	949,550	\$1,825,731
	Southport	489,152	\$986,666	710,840	\$1,507,004
CAMDEN	Camden Other	0	\$0	0	\$0
	Shiloh	3,645,964	\$3,189,118	3,832,549	\$4,104,569
CARTERET	Bogue Banks	139,636	\$266,629	187,799	\$382,985
	Carteret Other	970,522	\$730,518	390,353	\$603,499
	Downeast Communities	2,127,918	\$2,373,105	2,055,484	\$2,104,512
	Morehead City/Beaufort	2,528,722	\$5,365,683	2,559,232	\$5,803,959
	Western Carteret	297,164	\$503,765	383,395	\$647,084
CHOWAN	Chowan Other	66,302	\$41,021	80,655	\$43,952
	Edenton	385,342	\$348,679	684,909	\$613,469
CRAVEN	Craven Other	1,072	\$1,070	414	\$227
	Havelock	20,408	\$23,776	43,562	\$37,806
	New Bern/Bridgeton	592,574	\$705,023	471,923	\$484,991
CURRITUCK	Central Currituck	51,940	\$54,581	60,647	\$79,937
	Currituck Other	820	\$1,178	7,861	\$8,714
	Knotts Island/Corolla	479,961	\$494,538	903,568	\$1,058,680
	Moyock/Barco	924,467	\$898,952	1,392,831	\$1,507,353
	Southern Currituck	355,094	\$351,842	373,213	\$431,133
DARE	Bodie Island	856,902	\$649,859	751,999	\$586,111
	Dare Other	2,178,043	\$2,314,635	2,463,983	\$2,544,672
	Hatteras Island	4,516,479	\$3,189,016	3,569,190	\$3,221,655
	Mainland Dare	130,190	\$182,904	303,107	\$353,012
	Manteo	31,190	\$60,167	142,673	\$259,407
	Wanchese	17,900,729	\$15,620,193	18,216,433	\$14,966,985
HERTFORD	Hertford Other	13,462	\$8,808	***	***
HYDE	Engelhard	6,031,901	\$6,742,679	4,866,454	\$5,357,673
	Hyde Other	7,853	\$6,756	99	\$142
	Ocracoke	712,600	\$758,965	377,894	\$468,092
	Swan Quarter	2,479,224	\$3,085,720	1,764,147	\$2,293,946
NEW HANOVER	New Hanover Other	881	\$1,072	649	\$2,354
	Wilmington Area	1,474,943	\$2,270,454	1,464,571	\$2,128,357
ONSLOW	Hubert	31,039	\$45,803	48,668	\$67,350
	Jacksonville	153,703	\$184,731	174,286	\$179,270
	Onslow Other	90,562	\$152,109	76,990	\$116,732
	Sneads Ferry	1,384,192	\$2,807,804	1,404,270	\$2,507,517
	Swansboro	359,143	\$1,228,083	325,911	\$1,066,520
PAMLICO	Arapahoe	272,221	\$484,419	173,577	\$268,283
	Bayboro/Alliance/Grantsboro/Stonewall	411,908	\$383,187	399,645	\$291,425
	Hobucken/Lowland	1,338,413	\$3,056,375	1,133,419	\$2,638,413
	Merritt	252,782	\$358,858	255,182	\$339,652
	Oriental	1,862,708	\$3,668,151	1,407,480	\$2,418,451
	Pamlico Other	9,807	\$10,419	1,117	\$1,029
PASQUOTANK	Vandemere	262,199	\$463,920	189,283	\$283,357
	Elizabeth City	1,829,314	\$1,696,429	1,781,182	\$1,807,858
	Pasquotank Other	0	\$0	118	\$171
PENDER	Burgaw	85,825	\$120,221	35,105	\$52,207
	Hampstead	712,375	\$1,188,064	752,675	\$978,441
	Pender Other	40,481	\$45,385	35,925	\$36,030

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2010		2009	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	2,150,087	\$1,985,237	2,160,342	\$2,403,969
	Perquimans Other	27,869	\$32,552	1,260	\$1,490
TYRRELL	Columbia	4,723,038	\$3,317,681	4,526,443	\$3,709,536
	Tyrrell Other	3,740	\$2,777	0	\$0
WASHINGTON	Plymouth	0	\$0	0	\$0
	Roper	***	***	***	***
	Washington Other	563,891	\$343,029	874,490	\$720,229
Total	*Total*	71,907,691	\$79,635,900	68,860,882	\$77,012,083

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combination:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2008		2007	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	614,689	\$476,149	549,980	\$421,666
	Bath	1,685,422	\$1,391,218	1,572,191	\$1,389,083
	Beaufort Other	0	\$0	0	\$0
	Belhaven	1,823,655	\$1,769,592	1,246,167	\$1,285,645
	Washington	456,587	\$462,524	273,791	\$369,461
BERTIE	Bertie Other	***	***	***	***
BRUNSWICK	Brunswick Other	25,270	\$70,022	5,134	\$8,815
	Calabash	125,249	\$124,598	129,994	\$123,094
	Shallotte	1,084,846	\$2,502,059	1,089,867	\$2,193,553
	Southport	688,963	\$1,451,258	726,138	\$1,479,360
CAMDEN	Camden Other	0	\$0	0	\$0
	Shiloh	4,245,487	\$3,647,911	2,973,324	\$3,032,980
CARTERET	Bogue Banks	180,975	\$336,644	200,637	\$398,082
	Carteret Other	382,202	\$635,285	247,807	\$420,892
	Downeast Communities	2,123,352	\$2,706,830	2,222,394	\$2,615,402
	Morehead City/Beaufort	2,887,994	\$6,800,896	3,302,220	\$7,411,644
	Western Carteret	451,898	\$745,783	604,031	\$905,782
CHOWAN	Chowan Other	108,797	\$65,815	73,214	\$40,075
	Edenton	915,251	\$831,003	697,843	\$591,271
CRAVEN	Craven Other	269	\$147	0	\$0
	Havelock	38,293	\$36,490	23,062	\$23,079
	New Bern/Bridgeton	541,289	\$568,240	394,870	\$406,108
CURRITUCK	Central Currituck	45,866	\$57,075	14,553	\$21,924
	Currituck Other	187	\$334	270	\$343
	Knotts Island/Corolla	765,295	\$797,468	490,360	\$526,201
	Moyock/Barco	1,285,543	\$1,228,539	1,225,628	\$1,431,342
	Southern Currituck	409,227	\$322,087	252,063	\$267,857
DARE	Bodie Island	686,445	\$557,779	476,797	\$475,681
	Dare Other	2,910,259	\$2,600,916	1,707,509	\$2,244,595
	Hatteras Island	2,968,284	\$2,948,301	2,764,186	\$2,812,762
	Mainland Dare	397,097	\$427,883	529,423	\$636,402
	Manteo	54,423	\$105,789	153,107	\$262,170
	Wanchese	15,696,127	\$16,364,062	16,748,815	\$16,704,712
HERTFORD	Hertford Other	***	***	***	***
HYDE	Engelhard	5,804,393	\$7,405,957	4,364,412	\$7,311,033
	Hyde Other	0	\$0	551	\$1,975
	Ocracoke	328,397	\$415,807	332,217	\$383,585
	Swan Quarter	2,559,773	\$3,004,152	1,691,321	\$2,270,859
NEW HANOVER	New Hanover Other	425	\$729	327	\$952
	Wilmington Area	1,723,142	\$2,492,242	1,574,889	\$2,660,922
ONSLOW	Hubert	87,562	\$124,359	297,041	\$365,903
	Jacksonville	131,735	\$139,282	98,113	\$121,418
	Onslow Other	70,227	\$146,777	48,340	\$107,151
	Sneads Ferry	1,939,613	\$4,436,674	1,770,550	\$3,804,290
	Swansboro	394,213	\$1,261,593	336,147	\$1,143,663
PAMLICO	Arapahoe	160,421	\$176,066	204,939	\$233,818
	Bayboro/Alliance/Grantsboro/Stonewall	400,754	\$271,736	519,527	\$341,468
	Hobucken/Lowland	1,136,401	\$2,034,924	1,095,568	\$2,473,577
	Merritt	184,921	\$218,361	352,778	\$262,839
	Oriental	2,460,156	\$4,768,219	2,401,453	\$4,590,789
	Pamlico Other	1,024	\$3,162	0	\$0
PASQUOTANK	Vandemere	223,230	\$207,275	264,273	\$289,378
	Elizabeth City	1,499,484	\$1,452,721	766,193	\$1,053,125
PENDER	Pasquotank Other	0	\$0	0	\$0
	Burgaw	40,315	\$67,657	32,715	\$48,833
	Hampstead	620,455	\$896,396	627,050	\$993,911
	Pender Other	37,612	\$35,483	35,094	\$40,320

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2008		2007	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,867,726	\$2,026,558	1,147,958	\$1,452,648
	Perquimans Other	120	\$51	0	\$0
TYRRELL	Columbia	4,568,627	\$3,762,350	3,059,919	\$2,469,638
	Tyrrell Other	957	\$814	0	\$0
WASHINGTON	Plymouth	0	\$0	0	\$0
	Roper	1,248,633	\$1,256,436	1,025,286	\$1,143,071
	Washington Other	0	\$0	0	\$0
Total	*Total*	71,122,003	\$86,658,616	62,773,782	\$82,083,371

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2006		2005	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	660,740	\$414,883	665,012	\$452,400
	Bath	2,353,903	\$1,416,172	2,427,010	\$1,720,872
	Beaufort Other	0	\$0	1,965	\$2,172
	Belhaven	1,476,495	\$1,050,557	1,375,983	\$1,080,332
	Washington	121,916	\$191,033	263,664	\$243,558
BERTIE	Bertie Other	***	***	***	***
BRUNSWICK	Brunswick Other	22,202	\$38,121	18,005	\$35,470
	Calabash	176,501	\$171,254	191,997	\$189,889
	Shallotte	1,349,485	\$2,260,214	1,072,502	\$1,901,490
	Southport	723,319	\$1,387,167	726,162	\$1,248,252
CAMDEN	Camden Other	0	\$0	0	\$0
	Shiloh	2,054,055	\$1,496,357	2,092,856	\$1,666,401
CARTERET	Bogue Banks	155,822	\$260,927	153,874	\$276,630
	Carteret Other	206,257	\$339,430	208,636	\$316,663
	Downeast Communities	2,387,386	\$2,632,684	3,082,988	\$2,790,846
	Morehead City/Beaufort	3,406,904	\$6,466,192	15,223,290	\$7,119,871
	Western Carteret	534,113	\$843,551	628,931	\$920,670
CHOWAN	Chowan Other	683,120	\$432,011	110,571	\$55,410
	Edenton	***	***	613,778	\$319,334
CRAVEN	Craven Other	0	\$0	9,887	\$10,658
	Havelock	5,841	\$4,632	***	***
	New Bern/Bridgeton	706,850	\$473,309	690,080	\$522,981
CURRITUCK	Central Currituck	11,744	\$11,654	19,108	\$26,810
	Currituck Other	0	\$0	4,050	\$4,705
	Knotts Island/Corolla	311,251	\$233,107	310,731	\$237,863
	Moyock/Barco	1,016,783	\$858,521	809,869	\$827,983
	Southern Currituck	169,000	\$138,406	170,164	\$140,384
DARE	Bodie Island	432,345	\$346,401	370,985	\$376,560
	Dare Other	1,727,630	\$1,805,303	1,785,750	\$2,472,035
	Hatteras Island	2,873,751	\$3,227,852	3,639,961	\$3,405,451
	Mainland Dare	661,704	\$717,341	859,976	\$956,551
	Manteo	195,450	\$343,342	154,334	\$251,196
	Wanchese	20,701,961	\$16,370,239	20,231,148	\$13,409,062
HERTFORD	Hertford Other	***	***	***	***
HYDE	Engelhard	4,374,371	\$5,058,187	5,059,443	\$4,143,812
	Hyde Other	10,362	\$34,452	10,144	\$25,444
	Ocracoke	285,586	\$402,268	366,915	\$461,044
	Swan Quarter	1,948,373	\$1,911,277	1,928,778	\$1,527,885
NEW HANOVER	New Hanover Other	31,865	\$72,055	87,042	\$151,450
	Wilmington Area	1,677,431	\$2,253,785	1,294,324	\$1,833,206
ONSLOW	Hubert	233,561	\$331,897	189,826	\$265,778
	Jacksonville	119,081	\$131,097	120,031	\$129,563
	Onslow Other	52,499	\$104,898	60,731	\$120,651
	Sneads Ferry	1,821,326	\$3,431,065	914,981	\$2,203,965
	Swansboro	322,755	\$1,061,944	232,156	\$962,502
PAMLICO	Arapahoe	523,162	\$352,502	637,851	\$484,909
	Bayboro/Alliance/Grantsboro/Stonewall	661,752	\$480,563	917,700	\$747,931
	Hobucken/Lowland	622,612	\$718,566	869,756	\$1,008,165
	Merritt	318,539	\$246,064	388,165	\$308,549
	Oriental	1,500,329	\$2,827,998	1,255,836	\$1,910,651
	Pamlico Other	754	\$335	261	\$653
PASQUOTANK	Vandemere	522,168	\$372,106	979,097	\$860,760
	Elizabeth City	782,475	\$843,480	1,057,464	\$954,930
PENDER	Pasquotank Other	0	\$0	0	\$0
	Burgaw	22,116	\$25,970	8,850	\$9,147
	Hampstead	533,882	\$670,361	460,746	\$469,323
	Pender Other	79,551	\$58,411	155,270	\$87,729

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2006		2005	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,669,396	\$1,452,089	1,063,408	\$927,389
	Perquimans Other	0	\$0	0	\$0
TYRRELL	Columbia	4,097,877	\$2,190,365	2,923,116	\$1,618,147
	Tyrrell Other	0	\$0	280	\$607
WASHINGTON	Plymouth	***	***	***	***
	Roper	***	***	550,858	\$505,672
	Washington Other	1,254,764	\$913,557	12,865	\$16,803
Total	*Total*	68,646,874	\$69,916,320	79,525,500	\$64,751,062

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2004		2003	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	722,137	\$421,678	835,399	\$658,704
	Bath	2,280,855	\$1,476,204	2,792,802	\$2,285,576
	Beaufort Other	1,994	\$1,090	1,385	\$2,143
	Belhaven	1,858,808	\$1,477,160	2,183,126	\$1,998,244
	Washington	354,374	\$295,563	434,500	\$345,929
BERTIE	Bertie Other	28,383	\$11,075	21,820	\$11,566
BRUNSWICK	Brunswick Other	51,315	\$57,821	47,551	\$82,949
	Calabash	223,569	\$238,500	224,564	\$256,489
	Shallotte	1,408,585	\$2,261,186	1,248,524	\$1,939,468
	Southport	719,243	\$1,228,844	712,935	\$1,180,350
CAMDEN	Camden Other	0	\$0	0	\$0
	Shiloh	2,072,470	\$1,834,027	3,654,632	\$4,102,430
CARTERET	Bogue Banks	252,395	\$434,510	325,236	\$621,569
	Carteret Other	280,552	\$325,979	277,136	\$371,351
	Downeast Communities	4,774,908	\$3,987,409	5,338,584	\$4,923,487
	Morehead City/Beaufort	55,147,986	\$13,720,130	52,593,647	\$11,788,521
	Western Carteret	615,252	\$945,979	626,734	\$1,054,691
CHOWAN	Chowan Other	142,431	\$54,484	205,632	\$76,002
	Edenton	466,571	\$246,839	668,447	\$407,470
CRAVEN	Craven Other	23,208	\$20,355	22,021	\$26,118
	Havelock	***	***	***	***
	New Bern/Bridgeton	784,184	\$495,102	941,315	\$725,497
CURRITUCK	Central Currituck	48,092	\$49,501	43,584	\$57,698
	Currituck Other	48,691	\$46,853	137,873	\$99,994
	Knotts Island/Corolla	873,719	\$617,291	618,616	\$666,871
	Moyock/Barco	925,883	\$777,145	1,000,057	\$1,088,966
	Southern Currituck	201,005	\$152,670	214,036	\$237,794
DARE	Bodie Island	348,916	\$316,060	343,011	\$419,575
	Dare Other	1,812,556	\$2,156,675	2,986,954	\$3,096,620
	Hatteras Island	4,432,247	\$3,216,115	3,959,168	\$2,648,422
	Mainland Dare	1,036,188	\$867,013	1,385,481	\$1,154,333
	Manteo	306,822	\$238,914	282,038	\$217,620
	Wanchese	23,249,051	\$13,723,841	23,575,155	\$12,538,971
HERTFORD	Hertford Other	***	***	***	***
HYDE	Engelhard	5,746,911	\$4,876,165	6,453,753	\$5,400,477
	Hyde Other	51,997	\$44,109	84,168	\$41,225
	Ocracoke	493,560	\$432,293	349,356	\$361,961
	Swan Quarter	2,938,200	\$2,523,393	3,689,227	\$3,019,615
NEW HANOVER	New Hanover Other	115,932	\$167,102	68,514	\$97,963
	Wilmington Area	1,609,668	\$2,057,451	1,742,580	\$2,579,752
ONslow	Hubert	265,135	\$471,645	334,021	\$632,058
	Jacksonville	142,121	\$124,638	172,615	\$155,458
	Onslow Other	70,898	\$110,929	100,364	\$135,592
	Sneads Ferry	1,512,468	\$2,886,779	2,017,535	\$3,498,866
	Swansboro	342,594	\$1,015,798	309,257	\$869,599
PAMLICO	Arapahoe	807,851	\$702,728	568,552	\$575,955
	Bayboro/Alliance/Grantsboro/Stonewall	1,220,787	\$971,732	1,270,892	\$1,291,504
	Hobucken/Lowland	1,100,463	\$1,014,783	694,371	\$739,553
	Merritt	535,788	\$407,539	345,217	\$337,525
	Oriental	1,989,196	\$2,886,678	1,306,216	\$1,724,743
	Pamlico Other	129,302	\$78,835	360,661	\$253,506
	Vandemere	1,252,461	\$1,156,749	971,527	\$877,749
PASQUOTANK	Elizabeth City	1,897,746	\$1,541,135	3,239,107	\$3,006,559
	Pasquotank Other	0	\$0	0	\$0
PENDER	Burgaw	19,802	\$14,334	14,915	\$12,432
	Hampstead	419,202	\$511,839	442,701	\$562,489
	Pender Other	116,946	\$96,506	154,403	\$157,544

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2004		2003	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,318,462	\$1,153,182	1,729,504	\$1,498,687
	Perquimans Other	0	\$0	28,814	\$25,837
TYRRELL	Columbia	3,227,387	\$1,814,253	4,134,186	\$3,217,511
	Tyrrell Other	54,860	\$34,344	125,764	\$121,787
WASHINGTON	Plymouth	***	***	***	***
	Roper	1,046,344	\$719,927	***	***
	Washington Other	11,326	\$15,997	781,818	\$622,457
Total	*Total*	133,973,496	\$79,541,918	139,228,664	\$86,916,798

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2002		2001	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	700,284	\$509,816	536,516	\$503,765
	Bath	3,065,040	\$2,607,393	2,158,047	\$2,020,964
	Beaufort Other	4,171	\$8,508	6,684	\$13,363
	Belhaven	2,031,383	\$2,082,487	1,714,751	\$2,027,910
	Washington	609,100	\$494,470	360,902	\$341,551
BERTIE	Bertie Other	85,522	\$34,711	74,534	\$29,393
BRUNSWICK	Brunswick Other	48,215	\$75,465	25,831	\$38,060
	Calabash	226,195	\$286,272	352,867	\$356,107
	Shallotte	1,126,716	\$1,727,168	1,155,053	\$1,933,155
	Southport	775,516	\$1,214,958	877,072	\$1,366,724
CAMDEN	Camden Other	0	\$0	1,939	\$1,893
	Shiloh	2,417,663	\$2,927,849	2,306,973	\$2,687,183
CARTERET	Bogue Banks	165,933	\$265,359	166,602	\$248,720
	Carteret Other	277,076	\$349,983	211,765	\$311,789
	Downeast Communities	5,822,146	\$5,319,263	6,701,911	\$6,066,218
	Morehead City/Beaufort	75,242,219	\$12,912,293	58,623,914	\$11,126,995
	Western Carteret	556,161	\$903,695	489,405	\$1,046,722
CHOWAN	Chowan Other	942,148	\$449,909	1,036,071	\$440,313
	Edenton	***	***	***	***
CRAVEN	Craven Other	977	\$1,093	2,085	\$1,522
	Havelock	51,407	\$55,480	45,518	\$49,947
	New Bern/Bridgeton	821,263	\$684,165	707,718	\$576,613
CURRITUCK	Central Currituck	52,809	\$63,433	49,406	\$85,598
	Currituck Other	188,806	\$205,904	348,534	\$416,198
	Knotts Island/Corolla	806,888	\$902,319	535,132	\$442,999
	Moyock/Barco	2,054,218	\$2,200,750	891,361	\$860,378
	Southern Currituck	217,827	\$241,705	230,350	\$245,402
DARE	Bodie Island	353,811	\$369,580	349,606	\$402,073
	Dare Other	2,408,372	\$2,673,347	3,444,456	\$4,190,637
	Hatteras Island	4,440,762	\$3,773,552	5,322,925	\$3,392,050
	Mainland Dare	2,535,915	\$2,001,212	3,106,524	\$2,799,136
	Manteo	491,225	\$304,782	445,784	\$276,897
	Wanchese	18,655,069	\$13,889,550	18,845,949	\$13,768,901
HERTFORD	Hertford Other	***	***	***	***
HYDE	Engelhard	6,831,255	\$6,014,945	5,712,011	\$4,788,683
	Hyde Other	239,424	\$206,658	476,617	\$479,471
	Ocracoke	642,545	\$630,907	756,073	\$699,116
	Swan Quarter	2,934,735	\$2,687,770	2,155,535	\$2,243,865
NEW HANOVER	New Hanover Other	299	\$322	7,371	\$16,525
	Wilmington Area	1,763,371	\$2,556,645	1,644,363	\$2,355,330
ONslow	Hubert	339,179	\$618,936	427,931	\$819,019
	Jacksonville	206,022	\$200,862	209,744	\$215,888
	Onslow Other	72,913	\$117,929	59,907	\$110,550
	Sneads Ferry	1,872,871	\$3,588,597	1,681,428	\$3,356,018
	Swansboro	439,159	\$975,968	388,320	\$933,628
PAMLICO	Arapahoe	303,857	\$246,482	391,278	\$361,026
	Bayboro/Alliance/Grantsboro/Stonewall	908,558	\$1,014,702	614,329	\$832,418
	Hobucken/Lowland	812,316	\$942,957	740,761	\$979,734
	Merritt	277,673	\$253,541	380,009	\$348,538
	Oriental	2,373,291	\$3,299,849	1,797,898	\$2,611,684
	Pamlico Other	69,587	\$58,392	26,145	\$27,484
	Vandemere	1,081,557	\$1,205,798	992,726	\$1,287,116
PASQUOTANK	Elizabeth City	3,341,211	\$2,996,952	1,979,675	\$2,093,436
	Pasquotank Other	0	\$0	0	\$0
PENDER	Burgaw	10,873	\$16,346	6,530	\$5,895
	Hampstead	405,312	\$624,026	441,044	\$737,391
	Pender Other	135,622	\$107,923	101,875	\$73,946

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2002		2001	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	2,369,701	\$2,374,948	1,623,028	\$1,704,296
	Perquimans Other	0	\$0	26	\$13
TYRRELL	Columbia	3,903,481	\$3,017,906	2,944,281	\$2,462,842
	Tyrrell Other	63,179	\$75,007	88,200	\$149,453
WASHINGTON	Plymouth	***	***	36,632	\$46,340
	Roper	1,323,498	\$1,139,523	***	***
	Washington Other	28,271	\$30,882	164,212	\$163,543
Total	*Total*	159,985,436	\$94,558,322	137,014,359	\$87,986,493

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2000		1999	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	898,499	\$738,973	1,602,989	\$926,051
	Bath	2,958,734	\$2,558,365	3,221,340	\$2,068,435
	Beaufort Other	16,067	\$19,883	1,831,706	\$1,211,601
	Belhaven	3,123,189	\$3,518,201	3,840,949	\$2,927,830
	Washington	397,974	\$320,910	323,586	\$236,961
BERTIE	Bertie Other	109,037	\$46,188	147,642	\$62,508
BRUNSWICK	Brunswick Other	26,365	\$53,725	237,292	\$314,134
	Calabash	363,885	\$388,023	232,900	\$233,246
	Shallotte	1,027,536	\$2,020,341	1,445,475	\$3,325,308
	Southport	1,183,117	\$1,832,280	1,030,518	\$1,428,267
CAMDEN	Camden Other	0	\$0	215,432	\$162,476
	Shiloh	2,768,148	\$3,330,128	1,808,252	\$1,365,097
CARTERET	Bogue Banks	400,323	\$520,166	532,696	\$493,605
	Carteret Other	231,527	\$355,337	4,218,654	\$2,540,454
	Downeast Communities	6,610,981	\$6,570,904	6,960,407	\$5,840,750
	Morehead City/Beaufort	61,158,938	\$12,192,669	44,691,299	\$9,431,212
	Western Carteret	602,344	\$1,118,666	723,795	\$1,145,846
CHOWAN	Chowan Other	1,566,293	\$697,358	1,394,165	\$685,536
	Edenton	***	***	***	***
CRAVEN	Craven Other	1,552	\$981	166,558	\$122,721
	Havelock	41,557	\$47,487	57,040	\$49,413
	New Bern/Bridgeton	626,166	\$500,058	653,985	\$472,052
CURRITUCK	Central Currituck	246,739	\$252,513	179,501	\$141,415
	Currituck Other	85,775	\$90,119	226,025	\$169,629
	Knotts Island/Corolla	585,936	\$493,457	755,330	\$459,802
	Moyock/Barco	911,661	\$936,317	957,142	\$740,783
	Southern Currituck	244,143	\$248,737	254,179	\$186,913
DARE	Bodie Island	650,858	\$718,467	1,396,564	\$1,050,562
	Dare Other	3,341,682	\$3,632,767	3,933,564	\$3,229,248
	Hatteras Island	5,652,104	\$3,796,048	7,336,108	\$4,621,164
	Mainland Dare	2,703,459	\$2,577,531	2,590,585	\$1,725,851
	Manteo	554,412	\$345,236	371,268	\$207,678
	Wanchese	20,428,179	\$15,281,310	18,065,021	\$11,833,130
HERTFORD	Hertford Other	28,013	\$11,379	60,776	\$23,118
HYDE	Engelhard	6,691,403	\$7,272,082	7,696,522	\$6,464,315
	Hyde Other	876,164	\$743,521	2,557,081	\$1,723,157
	Ocracoke	960,237	\$827,301	1,178,354	\$745,739
	Swan Quarter	3,457,581	\$3,863,049	4,221,618	\$3,723,489
NEW HANOVER	New Hanover Other	1,134	\$1,154	135,726	\$177,824
	Wilmington Area	1,733,883	\$2,489,366	1,924,406	\$2,705,191
ONSLOW	Hubert	476,976	\$704,608	248,060	\$451,524
	Jacksonville	199,775	\$185,639	192,308	\$179,068
	Onslow Other	96,269	\$167,092	276,391	\$491,501
	Sneads Ferry	1,929,524	\$4,478,459	1,699,378	\$3,915,262
	Swansboro	313,253	\$895,273	263,103	\$632,452
PAMLICO	Arapahoe	686,245	\$589,233	1,288,157	\$882,079
	Bayboro/Alliance/Grantsboro/Stonewall	880,146	\$1,199,151	1,030,932	\$1,202,896
	Hobucken/Lowland	1,717,345	\$2,390,206	1,889,109	\$1,840,901
	Merritt	460,912	\$414,168	193,946	\$150,350
	Oriental	3,331,748	\$5,648,383	3,151,876	\$3,631,092
	Pamlico Other	1,678,283	\$2,235,838	1,895,006	\$1,543,694
	Vandemere	***	***	1,601,864	\$1,432,356
PASQUOTANK	Elizabeth City	2,279,306	\$2,420,605	2,316,707	\$1,734,046
	Pasquotank Other	0	\$0	246,838	\$206,004
PENDER	Burgaw	5,354	\$2,644	***	***
	Hampstead	480,926	\$795,680	568,351	\$726,451
	Pender Other	99,623	\$75,729	95,165	\$107,201

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	2000		1999	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,684,340	\$1,760,899	2,264,258	\$1,929,995
	Perquimans Other	34,005	\$43,736	9,191	\$8,772
TYRRELL	Columbia	3,753,983	\$3,056,015	4,016,864	\$2,564,093
	Tyrrell Other	6,987	\$12,109	410,846	\$311,063
WASHINGTON	Plymouth	33,739	\$28,597	24,703	\$25,682
	Roper	667,439	\$632,844	***	***
	Washington Other	0	\$0	726,322	\$588,307
Total	*Total*	154,081,767	\$108,147,907	153,585,822	\$99,527,303

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	1998		1997	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	1,469,065	\$1,058,583	2,214,473	\$1,371,850
	Bath	3,199,439	\$2,613,109	3,169,307	\$2,191,770
	Beaufort Other	750,850	\$582,195	853,837	\$572,531
	Belhaven	4,352,097	\$3,492,072	5,162,246	\$3,901,561
	Washington	333,463	\$269,057	331,090	\$234,959
BERTIE	Bertie Other	***	***	***	***
BRUNSWICK	Brunswick Other	112,174	\$155,085	137,944	\$218,131
	Calabash	160,510	\$201,398	196,318	\$284,699
	Shallotte	1,433,727	\$2,915,300	1,082,187	\$2,334,324
	Southport	1,290,130	\$1,573,971	1,368,962	\$1,767,204
CAMDEN	Camden Other	78,974	\$83,135	92,109	\$56,766
	Shiloh	1,611,715	\$1,449,026	1,265,115	\$871,923
CARTERET	Bogue Banks	300,959	\$429,572	149,697	\$346,124
	Carteret Other	1,811,704	\$1,551,427	12,328,553	\$2,952,138
	Downeast Communities	10,061,121	\$6,918,416	10,502,266	\$8,136,876
	Morehead City/Beaufort	68,079,253	\$11,532,577	105,152,694	\$16,517,703
	Western Carteret	756,228	\$945,148	690,197	\$1,109,368
CHOWAN	Chowan Other	1,801,899	\$918,753	1,612,346	\$866,035
	Edenton	***	***	***	***
CRAVEN	Craven Other	126,116	\$93,149	111,835	\$104,363
	Havelock	88,546	\$68,344	***	***
	New Bern/Bridgeton	622,048	\$462,885	639,743	\$500,067
CURRITUCK	Central Currituck	115,289	\$122,883	156,542	\$107,402
	Currituck Other	183,481	\$146,319	235,806	\$187,722
	Knotts Island/Corolla	480,555	\$408,936	454,044	\$358,259
	Moyock/Barco	1,283,133	\$1,110,117	1,173,147	\$971,175
	Southern Currituck	82,650	\$79,356	89,466	\$72,825
DARE	Bodie Island	1,752,915	\$1,335,736	1,616,763	\$1,192,570
	Dare Other	3,856,039	\$3,436,292	3,708,350	\$3,415,164
	Hatteras Island	11,264,047	\$5,375,167	11,481,094	\$5,882,898
	Mainland Dare	3,471,561	\$2,606,447	2,782,883	\$2,169,624
	Manteo	351,894	\$137,647	307,998	\$138,085
	Wanchese	15,873,649	\$10,576,760	18,068,746	\$11,349,900
HERTFORD	Hertford Other	60,557	\$22,062	17,232	\$8,345
HYDE	Engelhard	6,472,723	\$4,523,786	5,525,588	\$4,552,641
	Hyde Other	1,140,076	\$695,468	912,400	\$546,514
	Ocracoke	1,449,059	\$982,785	1,679,973	\$1,170,687
	Swan Quarter	7,060,589	\$4,741,423	6,713,051	\$5,191,359
NEW HANOVER	New Hanover Other	109,482	\$136,450	123,615	\$152,468
	Wilmington Area	1,923,775	\$2,739,633	2,100,453	\$3,015,009
ONSLOW	Hubert	325,644	\$568,203	378,655	\$666,012
	Jacksonville	128,952	\$135,583	168,055	\$150,837
	Onslow Other	195,097	\$360,292	197,495	\$399,072
	Sneads Ferry	1,706,422	\$3,540,269	1,562,497	\$3,264,133
	Swansboro	308,485	\$613,415	215,617	\$642,096
PAMLICO	Arapahoe	1,489,197	\$1,075,950	1,726,322	\$1,195,453
	Bayboro/Alliance/Grantsboro/Stonewall	1,034,881	\$933,149	786,843	\$931,616
	Hobucken/Lowland	2,063,503	\$1,754,164	2,517,961	\$2,299,467
	Merritt	243,465	\$199,726	252,686	\$178,144
	Oriental	2,343,827	\$2,484,876	4,241,584	\$3,931,920
	Pamlico Other	2,037,976	\$1,552,247	1,404,893	\$993,715
PASQUOTANK	Vandemere	1,258,362	\$1,252,850	1,898,921	\$2,270,642
	Elizabeth City	3,707,659	\$3,384,252	2,381,813	\$2,127,706
PENDER	Pasquotank Other	116,757	\$115,946	89,981	\$60,846
	Burgaw	12,574	\$25,719	29,338	\$47,069
	Hampstead	484,969	\$682,836	514,926	\$648,768
	Pender Other	46,845	\$84,104	51,976	\$80,992

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	1998		1997	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,819,509	\$1,719,684	1,083,884	\$999,769
	Perquimans Other	91,536	\$100,204	155,941	\$127,994
TYRRELL	Columbia	4,602,508	\$3,196,842	3,822,583	\$2,411,069
	Tyrrell Other	148,077	\$132,899	209,077	\$132,717
WASHINGTON	Plymouth	***	***	***	***
	Roper	***	***	***	***
	Washington Other	434,161	\$404,801	457,383	\$471,216
Total	*Total*	180,086,485	\$100,879,619	228,486,962	\$108,882,082

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	1996		1995	
		Pounds	Value	Pounds	Value
BEAUFORT	Aurora/Blounts Creek	2,588,659	\$1,543,276	1,412,295	\$953,971
	Bath	4,176,372	\$3,123,559	3,809,183	\$3,477,044
	Beaufort Other	2,015,666	\$1,428,487	1,123,335	\$1,027,676
	Belhaven	4,752,879	\$3,390,022	3,242,755	\$2,887,925
	Washington	320,508	\$287,973	317,682	\$311,432
BERTIE	Bertie Other	***	***	***	***
BRUNSWICK	Brunswick Other	264,262	\$417,564	395,639	\$501,260
	Calabash	215,221	\$314,742	283,346	\$361,051
	Shallotte	1,071,084	\$2,303,559	1,598,292	\$2,567,356
	Southport	1,233,712	\$1,557,329	1,430,132	\$1,896,487
CAMDEN	Camden Other	90,109	\$61,278	9,241	\$13,182
	Shiloh	950,602	\$660,143	200,602	\$226,354
CARTERET	Bogue Banks	125,355	\$304,721	161,483	\$267,604
	Carteret Other	3,034,749	\$1,862,224	2,613,133	\$2,459,168
	Downeast Communities	8,696,786	\$8,306,476	10,146,804	\$10,040,607
	Morehead City/Beaufort	62,752,843	\$11,653,586	66,707,161	\$10,600,717
	Western Carteret	627,079	\$1,004,786	903,518	\$1,538,861
CHOWAN	Chowan Other	2,045,417	\$1,052,106	1,610,296	\$802,703
	Edenton	***	***	***	***
CRAVEN	Craven Other	251,425	\$229,397	53,186	\$50,183
	Havelock	***	***	164,022	\$211,031
	New Bern/Bridgeton	711,000	\$489,962	286,804	\$243,078
CURRITUCK	Central Currituck	306,287	\$183,088	590,069	\$395,250
	Currituck Other	182,692	\$144,816	150,612	\$136,705
	Knotts Island/Corolla	323,002	\$213,964	313,218	\$211,433
	Moyock/Barco	1,716,814	\$1,254,397	1,561,928	\$1,145,853
	Southern Currituck	81,647	\$64,800	69,036	\$50,856
DARE	Bodie Island	1,749,459	\$1,329,324	1,191,629	\$1,172,438
	Dare Other	4,327,817	\$3,271,534	6,562,203	\$5,010,038
	Hatteras Island	13,679,855	\$6,000,770	11,977,995	\$5,998,597
	Mainland Dare	3,130,295	\$2,033,139	2,730,647	\$2,413,882
	Manteo	607,212	\$227,022	161,233	\$146,984
	Wanchese	19,558,430	\$10,617,822	16,359,831	\$12,509,278
HERTFORD	Hertford Other	97,697	\$24,685	53,148	\$13,921
HYDE	Engelhard	5,310,790	\$3,381,188	3,795,970	\$3,838,931
	Hyde Other	1,401,120	\$849,182	1,189,983	\$898,918
	Ocracoke	1,926,387	\$1,242,812	2,163,723	\$1,366,300
	Swan Quarter	6,413,002	\$4,280,783	3,830,457	\$3,578,766
NEW HANOVER	New Hanover Other	89,191	\$97,691	101,746	\$141,115
	Wilmington Area	1,715,628	\$2,547,705	2,116,854	\$3,077,779
ONSLOW	Hubert	398,436	\$502,379	563,559	\$694,649
	Jacksonville	205,136	\$181,017	244,683	\$219,851
	Onslow Other	144,234	\$237,048	162,388	\$282,411
	Sneads Ferry	1,454,836	\$2,989,789	1,832,042	\$3,259,361
	Swansboro	185,408	\$534,236	228,821	\$513,010
PAMLICO	Arapahoe	1,809,970	\$1,195,591	976,393	\$866,313
	Bayboro/Alliance/Grantsboro/Stonewall	1,211,384	\$1,279,917	816,691	\$1,206,713
	Hobucken/Lowland	2,726,733	\$2,430,033	1,731,860	\$2,513,073
	Merritt	255,827	\$224,738	159,739	\$143,191
	Oriental	4,480,648	\$4,191,395	2,787,017	\$3,635,766
	Pamlico Other	1,333,414	\$838,309	2,071,344	\$2,521,606
	Vandemere	1,642,428	\$1,672,486	***	***
PASQUOTANK	Elizabeth City	5,645,677	\$4,257,869	6,027,915	\$5,289,864
	Pasquotank Other	398,098	\$352,473	163,851	\$181,985
PENDER	Burgaw	9,775	\$3,823	***	***
	Hampstead	481,136	\$599,830	601,231	\$704,400
	Pender Other	70,338	\$85,666	82,610	\$95,728

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

County	Dealer City	1996		1995	
		Pounds	Value	Pounds	Value
PERQUIMANS	Hertford	1,532,756	\$1,096,799	874,299	\$828,178
	Perquimans Other	327,083	\$213,209	293,741	\$242,541
TYRRELL	Columbia	6,789,096	\$3,869,647	4,360,079	\$3,292,884
	Tyrrell Other	383,941	\$222,175	137,800	\$109,676
WASHINGTON	Plymouth	***	***	***	***
	Roper	***	***	0	\$0
	Washington Other	727,822	\$517,718	41,494	\$49,118
Total	*Total*	190,888,094	\$105,271,469	175,627,224	\$109,209,263

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

		1994	
County	Dealer City		
BEAUFORT	Aurora/Blounts Creek	1,539,045	\$759,747
	Bath	3,520,970	\$2,312,940
	Beaufort Other	1,627,313	\$923,751
	Belhaven	3,170,745	\$2,267,229
	Washington	218,034	\$178,556
BERTIE	Bertie Other	177,297	\$153,594
BRUNSWICK	Brunswick Other	561,656	\$860,500
	Calabash	197,200	\$252,077
	Shallotte	882,980	\$1,785,526
	Southport	1,334,332	\$1,599,234
CAMDEN	Camden Other	5,898	\$5,244
	Shiloh	***	***
CARTERET	Bogue Banks	62,282	\$125,612
	Carteret Other	8,854,224	\$3,622,082
	Downeast Communities	13,163,111	\$8,292,187
	Morehead City/Beaufort	73,663,686	\$7,303,116
	Western Carteret	815,959	\$1,192,220
CHOWAN	Chowan Other	266,342	\$54,197
	Edenton	2,061,995	\$868,639
CRAVEN	Craven Other	343,435	\$296,805
	Havelock	***	***
	New Bern/Bridgeton	292,467	\$206,292
CURRITUCK	Central Currituck	932,940	\$488,961
	Currituck Other	102,624	\$53,686
	Knotts Island/Corolla	144,485	\$66,007
	Moyock/Barco	800,480	\$375,380
	Southern Currituck	21,270	\$29,308
DARE	Bodie Island	1,020,161	\$684,366
	Dare Other	6,056,093	\$4,604,546
	Hatteras Island	10,906,453	\$4,925,108
	Mainland Dare	2,809,380	\$2,070,259
	Manteo	6,199	\$8,986
	Wanchese	17,385,132	\$9,043,437
HERTFORD	Hertford Other	61,806	\$10,182
HYDE	Engelhard	3,899,068	\$4,248,373
	Hyde Other	2,412,583	\$1,337,486
	Ocracoke	2,147,741	\$1,338,030
	Swan Quarter	5,126,900	\$3,715,552
NEW HANOVER	New Hanover Other	166,689	\$215,516
	Wilmington Area	2,198,881	\$2,857,843
ONslow	Hubert	549,919	\$602,067
	Jacksonville	188,824	\$166,711
	Onslow Other	219,727	\$410,628
	Sneads Ferry	1,621,547	\$2,652,831
	Swansboro	211,530	\$369,141
PAMLICO	Arapahoe	539,468	\$311,789
	Bayboro/Alliance/Grantsboro/Stonewall	1,150,432	\$1,239,480
	Hobucken/Lowland	2,111,046	\$2,606,785
	Merritt	***	***
	Oriental	2,506,236	\$2,931,653
	Pamlico Other	2,910,305	\$2,871,290
	Vandemere	***	***
PASQUOTANK	Elizabeth City	6,316,047	\$4,217,294
	Pasquotank Other	206,331	\$183,290
PENDER	Burgaw	***	***
	Hampstead	539,990	\$624,531
	Pender Other	97,695	\$112,837

Table 49. Commercial seafood landings (pounds) by dealer city from 1994 to 2010 (continued).

		1994	
County	Dealer City		
PERQUIMANS	Hertford	174,885	\$108,244
	Perquimans Other	39,930	\$26,972
TYRRELL	Columbia	3,737,276	\$2,195,369
	Tyrrell Other	665,602	\$319,768
WASHINGTON	Plymouth	***	***
	Roper	0	\$0
	Washington Other	47,564	\$57,993
Total	*Total*	192,792,208	\$91,141,245

Footnote: This table includes dealer cities in coastal counties.

For this table some cities were grouped together in the following combinations:

- 1) Bath = Bath and Pinetown.
- 2) Washington = Washington and Chocowinity.
- 3) Belhaven = Belhaven and Pantego.
- 4) Southport = Boiling Spring Lakes, Long Beach, Oak Island, Yaupon Beach, and Southport.
- 5) Calabash = Longwood, Ocean Isle, Stantonburg, Sunset, Ash, Sunset Beach, and Calabash.
- 6) Shallotte = Bolivia, Holden Beach, Varnumtown, Winnabow, Leland, Supply, and Shallotte.
- 7) Downeast Communities = Harkers Island, Gloucester, Marshallberg, Atlantic, Sea Level, Davis, Cedar Island, Smyrna, Stacy, and Williston.
- 8) Bogue Banks = Atlantic Beach, Emerald Isle, Pine Knoll Shores, and Salter Path.
- 9) Western Carteret = Newport, Cape Carteret, and Cedar Point.
- 10) Moyock/Barco = Moyock, Shawboro, Currituck, Maple, and Barco.
- 11) Central Currituck = Coinjock, Aydlett, Poplar Branch, and Grandy.
- 12) Southern Currituck = Jarvisburg, Powells Point, Harbinger, and Point Harbor.
- 13) Mainland Dare = Manns Harbor, Stumpy Point, and East Lake.
- 14) Hatteras Island = Rodanthe, Waves, Salvo, Avon, Buxton, Frisco, and Hatteras.
- 15) Bodie Island = Kill Devil Hills, Nags Head, and Kitty Hawk.
- 16) Wilmington Area = Wilmington, Carolina Beach, Castle Hayne, Kure Beach, and Wrightsville Beach.
- 17) Burgaw = Burgaw, Atkinson, Currie, Rocky Point, and Willard.
- 18) Hampstead = Hampstead, Surf City, Topsail, and Hampton.

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010.

Waterbody	2010	2009	2008	2007
Albemarle Sound	14,938,972	16,719,589	19,605,721	12,669,224
Alligator River	1,242,487	1,669,906	1,235,342	786,847
Back Bay (VA)	1,020	2,594	0	0
Bay River	364,484	235,350	203,031	175,847
Bogue Inlet	0	0	0	0
Bogue Sound	395,404	316,531	392,736	327,161
Cape Fear River	715,894	763,811	848,503	683,162
Chowan River	178,205	184,709	215,073	194,805
Core Sound	1,524,899	1,734,752	2,032,529	1,938,040
Croatan Sound	1,771,865	1,941,498	1,607,654	1,140,676
Currituck Sound	2,655,565	3,696,732	2,783,837	1,869,433
Inland Waterway	0	0	0	199
Inland Waterway (Brunswick)	184,908	196,175	123,889	92,027
Inland Waterway (Onslow)	121,181	163,213	125,875	181,081
Lockwood Folly	55,892	65,906	85,492	111,478
Masonboro Sound	282,066	234,640	255,048	199,023
Mattamuskeet Lake	0	0	0	0
Neuse River	1,237,426	1,120,154	1,528,616	1,585,389
New River	657,023	492,364	584,663	639,647
Newport River	325,858	263,877	300,541	364,855
North River (Curr. County)	0	0	0	0
North River/Back Sound	125,321	159,012	246,075	327,677
Ocean	0	0	0	0
Ocean 0-3 mi, N of Cape Hatteras	2,952,379	3,089,146	1,533,150	2,102,287
Ocean 0-3 mi, S of Cape Hatteras	5,316,653	3,710,360	3,956,109	3,834,859
Ocean >3 mi, N of Cape Hatteras	13,751,158	13,869,144	11,788,002	14,325,247
Ocean >3 mi, S of Cape Hatteras	4,262,679	4,020,245	4,232,830	3,888,930
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	3,174,090	1,460,951	1,877,677	2,176,840
Pamlico Sound	12,782,414	10,337,449	12,612,345	10,879,729
Pasquotank River	2,338	5,580	1,131	227
Perquimans River	67,836	88,535	83,105	49,528
Pungo River	994,973	543,608	671,525	609,797
Roanoke River	2,777	9,985	6,852	9,169
Roanoke Sound	1,160,521	1,089,977	1,556,539	984,402
Shallotte River	70,131	46,664	58,384	70,934
Stump Sound	158,393	163,936	144,139	149,503
Swamps	0	0	0	0
Topsail Sound	421,368	419,229	368,193	376,589
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	2006	2005	2004	2003
Albemarle Sound	13,577,748	10,376,302	11,968,528	15,526,432
Alligator River	407,933	392,728	399,222	2,557,112
Back Bay (VA)	0	607	6,802	0
Bay River	207,657	391,827	466,601	585,136
Bogue Inlet	0	0	0	0
Bogue Sound	421,235	305,342	372,710	563,219
Cape Fear River	704,368	645,089	667,703	678,973
Chowan River	278,013	376,911	282,905	365,153
Core Sound	2,178,133	2,282,633	3,001,380	3,755,248
Croatan Sound	1,246,743	1,233,571	1,547,653	1,382,853
Currituck Sound	1,296,427	1,008,210	2,229,767	2,546,110
Inland Waterway	612	46,358	136,384	251,218
Inland Waterway (Brunswick)	178,414	177,303	82,176	66,054
Inland Waterway (Onslow)	170,101	152,927	190,770	201,611
Lockwood Folly	72,152	49,351	54,184	82,637
Masonboro Sound	305,626	321,115	256,740	281,947
Mattamuskeet Lake	0	0	0	0
Neuse River	2,324,185	2,651,546	2,820,175	2,589,531
New River	709,764	559,847	839,819	947,215
Newport River	388,969	441,531	519,249	514,305
North River (Curr. County)	0	0	0	0
North River/Back Sound	452,401	325,835	444,087	283,176
Ocean	0	0	0	0
Ocean 0-3 mi, N of Cape Hatteras	1,534,274	2,407,382	3,215,235	3,066,012
Ocean 0-3 mi, S of Cape Hatteras	4,129,967	15,267,334	54,788,387	51,679,178
Ocean >3 mi, N of Cape Hatteras	20,212,658	20,211,646	22,771,025	20,485,865
Ocean >3 mi, S of Cape Hatteras	4,223,991	4,795,792	5,349,353	5,696,322
Ocean less than 3 miles	6,033	5,606	7,073	9,088
Ocean more than 3 miles	0	0	800	0
Pamlico River	2,928,302	3,780,325	4,245,404	3,942,953
Pamlico Sound	7,585,333	8,040,878	13,711,331	16,219,575
Pasquotank River	19,446	7,389	4,040	19,696
Perquimans River	47,217	28,419	46,764	93,443
Pungo River	1,346,319	1,207,390	1,466,963	1,556,236
Roanoke River	36,508	68,757	29,964	8,177
Roanoke Sound	1,001,534	1,253,545	1,314,851	2,566,207
Shallotte River	78,726	88,866	94,154	86,452
Stump Sound	171,757	191,546	188,823	199,350
Swamps	0	0	0	0
Topsail Sound	354,765	380,946	349,445	327,987
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	2002	2001	2000	1999
Albemarle Sound	18,331,796	12,775,886	15,526,073	14,898,838
Alligator River	2,290,476	1,078,472	1,654,134	1,387,040
Back Bay (VA)	0	0	0	0
Bay River	531,539	618,357	1,307,052	1,691,651
Bogue Inlet	0	0	0	0
Bogue Sound	415,061	536,963	639,109	428,981
Cape Fear River	850,752	680,259	728,472	745,639
Chowan River	522,292	657,997	802,679	895,224
Core Sound	3,798,021	4,284,982	4,356,709	5,138,589
Croatan Sound	1,672,407	1,587,120	1,372,071	2,489,096
Currituck Sound	2,870,616	1,658,571	2,122,696	2,042,858
Inland Waterway	465,633	604,043	687,131	512,513
Inland Waterway (Brunswick)	2,950	0	0	0
Inland Waterway (Onslow)	24,064	0	0	0
Lockwood Folly	47,463	76,107	47,924	29,494
Masonboro Sound	253,767	268,930	249,225	214,652
Mattamuskeet Lake	0	0	0	0
Neuse River	2,431,813	2,120,993	2,931,481	4,919,435
New River	1,176,832	987,969	1,411,497	992,347
Newport River	691,945	571,769	615,141	831,463
North River (Curr. County)	0	0	0	0
North River/Back Sound	265,622	154,631	276,180	253,690
Ocean	0	0	0	0
Ocean 0-3 mi, N of Cape Hatteras	4,730,797	14,043,109	6,111,924	6,993,219
Ocean 0-3 mi, S of Cape Hatteras	71,813,882	50,272,953	59,477,107	7,288,523
Ocean >3 mi, N of Cape Hatteras	17,011,029	15,724,074	17,091,931	13,746,976
Ocean >3 mi, S of Cape Hatteras	6,011,076	5,767,386	7,159,261	6,411,322
Ocean less than 3 miles	1,928	5,870	16,994	40,758,873
Ocean more than 3 miles	0	0	0	792,853
Pamlico River	3,537,443	2,566,846	4,216,761	8,070,567
Pamlico Sound	15,751,202	15,459,324	20,589,402	27,209,387
Pasquotank River	78,558	114,918	36,631	99,852
Perquimans River	71,694	47,189	36,640	32,603
Pungo River	1,581,145	1,029,743	2,335,241	2,207,002
Roanoke River	36,472	58,335	49,701	13,731
Roanoke Sound	2,010,398	2,417,605	1,322,093	1,650,628
Shalotte River	88,031	132,234	89,235	73,945
Stump Sound	201,655	196,396	208,599	255,430
Swamps	0	0	0	0
Topsail Sound	224,594	317,319	307,349	369,453
Unknown	0	0	174,249	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1998	1997	1996	1995
Albemarle Sound	14,649,584	10,429,327	22,400,870	17,131,837
Alligator River	1,482,820	744,434	2,368,629	1,612,811
Back Bay (VA)	0	0	0	0
Bay River	3,213,803	4,114,309	4,033,627	1,952,898
Bogue Inlet	0	0	0	0
Bogue Sound	495,801	481,734	528,428	651,335
Cape Fear River	802,484	824,878	790,624	956,371
Chowan River	871,549	696,703	786,239	673,015
Core Sound	6,435,975	7,015,344	5,295,615	7,002,165
Croatan Sound	3,247,855	2,174,611	3,384,699	2,420,850
Currituck Sound	2,602,684	2,389,693	2,807,397	3,712,965
Inland Waterway	500,785	565,185	672,206	844,979
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	44,348	84,424	91,424	115,166
Masonboro Sound	286,934	230,861	230,018	323,968
Mattamuskeet Lake	0	0	0	0
Neuse River	4,607,940	5,244,809	5,951,893	3,334,308
New River	1,047,715	945,059	957,349	1,155,551
Newport River	671,065	797,742	592,383	709,401
North River (Curr. County)	0	0	0	0
North River/Back Sound	313,268	208,761	167,165	368,609
Ocean	0	0	0	0
Ocean 0-3 mi, N of Cape Hatteras	7,998,803	6,878,600	4,335,565	1,180,174
Ocean 0-3 mi, S of Cape Hatteras	20,335,858	46,647,325	12,619,740	1,376,398
Ocean >3 mi, N of Cape Hatteras	10,120,862	11,864,692	12,419,004	2,324,224
Ocean >3 mi, S of Cape Hatteras	8,792,613	7,372,884	4,711,932	151,402
Ocean less than 3 miles	49,605,030	71,094,261	62,075,463	75,236,677
Ocean more than 3 miles	2,077,492	5,932,535	10,403,852	24,853,397
Pamlico River	7,115,199	8,306,215	8,609,331	6,155,195
Pamlico Sound	28,582,776	28,416,228	20,089,427	18,383,712
Pasquotank River	91,364	79,593	160,994	220,100
Perquimans River	49,050	46,697	63,983	87,623
Pungo River	1,757,662	2,615,848	2,319,609	561,842
Roanoke River	76,268	85,827	77,762	30,181
Roanoke Sound	1,445,844	1,490,143	1,423,877	1,234,279
Shalotte River	85,187	120,255	105,543	94,554
Stump Sound	252,811	247,162	207,517	251,563
Swamps	0	0	0	0
Topsail Sound	313,708	240,912	235,307	335,431
Unknown	4,654	19,336	6,919	63,066

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1994	1993	1992	1991
Albemarle Sound	14,000,598	15,402,507	13,498,313	9,061,287
Alligator River	1,479,920	220,493	663,709	1,007,925
Back Bay (VA)	0	0	0	0
Bay River	2,256,348	395,454	600,588	491,088
Bogue Inlet	0	0	0	0
Bogue Sound	537,109	585,286	565,501	861,720
Cape Fear River	1,086,370	603,044	482,965	563,912
Chowan River	1,021,070	1,306,400	2,703,180	2,516,490
Core Sound	9,675,334	7,682,994	10,220,136	15,587,314
Croatan Sound	2,462,118	2,094,733	918,571	1,441,271
Currituck Sound	2,564,127	692,827	1,528,089	1,339,454
Inland Waterway	640,429	977,552	719,111	996,783
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	75,003	72,123	95,531	102,290
Masonboro Sound	270,376	155,567	186,731	158,916
Mattamuskeet Lake	0	0	0	0
Neuse River	4,194,582	3,228,244	3,770,529	7,020,879
New River	758,165	888,843	652,552	957,767
Newport River	662,247	746,316	709,443	955,933
North River (Curr. County)	0	12,100	278,092	364,918
North River/Back Sound	331,335	422,345	173,035	677,106
Ocean	0	104,376,867	87,362,684	128,557,322
Ocean 0-3 mi, N of Cape Hatteras	1,409	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	11,443	0	0	0
Ocean >3 mi, N of Cape Hatteras	20,915	0	0	0
Ocean >3 mi, S of Cape Hatteras	1,247	0	0	0
Ocean less than 3 miles	88,255,874	0	0	0
Ocean more than 3 miles	25,997,781	0	0	0
Pamlico River	8,091,184	4,110,912	1,524,976	3,469,241
Pamlico Sound	25,967,147	24,810,009	26,169,376	34,658,500
Pasquotank River	303,570	492,304	299,264	162,757
Perquimans River	108,420	43,273	8,158	0
Pungo River	0	0	0	0
Roanoke River	71,596	188,363	289,689	198,088
Roanoke Sound	1,158,033	495,344	504,655	902,162
Shalotte River	117,408	96,720	112,563	110,387
Stump Sound	156,769	53,481	18,373	21,546
Swamps	0	345	168	1,037
Topsail Sound	283,666	146,593	117,295	170,081
Unknown	92,349	65,496	14,148	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1990	1989	1988	1987
Albemarle Sound	6,950,643	9,178,056	8,357,594	10,273,860
Alligator River	310,787	961,402	1,081,120	1,345,302
Back Bay (VA)	0	177,550	0	0
Bay River	1,553,274	597,693	817,004	404,632
Bogue Inlet	0	0	0	0
Bogue Sound	866,026	743,939	608,808	484,754
Cape Fear River	705,980	628,542	527,027	756,955
Chowan River	1,605,280	1,295,920	3,104,273	3,628,443
Core Sound	18,251,252	12,472,864	13,839,206	13,379,361
Croatan Sound	528,358	824,444	848,873	1,028,094
Currituck Sound	1,053,217	2,189,982	1,375,852	876,353
Inland Waterway	954,206	703,480	647,602	531,304
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	55,878	55,033	57,090	96,044
Masonboro Sound	118,380	130,787	28,490	53,048
Mattamuskeet Lake	0	0	0	0
Neuse River	5,970,862	4,485,426	7,087,660	5,400,470
New River	1,109,273	666,607	462,895	385,178
Newport River	1,077,733	1,014,491	1,117,350	843,955
North River (Curr. County)	189,940	49,375	0	0
North River/Back Sound	505,604	643,267	656,211	777,546
Ocean	92,960,855	92,409,328	114,037,839	85,478,269
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	4,264,177	2,072,711	3,076,074	2,222,500
Pamlico Sound	34,569,646	32,446,192	34,234,755	27,640,532
Pasquotank River	221,150	391,857	11,592	8,421
Perquimans River	82,432	41,551	0	48,771
Pungo River	0	0	0	0
Roanoke River	56,037	108,423	144,246	411,163
Roanoke Sound	504,873	447,708	199,450	818,099
Shalotte River	111,736	118,526	53,192	80,934
Stump Sound	11,834	18,502	22,682	46,003
Swamps	681	935	0	5,261
Topsail Sound	122,323	120,129	150,671	122,678
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1986	1985	1984	1983
Albemarle Sound	6,584,939	7,762,393	4,886,867	6,913,332
Alligator River	420,512	148,444	150,712	137,817
Back Bay (VA)	0	0	0	0
Bay River	208,280	524,843	953,120	680,073
Bogue Inlet	0	0	0	0
Bogue Sound	1,176,049	593,607	4,503,512	3,380,402
Cape Fear River	671,135	294,281	996,764	941,493
Chowan River	7,270,139	10,076,960	5,824,275	5,463,471
Core Sound	20,252,497	17,449,203	13,487,495	19,686,040
Croatan Sound	1,058,982	1,594,088	1,565,724	1,194,976
Currituck Sound	2,646,308	746,951	478,224	1,206,472
Inland Waterway	618,012	831,516	886,716	1,000,420
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	119,729	131,662	63,154	87,247
Masonboro Sound	41,055	33,708	63,722	173,400
Mattamuskeet Lake	0	0	2,077	100
Neuse River	5,100,044	6,262,333	6,928,049	10,258,077
New River	500,335	723,471	806,306	734,648
Newport River	680,904	1,215,487	1,490,073	2,197,148
North River (Curr. County)	0	0	6,909	61,845
North River/Back Sound	810,735	958,993	814,002	1,105,710
Ocean	94,534,194	127,789,920	197,610,022	194,846,303
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	3,010,870	4,299,011	6,234,737	4,477,033
Pamlico Sound	21,602,535	31,233,087	27,816,105	30,266,724
Pasquotank River	75,082	502,842	30,254	116,492
Perquimans River	4,500	131,320	26,968	0
Pungo River	0	0	0	0
Roanoke River	299,321	281,765	172,347	200,234
Roanoke Sound	690,633	759,904	774,024	1,337,993
Shallotte River	100,754	90,870	91,083	82,874
Stump Sound	96,054	83,762	59,068	80,084
Swamps	3,177	8,191	4,835	16,775
Topsail Sound	140,459	149,720	265,500	226,679
Unknown	0	0	0	523,270

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1982	1981	1980	1979
Albemarle Sound	6,154,524	4,495,893	3,203,695	2,799,622
Alligator River	192,383	140,325	279,511	160,199
Back Bay (VA)	0	0	0	0
Bay River	464,722	468,827	1,692,349	788,967
Bogue Inlet	5,937	0	386	139
Bogue Sound	3,032,225	1,581,489	4,666,819	2,764,075
Cape Fear River	1,203,777	1,307,697	1,330,765	1,354,148
Chowan River	8,952,214	5,097,045	7,852,469	6,024,198
Core Sound	24,988,753	23,148,634	33,002,745	31,023,348
Croatan Sound	1,865,549	319,393	320,743	769,459
Currituck Sound	1,581,414	650,978	502,216	887,884
Inland Waterway	869,375	920,842	699,579	447,940
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	206,249	180,521	144,251	131,068
Masonboro Sound	283,323	230,073	487,050	234,743
Mattamuskeet Lake	2,121	0	100	250
Neuse River	19,385,471	9,547,703	13,370,534	8,779,547
New River	1,109,603	627,295	1,101,551	1,293,240
Newport River	3,637,617	1,666,873	2,616,287	8,258,753
North River (Curr. County)	94,846	68,049	52,465	4,825
North River/Back Sound	861,799	1,207,690	1,408,480	926,019
Ocean	187,262,683	334,879,174	226,300,815	275,958,341
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	4,047,958	5,112,442	4,192,465	6,758,163
Pamlico Sound	38,890,885	38,035,631	50,308,131	37,827,238
Pasquotank River	105,411	32,027	35,682	11,120
Perquimans River	24,433	7,873	21,538	21,070
Pungo River	0	0	0	0
Roanoke River	404,477	426,816	280,502	390,530
Roanoke Sound	1,281,531	1,267,755	1,206,220	1,837,905
Shalotte River	145,295	120,902	150,408	106,178
Stump Sound	170,502	60,652	82,764	249,285
Swamps	17,653	1,543	32,559	33,859
Topsail Sound	373,276	148,129	508,481	339,615
Unknown	0	0	0	738

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1978	1977	1976	1975
Albemarle Sound	3,202,771	2,773,414	2,999,923	2,921,586
Alligator River	256,117	158,944	54,183	4,682
Back Bay (VA)	0	0	0	0
Bay River	1,037,310	0	0	0
Bogue Inlet	0	0	23,814	12,340
Bogue Sound	1,520,311	505,390	551,279	1,205,153
Cape Fear River	952,940	74,138	156,789	175,351
Chowan River	6,936,780	9,141,029	7,309,591	6,642,614
Core Sound	24,792,210	36,465,418	26,185,729	19,302,967
Croatan Sound	566,657	129,614	143,289	689,350
Currituck Sound	893,059	520,622	483,228	111,060
Inland Waterway	243,439	171,213	378,609	449,225
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	127,203	47,066	47,950	30,494
Masonboro Sound	37,989	113,560	32,906	69,389
Mattamuskeet Lake	500	0	0	0
Neuse River	8,793,756	1,870,535	3,489,375	9,889,128
New River	651,564	297,477	243,166	287,238
Newport River	748,075	232,509	271,602	1,600,138
North River (Curr. County)	1,000	1,405	18,137	70,659
North River/Back Sound	1,207,680	342,558	402,946	493,673
Ocean	210,367,856	167,167,077	156,790,333	167,575,239
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	8,129,379	2,876,602	2,623,510	3,283,841
Pamlico Sound	27,186,596	21,033,165	17,510,441	15,805,659
Pasquotank River	24,000	485	10,932	6,018
Perquimans River	0	4,621	17,100	7,210
Pungo River	0	0	0	0
Roanoke River	564,523	285,156	319,806	257,160
Roanoke Sound	662,016	370,114	296,858	615,643
Shallotte River	131,946	36,488	13,702	41,420
Stump Sound	4,822	1,792	428	9,390
Swamps	23,798	36	1,253	1,429
Topsail Sound	12,701	17,232	14,434	12,312
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1974	1973	1972	1971
Albemarle Sound	2,127,190	1,805,104	1,943,021	2,265,600
Alligator River	77,967	158,110	108,117	216,700
Back Bay (VA)	0	0	0	0
Bay River	0	0	0	0
Bogue Inlet	29,450	13,470	103,615	33,300
Bogue Sound	3,402,683	533,063	2,475,767	4,021,300
Cape Fear River	178,602	190,545	171,551	125,100
Chowan River	7,483,889	9,306,824	12,521,597	12,099,000
Core Sound	33,667,548	19,126,354	16,446,632	9,029,400
Croatan Sound	714,901	415,303	587,749	459,900
Currituck Sound	227,298	179,711	124,594	120,400
Inland Waterway	474,013	297,549	410,306	300,300
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	16,954	44,388	126,515	27,300
Masonboro Sound	68,320	35,599	114,084	14,100
Mattamuskeet Lake	0	0	0	7,500
Neuse River	1,249,822	1,110,995	1,382,963	1,459,700
New River	440,529	440,305	358,920	247,200
Newport River	732,164	398,127	655,944	214,600
North River (Curr. County)	73,518	14,540	34,728	133,700
North River/Back Sound	205,255	284,779	287,211	25,100
Ocean	126,514,514	81,810,764	116,576,253	94,129,600
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	2,362,464	1,770,978	1,558,065	1,492,500
Pamlico Sound	14,222,362	11,467,878	10,804,896	14,747,800
Pasquotank River	29,171	33,415	20,010	65,200
Perquimans River	85,928	34,574	37,550	16,500
Pungo River	0	0	0	0
Roanoke River	402,849	169,007	383,613	1,855,900
Roanoke Sound	1,047,400	617,303	444,209	201,100
Shalotte River	30,251	42,388	99,336	65,000
Stump Sound	31,534	16,052	17,505	0
Swamps	11,090	450	3,465	14,300
Topsail Sound	17,883	36,552	8,988	1,300
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1970	1969	1968	1967
Albemarle Sound	1,567,800	3,383,700	3,753,900	1,965,100
Alligator River	348,200	207,600	263,400	288,600
Back Bay (VA)	20,200	0	0	0
Bay River	8,200	49,200	16,600	0
Bogue Inlet	85,300	79,200	22,200	32,600
Bogue Sound	1,786,700	5,342,800	2,614,900	1,348,100
Cape Fear River	145,400	226,500	66,800	20,900
Chowan River	12,135,900	18,954,300	14,146,900	19,217,700
Core Sound	13,123,525	8,608,200	11,487,700	16,410,000
Croatan Sound	171,200	791,000	1,020,100	726,700
Currituck Sound	76,900	85,800	269,900	179,200
Inland Waterway	417,300	552,000	672,900	538,700
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	20,600	139,200	100,100	85,000
Masonboro Sound	15,900	1,200	1,900	5,900
Mattamuskeet Lake	65,700	132,800	130,600	127,600
Neuse River	1,850,500	1,427,900	693,100	794,100
New River	462,000	309,100	358,900	344,400
Newport River	261,000	475,300	2,058,600	382,200
North River (Curr. County)	49,000	65,300	116,100	64,000
North River/Back Sound	120,400	190,300	178,000	143,900
Ocean	118,271,510	152,865,300	172,545,100	166,094,400
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	4,830,100	4,191,500	3,752,600	3,129,600
Pamlico Sound	16,520,800	18,533,500	15,697,400	12,150,500
Pasquotank River	78,100	52,000	57,400	66,500
Perquimans River	80,600	82,300	100,900	147,500
Pungo River	0	0	0	0
Roanoke River	717,100	1,580,600	1,563,700	409,200
Roanoke Sound	278,900	617,100	346,000	248,200
Shalotte River	31,900	19,400	87,900	84,300
Stump Sound	0	11,100	9,400	3,000
Swamps	6,500	300	100	0
Topsail Sound	0	0	100	7,300
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1966	1965	1964	1963
Albemarle Sound	2,106,500	3,408,700	3,117,000	3,658,400
Alligator River	289,600	4,700	54,400	176,700
Back Bay (VA)	0	0	0	0
Bay River	0	0	0	0
Bogue Inlet	1,196,700	98,500	139,500	102,900
Bogue Sound	1,050,200	550,300	493,400	542,100
Cape Fear River	324,100	88,500	119,800	53,700
Chowan River	12,289,700	11,904,700	5,445,300	12,673,600
Core Sound	13,347,100	17,581,900	26,793,500	41,952,500
Croatan Sound	855,500	1,245,600	1,804,400	1,297,300
Currituck Sound	217,300	156,200	195,800	216,400
Inland Waterway	0	0	0	0
Inland Waterway (Brunswick)	0	0	0	0
Inland Waterway (Onslow)	0	0	0	0
Lockwood Folly	160,900	238,700	161,100	212,100
Masonboro Sound	131,900	232,500	408,400	213,500
Mattamuskeet Lake	0	0	0	0
Neuse River	971,400	2,560,600	2,250,700	2,124,700
New River	789,500	345,300	437,700	296,000
Newport River	180,600	232,700	350,000	259,000
North River (Curr. County)	53,000	52,300	65,400	70,000
North River/Back Sound	205,300	90,000	85,000	95,000
Ocean	194,845,300	172,150,300	174,678,000	174,168,800
Ocean 0-3 mi, N of Cape Hatteras	0	0	0	0
Ocean 0-3 mi, S of Cape Hatteras	0	0	0	0
Ocean >3 mi, N of Cape Hatteras	0	0	0	0
Ocean >3 mi, S of Cape Hatteras	0	0	0	0
Ocean less than 3 miles	0	0	0	0
Ocean more than 3 miles	0	0	0	0
Pamlico River	2,489,200	4,081,700	3,352,600	2,776,100
Pamlico Sound	18,112,900	17,710,200	16,883,600	14,351,300
Pasquotank River	40,100	0	171,300	123,400
Perquimans River	48,400	48,400	189,500	155,600
Pungo River	0	0	0	0
Roanoke River	579,200	8,700	844,700	514,500
Roanoke Sound	212,700	87,600	119,000	173,800
Shalotte River	150,400	551,500	139,400	203,800
Stump Sound	50,200	86,800	82,100	64,500
Swamps	0	0	0	0
Topsail Sound	135,600	191,100	49,200	79,000
Unknown	0	0	0	0

Table 50. Commercial seafood landings (pounds) by waterbody from 1962 to 2010 (continued).

Waterbody	1962
Albemarle Sound	4,379,100
Alligator River	227,300
Back Bay (VA)	0
Bay River	0
Bogue Inlet	134,500
Bogue Sound	340,600
Cape Fear River	82,900
Chowan River	11,038,200
Core Sound	32,981,800
Croatan Sound	1,285,000
Currituck Sound	227,100
Inland Waterway	0
Inland Waterway (Brunswick)	0
Inland Waterway (Onslow)	0
Lockwood Folly	302,600
Masonboro Sound	302,700
Mattamuskeet Lake	19,500
Neuse River	2,259,200
New River	332,200
Newport River	240,000
North River (Curr. County)	45,600
North River/Back Sound	100,000
Ocean	112,852,600
Ocean 0-3 mi, N of Cape Hatteras	0
Ocean 0-3 mi, S of Cape Hatteras	0
Ocean >3 mi, N of Cape Hatteras	0
Ocean >3 mi, S of Cape Hatteras	0
Ocean less than 3 miles	0
Ocean more than 3 miles	0
Pamlico River	1,915,100
Pamlico Sound	12,245,200
Pasquotank River	82,200
Perquimans River	118,000
Pungo River	0
Roanoke River	466,100
Roanoke Sound	0
Shalotte River	220,100
Stump Sound	99,100
Swamps	0
Topsail Sound	36,600
Unknown	0

Table 51. Annual landings by major finfish fisheries from 1994 to 2010.

Fishery	2010		2009		2008	
	Trips	Pounds	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	30,081	6,456,559	36,174	6,543,545	36,516	6,121,269
Flounder Pound Net	1,279	644,299	1,311	669,733	1,226	761,431
Long Haul Seine	372	677,346	380	668,311	381	659,388
Ocean Sink Net	4,414	10,223,300	4,618	8,123,192	4,388	6,029,357
Sciaenid Pound Net	373	193,749	354	347,339	236	206,347
Winter Trawl	613	8,269,803	559	9,273,846	487	7,198,787

Fishery	2007		2006		2005	
	Trips	Pounds	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	36,173	5,645,861	35,629	5,822,313	34,666	6,640,881
Flounder Pound Net	1,329	550,171	1,142	644,654	1,242	506,038
Long Haul Seine	434	843,788	539	1,030,980	475	1,061,120
Ocean Sink Net	5,779	6,764,336	4,313	7,444,083	5,054	8,864,781
Sciaenid Pound Net	216	161,710	207	155,457	163	185,734
Winter Trawl	515	8,527,881	566	12,339,496	626	12,676,230

Fishery	2004		2003		2002	
	Trips	Pounds	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	35,347	6,365,281	39,087	7,417,366	41,057	7,866,073
Flounder Pound Net	1,100	702,998	1,003	564,645	1,633	1,690,815
Long Haul Seine	498	1,412,181	486	1,314,335	452	1,268,013
Ocean Sink Net	6,096	11,006,269	5,552	9,919,767	5,772	9,818,728
Sciaenid Pound Net	243	107,917	208	84,270	310	224,628
Winter Trawl	770	14,342,907	689	14,859,884	856	11,067,650

Fishery	2001		2000		1999	
	Trips	Pounds	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	45,053	8,169,125	48,120	8,077,455	45,689	7,610,889
Flounder Pound Net	1,697	1,505,528	1,454	1,013,414	1,340	859,698
Long Haul Seine	443	1,881,584	442	1,587,712	568	1,326,150
Ocean Sink Net	6,990	13,199,567	6,434	14,505,989	7,334	14,170,240
Sciaenid Pound Net	303	248,003	332	271,397	617	629,585
Winter Trawl	771	10,470,758	628	10,705,093	706	10,547,906

Fishery	1998		1997		1996	
	Trips	Pounds	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	44,555	8,213,434	50,824	7,880,518	45,579	6,598,685
Flounder Pound Net	1,942	1,372,299	2,367	1,503,017	2,614	1,790,418
Long Haul Seine	652	1,910,787	768	2,604,049	1,001	2,118,528
Ocean Sink Net	8,183	17,545,259	9,157	19,269,600	8,571	25,329,228
Sciaenid Pound Net	637	770,390	778	705,610	714	458,391
Winter Trawl	901	9,442,504	682	11,227,123	632	11,118,663

Footnote: Fisheries were defined as the following:

- 1) Estuarine Gillnet = all gillnet landings from estuarine waters.
- 2) Flounder Pound Net = Landings from pound net gears in the months of October through December in Beaufort, Carteret, Dare, Hyde, and Tyrrell counties and landings from pound net gears in September from Beaufort, Carteret, Hyde, and Tyrrell counties.
- 3) Long Haul Seine = Landings from haul seines and swipe nets.
- 4) Ocean Sink Net = Landings from anchored gillnet in the ocean.
- 5) Sciaenid Pound Net = Landings in pound net gear from May to August in Dare and Hyde counties and landings from pound net gear in September in Dare County.
- 6) Winter Trawl = Landings from Founder Trawls and Flynets from January – May and October – December.

Table 51. Annual landings by major finfish fisheries from 1994 to 2010 (continued).

Fishery	1995		1994	
	Trips	Pounds	Trips	Pounds
Estuarine Gillnet	49,757	7,530,802	42,402	6,813,142
Flounder Pound Net	2,580	1,787,071	3,269	2,444,346
Long Haul Seine	998	2,417,166	1,054	2,160,128
Ocean Sink Net	8,410	18,549,687	7,600	16,501,517
Sciaenid Pound Net	705	583,900	438	389,494
Winter Trawl	740	11,105,389	701	9,842,124

Footnote: Fisheries were defined as the following:

- 1) Estuarine Gillnet = all gillnet landings from estuarine waters.
- 2) Flounder Pound Net = Landings from pound net gears in the months of October through December in Beaufort, Carteret, Dare, Hyde, and Tyrrell counties and landings from pound net gears in September from Beaufort, Carteret, Hyde, and Tyrrell counties.
- 3) Long Haul Seine = Landings from haul seines and swipe nets.
- 4) Ocean Sink Net = Landings from anchored gillnet in the ocean.
- 5) Sciaenid Pound Net = Landings in pound net gear from May to August in Dare and Hyde counties and landings from pound net gear in September in Dare County.
- 6) Winter Trawl = Landings from Founder Trawls and Flynets from January – May and October – December.

Table 52. Number of Tournaments Reporting Landings from 2000 to 2010 by calendar year*.

Year	Number of Tournaments Held
2000	20
2001	23
2002	30
2003	33
2004	36
2005	31
2006	29
2007	30
2008	22
2009	15
2010	14

*Calendar Year runs from January 1 to December 31.

Table 53. Tournament Landings (Pounds) of Species from 2000 to 2010 by calendar year*.

Species	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Amberjack	272	0	42	9	0	0	0	27	0	0	44
Bluefish	0	0	94	28	69	0	9	0	0	27	0
Dolphin	151	1,427	457	2,178	771	2,285	2,229	3,923	3,662	1,082	1,022
Drum, Red	0	0	0	0	0	0	0	0	0	7	0
Flounder, Southern	664	487	608	400	473	716	765	558	493	845	0
Flounder, Summer	0	0	0	5	0	12	0	0	0	3	0
Groupers	0	0	0	0	0	335	0	0	0	0	0
Mackerel, King	18,203	23,304	28,392	40,477	29,730	39,268	41,368	36,056	42,238	38,168	55,765
Mackerel, Spanish	17	33	71	24	7	2	3	21	75	8	0
Mullet, Sea	0	0	0	0	0	0	0	0	0	13	0
Other Finfish	123	114	214	584	1,125	1,051	925	498	380	171	99
Porgies	0	0	0	0	0	1	0	0	0	0	0
Sea Basses	0	0	0	0	0	3	0	0	0	0	0
Seatrout, Spotted	58	244	258	199	178	118	101	46	219	224	170
Striped Bass	0	0	0	0	0	4,348	0	0	0	0	0
Triggerfish	0	0	0	0	0	1	0	0	0	0	0
Tunas	0	0	0	0	368	444	70	78	934	1,763	695
Wahoo	0	233	70	183	119	766	1,045	1,191	1,703	1,321	911
Weakfish	0	0	1	1	0	3	0	0	0	0	0
Totals	19,487	25,841	30,206	44,088	32,839	49,353	46,515	42,397	49,704	43,632	58,706

*Calendar Year runs from January 1 to December 31.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010.

Gears	2010			2009			2008		
	Participants	Vessels	Trips	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	30	33	182	26	29	123	118	129	329
By Hand	823	590	18,276	868	610	16,813	894	628	16,931
Cast Net	82	71	906	82	59	880	70	54	552
Channel Net	59	69	1,069	61	76	1,089	67	74	1,118
Clam Dredge	18	17	603	21	23	355	18	18	471
Clam Trawl Kicking	30	28	518	33	35	538	29	31	423
Crab Dredge	20	20	147	9	10	44	0	0	0
Crab Pot	888	1,068	50,430	885	1,057	54,625	822	991	47,277
Crab Trawl	53	57	274	60	63	484	44	45	314
Eel Pot	27	29	121	21	21	78	15	17	40
Fish Pot	62	58	650	72	70	909	68	63	689
Flounder Trawl	91	94	381	78	88	334	80	88	342
Flynet	40	45	288	42	45	242	32	30	160
Fyke Net	23	24	277	24	26	293	30	28	307
Gigs	260	283	2,424	177	197	1,572	164	184	1,554
Gill net (anchored)	2,167	2,344	33,222	2,450	2,692	39,589	2,636	2,822	39,998
Gill net (drift)	48	49	269	21	23	107	35	36	190
Gill net (runaround)	443	484	3,679	402	439	3,251	383	419	2,827
Haul Seine	32	36	372	22	23	380	31	35	383
Longline	54	51	568	48	49	517	47	50	437
Mechanical Tongs	1	1	1	0	0	0	0	0	0
Other	77	77	215	193	177	907	35	36	172
Oyster Dredge	512	513	10,712	258	257	4,481	162	172	2,691
Peeler Pot	243	254	3,348	209	224	2,731	209	220	3,398
Peeler Trawl	3	3	31	0	0	0	0	0	0
Pound Net	101	111	2,298	96	114	2,356	94	106	1,880
Purse Seine	1	1	3	0	0	0	0	0	0
Rake	806	569	10,373	885	625	11,346	946	657	12,845
Rod-n-Reel	285	293	2,486	401	431	3,237	431	457	3,443
Scallop Dredge (bay)	0	0	0	0	0	0	0	0	0
Shrimp Trawl	406	440	5,591	381	410	5,749	418	443	5,995
Skimmer Trawl	64	64	1,096	60	65	807	95	98	953
Tongs, Hand	347	297	4,797	354	326	4,960	388	345	5,765
Trolling	422	445	2,193	641	675	4,035	630	658	3,853
Trotline	2	3	6	1	1	1	0	0	0
Unknown	0	0	0	0	0	0	0	0	0

¹Gill Net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010 (continued).

Gears	2007			2006			2005		
	Participants	Vessels	Trips	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	51	55	242	40	42	317	274	240	681
By Hand	903	659	18,367	828	610	14,689	841	620	14,647
Cast Net	61	49	563	59	45	495	58	49	518
Channel Net	68	77	962	64	75	911	61	69	870
Clam Dredge	13	18	344	27	25	391	27	28	429
Clam Trawl Kicking	25	24	214	32	31	373	44	44	538
Crab Dredge	3	3	19	1	1	1	2	2	7
Crab Pot	863	1,010	49,166	894	1,034	48,172	1,084	1,285	57,823
Crab Trawl	33	36	157	42	46	303	104	108	1,126
Eel Pot	23	24	86	20	23	103	31	34	159
Fish Pot	75	78	826	69	65	1,022	93	100	863
Flounder Trawl	74	81	371	74	76	380	74	79	408
Flynet	21	22	160	29	29	220	67	40	260
Fyke Net	33	39	380	21	26	309	30	34	330
Gigs	192	219	1,955	150	172	1,396	145	161	1,225
Gill net (anchored)	2,808	2,940	41,511	2,494	2,733	39,101	3,149	3,351	39,203
Gill net (drift)	23	24	173	56	58	255	81	88	435
Gill net (runaround)	357	397	2,781	369	412	2,688	347	391	2,366
Haul Seine	31	35	438	49	54	539	38	43	473
Longline	36	36	384	44	48	488	41	43	428
Mechanical Tongs	0	0	0	0	0	0	0	0	0
Other	44	45	165	45	47	101	38	40	83
Oyster Dredge	152	158	1,733	151	158	2,487	169	179	2,343
Peeler Pot	227	235	3,468	251	267	3,408	289	318	3,781
Peeler Trawl	0	0	0	0	0	0	0	0	0
Pound Net	107	124	2,311	98	114	2,234	92	114	2,269
Purse Seine	0	0	0	0	0	0	2	3	15
Rake	1,153	783	16,920	1,109	776	16,185	1,060	783	12,854
Rod-n-Reel	433	466	3,569	357	392	2,886	361	387	2,709
Scallop Dredge (bay)	0	0	0	0	0	0	0	0	0
Shrimp Trawl	386	411	6,735	364	380	5,710	324	344	4,553
Skimmer Trawl	87	100	1,574	88	99	1,366	75	82	1,137
Tongs, Hand	451	371	5,927	485	401	5,684	366	332	4,412
Trolling	695	750	4,965	624	670	4,497	631	672	4,193
Trotline	8	9	46	14	15	65	9	10	85
Unknown	0	0	0	0	0	0	1	1	1

¹Gill net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010 (continued).

Gears	2004			2003			2002		
	Participants	Vessels	Trips	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	168	156	413	23	28	125	192	201	558
By Hand	948	674	18,448	1,051	773	18,177	1,211	828	20,325
Cast Net	53	40	536	71	59	475	88	75	838
Channel Net	87	97	1,355	87	100	1,700	90	107	1,876
Clam Dredge	29	30	658	27	31	433	43	40	692
Clam Trawl Kicking	58	61	1,026	62	66	839	65	74	880
Crab Dredge	7	7	19	3	3	14	3	3	5
Crab Pot	1,312	1,538	73,516	1,394	1,713	82,403	1,460	1,771	81,882
Crab Trawl	175	188	1,780	140	153	1,698	140	155	1,042
Eel Pot	41	44	269	46	50	303	41	43	237
Fish Pot	96	101	1,163	90	91	1,103	99	111	1,195
Flounder Trawl	95	94	490	82	82	460	90	92	667
Flynet	69	72	363	55	59	292	49	50	230
Fyke Net	59	64	530	50	56	486	37	51	377
Gigs	138	155	1,200	141	162	1,122	150	163	1,205
Gill net (anchored)	3,088	3,342	40,991	2,395	2,766	43,945	2,454	2,816	45,296
Gill net (drift)	63	70	320	71	76	330	86	89	343
Gill net (runaround)	334	360	1,981	352	379	1,852	384	427	2,670
Haul Seine	30	38	498	27	38	487	45	54	455
Longline	48	48	419	62	63	424	97	100	613
Mechanical Tongs	0	0	0	0	0	0	0	0	0
Other	39	41	179	88	92	248	81	81	284
Oyster Dredge	125	137	1,752	57	63	893	49	52	624
Peeler Pot	295	315	3,628	278	298	3,816	332	367	6,438
Peeler Trawl	0	0	0	0	0	0	0	0	0
Pound Net	92	116	2,196	108	131	2,085	166	196	3,320
Purse Seine	2	4	64	2	4	66	2	4	108
Rake	1,230	856	15,244	1,407	994	15,804	1,637	1,072	18,241
Rod-n-Reel	493	531	3,066	493	529	3,391	472	498	3,774
Scallop Dredge (bay)	0	0	0	8	9	23	14	16	32
Shrimp Trawl	488	521	8,391	498	547	9,898	714	772	12,957
Skimmer Trawl	104	107	2,108	133	152	2,555	161	176	3,569
Tongs, Hand	394	350	5,261	397	362	4,501	425	377	4,762
Trolling	674	719	4,127	502	562	3,189	614	661	4,033
Trotline	19	18	83	14	14	119	36	38	282
Unknown	0	0	0	0	0	0	0	0	0

¹Gill net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010 (continued).

Gears	2001			2000			1999		
	Participants	Vessels	Trips	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	92	106	489	88	112	822	75	99	527
By Hand	1,399	969	21,895	1,237	987	17,876	1,077	961	12,772
Cast Net	83	65	688	77	57	517	53	44	446
Channel Net	103	133	1,692	127	147	2,183	127	156	2,604
Clam Dredge	40	38	462	39	37	736	38	42	643
Clam Trawl Kicking	68	80	838	81	93	799	97	111	1,181
Crab Dredge	8	8	26	0	0	0	0	0	0
Crab Pot	1,600	2,146	99,676	1,554	2,136	99,513	1,717	2,800	111,637
Crab Trawl	208	236	2,549	186	195	2,226	220	244	3,555
Eel Pot	54	63	377	81	88	373	75	93	408
Fish Pot	119	131	1,662	104	121	1,214	143	181	1,583
Flounder Trawl	104	110	524	88	92	469	97	104	519
Flynet	56	60	281	32	34	181	33	34	203
Fyke Net	60	74	654	43	56	608	41	48	531
Gigs	192	212	1,405	181	198	1,342	145	190	1,064
Gill net (anchored)	2,764	3,292	50,653	3,001	3,532	52,397	2,815	3,648	52,080
Gill net (drift)	59	61	224	47	48	156	70	73	301
Gill net (runaround)	392	446	2,799	399	458	3,031	319	388	2,386
Haul Seine	29	37	441	35	51	474	46	55	574
Longline	64	67	489	55	53	442	58	64	502
Mechanical Tongs	0	0	0	0	0	0	0	0	0
Other	66	69	195	68	71	192	65	69	207
Oyster Dredge	61	69	825	52	56	394	81	90	942
Peeler Pot	401	444	6,735	329	378	5,654	341	384	5,776
Peeler Trawl	0	0	0	0	0	0	0	0	0
Pound Net	152	201	3,183	144	195	3,130	160	223	3,172
Purse Seine	2	4	79	3	5	97	4	7	73
Rake	2,079	1,380	28,936	2,081	1,535	27,269	1,606	1,437	21,062
Rod-n-Reel	434	460	3,296	485	547	3,358	523	617	3,975
Scallop Dredge (bay)	0	0	0	8	8	10	44	45	151
Shrimp Trawl	642	723	10,741	885	1,055	14,134	755	966	15,347
Skimmer Trawl	140	158	1,772	184	215	2,437	160	192	2,094
Tongs, Hand	429	390	5,712	336	339	3,984	338	354	4,174
Trolling	618	662	4,419	652	732	4,835	659	778	4,559
Trotline	28	29	162	28	28	297	23	27	267
Unknown	0	0	0	0	0	0	0	0	0

¹Gill net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010 (continued).

Gears	1998			1997			1996		
	Participants	Vessels	Trips	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	81	97	691	91	106	1,076	92	107	870
By Hand	903	943	13,217	1,036	1,040	14,354	1,129	1,166	14,529
Cast Net	57	43	681	65	53	594	68	61	616
Channel Net	118	139	1,874	142	172	2,102	134	170	1,489
Clam Dredge	39	41	672	29	28	474	57	58	637
Clam Trawl Kicking	93	106	1,083	90	99	1,121	115	122	1,093
Crab Dredge	0	0	0	3	3	11	5	5	27
Crab Pot	1,835	2,203	128,072	2,137	2,518	121,345	2,105	2,589	116,036
Crab Trawl	279	308	5,718	336	373	5,063	320	348	4,335
Eel Pot	79	87	460	86	100	492	69	85	382
Fish Pot	160	173	1,633	161	173	1,839	192	212	1,510
Flounder Trawl	115	119	656	80	87	237	106	106	415
Flynet	45	51	290	44	46	489	35	34	239
Fyke Net	35	43	436	30	40	374	27	34	264
Gigs	191	217	1,508	253	282	1,798	218	240	1,305
Gill net (anchored)	2,858	3,227	50,846	3,462	3,836	57,464	3,435	3,867	52,066
Gill net (drift)	82	83	345	131	141	834	104	105	455
Gill net (runaround)	411	465	3,504	509	561	3,764	435	479	3,316
Haul Seine	42	53	658	66	73	770	109	127	1,005
Longline	67	50	457	95	69	525	123	101	716
Mechanical Tongs	0	0	0	0	0	0	0	0	0
Other	63	62	115	86	87	269	75	78	224
Oyster Dredge	73	77	679	6	6	31	2	2	3
Peeler Pot	269	294	4,576	125	140	1,226	33	34	177
Peeler Trawl	0	0	0	0	0	0	0	0	0
Pound Net	199	247	3,685	267	328	4,794	271	321	4,954
Purse Seine	4	6	99	7	8	137	4	4	78
Rake	1,537	1,606	28,151	1,790	1,756	32,229	1,842	1,861	29,139
Rod-n-Reel	572	597	4,966	699	713	5,391	626	668	4,646
Scallop Dredge (bay)	118	121	897	63	69	362	62	66	273
Shrimp Trawl	622	711	12,220	855	986	16,635	820	1,003	14,652
Skimmer Trawl	93	106	1,083	149	166	2,233	106	128	1,197
Tongs, Hand	316	335	4,585	323	343	4,544	366	394	4,922
Trolling	753	773	4,640	906	904	5,667	776	789	4,479

¹Gill net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 54. Number of participants, vessels, and trips by gear type from 1994 to 2010 (continued).

Gears	1995			1994		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Beach Seine	102	122	961	67	74	862
By Hand	1,336	1,407	17,340	1,291	1,335	16,638
Cast Net	66	60	561	30	33	321
Channel Net	196	224	2,311	162	209	2,136
Clam Dredge	63	70	768	43	50	409
Clam Trawl Kicking	100	104	825	99	105	636
Crab Dredge	10	10	37	19	16	66
Crab Pot	2,051	2,621	119,998	1,969	2,381	114,073
Crab Trawl	238	270	2,222	294	333	3,881
Eel Pot	66	73	274	14	14	20
Fish Pot	182	192	1,450	183	202	1,647
Flounder Trawl	165	133	534	88	95	508
Flynet	31	31	248	27	29	254
Fyke Net	38	43	219	43	44	325
Gigs	270	309	1,806	267	306	1,668
Gill net (anchored)	3,722	4,167	56,312	3,610	4,011	49,225
Gill net (drift)	181	185	884	219	243	666
Gill net (runaround)	489	523	3,091	438	466	2,178
Haul Seine	93	103	1,001	140	151	1,071
Longline	137	103	893	165	168	1,083
Mechanical Tongs	0	0	0	0	0	0
Other	120	122	373	89	92	250
Oyster Dredge	16	15	90	26	30	236
Peeler Pot	0	0	0	0	0	0
Peeler Trawl	0	0	0	0	0	0
Pound Net	287	329	5,203	346	382	6,486
Purse Seine	3	4	86	4	6	173
Rake	1,979	2,001	33,200	2,059	2,019	35,759
Rod-n-Reel	733	785	5,633	791	852	6,639
Scallop Dredge (bay)	238	241	1,758	177	189	713
Shrimp Trawl	1,003	1,181	19,867	975	1,193	19,015
Skimmer Trawl	136	148	1,573	84	102	1,133
Tongs, Hand	436	474	6,252	459	462	6,029
Trolling	995	1,044	5,914	977	1,045	5,580

¹Gill net (anchored) and longline participant, vessel, and trip counts may be artificially inflated because of how the various types of gill nets and longlines are grouped in this table. For example, if a vessel sets a bottom longline and a surface longline on the same trip, the calculations in the program would identify two participants, two vessels, and two trips. Calculating these data using this method is necessary to avoid not counting all gears used on other multi-gear trips.

Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010.

Fish	2010			2009		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	142	145	915	256	261	1,353
Blue Crabs, Hard	944	1,115	49,618	943	1,113	53,929
Blue Crabs, Peeler	551	616	10,530	561	617	12,644
Blue Crabs, Soft	238	251	5,621	245	267	5,911
Bluefish	676	740	8,102	834	918	9,173
Catfishes	448	472	7,187	486	536	9,295
Clams, Hard	698	484	20,874	739	523	21,479
Croaker, Atlantic	752	815	7,274	757	834	7,187
Dolphinfish	241	248	987	320	329	1,432
Drum, Red	678	749	8,879	802	883	11,646
Eel, American	37	39	163	34	36	128
Flounder, Southern	1,182	1,328	20,400	1,299	1,464	29,394
Flounder, Summer	224	226	1,015	239	249	1,184
Groupers	148	152	1,808	243	258	2,474
Herring, River	16	17	41	14	13	27
Herring, Thread	0	0	0	0	0	0
Hog Snapper	39	38	168	49	50	194
Mackerel, King	300	308	1,615	486	509	3,267
Mackerel, Spanish	408	431	3,606	555	600	4,028
Menhaden, Atlantic	258	277	1,629	296	312	2,061
Monkfish	88	91	240	104	112	359
Mullet, Sea	653	713	6,134	751	828	7,198
Mullet, Striped	895	989	9,951	870	963	8,423
Other Finfish	1,271	1,382	16,355	1,435	1,597	21,937
Other Shellfish	521	501	5,964	594	574	6,626
Oysters	1,181	1,009	24,612	953	800	17,233
Perch, White	351	359	4,148	369	410	5,188
Perch, Yellow	172	168	1,989	188	204	2,341
Porgies	120	122	1,065	168	173	1,218
Scallop, Bay	4	3	6	208	165	1,094
Scup	38	41	63	27	28	55
Sea Basses	198	203	1,124	275	297	1,943
Seatrout, Spotted	726	809	6,535	966	1,086	11,889
Shad, American	304	297	3,574	226	229	2,758
Shad, Gizzard	92	80	802	38	38	569
Shad, Hickory	282	279	2,028	231	234	1,916
Sharks	117	117	925	114	116	862
Sharks, Dogfishes	174	186	1,579	190	195	1,505
Shrimp	484	529	7,861	459	506	7,770
Snappers	107	106	661	190	196	1,469
Spadefish	122	124	485	185	203	1,125
Spot	652	711	4,773	948	1,064	8,888
Striped Bass	492	496	7,182	484	495	4,784
Swordfish	23	22	232	21	22	221
Tilefishes	69	67	546	77	78	582
Triggerfish	142	141	1,193	218	230	1,616
Tunas	312	318	2,031	462	474	2,832
Wahoo	86	87	160	115	116	229
Weakfish	534	574	4,775	675	731	4,718

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	2008			2007		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	248	265	1,554	239	254	1,477
Blue Crabs, Hard	857	1,014	46,152	890	1,018	47,135
Blue Crabs, Peeler	526	588	12,726	548	603	12,457
Blue Crabs, Soft	245	272	6,334	270	284	6,818
Bluefish	831	910	9,300	768	848	9,736
Catfishes	427	452	7,894	490	535	8,905
Clams, Hard	776	557	23,126	895	632	27,964
Croaker, Atlantic	659	714	6,104	691	750	5,947
Dolphinfish	283	295	1,127	335	345	1,305
Drum, Red	827	899	12,002	806	901	12,431
Eel, American	23	25	64	34	36	137
Flounder, Southern	1,235	1,411	28,966	1,248	1,428	28,397
Flounder, Summer	224	234	996	245	262	1,283
Groupers	274	292	2,728	268	288	2,890
Herring, River	9	11	25	10	9	22
Herring, Thread	0	0	0	0	0	0
Hog Snapper	58	59	266	60	61	209
Mackerel, King	458	478	3,412	547	601	4,540
Mackerel, Spanish	416	438	2,429	401	424	2,755
Menhaden, Atlantic	310	322	1,896	314	342	3,057
Monkfish	106	111	376	113	118	433
Mullet, Sea	760	834	7,233	662	747	6,892
Mullet, Striped	833	908	8,343	817	916	9,155
Other Finfish	1,458	1,614	21,143	1,439	1,611	20,727
Other Shellfish	574	555	6,878	535	518	6,092
Oysters	874	713	16,295	873	708	15,738
Perch, White	357	388	5,153	387	409	4,907
Perch, Yellow	164	173	1,788	142	144	1,427
Porgies	213	225	1,521	209	223	1,477
Scallop, Bay	0	0	0	0	0	0
Scup	36	39	90	38	39	67
Sea Basses	295	315	1,785	304	329	1,842
Seatrou, Spotted	921	1,026	10,600	859	978	11,092
Shad, American	242	244	2,359	289	293	3,710
Shad, Gizzard	42	42	479	88	81	878
Shad, Hickory	255	257	2,171	228	231	1,751
Sharks	120	123	892	129	135	845
Sharks, Dogfishes	117	117	931	111	116	988
Shrimp	515	554	8,079	482	533	9,287
Snappers	223	238	1,874	214	231	1,691
Spadefish	188	194	894	182	190	974
Spot	821	899	7,095	812	904	7,599
Striped Bass	636	606	4,394	812	716	8,240
Swordfish	26	29	222	27	26	292
Tilefishes	72	72	533	55	58	417
Triggerfish	187	200	1,558	198	208	1,415
Tunas	437	445	2,677	430	457	3,322
Wahoo	108	114	199	173	177	385
Weakfish	756	823	6,404	703	771	6,092

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	2006			2005		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	159	170	1,028	147	161	949
Blue Crabs, Hard	945	1,074	46,790	1,143	1,332	56,191
Blue Crabs, Peeler	547	599	9,013	722	791	11,941
Blue Crabs, Soft	241	260	5,753	286	319	6,655
Bluefish	733	812	8,777	784	876	8,372
Catfishes	463	513	8,042	486	539	7,480
Clams, Hard	840	606	24,970	899	690	23,519
Croaker, Atlantic	637	701	5,900	682	747	6,510
Dolphinfish	258	273	972	233	251	877
Drum, Red	748	842	9,985	696	797	8,307
Eel, American	29	32	142	36	40	223
Flounder, Southern	1,182	1,369	26,202	1,177	1,359	23,374
Flounder, Summer	241	249	1,230	228	238	1,082
Groupers	212	235	2,227	186	203	2,025
Herring, River	99	104	1,029	144	154	1,792
Herring, Thread	2	2	2	3	3	13
Hog Snapper	56	60	221	51	55	247
Mackerel, King	448	487	3,913	448	476	3,741
Mackerel, Spanish	332	352	2,479	365	389	2,712
Menhaden, Atlantic	354	385	4,161	391	429	3,974
Monkfish	120	128	499	103	107	367
Mullet, Sea	653	719	6,613	576	627	5,082
Mullet, Striped	795	894	7,819	819	922	8,041
Other Finfish	1,335	1,474	18,291	1,164	1,291	14,014
Other Shellfish	467	473	5,261	450	446	4,426
Oysters	789	666	14,326	726	628	12,111
Perch, White	363	400	4,792	386	420	4,821
Perch, Yellow	131	145	1,223	155	160	1,180
Porgies	156	168	1,206	151	164	1,132
Scallop, Bay	0	0	0	0	0	0
Scup	44	46	108	49	51	103
Sea Basses	267	292	2,198	266	290	1,886
Seatrout, Spotted	875	973	9,639	732	817	5,818
Shad, American	275	283	3,671	337	350	3,813
Shad, Gizzard	65	62	870	92	94	893
Shad, Hickory	248	244	2,036	296	305	2,294
Sharks	116	124	924	117	120	906
Sharks, Dogfishes	81	88	845	88	94	662
Shrimp	440	476	8,021	400	431	6,578
Snappers	157	170	1,306	163	171	1,266
Spadefish	203	221	1,144	186	206	1,008
Spot	892	987	8,612	920	1,036	9,635
Striped Bass	614	655	7,962	1,028	985	10,877
Swordfish	20	22	258	25	25	210
Tilefishes	51	52	395	54	54	391
Triggerfish	146	158	1,158	133	145	1,081
Tunas	438	460	3,192	474	493	2,624
Wahoo	135	139	260	134	141	248
Weakfish	716	796	7,239	726	798	7,804

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	2004			2003		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	166	175	941	184	196	1,117
Blue Crabs, Hard	1,430	1,641	74,171	1,510	1,833	83,769
Blue Crabs, Peeler	778	857	12,728	850	984	15,027
Blue Crabs, Soft	357	386	7,174	429	477	10,683
Bluefish	749	819	8,031	760	869	8,594
Catfishes	467	524	7,995	565	663	10,729
Clams, Hard	1,067	754	30,429	1,206	848	30,837
Croaker, Atlantic	826	916	7,878	796	892	7,361
Dolphinfish	291	312	1,116	255	275	963
Drum, Red	513	563	3,543	682	798	6,845
Eel, American	55	60	353	67	72	427
Flounder, Southern	1,360	1,568	27,071	1,438	1,708	27,515
Flounder, Summer	296	299	1,949	268	280	1,796
Groupers	196	215	2,039	204	223	2,108
Herring, River	136	148	1,503	180	205	2,087
Herring, Thread	0	0	0	1	1	3
Hog Snapper	52	59	218	50	54	282
Mackerel, King	446	484	3,227	405	455	2,752
Mackerel, Spanish	297	314	2,189	335	369	2,485
Menhaden, Atlantic	334	362	3,271	390	446	4,312
Monkfish	160	161	597	142	149	651
Mullet, Sea	665	717	6,783	620	697	6,750
Mullet, Striped	796	884	7,829	920	1,051	9,616
Other Finfish	1,296	1,415	15,258	1,411	1,639	18,579
Other Shellfish	550	505	5,676	561	538	6,819
Oysters	725	608	11,889	636	530	9,282
Perch, White	362	405	5,049	439	519	8,070
Perch, Yellow	181	201	1,896	259	298	3,491
Porgies	131	148	1,077	146	159	1,216
Scallop, Bay	1	1	2	68	58	243
Scup	36	37	84	18	17	26
Sea Basses	285	308	2,216	279	296	2,063
Seatrout, Spotted	713	783	5,736	817	935	5,963
Shad, American	359	365	3,947	422	458	4,574
Shad, Gizzard	66	64	990	68	73	1,027
Shad, Hickory	313	324	2,325	295	316	2,004
Sharks	151	153	828	131	137	1,014
Sharks, Dogfishes	122	119	809	82	86	502
Shrimp	584	625	11,881	599	673	14,057
Snappers	158	175	1,202	136	144	1,131
Spadefish	179	193	1,146	158	170	663
Spot	1,044	1,157	10,573	1,065	1,203	10,996
Striped Bass	846	891	9,347	771	894	11,455
Swordfish	22	22	182	23	23	173
Tilefishes	43	47	346	46	50	431
Triggerfish	156	167	1,268	122	131	1,083
Tunas	578	607	3,257	442	476	2,672
Wahoo	152	158	337	144	148	306
Weakfish	792	882	8,554	818	936	8,791

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	2002			2001		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	176	183	1,178	196	210	1,247
Blue Crabs, Hard	1,597	1,900	82,083	1,719	2,265	96,742
Blue Crabs, Peeler	919	1,071	16,353	1,007	1,239	25,159
Blue Crabs, Soft	449	505	13,445	534	620	15,966
Bluefish	885	1,004	10,133	945	1,097	10,923
Catfishes	507	616	10,900	584	720	12,296
Clams, Hard	1,411	920	35,597	1,828	1,209	48,759
Croaker, Atlantic	957	1,081	8,815	1,123	1,299	12,954
Dolphinfish	318	336	1,434	305	317	1,199
Drum, Red	737	841	6,709	781	905	8,863
Eel, American	49	51	287	71	81	460
Flounder, Southern	1,584	1,881	33,410	1,736	2,124	36,006
Flounder, Summer	262	273	1,736	275	296	1,713
Groupers	208	219	2,677	216	237	2,404
Herring, River	146	163	1,902	151	172	1,418
Herring, Thread	2	2	9	0	0	0
Hog Snapper	67	70	306	53	60	273
Mackerel, King	447	479	3,155	456	497	3,652
Mackerel, Spanish	478	521	3,261	518	586	3,756
Menhaden, Atlantic	420	476	6,089	482	550	5,431
Monkfish	140	143	642	147	151	548
Mullet, Sea	663	739	6,473	662	781	7,222
Mullet, Striped	1,032	1,171	10,622	1,070	1,245	10,726
Other Finfish	1,641	1,874	23,574	1,547	1,809	20,259
Other Shellfish	558	547	5,660	629	588	5,868
Oysters	644	540	9,061	651	612	9,402
Perch, White	429	510	7,595	472	571	6,857
Perch, Yellow	226	275	3,156	297	347	3,465
Porgies	156	163	1,409	159	177	1,400
Scallop, Bay	74	68	335	26	21	56
Scup	2	2	4	0	0	0
Sea Basses	305	327	2,481	292	319	2,624
Seatrout, Spotted	989	1,146	8,855	901	1,056	6,490
Shad, American	401	432	4,292	461	520	5,037
Shad, Gizzard	84	93	1,478	83	91	1,114
Shad, Hickory	272	280	1,781	389	430	3,351
Sharks	156	163	1,113	187	202	1,235
Sharks, Dogfishes	65	67	469	89	92	556
Shrimp	798	884	18,342	722	836	14,072
Snappers	173	181	1,715	175	194	1,702
Spadefish	215	232	1,152	229	246	1,082
Spot	1,260	1,432	13,128	1,258	1,457	11,912
Striped Bass	814	948	11,279	751	885	12,066
Swordfish	26	25	182	32	33	235
Tilefishes	63	66	578	66	75	539
Triggerfish	177	186	1,385	155	171	1,347
Tunas	411	433	2,869	479	521	3,503
Wahoo	147	156	299	168	176	373
Weakfish	970	1,098	10,094	1,029	1,206	12,030

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	2000			1999		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	206	229	1,332	201	239	1,356
Blue Crabs, Hard	1,671	2,212	94,034	1,835	2,874	105,029
Blue Crabs, Peeler	1,001	1,214	26,008	1,003	1,393	25,951
Blue Crabs, Soft	524	628	14,785	513	681	12,888
Bluefish	959	1,108	11,643	974	1,189	12,087
Catfishes	630	767	12,213	636	876	14,376
Clams, Hard	1,641	1,276	41,989	1,487	1,373	32,889
Croaker, Atlantic	1,114	1,276	11,811	1,116	1,462	12,980
Dolphinfish	272	289	1,238	332	367	1,423
Drum, Red	981	1,151	9,753	909	1,222	10,603
Eel, American	108	117	576	101	119	574
Flounder, Southern	1,896	2,296	37,493	1,795	2,515	35,415
Flounder, Summer	358	391	2,530	345	393	3,026
Groupers	211	254	2,278	267	314	2,821
Herring, River	210	247	2,461	204	222	2,815
Herring, Thread	3	3	4	2	2	5
Hog Snapper	57	63	322	74	88	391
Mackerel, King	477	530	4,064	438	538	3,617
Mackerel, Spanish	603	684	4,550	540	640	3,543
Menhaden, Atlantic	380	451	4,145	419	511	3,809
Monkfish	173	184	757	173	183	812
Mullet, Sea	750	874	8,656	783	951	9,428
Mullet, Striped	1,230	1,460	13,631	990	1,247	10,391
Other Finfish	1,707	2,005	24,043	1,735	2,264	25,630
Other Shellfish	586	610	4,668	542	589	4,547
Oysters	560	546	7,709	521	556	7,459
Perch, White	561	678	8,224	530	709	9,177
Perch, Yellow	342	406	4,271	374	477	5,650
Porgies	108	117	658	202	235	1,539
Scallop, Bay	71	71	341	81	81	441
Scup	0	0	0	1	1	1
Sea Basses	310	362	2,315	380	459	3,026
Seatrout, Spotted	1,159	1,356	11,241	1,291	1,689	15,319
Shad, American	537	601	5,277	463	507	4,718
Shad, Gizzard	142	165	2,476	164	198	2,780
Shad, Hickory	391	434	2,625	434	474	3,644
Sharks	190	204	1,369	174	196	1,207
Sharks, Dogfishes	179	193	1,555	180	197	1,886
Shrimp	936	1,138	18,441	833	1,082	19,821
Snappers	166	195	1,603	200	232	1,810
Spadefish	231	259	1,287	298	377	1,613
Spot	1,389	1,569	13,229	1,275	1,598	12,382
Striped Bass	698	847	11,706	699	855	9,097
Swordfish	25	23	155	30	33	179
Tilefishes	56	59	425	73	95	582
Triggerfish	151	176	1,194	187	219	1,503
Tunas	421	464	3,201	415	474	3,266
Wahoo	154	158	354	181	194	460
Weakfish	1,128	1,306	13,992	1,169	1,526	17,074

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	1998			1997		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	199	206	1,209	270	280	1,535
Blue Crabs, Hard	1,896	2,238	119,570	2,187	2,553	110,754
Blue Crabs, Peeler	981	1,115	31,433	1,071	1,220	28,507
Blue Crabs, Soft	525	610	13,733	609	703	12,541
Bluefish	1,080	1,171	13,743	1,195	1,317	16,520
Catfishes	646	752	13,578	800	897	16,594
Clams, Hard	1,326	1,402	40,820	1,535	1,559	45,047
Croaker, Atlantic	1,092	1,226	10,662	1,358	1,503	15,214
Dolphinfish	273	280	1,295	364	362	1,528
Drum, Red	694	782	5,613	571	636	2,440
Eel, American	102	109	554	109	124	618
Flounder, Southern	1,837	2,137	39,435	2,216	2,553	46,542
Flounder, Summer	353	380	2,536	403	428	2,768
Groupers	310	323	3,558	341	349	3,674
Herring, River	223	248	2,809	231	246	2,673
Herring, Thread	4	5	15	1	2	15
Hog Snapper	78	83	434	85	95	454
Mackerel, King	578	589	4,074	694	696	5,331
Mackerel, Spanish	589	671	4,138	784	875	5,989
Menhaden, Atlantic	250	286	2,385	309	323	2,421
Monkfish	165	167	694	149	151	725
Mullet, Sea	745	829	8,768	871	976	11,021
Mullet, Striped	1,183	1,330	12,848	1,411	1,566	14,363
Other Finfish	1,674	1,861	21,138	2,005	2,228	27,078
Other Shellfish	562	622	5,802	522	587	5,008
Oysters	503	540	7,568	498	492	8,130
Perch, White	506	588	7,027	575	632	7,045
Perch, Yellow	347	397	4,776	385	426	5,013
Porgies	264	277	2,604	295	305	2,536
Scallop, Bay	134	139	1,058	96	97	675
Scup	27	29	38	15	16	21
Sea Basses	423	454	3,873	431	446	3,993
Seatrout, Spotted	1,147	1,293	12,384	1,217	1,360	10,924
Shad, American	483	515	5,098	566	605	5,666
Shad, Gizzard	153	172	2,763	186	205	2,556
Shad, Hickory	430	459	2,538	439	460	2,701
Sharks	228	235	1,293	270	267	1,798
Sharks, Dogfishes	208	221	2,049	252	257	2,792
Shrimp	692	795	14,969	911	1,057	20,444
Snappers	230	235	2,051	261	261	2,207
Spadefish	223	246	1,154	301	354	1,907
Spot	1,176	1,339	11,355	1,397	1,568	13,762
Striped Bass	706	793	6,702	814	896	8,715
Swordfish	30	19	208	28	15	171
Tilefishes	94	93	621	107	103	775
Triggerfish	223	228	1,901	302	314	2,303
Tunas	444	449	2,959	554	550	4,524
Wahoo	165	150	359	179	172	401
Weakfish	1,170	1,327	16,854	1,420	1,578	21,235

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	1996			1995		
	Participants	Vessels	Trips	Participants	Vessels	Trips
Amberjack	241	250	1,348	270	286	1,677
Blue Crabs, Hard	2,187	2,701	107,379	2,104	2,664	110,218
Blue Crabs, Peeler	996	1,143	21,116	865	1,034	19,522
Blue Crabs, Soft	493	566	8,596	487	545	8,958
Bluefish	1,035	1,138	10,993	1,161	1,276	13,894
Catfishes	787	917	13,668	792	904	14,693
Clams, Hard	1,569	1,652	43,055	1,754	1,877	50,606
Croaker, Atlantic	1,311	1,508	15,418	1,432	1,637	18,265
Dolphinfish	341	353	1,423	506	531	2,430
Drum, Red	849	940	4,891	1,036	1,151	7,496
Eel, American	108	125	547	108	115	438
Flounder, Southern	2,195	2,589	40,604	2,277	2,708	45,745
Flounder, Summer	419	441	2,577	480	469	2,164
Groupers	328	365	3,097	382	411	3,918
Herring, River	265	282	3,215	232	241	2,912
Herring, Thread	1	2	11	4	5	17
Hog Snapper	82	94	456	118	138	643
Mackerel, King	553	593	3,196	666	720	4,675
Mackerel, Spanish	580	654	3,959	609	678	4,309
Menhaden, Atlantic	264	291	1,640	137	141	964
Monkfish	194	183	909	202	175	751
Mullet, Sea	830	940	8,907	937	1,059	12,495
Mullet, Striped	1,423	1,599	13,961	1,457	1,603	13,819
Other Finfish	2,135	2,432	27,061	1,997	2,222	25,409
Other Shellfish	622	689	5,855	688	743	6,785
Oysters	505	554	8,047	582	625	8,754
Perch, White	588	672	7,224	517	578	6,077
Perch, Yellow	389	446	4,038	330	357	3,622
Porgies	305	332	2,478	350	384	3,017
Scallop, Bay	89	94	446	284	291	2,108
Scup	47	50	95	65	66	124
Sea Basses	507	538	3,620	525	576	3,959
Seatrout, Spotted	1,210	1,364	9,502	1,548	1,778	16,856
Shad, American	615	640	5,202	578	608	4,312
Shad, Gizzard	261	279	3,473	198	212	2,576
Shad, Hickory	516	540	3,635	427	445	2,738
Sharks	292	285	1,563	312	313	2,156
Sharks, Dogfishes	290	294	3,378	267	269	2,608
Shrimp	865	1,073	17,084	1,080	1,255	23,890
Snappers	249	267	1,905	294	315	2,334
Spadefish	213	244	1,375	236	270	1,470
Spot	1,357	1,545	12,334	1,298	1,437	11,468
Striped Bass	612	655	6,639	747	816	6,540
Swordfish	32	23	198	38	19	222
Tilefishes	78	75	562	90	99	553
Triggerfish	253	270	1,745	277	297	2,071
Tunas	483	484	3,228	577	569	4,107
Wahoo	189	187	439	281	268	784
Weakfish	1,319	1,466	17,653	1,455	1,640	20,565

**Table 55. Number of participants, vessels, and trips for specific species from 1994 to 2010
(continued).**

Fish	1994		
	Participants	Vessels	Trips
Amberjack	294	316	1,655
Blue Crabs, Hard	2,009	2,446	109,603
Blue Crabs, Peeler	722	801	14,181
Blue Crabs, Soft	404	451	7,196
Bluefish	1,054	1,159	11,045
Catfishes	763	876	16,017
Clams, Hard	1,686	1,760	53,019
Croaker, Atlantic	1,287	1,495	14,349
Dolphinfish	403	452	1,853
Drum, Red	804	893	4,066
Eel, American	89	98	358
Flounder, Southern	2,196	2,568	42,457
Flounder, Summer	456	490	3,460
Groupers	415	458	4,506
Herring, River	232	248	3,658
Herring, Thread	18	18	39
Hog Snapper	100	114	520
Mackerel, King	712	767	4,983
Mackerel, Spanish	658	742	4,713
Menhaden, Atlantic	125	137	1,104
Monkfish	151	152	838
Mullet, Sea	830	945	11,088
Mullet, Striped	1,366	1,523	13,649
Other Finfish	2,004	2,237	24,435
Other Shellfish	664	741	6,063
Oysters	549	563	7,248
Perch, White	533	604	7,404
Perch, Yellow	362	407	4,567
Porgies	410	442	3,560
Scallop, Bay	191	201	788
Scup	40	45	122
Sea Basses	584	648	5,075
Seatrout, Spotted	1,399	1,570	13,659
Shad, American	488	514	4,088
Shad, Gizzard	178	199	2,922
Shad, Hickory	351	356	2,116
Sharks	353	381	2,338
Sharks, Dogfishes	212	219	2,436
Shrimp	989	1,229	21,746
Snappers	342	359	2,805
Spadefish	192	218	1,097
Spot	1,246	1,404	10,897
Striped Bass	546	587	3,346
Swordfish	19	19	142
Tilefishes	105	118	547
Triggerfish	317	348	2,326
Tunas	533	554	4,101
Wahoo	192	201	447
Weakfish	1,355	1,491	17,414

Table 56. Number of participants and total ex-vessel value of product for various income ranges from 1994 to 2010.

Range of ex-vessel value (\$)	2010		2009	
	Participants	Value	Participants	Value
1-499	855	\$168,440	895	\$168,507
500-999	310	\$227,346	344	\$250,338
1,000-4,999	768	\$1,972,050	858	\$2,220,154
5,000-9,999	397	\$2,775,354	413	\$2,967,900
10,000-24,999	474	\$7,687,129	523	\$8,447,478
25,000-49,999	322	\$11,484,954	308	\$10,855,208
50,000-99,999	281	\$20,351,100	224	\$15,970,485
100,000-249,999	160	\$23,082,857	162	\$23,425,169
250,000-499,999	25	\$8,490,881	23	\$7,430,446
OVER 500,000	5	\$3,584,743	7	\$5,444,176

Range of ex-vessel value (\$)	2008		2007	
	Participants	Value	Participants	Value
1-499	882	\$165,305	866	\$168,001
500-999	316	\$228,299	311	\$223,218
1,000-4,999	834	\$2,126,723	912	\$2,246,162
5,000-9,999	355	\$2,559,822	381	\$2,723,620
10,000-24,999	495	\$7,901,804	509	\$8,097,562
25,000-49,999	321	\$11,462,791	337	\$11,856,001
50,000-99,999	240	\$17,103,056	225	\$16,014,647
100,000-249,999	187	\$29,339,544	158	\$23,632,673
250,000-499,999	26	\$8,841,946	36	\$12,257,611
OVER 500,000	9	\$7,080,472	7	\$5,065,131

Range of ex-vessel value (\$)	2006		2005	
	Participants	Value	Participants	Value
1-499	777	\$154,178	844	\$177,473
500-999	329	\$235,511	361	\$265,659
1,000-4,999	883	\$2,218,733	977	\$2,519,274
5,000-9,999	402	\$2,848,562	453	\$3,257,385
10,000-24,999	542	\$8,997,453	583	\$9,523,663
25,000-49,999	329	\$11,733,085	348	\$12,084,281
50,000-99,999	196	\$13,688,786	215	\$14,809,719
100,000-249,999	113	\$16,218,480	93	\$13,421,323
250,000-499,999	29	\$9,332,685	16	\$4,993,553
OVER 500,000	7	\$4,658,049	5	\$3,836,941

Footnote: Participant refers to individual fishermen or businesses holding any form of license to sell. These licenses include SCFL, RSCFL, Shellfish, Menhaden for Non-Residents, Tournament, or Land or Sell.

Table 56. Number of participants and total ex-vessel value of product for various income ranges from 1994 to 2010 (continued).

Range of ex-vessel value (\$)	2004		2003	
	Participants	Value	Participants	Value
1-499	919	\$176,687	1,021	\$189,284
500-999	353	\$255,791	369	\$264,132
1,000-4,999	1,004	\$2,575,185	922	\$2,334,153
5,000-9,999	468	\$3,301,378	456	\$3,319,208
10,000-24,999	708	\$11,496,012	677	\$11,112,276
25,000-49,999	424	\$14,840,589	412	\$14,764,643
50,000-99,999	253	\$17,008,789	327	\$22,330,859
100,000-249,999	106	\$15,818,767	154	\$22,757,594
250,000-499,999	20	\$6,526,428	12	\$3,928,698
OVER 500,000	7	\$7,705,359	5	\$6,111,985

Range of ex-vessel value (\$)	2002		2001	
	Participants	Value	Participants	Value
1-499	1,121	\$211,613	1,242	\$234,705
500-999	387	\$279,267	444	\$322,809
1,000-4,999	1,045	\$2,644,370	1,140	\$2,903,186
5,000-9,999	483	\$3,458,955	559	\$4,081,069
10,000-24,999	689	\$10,918,511	726	\$11,801,269
25,000-49,999	444	\$15,953,833	508	\$17,971,177
50,000-99,999	338	\$23,561,411	312	\$21,704,646
100,000-249,999	160	\$23,278,020	133	\$18,705,764
250,000-499,999	22	\$6,837,287	12	\$3,958,968
OVER 500,000	5	\$7,604,274	5	\$6,459,596

Range of ex-vessel value (\$)	2000		1999	
	Participants	Value	Participants	Value
1-499	1,156	\$219,488	1,194	\$222,042
500-999	419	\$301,087	412	\$302,438
1,000-4,999	1,057	\$2,703,711	1,035	\$2,582,733
5,000-9,999	522	\$3,774,984	481	\$3,478,269
10,000-24,999	726	\$11,971,815	752	\$12,423,914
25,000-49,999	571	\$20,071,837	526	\$18,631,561
50,000-99,999	357	\$24,705,032	287	\$19,670,714
100,000-249,999	189	\$26,971,373	133	\$18,427,867
250,000-499,999	29	\$9,203,909	16	\$5,306,893
OVER 500,000	8	\$8,391,575	4	\$18,634,619

Footnote: Participant refers to individual fishermen or businesses holding any form of license to sell. These licenses include SCFL, RSCFL, Shellfish, Menhaden for Non-Residents, Tournament, or Land or Sell.

Table 56. Number of participants and total ex-vessel value of product for various income ranges from 1994 to 2010 (continued).

Range of ex-vessel value (\$)	1998		1997	
	Participants	Value	Participants	Value
1-499	1,042	\$205,653	1,208	\$225,417
500-999	406	\$290,234	414	\$299,703
1,000-4,999	993	\$2,562,963	1,116	\$2,879,434
5,000-9,999	490	\$3,569,178	548	\$3,996,412
10,000-24,999	738	\$12,368,107	856	\$14,127,700
25,000-49,999	524	\$18,980,196	576	\$20,601,361
50,000-99,999	347	\$23,763,125	305	\$20,720,733
100,000-249,999	138	\$18,962,975	118	\$16,741,407
250,000-499,999	8	\$2,672,040	14	\$4,418,836
OVER 500,000	3	\$17,643,792	6	\$24,977,115

Range of ex-vessel value (\$)	1996		1995	
	Participants	Value	Participants	Value
1-499	1,208	\$227,528	1,259	\$246,062
500-999	407	\$296,570	440	\$326,268
1,000-4,999	1,143	\$2,874,006	1,259	\$3,252,153
5,000-9,999	590	\$4,337,709	624	\$4,619,347
10,000-24,999	830	\$13,752,013	877	\$14,378,133
25,000-49,999	564	\$19,815,131	542	\$19,472,761
50,000-99,999	335	\$23,173,409	337	\$23,271,914
100,000-249,999	116	\$16,547,985	133	\$18,905,126
250,000-499,999	10	\$2,975,607	17	\$5,803,214
OVER 500,000	5	\$21,533,765	7	\$19,092,996

Range of ex-vessel value (\$)	1994	
	Participants	Value
1-499	1,346	\$254,460
500-999	446	\$324,498
1,000-4,999	1,322	\$3,341,972
5,000-9,999	635	\$4,608,652
10,000-24,999	784	\$12,685,020
25,000-49,999	443	\$15,272,585
50,000-99,999	244	\$16,998,346
100,000-249,999	75	\$10,354,865
250,000-499,999	16	\$4,776,628
OVER 500,000	7	\$22,658,854

Footnote: Participant refers to individual fishermen or businesses holding any form of license to sell. These licenses include SCFL, RSCFL, Shellfish, Menhaden for Non-Residents, Tournament, or Land or Sell.

Table 57. Number of dealers and total ex-vessel value of product purchased from licensed fishermen for various income ranges from 1994 to 2010.

Range of ex-vessel value (\$)	2010		2009		2008	
	Dealers	Value	Dealers	Value	Dealers	Value
1-499	83	\$18,058	82	\$18,276	67	\$14,614
500-999	41	\$30,342	51	\$36,691	39	\$29,073
1,000-4,999	142	\$371,810	168	\$411,392	144	\$383,604
5,000-9,999	83	\$619,853	84	\$628,715	61	\$432,423
10,000-24,999	106	\$1,707,961	95	\$1,505,021	98	\$1,589,930
25,000-49,999	55	\$1,958,124	50	\$1,738,346	44	\$1,590,093
50,000-99,999	44	\$3,037,290	37	\$2,660,747	36	\$2,561,874
100,000-249,999	36	\$5,487,056	46	\$7,864,287	45	\$7,203,906
250,000-499,999	31	\$11,098,145	34	\$12,393,073	29	\$10,495,107
500,000-999,999	25	\$17,349,369	16	\$10,662,511	26	\$18,523,929
Over 1,000,000	17	\$38,146,846	20	\$39,260,799	20	\$43,985,210

Range of ex-vessel value (\$)	2007		2006		2005	
	Dealers	Value	Dealers	Value	Dealers	Value
1-499	63	\$14,338	54	\$11,992	74	\$17,215
500-999	48	\$34,759	46	\$34,228	47	\$34,752
1,000-4,999	123	\$309,363	126	\$334,759	136	\$342,364
5,000-9,999	68	\$492,135	60	\$409,937	77	\$567,778
10,000-24,999	95	\$1,560,621	107	\$1,769,481	90	\$1,466,395
25,000-49,999	52	\$1,868,337	65	\$2,352,655	55	\$1,871,711
50,000-99,999	42	\$2,862,363	42	\$2,984,513	51	\$3,459,148
100,000-249,999	42	\$6,830,961	33	\$5,489,872	40	\$6,904,705
250,000-499,999	30	\$10,937,363	36	\$12,365,838	36	\$12,136,773
500,000-999,999	24	\$15,421,290	20	\$13,191,047	23	\$16,345,621
Over 1,000,000	19	\$41,953,095	14	\$31,141,197	11	\$21,742,811

Range of ex-vessel value (\$)	2004		2003		2002	
	Dealers	Value	Dealers	Value	Dealers	Value
1-499	83	\$18,051	74	\$15,760	81	\$16,810
500-999	36	\$26,008	37	\$27,208	49	\$36,215
1,000-4,999	160	\$426,929	155	\$399,175	164	\$416,709
5,000-9,999	76	\$554,507	94	\$707,812	84	\$597,629
10,000-24,999	115	\$1,866,119	94	\$1,547,430	89	\$1,460,870
25,000-49,999	57	\$1,983,520	72	\$2,525,650	77	\$2,720,825
50,000-99,999	44	\$2,989,955	49	\$3,640,869	41	\$2,845,825
100,000-249,999	51	\$8,780,408	60	\$9,950,339	49	\$7,748,864
250,000-499,999	41	\$14,335,665	31	\$10,595,848	35	\$12,403,209
500,000-999,999	23	\$16,025,191	32	\$22,723,602	36	\$24,161,971
Over 1,000,000	15	\$32,698,633	18	\$34,979,137	21	\$42,338,613

Table 57. Number of dealers and total ex-vessel value of product purchased from licensed fishermen for various income ranges from 1994 to 2010 (continued).

Range of ex-vessel value (\$)	2001		2000		1999	
	Dealers	Value	Dealers	Value	Dealers	Value
1-499	86	\$18,277	71	\$17,377	94	\$21,477
500-999	48	\$36,258	52	\$38,983	43	\$31,480
1,000-4,999	143	\$326,253	130	\$332,049	151	\$394,619
5,000-9,999	82	\$601,736	86	\$616,049	91	\$667,243
10,000-24,999	85	\$1,466,458	87	\$1,385,585	85	\$1,442,144
25,000-49,999	72	\$2,502,610	61	\$2,190,950	71	\$2,570,883
50,000-99,999	42	\$2,898,177	50	\$3,430,948	54	\$3,899,416
100,000-249,999	56	\$9,218,425	66	\$11,105,969	62	\$9,849,972
250,000-499,999	44	\$15,013,526	28	\$10,073,021	48	\$17,356,410
500,000-999,999	28	\$20,176,085	38	\$26,037,241	39	\$27,072,058
Over 1,000,000	20	\$35,885,384	28	\$53,086,638	22	\$36,375,347

Range of ex-vessel value (\$)	1998		1997		1996	
	Dealers	Value (\$)	Dealers	Value (\$)	Dealers	Value (\$)
1-499	93	\$18,281	73	\$15,316	82	\$16,595
500-999	47	\$35,556	39	\$28,463	49	\$36,150
1,000-4,999	154	\$401,895	145	\$376,363	151	\$409,797
5,000-9,999	64	\$461,241	75	\$552,589	72	\$503,063
10,000-24,999	95	\$1,620,619	88	\$1,476,779	95	\$1,489,305
25,000-49,999	61	\$2,191,822	72	\$2,474,940	60	\$2,161,256
50,000-99,999	59	\$4,154,979	55	\$3,935,810	46	\$3,228,174
100,000-249,999	56	\$9,064,737	48	\$7,598,762	55	\$9,111,449
250,000-499,999	48	\$17,512,722	50	\$18,194,258	37	\$13,773,845
500,000-999,999	34	\$24,710,336	36	\$24,425,559	36	\$26,776,727
Over 1,000,000	26	\$40,846,077	27	\$49,909,279	30	\$48,027,362

Range of ex-vessel value (\$)	1995		1994	
	Dealers	Value (\$)	Dealers	Value (\$)
1-499	112	\$21,974	89	\$18,397
500-999	42	\$30,196	50	\$35,522
1,000-4,999	157	\$435,433	137	\$330,770
5,000-9,999	73	\$521,161	53	\$385,533
10,000-24,999	61	\$1,000,150	49	\$837,156
25,000-49,999	65	\$2,258,478	44	\$1,471,274
50,000-99,999	43	\$3,033,036	36	\$2,459,653
100,000-249,999	59	\$10,048,164	57	\$9,333,833
250,000-499,999	42	\$15,213,635	45	\$16,431,145
500,000-999,999	37	\$27,826,870	30	\$21,127,090
Over 1,000,000	26	\$48,978,880	23	\$38,845,508

Table 58. Total economic impact from commercial fishing in NC from 2001 to 2010.

Year	Ex-Vessel Value	Total Economic Impact	Participants	Additional Jobs Supported	Total Jobs
2001	\$88,143,204	\$147,383,339	7,067	760	7,827
2002	\$94,747,541	\$158,421,943	6,743	817	7,560
2003	\$87,112,832	\$145,661,032	6,177	752	6,929
2004	\$79,705,630	\$141,572,974	6,154	612	6,766
2005	\$64,889,272	\$115,256,742	5,504	498	6,002
2006	\$70,085,519	\$123,348,669	5,120	488	5,608
2007	\$82,332,745	\$144,832,507	5,338	573	5,911
2008	\$86,814,160	\$152,789,290	5,299	605	5,904
2009	\$77,248,374	\$143,423,168	5,560	580	6,140
2010	\$79,824,853	\$131,826,072	5,217	420	5,637

NOTE: Participants based on total number of licensed participants multiplied by average crew size.

Table 59. Total licenses with ability to sell finfish or shellfish issued and used by product year, July 1 - June 30, 1994 to 2010.

Product Year¹	Licenses Issued	Licenses Used
1994	6,779	4,821
1995	7,534	6,545
1996	7,801	7,148
1997	8,175	6,716
1998	8,317	7,009
1999	8,438	6,528
2000	9,722	5,759
2001	9,694	5,587
2002	9,720	5,260
2003	9,502	4,933
2004	9,148	4,656
2005	8,878	4,389
2006	8,646	3,903
2007	8,688	3,977
2008	8,719	3,895
2009	9,136	3,924
2010	8,968	3,837

¹1994-1998 data derived from hard copy sales reports from the Historical License Statistics Book located within the L&S Library. 1999 data derived from hard copy report used to establish the SCFL Eligibility Pool. 2000 - present data derived from the FIN system.




Figure 8. Total licenses with the ability to sell finfish or shellfish issued and used by product year, July 1 - June 30, 1994 to 2010.

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets.

FISHERMAN NAME:	FISH DEALER #
FISHERMAN LICENSE #	CHECK BOX IF NO VESSEL USED → →
TRIP START DATE: MO DAY YR	CFVR # P
UNLOADING DATE: MO DAY YR	NO. OF CREW:

CIRCLE ALL GEARS USED

020	Beach Seine	340	Eel Pot	610	Rod-n-Reel
030	Haul Seine	345	Fish Pot	660	Trolling
025	Swipe Net	426	Small Mesh Set Gill Net (< 5 in.)	677	Shark Longline
125	Purse Seine	427	Large Mesh Set Gill Net (>=5 in.)	735	Cast Net
275	Pound Net	470	Drift Gill Net	760	Gigs
310	Hoop/Fyke Net	475	Runaround Net		

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

01	Albemarle Sound	10	Currituck Sound	33	Pamlico River
02	Alligator River	11	Lockwood Folly	34	Pamlico Sound
03	Bay River	12	Masonboro Sd.	45	Roanoke Sound
05	Bogue Sound	29	Neuse River	38	Shalotte River
06	Cape Fear River	30	New River	39	Stump Sound
08	Core Sound	31	Newport River	41	Topsail Sound
09	Croatan Sound	43	North River/Back Sound	42	White Oak River
53	Inland Waterway - Brunswick	54	Inland Waterway - Onslow		
20	Ocean 0-3 miles (North of Cape Hatteras)	21	Ocean 0-3 miles (South of Cape Hatteras)		
22	Ocean greater than 3 miles (North of Cape Hatteras)	23	Ocean greater than 3 miles (South of Cape Hatteras)		

KIND	CODE	POUNDS	UNIT PRICE	TOTAL PRICE
Black Drum	2100			
Bluefish Small	1352			
Med.	1353			
Lg.	1354			
Lg. Gutted	1384			
Butterfish	1550			
Catfish Mixed	1700			
Croaker Small	1952			
Med.	1953			
Lg.	1954			
Dogfish-Smooth Carcass	5940			
Dogfish-Smooth Fins	5920			
Dogfish-Spiny Whole	5950			
Flounder Mixed	2300			
Small	2302			
Med.	2303			
Lg.	2304			
Jumbo	2305			

1 -
NORTH CAROLINA TRIP TICKET (FINFISH)

KIND	CODE	TRANSACTION #		
		POUNDS	UNIT PRICE	TOTAL PRICE
Eels, American	2200			
Gars/Skippers	6100			
Gray Trout Pan	5252			
Med.	5253			
Lg.	5254			
Hogfish/Pigfish	4500			
Jumping Mullet	4350			
Mullet Red Roe	4357			
White Roe	4358			
Little Tunny Whole (False Alb.)	7300			
Pompano Small	4652			
Lg.	4654			
Puffers Whole (Sea Chickens)	6850			
Puppy/Red Drum Redfish	2150			
Sea Mullet	4000			
Roe Shad (Am. Shad)	5356			
Buck Shad (Am. Shad)	5359			
Jacks (Hickory Shad)	3800			
Sharks Mixed Carcass	5410			
Fins	5420			
Sheepshead	6000			
Spadefish	6650			
Spanish Mackerel Small	6702			
Med.	6703			
Lg.	6704			
Speckled Trout Pan	5302			
Med.	5303			
Lg.	5304			
Spot	6750			
Starbutters	3700			
Striped Bass	6800			
Thread Herring	3750			
White Perch	7650			
Menhaden Bait (LBS)	4200			
Mixed Bait	7900			
Dealer/Fisherman Use				

FISHERMAN COPY

North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557-0769

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

FISHERMAN NAME:	FISH DEALER #	
FISHERMAN LICENSE #	CHECK BOX IF NO VESSEL USED → →	
TRIP START DATE: MO DAY YR	CFVR # P	
UNLOADING DATE: MO DAY YR	NO. OF CREW:	

CIRCLE ALL GEARS USED

610	Bottomfishing (Bandits/Rod-n-reel)	677	Shark Longline
660	Trolling/Lightline (Bandits/Rod-n-reel)	943	Spears (Diving)
675	Surface Longline	345	Fish Pots
676	Bottom Longline	480	Gill Net Set (Sink)

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

20	Ocean 0-3 miles (North of Cape Hatteras)	22	Ocean greater than 3 miles (North of Cape Hatteras)
21	Ocean 0-3 miles (South of Cape Hatteras)	23	Ocean greater than 3 miles (South of Cape Hatteras)

KIND	CODE	POUNDS	UNIT PRICE	TOTAL PRICE
Beeliner 1/2-1	6462			
1-2	6463			
2-4	6464			
4+	6465			
Pink Snapper Mixed Guttled	4860			
Black/Gag Grouper Whole	3100			
Black/Gag Grouper Guttled	3110			
Scamp	3160			
Red Grouper	2910			
Strawberry/Red Hind	2760			
Snowy Grouper Small	2812			
Med.	2813			
Lg.	2814			
Mixed Grouper	2610			
Red Snapper	6410			
Mutton Snapper	6360			
Hogfish Guttled	3860			
Grunts	3500			
Amberjack Guttled	1060			
Whole	1050			
Jolthead (Knobbed) Porgy	5000			
Triggerfish	7200			
Conger (Offshore) Eels	2250			

2 -
NORTH CAROLINA TRIP TICKET (REEFFISH/PELAGIC)

KIND		CODE	TRANSACTION #		
			POUNDS	UNIT PRICE	TOTAL PRICE
Sea Bass Small		5152			
Med.		5153			
Lg.		5154			
Jumbo		5155			
Kelp/Rock Bass Mixed		5180			
Spottail/Ringtail Pinfish		5100			
Octopus (LB)		9200			
Gold Tilefish Small Guttled		7062			
Med. Guttled		7063			
Lg. Guttled		7064			
Gray Tilefish Small Guttled		7112			
Med. Guttled		7113			
Lg. Guttled		7114			
Bluefish Lg.		1354			
King Mackerel Snake Guttled		3962			
Med. Guttled		3963			
Lg. Guttled		3964			
Spanish Mackerel Mixed Whole		6700			
Dolphin Small Guttled		2062			
Lg. Guttled		2064			
Wahoo Guttled		7610			
Cobia Guttled		1610			
Blacktip Shark Carcass		5510			
Sandbar Shark Carcass		5710			
Sharpnose Shark Carcass		5490			
Shortfin Mako Shark Carcass		5580			
Thresher Shark Carcass		5610			
Shark Fins		5420			
Swordfish Mixed Carcass		6910			
Little Tunny Whole (F. Alb.)		7300			
Blackfin Tuna Guttled		7560			
Bigeye Tuna Carcass		7520			
Bluefin Tuna Carcass		7410			
Yellowfin Tuna Mixed Whole		7450			
Mixed Guttled		7460			
Small Guttled		7462			
Mixed Carcass		7470			
Small Carcass		7472			
Lg. Carcass		7474			

FISHERMAN COPY

North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557-0769

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

FISHERMAN NAME:		FISH DEALER #	
FISHERMAN LICENSE #		CHECK BOX IF NO VESSEL USED → →	
TRIP START DATE MO DAY YR		CFVR # P	
UNLOADING DATE MO DAY YR		NO. OF CREW:	

**3 -
NORTH CAROLINA TRIP TICKET (CRAB)**

CIRCLE ALL GEARS USED

330	Crab Pot →	No. Of Pots Fished →	
334	Peeler Pot →	No. Of Pots Fished →	
205	Crab Trawl	340	Eel Pot 805 Crab Dredge
206	Peeler Trawl	426	Small Mesh Set Gill Net (< 5 in.)
215	Shrimp Trawl	427	Large Mesh Set Gill Net (>= 5 in.)
275	Pound Net	475	Runaround Gill Net

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

01	Albemarle Sound	30	New River
02	Alligator River	31	Newport River
03	Bay River	43	North River/Back Sound
05	Bogue Sound	33	Pamlico River
06	Cape Fear River	34	Pamlico Sound
07	Chowan River	35	Pasquotank River
08	Core Sound	36	Perquimans River
09	Croatan Sound	52	Pungo River
10	Currituck Sound	37	Roanoke River
53	Inland Waterway - Brunswick	45	Roanoke Sound
54	Inland Waterway - Onslow	38	Shalotte River
11	Lockwood Folly	39	Stump Sound
12	Masonboro Sound	41	Topsail Sound
29	Neuse River	42	White Oak River

KIND	CODE	POUNDS UNITS	UNIT PRICE	TOTAL PRICE
Black Drum	2100			
Bluefish	Mixed 1350			
Catfish	Mixed 1700			
Croaker	Small 1952			
	Med. 1953			
Flounder	Med. 2303			
	Lg. 2304			
	Jumbo 2305			
Gray Trout	Pan 5252			
	Med. 5253			
Jumping Mullet	4350			
Puppy/Red Drum	Redfish 2150			
Sea Mullet	4000			
Sheepshead	6000			
Speckled Trout	5300			
Spot	6750			
White Perch	7650			
Yellow Perch	7800			

TRANSACTION #

KIND	CODE	POUNDS UNITS	UNIT PRICE	TOTAL PRICE
Hard Crabs	Straight (LB)	8000		
	Culls (LB)	8006		
	No. 1 (LB)	8001		
	No. 2 (LB)	8002		
	No. 3 (LB)	8003		
	Jumbos (LB)	8005		
Hard Crabs	Straight (BU)	8010		
	No. 1 (BU)	8011		
	No. 2 (BU)	8012		
	No. 3 (BU)	8013		
Peeler Crabs	Number	8060		
	Dozens	8070		
Soft Crabs	Number	8110		
	Hotels	Number 8112		
	Primes	Number 8113		
	Jumbos	Number 8114		
	Slabs/Whales	Number 8115		
Dead Soft Crabs	Number	8130		
Soft Crabs	Dozens	8120		
	Hotels	Dozens 8122		
	Primes	Dozens 8123		
	Jumbos	Dozens 8124		
	Slabs/Whales	Dozens 8125		
	Conchs/Whelks	Shell Weight 9160		
	Stone Crabs	Pounds Claws 8150		
	American Eels	2200		
DEDUCTED BAIT				
Dealer/Fisherman Use				

FISHERMAN COPY

North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557-0769

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

6 - 304052

NORTH CAROLINA TRIP TICKET (SHRIMP)

FISH DEALER #	
FISHERMAN NAME:	
FISHERMAN LIC. #	
TRIP START DATE	MO. / DAY / YR.
UNLOADING DATE	MO. / DAY / YR.
	← ← 1 CHECK BOX IF NO VESSEL USED
COMM. FISHING VESSEL REG. #	P
NO. OF CREW:	

CIRCLE IF CATCH WAS MADE OFF STATE OTHER THAN NORTH CAROLINA

43	South Carolina	13	Georgia	(Write-In)
----	----------------	----	---------	------------

CIRCLE ALL GEARS USED

215	Shrimp Trawl	189	Butterfly Net
180	Channel Net	289	Shrimp Pound
194	Skimmer Trawl	735	Cast Net
035	Common Seine (Shore Net)		

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

03	Bay River	43	North River
05	Bogue Sound	33	Pamlico River
06	Cape Fear River	34	Pamlico Sound
08	Core Sound	52	Pungo River
09	Croatan Sound	45	Roanoke Sound
50	Inland Waterway	38	Shallotte River
12	Masonboro Sound	39	Stump Sound
29	Neuse River	41	Topsail Sound
30	New River	42	White Oak River
31	Newport River		
20	Ocean 0 – 3 miles (North of Cape Hatteras)		
22	Ocean greater than 3 miles (North of C. Hatteras)		
21	Ocean 0 – 3 miles (South of Cape Hatteras)		
23	Ocean greater than 3 miles (South of C. Hatteras)		

SIZE	CIRCLE SHRIMP CODE BELOW			CIRCLE HEADS ON OR OFF BELOW		TRANSACTION #		
	BROWN Summer	PINK Spotted	WHITE Greentails	Heads On	Heads Off	POUNDS	UNIT PRICE	TOTAL PRICE
0/15	836	851	866	Heads On 0	Heads Off 1			
16/20	837	852	867	Heads On 0	Heads Off 1			
21/25	838	853	868	Heads On 0	Heads Off 1			
26/30	839	854	869	Heads On 0	Heads Off 1			
31/35	840	855	870	Heads On 0	Heads Off 1			
36/40	841	856	871	Heads On 0	Heads Off 1			
41/45	842	857	872	Heads On 0	Heads Off 1			
46/50	843	858	873	Heads On 0	Heads Off 1			
51/55	844	859	874	Heads On 0	Heads Off 1			
56/60	845	860	875	Heads On 0	Heads Off 1			
60/70	846	861	876	Heads On 0	Heads Off 1			
70/80	847	862	877	Heads On 0	Heads Off 1			
80 +	848	863	878	Heads On 0	Heads Off 1			
MIXED	835	850	865	Heads On 0	Heads Off 1			
Rock Shrimp	Heads On					8950		
Hard Crabs	Straight (LB)					8000		
Hard Crabs	Jimmies (LB)					8009		
Soft Crabs	Number					8110		
Peeler Crabs	Number					8060		
Butterfish						1550		
Croaker						1950		
Flounder	Small					2302		
	Medium					2303		
	Large					2304		
Gray Trout	Pan					5252		
	Medium					5253		
Hogfish/Pigfish						4500		
Mixed Fish						7850		
Sea Mullet						4000		
Sheepshead						6000		
Spanish Mackerel						6700		
Spot						6750		
Squid (Loligo)						9450		
Starbutters						3700		

Dealer/Fisherman Use
FISHERMAN COPY

North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

FISH DEALER #
FISHERMAN NAME:
FISHERMAN LICENSE #
TRIP START DATE: MO DAY YR
UNLOADING DATE: MO DAY YR
<input type="checkbox"/> ← ← CHECK BOX IF NO VESSEL USED
COMMERCIAL FISHING VESSEL REG. # P
NO. OF CREW:

CIRCLE ALL GEARS USED

951	By Hand	815	Oyster Dredge
853	Hand Rake	823	Bay Scallop Dredge
850	Bull Rake	825	Sea Scallop Dredge
840	Hand Tongs	704	Scallop Scoop
802	Clam Dredge Hydraulic	214	Scallop Trawl
220	Clam Trawl Kicking	215	Shrimp Trawl

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

03	Bay River	31	Newport River
05	Bogue Sound	43	North River/Back Sound
06	Cape Fear River	33	Pamlico River
08	Core Sound	34	Pamlico Sound
09	Croatan Sound	52	Pungo River
53	Inland Waterway - Brunswick	45	Roanoke Sound
54	Inland Waterway - Onslow	38	Shalotte River
11	Lockwood Folly	39	Stump Sound
12	Masonboro Sound	41	Topsail Sound
29	Neuse River	42	White Oak River
30	New River		

20	Ocean 0-3 miles (North of Cape Hatteras)
22	Ocean greater than 3 miles (North of Cape Hatteras)
21	Ocean 0-3 miles (South of Cape Hatteras)
23	Ocean greater than 3 miles (South of Cape Hatteras)

Dealer/Fisherman Use

7 - NORTH CAROLINA TRIP TICKET (SHELLFISH)

TRANSACTION #	
CIRCLE BOTTOM TYPE	
1	PUBLIC BOTTOM
2	LEASED BOTTOM → Lease # _____

IF CATCH WAS MADE FROM LEASED BOTTOM RECORD LEASE NUMBER BELOW

DESIGNATED SHELLFISH HARVEST AREA
Record harvest area designation from a Shellfish Sanitation map. _____

KIND	CODE	UNITS	UNIT PRICE	TOTAL PRICE
Clams (Number) Mixed	9010			
Clams (Number) Mixed	9010			
Little Neck	9011			
Top Neck	9012			
Cherry	9013			
Top Cherry	9014			
Chowder	9015			
Clams Bushels	9020			
Clams Bags	9030			
Blood Clams Shell Weight	9080			
Conchs/Whelks Shell Weight	9160			
Number	9180			
Bay Scallops Bushels	9310			
Pounds Meats	9300			
Gallons	9320			
Sea Scallops Bushels	9410			
Pounds Meats	9400			
Oysters Bushels	9260			
Monkails	1160			
Stone Crabs Pounds Claws	8150			
Shrimp Mixed, Heads On	8800			
Flounder Mixed	2300			

FISHERMAN COPY

North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557-0769

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

10-106226

CIRCLE ONE WATERBODY WHERE MOST OF CATCH WAS MADE

FISH DEALER #	01	Albemarle Sound	08	Core Sound	12	Masonboro Sound	34	Pamlico Sound	38	Shalotte River
FISHERMAN NAME:	02	Alligator River	09	Croatan Sound	29	Neuse River	35	Pasquotank River	39	Stump Sound
FISHERMAN LIC. #	03	Bay River	10	Currituck Sound	30	New River	36	Perquimans River	41	Topsail Sound
← ← 1 CHECK BOX IF NO VESSEL USED	05	Bogue Sound	53	Inland Waterway - Brunswick	31	Newport River	52	Pungo River	42	White Oak River
COMM. FISHING VESSEL REG. #	06	Cape Fear River	54	Inland Waterway - Onslow	43	North River/Back Sound	37	Roanoke River	24	Ocean 0-3 miles
NO. OF CREW:	07	Chowan River	11	Lockwood Folly	33	Pamlico River	45	Roanoke Sound	25	Ocean > 3 miles

NORTH CAROLINA
TRIP TICKET
(CRAB POT
MULTI-TRIP)

GEAR CODE
330
(Crab Pot)

DATE	NO. OF POTS FISHED	8009 JIMMIES			8000 STRAIGHTS			8006 CULLS			8060 PEELERS			OTHER				TRANS-ACTION #									
		MO.	DAY	Y.R.	POUNDS	UNIT PRICE	TOTAL PRICE	POUNDS	UNIT PRICE	TOTAL PRICE	POUNDS	UNIT PRICE	TOTAL PRICE	NUMBER	UNIT PRICE	TOTAL PRICE	SPECIES		CODE	POUNDS UNITS	UNIT PRICE	TOTAL PRICE					
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
/ /																											
TOTALS																											

Dealer/Fisherman Use
FISHERMAN COPY
North Carolina Division of Marine Fisheries, PO Box 769, Morehead City, NC 28557-0769

Appendix 1. Examples of NC Division of Marine Fisheries trip tickets (continued).

NORTH CAROLINA TRIP TICKET (CRAB POT ONLY) 11-

FISH DEALER #		TRANSACTION #	
FISHERMAN NAME:		FISHERMAN LICENSE #	
TRIP START DATE MO. / DAY / YR.		UNLOADING DATE MO. / DAY / YR.	
← ← 1 CHECK BOX IF NO VESSEL USED		COMM. FISHING VESSEL REG. # P	
NO. OF CREW:	GEAR CODE 330 (Crab Pot) (office use only)		NO. OF POTS:



01	Albemarle Sound	11	Lockwood Folly	52	Pungo River
02	Alligator River	12	Masonboro Sound	36	Perquimans River
03	Bay River	29	Neuse River	37	Roanoke River
05	Bogue Sound	30	New River	45	Roanoke Sound
06	Cape Fear River	31	Newport River	38	Shalotte River
07	Chowan River	43	North River/Back Sound	39	Stump Sound
08	Core Sound	33	Pamlico River	41	Topsail Sound
09	Croatan Sound	34	Pamlico Sound	42	White Oak River
10	Currituck Sound	35	Pasquotank River		
53	Inland Waterway - Brunswick		54	Inland Waterway - Onslow	

KIND	CODE	UNITS	UNIT PRICE	TOTAL PRICE
Straight (LB)	8000			
Jimmies/No. 1 (LB)	8001			
No. 2 (LB)	8002			
No. 3 (LB)	8003			
Culls (LB)	8006			
Peelers Number	8060			
Soft Crabs Number	8110			
Deducted Bait				
B-9				

Appendix 2. Trip Ticket Waterbody Codes and Maps.

Trip Ticket Code	Description
1	Albemarle Sound
2	Alligator River
3	Bay River
5	Bogue Sound
6	Cape Fear River
7	Chowan River
8	Core Sound
9	Croatan Sound
10	Currituck Sound
11	Lockwood's Folly River
12	Masonboro Sound
20	Ocean 0-3 miles (North of Cape Hatteras)
21	Ocean 0-3 miles (South of Cape Hatteras)
22	Ocean > 3 Miles (North of Cape Hatteras)
23	Ocean > 3 Miles (South of Cape Hatteras)
24	Ocean Less than 3 Miles
25	Ocean More than 3 Miles
29	Neuse River
30	New River
31	Newport River
33	Pamlico River
34	Pamlico Sound
35	Pasquotank River
36	Perquimans River
37	Roanoke River
38	Shalotte River
39	Stump Sound (New River Inlet to Surf City)
41	Topsail Sound (Surf City to Topsail Inlet)
42	White Oak River
43	North River
45	Roanoke Sound
50	Inland Waterway (Pre-2002)
53	Inland Waterway - Brunswick
54	Inland Waterway - Onslow
52	Pungo River
80	Back Bay (Virginia)
99	Unknown


Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).



NC Division of Marine Fisheries
Trip Ticket Water Bodies



Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).



North Carolina
Division of
Marine Fisheries


Trip Ticket
Water Bodies

Northern Area

Map # 1



NAD83
September 2002
NC State Plane



Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).

List of primary and secondary trip ticket water bodies of the Northern Area (Map #1).

Albemarle

Sound

Yeopim River
Bull Bay
Batchelor Bay
Little River
Big Flatty Creek
North River
Edenton Bay
Swan Bay
Scuppernong River

Roanoke River

Cashie River
Middle River
Eastmost River
Broad Creek
Canaby Creek
Grennel Creek
Cow Creek
Cashoke Creek

Chowan River

Meherrin River
Bennetts Creek

Perquimans

River

No tributaries

Currituck

Sound

Bellows Bay
Coinjock Bay
Cedar Bay
Knotts Island Bay
Dowdy Bay
Above the narrows
Below the narrows

Pasquotank

River

Little Flatty Creek
Newbegun Creek

Alligator River

East Lake
South Lake
Frying Pan
Gum Neck
Little Alligator

Croatan Sound

Manns Harbor
Peter Mashoes Creek
Cedar Bush Bay

Pamlico Sound

Stumpy Point Bay
Long Shoal River
Pains Bay
Parched Corn Bay
Crab Slough
Old House Channel
Davis Channel

Roanoke Sound


Kitty Hawk Bay
Shallowbag Bay
Broad Creek
Colington Creek
Buzzard Bay

Ocean 0-3 miles North of

Cape Hatteras

North of Cape Point

Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).



North Carolina
Division of
Marine Fisheries


Trip Ticket
Water Bodies

Central Area

Map # 2



NAD83
September 2002
NC State Plane



Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).
List of primary and secondary trip ticket water bodies of the Central Area (Map #2).

Pamlico River

Chocowinity Bay
 Bath Creek
 Blounts Creek
 Duck Creek
 Durham Creek
 Goose Creek
 Mixon Creek
 North Creek
 South Creek
 St. Clair Creek

Pungo River

Wright Creek
 Satterthwaite Creek
 Jordan Creek
 Pungo Creek
 Pantego Creek
 Slade Creek
 Fortescue Creek

Bay River

Trent Creek
 Vandemere Creek
 Rockhole Bay
 Bonner Bay
 Fisherman Bay

Neuse River

Upper Broad Creek
 Goose Creek
 Beard Creek
 Dawson Creek
 Trent Creek
 Broad Creek
 Swan Creek
 Slocum Creek
 Hancock Creek
 Clubfoot Creek
 Adams Creek (N. of Core Creek Bridge)
 South River
 Turnagain Bay

Pamlico Sound

Abel Bay
 Spencer Bay
 Germantown Bay
 Striking Bay
 Deep Bay
 Rose Bay
 Deep Cove
 Swan Quarter Bay
 Oyster Creek
 Mouse Harbor
 Big Porpoise Bay
 Middle Bay
 Jones Bay
 Caffee Bay
 Juniper Bay
 West Bluff Bay

East Bluff Bay
 Wysocking Bay
 Far Creek
 Long Shoal River
 Mt. Pleasant Bay
 Douglas Bay
 Lone Tree Creek
 Back Creek
 Middletown Creek
 Waupopin Creek
 Otter Creek
 Sandy Bay
 West Bay
 North Bay
 Long Bay
 West Thorofare Bay

Newport River

Town Creek
 Calico Creek
 Taylor Creek
 Haystacks
 Core Creek (S. of Core Creek Bridge)
 Bogue Inlet
 Turning Basin

North River/Back Sound

Ward Creek
 Davis Bay
 Goose Bay
 North River Thorofare
 Muddy Creek
 Back Sound

Core Sound

Back Bay
 Cedar Island Bay
 Thorofare Bay
 Barry Bay
 Styron Bay
 Nelson Bay
 Oyster Creek
 Jarrett Bay
 Middle Marshes
 The Straits

Bogue Sound

Gales Creek
 Broad Creek
 Goose Creek
 Deer Creek
 Hoop Hole
 Pellitier Creek
 Spooners Creek
 Tar Landing Bay
 Money Isle

Ocean 0-3 Miles North of Cape Hatteras

North of Cape Point


Ocean 0-3 Miles South of Cape Hatteras

South of Cape Point

White Oak River

Pettiford Creek Bay


Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).



North Carolina
Division of
Marine Fisheries

Trip Ticket
Water Bodies
Southern Area

Map # 3



Appendix 2. Trip Ticket Waterbody Codes and Maps (continued).

List of primary and secondary trip ticket water bodies of the Southern Area (Map #3).

**White Oak
River**

Pettiford Creek Bay

**Inland Waterway -
Onslow**

Queens Creek
Bear Creek
Bear Inlet
Holover Creek
Browns Inlet
Sounders Creek
Fosters Creek
Muddy Creek
Hammocks Beach/Bear
Island

New River

Morgan Bay
Farnell Bay
Stones Bay
Courthouse Bay
Chadwick Bay
Little Goose Bay
Gray Point
Hwy 210 High-rise
Muddy Creek

Stump Sound

Alligator Bay
Thomas Landing
Mill Creek
Morris Landing

Topsail Sound

Virginia Creek
Topsail Creek
Elmore Inlet
Futch Creek
Green Channel
Nixon Channel
Butler Creek

Masonboro Sound

Rich Inlet
Mason Inlet
Johns Creek
Masonboro Inlet
Carolina Beach Inlet
Banks Channel
Masonboro Channel
Carolina Beach Boat Basin

**Cape Fear
River**

First Bay
Second Bay
Buzzards Bay
Cedar Creek
Baldhead Creek
Northeast Cape Fear
Snows Cut
Cape Creek
Bay Creek
The Basin
CP&L Bypass

**Lockwood
Folly River**

Spring Branch

Shallotte River

Gibbs Creek
Little Shallotte River

**Inland Waterway -
Brunswick**

South Dutchman Creek
Elizabeth River
Davis Creek
Lockwood's Folly Inlet
Montgomery Slough
Shallotte Inlet
Sheep Inlet
Sheep Island
Eastern Channel
Bonaparte Creek
Old Channel
Calabash River
Ocean Isle
Jinks Creek
Tubbs Inlet
Little River Inlet

**Ocean 0-3 Miles
South of Cape
Hatteras**

South of Cape Point

Appendix 3. Trip Ticket Gear List.

DMF Code	Description
020	Beach Seine
189	Butterfly Net
951	By Hand
735	Cast Net
180	Channel Net
803	Clam Dredge
802	Clam Dredge (hydraulic)
220	Clam Trawl Kicking
035	Common Seine
325	Conch Pot
805	Crab Dredge
330	Crab Pot
205	Crab Trawl
703	Dip Net
340	Eel Pot
345	Fish Pot
210	Flounder Trawl
230	Flynet
310	Fyke Net
760	Gigs
470	Gill Net (drift)
475	Gill Net (runaround)
425	Gill Net Set (float)
426	Gill Net Set, < 5 inch mesh
427	Gill Net Set, > = 5 in. mesh
480	Gill Net Set (sink)
030	Haul Seine
676	Longline Bottom
677	Longline Shark
675	Longline Surface
815	Oyster Dredge
334	Peeler Pot
206	Peeler Trawl
275	Pound Net
125	Purse Seine
850	Rakes, Bull
853	Rakes, Hand
610	Rod-n-Reel
823	Scallop Dredge (bay)
825	Scallop Dredge (sea)
704	Scallop Scoop
214	Scallop Trawl
289	Shrimp Pound
215	Shrimp Trawl
194	Skimmer Trawl
943	Spears, Diving

Appendix 3. Trip Ticket Gear List (continued).

DMF Code	Description
025	Swipe Net
840	Tongs, Hand
846	Tongs, Patent
660	Trolling
680	Trotline
681	Turtle Hooks
375	Turtle Pot
001	Mechanical Tongs
355	Lobster Pot
002	Power Rake
845	Tongs (NMFS Code)
855	Rakes (NMFS Codes)
003	Hydraulic Escalator Dredge
004	Hydraulic Pump Dredge
005	Kicking Without Clam Trawl
955	By Hand (NMFS Code)
989	Unknown
999	Other

Chapter III: NORTH CAROLINA MARINE RECREATIONAL INFORMATION PROGRAM

TABLE OF CONTENTS

TABLE OF CONTENTS	III-1
LIST OF TABLES	III-1
LIST OF FIGURES.....	III-3
LIST OF APPENDICES	III-4
PROGRAM NARRATIVE	III-5
SURVEY METHODOLOGY	III-6
Dockside Interviews	III-6
Telephone Survey	III-8
Effort Estimates.....	III-9
Catch Estimates	III-10
Precision of Estimates.....	III-11
SURVEY LIMITATIONS.....	III-12
GLOSSARY	III-100
DATA ELEMENTS	III-103
CONTACTS	III-104

LIST OF TABLES

Table 60.	Atlantic bonito recreational catch in North Carolina by year, 1991-2010.....	III-15
Table 61.	Atlantic bonito recreational harvest by state, 2010.	III-16
Table 62.	Atlantic croaker recreational catch in North Carolina by year, 1991-2010.....	III-17
Table 63.	Atlantic croaker recreational harvest by state, 2010.	III-18
Table 64.	Black drum recreational catch in North Carolina by year, 1991-2010.	III-19
Table 65.	Black drum recreational harvest by state, 2010.....	III-20
Table 66.	Black sea bass recreational catch in North Carolina by year, 1991-2010.	III-21
Table 67.	Black sea bass recreational harvest by state, 2010.....	III-22
Table 68.	Bluefish recreational catch in North Carolina by year, 1991-2010.....	III-23
Table 69.	Bluefish recreational harvest by state, 2010.	III-24
Table 70.	Cobia recreational catch in North Carolina by year, 1991-2010.	III-25
Table 71.	Cobia recreational harvest by state, 2010.....	III-26
Table 72.	Dolphinfish recreational catch in North Carolina by year, 1991-2010.....	III-27
Table 73.	Dolphinfish recreational harvest by state, 2010.	III-28
Table 74.	Florida pompano recreational catch in North Carolina by year, 1991-2010.	III-29
Table 75.	Florida pompano recreational harvest by state, 2010.....	III-30
Table 76.	Gag recreational catch in North Carolina by year, 1991-2010.....	III-31
Table 77.	Gag recreational harvest by state, 2010.	III-32
Table 78.	Greater amberjack recreational catch in North Carolina by year, 1991-2010.....	III-33
Table 79.	Greater amberjack recreational harvest by state, 2010.	III-34
Table 80.	Great barracuda recreational catch in North Carolina by year, 1991-2010.	III-35
Table 81.	Great barracuda recreational harvest by state, 2010.....	III-36
Table 82.	Gulf kingfish recreational catch in North Carolina by year, 1991-2010.....	III-37
Table 83.	Gulf kingfish recreational harvest by state, 2010.	III-38
Table 84.	King mackerel recreational catch in North Carolina by year, 1991-2010.....	III-39
Table 85.	King mackerel recreational harvest by state, 2010.	III-40
Table 86.	Northern kingfish recreational catch in North Carolina by year, 1991-2010.	III-41
Table 87.	Northern kingfish recreational harvest by state, 2010.....	III-42
Table 88.	Northern puffer recreational catch in North Carolina by year, 1991-2010.	III-43
Table 89.	Northern puffer recreational harvest by state, 2010.....	III-44
Table 90.	Pigfish recreational catch in North Carolina by year, 1991-2010.....	III-45
Table 91.	Pigfish recreational harvest by state, 2010.	III-46
Table 92.	Pinfish recreational catch in North Carolina by year, 1991-2010.....	III-47
Table 93.	Pinfish recreational harvest by state, 2010.	III-48

Table 94.	Red drum recreational catch in North Carolina by year, 1991-2010.....	III-49
Table 95.	Red drum recreational harvest by state, 2010.....	III-50
Table 96.	Sheepshead recreational catch in North Carolina by year, 1991-2010.....	III-51
Table 97.	Sheepshead recreational harvest by state, 2010.....	III-52
Table 98.	Silver perch recreational catch in North Carolina by year, 1991-2010.....	III-53
Table 99.	Silver perch recreational harvest by state, 2010.....	III-54
Table 100.	Southern flounder recreational catch in North Carolina by year, 1991-2010.....	III-55
Table 101.	Southern flounder recreational harvest by state, 2010.....	III-56
Table 102.	Southern kingfish recreational catch in North Carolina by year, 1991-2010.....	III-57
Table 103.	Southern kingfish recreational harvest by state, 2010.....	III-58
Table 104.	Spanish mackerel recreational catch in North Carolina by year, 1991-2010.....	III-59
Table 105.	Spanish mackerel recreational harvest by state, 2010.....	III-60
Table 106.	Spot recreational catch in North Carolina by year, 1991-2010.....	III-61
Table 107.	Spot recreational harvest by state, 2010.....	III-62
Table 108.	Spotted seatrout recreational catch in North Carolina by year, 1991-2010.....	III-63
Table 109.	Spotted seatrout recreational harvest by state, 2010.....	III-64
Table 110.	Striped bass Atlantic Ocean recreational catch in North Carolina by year, 1991-2010.....	III-65
Table 111.	Striped bass Atlantic Ocean recreational harvest by state, 2010.....	III-66
Table 112.	Summer flounder recreational catch in North Carolina by year, 1991-2010.....	III-67
Table 113.	Summer flounder recreational catch by state, 2010.....	III-68
Table 114.	Wahoo recreational catch in North Carolina by year, 1991-2010.....	III-69
Table 115.	Wahoo recreational catch by state, 2010.....	III-70
Table 116.	Weakfish recreational catch in North Carolina by year, 1991-2010.....	III-71
Table 117.	Weakfish recreational catch by state, 2010.....	III-72
Table 118.	White grunt recreational catch in North Carolina by year, 1991-2010.....	III-73
Table 119.	White grunt recreational catch by state, 2010.....	III-74
Table 120.	Yellowfin tuna recreational catch in North Carolina by year, 1991-2010.....	III-75
Table 121.	Yellowfin tuna recreational catch by state, 2010.....	III-76
Table 122.	Large coastal shark recreational catch in North Carolina by year, 1991-2010.....	III-77
Table 123.	Large coastal shark recreational catch by state, 2010.....	III-78
Table 124.	Small coastal shark recreational catch in North Carolina by year, 1991-2010.....	III-79
Table 125.	Small coastal shark recreational catch by state, 2010.....	III-80
Table 126.	Pelagic shark recreational catch in North Carolina by year, 1991-2010.....	III-81
Table 127.	Pelagic shark recreational catch by state, 2010.....	III-82
Table 128.	North Carolina Division of Marine Fisheries highly migratory species landing summary, 2004.....	III-83
Table 129.	North Carolina Division of Marine Fisheries highly migratory species landing summary, 2005.....	III-83
Table 130.	North Carolina Division of Marine Fisheries highly migratory species landing summary, 2006.....	III-84
Table 131.	North Carolina Division of Marine Fisheries highly migratory species landing summary, 2007.....	III-84
Table 132.	North Carolina Division of marine Fisheries highly migratory species landing summary, 2008.....	III-85
Table 133.	North Carolina Division of marine Fisheries highly migratory species landing summary, 2009.....	III-86
Table 134.	North Carolina Division of marine Fisheries highly migratory species landing summary, 2010.....	III-86
Table 135.	North Carolina recreational Atlantic bluefin tuna (ABT) landings, June 1, 1999 through May 31, 2011 (number of fish landed).....	III-87
Table 136.	Atlantic Coast saltwater fishing trips by state and mode, 2010.....	III-88
Table 137.	Saltwater fishing trips in North Carolina by year and mode, 1991-2010.....	III-89

LIST OF FIGURES

Figure 9.	North Carolina marine recreational finfish harvest by species (2009-2010), overall harvest and released finfish (2004-2010), fishing effort (2004-2010), and participation (2007-2010).....	III-13
Figure 10.	Atlantic bonito recreational catch in North Carolina by year, 1991-2010.....	III-15
Figure 11.	Atlantic bonito recreational harvest by state, 2010.....	III-16
Figure 12.	Atlantic croaker recreational catch in North Carolina by year, 1991-2010.....	III-17
Figure 13.	Atlantic croaker recreational harvest by state, 2010.....	III-18
Figure 14.	Black drum recreational catch in North Carolina by year, 1991-2010.....	III-19
Figure 15.	Black drum recreational harvest by state, 2010.....	III-20
Figure 16.	Black sea bass recreational catch in North Carolina by year, 1991-2010.....	III-21
Figure 17.	Black sea bass recreational harvest by state, 2010.....	III-22
Figure 18.	Bluefish recreational catch in North Carolina by year, 1991-2010.....	III-23
Figure 19.	Bluefish recreational harvest by state, 2010.....	III-24
Figure 20.	Cobia recreational catch in North Carolina by year, 1991-2010.....	III-25
Figure 21.	Cobia recreational harvest by state, 2010.....	III-26
Figure 22.	Dolphinfish recreational catch in North Carolina by year, 1991-2010.....	III-27
Figure 23.	Dolphinfish recreational catch by state, 2010.....	III-28
Figure 24.	Florida pompano recreational catch in North Carolina by year, 1991-2010.....	III-29
Figure 25.	Florida pompano recreational harvest by state, 2010.....	III-30
Figure 26.	Gag recreational catch in North Carolina by year, 1991-2010.....	III-31
Figure 27.	Gag recreational harvest by state, 2010.....	III-32
Figure 28.	Greater amberjack recreational catch in North Carolina by year, 1991-2010.....	III-33
Figure 29.	Greater amberjack recreational harvest by state, 2010.....	III-34
Figure 30.	Great barracuda recreational catch in North Carolina by year, 1991-2010.....	III-35
Figure 31.	Great barracuda recreational harvest by state, 2010.....	III-36
Figure 32.	Gulf kingfish recreational catch in North Carolina by year, 1991-2010.....	III-37
Figure 33.	Gulf kingfish recreational harvest by state, 2010.....	III-38
Figure 34.	King mackerel recreational catch in North Carolina by year, 1991-2010.....	III-39
Figure 35.	King mackerel recreational harvest by state, 2010.....	III-40
Figure 36.	Northern kingfish recreational catch in North Carolina by year, 1991-2010.....	III-41
Figure 37.	Northern kingfish recreational harvest by state, 2010.....	III-42
Figure 38.	Northern puffer recreational catch in North Carolina by year, 1991-2010.....	III-43
Figure 39.	Northern puffer recreational harvest by state, 2010.....	III-44
Figure 40.	Pigfish recreational catch in North Carolina by year, 1991-2010.....	III-45
Figure 41.	Pigfish recreational harvest by state, 2010.....	III-46
Figure 42.	Pinfish recreational catch in North Carolina by year, 1991-2010.....	III-47
Figure 43.	Pinfish recreational harvest by state, 2010.....	III-48
Figure 44.	Red drum recreational catch in North Carolina by year, 1991-2010.....	III-49
Figure 45.	Red drum recreational harvest by state, 2010.....	III-50
Figure 46.	Sheepshead recreational catch in North Carolina by year, 1991-2010.....	III-51
Figure 47.	Sheepshead recreational harvest by state, 2010.....	III-52
Figure 48.	Silver perch recreational catch in North Carolina by year, 1991-2010.....	III-53
Figure 49.	Silver perch recreational harvest by state, 2010.....	III-54
Figure 50.	Southern flounder recreational catch in North Carolina by year, 1991-2010.....	III-55
Figure 51.	Southern flounder recreational harvest by state, 2010.....	III-56
Figure 52.	Southern kingfish recreational catch in North Carolina by year, 1991-2010.....	III-57
Figure 53.	Southern kingfish recreational harvest by state, 2010.....	III-58
Figure 54.	Spanish mackerel recreational catch in North Carolina by year, 1991-2010.....	III-59
Figure 55.	Spanish mackerel recreational harvest by state, 2010.....	III-60
Figure 56.	Spot recreational catch in North Carolina by year, 1991-2010.....	III-61
Figure 57.	Spot recreational harvest by state, 2010.....	III-62
Figure 58.	Spotted seatrout recreational catch in North Carolina by year, 1991-2010.....	III-63
Figure 59.	Spotted seatrout recreational harvest by state, 2010.....	III-64
Figure 60.	Striped bass Atlantic Ocean recreational catch in North Carolina by year, 1991-2010.....	III-65
Figure 61.	Striped bass Atlantic Ocean recreational harvest by state, 2010.....	III-66
Figure 62.	Summer flounder recreational catch in North Carolina by year, 1991-2010.....	III-67

Figure 63.	Summer flounder recreational harvest by state, 2010.	III-68
Figure 64.	Wahoo recreational catch in North Carolina by year, 1991-2010.	III-69
Figure 65.	Wahoo recreational harvest by state, 2010.....	III-70
Figure 66.	Weakfish recreational catch in North Carolina by year, 1991-2010.....	III-71
Figure 67.	Weakfish recreational harvest by state, 2010.	III-72
Figure 68.	White grunt recreational catch in North Carolina by year, 1991-2010.	III-73
Figure 69.	White grunt recreational harvest by state, 2010.	III-74
Figure 70.	Yellowfin tuna recreational catch in North Carolina by year, 1991-2010.	III-75
Figure 71.	Yellowfin tuna recreational catch by state, 2010.....	III-76
Figure 72.	Large coastal shark recreational catch in North Carolina by year, 1991-2010.	III-77
Figure 73.	Large coastal shark recreational harvest by state, 2010.	III-78
Figure 74.	Small coastal shark recreational catch in North Carolina by year, 1991-2010.	III-79
Figure 75.	Small coastal shark recreational harvest by state, 2010.....	III-80
Figure 76.	Pelagic shark recreational catch in North Carolina by year, 1991-2010.....	III-81
Figure 77.	Pelagic shark recreational harvest by state, 2010.	III-82
Figure 78.	Atlantic Coast saltwater fishing trips by state and mode, 2010.....	III-88
Figure 79.	Saltwater fishing trips in North Carolina by year and mode, 1991-2010.....	III-89

LIST OF APPENDICES

Appendix 4.	North Carolina MRIP sampling locations.	III-90
Appendix 5.	NCDMF highly migratory species reporting stations.....	III-97
Appendix 6.	North Carolina MRIP Intercept Form.....	III-98
Appendix 7.	Glossary of terminology in MRIP survey.	III-100
Appendix 8.	Data elements in MRIP survey.....	III-103

PROGRAM NARRATIVE

Information on commercial fisheries has long been collected by the NMFS. However, data on marine recreational fisheries were not collected in a systematic manner by NMFS on a continuing basis until 1979. The purpose of the NMFS Marine Recreational Information Program (MRIP) is to establish a reliable database for estimating the impact of marine recreational fishing on marine resources.

Effective fisheries management requires information on the number and size distributions of each species caught in every state, sub-region, or finer sub-unit. The North Carolina Fisheries Reform Act of 1997 mandated the development of fishery management plans (FMPs) for fisheries of importance to North Carolina. The estimates of finfish harvest and angler participation provided by the MRIP play a key role in the FMP development process. The MRIP helps meet the goals of the Magnuson Fishery Conservation and Management Act of 1976 (MFCMA). The MFCMA mandates a national program for management of fishery resources in the ocean zone known as the Exclusive Economic Zone (EEZ), or the area between 3 to 200 miles from shore. MFCMA also requires that the fishery management plans consider both recreational and commercial fisheries and their harvests.

Due to the federal survey's inability to provide reliable catch statistics for fisheries management of some species at the state level because of low sample size, the NCDMF increased the annual number of anglers interviewed by approximately six times (1,400 to 8,000) beginning in 1987. During 2005, 15,000 anglers were interviewed and the precision of the catch estimates improved dramatically. The NCDMF also implemented quality control measures needed to improve estimates of catch.

The NC DMF receives approximately 400 data requests for information from the MRIP each year. This document was designed to help understand how the data are collected and what types of data are available within the study. This summary should also allow individuals to more precisely choose the information that is most applicable to their specific needs.

SURVEY METHODOLOGY

The MRIP consists of two complementary surveys: 1) a telephone survey of households in coastal counties to get trip information and 2) an intercept survey of anglers at shoreside access sites to obtain catch rates and species composition. The data from the two surveys are combined to provide estimates of the total number of fish caught, released, and harvested; the weight of the harvest; the total number of trips; and the number of people participating in marine recreational fishing.

Dockside Interviews

The intercept survey consists of interviews to gather catch and demographic data from marine recreational anglers who have just completed fishing in one of five fishing modes (the type of place or platform from which marine recreational fishing occurred):

- Charter boat
- Private/rental boat
- Beach/bank
- Man-made structures
- Headboats

The intercept survey in North Carolina continuously samples angler catches throughout the year. Intercept sampling is separated by mode, area fished, and wave (two-month time period). A complete statewide list of access sites Appendix 5 for marine recreational fishing is continuously updated. Sites are chosen for interviewing by randomly selecting from the access sites that are weighted by estimates of expected fishing activity. The intent of the weighting procedure is to sample in a manner such that each angler trip has a representative probability of inclusion in the sample. Sampling is distributed among weekdays, weekends, and holidays. In North Carolina, strategies have been developed to distribute angler interviews in a manner to increase the likelihood of intercepting anglers landing species of management concern. This process provides the best estimates possible for those species.

Anglers are intercepted, screened, and interviewed at assigned access sites upon completion of their fishing trips. Data are recorded on standard NC MRIP coding forms Appendix 7. A small number of interviews (less than five percent) are conducted with beach/bank shore mode anglers who have not completed their trip. At heavy use sites, every *n*th angler is intercepted and interviewed. For example, every second or third angler might be interviewed if the site is too busy to interview all anglers. No more than 30 anglers are

interviewed at a given site on the same day. In 2005, NCDMF also began routine sampling of headboats to obtain length data from discards.

Each intercept interview consists of:

- Introduction to the survey,
- An oral interview concerning the fishing trip just completed,
- Thorough examination of the respondent's catch (visually inspect for correct species identification), and
- Measurement of lengths and weights from all of the fish of each species in the respondent's catch (or if necessary, a random sample).

Interview procedures vary slightly among fishing modes:

- Private/rental/charter boat anglers are interviewed at boat ramps, marina slips and hoists while they are leaving their boats or at dockside while they are cleaning their boats.
- Anglers fishing from natural shorelines often are widely distributed along beaches and banks with multiple access points. Samplers often have to rove from angler to angler within the defined boundaries of the site to obtain interviews.
- Man-made structures often have a single exit point where samplers can easily intercept departing anglers.
- Headboat sampling is conducted at sea.

Interviewing procedures have been developed to allow separate recording of information on the following:

- Catch unavailable for identification (catch type B),
- Available catch which cannot be easily subdivided among anglers,
- Catch obtained during multiple-day boat trips, and
- At sea discards from headboats.

For the type B catch (fish not available for the interviewer's examination), information is only recorded for individual anglers. In some instances, catch type B may only be identified to a family or genus level. For the type A catch (fish available for inspection), grouped catch is allowed. This is a concession to the fact that often multiple anglers will keep all their catch in a single container, and often at the end of the trip they are not sure who caught which fish. Beginning in 2005, headboat anglers were sampled at sea, allowing accurate identification of type B catch for the first time.

Telephone Survey

The telephone survey is carried out in two-week periods starting the last week of each two-month period of fishing activity (wave) and continuing into the first week of the following month. For example, for the March/April wave, households are called during the last week of April and the first week of May. Respondents are asked to recall on a trip-by-trip basis all marine recreational fishing trips made within their state during the 60 days prior to the interview.

Telephone sampling effort is directed at households located in coastal counties. Coastal counties are classified in two ways in North Carolina. During January through April and November and December coast counties are defined as any county within 50 miles of the coast. From May through October, coastal counties are defined as any county within 100 miles of the coast.

A summary of the methods used in the telephone survey is as follows:

- The telephone survey is only used to gather information on fishing effort, not on catch rate or species composition.
- The telephone interview sample quota for each wave varies with the amount of fishing activity expected. The allocation is based on historic MRIP data on fishing effort.
- Interview allocations for each county are proportional to the square root of the population (number of households) within the county. This ensures a minimal level of sampling in coastal counties with small populations.

The sampling units in the telephone survey are households with telephones in coastal counties. Households are contacted using a procedure called "random digit dialing". In this procedure, each telephone number (including unlisted numbers) within the county has an equal probability of selection. The household effort data obtained in each county is weighted by the number of households in the county for calculation of a state level estimate of the mean household fishing effort. In statistical terms, a stratified sampling estimator is used. This weighting procedure was initiated in 1993 and applied to all historical estimates. Approximately 20,000 phone calls are conducted in North Carolina annually, usually reaching more than 2,000 finfishing households.

All households are eligible for contact in each wave, regardless of whether they were contacted in a previous wave. Telephone interviews are conducted between 10:00 am and 9:30 pm (respondent's local time) on weekdays and weekends. Up to ten attempts are made to reach each household. Repeated attempts are made to complete the questionnaire with all eligible anglers residing in each contacted household. Information on marine recreational fishing activity is obtained from each angler in the household or from a responsible adult when

appropriate. Further adjustments were then made for non-respondent anglers and households prior to estimation.

Effort Estimates

In the MRIP, fishing effort is defined as the estimated number of fishing trips taken by individual anglers. The number of individual fishing trips is estimated for each state, coastal county, mode, and bimonthly wave. Total effort represents residents who are coastal, non-coastal, and out-of-state. Data from the telephone survey of households are used to calculate mean numbers of trips per household in each fishing mode during each wave. This number is multiplied by the number of permanent, full-time occupied households in the coastal county to estimate total number of fishing trips in each mode by coastal county residents. Data on the number of households in the coastal zones are updated annually.

The telephone survey does not cover all angler trips encountered in the field. For example, the telephone survey cannot provide information on the number of trips taken by people who reside in households beyond the 50 to 100-mile North Carolina coastal zone from which the telephone numbers are drawn. Neither can it provide information on trips taken by people who live in households without telephones. Ratios obtained from the intercept survey are used to estimate the number of trips taken by out-of-state residents, by state residents of non-coastal counties, and by others who are not covered by the telephone survey.

For example:

Assume the telephone survey estimates 10,000 private/rental boat trips are taken by residents of coastal county telephone households in a state during a particular wave. Assume state residents of non-coastal counties constitute 10 percent of all intercepted anglers fishing in that state and mode. Thus, for every 10 anglers interviewed, nine are coastal county residents and one is a non-coastal resident. Then the estimate of total trips is increased by 1,111 (i.e., $10,000 \times 1/9$) to account for additional trips taken by anglers residing outside the telephone survey area.

Similar procedures are used to estimate fishing trips taken in the state by anglers residing in other states. Ratios are also used to adjust effort estimates if the proportion of coastal county residents living in full-time occupied households with telephones differs largely between the intercept survey sample of anglers and the most recent census. The net result of the telephone survey estimates of coastal resident trips, along with the various adjustments for angler trips not covered by the telephone survey (either intentionally or unintentionally), is an estimate of the total number of angler trips for each sub-region, state, wave, and mode of fishing.

After the final effort estimates are generated, they are stratified into primary fishing area to produce effort estimates by state, mode, wave, and area. An area is defined by the distance offshore where the fishing took place. The areas are inland, ocean < 3 miles, and ocean > 3 miles, although this can vary from state to state. *See the glossary for more complete definitions and discussion.* Within each state, wave, and mode, trips are allocated to a primary fishing area in proportion to the number of interviewed anglers in that state, wave, and mode who made trips in that area. The intent is to produce effort estimates at a level that is suitable for multiplication with catch per angler trip estimates from the intercept survey.

Catch Estimates

The catch of each finfish species is estimated for each sub-region, state, fishing mode, primary fishing area, and wave. The total number of fish caught in a particular fishing mode and area of fishing is estimated from:

- The estimated number of fishing trips taken in that state, wave, mode, and area.
- The mean number of fish caught per trip taken in that state, wave, mode, and area.

All fish that are caught by intercepted anglers are not available for the interviewer's inspection. The intercept interview and the estimation procedures distinguish between those fish brought ashore in whole form, and those not brought ashore in whole form:

- Fish that are available for identification, enumeration, weighing and measuring by the interviewers are called landings or Type A catch.
- Fish not brought ashore in whole form but used as bait, filleted, or discarded dead are called Type B1 catch (Type A and Type B1 together comprise harvest).
- Fish released alive are called Type B2 catch (total catch is the sum of Catch Type A, Catch Type B1, and Catch Type B2).

Catch per trip estimates and expanded catch estimates are made for these three types of catch. The purpose is to distinguish between those species identified and measured by trained interviewers, and those species reported to the interviewers by anglers. Anglers occasionally misidentify species; therefore, their reported measurements are subject to several types of bias.

As noted above, only individual interviews are allowed for the type B catch, while for the type A catch some amount of clustering is allowed and accounted for in the estimation. Self-weighting estimators of catch per trip were used, meaning that the site selection methodology

(giving sites with more anglers a higher probability of being sampled) ensures all angler trips have an equal probability of being included in the sample.

Lengths and weights are obtained by sampling the fish caught and brought ashore in whole form by intercepted anglers. Therefore, estimated weights can only be calculated directly for Catch Type A fish. Since the size composition of the remainder of the total catch (Catch Type B1 and Catch Type B2) is unknown and may differ from that of the fish represented in Catch Type A, estimating the weight of the remainder of the catch is not possible without assumptions.

In estimating the weight of harvested fish (Catch Type A and B1), we assume that the mean weight of the Catch Type B1 is equal to that of the Catch Type A for each sub-region, state, mode, primary area, wave, and species.

Most of the trips sampled in the intercept survey are completed trips with anglers being interviewed only at the end of the fishing trip. Some incomplete trips are sampled in the shore mode, and they are converted into complete trips by multiplying the recorded catch per hour by the anticipated total trip length. Once catch per trip estimates have been produced for each sub-region, state, wave, mode, area, species, and catch type, they can be multiplied by the appropriate effort estimate to produce estimates of total catch. For estimates of total harvest weight, these total catch estimates are in turn multiplied by the average weight per measured fish in the appropriate mode and area.

Catch estimates are obtained using information from both the dockside and telephone interviews using the following formula:

$$(Trips) \times (Average\ catch\ per\ trip) = Total\ catch$$

where trips equal the total number of finfishing trips by mode and area, average catch per trip is the mean catch by species, mode, and area, and total catch is the total of each species by mode and area.

Precision of Estimates

The numbers and pounds presented are estimates, not actual counts; therefore, the level of precision varies. Precision refers to the estimate's variability. Statistical comparison between numbers must include this variability.

Precision refers to the dispersion of the sample measurements used to calculate an estimate and the resultant variability in the estimate. The square root of the estimate of sampling variance is an estimate of the standard error of the estimate, and is almost universally used in sample surveys as a measure of precision.

The standard error is necessary for calculating confidence intervals around an estimate. The width of a confidence interval is a function of the probability level selected, and is

determined from the Student's t distribution or the normal distribution. Using the normal distribution, the most commonly used confidence interval (a 95% confidence interval) is given by: estimate $\pm 1.96 \times$ (estimate of standard error). Confidence intervals provide another indication of the precision of the estimated total catch. At the same confidence level, a broad interval relative to the estimate indicates a less precise estimate than does a narrow interval. The 95 percent confidence interval indicates that we can be 95 percent certain that the actual total catch is between the upper and lower confidence limits.

The standard error is also used to calculate the proportional standard error (PSE). The PSE expresses the standard error as a percentage of the estimate (standard error/estimate). It provides an alternative measure of precision and is useful in comparing the relative precision of two estimates.

- A small PSE indicates a more precise estimate than does a large PSE.
- A PSE of 20% or less is generally considered acceptable in fisheries data.
- An alternative way of expressing a 95% confidence interval, in terms of percentages, would be: estimate $\pm (1.96 \times \text{PSE})$ percent.

SURVEY LIMITATIONS

Nighttime Fisheries

A structured method within the MRIP does not exist for monitoring nighttime fisheries. Recreational agents are instructed to visit sites when they expect to encounter the largest number of anglers completing their fishing trip. Caution should be used when evaluating catch estimates from a fishery that exists primarily at night.

Rare Event Species

Species that seldom occur in recreational catches are referred to as rare event species. They include such species as tripletail, tarpon, swordfish, gulf flounder, etc. Samplers are unable to intercept enough anglers with rare event species in their catch to produce precise estimates of catch.

Diadromous Species

The MRIP is only conducted in saltwater and brackish water areas, along with tidal portions of sounds, bays, and rivers. Freshwater areas are not included in the survey. Alternative methods for assessing recreational catch of freshwater resident species and anadromous species such as American shad, hickory shad, and striped bass must be considered.



North Carolina Marine Recreational Finfish Harvest 2009 and 2010



SPECIES	NUMBER 2009	NUMBER 2010	POUNDS 2009	POUNDS 2010
Amberjacks	18,239	14,136	504,142	320,481
Barracudas	1,307	1,004	12,665	7,904
Bluefish	856,405	1,371,494	971,132	1,184,735
Bonito	1,318	627	1,966	7,848
Cobia	7,549	14,772	186,455	511,799
Croaker, Atlantic	350,398	443,870	123,902	222,480
Dolphin	376,125	463,914	3,864,480	3,276,552
Drum, Red	73,446	70,727	358,188	317,455
Drum, Black	101,274	156,342	132,497	260,907
Flounder, Southern	135,531	237,851	297,790	520,377
Flounder, Summer	58,093	92,337	86,314	136,511
Groupers	32,804	16,680	320,764	208,749
Grunts	98,259	56,629	113,929	49,525
Jacks	8,182	12,603	17,925	26,503
Kingfishes	804,759	1,065,439	327,841	470,985
Mackerel, King	80,174	36,117	864,237	351,159
Mackerel, Spanish	703,393	472,224	892,641	582,556
Perch, Silver	10,516	5,465	2,784	1,330
Pigfish	252,396	232,603	101,175	80,349
Pinfish	152,694	233,738	34,069	43,691
Pompano	96,681	113,571	45,383	52,241
Porgies	35,985	18,013	60,943	30,234
Puffers	72,071	209,647	36,607	105,370
Sea Bass, Black	115,710	151,225	145,210	183,535
Seatrout, Spotted	509,416	164,656	833,577	330,717
Sharks	5,479	5,372	34,967	35,638
Sharks, Dogfish	1,054	9,500	10,044	33,755
Sheepshead	147,438	176,034	265,319	491,376
Snappers	49,576	53,116	75,574	75,783
Spot	1,168,436	966,484	401,480	296,237
Striped Bass ¹	7,375	39,971	209,858	714,151
Tuna, Bluefin ²	135	579	17,112	88,463
Tuna, Yellowfin	29,625	34,318	803,344	1,176,807
Wahoo	13,401	13,670	409,642	374,652
Weakfish	81,643	50,932	103,232	49,904

¹ Striped Bass landings reflect Atlantic Ocean catches only.

NOTE: The number and pounds of finfish listed represent estimated harvest; finfish released alive are not included. Recreational finfish catches from headboats are not included in this table. The National Marine Fisheries Service collected headboat data separately in 2008 and 2009..

Figure 9. North Carolina marine recreational finfish harvest by species (2009-2010), overall harvest and released finfish (2004-2010), fishing effort (2004-2010), and participation (2007-2010).

NORTH CAROLINA MARINE RECREATIONAL FINFISH HARVEST

North Carolina Marine Recreational Finfish Harvest and Release Catch Estimates

Year	Number Harvested	Pounds Harvested	Number Released
2004	14,313,977	25,351,659	18,211,838
2005	12,738,334	22,077,464	16,027,278
2006	11,854,532	23,806,139	20,652,808
2007	14,863,238	23,348,687	19,986,627
2008	12,194,408	15,895,631	19,971,833
2009	8,946,030	13,567,106	16,664,636
2010	10,566,168	14,411,254	20,519,932

North Carolina Marine Recreational Fishing Trip Estimates (number)

Year	Beach/Bank	Charter Boat	Manmade	Private Boat	Headboat ¹	Total
2004	2,195,631	178,335	2,110,328	2,542,824	--	7,027,118
2005	2,148,335	253,162	1,980,210	2,353,569	50,642	6,785,918
2006	2,227,317	229,179	2,073,130	2,656,155	60,735	7,246,516
2007	2,012,304	212,284	1,897,366	2,783,516	73,838	6,979,308
2008	2,253,789	207,261	1,988,901	2,550,207	93,201	7,093,359
2009	1,892,896	146,331	1,553,506	2,031,935	72,849	5,697,517
2010	2,055,257	155,824	1,628,131	2,253,879	59,975	6,153,066

North Carolina Marine Recreational Angler Participation by Residency (number)

Year	Coastal ¹	Non-Coastal	Out-of-State	Total
2007	224,420	90,867	154,235	469,522
2008	190,706	76,646	144,529	411,881
2009	199,363	84,104	151,622	435,089
2010	206,366	88,950	158,204	453,520
Grandfathered ²	101,213	149,026	6,460	256,699

¹ Coastal is defined as any county within 100 miles of coastal waters.

² All lifetime Inland State Fishing License sold prior to 2007 were grandfathered into the new CRFL requirement on January 01, 2007.

Survey Methods

The survey consists of telephone and on-site angler interviews. The telephone interviews are used to collect data on number of trips, fishing location, and when these trips were made. The information on actual catch (species, number, weight, and length) are collected through the on-site angler interviews. The information from both types of interviews is combined to produce estimates of total number and pounds of finfish caught.

Precision of Estimates

Numbers and pounds presented are estimates, not actual counts, therefore having varying levels of precision. Issued by the Department of Environment and Natural Resources, North Carolina Division of Marine Fisheries, through participation in the National Marine Recreational Information Program of the National Marine Fisheries Service. In North Carolina, this project is supported, in part, by the U.S. Fish and Wildlife Service through the Sport Fish Restoration Program, Grant F-31. For additional information, contact Section Chief License and Statistics Section, P.O. Box 769, Morehead City, NC 28557, (252) 726-7021.

Figure 9. North Carolina marine recreational finfish harvest by species (2009-2010), overall harvest and released finfish (2004-2010), fishing effort (2004-2010), and participation (2007-2010) (continued).




Figure 10. Atlantic bonito recreational catch in North Carolina by year, 1991-2010.

Table 60. Atlantic bonito recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	12,327	24.8	70,605	28.7	20.6	5.7	11.7	5,536	59.7
1992	5,367	20.6	24,625	21.6	20.1	4.6	4.2	6,167	30.0
1993	5,762	15.7	37,933	19.4	21.9	6.6	10.1	1,873	37.6
1994	6,285	20.5	12,551	10.9	15.1	2.0	4.9	17,595	35.0
1995	4,380	54.9	14,023	59.0	18.7	3.3	7.7	2,065	31.5
1996	1,226	44.4	2,816	54.2	19.9	4.2	8.3	6,910	29.6
1997	9,851	26.3	66,709	24.1	21.1	7.0	6.2	10,929	30.9
1998	6,597	33.7	42,108	41.2	20.1	6.4	6.5	5,621	26.6
1999	4,159	45.8	28,316	56.2	21.5	7.4	20.1	2,106	30.4
2000	2,697	56.5	18,238	73.0	24.8	6.8	18.4	6,663	44.8
2001	4,325	47.0	11,798	47.4	17.8	2.7	10.4	2,929	34.7
2002	5,875	58.9	18,393	58.1	18.9	3.1	5.8	7,986	28.4
2003	2,174	55.1	6,697	47.8	16.6	3.1	8.6	10,000	26.6
2004	4,138	53.5	17,280	58.4	22.0	5.3	3.9	13,997	30.0
2005	2,145	69.1	9,819	64.3	21.9	4.3	4.6	14,420	83.8
2006	1,201	100.0	0	0	0	0	0	2,901	39.4
2007	6,653	50.1	28,681	47.4	20.7	4.3	14.6	3,740	42.0
2008	2,702	60.9	18,764	76.7	23.1	8.3	15.6	17,989	49.2
2009	1,318	72.3	1,966	0	20.5	4.2	0	1,182	85.6
2010	627	36.6	7,848	52.0	29.8	18.3	31.9	7,181	39.7




Figure 11. Atlantic bonito recreational harvest by state, 2010.

Table 61. Atlantic bonito recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	72	55.3	283	-	-	-	-
Massachusetts	1,718	100.0	-	-	-	-	-
New Jersey	3,834	71.2	14,231	-	16.1	3.7	-
North Carolina	627	36.6	7,848	52.0	29.8	18.3	31.9
Rhode Island	23	100.0	-	-	-	-	-
South Carolina	489	54.9	3,675	54.4	25.6	18.3	31.9




Figure 12. Atlantic croaker recreational catch in North Carolina by year, 1991-2010.

Table 62. Atlantic croaker recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	434,067	7.8	157,662	8.3	8.4	0.4	5.8	669,385	12.1
1992	723,823	7.9	233,537	8.5	8.5	0.3	5.9	954,494	8.4
1993	755,998	7.9	282,912	8.1	8.8	0.4	5.0	1,499,217	8.5
1994	1,179,735	6.7	351,233	6.9	8.7	0.3	3.1	3,110,528	7.4
1995	850,606	10.0	326,139	10.4	9.3	0.4	4.8	1,172,716	6.4
1996	662,240	10.3	346,505	10.9	10.3	0.5	4.8	1,218,799	7.2
1997	661,116	12.3	309,461	15.6	9.5	0.5	5.3	1,443,568	8.3
1998	387,427	11.3	161,118	11.2	9.2	0.4	5.2	1,060,928	8.1
1999	442,185	10.9	212,994	12.1	9.6	0.5	5.8	1,368,478	8.3
2000	391,056	12.3	201,308	13.0	9.8	0.5	8.3	1,569,385	8.3
2001	635,552	12.1	355,013	14.4	10.2	0.6	8.6	1,256,807	7.7
2002	408,944	13.7	242,187	16.9	10.2	0.6	3.9	925,806	9.4
2003	490,399	14.9	317,608	17.7	10.3	0.6	7.3	1,552,315	8.3
2004	474,180	12.7	267,459	12.9	10.2	0.6	6.6	1,346,147	8.1
2005	292,629	21.7	143,964	23.3	9.7	0.5	10.9	1,289,279	8.1
2006	434,735	12.8	151,406	14.3	9.1	0.4	10.3	2,288,461	7.1
2007	397,702	14.0	87,014	17.1	8.5	0.2	9.6	1,538,050	9.3
2008	372,778	13.4	154,940	14.2	9.5	0.4	5.7	1,386,713	7.8
2009	350,398	13.5	123,902	12.5	8.9	0.4	8.6	1,685,893	7.1
2010	443,870	9.6	222,480	9.7	9.7	0.5	8.8	1,762,893	7.0




Figure 13. Atlantic croaker recreational harvest by state, 2010.

Table 63. Atlantic croaker recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	118,248	24.5	65,178	25.3	10.2	0.6	7.8
Florida	168,638	17.8	67,701	18.7	9.5	0.4	6.3
Georgia	58,391	24.2	15,530	28.3	8.8	0.3	10.8
Maryland	813,573	13.0	673,575	14.7	11.5	0.8	8.7
New Jersey	95,104	43.2	54,776	47.1	9.9	0.6	12.2
North Carolina	443,870	9.6	222,480	9.7	9.7	0.5	8.8
South Carolina	35,381	34.3	14,610	41.5	8.8	0.4	16.7
Virginia	4,815,408	8.7	3,185,517	9.0	10.8	0.7	10.1




Figure 14. Black drum recreational catch in North Carolina by year, 1991-2010.

Table 64. Black drum recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	8,712	33.1	10,559	29.9	11.5	1.2	39.9	1,931	43.9
1992	7,877	28.3	20,082	32.9	16.0	2.5	21.5	731	100.0
1993	32,184	19.9	31,474	25.2	10.9	1.0	31.2	6,053	30.4
1994	53,345	19.9	92,750	18.9	13.7	1.7	10.3	4,969	46.6
1995	272,426	18.3	227,584	16.9	10.8	0.8	13.4	101,866	16.8
1996	134,926	11.8	172,960	16.0	12.8	1.3	10.1	55,227	19.0
1997	53,107	17.8	156,982	20.3	16.4	3.0	10.7	35,537	20.5
1998	44,822	17.6	102,535	26.4	14.1	2.3	14.8	50,208	17.2
1999	116,407	21.9	170,795	17.7	13.1	1.5	9.9	75,409	13.3
2000	113,205	18.2	259,625	19.0	15.3	2.3	9.8	56,741	23.5
2001	144,088	18.8	188,203	21.2	11.3	1.3	15.5	139,525	15.6
2002	197,211	15.4	474,624	18.9	15.1	2.4	12.0	82,297	24.0
2003	273,024	27.2	355,721	19.3	11.8	1.3	8.5	128,873	14.9
2004	107,039	14.4	237,093	19.2	14.1	2.2	11.0	80,418	18.8
2005	75,822	25.0	169,261	40.2	12.4	2.2	28.5	76,232	19.9
2006	105,606	18.5	169,707	22.6	13.2	1.6	28.2	98,925	18.2
2007	231,516	17.9	239,244	16.7	11.4	1.0	9.1	290,248	20.3
2008	381,737	11.9	550,140	16.7	12.5	1.4	20.1	164,818	13.4
2009	101,274	19.3	132,497	16.8	11.6	1.3	10.9	70,222	18.3
2010	156,342	13.5	260,907	20.1	12.3	1.7	17.9	92,866	14.9




Figure 15. Black drum recreational harvest by state, 2010.

Table 65. Black drum recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	1,789	61.4	28,633	87.4	25.3	16.0	39.7
Florida	124,725	11.8	494,194	15.7	18.2	4.0	13.1
Georgia	76,977	32.6	204,575	32.0	15.5	2.7	16.7
Maryland	3,467	100.0	18,979	100.0	-	5.5	168.0
New Jersey	13,782	41.7	313,963	41.7	36.7	22.8	1.6
North Carolina	156,342	13.5	260,907	20.1	12.3	1.7	17.9
South Carolina	33,452	28.6	101,070	35.5	15.9	3.0	13.5
Virginia	735	85.9	5,458	67.2	26.5	6.7	34.7




Figure 16. Black sea bass recreational catch in North Carolina by year, 1991-2010.

Table 66. Black sea bass recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	257,634	11.2	182,949	15.6	10.4	0.7	9.3	286,856	18.5
1992	362,038	11.3	314,197	14.0	11.3	0.9	9.3	379,883	12.7
1993	215,366	10.0	159,730	11.9	10.6	0.7	10.6	271,004	14.4
1994	162,011	11.0	127,251	14.1	11.1	0.8	8.8	499,025	7.8
1995	160,298	18.6	146,136	25.7	11.3	0.9	14.4	456,098	11.1
1996	154,603	17.6	147,602	18.6	11.5	1.0	9.0	197,308	10.1
1997	146,041	20.3	153,218	22.0	11.5	1.0	9.6	412,195	8.9
1998	133,059	22.7	168,693	43.1	11.0	1.3	9.8	674,091	8.8
1999	88,493	17.6	95,067	24.3	12.0	1.1	8.2	624,500	8.8
2000	147,561	22.7	143,986	27.1	12.0	1.0	9.1	769,553	14.4
2001	175,482	16.8	188,776	17.6	12.4	1.1	7.2	790,181	8.4
2002	84,376	19.1	118,220	19.3	13.1	1.4	6.8	530,389	8.8
2003	166,309	18.4	182,596	18.6	12.6	1.1	9.0	418,178	10.8
2004	264,018	17.1	274,344	19.6	12.0	1.0	7.5	1,020,259	9.4
2005	241,205	16.3	229,896	20.1	12.5	1.0	9.9	1,055,555	7.8
2006	156,063	14.7	151,077	22.2	12.2	1.0	11.4	1,204,437	7.6
2007	121,722	20.3	196,136	25.0	14.8	1.6	7.4	1,208,237	8.0
2008	68,774	17.9	90,978	20.4	13.7	1.3	7.8	853,869	8.2
2009	115,710	18.4	145,210	23.8	13.3	1.3	14.2	953,409	8.1
2010	151,225	13.5	183,535	14.8	13.2	1.2	6.7	1,314,829	7.1




Figure 17. Black sea bass recreational harvest by state, 2010.

Table 67. Black sea bass recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Connecticut	14,783	27.6	24,442	30.0	13.7	1.7	15.1
Delaware	22,448	34.3	27,721	34.9	15.9	1.2	8.7
Florida	196,476	16.4	210,981	16.7	12.8	1.1	4.9
Georgia	14,863	29.3	18,614	28.7	12.5	1.3	9.1
Maryland	42,210	8.9	48,147	21.2	13.4	1.1	13.6
Massachusetts	482,391	18.1	678,178	24.2	13.9	1.4	10.7
New Jersey	548,353	20.8	724,865	21.2	13.6	1.3	6.7
New York	605,863	16.4	1,169,580	19.2	14.1	1.9	6.0
North Carolina	151,225	13.5	183,535	14.8	13.2	1.2	6.7
Rhode Island	145,875	18.6	276,162	22.6	18.1	1.9	9.3
South Carolina	182,454	19.7	220,375	20.3	12.9	1.2	6.5
Virginia	20,306	33.9	23,618	37.5	12.7	1.2	13.0




Figure 18. Bluefish recreational catch in North Carolina by year, 1991-2010.

Table 68. Bluefish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	820,536	10.4	1,655,782	11.5	14.2	2.0	2.8	551,446	12.8
1992	681,805	5.9	1,095,233	13.8	13.5	1.6	12.7	796,444	8.8
1993	722,668	7.7	1,017,191	10.7	13.1	1.4	13.2	784,495	8.1
1994	451,718	7.1	587,457	8.5	13.9	1.3	12.0	1,480,854	7.6
1995	386,623	9.1	456,030	11.1	13.7	1.2	9.0	1,200,514	8.5
1996	298,588	7.3	739,975	11.9	15.5	2.5	5.5	735,622	7.0
1997	742,424	6.8	1,327,939	9.8	14.3	1.8	6.3	1,149,328	7.4
1998	527,061	8.1	919,693	17.7	14.1	1.7	4.9	534,295	8.0
1999	517,744	9.2	421,184	13.0	12.1	0.8	13.9	986,417	8.7
2000	877,586	7.8	714,211	8.8	12.5	0.8	10.8	1,630,426	9.2
2001	1,265,790	7.1	1,171,191	7.6	12.9	0.9	11.9	2,328,952	6.2
2002	777,396	8.2	746,263	9.0	12.8	1.0	11.0	1,609,804	6.8
2003	952,694	9.1	816,129	9.5	12.5	0.9	6.7	1,416,064	8.7
2004	1,043,620	7.6	1,020,437	9.4	12.8	1.0	10.4	1,906,679	7.4
2005	1,374,124	9.4	1,191,719	13.1	12.5	0.9	16.2	2,205,518	7.7
2006	1,128,157	9.6	1,209,798	15.9	12.4	1.1	10.6	1,875,248	7.2
2007	1,338,333	7.4	1,469,430	12.5	12.8	1.1	9.3	2,496,107	8.9
2008	1,299,111	8.0	1,113,333	8.9	12.1	0.9	11.9	2,285,026	6.4
2009	856,405	8.2	971,132	10.0	12.9	1.1	10.0	1,388,223	7.6
2010	1,371,494	6.2	1,184,735	7.9	11.8	0.9	15.8	2,140,990	7.3




Figure 19. Bluefish recreational harvest by state, 2010.

Table 69. Bluefish recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Connecticut	525,551	13.7	2,832,846	17.0	21.4	5.4	10.1
Delaware	54,866	19.0	63,883	20.5	13.1	1.2	7.3
Florida	840,786	9.3	1,290,856	9.8	14.5	1.5	5.7
Georgia	14,966	54.0	11,669	58.1	11.0	0.8	18.7
Maine	14,359	26.1	72,555	26.6	20.2	5.1	17.5
Maryland	301,279	14.6	398,619	17.1	13.3	1.3	12.0
Massachusetts	334,080	13.8	2,178,370	19.7	25.9	6.5	8.3
New Hampshire	1,999	29.2	15,926	31.9	25.0	8.0	7.0
New Jersey	696,823	15.3	2,561,013	14.4	16.5	3.7	6.3
New York	983,529	11.6	3,576,358	12.8	19.3	3.6	8.4
North Carolina	1,371,494	6.2	1,184,735	7.9	11.8	0.9	15.8
Rhode Island	166,589	30.8	1,142,363	42.4	10.7	6.9	6.6
South Carolina	443,268	29.1	363,237	28.4	12.0	0.8	26.0
Virginia	377,394	16.2	473,575	19.0	13.5	1.3	17.0




Figure 20. Cobia recreational catch in North Carolina by year, 1991-2010.

Table 70. Cobia recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	4,746	21.4	128,711	27.0	34.6	27.1	18.7	6,544	27.0
1992	4,389	23.2	120,263	27.1	37.9	27.4	13.3	3,027	36.1
1993	3,438	25.4	94,991	28.4	42.0	27.6	14.6	1,175	56.3
1994	4,019	25.3	94,395	26.3	38.3	23.5	11.0	2,892	36.2
1995	4,606	23.7	144,759	25.4	42.2	32.3	10.6	3,215	29.5
1996	5,284	52.1	99,868	43.2	33.8	18.9	12.7	1,866	35.7
1997	4,517	30.9	154,863	32.5	42.5	34.3	9.1	4,231	27.6
1998	4,057	27.8	125,547	29.7	44.1	30.9	10.8	4,238	28.3
1999	1,355	44.4	47,477	50.0	44.9	35.0	24.7	6,328	40.8
2000	2,773	42.4	118,350	49.7	45.4	42.7	21.7	4,249	34.0
2001	2,700	30.2	74,757	32.4	43.6	27.7	20.2	8,836	26.5
2002	5,412	32.9	209,045	33.5	44.3	38.6	12.3	4,930	35.8
2003	4,271	29.8	84,774	32.5	40.7	19.8	13.4	8,720	25.4
2004	9,215	39.2	350,240	41.2	44.2	38.0	10.0	6,215	29.3
2005	16,622	42.3	423,545	35.9	39.1	25.5	14.0	9,834	25.3
2006	4,722	34.8	134,431	38.5	44.1	28.5	9.8	6,955	26.8
2007	2,900	38.5	82,787	45.0	44.9	28.5	18.2	8,340	28.5
2008	2,447	41.5	84,395	44.6	43.9	34.5	24.5	8,051	27.4
2009	7,549	40.2	186,455	44.5	40.7	24.7	15.9	16,738	20.4
2010	14,772	18.2	511,799	20.6	43.7	34.6	11.4	15,758	19.3




Figure 21. Cobia recreational harvest by state, 2010.

Table 71. Cobia recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	44,970	15.9	971,987	17.4	37.5	21.7	8.7
Georgia	2,302	56.7	68,838	60.7	56.5	29.9	18.5
Maryland	43	102.4	-	-	41.4	-	-
North Carolina	14,772	18.2	511,799	20.6	43.7	34.6	11.4
South Carolina	3,347	46.7	80,126	48.7	43.5	23.9	18.6
Virginia	9,845	30.7	275,905	32.5	38.0	33.3	6.8




Figure 22. Dolphinfish recreational catch in North Carolina by year, 1991-2010.

Table 72. Dolphinfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	287,693	11.9	1,535,755	11.9	23.6	5.3	9.0	8,603	21.0
1992	191,819	12.1	997,273	12.0	23.0	5.2	14.8	9,133	48.0
1993	435,749	8.2	2,348,098	8.6	23.4	5.4	11.6	4,617	27.9
1994	444,435	7.3	2,939,616	7.9	25.8	6.6	14.3	15,340	17.3
1995	510,452	7.6	3,638,219	8.0	26.7	7.2	8.4	13,942	22.3
1996	336,031	10.1	2,168,514	10.2	25.9	6.5	7.0	2,411	33.9
1997	542,531	9.1	4,886,108	9.4	29.2	9.0	9.8	7,506	30.3
1998	462,347	9.3	3,466,814	9.8	27.2	7.5	12.4	10,404	24.1
1999	561,249	10.0	4,397,926	9.9	28.1	7.8	4.2	10,633	25.6
2000	683,228	9.3	5,757,414	9.9	28.3	8.4	9.0	16,485	25.1
2001	492,295	10.2	6,141,280	11.9	31.9	12.5	13.3	4,373	37.5
2002	620,792	8.8	6,355,981	8.9	30.0	10.2	6.8	3,730	33.1
2003	334,773	13.8	3,615,115	14.9	31.5	10.8	2.7	13,835	36.6
2004	387,350	11.1	2,963,930	11.0	27.7	7.7	10.6	2,457	46.6
2005	686,045	16.9	5,921,443	41.2	28.7	8.6	15.0	2,386	55.7
2006	590,139	10.8	4,761,643	29.9	28.0	8.1	12.9	22,504	38.4
2007	608,422	11.2	5,717,921	30.4	30.1	9.4	14.6	8,150	31.5
2008	381,787	12.4	3,370,519	34.9	29.1	8.8	16.3	4,960	45.3
2009	376,125	10.5	3,864,480	15.4	31.5	10.3	11.6	3,432	52.7
2010	463,914	8.5	3,276,552	32.2	26.5	7.1	15.5	7,565	46.7




Figure 23. Dolphinfish recreational catch by state, 2010.

Table 73. Dolphinfish recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	859	50.8	3,764	76.6	22.4	4.4	68.3
Florida	249,513	10.4	1,673,461	13.1	25.7	6.7	6.8
Georgia	14	98.9	76	99.6	28.1	5.5	82.0
Maryland	31,048	32.3	143,774	32.9	23.2	4.6	30.0
New Jersey	13,053	35.2	94,518	51.6	28.9	7.2	31.6
New York	3,529	100.0	15,071	100.0	-	4.3	39.0
North Carolina	463,914	8.5	3,276,552	32.2	26.5	7.1	15.5
South Carolina	63,292	30.2	877,524	34.1	34.7	13.9	15.8
Virginia	17,508	45.8	87,260	48.7	24.5	5.0	18.5
Puerto Rico	42,101	22.4	452,069	21.7	34.1	10.7	5.3




Figure 24. Florida pompano recreational catch in North Carolina by year, 1991-2010.

Table 74. Florida pompano recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	115,272	14.2	49,527	14.7	7.6	0.4	12.6	77,256	25.2
1992	96,722	16.5	28,640	16.9	7.1	0.3	20.2	140,306	30.4
1993	198,814	14.0	75,913	15.4	7.3	0.4	17.5	169,174	19.8
1994	112,593	15.0	43,399	15.5	7.8	0.4	9.7	68,639	26.0
1995	119,406	18.7	47,070	19.1	8.5	0.4	11.2	146,883	28.1
1996	34,968	14.8	18,242	23.3	8.3	0.5	16.2	51,328	17.1
1997	81,775	18.9	48,166	22.9	8.7	0.6	16.0	88,249	15.2
1998	79,082	21.8	29,707	27.0	8.6	0.4	14.8	63,639	18.7
1999	50,902	21.9	21,893	22.3	8.6	0.4	14.5	45,386	19.1
2000	221,076	17.3	61,080	17.9	6.9	0.3	17.7	155,055	20.2
2001	163,540	22.7	53,924	22.9	7.6	0.3	9.0	192,900	16.1
2002	171,033	19.6	108,457	20.5	8.9	0.6	17.3	110,243	27.8
2003	259,879	19.3	164,741	19.6	8.2	0.6	15.1	288,409	19.4
2004	329,115	15.0	145,045	15.2	7.8	0.4	10.3	326,501	17.1
2005	183,143	20.3	74,007	22.4	7.5	0.4	18.3	314,078	20.8
2006	81,058	27.0	45,293	28.7	9.1	0.6	26.5	395,173	31.1
2007	97,182	20.9	53,954	24.7	8.3	0.6	26.8	301,076	19.5
2008	207,159	14.7	95,395	16.1	7.8	0.5	18.7	322,976	14.9
2009	96,681	18.0	45,383	20.7	8.2	0.5	9.2	152,166	20.5
2010	113,571	14.3	52,241	16.0	7.6	0.5	8.9	222,331	14.4




Figure 25. Florida pompano recreational harvest by state, 2010.

Table 75. Florida pompano recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	235,031	14.5	362,248	14.2	12.4	1.5	9.0
Georgia	1,119	99.6	925	99.6	9.6	0.8	6.7
North Carolina	113,571	14.3	52,241	16.0	7.6	0.5	8.9
South Carolina	6,841	48.3	4,979	61.7	9.7	0.7	36.0
Virginia	14,784	65.2	5,296	67.5	7.3	0.4	23.1




Figure 26. Gag recreational catch in North Carolina by year, 1991-2010.

Table 76. Gag recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	13,566	31.6	80,397	40.2	21.7	5.9	23.5	1,423	49.4
1992	12,130	18.9	116,796	20.4	25.8	9.6	11.3	7,048	49.2
1993	13,471	59.6	118,283	76.6	21.2	8.8	18.5	9,629	58.4
1994	7,049	20.5	48,049	19.9	22.2	6.8	14.1	2,712	43.8
1995	7,340	49.9	45,775	38.9	23.0	6.2	13.3	5,629	28.8
1996	1,942	32.5	12,899	36.7	26.3	9.1	13.4	2,140	36.5
1997	3,774	48.5	10,019	62.0	28.2	12.0	24.8	1,918	48.6
1998	1,927	44.0	13,927	50.6	26.8	8.6	16.8	299	100.0
1999	2,312	46.9	34,118	46.2	31.1	14.8	22.8	224	75.2
2000	2,308	45.7	24,107	49.1	22.9	10.4	25.7	1,027	100.0
2001	4,052	38.9	33,508	37.6	26.3	8.3	15.3	1,928	52.8
2002	3,610	61.1	49,571	70.5	30.2	13.7	6.0	6,684	72.4
2003	7,650	49.2	83,981	52.2	26.7	11.0	13.2	3,268	79.1
2004	14,905	40.8	175,247	42.0	28.8	11.8	8.3	7,789	38.8
2005	16,356	38.1	201,382	40.8	31.2	12.3	11.4	13,961	32.9
2006	17,560	31.0	251,869	32.8	30.1	14.3	8.2	8,520	35.5
2007	19,178	27.3	216,132	28.1	28.0	11.3	9.0	33,461	26.1
2008	9,132	28.5	147,159	31.3	30.5	16.1	9.6	23,512	24.7
2009	7,091	28.4	87,994	31.7	29.0	12.4	11.1	8,612	40.2
2010	5,864	31.1	68,363	34.2	28.2	11.7	8.6	17,104	30.3




Figure 27. Gag recreational harvest by state, 2010.

Table 77. Gag recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	11,454	35.3	92,705	38.2	22.5	8.1	16.1
Georgia	617	96.5	5,398	96.3	24.8	8.7	10.8
North Carolina	5,864	31.1	68,363	34.2	28.2	11.7	8.6
South Carolina	989	64.0	9,521	63.9	23.5	9.6	13.3




Figure 28. Greater amberjack recreational catch in North Carolina by year, 1991-2010.

Table 78. Greater amberjack recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	6,484	23.6	44,999	19.1	18.6	6.9	17.0	26,883	34.2
1992	2,227	21.7	53,038	27.0	36.1	23.8	8.0	6,281	35.2
1993	9,237	24.4	276,710	28.2	38.7	30.0	4.5	16,432	20.6
1994	5,883	16.6	124,474	18.3	33.8	21.3	7.4	3,237	47.1
1995	5,265	43.7	121,919	45.0	37.5	23.2	13.3	2,477	26.5
1996	11,660	29.8	366,807	32.6	39.5	31.5	6.2	14,763	34.0
1997	3,297	31.9	88,445	33.1	39.6	26.8	10.5	9,221	24.7
1998	3,248	34.3	88,968	35.0	37.2	27.4	12.2	4,146	61.1
1999	1,616	53.0	29,906	57.1	26.3	18.5	20.6	1,504	52.3
2000	5,353	42.7	117,181	43.7	33.5	21.9	9.3	5,480	41.7
2001	2,889	27.6	57,877	30.9	37.7	20.0	15.1	2,034	45.7
2002	4,915	28.3	106,747	28.7	35.7	21.7	9.5	26,099	27.5
2003	4,734	34.1	93,656	33.3	35.2	19.8	14.1	5,076	42.3
2004	2,439	35.5	50,179	35.3	34.6	20.6	10.8	4,320	36.0
2005	1,699	52.1	45,522	58.2	42.5	26.8	26.9	2,572	45.7
2006	5,867	39.5	89,473	35.3	35.7	15.2	14.9	781	68.0
2007	6,999	48.0	121,788	44.8	32.0	17.3	23.7	149	79.7
2008	13,867	24.2	307,182	26.4	35.0	22.2	13.0	8,161	29.0
2009	18,239	20.6	504,142	22.5	38.0	27.6	9.7	8,288	38.5
2010	14,136	17.3	320,481	20.7	36.1	22.7	10.1	4,037	34.9




Figure 29. Greater amberjack recreational harvest by state, 2010.

Table 79. Greater amberjack recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	24,508	22.8	481,449	21.7	30.7	16.5	8.5
Georgia	2,071	64.1	36,536	64.2	31.9	17.6	10.1
Maryland	187	75.0	-	-	-	-	-
North Carolina	14,136	17.3	320,481	20.7	36.1	22.7	10.1
South Carolina	512	49.0	11,233	52.1	36.5	23.2	19.0
Puerto Rico	455	100.0	6,018	-	28.3	13.2	-




Figure 30. Great barracuda recreational catch in North Carolina by year, 1991-2010.

Table 80. Great barracuda recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	2,236	21.6	36,102	23.7	37.6	16.1	11.5	1,600	55.0
1992	1,973	22.3	24,627	25.6	35.7	12.5	16.0	2,850	31.6
1993	2,925	16.6	41,742	19.3	39.0	14.3	11.0	1,381	35.3
1994	1,567	22.5	24,536	23.1	39.8	15.7	12.1	3,581	28.1
1995	1,681	28.3	27,892	32.9	38.0	16.6	20.6	4,421	19.5
1996	4,201	31.7	56,864	36.9	36.6	13.5	23.7	3,350	28.6
1997	1,864	29.8	25,366	32.1	39.9	13.6	28.6	1,560	36.6
1998	1,085	30.2	20,014	34.2	39.2	18.4	19.2	2,359	36.5
1999	661	58.2	5,710	60.5	49.4	8.6	34.3	3,795	30.3
2000	290	38.0	4,285	40.9	41.1	14.8	24.6	2,989	38.9
2001	3,345	43.4	49,445	49.1	40.2	14.8	16.5	6,182	21.6
2002	4,541	23.6	44,158	25.4	33.5	9.7	21.3	5,597	30.2
2003	3,650	30.2	36,798	35.3	37.2	10.1	23.9	3,194	45.8
2004	3,175	29.5	32,398	31.5	34.3	10.2	15.9	2,400	58.4
2005	3,205	40.3	35,378	38.9	37.5	11.0	22.3	8,840	31.2
2006	253	58.9	2,772	67.0	40.3	11.0	55.7	4,324	44.3
2007	1,742	56.0	23,133	55.8	-	13.3	25.6	3,772	47.1
2008	7,386	46.9	89,855	57.8	34.5	12.2	29.3	7,449	28.1
2009	1,307	28.0	12,665	35.0	34.3	9.7	22.4	8,051	30.0
2010	1,004	33.4	7,904	43.8	32.3	8.2	30.6	5,133	25.5




Figure 31. Great barracuda recreational harvest by state, 2010.

Table 81. Great barracuda recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lbs)
Florida	24,497	24.7	261,679	29.7	34.0	11.5	22.6
Georgia	2,467	65.4	18,694	64.6	33.6	7.5	18.8
North Carolina	1,004	33.4	7,904	43.8	32.3	8.2	30.6
Puerto Rico	13,400	53.2	56,041	65.4	28.4	5.3	25.7




Figure 32. Gulf kingfish recreational catch in North Carolina by year, 1991-2010.

Table 82. Gulf kingfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	53,150	14.5	25,841	15.4	9.6	0.5	6.1	14,219	76.8
1992	15,801	23.3	7,573	25.3	10.4	0.5	9.6	2,541	100.0
1993	30,437	21.1	15,559	22.2	10.5	0.5	6.2	4,487	53.7
1994	53,772	23.0	23,250	25.2	9.9	0.4	5.9	0	-
1995	56,479	52.1	30,614	57.4	10.4	0.5	12.6	7,434	62.0
1996	45,884	19.5	11,737	42.4	10.3	0.4	25.5	15,975	36.7
1997	38,978	24.0	18,941	27.6	9.3	0.5	10.7	5,772	32.0
1998	44,200	40.2	28,204	46.9	10.6	0.6	6.0	11,450	40.8
1999	34,589	31.6	24,046	45.8	9.8	0.7	20.8	6,731	55.2
2000	15,972	34.0	10,228	36.3	10.6	0.6	8.5	0	-
2001	31,700	22.1	16,152	22.7	10.6	0.5	12.0	0	-
2002	30,983	25.9	12,592	27.6	9.9	0.4	13.6	0	-
2003	48,918	20.2	26,338	22.1	10.4	0.5	14.3	0	-
2004	168,054	17.1	98,452	18.3	10.8	0.6	8.0	1,704	80.5
2005	76,222	36.0	43,641	37.3	10.5	0.6	11.9	192	100.0
2006	59,931	42.1	41,879	48.4	11.8	0.7	13.2	0	-
2007	73,751	26.3	53,321	27.3	11.7	0.7	10.2	0	-
2008	239,275	14.3	124,276	15.0	10.5	0.5	8.9	0	-
2009	102,459	21.0	58,214	22.2	10.4	0.6	11.8	0	-
2010	222,738	16.8	134,365	17.5	11.0	0.6	5.9	0	-




Figure 33. Gulf kingfish recreational harvest by state, 2010.

Table 83. Gulf kingfish recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	433,550	15.6	281,497	16.4	11.8	0.6	6.4
North Carolina	222,738	16.8	134,365	17.5	11.0	0.6	5.9
South Carolina	4,623	87.2	2,973	87.8	11.3	0.6	37.2




Figure 34. King mackerel recreational catch in North Carolina by year, 1991-2010.

Table 84. King mackerel recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight, lb	PSE (lbs)	Released Number	PSE (release)
1991	177,478	8.7	1,649,574	10.5	30.5	9.3	5.4	4,685	34.2
1992	156,650	7.8	1,302,201	8.7	30.2	8.3	7.9	2,232	36.1
1993	101,843	10.0	1,062,905	10.6	32.1	10.4	8.9	1,241	55.5
1994	104,367	7.6	1,150,775	9.1	32.7	11.0	8.9	3,181	36.2
1995	118,416	10.4	1,182,284	11.5	31.6	10.0	7.0	5,888	29.1
1996	77,243	11.3	727,904	11.9	31.4	9.4	5.5	8,231	30.1
1997	197,899	9.9	1,841,415	11.6	30.7	9.3	8.5	35,194	18.3
1998	100,336	11.8	1,103,537	13.3	32.8	11.0	8.1	5,685	34.8
1999	75,748	12.7	671,087	14.3	30.8	8.9	4.4	25,894	21.6
2000	137,184	12.1	1,636,903	14.1	32.7	11.9	6.5	12,878	26.2
2001	113,822	12.2	1,862,859	19.9	36.7	16.4	7.5	9,063	37.1
2002	66,846	28.2	733,980	29.6	32.4	11.0	7.2	7,120	30.6
2003	114,493	16.1	949,710	16.4	30.2	8.3	9.6	22,338	27.2
2004	104,502	11.7	1,218,324	15.2	31.6	11.7	6.9	45,070	19.1
2005	152,561	13.0	1,348,144	17.0	30.1	8.8	15.1	70,825	15.1
2006	119,249	11.3	1,082,362	17.2	31.6	9.1	13.1	22,242	19.6
2007	228,669	11.4	2,004,594	13.0	30.8	8.8	10.2	39,224	21.1
2008	108,788	13.3	875,640	15.5	29.9	8.0	11.9	20,578	25.2
2009	80,174	12.9	864,237	14.5	32.6	10.8	9.9	12,709	29.6
2010	36,117	16.8	351,159	18.1	33.0	9.7	9.8	6,566	33.9




Figure 35. King mackerel recreational harvest by state, 2010.

Table 85. King mackerel recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	188,643	8.5	1,886,159	9.6	32.6	10.0	8.1
Georgia	9,446	56.3	160,452	69.3	37.3	17.0	22.0
North Carolina	36,117	16.8	351,159	18.1	33.0	9.7	9.8
South Carolina	9,968	31.8	101,169	32.8	36.4	10.1	11.9
Virginia	96	100.0	2,105	-	43.7	-	-
Puerto Rico	5,193	46.7	15,040	52.8	19.5	2.9	28.7




Figure 36. Northern kingfish recreational catch in North Carolina by year, 1991-2010.

Table 86. Northern kingfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	200,792	11.3	112,030	11.8	10.6	0.6	6.1	12,787	34.1
1992	221,871	15.4	155,000	16.4	11.7	0.7	8.2	28,811	52.8
1993	209,348	13.1	146,247	12.0	11.3	0.7	5.6	16,358	37.1
1994	215,406	10.3	121,601	10.1	11.3	0.6	4.4	966	62.5
1995	164,846	15.3	87,876	14.6	10.8	0.5	6.0	20,238	40.4
1996	191,356	16.7	105,942	17.8	11.3	0.6	5.4	2,514	59.4
1997	362,227	28.6	240,913	30.8	11.7	0.7	4.2	3,185	46.4
1998	104,530	25.4	63,716	28.2	11.3	0.6	4.0	0	-
1999	201,041	29.1	115,877	32.4	10.8	0.6	6.1	1,730	63.3
2000	143,242	15.3	98,396	15.1	12.0	0.7	4.5	0	-
2001	178,052	21.2	113,878	23.5	11.6	0.6	4.7	0	-
2002	96,741	28.9	56,179	28.9	11.6	0.6	5.2	0	-
2003	139,085	18.6	89,232	19.8	11.7	0.6	5.0	302	100.0
2004	195,735	19.6	107,376	18.2	11.3	0.5	5.8	8,293	55.0
2005	27,232	33.2	14,869	35.5	11.0	0.5	12.6	1,041	75.6
2006	66,834	26.7	42,766	25.2	11.5	0.6	9.4	1,897	77.4
2007	219,722	17.6	149,290	18.2	11.4	0.7	5.9	38,547	41.4
2008	43,485	54.9	10,352	51.0	10.3	0.6	11.1	0	-
2009	27,060	33.7	14,926	39.0	11.3	0.6	22.2	0	-
2010	11,321	28.9	5,814	38.3	11.4	0.6	9.9	0	-




Figure 37. Northern kingfish recreational harvest by state, 2010.

Table 87. Northern kingfish recreational harvest by state, 2010.

State	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	523	95.8	290	95.3	11.1	0.6	12.6
Florida	1,121	100.0	783	100.0	13.9	0.7	45.6
Maryland	9,481	75.6	4,529	75.7	10.8	0.5	7.7
New Jersey	18,950	63.1	12,157	65.6	12.1	0.6	11.2
North Carolina	11,321	28.9	5,814	38.3	11.4	0.6	9.9
Virginia	85,722	42.2	39,155	43.0	9.9	0.5	9.2




Figure 38. Northern puffer recreational catch in North Carolina by year, 1991-2010

Table 88. Northern puffer recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	51,380	14.2	29,462	16.6	8.3	0.6	6.8	83,020	12.8
1992	385,733	12.5	223,123	14.1	8.7	0.6	8.2	222,942	17.0
1993	194,022	23.9	116,783	23.2	8.6	0.6	6.9	57,413	19.0
1994	117,683	17.5	60,854	17.5	8.5	0.5	6.8	13,535	25.8
1995	139,710	53.2	82,689	54.1	9.2	0.6	6.8	43,139	25.9
1996	117,992	19.2	59,517	26.7	8.6	0.5	8.8	51,549	54.9
1997	81,099	16.8	51,953	17.6	8.9	0.6	5.2	63,210	40.1
1998	25,857	28.2	13,933	25.7	8.7	0.5	5.4	1,534	41.9
1999	42,424	20.0	30,625	21.4	9.4	0.7	7.2	4,572	36.0
2000	135,364	25.2	79,461	24.6	8.6	0.6	5.5	50,873	28.9
2001	189,650	22.4	137,431	25.5	9.3	0.7	6.4	55,602	33.6
2002	147,427	29.3	93,679	32.5	9.1	0.6	7.0	38,547	27.5
2003	190,917	28.1	148,741	30.1	9.4	0.8	5.6	14,905	26.4
2004	79,585	23.6	48,427	28.7	8.9	0.6	6.9	86,596	16.8
2005	22,136	28.1	10,222	33.4	8.9	0.5	11.9	16,312	29.6
2006	20,108	40.0	5,574	40.4	8.7	0.4	10.6	16,882	41.9
2007	16,206	32.9	5,537	45.8	9.2	0.6	8.0	10,586	38.7
2008	111,349	22.8	46,083	23.0	7.6	0.4	6.7	8,674	39.2
2009	61,714	31.8	36,607	32.8	8.8	0.6	8.1	16,704	26.3
2010	199,670	22.7	105,370	23.1	8.6	0.5	6.2	154,936	21.3




Figure 39. Northern puffer recreational harvest by state, 2010.

Table 89. Northern puffer recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	836	84.5	422	84.6	9.1	0.5	21.8
Maryland	1	0.0	0	-	8.9	0.6	37.9
New Jersey	30,903	60.3	27,252	60.3	8.0	0.9	0.0
North Carolina	199,670	22.7	105,370	23.1	8.6	0.5	6.2
Virginia	13,285	37.2	7,455	37.5	8.5	0.6	13.1




Figure 40. Pigfish recreational catch in North Carolina by year, 1991-2010.

Table 90. Pigfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	181,468	10.5	51,579	9.9	7.7	0.3	4.4	216,155	12.2
1992	421,015	11.4	192,469	18.3	8.6	0.5	9.9	386,904	11.0
1993	332,672	9.4	124,118	11.1	7.8	0.4	4.7	371,066	10.0
1994	357,192	8.2	101,399	8.6	7.9	0.3	3.0	809,697	8.1
1995	485,017	12.0	153,066	13.7	8.6	0.3	3.9	762,497	7.9
1996	389,750	8.5	296,342	67.5	8.5	0.8	234.1	807,257	6.5
1997	574,806	14.5	237,192	16.3	8.8	0.4	4.8	810,099	7.6
1998	328,756	12.3	114,285	13.2	8.1	0.3	3.8	721,369	8.2
1999	294,748	15.2	113,863	15.5	8.4	0.4	4.6	671,740	10.8
2000	464,645	23.4	180,051	21.5	8.7	0.4	5.2	792,351	8.9
2001	339,782	13.4	124,776	14.0	8.3	0.4	6.7	576,938	8.0
2002	352,156	24.5	119,825	26.8	7.7	0.3	4.1	581,059	12.7
2003	440,234	15.3	179,348	17.7	8.3	0.4	5.5	730,095	9.1
2004	324,408	14.8	137,282	16.5	8.8	0.4	5.7	842,126	8.4
2005	346,982	15.7	149,041	16.3	8.6	0.4	4.2	551,172	8.8
2006	249,591	16.4	93,562	17.0	8.2	0.4	5.0	419,324	11.3
2007	275,950	17.3	94,887	21.4	8.0	0.3	8.6	611,608	11.4
2008	237,161	16.2	78,335	17.0	8.0	0.3	4.2	606,237	9.0
2009	252,396	23.7	101,175	28.9	8.0	0.4	5.5	630,558	11.3
2010	232,603	13.9	80,349	14.5	8.0	0.3	4.6	873,317	8.0




Figure 41. Pigfish recreational harvest by state, 2010.

Table 91. Pigfish recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	166,684	27.2	80,560	26.9	9.1	0.5	5.5
Georgia	1,955	57.6	771	57.9	9.7	0.4	24.2
Maryland	1	-	0	-	8.1	0.2	25.9
North Carolina	232,603	13.9	80,349	14.5	8.0	0.3	4.6
South Carolina	795	79.5	276	77.8	6.7	0.3	18.2
Virginia	6,652	47.1	1,552	50.8	6.7	0.2	11.7




Figure 42. Pinfish recreational catch in North Carolina by year, 1991-2010.

Table 92. Pinfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	414,729	8.3	102,902	10.8	6.6	0.2	15.0	1,475,666	9.8
1992	339,185	8.8	78,334	9.9	6.8	0.2	7.8	1,816,608	6.3
1993	293,425	12.0	64,442	12.3	7.1	0.2	6.6	1,318,254	8.4
1994	273,836	9.0	68,875	9.5	7.4	0.3	5.0	1,928,049	6.4
1995	421,869	10.7	95,867	11.4	6.7	0.2	4.2	2,038,916	6.4
1996	282,947	13.0	76,292	13.4	7.7	0.3	4.6	1,758,891	6.7
1997	307,734	13.9	87,048	14.2	7.6	0.3	6.1	2,437,697	6.5
1998	176,640	13.6	44,594	14.3	7.2	0.3	4.6	2,454,672	6.3
1999	310,932	20.1	83,391	19.9	7.5	0.3	6.3	2,016,041	7.7
2000	404,751	18.3	164,604	21.8	7.2	0.4	11.5	2,890,354	6.7
2001	306,888	15.7	82,947	16.9	7.3	0.3	4.7	2,682,751	6.8
2002	167,760	16.6	37,235	17.4	7.0	0.2	4.3	3,223,582	7.3
2003	219,254	15.3	73,327	18.0	7.4	0.3	8.0	2,888,515	6.3
2004	248,867	21.1	57,244	21.6	6.4	0.2	11.3	3,256,179	6.8
2005	243,187	16.7	61,754	19.0	6.9	0.3	19.5	1,883,034	7.4
2006	129,253	26.5	52,106	33.8	6.4	0.4	10.2	2,874,137	9.3
2007	99,542	21.4	25,018	23.4	6.9	0.3	9.2	2,631,539	7.0
2008	217,262	13.3	55,753	16.9	6.7	0.3	13.6	2,417,265	7.1
2009	152,694	18.0	34,069	19.5	6.0	0.2	6.1	1,824,820	7.5
2010	233,738	12.6	43,691	15.4	6.2	0.2	6.8	3,037,617	6.1




Figure 43. Pinfish recreational harvest by state, 2010.

Table 93. Pinfish recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	797,162	18.8	271,182	24.9	6.6	0.3	11.6
Georgia	2,711	67.3	1,676	75.6	9.8	0.6	15.3
North Carolina	233,738	12.6	43,691	15.4	6.2	0.2	6.8
South Carolina	221,250	25.6	57,624	27.1	6.6	0.3	8.3
Virginia	1,364	100.0	-	-	-	-	-




Figure 44. Red drum recreational catch in North Carolina by year, 1991-2010.

Table 94. Red drum recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	38,658	15.3	108,269	15.7	18.0	2.8	16.0	121,178	14.4
1992	23,593	19.3	109,136	19.8	22.2	4.6	17.9	60,230	17.9
1993	49,493	12.0	266,461	14.3	21.9	5.4	17.4	182,301	20.1
1994	28,953	16.4	192,062	20.5	22.5	6.6	14.5	107,662	14.3
1995	88,593	12.3	405,624	12.8	21.7	4.6	12.7	164,520	10.5
1996	36,746	15.0	204,557	16.0	21.1	5.6	13.6	35,752	17.9
1997	8,749	25.7	39,078	28.1	20.3	4.5	29.5	259,570	10.6
1998	114,638	12.1	591,435	12.5	22.4	5.2	13.5	199,701	11.3
1999	64,739	14.5	326,307	15.2	22.5	5.0	4.4	247,146	10.3
2000	61,618	12.9	316,032	12.5	22.7	5.1	4.7	203,967	14.2
2001	23,142	15.9	132,580	16.8	23.1	5.7	19.3	238,552	13.7
2002	42,541	15.4	182,227	17.4	21.1	4.3	10.5	640,857	10.7
2003	25,481	16.5	118,809	17.5	21.8	4.7	5.6	75,561	15.0
2004	30,315	19.0	115,057	19.2	21.0	3.8	8.2	194,627	10.2
2005	53,268	20.5	242,081	21.1	21.8	4.5	5.3	319,322	13.9
2006	51,522	13.7	217,465	14.5	21.5	4.2	6.2	461,810	10.0
2007	65,353	14.1	318,161	14.4	22.7	4.9	5.6	444,739	11.4
2008	56,733	11.4	261,971	11.9	21.9	4.6	4.9	621,609	8.5
2009	73,446	10.9	358,188	11.3	22.9	4.9	4.3	410,202	9.8
2010	70,727	9.0	317,455	9.4	21.6	4.5	4.5	554,098	7.8




Figure 45. Red drum recreational harvest by state, 2010.

Table 95. Red drum recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	153,708	8.5	664,689	8.9	21.9	4.3	6.5
Georgia	253,463	15.8	405,978	16.1	15.5	1.6	12.8
North Carolina	70,727	9.0	317,455	9.4	21.6	4.5	4.5
South Carolina	154,036	12.7	410,246	12.9	18.4	2.7	6.3
Virginia	15,911	29.6	59,282	30.7	20.4	3.7	6.0




Figure 46. Sheepshead recreational catch in North Carolina by year, 1991-2010.

Table 96. Sheepshead recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	26,129	16.6	68,732	19.9	12.5	2.6	12.6	10,506	26.9
1992	69,262	18.3	159,103	22.3	12.8	2.3	16.5	15,209	32.3
1993	87,463	13.8	111,483	14.8	11.2	1.3	9.5	24,278	29.1
1994	60,262	14.9	120,966	16.1	12.8	2.0	11.1	11,205	25.4
1995	85,545	18.9	250,830	20.0	14.5	2.9	9.2	21,229	26.0
1996	37,600	21.0	141,780	24.1	15.0	3.8	15.3	9,431	28.9
1997	55,521	26.3	91,649	25.4	11.3	1.7	16.0	29,966	19.6
1998	81,890	20.8	125,056	21.4	11.4	1.5	13.9	52,820	24.0
1999	113,365	21.8	320,824	25.2	14.3	2.8	14.7	48,654	21.8
2000	186,194	18.3	444,711	18.9	13.7	2.4	8.5	45,473	25.1
2001	71,831	23.4	240,412	24.1	15.2	3.3	10.0	32,002	26.7
2002	62,088	23.9	221,146	22.6	15.1	3.6	13.0	41,621	21.0
2003	117,757	23.3	352,125	21.4	14.0	3.0	15.0	34,196	24.7
2004	53,254	23.3	237,816	26.2	16.2	4.5	11.8	15,914	30.5
2005	44,680	29.0	211,793	32.7	17.2	4.7	12.8	31,274	43.6
2006	59,453	21.7	197,640	23.7	15.2	3.3	15.9	28,883	25.1
2007	221,579	24.1	732,991	25.7	14.7	3.3	12.4	118,741	18.2
2008	189,327	17.6	328,719	22.6	11.7	1.7	13.1	78,279	18.5
2009	147,438	21.9	265,319	21.2	11.9	1.8	10.7	105,982	18.5
2010	176,034	14.2	491,376	14.6	14.2	2.8	9.2	81,158	16.8




Figure 47. Sheepshead recreational harvest by state, 2010.

Table 97. Sheepshead recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	1,334	71.2	1,216	83.5	12.2	0.9	95.1
Florida	365,250	11.6	842,846	11.9	13.6	2.3	6.1
Georgia	97,101	25.1	183,423	24.4	12.5	1.9	10.1
Maryland	1,751	98.6	11,462	97.8	22.4	6.5	22.2
North Carolina	176,034	14.2	491,376	14.6	14.2	2.8	9.2
South Carolina	156,242	34.7	393,311	31.8	13.3	2.5	9.7




Figure 48. Silver perch recreational catch in North Carolina by year, 1991-2010.

Table 98. Silver perch recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	98,293	16.7	23,170	16.9	7.1	0.2	5.3	66,444	24.5
1992	77,249	25.2	17,870	24.7	7.4	0.2	24.1	120,414	19.4
1993	69,645	18.1	17,627	18.8	7.3	0.3	5.7	105,360	22.2
1994	152,385	18.1	34,241	18.1	7.8	0.2	5.3	228,931	20.3
1995	108,605	18.4	23,560	18.6	8.1	0.2	4.4	152,989	16.4
1996	88,044	24.8	20,259	24.6	8.2	0.2	5.7	108,662	14.8
1997	65,145	23.1	17,105	22.9	8.1	0.3	9.7	79,410	19.4
1998	52,571	32.1	16,461	36.2	8.2	0.3	11.8	71,356	22.5
1999	54,898	25.6	11,791	25.8	7.4	0.2	4.5	115,409	21.6
2000	50,259	42.4	11,294	40.8	8.1	0.2	5.7	162,645	35.7
2001	13,748	52.2	3,720	49.3	7.5	0.3	4.9	57,009	33.0
2002	11,675	40.6	2,576	40.7	7.3	0.2	17.0	30,836	21.7
2003	34,178	49.5	8,518	49.5	8.2	0.2	8.3	29,365	26.7
2004	19,335	33.0	4,538	33.5	7.6	0.2	7.5	57,855	32.4
2005	13,618	41.9	3,682	38.4	8.6	0.3	10.8	42,722	24.7
2006	21,640	37.2	3,522	31.6	7.8	0.2	9.7	232,662	24.6
2007	53,244	26.6	8,614	27.9	6.4	0.2	14.2	212,062	18.6
2008	9,697	38.6	1,812	38.0	7.7	0.2	9.9	45,534	32.4
2009	10,516	34.2	2,784	37.2	7.8	0.3	9.9	81,614	42.4
2010	5,465	33.2	1,330	35.1	8.6	0.2	13.2	82,335	21.4




Figure 49. Silver perch recreational harvest by state, 2010.

Table 99. Silver perch recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	43,036	26.1	8,634	27.9	7.4	0.2	10.0
Georgia	24,909	56.7	6,400	59.6	8.1	0.3	23.3
New Jersey	5,454	100.1	2,405	-	8.4	0.4	-
North Carolina	5,465	33.2	1,330	35.1	8.6	0.2	13.2
South Carolina	1,113	100.0	135	100.0	-	0.1	34.8
Virginia	3,969	77.4	446	-	8.3	0.4	-




Figure 50. Southern flounder recreational catch in North Carolina by year, 1991-2010.

Table 100. Southern flounder recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	80,540	9.6	136,837	10.7	15.0	1.7	8.9	18,789	20.0
1992	38,892	14.6	74,309	16.5	15.6	1.9	13.4	32,194	28.5
1993	34,588	14.4	56,406	14.9	15.2	1.6	12.2	4,285	38.2
1994	72,124	11.9	131,806	12.6	15.8	1.8	10.0	0	-
1995	54,495	12.3	116,619	13.2	16.1	2.1	7.7	5,334	67.7
1996	67,416	13.8	115,337	16.4	15.9	1.7	13.6	2,267	66.3
1997	79,719	15.3	218,617	16.3	16.9	2.7	9.5	583	71.2
1998	42,727	16.1	88,146	17.1	16.0	2.1	8.3	598	100.0
1999	35,171	21.6	77,505	23.7	16.3	2.2	13.5	0	-
2000	150,315	15.0	271,238	14.6	15.9	1.8	10.2	0	-
2001	115,477	11.4	213,911	11.9	16.2	1.9	7.2	0	-
2002	115,154	13.8	236,650	15.5	16.6	2.1	7.3	1,782	100.0
2003	118,898	15.6	221,807	15.6	16.1	1.9	8.0	480	100.0
2004	196,906	11.1	425,225	11.6	17.1	2.2	8.2	37,752	32.6
2005	161,292	13.6	368,101	14.4	17.0	2.3	8.7	20,654	51.8
2006	172,136	12.5	366,404	12.8	16.9	2.1	8.7	3,691	39.8
2007	154,429	13.3	366,309	13.8	17.5	2.4	9.2	0	-
2008	174,779	11.2	420,443	11.6	17.4	2.4	9.8	0	-
2009	135,531	11.7	297,790	12.3	17.2	2.2	7.8	108	79.5
2010	237,851	9.0	520,377	9.3	17.0	2.2	5.1	855	54.9

*Additional analysis required for discards




Figure 51. Southern flounder recreational harvest by state, 2010.

Table 101. Southern flounder recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	154,180	14.0	331,527	17.5	16.1	2.1	12.1
Georgia	37,530	21.4	56,750	24.0	15.0	1.5	13.7
North Carolina	237,851	9.0	520,377	9.3	17.0	2.2	5.1
South Carolina	93,245	16.7	173,077	17.4	16.6	1.9	5.4




Figure 52. Southern kingfish recreational catch in North Carolina by year, 1991-2010.

Table 102. Southern kingfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	360,931	16.2	163,545	15.8	9.9	0.5	7.7	82,473	22.3
1992	169,793	15.4	89,277	17.7	10.3	0.5	7.2	22,269	34.5
1993	294,723	18.5	129,754	15.0	9.9	0.4	6.0	14,101	41.3
1994	250,552	11.5	121,026	12.1	10.4	0.5	5.6	2,938	52.4
1995	364,446	15.2	215,083	15.1	11.1	0.6	5.1	27,060	30.7
1996	243,594	26.9	149,791	30.7	11.4	0.6	5.6	24,555	29.8
1997	116,777	14.8	77,505	14.5	11.2	0.7	3.5	5,499	58.4
1998	86,454	13.5	54,479	13.5	11.5	0.6	6.0	462	100.0
1999	135,535	23.7	74,636	24.1	11.4	0.6	9.2	0	-
2000	609,169	18.2	418,444	20.1	11.6	0.7	5.2	1,162	74.0
2001	592,014	21.6	316,205	20.8	11.0	0.5	4.6	6,054	53.4
2002	311,867	26.2	195,325	27.0	11.5	0.6	5.1	0	-
2003	188,912	14.4	130,794	15.6	11.5	0.7	7.0	0	-
2004	338,020	13.5	235,130	14.1	11.7	0.7	5.2	0	-
2005	429,842	15.8	249,463	16.0	11.6	0.6	3.5	1,855	66.6
2006	311,643	15.0	166,462	14.5	11.1	0.5	5.9	21,621	31.9
2007	297,548	14.8	186,807	17.4	11.3	0.6	6.0	21,441	43.1
2008	469,706	12.4	256,629	13.2	11.0	0.5	4.2	7,120	40.2
2009	477,022	18.1	254,701	20.6	11.0	0.5	3.6	3,578	46.5
2010	553,270	12.6	330,806	12.7	11.2	0.6	3.3	450	47.3




Figure 53. Southern kingfish recreational harvest by state, 2010.

Table 103. Southern kingfish recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	6	97.4	3	97.6	11.2	0.5	33.0
Florida	613,406	13.1	346,615	13.6	11.2	0.6	5.9
Georgia	797,021	17.0	405,318	17.1	11.1	0.5	6.6
Maryland	5,439	55.0	4,325	57.9	12.0	0.8	17.4
North Carolina	553,270	12.6	330,806	12.7	11.2	0.6	3.3
South Carolina	338,588	24.6	174,956	24.4	10.8	0.5	6.3
Virginia	259,027	21.7	141,137	22.9	11.1	0.5	7.8




Figure 54. Spanish mackerel recreational catch in North Carolina by year, 1991-2010.

Table 104. Spanish mackerel recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	676,717	6.0	1,056,535	6.4	15.5	1.6	9.4	133,601	12.9
1992	701,974	6.0	947,075	6.4	15.2	1.3	5.9	180,235	11.0
1993	451,523	7.8	664,823	8.2	15.7	1.5	5.2	81,927	15.4
1994	535,949	5.9	588,041	6.2	15.0	1.1	5.7	241,082	9.4
1995	285,882	9.8	329,469	10.2	14.9	1.2	6.1	145,845	12.3
1996	355,036	9.8	385,925	10.2	15.6	1.1	10.7	103,067	10.9
1997	585,765	8.4	862,505	8.7	15.9	1.5	9.5	140,704	11.4
1998	239,052	10.4	305,634	10.3	15.1	1.3	11.1	80,700	13.7
1999	476,019	9.6	469,264	9.4	14.4	1.0	5.5	205,870	16.2
2000	671,353	10.7	671,622	10.6	14.9	1.0	5.5	300,384	13.6
2001	400,706	8.8	499,833	11.8	15.5	1.2	7.4	160,591	15.1
2002	401,982	10.8	475,746	11.6	15.4	1.2	4.9	196,967	12.1
2003	349,170	11.8	446,057	13.6	15.5	1.3	7.3	164,787	12.6
2004	308,996	15.1	558,973	17.7	17.6	1.8	10.7	121,531	15.2
2005	331,601	12.7	359,932	15.1	15.0	1.1	11.8	174,140	13.7
2006	305,343	13.7	454,754	18.7	15.8	1.5	16.5	89,912	14.8
2007	491,357	12.0	729,695	14.2	15.9	1.5	11.7	277,710	12.6
2008	686,501	11.8	783,339	17.0	15.1	1.1	8.6	541,764	10.8
2009	703,393	11.2	892,641	13.0	15.6	1.3	6.6	241,540	11.7
2010	472,224	7.6	582,556	8.4	15.2	1.2	5.9	272,387	12.2




Figure 55. Spanish mackerel recreational harvest by state, 2010.

Table 105. Spanish mackerel recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	565,361	9.9	1,034,494	11.0	18.3	1.8	7.1
Georgia	4,732	71.0	5,167	69.0	15.6	1.1	36.2
Maryland	6,671	54.7	13,995	55.6	18.1	2.1	6.1
North Carolina	472,224	7.6	582,556	8.4	15.2	1.2	5.9
South Carolina	95,929	28.0	136,649	25.0	15.7	1.4	14.3
Virginia	28,686	36.4	34,006	38.2	15.3	1.2	8.4




Figure 56. Spot recreational catch in North Carolina by year, 1991-2010.

Table 106. Spot recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	2,317,095	7.1	727,470	7.3	7.6	0.3	4.2	946,564	10.0
1992	1,271,416	8.2	403,778	8.9	7.8	0.3	3.1	841,163	8.2
1993	2,057,440	10.2	812,819	10.8	8.3	0.4	3.7	528,449	9.6
1994	5,929,269	9.3	1,842,379	9.5	8.1	0.3	3.3	1,363,884	7.4
1995	3,329,981	9.1	1,248,008	9.5	8.4	0.4	3.7	1,035,361	8.9
1996	2,007,071	8.6	710,094	9.1	8.5	0.4	3.2	924,204	7.2
1997	1,440,661	12.5	722,877	13.8	8.8	0.5	5.2	450,663	7.5
1998	2,865,190	13.8	1,249,555	15.0	8.7	0.4	3.1	650,157	9.1
1999	1,308,167	11.5	646,670	13.5	9.0	0.5	5.9	633,112	9.3
2000	1,924,107	12.4	893,844	15.9	8.8	0.5	6.4	481,995	8.8
2001	3,650,711	9.0	1,773,689	9.5	9.0	0.5	4.7	1,143,695	8.4
2002	2,586,313	10.4	984,909	10.7	8.6	0.4	5.3	671,669	9.2
2003	3,796,557	9.9	1,714,177	10.1	8.9	0.5	5.6	1,132,992	8.6
2004	4,058,426	7.4	1,846,706	7.6	9.1	0.5	3.3	1,237,386	8.4
2005	3,125,897	9.4	1,103,842	9.7	8.7	0.4	6.1	1,539,531	10.3
2006	2,770,151	11.5	978,190	11.6	8.8	0.4	3.2	3,147,254	10.9
2007	4,268,838	11.4	1,379,006	11.4	9.1	0.3	3.4	1,420,660	11.4
2008	2,345,372	10.5	834,820	10.6	8.4	0.4	3.7	1,309,233	8.7
2009	1,168,436	13.1	401,480	13.1	8.5	0.3	3.0	1,237,710	10.0
2010	966,484	11.2	296,237	11.0	8.3	0.3	8.7	1,048,827	9.3




Figure 57. Spot recreational harvest by state, 2010.

Table 107. Spot recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	249,687	28.1	96,014	30.0	7.9	0.4	7.1
Florida	83,797	25.4	28,072	25.9	8.3	0.3	9.8
Georgia	907	71.9	276	72.1	7.8	0.3	25.6
Maryland	995,390	19.6	358,767	20.2	8.4	0.4	6.0
New Jersey	572,047	37.2	208,959	38.1	6.2	0.4	12.3
North Carolina	966,484	11.2	296,237	11.0	8.3	0.3	8.7
South Carolina	418,128	24.9	128,826	25.6	8.1	0.3	7.9
Virginia	1,968,155	12.2	700,802	12.8	7.3	0.4	5.8




Figure 58. Spotted seatrout recreational catch in North Carolina by year, 1991-2010.

Table 108. Spotted seatrout recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	316,895	10.3	472,401	11.2	15.3	1.5	4.9	169,921	15.0
1992	333,990	11.3	508,765	11.8	15.6	1.5	6.9	139,616	15.4
1993	206,523	8.7	307,154	8.5	15.6	1.5	7.8	149,744	14.6
1994	457,636	7.5	680,003	8.0	16.0	1.5	5.4	207,262	14.5
1995	325,927	9.5	478,678	10.8	15.5	1.5	6.7	277,896	13.4
1996	151,380	16.6	197,262	15.5	14.9	1.3	9.3	153,051	13.5
1997	256,719	11.1	311,894	11.4	15.0	1.2	4.3	98,377	17.3
1998	294,501	12.2	444,445	13.0	16.0	1.5	4.7	73,024	19.3
1999	410,321	12.4	690,613	13.2	16.4	1.7	4.5	253,442	14.4
2000	250,450	14.9	385,195	17.1	15.8	1.5	6.1	90,070	19.7
2001	182,124	14.1	213,441	14.1	14.4	1.2	8.4	194,982	14.8
2002	197,484	15.6	274,104	17.2	15.3	1.4	9.6	385,162	22.4
2003	106,415	18.6	145,938	19.2	15.1	1.4	11.9	131,619	19.3
2004	316,894	12.9	385,628	13.2	15.1	1.2	8.7	300,025	12.6
2005	512,262	11.2	628,744	11.6	14.4	1.2	5.0	817,036	12.4
2006	577,537	9.8	941,171	10.9	16.3	1.6	6.5	559,786	10.8
2007	525,156	10.5	988,536	12.1	16.6	1.9	7.6	973,516	14.9
2008	584,024	9.6	922,743	10.2	15.8	1.6	5.1	1,005,298	11.6
2009	509,416	11.8	833,577	11.4	16.2	1.6	5.5	933,342	11.2
2010	164,656	13.4	330,717	14.2	17.4	2.0	6.1	1,501,851	11.1




Figure 59. Spotted seatrout recreational harvest by state, 2010.

Table 109. Spotted seatrout recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	251	100.0	526	100.0	17.0	2.1	37.2
Florida	238,788	12.6	380,903	12.2	16.6	1.6	9.4
Georgia	446,551	13.9	486,272	13.7	14.4	1.1	8.8
Maryland	1,725	70.6	2,757	101.2	18.7	1.6	102.4
North Carolina	164,656	13.4	330,717	14.2	17.4	2.0	6.1
South Carolina	91,557	17.8	133,367	18.0	15.7	1.5	7.2
Virginia	32,457	30.4	49,917	30.3	15.5	1.5	16.0




Figure 60. Striped bass Atlantic Ocean recreational catch in North Carolina by year, 1991-2010.

Table 110. Striped bass Atlantic Ocean recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	391	100.0	3,883	-	27.0	9.9	-	256	100.0
1992	967	100.0	16,198	-	33.4	16.8	-	679	100.0
1993	264	100.0	3,029	-	31.6	11.5	-	1,524	61.1
1994	7,426	28.2	71,196	33.1	27.4	9.6	6.1	5,005	37.8
1995	11,450	25.3	158,097	25.5	32.3	13.8	5.8	16,225	37.7
1996	17,136	18.1	199,678	18.6	30.5	11.7	3.4	116,667	14.8
1997	47,152	15.8	607,985	15.9	31.2	12.9	3.9	135,853	11.5
1998	30,680	20.5	415,588	20.8	30.7	13.5	4.1	173,704	14.0
1999	46,798	17.8	556,928	18.3	30.3	11.9	6.5	263,445	15.8
2000	12,908	24.7	187,277	27.4	32.1	15.6	12.4	129,729	15.7
2001	40,016	20.3	608,625	21.3	31.4	15.2	2.8	49,953	17.7
2002	33,610	31.2	602,591	32.0	33.8	17.9	8.2	63,269	20.6
2003	48,513	26.0	848,426	27.3	35.1	17.5	5.3	48,945	31.9
2004	278,270	17.6	5,574,845	17.8	35.4	20.0	2.2	230,356	19.2
2005	104,997	19.4	2,195,067	19.0	36.1	20.9	6.3	109,535	19.8
2006	90,753	21.7	2,153,252	22.1	37.2	23.7	7.3	37,713	22.9
2007	45,502	23.2	1,048,591	23.5	37.0	23.1	5.8	16,195	26.8
2008	44,890	26.4	938,713	26.4	35.2	20.9	12.9	14,002	34.1
2009	7,375	32.4	209,858	35.1	39.3	28.5	15.5	3,666	45.8
2010	39,971	21.9	714,151	23.0	33.9	18.2	17.4	21,097	31.8




Figure 61. Striped bass Atlantic Ocean recreational harvest by state, 2010.

Table 111. Striped bass Atlantic Ocean recreational harvest by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	4,879	35.2	69,060	35.9	32.1	14.2	11.2
Maine	5,658	30.7	29,840	30.1	23.3	5.3	15.2
Maryland	5,529	74.6	39,882	91.2	36.3	7.2	78.9
Massachusetts	95,045	15.7	1,055,560	17.9	29.3	11.1	10.4
New Hampshire	2,862	27.2	30,501	28.6	29.1	10.7	10.1
New Jersey	194,734	15.8	2,849,956	16.9	32.9	14.6	5.4
New York	322,494	9.2	4,259,028	12.8	33.0	13.2	6.8
North Carolina	39,971	21.9	714,151	23.0	33.9	18.2	17.4
Rhode Island	64,392	15.8	820,027	18.4	34.5	12.7	8.5
Virginia	8,113	31.0	40,001	51.3	-	4.9	20.3
Rhode Island	75,051	15.2	1,093,331	18.2	33.3	14.6	8.7




Figure 62. Summer flounder recreational catch in North Carolina by year, 1991-2010.

Table 112. Summer flounder recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	209,794	7.9	233,716	8.0	13.9	1.1	4.7	728,429	7.8
1992	206,781	8.2	257,903	8.3	14.5	1.2	5.2	219,522	17.1
1993	380,682	7.2	466,493	7.2	14.6	1.2	4.5	157,389	18.6
1994	388,172	7.1	461,348	7.3	14.9	1.2	4.1	552	100.0
1995	149,546	10.9	247,312	24.1	15.4	1.7	10.5	12,129	35.3
1996	346,717	10.0	386,330	10.0	14.9	1.1	4.6	17,055	29.0
1997	287,951	9.0	365,361	9.1	15.1	1.3	3.9	3,916	81.7
1998	391,136	9.2	481,472	9.0	15.0	1.2	5.1	12,992	39.3
1999	236,791	13.2	282,453	13.3	14.9	1.2	7.8	0	-
2000	374,756	10.8	463,035	10.7	15.2	1.2	4.0	803	100.0
2001	327,249	9.4	405,608	9.4	14.9	1.2	8.3	4,505	43.8
2002	189,458	12.3	215,845	12.9	14.6	1.1	8.1	1,685	69.0
2003	87,851	19.6	125,910	21.1	15.2	1.4	5.6	638	100.0
2004	172,736	13.7	245,511	13.4	15.7	1.4	8.8	0	-
2005	128,926	14.9	180,924	16.7	15.5	1.4	6.4	1,811	68.4
2006	152,683	13.8	207,773	14.0	15.5	1.4	5.5	68,438	32.8
2007	184,476	15.9	289,489	16.9	15.9	1.6	7.2	4,702	40.4
2008	53,090	14.1	81,583	14.8	15.9	1.5	4.7	3,130	35.1
2009	58,093	15.8	86,314	15.8	15.9	1.5	4.9	12,989	47.6
2010	92,337	12.2	136,511	11.9	15.7	1.5	6.0	18,854	31.4




Figure 63. Summer flounder recreational harvest by state, 2010.

Table 113. Summer flounder recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Connecticut	39,857	21.1	157,154	22.6	20.8	3.9	10.3
Delaware	72,102	14.9	217,599	15.0	19.9	3.0	4.9
Florida	943	100.0	1,400	100.0	16.7	1.5	45.9
Georgia	6,019	82.5	9,341	82.6	13.8	1.6	29.6
Maryland	39,243	28.5	140,751	32.2	20.9	3.6	9.6
Massachusetts	43,847	37.0	121,313	41.5	19.3	2.8	19.8
New Jersey	577,007	10.0	1,701,004	10.4	19.7	2.9	5.0
New York	259,827	11.4	1,271,999	12.2	22.0	4.9	6.3
North Carolina	92,337	12.2	136,511	11.9	15.7	1.5	6.0
Rhode Island	84,525	21.2	347,053	25.7	19.8	4.1	6.3
South Carolina	3,904	100.1	6,133	100.1	15.9	1.6	11.6
Virginia	275,309	11.0	839,805	11.5	19.9	3.1	7.8




Figure 64. Wahoo recreational catch in North Carolina by year, 1991-2010.

Table 114. Wahoo recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	5,406	15.6	110,872	15.8	44.3	20.5	10.0	40	100.0
1992	7,326	12.8	191,133	17.8	49.9	26.1	16.4	1,051	72.8
1993	10,191	12.8	230,560	16.8	45.1	22.6	9.0	0	-
1994	19,410	8.5	450,022	9.8	46.9	23.2	8.5	2,422	83.5
1995	28,354	9.7	572,483	10.0	44.3	20.2	5.2	50	100.0
1996	17,580	12.0	432,037	13.2	47.2	24.6	3.8	1,092	50.0
1997	24,770	13.8	571,112	14.0	45.8	23.1	9.5	159	70.8
1998	18,574	12.4	414,761	12.3	45.3	22.3	5.1	62	100.0
1999	22,601	12.4	476,766	13.3	44.9	21.1	7.2	0	-
2000	22,137	15.3	470,836	14.6	45.0	21.3	6.6	531	100.0
2001	19,392	14.4	425,600	14.6	46.0	21.9	6.6	0	-
2002	25,336	11.9	642,901	13.7	46.9	25.4	6.0	319	82.6
2003	17,851	27.9	540,884	32.6	48.9	30.3	8.8	0	-
2004	24,757	24.8	700,359	29.1	52.4	28.3	10.5	0	-
2005	16,943	19.8	502,635	28.2	48.8	29.7	15.6	0	-
2006	17,736	14.9	390,885	19.7	44.2	22.0	12.1	525	61.2
2007	36,197	26.0	1,025,389	34.8	49.0	28.3	13.1	0	-
2008	13,254	17.5	310,999	22.7	45.6	23.5	15.0	0	-
2009	13,401	24.1	409,642	31.4	48.6	30.6	12.4	45	100.0
2010	13,670	13.6	374,652	18.7	47.6	27.4	12.2	860	50.1




Figure 65. Wahoo recreational harvest by state, 2010.

Table 115. Wahoo recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	6,847	29.8	114,921	34.7	44.2	18.8	20.5
Georgia	1,848	87.2	41,556	91.4	53.8	22.5	56.2
Maryland	174	69.0	-	-	45.1	-	-
New Jersey	185	100.5	5,220	-	51.0	-	-
North Carolina	13,670	13.6	374,652	18.7	47.6	27.4	12.2
South Carolina	1,513	64.6	31,701	66.4	46.9	21.0	16.6
Puerto Rico	3,396	40.7	22,273	41.7	33.5	8.3	6.1




Figure 66. Weakfish recreational catch in North Carolina by year, 1991-2010.

Table 116. Weakfish recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	140,826	28.1	99,825	24.1	12.4	0.7	8.2	11,457	28.7
1992	35,490	15.6	27,365	18.0	12.9	0.8	7.7	27,052	30.2
1993	106,737	12.9	78,983	13.9	12.4	0.7	4.6	52,468	18.2
1994	177,965	9.5	149,161	11.5	13.3	0.8	4.6	147,616	14.1
1995	62,475	18.7	72,414	21.0	15.0	1.2	4.7	154,008	12.4
1996	90,704	11.8	79,318	12.3	14.0	0.9	4.3	188,263	14.6
1997	184,954	9.9	165,034	9.9	13.6	0.9	5.1	209,122	13.6
1998	191,181	12.6	192,212	13.9	14.2	1.0	6.1	131,537	18.8
1999	127,163	14.5	161,292	15.0	15.2	1.3	6.0	149,377	15.2
2000	71,247	18.7	87,927	20.2	15.0	1.2	4.2	346,212	12.7
2001	158,605	17.6	158,425	18.2	14.3	1.0	4.8	886,943	14.9
2002	90,170	18.4	82,747	19.1	13.9	0.9	6.0	336,709	14.5
2003	153,753	16.0	161,476	16.4	14.2	1.1	11.1	153,563	16.1
2004	237,395	14.7	273,685	15.4	14.9	1.2	5.2	240,298	13.2
2005	163,265	17.5	157,978	18.4	14.3	1.0	8.5	241,674	14.8
2006	153,696	12.8	139,393	13.4	13.7	0.9	9.1	295,415	15.1
2007	114,332	17.0	125,460	17.7	14.2	1.1	5.6	148,938	18.7
2008	137,564	16.6	139,369	17.8	13.8	1.0	10.8	127,333	18.3
2009	81,643	20.5	103,232	23.5	14.9	1.3	6.9	125,649	30.7
2010	50,932	12.8	49,904	13.1	13.8	1.0	7.2	250,369	18.8




Figure 67. Weakfish recreational harvest by state, 2010.

Table 117. Weakfish recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	83	61.4	47	63.5	12.8	0.6	34.9
Florida	15,726	34.7	12,696	35.5	13.1	0.8	13.4
Georgia	3,113	42.7	2,829	44.2	13.2	0.9	14.5
Maryland	2,833	68.0	1,811	70.1	11.9	0.6	25.3
New Jersey	3,302	71.1	1,988	71.4	21.4	0.6	37.5
New York	2,682	100.0	1,293	100.0	-	0.5	62.2
North Carolina	50,932	12.8	49,904	13.1	13.8	1.0	7.2
South Carolina	9,672	50.9	10,379	48.2	13.2	1.1	14.5
Virginia	5,325	46.9	3,268	52.7	10.7	0.6	15.7




Figure 68. White grunt recreational catch in North Carolina by year, 1991-2010.

Table 118. White grunt recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	76,816	23.2	70,607	20.1	10.9	0.9	8.7	16,184	41.8
1992	109,216	13.4	167,338	16.4	12.3	1.5	9.0	40,759	31.8
1993	121,351	13.8	125,968	20.1	11.8	1.0	8.4	11,555	53.9
1994	142,204	10.3	130,504	10.8	12.2	0.9	5.8	23,155	36.2
1995	62,732	23.2	52,424	23.9	12.1	0.8	10.9	25,535	69.2
1996	35,426	25.0	44,682	27.0	12.6	1.3	16.5	3,158	50.4
1997	32,951	48.2	49,597	51.5	12.7	1.5	17.7	1,999	42.4
1998	8,819	42.0	13,126	44.0	12.9	1.5	14.4	2,635	59.4
1999	22,087	41.0	27,318	43.8	12.3	1.2	5.1	0	-
2000	8,109	86.5	3,622	89.7	-	0.4	69.6	401	100.0
2001	43,746	21.5	68,616	22.5	12.6	1.6	10.2	4,083	100.0
2002	64,785	25.1	102,271	25.8	13.4	1.6	11.2	0	-
2003	58,495	25.3	88,973	26.2	12.4	1.5	10.7	9,383	71.2
2004	94,648	24.1	141,535	23.6	12.6	1.5	4.3	16,394	50.0
2005	94,957	24.4	97,505	28.0	12.4	1.0	10.8	20,353	56.2
2006	99,219	18.2	127,188	20.7	12.2	1.3	8.4	13,475	64.7
2007	132,767	18.5	165,145	25.1	12.4	1.2	9.9	7,415	36.4
2008	103,186	17.1	123,259	20.5	11.9	1.2	9.8	18,207	78.0
2009	72,017	18.7	105,687	20.3	12.5	1.5	7.3	5,715	38.4
2010	30,833	19.7	40,405	21.9	12.0	1.3	9.2	7,589	34.8




Figure 69. White grunt recreational harvest by state, 2010.

Table 119. White grunt recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	44,783	28.5	28,366	25.7	8.3	0.6	8.0
Georgia	119	50.6	255	49.4	13.4	2.1	20.0
North Carolina	30,833	19.7	40,405	21.9	12.0	1.3	9.2
South Carolina	6,777	28.1	11,236	36.6	12.8	2.0	17.6




Figure 70. Yellowfin tuna recreational catch in North Carolina by year, 1991-2010.

Table 120. Yellowfin tuna recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	59,359	15.4	1,117,069	15.7	31.9	18.8	9.4	348	43.4
1992	35,141	14.7	982,060	14.3	37.1	27.9	9.6	19	100.0
1993	103,292	8.4	2,103,547	8.9	30.7	20.4	4.3	854	35.5
1994	258,795	14.2	4,830,511	12.9	30.8	18.7	5.2	2,872	27.1
1995	183,463	13.1	5,458,929	14.2	35.6	29.8	8.1	3,161	25.1
1996	294,330	10.1	6,821,612	9.6	33.0	23.2	3.7	3,072	21.0
1997	171,518	10.8	4,731,549	10.0	35.7	27.6	5.7	2,712	26.5
1998	163,058	10.2	3,932,220	10.2	33.2	24.1	4.6	27,202	12.8
1999	280,618	9.5	6,540,391	9.5	32.7	23.3	4.7	13,869	21.2
2000	270,545	10.1	7,601,188	10.0	35.3	28.1	5.5	6,189	25.7
2001	237,393	10.0	6,357,627	9.9	34.9	26.8	4.1	520	38.1
2002	134,921	16.6	3,097,977	16.8	32.6	23.0	3.6	7,796	21.3
2003	328,106	9.3	7,932,824	9.4	33.2	24.2	1.4	55,580	13.7
2004	203,762	11.7	5,498,780	11.4	34.4	27.0	3.9	12,352	20.5
2005	216,080	11.7	6,061,936	14.4	34.7	28.1	5.1	9,925	19.1
2006	244,357	9.7	7,089,333	13.2	35.4	29.0	8.7	15,066	25.6
2007	114,638	13.4	3,216,127	15.9	35.3	28.1	6.0	582	50.7
2008	27,043	18.7	769,469	27.0	34.8	28.5	12.8	369	57.2
2009	29,625	12.2	803,344	20.3	34.5	27.1	11.7	1,687	77.7
2010	34,318	14.4	1,176,807	17.3	39.0	34.3	7.4	937	44.3




Figure 71. Yellowfin tuna recreational catch by state, 2010.

Table 121. Yellowfin tuna recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	19	75.9	357	75.9	34.4	18.6	0.8
Maryland	1,707	37.9	70,562	72.6	37.6	41.3	49.6
New Jersey	15,270	45.1	227,576	45.3	39.7	14.9	3.8
North Carolina	34,318	14.4	1,176,807	17.3	39.0	34.3	7.4




Figure 72. Large coastal shark recreational catch in North Carolina by year, 1991-2010.

Table 122. Large coastal shark recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	7,008	23.2	21,455	28.4	22.4	3.3	26.8	24,973	30.2
1992	2,180	25.6	11,007	37.0	32.7	6.9	12.0	17,656	44.2
1993	2,650	34.6	13,231	42.5	33.2	5.8	11.6	19,562	35.0
1994	4,780	24.3	41,244	26.8	34.7	8.8	14.9	13,118	32.1
1995	3,833	24.3	48,853	30.8	37.2	16.4	16.8	27,347	30.2
1996	4,067	30.7	58,659	41.7	40.6	14.4	35.1	12,553	23.8
1997	599	55.6	44,151	3.1	65.4	88.1	2.2	8,599	32.4
1998	1,692	38.9	6,251	50.6	27.3	8.4	83.4	1,029	44.1
1999	1,235	43.3	23,769	88.0	36.2	32.9	66.3	514	89.0
2000	1,851	48.9	4,666	.	30.1	8.5	-	0	-
2001	801	81.0	13,695	64.8	28.7	18.1	24.6	399	89.0
2002	567	99.0	3,312	99.2	25.3	5.8	45.4	787	68.8
2003	405	90.7	1,012	90.7	-	2.5	113.3	1,145	59.4
2004	0	-	-	-	-	-	-	649	100.0
2005	540	96.4	550	-	35.2	-	-	3,941	35.4
2006	235	100.2	4,669	99.9	52.0	19.9	125.7	4,297	48.2
2007	1,014	70.6	8,351	100.1	33.9	12.6	54.2	6,360	39.5
2008	125	101.6	-	-	-	-	-	40	100.0
2009	0	-	-	-	-	-	-	521	91.8
2010	167	98.7	295	-	18.3	-	-	14,352	36.6




Figure 73. Large coastal shark recreational harvest by state, 2010.

Table 123. Large coastal shark recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	2,576	69.6	18,782	75.5	35.9	8.2	6.1
Georgia	681	87.8	-	-	42.2	-	-
North Carolina	167	98.7	295	-	18.3	-	-
South Carolina	119	101.7	-	-	-	-	-
Virginia	5,433	67.2	-	-	-	-	-
Puerto Rico	455	100.0	2,608	-	30.2	5.7	-




Figure 74. Small coastal shark recreational catch in North Carolina by year, 1991-2010.

Table 124. Small coastal shark recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	1,438	41.7	1,268	41.7	15.3	0.9	0.0	0	-
1992	1,620	45.6	12,903	45.6	37.3	8.0	7.5	0	-
1993	55	100.0	375	100.0	-	6.8	9.1	0	-
1994	168	45.8	1,120	51.5	31.1	6.7	1.6	0	-
1995	0	0	0	0	0	0	0	0	-
1996	0	0	0	0	0	0	0	0	-
1997	1,810	83.9	4,310	70.8	17.9	2.4	13.9	0	-
1998	2,343	55.7	9,286	47.4	19.2	4.0	22.9	0	-
1999	463	75.3	861	68.1	20.0	1.9	52.3	0	-
2000	1,157	72.0	4,359	94.2	30.1	5.6	9.3	0	-
2001	1,454	41.5	9,237	41.6	30.2	6.4	7.1	0	-
2002	1,019	43.3	7,420	48.0	28.2	7.3	24.1	0	-
2003	3,297	38.7	21,247	44.0	31.1	6.9	26.7	0	-
2004	1,814	51.0	13,938	51.5	-	7.7	13.9	0	-
2005	735	51.4	4,209	50.2	29.4	5.7	4.2	5,548	57.2
2006	3,515	38.0	22,549	39.0	28.3	6.4	7.8	29,671	30.6
2007	5,030	40.9	37,617	41.4	27.2	7.5	12.9	5,316	38.0
2008	2,836	37.6	20,639	41.6	27.7	7.3	5.8	4,434	29.1
2009	3,951	33.9	26,830	33.8	30.0	6.9	7.0	2,641	25.1
2010	4,476	23.8	30,894	24.3	27.0	6.9	5.4	20,847	34.7




Figure 75. Small coastal shark recreational harvest by state, 2010.

Table 125. Small coastal shark recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Florida	7,215	33.4	56,313	42.4	26.0	7.8	21.4
Georgia	5,332	57.7	41,472	57.9	30.1	7.8	5.8
Maryland	1,818	95.4	638	97.9	31.6	7.5	16.6
North Carolina	4,476	23.8	30,894	24.3	27.0	6.9	5.4
South Carolina	8,772	37.9	45,652	39.1	21.2	5.2	14.3




Figure 76. Pelagic shark recreational catch in North Carolina by year, 1991-2010.

Table 126. Pelagic shark recreational catch in North Carolina by year, 1991-2010.

Year	Harvest Number	PSE (Num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)	Released Number	PSE (release)
1991	235	32.9	40,150	57.5	71.3	170.7	56.9	0	-
1992	606	62.7	1,017	-	40.9	26.5	-	1,027	100.0
1993	88	60.7	11,200	-	70.5	127.4	-	0	-
1994	391	89.5	6,169	-	37.2	15.8	-	482	71.7
1995	262	42.4	9,639	47.4	45.9	36.8	40.7	0	-
1996	45	99.9	4,155	-	66.9	93.3	-	0	-
1997	164	59.0	15,519	-	78.6	154.3	-	0	-
1998	388	36.6	10,768	-	34.0	39.4	-	84	72.8
1999	42	100.2	1,661	-	40.4	39.5	-	0	-
2000	254	47.2	20,368	-	47.9	80.1	-	0	-
2001	305	41.3	35,900	47.3	67.8	163.4	15.1	272	100.0
2002	121	71.7	28,005	-	95.3	231.4	-	0	-
2003	52	100.0	-	-	-	-	-	0	-
2004	101	76.0	4,604	-	72.0	151.2	-	0	-
2005	840	51.9	21,382	-	53.8	-	-	525	91.9
2006	166	53.3	11,957	-	72.9	-	-	649	100.0
2007	81	59.6	5,749	72.4	60.6	94.8	9.9	191	100.0
2008	41	71.7	2,240	-	52.8	-	-	0	-
2009	97	57.8	8,137	16.1	60.5	82.1	27.5	0	-
2010	31	59.4	4,449	62.9	75.1	145.6	25.6	52	100.0




Figure 77. Pelagic shark recreational harvest by state, 2010.

Table 127. Pelagic shark recreational catch by state, 2010.

State	Harvest Number	PSE (num)	Harvest Pounds	PSE (lb)	Mean Length (inches)	Mean Weight (lb)	PSE (lb)
Delaware	268	96.3	60,352	96.6	-	226.7	17.7
Maryland	43	102.4	3,572	-	58.9	-	-
Massachusetts	1,045	71.9	-	-	-	-	-
New Hampshire	135	100.0	-	-	-	-	-
New Jersey	1,513	100.2	-	-	68.2	-	-
New York	2,497	83.2	-	-	-	-	-
North Carolina	31	59.4	4,449	62.9	75.1	145.6	25.6

Table 128. North Carolina Division of Marine Fisheries highly migratory species landing summary, 2004.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
8-May	Hatteras	Charter	Yes	Blue Marlin	112.00	458.00
9-May	Oregon Inlet	Charter	Yes	Blue Marlin	113.00	525.00
8-Jun	Oregon Inlet	Charter	Yes	Blue Marlin	105.00	387.00
14-Jun	Morehead City	Charter	Yes	Blue Marlin	106.00	421.00
14-Jun	Morehead City	Charter	Yes	Blue Marlin	105.00	454.00
14-Jun	Morehead City	Charter	Yes	Blue Marlin	115.00	555.00
10-Aug	Manteo	Charter	Yes	Blue Marlin	118.00	496.00
29-Aug	Manteo	Charter	Yes	Blue Marlin	127.00	760.50

Table 129. North Carolina Division of Marine Fisheries highly migratory species landing summary, 2005.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
15-May	Wrightsville Beach	Charter	Yes	Blue Marlin	101.00	-
28-May	Swansboro	Private	Yes	Blue Marlin	112.00	509.00
29-May	Swansboro	Private	Yes	Blue Marlin	115.00	506.00
13-Jun	Morehead City	Charter	Yes	Blue Marlin	-	515.50
13-Jun	Morehead City	Private	Yes	Blue Marlin	-	491.50
13-Jun	Morehead City	Charter	Yes	Blue Marlin	108.00	415.00
14-Jun	Morehead City	Private	Yes	Blue Marlin	108.00	482.00
15-Jun	Morehead City	Private	Yes	Blue Marlin	114.00	500.00
16-Jun	Morehead City	Private	Yes	Blue Marlin	110.00	529.00
16-Jun	Morehead City	Private	Yes	Blue Marlin	113.00	489.50
18-Jun	Morehead City	Charter	Yes	Blue Marlin	110.00	507.00
23-Jun	Oregon Inlet	Charter	Yes	Blue Marlin	130.00	913.00
16-Aug	Manteo	Private	Yes	Blue Marlin	-	797.50
17-Aug	Manteo	Charter	Yes	Blue Marlin	118.00	605.50

Table 130. North Carolina Division of Marine Fisheries highly migratory species landing summary, 2006.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
10-May	Morehead City	Charter	Yes	Blue Marlin	104.00	-
17-May	Hatteras	Private	Yes	Blue Marlin	109.00	469.00
18-May	Hatteras	Charter	Yes	Blue Marlin	104.00	383.00
18-May	Hatteras	Private	Yes	Blue Marlin	110.00	563.00
12-Jun	Morehead City	Unknown	Yes	Blue Marlin	111.00	451.50
12-Jun	Morehead City	Private	Yes	Blue Marlin	108.00	432.50
13-Jun	Morehead City	Charter	Yes	Blue Marlin	100.00	373.00
16-Jun	Morehead City	Private	Yes	Blue Marlin	104.00	386.00
16-Jun	Morehead City	Charter	Yes	Blue Marlin	114.00	486.50
17-Jun	Morehead City	Charter	Yes	Blue Marlin	110.00	501.50
28-Jun	Unknown	Private	Yes	Blue Marlin	110.00	553.00
7-Sep	Oregon Inlet	Charter	No	Blue Marlin	121.00	540.00

Table 131. North Carolina Division of Marine Fisheries highly migratory species landing summary, 2007.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
7-Apr	Hatteras	Charter	Yes	Blue Marlin	109.00	395.00
16-May	Hatteras	Charter	Yes	Blue Marlin	110.00	428.00
17-May	DMF Call-in	Charter	Yes	Blue Marlin	114.00	613.50
11-Jun	Morehead City	Charter	Yes	Blue Marlin	107.00	370.50
11-Jun	Morehead City	Charter	Yes	Blue Marlin	115.00	613.00
11-Jun	Morehead City	Charter	Yes	Blue Marlin	110.00	473.50
15-Jun	Morehead City	Charter	Yes	Blue Marlin	106.00	505.50
15-Jun	Morehead City	Charter	Yes	Blue Marlin	108.00	422.50
15-Jun	Morehead City	Charter	Yes	Blue Marlin	113.00	567.00
4-Aug	Wrightsville Beach	Private	No	Swordfish	84.00	-
13-Aug	Oregon Inlet	Charter	Yes	Blue Marlin	119.00	-
16-Aug	Manteo	Charter	Yes	Blue Marlin	130.00	768.50
16-Aug	Manteo	Charter	Yes	Blue Marlin	120.00	625.50
25-Aug	DMF Call-in	Private	No	Swordfish	48.00	-
30-Aug	Oregon Inlet	Charter	Yes	Blue Marlin	143.00	1080.00

Table 132. North Carolina Division of marine Fisheries highly migratory species landing summary, 2008.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
15-May	Hatteras	Charter	Yes	Blue Marlin	110.00	454.50
17-May	Hatteras	Charter	Yes	Blue Marlin	101.00	345.50
17-May	Hatteras	Private	Yes	Blue Marlin	-	426.50
17-May	Hatteras	Charter	Yes	Blue Marlin	-	440.00
24-May	Swansboro	Private	Yes	Blue Marlin	108.00	503.50
24-May	Swansboro	Private	Yes	Blue Marlin	-	530.50
24-May	Swansboro	Private	Yes	Blue Marlin	110.00	465.50
24-May	Swansboro	Private	Yes	Blue Marlin	110.00	502.50
25-May	Swansboro	Private	Yes	Blue Marlin	-	637.00
25-May	Swansboro	Private	Yes	Blue Marlin	112.00	546.50
25-May	Swansboro	Private	Yes	Blue Marlin	112.00	549.50
26-May	Oregon Inlet	Charter	Yes	Blue Marlin	111.00	475.00
28-May	Hatteras	Charter	Yes	Blue Marlin	105.00	473.00
31-May	Hatteras	Charter	No	Blue Marlin	109.00	439.00
1-Jun	Hatteras	Charter	No	Blue Marlin	115.00	541.00
3-Jun	Hatteras	Charter	No	Blue Marlin	102.00	375.00
9-Jun	Morehead City	Private	Yes	Blue Marlin	112.00	458.50
9-Jun	Morehead City	Private	Yes	Blue Marlin	110.00	463.00
9-Jun	Morehead City	Private	Yes	Blue Marlin	112.00	537.00
9-Jun	Morehead City	Private	Yes	Blue Marlin	114.00	555.50
9-Jun	Morehead City	Private	Yes	Blue Marlin	121.00	640.00
11-Jun	Morehead City	Private	Yes	Blue Marlin	125.00	553.50
14-Jun	Oregon Inlet	Charter	No	Blue Marlin	105.00	420.00
23-Jun	Oregon Inlet	Charter	No	White Marlin	73.00	85.00
15-Aug	Manteo	Private	Yes	Blue Marlin	144.00	1228.50

Table 133. North Carolina Division of marine Fisheries highly migratory species landing summary, 2009.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
27-Apr	Wrightsville Beach	Private	No	Swordfish	65.00	150.0
15-May	Morehead City	Private	Yes	Blue Marlin	110.00	581.5
23-May	Morehead City	Private	Yes	Blue Marlin	0.00	472.0
23-May	Morehead City	Private	Yes	Blue Marlin	0.00	441.5
23-May	Morehead City	Private	Yes	Blue Marlin	117.00	645.5
24-May	Morehead City	Private	Yes	Blue Marlin	108.00	424.0
6-Jun	Morehead City	Charter	Yes	Blue Marlin	109.00	464.0
10-Jun	Morehead City	Private	Yes	Blue Marlin	107.00	439.0
10-Jun	Morehead City	Private	Yes	Blue Marlin	106.00	344.5
12-Jun	Morehead City	Charter	Yes	Blue Marlin	98.00	349.0
13-Jun	Morehead City	Charter	Yes	Blue Marlin	112.00	466.0
12-Aug	Morehead City	Charter	Yes	Blue Marlin	126.00	755.0
14-Aug	Wrightsville Beach	Private	No	Swordfish	60.00	110.0

Table 134. North Carolina Division of marine Fisheries highly migratory species landing summary, 2010.

Date	Port	Trip Type	Tournament	Species	Length (inches)	Weight (pounds)
29-May	Oregon Inlet	Charter	No	Blue Marlin	101	489.0
29-May	Oregon Inlet	Charter	No	Blue Marlin	116	560.0
5-Jun	Oregon Inlet	Charter	No	Blue Marlin	100	0.0
2-Jun	Oregon Inlet	Charter	No	Blue Marlin	110	455.0
27-Jun	Oregon Inlet	Charter	No	Blue Marlin	109	481.0
1-Aug	Oregon Inlet	Charter	No	Blue Marlin	127	764.0
14-May	Morehead City	Private	Yes	Blue Marlin	120	394.0
15-May	Morehead City	Private	Yes	Blue Marlin	104	455.0
15-May	Morehead City	Private	Yes	Blue Marlin	112	530.0
29-May	Morehead City	Private	Yes	Blue Marlin	110	424.4
14-Jun	Morehead City	Charter	Yes	Blue Marlin	138	883.0
16-Jun	Morehead City	Charter	Yes	Blue Marlin	113	582.3
18-Jun	Morehead City	Charter	Yes	Blue Marlin	107	460.0
16-Sep	Oregon Inlet	Charter	No	Blue Marlin	121	582.0
22-Oct	Oregon Inlet	Charter	No	Sailfish	65	0.0

Table 135. North Carolina recreational Atlantic bluefin tuna (ABT) landings, June 1, 1999 through May 31, 2011 (number of fish landed).

Date	Manteo/Oregon			Morehead	Wilmington	Call-In	Total
	Inlet	Hatteras	Ocracoke	City	South		
06/01/1999 - 05/31/2000	-	320	6	169	86	12	593
06/01/2000 - 05/31/2001	1	106	3	145	20	-	275
06/01/2001 - 05/31/2002	-	10	-	96	1	3	110
06/01/2002 - 05/31/2003	1	17	4	147	9	-	178
06/01/2003 - 05/31/2004	-	-	-	1	-	-	1
06/01/2004 - 05/31/2005	-	1	-	47	-	1	49
06/01/2005 - 05/31/2006	-	12	-	2	1	-	15
06/01/2006 - 05/31/2007	18	28	-	16	7	-	69
06/01/2007 - 05/31/2008	172	65	-	11	-	1	249
06/01/2008 - 05/31/2009	83	56	-	2	-	-	141
06/01/2009 - 05/31/2010	376	192	-	-	-	9	577
06/01/2010 - 05/31/2011	160	163	-	-	-	5	328
Total	811	970	13	636	124	31	2,585

* Does not include trophy category.




Figure 78. Atlantic Coast saltwater fishing trips by state and mode, 2010.

Table 136. Atlantic Coast saltwater fishing trips by state and mode, 2010.

State	Number of Trips					Total
	Shore	Party/Charter	Private/Rental	Man Made	Beach/Bank	
Connecticut	608,537	26,210	855,580	-	-	1,436,406
Delaware	410,678	7,668	415,282	-	-	919,745
East Florida	4,373,870	126,518	5,685,031	-	-	10,141,668
Georgia	396,473	7,414	561,329	-	-	851,463
Maine	388,354	14,762	339,185	-	-	1,013,725
Maryland	1,226,864	107,045	1,667,070	-	-	2,810,856
Massachusetts	1,280,758	69,491	2,257,911	-	-	3,605,740
New Hampshire	98,219	9,407	93,500	-	-	414,337
New Jersey	2,346,309	152,256	3,322,574	-	-	5,444,283
New York	1,735,956	192,225	2,389,994	-	-	4,916,891
North Carolina	-	155,824	2,253,879	1,628,131	2,055,257	5,697,517
Rhode Island	736,464	22,620	505,171	-	-	1,041,782
South Carolina	1,046,433	72,263	1,063,120	-	-	2,391,327
Virginia	898,896	25,571	1,681,903	-	-	2,984,055
Grand Total	15,547,811	989,274	23,091,529	1,628,131	2,055,257	43,669,795

* Shore mode is separated into man made and beach/bank in North Carolina only.




Figure 79. Saltwater fishing trips in North Carolina by year and mode, 1991-2010.

Table 137. Saltwater fishing trips in North Carolina by year and mode, 1991-2010.

Year	Number of Trips								
	Party/ Charter	PSE	Private/ Rental	PSE	Man Made	PSE	Beach/ Bank	PSE	Total
1991	96,819	11.9	1,150,644	5.2	1,017,651	8.2	1,497,278	10.7	3,762,392
1992	95,019	11.0	1,368,396	3.4	1,135,564	6.0	1,773,025	7.8	4,372,004
1993	130,929	7.7	1,436,184	3.7	1,316,431	6.2	1,832,538	8.0	4,716,082
1994	186,188	9.5	1,483,954	3.6	1,595,701	5.5	1,904,294	7.5	5,170,137
1995	214,238	7.4	1,315,166	3.3	1,432,925	5.8	2,144,338	7.6	5,106,667
1996	240,970	8.3	1,390,553	3.9	1,245,056	7.0	1,865,242	7.9	4,741,821
1997	295,820	8.0	1,570,089	3.7	1,252,716	6.4	1,772,884	7.3	4,891,509
1998	241,001	6.7	1,638,009	4.1	1,135,830	6.6	1,446,621	9.1	4,461,461
1999	221,369	6.9	1,860,564	4.3	1,013,535	8.7	1,459,571	9.1	4,555,039
2000	193,056	7.8	2,224,041	4.6	1,775,565	8.5	2,267,348	9.1	6,460,010
2001	201,731	7.6	2,168,925	4.2	1,832,293	6.8	2,446,598	8.5	6,649,547
2002	183,262	6.9	1,940,880	4.3	1,515,529	7.4	1,946,451	8.2	5,586,122
2003	173,573	7.8	2,180,687	4.5	2,277,182	7.4	2,102,022	7.9	6,733,464
2004	178,335	6.7	2,542,824	4.4	2,110,328	8.5	2,195,631	9.1	7,027,118
2005	303,804	10.3	2,353,569	4.2	1,980,210	8.1	2,148,335	8.9	6,785,918
2006	289,914	6.6	2,656,155	4.2	2,073,130	8.9	2,227,317	10.8	7,246,516
2007	286,122	7.3	2,783,516	4.4	1,897,366	9.7	2,012,304	10.1	6,979,308
2008	282,958	7.8	2,550,207	4.5	2,038,901	7.9	2,308,667	8.6	7,180,733
2009	219,180	6.1	2,031,935	4.6	1,553,506	10.0	1,892,896	11.4	5,697,517
2010	215,799	5.2	2,253,879	4.7	1,628,131	9.1	2,055,257	9.7	6,153,066

Appendix 4. North Carolina MRIP sampling locations.

Site #	Site Name	Location
Dare County		
0026	Buxton Beach	Buxton
0126	Mann's Harbor Marina (Hwy 64/264)	Mann's Harbor
0150	Oregon Inlet Fishing Center	Oregon Inlet
0157	New Bridge St. Ramp (Colington Cntr)	Kill Devil Hills
0195	Private Boat Club (So. Shores Marina)	Kitty Hawk
0206	Teach's Lair Island Yacht Club	Hatteras
0226	Willis Boat Landing (Pamlico Sound)	Hatteras
0254	Village Marina Motel (Rt 12)	Hatteras
0262	Oregon Inlet South	Oregon Inlet
0264	Cape Point (4-WD)	Hatteras
0265	Hatteras Inlet (4-WD)	Hatteras
0326	Little Bridge Fishing Center and Pier	Roanoke Island
0328	Manteo Waterfront	Manteo
0394	Nags Head Fishing Pier (Rt 12)	Nags Head
0410	Headquarters Area (Pea Island NWR)	Pea Island
0415	Avalon Pier (Kitty Hawk Area)	Kitty Hawk
0419	Cape Hatteras Pier (Frisco)	Hatteras
0423	Hatteras Fishing Pier (Rodanthe)	Hatteras
0427	Jeanette's Ocean Fishing Pier	Bodie Island
0428	Kitty Hawk Fishing Pier	Kitty Hawk
0433	Outer Banks Pier	S. Nags Head
0450	Oregon Inlet Bridge	Oregon Inlet
0474	Hatteras Harbor Marina	S. Hatteras
0498	Wildlife Ramp (Rt 158)	Kitty Hawk Bay
0500	Oregon Inlet North Shore (NPS)	Oregon Inlet
0501	Pirates Cove Marina (Rt 64)	Manteo-Nags Head
0503	Salty Dawg Marina (Rt 64)	Manteo-Nags Head
0569	Dare County Public Boat Ramp (Rt 345)	Wanchese
0570	Peter Mashoes Creek Landing (SR 1113)	Marshoes
0571	Wildlife Resources Ramp (SR 1113)	Marshoes
0574	Beach Access Ramp 20	Rodanthe
0575	Beach Access Ramp 23	Salvo
0576	Beach Access Ramp 27	Salvo
0577	Beach Access Ramp 30	Rodanthe
0578	Beach Access Ramp 34	Avon
0579	Beach Access Ramp 38	S. Avon
0630	Wildlife Ramp (off Hwy 64E)	Alligator River
0653	Oden's Dock	Hatteras

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Dare County		
0670	Avon Fishing Pier (Hwy 12)	Avon
0705	Calvin Street Walk Over	Kill Devil Hills
0706	First Street	Kill Devil Hills
0080	WRC Ramp Roanoke Island	Manteo
0801	Public Beach Access (E. Gulfstream St)	S. Nags Head
0802	Public Beach Access (E. Bonnett St)	Nags Head
0803	Public Beach Access (E. Forest St)	Nags Head
0804	Off Island Roanoke Snd (behind lighthse)	S. Nags Head
0805	Public Beach Access (E. Epstein St)	Nags Head
0808	Ramp 49	Frisco
0809	Stumpy Point WRC Ramp	Stumpy Point
0810	Thicket Lump Marina (Davis Yacht Facility)	Wanchese
0812	County Line Bridge (Hwy 264)	Long Shoal
0850	Hatteras Landing Marina (next to ferry)	Hatteras
Hyde County		
0046	Clarks Marina	Swanquarter
0090	Harborside Motel and Ramp	Ocracoke
0111	O'Neils Dock	Ocracoke
0171	Rose Bay Marina and Grocery	Scranton
0400	Ocracoke Inlet Beach N and S	Ocracoke
0454	Fisherman's Wharf Marina	Swanquarter
0463	Wildlife Ramp (Pecan Grove)	Swanquarter
0465	Swanquarter Wildlife Refuge and Pier	Swanquarter
0520	Big Trout Marina	Engelhard
0521	Hatteras Inlet Beach	Ocracoke
0545	Germantown Camp (SR 1140)	Scranton
0550	Jarvis Motel and Marina	Swanquarter
0632	Wildlife Ramp (Hwy 264)	Engelhard
0684	Silver Lake Boat Basin (Drum Charters)	Ocracoke
0690	Ocracoke Public Access Ramp	Ocracoke
0900	Anchorage Marina (Silver Lake)	Ocracoke
Currituck County		
0806	Corolla Beach Access Ramp (Rt 12)	Corolla
0807	WRC Public Access	Popular Branch
Tyrell County		
0022	Bull's Bay Boatel (Rt 2)	Columbia
0183	Wildlife Ramp on Alligator River	Gum Neck

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Beaufort County		
0004	Pamlico Marina	Bath
0250	Pantego Creek Marina	Belhaven
0477	Belhaven City Ramp	Belhaven
0489	South of Pantego Creek Bridge	Belhaven
0493	Pungo River bank (near CeeBee)	Belhaven
0505	CeeBee Marina	Belhaven
0507	Leechville Ramp (Hwy 264)	Belhaven
0530	Durham's Creek Ramp	(SR 1954)
0531	Goose Creek Park Ramp	(SR 1365)
0532	Campbell's Creek Wildlife Ramp	(HWY 33)
0538	Hwy 17 Bridge (Night activity)	Washington
0539	City Ramp	Washington
0551	Jordan's Seafood Boat Ramp	Wright's Creek
0552	Bath Bridge	Bath
Carteret County		
0002	Anchorage Marina	Atlantic Beach
0012	Calico Jackson's Inn	Harkers Island
0064	Dudley's Gulf Auto-Marine SVC	Swansboro
0072	Fisherman's Inn	Harkers Island
0083	Harkers Island Fishing Center	Harkers Island
0139	Morehead Sports Marina (Radio Island)	Beaufort
0140	Morris Kabin Kamp and Marina (Atlantic)	Core Sound
0202	Swansboro Yacht Basin/Flying Bridge Marina	Swansboro
0215	Triple-Ess Marina(Hwy 58-Bogue Banks)	Atlantic Beach
0237	Atlantic Beach Causeway Marina	Atlantic Beach
0240	Crows Nest Marina (Morehead-Atlantic)	Atlantic Beach
0268	Atlantic Beach, NC (Bogue Banks)	Morehead City
0311	Duke Marine Lab and NOAA Lab	Piver's Island
0390	Morehead City Municipal Dock	Morehead City
0393	Camp Glen (Hwy 70)	Morehead City
0417	Bogue Inlet Fishing Pier	Emerald Isle
0425	Indian Beach Fishing Pier	Indian Beach
0426	Iron Steamer Resort Pier (Pine Knoll Shores)	Atlantic Beach
0434	Oceana Fishing Pier	Atlantic Beach
0441	Sportsman's Pier	Atlantic Beach
0443	Triple "S" Fishing Pier	Atlantic Beach
0467	Island Harbor Marina	Emerald Isle
0468	Fort Macon State Park	Atlantic Beach
0469	Wildlife Access Ramp (NC 24)	Swansboro
0494	Emerald Isle Public Access Area	Emerald Isle

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Carteret County		
0541	Beaufort Bridge	Gallant Channel
0542	Front Street	Beaufort
0548	Captain Stacy Fishing Center	Atlantic Beach
0612	Seagate Marina (SR1161)	Core Creek
0613	Marshallberg Ramp (SR1161)	Marshallberg
0614	Harkers Island Bridge (SR 1335)	Harkers Island
0615	Seventy West Marina	Morehead City
0616	Mason's Marina	Core Creek
0617	Sportsman's Village (SR 1318)	South River
0618	Monroe Gaskills (Hwy 12)	Cedar Island Bay
0619	Radio Island Marina	Morehead-Beaufort
0620	Coral Bay Marina	Morehead City
0621	Ward Creek Bridge	Hwy 70
0622	North River Bridge	Hwy 70
0623	Oyster Creek Bridge(Hwy 70)	Davis
0624	Smyrna Creek Bridge (Hwy 70)	Williston
0625	Williston Creek Bridge	Williston
0626	Thorofare Ramp (Hwy 12)	Cedar Island
0627	Eugene Willis Texaco	Atlantic
0628	Barbour's Harbor Marina (SR 1335)	Harkers Island
0634	Bailey's Marina (Causeway)	Atlantic Beach
0635	Fisherman's Inn (Causeway)	Atlantic Beach
0639	Sea Water Marina	Atlantic Beach
0640	Radio Island Causeway Pier	Morehead-Beaufort
0642	Radio Island Beach	Morehead-Beaufort
0648	Osprey Oaks Marina	Broad Creek
0649	Fort Macon Marina	Atlantic Beach
0650	Sheraton Pier	Bogue Banks
0651	Alger Willis Fishing Camp	Davis
0671	Harkers Island Pier	Harkers Island
0691	Stella Municipal Ramp (White Oak River)	Stella
0693	Waterway Marina (NC 24)	Cedar Point
0694	Waterway RV Park (off NC 24)	Cedar Point
0695	Goose Creek Resort (off NC 24)	Ocean
0696	Cedar Point Villas Marina	Cedar Point
0702	Carteret Co. Sportfishing Ramp	Beaufort
0703	Cedar Island NWR Ramp (SR 1388)	Cedar Island
0704	Cedar Creek Campgr. and Marina	Sea Level
0810	Morehead City Yacht Basin	Morehead City
0825	The Reef	Atlantic Beach

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Craven County		
0216	Union Point Marina (Trent River)	New Bern
0543	Wildlife Ramp (SR 1490)	Bridgeton
0544	Wildlife Ramp (SR 1717)	Hancock Creek
0666	Hancock Marina, MCAS	Cherry Point
0667	Ordinance Point Boat Ramp, MCAS	Cherry Point
0668	Pelican Point Marina	Cherry Point
0669	Slocum Creek Marina	Cherry Point
Onslow County		
0001	Salt's Pier	N. Topsail Beach
0023	Bull's Place (Hwy 24, White Oak)	Swansboro
0038	Casper Marine Service (Swansboro ICW)	White Oak River
0055	New River Marina (New River Inlet)	Sneads Ferry
0063	Onslow Co. Public Access #1 (Seahaven)	Surf City
0116	Tide Line Marina (52 Kerr St, New River)	Jacksonville
0161	Shell Rock Landing (SR 1503, ICW)	Bogue Inlet
0209	Nancy Lee's Sportfishing Center (Hwy 24)	Swansboro
0241	Gilliam's S. Dunn - Swan Point Marina	Sneads Ferry
0341	Sneads Ferry Marina	Sneads Ferry
0407	Swansboro Bicentennial Park	Swansboro
0506	Beach/Bank at Topsail	Ocean City
0525	Access at New River Inlet Drive	Topsail Island
0536	Bull's Place (Hwy 12)	Sneads Ferry
0637	Wildlife Ramp (Hwy 210)	TopSail Island
0660	Riseley Pier (off NC 172, Onslow Beach)	Camp Lejeune
0661	Onslow Beach Recreation Area	Camp Lejeune
0662	Gottschark Marina, Marine Corp Base	Camp Lejeune
0663	Court House Bay Marina	Camp Lejeune
0665	Base Marina, MAS, New River	New River
0672	New River Inlet, N. Topsail Island	Topsail Island
0673	New River Wildlife Ramp	Jacksonville
0674	Turkey Creek Wildlife Ramp	Folkstone
0679	Mile Hammock Bay (TLZ Bluebird)	Camp Lejeune
0680	Across from Rogers Bay Campground	Topsail Beach
0692	Hammock's Beach Mainland Park	Swansboro
0697	Hammock's Bch @ Park (SR 1511)	Swansboro
0698	ICW Bridge @ Onslow MCB	Camp Lejeune
0699	Onslow Beach Access #4	Topsail Shores
0700	French Creek	Camp Lejeune
0701	Hospital Point Recreation Area	Camp Lejeune

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Pamlico County		
0132	R. E. Mayo (ICW)	Hobucken
0151	Oriental Marina (Neuse River)	Oriental
0160	Radcliff's Marina (Bay River)	Bayboro
0331	Minnesott Pier	Minnesott Beach
0340	River Neuse Pier	Oriental
0533	Oyster Creek Ramp (SR 1235)	Lowland
0534	Oriental Wildlife Ramp (SR 1308)	Oriental
0535	Dawson Creek Wildlife Ramp (SR 1302)	Oriental
New Hanover		
0019	Bradley Creek 66 Marina	Wrightsville Bch
0035	Carolina Beach	Carolina Beach
0223	Williams Boat Dock & Marina	Wilmington
0246	Johnson's Marine Inc. (Middle Sound Rd)	Wilmington
0274	Kure Beach	Kure
0302	Canady's Marina Service (Mason Lndng Rd)	Wilmington
0396	Fort Fisher State Beach (Hwy 421)	Fort Fisher
0406	Masonboro Inlet (Coast Guard Station)	Wrightsville Bch
0421	Crystal Pier	Wrightsville Bch
0430	Johnny Mercers Pier	Wrightsville Bch
0452	Kure Beach Pier	Wrightsville Bch
0475	NC State Park	Carolina Beach
0492	Wrightsville Beach Wildlife Ramp	Wrightsville Bch
0510	Beach Adjacent to Holiday Inn	Wrightsville Bch
0629	Atlantic Marine	Wrightsville Bch
0631	Bridge (S. end of Wrightsville Beach)	Wrightsville Bch
0645	Wrightsville Beach (N. end of Mason Inlet)	Wrightsville Bch
0646	Carolina Beach	Carolina Beach
0681	Fort Fisher State Park (Hwy 421)	Kure Beach
0682	Wildlife Ramp (Masonboro Sound)	Carolina Beach
0687	Bridge Tender Marina	Wrightsville Bch
0689	Carolina Beach NW Extension	Carolina Beach
0710	Mason's Marina	Wilmington
0711	Boat House Marina	Wilmington
0712	Dockside Marina	Wilmington
0751	Wildlife Ramp (Cape Fear Mem. Bridge)	Wilmington
0902	Carolina Beach Pier	Carolina Beach

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Pender County		
0002	Scott's Hill Marina	Scotts Hill
0025	Bush's Repair Center (Rt1)	Topsail Sound
0178	Surf City Beach/Bank (CAMA access)	Surf City
0405	New Topsail Inlet	Topsail Beach
0445	Jolly Roger's Pier	Topsail Beach
0448	Surf City Ocean Pier	Surf City
0497	Harbour Village Marina,	Surf City
0641	Hampstead Marina	Hampstead
0900	South Topsail Beach/Bank	Topsail Beach
0901	Sound Pier Market	S. Topsail
Brunswick County		
0010	Tripp's Fishing Center	Shallotte
0015	Oak Beach Inn and Marina	Long Beach
0078	Garland's Place Marina and Boat Ramp	Long Beach
0113	Mace's Seafood	Holden Beach
0196	Southport Boat Harbor (ICW)	Southport
0279	Sunset Beach Fishing Pier	Sunset Beach
0282	Yaupon Beach fishing Pier	Yaupon Beach
0388	Ocean Isle Pier	Shallotte
0391	Holden Beach	Holden Beach
0424	Holden Beach Fishing Pier	Holden Beach
0470	Southport Marina, Inc. / Sure Catch Tackle	Southport
0471	Watt's Charter Boats	Southport
0473	Long Beach	Long Beach
0476	Hugh's Marina and Boat Ramp	Shallotte Point
0518	Beach/Bank (East end of Ocean Isle)	Shallotte Inlet
0519	Beach/Bank (Fayetteville Street)	Ocean Isle Bch
0522	Long Beach Fishing Pier	Long Beach
0523	Ocean Crest Motel and Pier	Long Beach
0526	Southport Municipal Pier	Southport
0527	Ocean Isle Marina	Ocean Isle Bch
0528	NC Wildlife Comm. Boating Facility	Sunset Harbor
0633	Capt. Pete's Seafood	Holden Beach
0636	NC Wildlife Comm. Boating Facility	Long Beach Rd
0643	Ocean Isle Beach	Ocean Isle Beach
0644	Sunset Beach	Sunset Beach
0675	Ocean Isle Grocery and Marine	Ocean Isle
0676	Sunset Beach Charter	Sunset Beach
0677	Captain Jim's Marina	Calabash
0678	Holden Beach Marina	Holden Beach

Appendix 4. North Carolina MRIP sampling locations (continued).

Site #	Site Name	Location
Brunswick County		
0685	Marsh Harbor Marina	Hwy 179
0713	Sea Mist Campground	Shallotte
0714	Intracoastal Marine	Holden Beach
0715	Calabash Marine	Calabash
0716	Pelican Point Marina	Ocean Isle

Appendix 5. NCDMF highly migratory species reporting stations.

Facility	City	Facility	City
Anchorage Marina	Atlantic Beach	Holden Beach Marina	Holden Beach
Bahama Bob's	Atlantic Beach	Oregon Inlet Fishing Center	Manteo
Captain Stacy's Fishing Center	Atlantic Beach	Pirates Cove	Manteo
Seawater Marina	Atlantic Beach	Brian Melott	Mobile DMF
Olde Towne Yacht Club	Beaufort	Kelly Hawk	Mobile DMF
Town Creek Marina	Beaufort	Dennis Trowell	Mobile DMF
Hurricane Fishing Center	Calabash	Anne Pearce	Mobile DMF
Seagull Bait and Tackle	Carolina Beach	Andrea Olsen	Mobile DMF
Call-in	DMF Call-in	William Hatfield	Mobile DMF
Island Harbor Marina	Emerald Isle	Gulf Dock	Morehead City
Harker's Island Fishing Center	Harker's Island	Portside	Morehead City
Ballance Oil Company	Hatteras	Ocean Isle Fishing Center	Ocean Isle
Hatteras Harbor Marina	Hatteras	Anchorage Marina	Ocracoke
Hatteras Landing Marina	Hatteras	Southport Fishing Center	Southport
Oden's Dock	Hatteras	Nancy Lee Fishing Center	Swansboro
Teach's Lair Marina	Hatteras	Boathouse Marina	Wrightsville Beach
Village Marina	Hatteras	Bridge Tender Marina	Wrightsville Beach
HMS Call-in	HMS Call-in		

Appendix 6. North Carolina MRIP Intercept Form.

2. ASSIGNMENT NO. Place indicate if this is your first or second assignment by writing "1" or "2"

3. INTERVIEWER ID

4. YR/MO/DAY

5. INTERVIEW NUMBER

6. INTERVIEW TIME (use 2400 clock)

7. STATE CODE 8. COUNTY CODE

9. SITE CODE

10. INTERVIEW STATUS (key item=1) Questionnaire complete Refused Non-Key Item Refused Key Item

OMB H.O. 0648-0052 (EXP. 04/30/2011)

READ PRIVACY ACT. This study is being conducted in accordance with the privacy act of 1974. You are not required to answer any question that you consider to be an invasion of your privacy.

11. Would you say you were fishing from:

0 Pier 1 Dock

SH 2 Jetty, Break water 3 Bridge, Causeway

4 Other Man-made 5 Beach/Bank (For Beach/Bank only - additional hours required in Q16)

6 Headboat 7 Charterboat 8 Private Boat 9 Rental Boat

11a. Were you tournament fishing today?

1 Yes 2 No 9 Refused

11b. Did you see any sea turtles while fishing today?

1 Yes, alive 2 Yes, dead 3 No

12. Was most of your (specify mode) fishing effort today in the Atlantic Ocean or another waterbody? (If other probe, use DMF waterbody code, and code q. 13 as "8").

1 Atlantic Ocean

2 Other, (use DMF waterbody code and code 13 as "8"). _____

BOX A. If response to Q11 is SH mode AND response to Q12 is "ocean/gulf/open bay" code Q13 as "1," 3 miles or less. (If response to Q12 is "2" through "6," code Q13 as "Not Applicable")

13. Was that.....

1 Three Miles or Less 8 NC Waterbody (does not apply)

2 More Than Three Miles

13a. Were you fishing near an Artificial Reef?

01 No 88 SH If yes, enter reef code 98=unknown

13b. What was the length of the boat used in feet? Boat Length

14. What type of gear was primarily used? (Select only one)

01 Hook & Line 05 Seine 09 Hand

02 Dip Net, A-frame 06 Trawl 10 Other (Specify) _____

03 Cast Net 07 Trap 98 Unknown

04 Gill Net 08 Spear 99 Refused

15a. To the nearest half-hour, how many hours have you spent (specify mode) fishing today? That is, how many hours have you actually spent with your gear in the water?

. No. of hours Code as "99.9" if DK or Refused

15b. [PR only] To the nearest half-hour, how many hours have you spent on the boat, away from the dock, today?

. No. of hours Code as "99.9" if DK or Refused

Not Applicable - SH mode

16. (Ask if Beach or Bank) How many additional hours do you expect to fish from shore today? That is, how many more hours will you actually have your gear in the water?

. Additional BB Hours (only if Q11=5)

Not fishing from beach or bank

17. Were you fishing for any particular kinds of fish today? If yes, what kinds?

No Particular Species/Anything

1st Target

2nd Target

18. Not counting today, within the past 12 months, that is since (insert month) of last year, how many days have you gone saltwater sport fin fishing in IIC or from a boat launched in IIC?

No. of days 998 Don't know 999 Refused

19. Not counting today, within the past 2 months, how many days?

No. of days 998 Don't know 999 Refused

20. What is your state and county of residence?

If county unknown, ask: What city or town do you live in?

State code: Name _____

County code: Name _____

21. What is the zip code of your residence?

Zip Code

99998 Don't Know

99999 Refused

99997 Foreign Country

22. Do you live in a private residence, or in some type housing such as a dorm, barracks, nursing home or rooming house?

1 Private Residence 8 Don't Know

2 Institutional Housing (Code Q 23 as 8 and skip to 23a) 9 Refused

23. Does your home have a landline telephone? That is, a telephone other than a cellular phone?

1 Yes 2 No 8 9 Refused

23a. Sex

1 Male 2 Female

23b. How old were you on your last birthday?

Years 99 Refused

- -

Name and Phone not given Angler age 16 or under

24. In the event my supervisor wishes to verify that I have been conducting interviews here today, may I have a name and home phone number? Day Night

Appendix 6. North Carolina MRIP Intercept Form (continued).

BOX B. [If headboat ride-along:] Is this one of the anglers you monitored for discard (Type 9) catch?

Yes No Not a headboat ride

*25. **UNAVAILABLE CATCH.** Did you land any fish that are not here for me to look at? For example, any that you may have thrown back or used for bait? IF YES, COMPLETE TYPE 2 RECORD FOR THIS INDIVIDUAL ANGLER ONLY. DO NOT INCLUDE ANY CATCH THAT WAS CAUGHT BY ANOTHER ANGLER. UNGROUPED CATCH ONLY. NOTE: FILLETS ARE UNAVAILABLE CATCH.

NOT GROUP CATCH

TYPE 2 RECORDS	SPECIES CODE	DISP	# OF FISH	DISPOSITION CODES																																																		
1 _____	<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>											<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>											1. Thrown back alive/legal 2. Thrown back alive/not legal/legal/tyref. 3. Eaten/plan to eat 4. Used for bait/plan to use for bait 5. Sold/plan to sell 6. Thrown back dead/plan to throwback 7. Some other purpose 8. Don't know/Didn't ask 9. Refused
2 _____																																																						
3 _____																																																						
4 _____																																																						
5 _____																																																						

*26. Did you catch any fish while you were fishing that I might look at?

1 Yes

2 No Code q. 27, 28, 29 as "8's" Not Applicable

3 Yes, BUT fish on another angler's form. Fill in interview# where fish are listed. Code q. 27, 28, 29 as "8's" Not Applicable

*29. How many anglers, including yourself, have their catch here? Please do not include anyone who did not catch fish.

No. of contributors **88** Not Applicable

BOX C. If q. 11 SH mode, code q. 30 as "88" and box D as "8."

*27. Did you catch these yourself or did someone else catch some of them?

1 All caught by angler - Code q. 28, 29 as "8's" Not Applicable

2 Other contributors

8 Not Applicable

*30. How many people fished on your boat today?

No. of people **88** Shore Mode

BOX D. If response to q. 30 is 1, code as "8" Not Applicable. Otherwise, is this the 1st angler from this boat that I have interviewed?

1 Yes **8** Not Applicable

2 No Record interview# of 1st angler in the fishing party

*28. Can you separate out your individual catch?

1 Yes, Code 29 as "88" 2 No 8 Not Applicable

30a. Is vessel on DMF List?

1 Yes 2 No 3 Non-coop. 8 SH

Vessel Name _____

No Name Record Vessel ID to determine "on list" status. If "on list" cannot be confirmed, Q10 = Status 5. (Note: This question must be completed for all charter and head boat interviews, regardless of mode of assignment).

*31. **AVAILABLE CATCH, COMPLETE TYPE 3 RECORD BY ASKING: May I look at your fish? What do you plan to do with the ABJORITY of the species.**

TYPE 3 RECORDS	SPECIES CODE	# OF FISH	LENGTH (mm)	WEIGHT (kg)	DISP																																																																																																																																																																																																	
1 _____	<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																																																																									<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>																									<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>																									<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>																									<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>																									<table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>																								
2 _____																																																																																																																																																																																																						
3 _____																																																																																																																																																																																																						
4 _____																																																																																																																																																																																																						
5 _____																																																																																																																																																																																																						
6 _____																																																																																																																																																																																																						
7 _____																																																																																																																																																																																																						
8 _____																																																																																																																																																																																																						
9 _____																																																																																																																																																																																																						
10 _____																																																																																																																																																																																																						
11 _____																																																																																																																																																																																																						
12 _____																																																																																																																																																																																																						

*32 Do you have a license that allows you to harvest saltwater fish in this state? 1. YES 2. NO 3. Lifetime (if yes ask Q33)

*33 When did you purchase your current license (enter mm/yy) Month _____ Year _____ Don't know _____

34. I appreciate your time for this interview. Would you be willing to participate in a follow-up mail survey? YES NO DON'T KNOW/H/A

35. Would you be willing to provide your email address also instead? YES NO DON'T KNOW/H/A

Name _____

Email address _____

Street Address _____

City, ST _____

ZIP _____

Appendix 7. Glossary of terminology in MRIP survey.

GLOSSARY

Avidity: The frequency of fishing activity, measured as number of days on which fishing trips were made.

Type A catch: Fish that were caught, were landed whole, and were available for identification and enumeration by the interviewers. In addition, the fish were potentially available for weighing and measuring.

Type B catch: Fish that were caught but were either not kept or not available for identification.

Type B1 catch: Fish that were caught and filleted, released dead, given away, or disposed of in some way other than Types A or B2.

Type B2 catch: Fish that were caught and released alive.

Total catch: The number of fish caught but not necessarily brought ashore, may be obtained by summing catch types A and B or by summing catch types A, B1, and B2. The total number of fish removed from the fishery resource may be obtained by summing catch types A and B1.

Coastal counties: All counties in the coastal states of the United States with some portion within 25 miles of the coastline were included in the telephone household survey. This boundary was extended to 50 miles in the South Atlantic and Gulf of Mexico from May through October. The boundary was extended further in North Carolina to 50 miles November through April and 100 miles May through October.

Coastal resident: An angler who lived in a coastal county included in the telephone household survey.

Coastal state: A state bordering on the Atlantic or Pacific Ocean, the Gulf of Mexico or the Caribbean Sea. State also includes a Territory or Commonwealth.

EEZ (U.S. Exclusive Economic Zone): The MFCMA defines this zone as contiguous to the Territorial Sea of all the United States and its possessions and extending seaward 200 nautical miles measured from the baseline from which the Territorial Sea is measured.

Fishery Management Plan (FMP): A plan developed by a Regional Fishery Management Council and the Secretary of the Department of Commerce to manage a fishery resource pursuant to the Magnuson Fishery Conservation and Management Act of 1976.

Fishing access site: Fishing access site refers to the name and location of the place where anglers were intercepted. Each intercept site was given a unique name and code number. The fishing access site did not define the mode of fishing since anglers may have used more than one mode at any given site.

Fishing trip: Fishing during part or all of 1 day in one mode. An angler who fished from both a pier and a beach on the same day made one fishing trip since the pier and the beach are both in the shore mode. However, an angler who fished from a head boat in the morning and from a pier in the afternoon is counted as having made two fishing trips--a head boat trip and a shore trip.

Hours fished: The amount of time an angler actively fished in a mode with fishing gear in the water. If an angler spent time fishing at other sites on the same day, that time was also included provided

the fishing was done in the same mode. Not included was the travel time in a boat or travel time between sites.

Household: A household consisted of all persons who occupied a housing unit. The unit must have been intended for year-round use, not seasonal or migratory use.

Intercept survey or creel census: Interviewing anglers and examining their catch upon completion of their fishing trip, or under certain circumstances, while they were still fishing.

Length and weight of fish: Length and weight measurements were obtained from a sample of fish brought ashore in whole form by intercepted anglers. If more than 10 fish of the same species were brought ashore in whole form, 10 fish were randomly selected to be weighed and measured. If 10 or less fish of the same species were brought ashore in whole form, each fish was weighed and measured. For fish with a forked tail, fork length was measured from the tip of the longest jaw or the snout, whichever was terminal with the mouth closed, to the center of the fork. For fish with a non-forked tail, total length was measured from the tip of the longest jaw or the snout, whichever was terminal with the mouth closed, to the tip of the caudal lobe or fin. Weight was measured to the nearest tenth of a kilogram (1 kilogram is approximately 2.2 pounds). Length was measured to the nearest millimeter (1 millimeter is approximately 0.039 inches).

Marine recreational anglers: Those people who fished in marine waters primarily for recreational purposes. Their catch was primarily for home consumption, although occasionally a part or all of their catch may have been sold and entered commercial channels. Specifically for this survey, marine recreational anglers were defined as follows: In the telephone household survey, an angler was anyone who had been marine recreational fishing in the 12 months prior to telephone household contact, and an eligible angler was anyone who had been marine recreational fishing 2 months prior to the telephone household contact. In the intercept survey an eligible angler was anyone just completing a finfishing trip, or in certain cases, someone who was still fishing.

Marine recreational fishing: Fishing primarily with hook and line for pleasure, amusement, relaxation, or home consumption. If part or all of the catch was sold, the monetary returns constituted an insignificant part of the person's income.

Mode of fishing: The type of place or platform from which marine recreational fishing occurs. There are three modes, including shore, private/rental, and for-hire.

- 1) **Shore:** A shore may be:
 - **Pier, dock:** A structure built over the water and supported by pillars.
 - **Jetty:** A kind of wall, usually made of rocks, built out into the water or parallel to the shore to restrain currents or protect a harbor.
 - **Breakwater:** An offshore structure used to protect a harbor or breach from the forces of waves.
 - **Bridge:** An elevated or raised way across wet ground or water.
 - **Causeway:** A connecting channel.
 - **Beach:** A level stretch of pebbles or sand beside a body of water, often washed by high water.
 - **Bank:** A stretch of rising land at the edge of a body of water not washed by high water, which could be rocks or an overhanging cliff.
- 2) **Private/Rental:** A boat belonging to an individual or one that is rented. No crew is provided; operated by the owner/renter.
- 3) **For-Hire:** For-Hire may be:
 - **Headboat:** A boat operated by licensed captain usually carrying greater than seven anglers. Fees are paid on a per head (angler) basis.

- **Charter Boat:** A boat operating under charter for a price, time, etc. It is operated by a licensed captain and crew and the participants are part of a pre-formed group of anglers. Thus, charters are usually closed parties. Note: Charter boats may make all-day or half-day trips.

Non-coastal resident: An angler who lived in a particular county of a coastal state that was not included in the telephone household survey.

Out-of-state resident: An angler who lived in a state other than the coastal state in which he fished.

Ocean: For the purposes of the survey, ocean is divided into two categories: The ocean 3 miles or less from shore (Territorial Sea) and the ocean more than 3 miles from shore (Exclusive Economic Zone). However, the boundary for state and federal jurisdiction on the Gulf of Mexico coast of Florida is 3 marine leagues, or 10 miles, from shore. Not included are sounds, inlets, rivers, bays, etc.

Inland: Other bodies of saltwater besides the oceans. Included are sounds, inlets, and tidal portions of rivers, bay, estuaries, and other areas of salt or brackish water.

State of fishing access (State of intercept): The state in which the fishing or intercept site was located. For boat fishing, it was the state from which the boat departed the shoreline for fishing.

State of residence: The state in which the angler lived and maintained his permanent residence.

U.S. Territorial Sea: A zone extending 3 nautical miles from shore for all states except the Gulf coast of Florida where the seaward boundary is 3 marine leagues (approximately 10 statute miles).

Wave: A wave is one of the following 2-month intervals:

1. January/February (Wave 1)
2. March/April (Wave 2)
3. May/June (Wave 3)
4. July/August (Wave 4)
5. September/October (Wave 5)
6. November/December (Wave 6)

Appendix 8. Data elements in MRIP survey.

DATA ELEMENTS

Dockside Interviews

- State and county of residence
- Avidity level - trips per year
- Mode of fishing
- Primary area of fishing
- Number of anglers contributing to catch
- Number, weights, and lengths of fish caught by species

Telephone Survey

- Presence of marine recreational anglers in the household
- Number of anglers per household
- Fishing trips in 2-month period
- Mode of each trip
- Location (county) of each trip

Intercept Data

- Date, location, and site of interview
- Mode of fishing
- Tournament fishing status
- Fishing location
- Gear type
- Hours of fishing time
- Targeted species
- Number of days fished in last year
- State and county of residence
- Sex and age of angler
- Number and types of Type 2 fish (unavailable catch)
- Number of contributors and people in fishing party
- Length and weight of Type 3 fish (available catch)

Expanded Data

- Estimated number of trips in a mode
- Percent of trips in a mode
- Number of trips in a particular mode and area
- Data on groups or types of fish caught in a mode or area
- Estimated numbers of Type A, B1, or B2 fishes caught or released (including variances)
- Estimated weights or lengths of specific types of fish (including variances)
- Number of interviews conducted in specific modes or sites by year, month, etc.
- Catch per trip (including variances)
- Mean weight and/or length of fish from a specific area, mode, etc.

CONTACTS

The MRIP is administered by the NMFS Office of Science & Technology, Fisheries Statistics Division. Several states including North Carolina manage the dockside sampling portion of the survey. For additional information regarding the survey, please consider the list below.

North Carolina Division of Marine Fisheries
Don Hesselman, Chief, License & Statistics
P.O. Box 769
Morehead City, NC 27889
800-682-2632
Don.Hesselman@ncdenr.gov

North Carolina Division of Marine Fisheries
Doug Mumford
943 Washington Square Mall
Washington NC, 27889
800-338-7804
Doug.Mumford@ncdenr.gov

North Carolina Division of Marine Fisheries
Chris Wilson
943 Washington Square Mall
Washington NC, 27889
800-338-7804
Chris.Wilson@ncdenr.gov

Chapter IV: STRIPED BASS CREEL SURVEY IN THE CENTRAL AND SOUTHERN MANAGEMENT AREA PROGRAM AND STATISTICS

TABLE OF CONTENTS

PROGRAM NARRATIVE	IV-2
SURVEY METHODOLOGY	IV-2
CONTACTS	IV-42

LIST OF TABLES

Table 138. Measures of central tendency for lengths and weights of striped bass (observed), 2004 through 2010.	IV-6
Table 139. Reported and observed catches by species and disposition, 2004 through 2010.	IV-7
Table 140. Reported targeted species by frequency and percent, 2004 through 2010.....	IV-12
Table 141. Estimated striped bass effort and catch in the CSMA with proportional standard error in parentheses, 2004 through 2010.	IV-15
Table 142. Estimated effort, harvest, and discard for striped bass in the Neuse River system by month, 2004 through 2010.	IV-18
Table 143. Estimated effort, harvest, and discard for striped bass in the Tar/Pamlico River by month, 2004 through 2010.....	IV-20
Table 144. Estimated effort, harvest, and discard for striped bass in the Pungo River by month, 2004 through 2010.	IV-23
Table 145. Estimated average catch (harvest + discard) per unit effort in the CSMA by month, 2004 through 2010.	IV-26
Table 146. Observed North Carolina striped bass angler residency by county and river fished, 2004 through 2010.	IV-28
Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010.	IV-30

LIST OF FIGURES

Figure 80. Map of study area including sampling sites and description of upper and lower zones, 2004 through 2010.	IV-35
Figure 81. Length frequencies by percent of total observed striped bass from the Neuse River, 2004 through 2010.	IV-36
Figure 82. Length frequencies by percent of total observed striped bass from the Pamlico River, 2004 through 2010.	IV-37
Figure 83. Length frequencies by percent of total observed striped bass from the Pungo River, 2004 through 2010.	IV-38

LIST OF APPENDICES

Appendix 9. CSMA creel survey interview form.....	IV-39
Appendix 10. CSMA creel survey socioeconomic questions.....	IV-40
Appendix 11. CSMA creel survey assignment summary form.	IV-41

PROGRAM NARRATIVE

Coastal striped bass (*Morone saxatilis*) populations have continuously provided a popular and economically important fishery in North Carolina. Although past surveys have covered a considerable area, data were lacking in the Central/Southern Management Area (CSMA) where the stock was listed as overfished in 2003. The 2004 North Carolina Estuarine Striped Bass Fishery Management Plan addressed this issue, calling for assessments of the fishery. A comprehensive creel survey was initiated in January 2004 to identify the recreational component of striped bass harvests in the CSMA.

SURVEY METHODOLOGY

Study Area

The Central/Southern Management Area includes all internal coastal, joint, and contiguous inland waters of North Carolina south of a line from Roanoke Marshes Point across to Eagle Nest Bay to the South Carolina state line. The areas surveyed in the CSMA include the Neuse, Trent, Tar/Pamlico, and Pungo rivers. The Neuse River basin drains over 6,200 square miles of land with 3,880 total miles of streams and rivers. The mouth of the main channel is six miles across – the widest in the United States. Over 1.3 million residents reside within this river basin. Major tributaries include Crabtree, Swift, and Contentnea creeks, along with the Eno, Little, and Trent rivers. Survey points included 29 boat ramps from Anderson Point Park in East Raleigh to Lee's Landing on Broad Creek. The river was divided, with all access points above Contentnea Creek classified as the upper zone, and those downstream, the lower zone (Figure 80).

The Tar/Pamlico River watershed covers 5,571 square miles of land in an area that includes over 400,000 residents. With over 2,500 fishing stream miles, 17 miles of coastline, and nearly 4,000 acres of lakes and reservoirs, the Tar/Pamlico watershed provides numerous fishing opportunities. Major tributaries include Cokey Swamp, Swift, Fishing, and Tranters creeks, and the 30-mile Pungo River near Belhaven, North Carolina – the main tributary in the lower basin. Access points surveyed on the Tar/Pamlico River include 14 boat ramps from Battle Park in Rocky Mount to the Quarterdeck Marina in Bath, NC. This system was divided into upper and lower zones, with sites upstream of Grimesland, NC considered the upper zone (Figure 80). The Pungo River was surveyed at the Leechville ramp (NC-264 bridge), the Belhaven NCWRC ramp, and Cee Bee Marina on Pungo Creek. The southernmost rivers in the CSMA (White Oak, New, Cape Fear, and

Shalotte rivers) were excluded from the study area due to comparatively low recreational striped bass catch based on anecdotal evidence (personal communication NCDMF, Fritz Rohde).

Sampling Procedures

Recreational fishing statistics from the CSMA were calculated through a non-uniform probability stratified access-point creel survey (Pollock et al. 1994) on the Neuse, Pamlico, and Pungo rivers from 1 January to 31 December. Site probabilities were set in proportion to the likely use of the site according to time of day, day of the week, and season. Probabilities for this survey were assigned based on observed effort in the 2004 CSMA creel survey. Morning and afternoon periods were assigned unequal probabilities of conducting interviews, with each period representing half a fishing day. A fishing day was defined as the period from 1.5 hours after sunrise until 1.0 hour after sunset. These values varied among rivers and zones due to differing fishing pressure. Monthly sampling periods for each river and zone were stratified accordingly, and all weekend/holiday dates along with two randomly selected weekdays were chosen from each week for sampling.

Tar/Pamlico River anglers in the upper zone were interviewed throughout the spring months (15 March through 31 May), while anglers in the lower zone were interviewed year-round based on the evidence of a year-round fishery and no seasonal closures. Two creel clerks were assigned to this river, with one surveying each zone March through May and both clerks surveying the lower zone from June through February. Similarly, the upper zone of the Neuse River was surveyed in the spring months (15 March through 31 May), while the lower zone was surveyed year-round. Two creel clerks were assigned to this area. The Pungo River was surveyed throughout the year with one creel clerk.

Returning fishing parties were interviewed by a creel clerk at the selected access point to obtain information regarding party size, effort, total number of fish harvested and/or released, primary fishing method, and location (a.k.a. one intercept). Harvested fish were identified, counted, measured (nearest mm fork length), and weighed to the nearest 0.1 kg, while information on discarded fish was obtained from the angler(s) to acquire the number and status of discarded individuals. Scale collections were taken from available fish to determine age of catch. The age structures were given to the Fisheries Management section of NCDMF for age determination. Creel clerks also obtained socioeconomic information from the angler(s), including age, state and county of residence, sex, ethnic background, marital status, number of individuals within household, and trip information and

expenditures. The survey instrument used by creel clerks for interviews and assignment summary records are shown in Appendix 9 through Appendix 11.

Analyses

Effort and Catch Estimations

Samples were reduced to striped bass effort and catch only. Results were stratified by river, access point, and time of day. Catch was defined as the sum of harvested fish and discarded fish. Discarded fish equaled the sum of fish caught in excess of creel limits (over-creel), legal-sized fish caught and released, and sub-legal fish returned to the water. Daily effort and catch for each river were calculated by expanding observed numbers by the sample unit probability (time of day probability times access area probability). Total catch estimates for the CSMA and catch estimates for each zone and type of day were calculated based on the Horvitz-Thompson estimator for non-uniform probability sampling as such:

$$C = \sum_{i=1}^n (c_i / p_i)$$

where a sample of n units is taken, and the probability of the i th unit being in the sample is denoted by p_i (Pollock et al. 1994). Total effort over the CSMA and each individual zone and type of day were estimated in the same fashion, as were other extrapolated data. Approximate standard errors (SE) of the catch and effort estimates within zone and type of day were calculated according to:

$$SE = \sqrt{N^2 \left(\frac{s^2}{n} \right)}$$

where s^2 is the variance of the observations, n is the number of days sampled, and N is the number of days of that type available for sampling (Pollock et al. 1994). Proportional Standard Error (PSE) was calculated by dividing the standard error by the estimate and multiplied by 100 to express the standard error as a percentage to allow the reader to make quick comparisons of precision among surveys. Estimated catch per unit effort (CPUE) values were obtained by dividing estimated catch by estimated striped bass trips as well as angler hours (angler-h) in order to identify trends in fishing pressure and angler success. Size structure of striped bass in harvests was described for each zone using length-frequency distributions of observed samples. Fishing party characteristics and methods utilized during striped bass trips reported by anglers were documented by river and day

type. The database was created using Access[®] and statistical analyses were performed with SAS 9.1[®].

Angler Demographics and Economic Analysis

The CSMA Creel Survey socioeconomic questionnaire (Appendix 10) included questions to identify characteristics of the striped bass angling population. Demographics of anglers were reported according to age, residency, gender, ethnic background, marital status, and expressed as a percentage of the total angling population throughout the CSMA. Mean values were calculated and reported with PSE. Results were further grouped by river and day type. Anglers were considered to be local, regional, or out-of-state residents. Local anglers resided within the county, while regional anglers resided elsewhere in North Carolina. The socioeconomic questionnaire also included questions regarding trip length, distance traveled, party size, and expenses on lodging, food, ice, bait, equipment rental, and boat fuel and oil. Mean weighted expenditures per trip were reported by river and day type. The weighted mean of each expenditure was totaled to provide an average trip cost.

Pollock, K. H., C. M. Jones, and T. L. Brown. 1994. Angler survey methods and their applications in fisheries management. American Fisheries Society. Special Publication 25, Bethesda, Maryland.

Table 138. Measures of central tendency for lengths and weights of striped bass (observed), 2004 through 2010.

Year	River	Length (inches)				Weight (pounds)			
		Number	Minimum	Maximum	Average	Number	Minimum	Maximum	Average
2004	Lower Neuse River	152	17.2	30.3	22.6	152	2.1	12.1	4.2
	Upper Tar River	6	20.4	30.4	23.6	5	2.1	11.6	5.6
	Lower Tar/ Upper Pamlico River	84	18.5	32.3	22.4	84	2.3	10.6	4.4
	Pungo River	189	18.3	28.6	21.4	189	2.2	7.7	3.5
	Total	431	17.2	32.3	22.0	430	2.1	12.1	3.9
2005	Upper Neuse River	4	21.1	27.1	23.7	4	2.9	7.7	4.8
	Lower Neuse River	82	18.4	31.6	22.7	82	2.0	11.2	4.1
	Upper Tar River	7	16.7	23.7	20.4	7	2.0	4.9	3.5
	Lower Tar/ Upper Pamlico River	99	16.5	32.2	22.7	99	2.4	14.8	4.6
	Pungo River	143	18.0	29.3	21.8	143	0.8	6.0	3.5
	Total	335	16.5	32.2	22.3	335	0.8	14.8	4.0
2006	Lower Neuse River	43	19.0	28.9	21.9	43	2.2	8.4	3.4
	Lower Tar/ Upper Pamlico River	28	17.7	30.0	20.5	28	2.7	12.1	3.6
	Pungo River	61	17.6	26.1	21.8	61	2.1	5.3	3.4
	Total	132	17.6	30.0	21.5	132	2.1	12.1	3.5
2007	Lower Neuse River	65	18.8	28.0	21.3	65	2.0	7.5	3.1
	Lower Tar/ Upper Pamlico River	17	18.3	30.2	22.2	17	2.2	11.9	4.8
	Pungo River	47	16.8	25.0	20.9	47	1.5	5.7	3.3
	Total	129	16.8	30.2	21.3	129	1.5	11.9	3.4
2008	Lower Neuse River	11	19.7	26.2	21.2	11	2.4	5.7	3.9
	Lower Tar/ Upper Pamlico River	12	18.5	23.8	20.3	12	2.4	5.3	3.7
	Pungo River	27	18.3	24.0	20.5	27	2.0	5.7	3.2
	Total	50	18.3	26.2	20.6	50	2.0	5.7	3.5
2009	Lower Neuse River	6	18.5	23.5	21.7	6	2.2	4.6	3.5
	Lower Tar/ Upper Pamlico River	44	17.2	21.7	19.9	44	2.2	4.9	3.4
	Pungo River	45	18.5	24.0	20.9	45	2.2	6.0	3.4
	Total	95	17.2	24.0	20.5	95	2.2	6.0	3.4
2010	Lower Neuse River	6	18.5	23.5	21.7	6	2.2	4.6	3.5
	Lower Tar/ Upper Pamlico River	44	17.2	21.7	19.9	44	2.2	4.9	3.4
	Pungo River	45	18.5	24.0	20.9	45	2.2	6.0	3.4
	Total	95	17.2	24.0	20.5	95	2.2	6.0	3.4
Total		1,172	16.5	32.3	21.8	1,171	0.8	14.8	3.8

Table 139. Reported and observed catches by species and disposition, 2004 through 2010.

Year	Common Name	Scientific Name	Harvest	Discards				Total	Percent Total
				Legal Sized	Over Creel	Sub-Legal	Slot-Limit (22-27")*		
2004	American Eel	<i>Anguilla rostrata</i>	0	7	0	1	-	8	0.03
	American Shad	<i>Alosa sapidissima</i>	20	19	0	4	-	43	0.18
	Atlantic Croaker	<i>Micropogonias undulatus</i>	42	222	0	252	-	516	2.17
	Atlantic Menhaden	<i>Brevoortia tyrannus</i>	0	13	0	0	-	13	0.05
	Black Crappie	<i>Pomoxis nigromaculatus</i>	512	450	0	40	-	1,002	4.20
	Black Drum	<i>Pogonias cromis</i>	11	5	0	2	-	18	0.08
	Bluefish	<i>Pomatomus saltatrix</i>	29	10	0	23	-	62	0.26
	Bowfin	<i>Amia calva</i>	6	331	0	1	-	338	1.42
	Catfishes	Ictaluridae	175	494	0	82	-	751	3.15
	Chain Pickerel	<i>Esox niger</i>	2	109	0	0	-	111	0.47
	Clearnose Skate	<i>Raja eglanteria</i>	0	4	0	0	-	4	0.02
	Common Carp	<i>Cyprinus carpio</i>	2	3	0	0	-	5	0.02
	Creek Chubsucker	<i>Erimyzon oblongus</i>	0	8	0	0	-	8	0.03
	Flounders	<i>Paralichthys</i> spp.	0	1	0	77	-	78	0.33
	Gizzard Shad	<i>Dorosoma cepedianum</i>	2	3	0	0	-	5	0.02
	Hickory Shad	<i>Alosa mediocris</i>	267	376	0	6	-	649	2.72
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	16	1	0	16	-	33	0.14
	Inshore Lizardfish	<i>Synodus foetens</i>	0	0	0	1	-	1	0.00
	Largemouth Bass	<i>Micropterus salmoides</i>	185	1,153	18	1,949	-	3,305	13.87
	Longnose Gar	<i>Lepisosteus osseus</i>	1	104	0	5	-	110	0.46
	Pigfish	<i>Orthopristis chrysoptera</i>	0	5	0	0	-	5	0.02
	Pinfish	<i>Lagodon rhomboides</i>	8	19	0	9	-	36	0.15
	Red Drum	<i>Sciaenops ocellatus</i>	10	10	0	1,000	-	1,020	4.28
	Redfin Pickerel	<i>Esox americanus americanus</i>	0	4	0	2	-	6	0.03
	River Herrings	<i>Alosa</i> spp.	182	7	0	0	-	189	0.79
	Southern Flounder	<i>Paralichthys lethostigma</i>	335	25	1	1,548	-	1,909	8.01
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	1	0	0	2	-	3	0.01
	Spot	<i>Leiostomus xanthurus</i>	67	98	0	18	-	183	0.77
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	116	5	0	367	-	488	2.05
	Stingrays	Dasyatidae	0	1	0	0	-	1	0.00
	Striped Bass	<i>Morone saxatilis</i>	424	186	2	1,153	-	1,765	7.41
	Striped Mullet	<i>Mugil cephalus</i>	36	20	0	0	-	56	0.23
	Summer Flounder	<i>Paralichthys dentatus</i>	1	0	0	10	-	11	0.05
	Sunfishes	Centrarchidae	2,110	7,288	2	199	-	9,599	40.28
	Weakfish	<i>Cynoscion regalis</i>	0	1	0	1	-	2	0.01
	White Perch	<i>Morone americana</i>	643	434	0	108	-	1,185	4.97
	Yellow Perch	<i>Perca flavescens</i>	245	69	0	1	-	315	1.32
	All		5,448	11,485	23	6,877	-	23,833	100.00
2005	American Eel	<i>Anguilla rostrata</i>	0	4	0	0	-	4	0.01
	American Shad	<i>Alosa sapidissima</i>	42	36	0	0	-	78	0.26
	Atlantic Croaker	<i>Micropogonias undulatus</i>	27	175	41	44	-	287	0.97
	Black Crappie	<i>Pomoxis nigromaculatus</i>	638	565	0	139	-	1,342	4.51
	Black Drum	<i>Pogonias cromis</i>	1	20	0	2	-	23	0.08
	Bluefish	<i>Pomatomus saltatrix</i>	8	20	0	52	-	80	0.27
	Bowfin	<i>Amia calva</i>	0	383	0	7	-	390	1.31
	Catfishes	Ictaluridae	335	853	0	81	-	1,269	4.27
	Chain Pickerel	<i>Esox niger</i>	1	124	0	7	-	132	0.44
	Clearnose Skate	<i>Raja eglanteria</i>	0	7	0	0	-	7	0.02

**Table 139. Reported and observed catches by species and disposition, 2004 through 2010
(continued).**

Year	Common Name	Scientific Name	Harvest	Discards				Total	Percent Total
				Legal Sized	Over Creel	Sub-Legal	Slot-Limit (22-27")*		
2005	Common Carp	<i>Cyprinus carpio</i>	0	7	0	0	-	7	0.02
(cont)	Cynoscion spp.	<i>Cynoscion</i> spp.	0	0	0	31	-	31	0.10
	Flounders	<i>Paralichthys</i> spp.	0	0	0	5	-	5	0.02
	Gizzard Shad	<i>Dorosoma cepedianum</i>	0	27	0	0	-	27	0.09
	River Herrings	<i>Alosa</i> spp.	0	51	0	0	-	51	0.17
	Hickory Shad	<i>Alosa mediocris</i>	283	1,155	10	0	-	1,448	4.87
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	11	1	0	2	-	14	0.05
	Largemouth Bass	<i>Micropterus salmoides</i>	77	1,323	26	2,375	3	3,804	12.80
	Longnose Gar	<i>Lepisosteus osseus</i>	1	50	0	7	-	58	0.20
	Opsanus tau	<i>Opsanus tau</i>	0	2	0	0	-	2	0.01
	Pinfish	<i>Lagodon rhomboides</i>	0	30	0	3	-	33	0.11
	Red Drum	<i>Sciaenops ocellatus</i>	45	22	6	328	-	401	1.35
	Redfin Pickerel	<i>Esox americanus</i>	0	8	0	1	-	9	0.03
	River Herrings	<i>Alosa</i> spp.	379	56	4	0	-	439	1.48
	Southern Flounder	<i>Paralichthys lethostigma</i>	181	19	7	505	-	712	2.40
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	5	0	0	8	-	13	0.04
	Spot	<i>Leiostomus xanthurus</i>	24	24	0	29	-	77	0.26
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	162	18	9	1,836	-	2,025	6.81
	Striped Bass	<i>Morone saxatilis</i>	376	171	22	2,263	3	2,835	9.54
	Striped Mullet	<i>Mugil cephalus</i>	1	1	0	0	-	2	0.01
	Suckers	Catostomidae	0	1	0	0	-	1	0.00
	Sunfishes	Centrarchidae	3,399	8,650	0	276	-	12,325	41.46
	Tarpon	<i>Megalops atlanticus</i>	0	1	0	1	-	2	0.01
	Weakfish	<i>Cynoscion regalis</i>	2	0	0	6	-	8	0.03
	White Perch	<i>Morone americana</i>	967	438	66	25	-	1,496	5.03
	Yellow Perch	<i>Perca flavescens</i>	130	138	15	5	-	288	0.97
	All		7,095	14,380	206	8,038	6	29,725	100.00
2006	American Eel	<i>Anguilla rostrata</i>	0	4	0	0	-	4	0.03
	American Shad	<i>Alosa sapidissima</i>	21	16	0	0	-	37	0.24
	Atlantic Croaker	<i>Micropogonias undulatus</i>	5	23	0	219	-	247	1.60
	Atlantic Stingray	<i>Dasyatis sabina</i>	0	1	0	0	-	1	0.01
	Black Crappie	<i>Pomoxis nigromaculatus</i>	347	178	0	2	-	527	3.42
	Black Drum	<i>Pogonias cromis</i>	14	1	0	0	-	15	0.10
	Bluefish	<i>Pomatomus saltatrix</i>	10	33	0	11	-	54	0.35
	Bowfin	<i>Amia calva</i>	0	191	0	0	-	191	1.24
	Catfishes	Ictaluridae	88	215	0	14	-	317	2.05
	Chain Pickerel	<i>Esox niger</i>	0	51	0	0	-	51	0.33
	Clearnose Skate	<i>Raja eglanteria</i>	0	9	0	0	-	9	0.06
	Common Carp	<i>Cyprinus carpio</i>	0	0	0	1	-	1	0.01
	Cownose Ray	<i>Rhinoptera bonasus</i>	0	10	0	0	-	10	0.06
	Gizzard Shad	<i>Dorosoma cepedianum</i>	0	10	0	0	-	10	0.06
	Gulf Flounder	<i>Paralichthys albigutta</i>	1	0	0	2	-	3	0.02
	Hickory Shad	<i>Alosa mediocris</i>	321	934	0	2	-	1,257	8.15
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	7	0	0	30	-	37	0.24
	Largemouth Bass	<i>Micropterus salmoides</i>	26	741	7	814	-	1,588	10.29
	Longnose Gar	<i>Lepisosteus osseus</i>	0	22	0	2	-	24	0.16
	Pinfish	<i>Lagodon rhomboides</i>	0	102	0	3	-	105	0.68
	Red Drum	<i>Sciaenops ocellatus</i>	42	11	0	717	1	771	5.00

**Table 139. Reported and observed catches by species and disposition, 2004 through 2010
(continued).**

Year	Common Name	Scientific Name	Harvest	Discards				Total	Percent Total
				Legal Sized	Over Creel	Sub-Legal	Slot-Limit (22-27")*		
2006	River Herrings	<i>Alosa</i> spp.	23	10	0	0	-	33	0.21
(cont.)	Southern Flounder	<i>Paralichthys lethostigma</i>	1,096	5	1	495	-	1,597	10.35
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	3	0	0	0	-	3	0.02
	Spot	<i>Leiostomus xanthurus</i>	59	39	0	78	-	176	1.14
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	1,160	68	37	2,619	-	3,884	25.18
	Striped Bass	<i>Morone saxatilis</i>	184	142	4	848	-	1,178	7.64
	Striped Mullet	<i>Mugil cephalus</i>	0	2	0	0	-	2	0.01
	Sunfishes	Centrarchidae	835	1,863	0	32	-	2,730	17.70
	Tarpon	<i>Megalops atlanticus</i>	0	1	0	0	-	1	0.01
	Weakfish	<i>Cynoscion regalis</i>	0	0	0	1	-	1	0.01
	White Perch	<i>Morone americana</i>	179	86	0	9	-	274	1.78
	Yellow Perch	<i>Perca flavescens</i>	140	148	0	2	-	290	1.88
	All		4,561	4,916	49	5,901	1	15,428	100.00
2007	American Eel	<i>Anguilla rostrata</i>	0	0	0	1	-	1	0.01
	American Shad	<i>Alosa sapidissima</i>	15	1	0	0	-	16	0.10
	Atlantic Croaker	<i>Micropogonias undulatus</i>	199	387	0	18	-	604	3.80
	Black Crappie	<i>Pomoxis nigromaculatus</i>	210	60	0	16	-	286	1.80
	Bluefish	<i>Pomatomus saltatrix</i>	30	155	0	0	-	185	1.17
	Bowfin	<i>Amia calva</i>	0	101	0	0	-	101	0.64
	Catfishes	Ictaluridae	114	322	0	21	-	457	2.88
	Chain Pickerel	<i>Esox niger</i>	0	10	0	0	-	10	0.06
	Creek Chubsucker	<i>Erimyzon oblongus</i>	0	3	0	0	-	3	0.02
	Cynoscion spp.	<i>Cynoscion</i> spp.	0	0	0	2	-	2	0.01
	Gizzard Shad	<i>Dorosoma cepedianum</i>	0	2	0	0	-	2	0.01
	Hickory Shad	<i>Alosa mediocris</i>	6	11	0	0	-	17	0.11
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	14	0	0	171	-	185	1.17
	Largemouth Bass	<i>Micropterus salmoides</i>	71	1,025	2	315	-	1,413	8.90
	Longnose Gar	<i>Lepisosteus osseus</i>	0	27	0	0	-	27	0.17
	Pinfish	<i>Lagodon rhomboides</i>	0	15	0	0	-	15	0.09
	Red Drum	<i>Sciaenops ocellatus</i>	66	55	7	532	-	660	4.16
	Redfin Pickerel	<i>Esox americanus americanus</i>	2	6	0	0	-	8	0.05
	Southern Flounder	<i>Paralichthys lethostigma</i>	170	33	2	1,382	-	1,587	9.99
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	0	1	0	0	-	1	0.01
	Spot	<i>Leiostomus xanthurus</i>	232	185	0	60	-	477	3.00
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	1,578	60	19	2,010	-	3,667	23.09
	Striped Bass	<i>Morone saxatilis</i>	192	96	12	2,139	-	2,439	15.36
	Striped Mullet	<i>Mugil cephalus</i>	10	17	0	0	-	27	0.17
	Sunfishes	Centrarchidae	970	2,191	0	58	-	3,219	20.27
	Weakfish	<i>Cynoscion regalis</i>	16	1	0	43	-	60	0.38
	White Perch	<i>Morone americana</i>	265	97	0	21	-	383	2.41
	Yellow Perch	<i>Perca flavescens</i>	5	21	0	0	-	26	0.16
	All		4,165	4,882	42	6,789	-	15,878	100.00
2008	American Eel	<i>Anguilla rostrata</i>	0	7	0	0	0	7	0.05
	American Shad	<i>Alosa sapidissima</i>	39	0	0	0	0	39	0.30
	Atlantic Croaker	<i>Micropogonias undulatus</i>	198	272	0	2	0	472	3.60
	Black Crappie	<i>Pomoxis nigromaculatus</i>	238	65	0	44	0	347	2.64
	Black Drum	<i>Pogonias cromis</i>	94	6	0	0	0	100	0.76
	Bluefish	<i>Pomatomus saltatrix</i>	24	84	0	0	0	108	0.82

**Table 139. Reported and observed catches by species and disposition, 2004 through 2010
(continued).**

Year	Common Name	Scientific Name	Harvest	Discards				Total	Percent Total
				Legal Sized	Over Creel	Sub-Legal	Slot-Limit (22-27")*		
2008	Bowfin	<i>Amia calva</i>	0	38	0	0	0	38	0.29
(cont.)	Catfishes	<i>Ictaluridae</i>	118	329	0	2	0	449	3.42
	Chain Pickerel	<i>Esox niger</i>	0	10	0	0	0	10	0.08
	Gizzard Shad	<i>Dorosoma cepedianum</i>	0	4	0	0	0	4	0.03
	Hickory Shad	<i>Alosa mediocris</i>	67	34	0	0	0	101	0.77
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	4	0	0	0	0	4	0.03
	Largemouth Bass	<i>Micropterus salmoides</i>	52	824	2	206	0	1,084	8.26
	Longnose Gar	<i>Lepisosteus osseus</i>	0	17	0	0	0	17	0.13
	Red Drum	<i>Sciaenops ocellatus</i>	30	26	6	294	0	356	2.71
	Southern Flounder	<i>Paralichthys lethostigma</i>	395	18	0	2,278	0	2,691	20.50
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	48	5	0	156	0	209	1.59
	Spot	<i>Leiostomus xanthurus</i>	98	29	0	0	0	127	0.97
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	1,210	55	42	1,664	0	2,971	22.63
	Striped Bass	<i>Morone saxatilis</i>	59	182	23	877	4	1,145	8.72
	Striped Mullet	<i>Mugil cephalus</i>	6	2	0	0	0	8	0.06
	Sunfishes	Centrarchidae	906	1,620	0	30	0	2,556	19.47
	Weakfish	<i>Cynoscion regalis</i>	38	8	0	79	0	125	0.95
	White Perch	<i>Morone americana</i>	145	12	0	0	0	157	1.20
	Yellow Perch	<i>Perca flavescens</i>	0	2	2	0	0	4	0.03
	All		3,769	3,649	75	5,632	4	13,129	100.00
2009	American Eel	<i>Anguilla rostrata</i>	0	1	0	0	0	1	0.01
	American Shad	<i>Alosa sapidissima</i>	4	0	0	0	0	4	0.02
	Atlantic Croaker	<i>Micropogonias undulatus</i>	2,134	396	0	0	0	2,530	14.06
	Black Crappie	<i>Pomoxis nigromaculatus</i>	136	46	0	23	0	205	1.14
	Black Drum	<i>Pogonias cromis</i>	28	0	0	0	0	28	0.16
	Bluefish	<i>Pomatomus saltatrix</i>	17	66	0	0	0	83	0.46
	Bowfin	<i>Amia calva</i>	0	38	0	0	0	38	0.21
	Catfishes	<i>Ictaluridae</i>	2,104	68	0	4	0	2,176	12.09
	Chain Pickerel	<i>Esox niger</i>	0	2	0	0	0	2	0.01
	Common Carp	<i>Cyprinus carpio</i>	0	3	0	0	0	3	0.02
	Gizzard Shad	<i>Dorosoma cepedianum</i>	0	4	0	0	0	4	0.02
	Hickory Shad	<i>Alosa mediocris</i>	3	19	0	0	0	22	0.12
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	8	1	0	0	0	9	0.05
	Largemouth Bass	<i>Micropterus salmoides</i>	8	563	0	130	0	701	3.89
	Longnose Gar	<i>Lepisosteus osseus</i>	0	16	0	0	0	16	0.09
	Pinfish	<i>Lagodon rhomboides</i>	0	21	0	0	0	21	0.12
	Red Drum	<i>Sciaenops ocellatus</i>	35	15	7	339	11	407	2.26
	Redfin Pickerel	<i>Esox americanus americanus</i>	0	3	0	0	0	3	0.02
	Southern Flounder	<i>Paralichthys lethostigma</i>	427	23	0	1,766	0	2,216	12.31
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	31	8	0	0	0	39	0.22
	Spot	<i>Leiostomus xanthurus</i>	2,048	53	0	6	0	2,107	11.71
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	1,416	119	34	1,487	0	3,056	16.98
	Striped Bass	<i>Morone saxatilis</i>	96	191	1	361	103	752	4.18
	Striped Mullet	<i>Mugil cephalus</i>	1	4	0	0	0	5	0.03
	Sunfishes	Centrarchidae	904	1,408	0	15	0	2,327	12.93
	Tarpon	<i>Megalops atlanticus</i>	0	7	0	0	0	7	0.04

**Table 139. Reported and observed catches by species and disposition, 2004 through 2010
(continued).**

Year	Common Name	Scientific Name	Harvest	Discards				Total	Percent Total
				Legal Sized	Over Creel	Sub-Legal	Slot-Limit (22-27")*		
2009	Weakfish	<i>Cynoscion regalis</i>	6	0	0	4	0	10	0.06
(cont.)	White Perch	<i>Morone americana</i>	1,183	27	0	11	0	1,221	6.78
	Yellow Perch	<i>Perca flavescens</i>	2	3	0	0	0	5	0.03
	All		10,591	3,105	42	4,146	114	17,998	100.00
2010	Atlantic Croaker	<i>Micropogonias undulatus</i>	148	441	-	6	-	595	5.92
	Black Crappie	<i>Pomoxis nigromaculatus</i>	139	81	-	103	-	323	3.21
	Black Drum	<i>Pogonias cromis</i>	4	0	-	0	-	4	0.04
	Bluefish	<i>Pomatomus saltatrix</i>	26	29	-	1	-	56	0.56
	Bowfin	<i>Amia calva</i>	0	16	-	0	-	16	0.16
	Catfishes	<i>Ictaluridae</i>	115	68	-	2	-	185	1.84
	Chain Pickerel	<i>Esox niger</i>	0	2	-	0	-	2	0.02
	Common Carp	<i>Cyprinus carpio</i>	0	2	-	0	-	2	0.02
	Flounders	<i>Paralichthys spp.</i>	0	0	-	13	-	13	0.13
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	7	0	-	0	-	7	0.07
	Largemouth Bass	<i>Micropterus salmoides</i>	10	308	4	141	-	463	4.61
	Longnose Gar	<i>Lepisosteus osseus</i>	0	45	-	0	-	45	0.45
	Pigfish	<i>Orthopristis chrysoptera</i>	0	6	-	0	-	6	0.06
	Pinfish	<i>Lagodon rhomboides</i>	3	44	-	0	-	47	0.47
	Red Drum	<i>Sciaenops ocellatus</i>	36	9	-	245	2	292	2.90
	Redfin Pickerel	<i>Esox americanus americanus</i>	0	1	-	0	-	1	0.01
	Southern Flounder	<i>Paralichthys lethostigma</i>	274	17	8	1,954	-	2,253	22.41
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	8	2	-	4	-	14	0.14
	Spot	<i>Leiostomus xanthurus</i>	15	17	-	0	-	32	0.32
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	84	29	8	581	-	702	6.98
	Striped Bass	<i>Morone saxatilis</i>	204	246	7	593	62	1,112	11.06
	Striped Mullet	<i>Mugil cephalus</i>	13	1	-	0	-	14	0.14
	Sunfishes	<i>Centrarchidae</i>	1,102	2,414	-	15	-	3,531	35.12
	White Perch	<i>Morone americana</i>	173	150	-	0	-	323	3.21
	Yellow Perch	<i>Perca flavescens</i>	6	9	-	0	-	15	0.15
	All		2,367	3,937	27	3,658	64	10,053	100.00

* Slot limit established in 2008.

Table 140. Reported targeted species by frequency and percent, 2004 through 2010.

Year	Reported Target Species	Scientific Name	Frequency	Percent
2004	Striped Bass	<i>Morone saxatilis</i>	985	39.13
	Largemouth Bass	<i>Micropterus salmoides</i>	560	22.25
	Sunfishes	<i>Centrarchidae</i>	295	11.72
	Flounders	<i>Paralichthys spp.</i>	178	7.07
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	111	4.41
	Black Crappie	<i>Pomoxis nigromaculatus</i>	89	3.54
	Catfishes	<i>Ictaluridae</i>	80	3.18
	Hickory Shad	<i>Alosa mediocris</i>	61	2.42
	White Perch	<i>Morone americana</i>	44	1.75
	American Shad	<i>Alosa sapidissima</i>	28	1.11
	Red Drum	<i>Sciaenops ocellatus</i>	24	0.95
	Atlantic Croaker	<i>Micropogonias undulatus</i>	13	0.52
	River Herrings	<i>Alosa spp.</i>	12	0.48
	Yellow Perch	<i>Perca flavescens</i>	12	0.48
	Spot	<i>Leiostomus xanthurus</i>	9	0.36
	Tarpon	<i>Megalops atlanticus</i>	4	0.16
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	3	0.12
	Striped Mullet	<i>Mugil cephalus</i>	3	0.12
	Black Drum	<i>Pogonias cromis</i>	2	0.08
	Bowfin	<i>Amia calva</i>	2	0.08
	Bluefish	<i>Pomatomus saltatrix</i>	1	0.04
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	1	0.04
				2,517
2005	Striped Bass	<i>Morone saxatilis</i>	844	32.68
	Largemouth Bass	<i>Micropterus salmoides</i>	584	22.61
	Sunfishes	<i>Centrarchidae</i>	374	14.48
	Hickory Shad	<i>Alosa mediocris</i>	150	5.81
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	137	5.30
	Black Crappie	<i>Pomoxis nigromaculatus</i>	115	4.45
	Catfishes	<i>Ictaluridae</i>	98	3.79
	Flounders	<i>Paralichthys spp.</i>	83	3.21
	White Perch	<i>Morone americana</i>	67	2.59
	River Herrings	<i>Alosa spp.</i>	47	1.82
	Red Drum	<i>Sciaenops ocellatus</i>	37	1.43
	Yellow Perch	<i>Perca flavescens</i>	28	1.08
	Tarpon	<i>Megalops atlanticus</i>	5	0.19
	American Shad	<i>Alosa sapidissima</i>	4	0.15
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	4	0.15
	Atlantic Croaker	<i>Micropogonias undulatus</i>	3	0.12
	Spot	<i>Leiostomus xanthurus</i>	1	0.04
	Black Drum	<i>Pogonias cromis</i>	1	0.04
	Redfin Pickerel	<i>Esox americanus americanus</i>	1	0.04
				2,583
2006	Striped Bass	<i>Morone saxatilis</i>	392	25.27
	Largemouth Bass	<i>Micropterus salmoides</i>	389	25.08
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	389	25.08
	Sunfishes	<i>Centrarchidae</i>	111	7.16
	Hickory Shad	<i>Alosa mediocris</i>	78	5.03
	Flounders	<i>Paralichthys spp.</i>	53	3.42
	Black Crappie	<i>Pomoxis nigromaculatus</i>	49	3.16
	Red Drum	<i>Sciaenops ocellatus</i>	23	1.48
	Catfishes	<i>Ictaluridae</i>	19	1.23
	White Perch	<i>Morone americana</i>	18	1.16
	Yellow Perch	<i>Perca flavescens</i>	10	0.64
	Tarpon	<i>Megalops atlanticus</i>	7	0.45
	River Herrings	<i>Alosa spp.</i>	4	0.26
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	3	0.19

Table 140. Reported targeted species by frequency and percent, 2004 through 2010 (continued).

Year	Reported Target Species	Scientific Name	Frequency	Percent
2006 (cont.)	American Shad	<i>Alosa sapidissima</i>	2	0.13
	Spot	<i>Leiostomus xanthurus</i>	1	0.06
	Weakfish	<i>Cynoscion regalis</i>	1	0.06
	Black Drum	<i>Pogonias cromis</i>	1	0.06
	Bluefish	<i>Pomatomus saltatrix</i>	1	0.06
			1,551	
2007	Spotted Seatrout	<i>Cynoscion nebulosus</i>	654	35.45
	Striped Bass	<i>Morone saxatilis</i>	479	25.96
	Largemouth Bass	<i>Micropterus salmoides</i>	406	22.01
	Sunfishes	<i>Centrarchidae</i>	99	5.37
	Flounders	<i>Paralichthys spp.</i>	61	3.31
	Black Crappie	<i>Pomoxis nigromaculatus</i>	38	2.06
	Red Drum	<i>Sciaenops ocellatus</i>	34	1.84
	White Perch	<i>Morone americana</i>	27	1.46
	Spot	<i>Leiostomus xanthurus</i>	15	0.81
	Catfishes	<i>Ictaluridae</i>	13	0.70
	Hickory Shad	<i>Alosa mediocris</i>	7	0.38
	Atlantic Croaker	<i>Micropogonias undulatus</i>	3	0.16
	American Shad	<i>Alosa sapidissima</i>	2	0.11
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	2	0.11
	Yellow Perch	<i>Perca flavescens</i>	1	0.05
	Black Drum	<i>Pogonias cromis</i>	1	0.05
	Striped Mullet	<i>Mugil cephalus</i>	1	0.05
	Hybrid Striped Bass	<i>M. saxatilis x chrysops</i>	1	0.05
	Creek Chubsucker	<i>Erimyzon oblongus</i>	1	0.05
			1,845	
2008	Spotted Seatrout	<i>Cynoscion nebulosus</i>	519	33.90
	Largemouth Bass	<i>Micropterus salmoides</i>	293	19.14
	Striped Bass	<i>Morone saxatilis</i>	289	18.88
	Flounders	<i>Paralichthys spp.</i>	133	8.69
	Sunfishes	<i>Centrarchidae</i>	106	6.92
	Black Crappie	<i>Pomoxis nigromaculatus</i>	46	3.00
	Hickory Shad	<i>Alosa mediocris</i>	37	2.42
	Catfishes	<i>Ictaluridae</i>	27	1.76
	Red Drum	<i>Sciaenops ocellatus</i>	26	1.70
	Weakfish	<i>Cynoscion regalis</i>	15	0.98
	White Perch	<i>Morone americana</i>	11	0.72
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	9	0.59
	Tarpon	<i>Megalops atlanticus</i>	6	0.39
	American Shad	<i>Alosa sapidissima</i>	5	0.33

Table 140. Reported targeted species by frequency and percent, 2004 through 2010 (continued).

Year	Reported Target Species	Scientific Name	Frequency	Percent
2008	Black Drum	<i>Pogonias cromis</i>	5	0.33
(cont.)	Atlantic Croaker	<i>Micropogonias undulatus</i>	2	0.13
	Spot	<i>Leiostomus xanthurus</i>	1	0.07
	Bluefish	<i>Pomatomus saltatrix</i>	1	0.07
			1,531	
2009	Spotted Seatrout	<i>Cynoscion nebulosus</i>	575	40.13
	Striped Bass	<i>Morone saxatilis</i>	270	18.84
	Largemouth Bass	<i>Micropterus salmoides</i>	203	14.17
	Flounders	<i>Paralichthys spp.</i>	141	9.84
	Sunfishes	<i>Centrarchidae</i>	103	7.19
	Black Crappie	<i>Pomoxis nigromaculatus</i>	35	2.44
	Hickory Shad	<i>Alosa mediocris</i>	30	2.09
	Red Drum	<i>Sciaenops ocellatus</i>	21	1.47
	White Perch	<i>Morone americana</i>	17	1.19
	Tarpon	<i>Megalops atlanticus</i>	14	0.98
	Catfishes	<i>Ictaluridae</i>	12	0.84
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	8	0.56
	Spot	<i>Leiostomus xanthurus</i>	2	0.14
	Black Drum	<i>Pogonias cromis</i>	2	0.14
			1,433	
2010	Striped Bass	<i>Morone saxatilis</i>	298	31.4
	Spotted Seatrout	<i>Cynoscion nebulosus</i>	164	17.3
	Flounders	<i>Paralichthys spp.</i>	158	16.6
	Largemouth Bass	<i>Micropterus salmoides</i>	130	13.7
	Sunfishes	<i>Centrarchidae</i>	84	8.8
	Red Drum	<i>Sciaenops ocellatus</i>	38	4.0
	Black Crappie	<i>Pomoxis nigromaculatus</i>	25	2.6
	White Perch	<i>Morone americana</i>	15	1.6
	Atlantic Croaker	<i>Micropogonias undulatus</i>	11	1.2
	Tarpon	<i>Megalops atlanticus</i>	9	0.9
	Catfishes	<i>Ictaluridae</i>	8	0.8
	Spanish Mackerel	<i>Scomberomorus maculatus</i>	5	0.5
	Hickory Shad	<i>Alosa mediocris</i>	2	0.2
	Black Drum	<i>Pogonias cromis</i>	2	0.2
	Spot	<i>Leiostomus xanthurus</i>	1	0.1
			950	

Table 141. Estimated striped bass effort and catch in the CSMA with proportional standard error in parentheses, 2004 through 2010.

Year	Month	All Striped Bass Effort			Striped Bass Harvest		Striped Bass Discards				Total Catch
		Fishing Trips	Trips	Hours	Number	Pounds	Legal-sized	Over-creel	Sub-Legal	Slot-Limit*	
2004	January	1,374	1,054	4,552	342	1,387	77	0	904	-	1,323
	February	1,756	883	3,740	212	907	12	56	357	-	637
	March	5,990	1,422	5,584	237	1,331	58	0	276	-	571
	April	6,290	1,958	9,790	216	951	49	0	665	-	930
	May	6,431	895	4,269	40	219	40	0	311	-	391
	June	3,840	976	5,200	516	2,452	206	0	826	-	1,548
	July	3,646	658	3,384	614	2,486	528	0	751	-	1,893
	August	1,625	291	1,043	34	112	52	0	313	-	399
	September	3,177	544	2,765	289	919	300	29	1,025	-	1,643
	October	6,721	1,637	10,998	2,120	6,232	75	0	2,344	-	4,539
	November	2,617	1,187	5,804	322	1,113	276	0	2,614	-	3,212
	December	2,606	1,276	6,661	1,201	4,848	68	0	1,340	-	2,609
		Total	46,073	12,781	63,790	6,143	22,957	1,741	85	11,726	-
	PSE	23	9	10	18	18	28	74	14	-	10
2005	January	2,957	1,075	5,903	965	4,119	61	0	2,451	1	3,478
	February	3,303	835	4,418	417	1,645	119	0	1,535	0	2,071
	March	8,798	1,959	8,388	400	1,973	45	3	924	0	1,372
	April	5,680	808	3,915	240	918	54	0	2,344	77	2,715
	May	10,907	1,437	6,513	349	1,348	350	37	1,547	0	2,283
	June	5,409	1,056	3,254	282	1,063	107	0	568	0	957
	July	3,475	353	1,312	120	334	40	0	572	0	732
	August	2,008	321	1,675	324	1,032	6	0	422	0	752
	September	2,584	49	172	18	63	23	0	84	0	125
	October	2,181	354	1,582	86	249	21	32	2,898	0	3,037
	November	1,892	796	3,481	345	1,173	47	54	1,501	0	1,947
	December	1,657	565	3,699	286	1,049	127	26	765	0	1,204
		Total	50,851	9,608	44,312	3,832	14,966	1,000	152	15,611	78
	PSE	6	11	9	18	18	26	41	19	65	16
2006	January	2,391	641	3,182	202	713	177	0	484	0	863
	February	1,061	469	2,356	272	1,057	69	0	682	0	1,023
	March	3,227	844	4,566	138	635	101	0	888	0	1,127
	April	4,524	485	2,804	180	408	135	0	668	0	983
	May	4,397	524	3,210	145	469	13	0	1,631	0	1,789
	June	3,408	284	1,144	170	550	58	0	1,128	0	1,356
	July	3,860	602	2,105	107	377	214	33	2,298	0	2,652
	August	2,366	426	2,259	274	354	338	0	1,128	0	1,740
	September	3,000	56	323	8	26	16	0	289	0	313
	October	2,233	372	2,146	316	918	79	0	974	0	1,369
	November	1,900	616	2,722	480	1,269	1,084	0	1,268	0	2,832
	December	1,930	736	4,073	191	580	30	0	1,112	0	1,333
		Total	34,297	6,055	30,890	2,483	7,356	2,314	33	12,550	0
	PSE	6	10	12	23	23	46	100	18	0	12

Table 141. Estimated striped bass effort and catch in the CSMA with proportional standard error in parentheses, 2004 through 2010 (continued).

Year	Month	Striped Bass									Total Catch
		All Striped Bass Effort			Harvest		Striped Bass Discards				
		Fishing Trips	Trips	Hours	Number	Pounds	Legal-sized	Over-creel	Sub-Legal	Slot-Limit*	
2007	January	2,223	1,030	4,288	1,019	3,095	503	0	1,708	0	3,230
	February	1,303	646	5,616	176	509	231	0	4,975	0	5,382
	March	2,408	1,146	6,034	424	643	53	0	2,157	0	2,634
	April	4,830	898	6,006	229	891	0	0	2,084	0	2,313
	May	4,523	525	2,713	164	802	70	0	3,416	0	3,650
	June	4,780	254	1,622	295	989	189	0	706	0	1,190
	July	3,636	472	2,732	394	1,116	274	0	1,735	0	2,403
	August	1,881	314	1,415	278	790	187	0	871	0	1,336
	September	2,216	91	765	69	205	12	0	320	0	401
	October	2,358	453	2,729	313	1,049	114	140	632	0	1,199
	November	3,076	144	728	77	249	14	7	1,341	0	1,439
	December	3,291	349	2,440	162	456	59	0	1,726	0	1,947
		Total	36,525	6,322	37,088	3,600	10,794	1,706	147	21,671	0
	PSE	8	11	11	24	24	30	68	12	-	16
2008	January	1,206	748	3,744	129	388	0	0	2,910	0	3,039
	February	1,665	553	3,520	124	424	14	0	1,850	0	1,988
	March	3,359	236	1,187	19	66	0	0	407	0	426
	April	2,556	273	1,485	13	39	0	0	533	0	546
	May	3,887	492	2,999	63	235	919	0	1,973	37	2,992
	June	2,748	101	251	44	144	23	0	442	0	509
	July	2,533	190	614	0	0	1,278	2,838	208	0	4,324
	August	2,952	114	586	0	0	605	0	359	0	964
	September	1,259	28	184	0	0	170	0	505	0	675
	October	2,761	490	3,047	125	412	26	0	1,147	0	1,298
	November	2,360	334	1,510	142	659	272	0	1,077	3	1,494
	December	1,849	373	2,169	184	623	9	0	307	51	551
		Total	29,135	3,932	21,296	843	2,990	3,316	2,838	11,718	91
	PSE	7	12	12	26	26	40	96	17	69	13
2009	January	1,132	291	1,832	78	261	36	7	236	139	496
	February	2,116	533	4,307	108	356	51	0	765	251	1,175
	March	2,164	407	2,036	102	379	47	0	230	85	464
	April	3,918	264	3,140	38	130	4	0	140	198	380
	May	2,645	197	1,606	0	0	442	0	359	0	801
	June	2,231	62	302	0	0	564	0	70	0	634
	July	1,528	3	8	0	0	15	0	67	0	82
	August	1,267	13	64	0	0	229	0	269	14	512
	September	1,370	12	38	0	0	321	0	1,019	0	1,340
	October	2,301	515	3,091	278	947	46	0	448	0	772
	November	2,316	453	2,950	51	181	13	0	208	0	272
	December	1,640	262	1,320	240	809	0	0	662	31	933
		Total	24,628	3,012	20,694	895	3,063	1,768	7	4,473	718
	PSE	8	14	18	20	20	31	100	19	28	13

Table 141. Estimated striped bass effort and catch in the CSMA with proportional standard error in parentheses, 2004 through 2010 (continued).

Year	Month	All Striped Bass Effort			Striped Bass Harvest		Striped Bass Discards				Total Catch
		Fishing Trips	Trips	Hours	Number	Pounds	Legal-sized	Over-creel	Sub-Legal	Slot-Limit*	
2010	January	833	424	1,851	258	1,104	242	0	639	63	1,202
	February	148	127	740	147	583	14	0	349	46	556
	March	1,607	600	3,420	413	1,674	153	6	982	95	1,649
	April	2,483	660	3,151	289	1,088	0	7	638	36	970
	May	4,356	150	376	263	0	136	0	78	0	477
	June	1,428	47	120	0	0	382	0	20	0	402
	July	2,070	50	77	0	0	241	0	198	0	439
	August	2,172	236	783	0	0	970	0	128	0	1,098
	September	1,818	0	0	0	0	55	0	21	21	97
	October	1,490	375	1,840	92	146	83	0	730	88	993
	November	2,205	490	1,739	140	426	119	5	794	6	1,064
	December	481	379	1,965	155	515	5	11	624	5	800
	Total	21,091	3,538	16,062	1,757	5,536	2,400	29	5,201	360	9,747
	PSE	9	13	14	23	23	30	52	16	26	12

* Slot limit established in 2008.

Table 142. Estimated effort, harvest, and discard for striped bass in the Neuse River system by month, 2004 through 2010.

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2004	Upper Neuse River**	March	0	0	0	0	0	0	0	-	0
		April	681	3,236	0	0	0	0	187	-	187
		May	122	817	0	0	0	0	0	-	0
		Total	803	4,053	0	0	0	0	187	-	187
	Lower Neuse River	January	653	2,964	64	301	32	0	678	-	774
		February	580	2,469	79	369	4	0	43	-	126
		March	462	2,852	148	944	48	0	205	-	401
		April	410	1,959	0	0	36	0	182	-	218
		May	420	1,713	0	0	40	0	151	-	191
		June	596	3,777	426	2,200	198	0	224	-	848
		July	490	2,934	575	2,367	268	0	542	-	1,385
		August	154	627	0	0	9	0	47	-	56
		September	323	2,056	175	559	300	29	750	-	1,254
		October	1,184	7,995	1,418	3,752	0	0	875	-	2,293
		November	664	2,966	75	220	251	0	1,176	-	1,502
December	706	3,578	1,025	4,133	35	0	661	-	1,721		
Total	6,642	35,890	3,985	14,845	1,221	29	5,534	-	10,769		
2005	Upper Neuse River**	March	786	2,443	0	0	0	0	0	-	0
		April	153	791	139	606	0	0	0	-	139
		May	350	1,757	86	455	0	0	43	-	129
		Total	1,289	4,991	225	1,061	0	0	43	-	268
	Lower Neuse River	January	638	3,340	290	1,328	45	0	263	-	598
		February	474	2,618	286	1,024	7	0	37	-	330
		March	598	2,961	239	1,203	28	0	48	-	315
		April	0	0	0	0	0	0	0	-	0
		May	612	2,603	109	240	328	0	726	-	1163
		June	940	2,796	164	632	97	0	274	-	535
		July	223	870	59	153	6	0	339	-	404
		August	182	553	114	377	0	0	290	-	404
		September	0	0	0	0	21	0	0	-	21
		October	269	1,123	58	164	21	13	2,694	-	2,786
		November	460	2,041	62	300	4	0	1,093	-	1,159
December	218	1,526	112	390	73	0	665	-	850		
Total	4,614	20,431	1,493	5,811	630	13	6,429	-	8,565		
2006	Lower Neuse River	January	472	2,386	168	607	0	166	360	-	694
		February	251	1,433	104	523	0	58	462	-	624
		March	368	1,813	70	356	0	10	88	-	168
		April	321	2,232	13	75	0	135	259	-	407
		May	340	2,606	79	256	0	0	1,223	-	1,302
		June	179	856	82	245	0	35	933	-	1,050
		July	499	1,732	27	94	0	84	2,159	-	2,270
		August	335	1,870	69	279	0	338	988	-	1,395
		September	44	241	0	0	0	0	143	-	143
		October	107	484	49	131	0	60	203	-	312
		November	476	1,769	471	1,237	0	1,084	782	-	2,337
		December	312	1,478	112	276	0	9	197	-	318
Total	3,704	18,900	1,244	4,079	0	1,979	7,797	-	11,020		

Table 142. Estimated effort, harvest, and discard for striped bass in the Neuse River system by month, 2004 through 2010 (continued).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2007	Lower Neuse River	January	727	2,128	869	2,674	486	0	464	-	1,819
		February	179	1,827	103	216	182	0	135	-	420
		March	389	1,653	276	0	11	0	320	-	607
		April	363	3,309	135	462	0	0	121	-	256
		May	219	1,231	0	0	70	0	329	-	399
		June	63	355	190	678	127	0	32	-	349
		July	357	1,888	365	1,010	274	0	1,313	-	1,952
		August	218	862	273	774	187	0	704	-	1,164
		September	0	0	0	0	0	0	126	-	126
		October	309	1,549	259	888	114	140	509	-	1,022
		November	40	91	66	210	9	0	311	-	386
		December	155	1,329	80	203	24	0	494	-	598
			River Total	3,018	16,223	2,618	7,115	1,485	140	4,859	-
2008	Lower Neuse River	January	365	1,711	97	301	0	0	1,267	0	1,364
		February	283	1,547	37	90	0	0	459	0	496
		March	189	913	12	66	0	0	144	0	156
		April	54	217	0	0	0	0	0	0	0
		May	297	1,907	0	0	919	0	1,246	0	2,165
		June	44	41	0	0	0	0	269	0	269
		July	164	568	0	0	1,060	2,838	0	0	3,898
		August	83	530	0	0	445	0	112	0	557
		September	0	0	0	0	0	0	0	0	0
		October	312	1,752	0	0	26	0	677	0	703
		November	88	307	110	562	0	0	548	0	658
		December	114	636	149	491	0	0	79	51	228
			River Total	1,995	10,131	405	1,510	2,449	2,838	4,801	51
2009	Lower Neuse River	January	0	0	0	0	0	0	31	0	31
		February	61	466	0	0	0	0	74	0	74
		March	152	447	0	0	0	0	0	0	0
		April	138	2,480	0	0	0	0	13	138	151
		May	183	1,516	0	0	239	0	83	0	322
		June	44	285	0	0	465	0	23	0	488
		July***	-	-	-	-	-	-	-	-	-
		August***	-	-	-	-	-	-	-	-	-
		September***	-	-	-	-	-	-	-	-	-
		October	303	1,821	164	578	0	0	219	0	383
		November	310	1,878	0	0	0	0	0	0	0
		December	85	191	85	290	0	0	0	0	85
			River Total	1,275	9,084	249	868	704	0	442	138

Table 142. Estimated effort, harvest, and discard for striped bass in the Neuse River system by month, 2004 through 2010 (continued).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2010	Lower Neuse River	January	0	0	0	0	0	0	0	0	0
		February	0	0	0	0	0	0	0	0	0
		March	0	0	0	0	0	0	0	0	0
		April	403	2,015	71	252	0	0	0	0	71
		May	102	228	0	0	27	0	0	0	27
		June	18	75	0	0	320	0	0	0	320
		July***	12	6	0	0	33	0	0	0	33
		August***	187	715	0	0	968	0	103	0	1,071
		September***	0	0	0	0	0	0	0	0	0
		October	89	519	13	42	52	0	111	13	189
		November	166	486	0	0	40	0	170	0	210
		December	175	787	25	67	0	0	315	0	340
		River Total	1,153	4,830	110	360	1,440	0	700	13	2,263

* Slot limit established in 2008.

** Sampling of upper Neuse River was dropped in 2006.

*** Sampling of Neuse River did not occur during July, August, and September of 2009 due to budget.

Table 143. Estimated effort, harvest, and discard for striped bass in the Tar/Pamlico River by month, 2004 through 2010.

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2004	Upper Tar River**	March	625	826	0	0	0	0	0	-	0
		April	662	3,617	114	563	0	0	91	-	205
		May	244	1,313	14	114	0	0	0	-	14
		Total	1,531	5,756	128	677	0	0	91	-	219
Lower Tar/Upper Pamlico River	January	203	979	91	443	42	0	192	-	325	
	February	200	842	58	263	0	0	189	-	247	
	March	169	847	29	124	10	0	58	-	97	
	April	135	688	59	231	13	0	182	-	254	
	May	66	218	20	87	0	0	20	-	40	
	June	22	40	0	0	8	0	6	-	14	
	July	77	144	4	12	151	0	141	-	296	
	August	103	284	12	35	36	0	253	-	301	
	September	159	323	3	26	0	0	94	-	97	
	October	188	711	221	847	1	0	700	-	922	
	November	371	1,888	38	141	2	0	1,168	-	1,208	
	December	203	946	0	0	0	0	371	-	371	
Total	1,896	7,910	535	2,209	263	0	3,374	-	4,172		

Table 143. Estimated effort, harvest, and discard for striped bass in the Tar/Pamlico River by month, 2004 through 2010 (continued).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2005	Upper Tar River**	March	271	1,668	79	381	11	0	132	-	222
		April	467	2,240	85	255	54	0	2,053	-	2,192
		May	202	1,074	0	0	21	0	287	-	308
		Total	940	4,982	164	636	86	0	2,472	-	2,722
	Lower Tar/Upper Pamlico River	January	319	2,073	111	528	2	0	2,091	-	2,204
		February	265	1,302	90	434	113	0	1,494	-	1,697
		March	258	1,164	46	221	6	0	741	-	793
		April	139	805	37	193	0	0	279	-	316
		May	141	419	10	84	0	0	417	-	427
		June	54	197	33	142	10	0	251	-	294
		July	40	93	9	36	34	0	72	-	115
		August	0	0	5	39	19	0	3	-	27
		September	25	82	0	0	0	0	76	-	76
		October	42	186	3	7	0	0	148	-	151
November	214	1,081	65	191	34	0	359	-	458		
December	116	557	0	0	6	0	21	-	27		
Total	1,613	7,959	409	1,875	224	0	5,952	-	6,585		
2006	Lower Tar/Upper Pamlico River	January	90	436	12	41	0	0	117	-	129
		February	150	707	150	474	0	11	219	-	380
		March	424	2,581	61	257	0	90	797	-	948
		April	108	305	68	0	0	0	67	-	135
		May	125	341	37	124	0	13	29	-	79
		June	58	98	26	80	0	0	134	-	160
		July	35	81	0	0	0	124	30	-	154
		August	72	266	177	0	0	0	17	-	194
		September	9	66	0	0	0	0	27	-	27
		October	222	1,513	104	321	0	19	402	-	525
		November	81	503	0	0	0	0	124	-	124
		December	219	1,137	40	145	0	21	625	-	686
Total	1,593	8,034	675	1,442	0	278	2,588	-	3,541		
2007	Lower Tar/Upper Pamlico River	January	138	797	41	98	17	0	352	-	410
		February	398	3,304	49	206	50	0	4,382	-	4,481
		March	669	3,781	100	487	42	0	1,589	-	1,731
		April	451	2,109	69	363	0	0	1,740	-	1,809
		May	211	784	72	458	0	0	2,812	-	2,884
		June	0	0	0	0	0	0	27	-	27
		July	35	71	10	32	0	0	111	-	121
		August	61	345	0	0	0	0	116	-	116
		September	28	71	0	0	0	0	21	-	21
		October	89	508	0	0	0	0	25	-	25
		November	95	553	0	0	5	0	532	-	537
		December	137	673	5	11	0	0	686	-	691
		River Total	2,312	12,995	345	1,656	114	0	12,392	-	12,851

Table 143. Estimated effort, harvest, and discard for striped bass in the Tar/Pamlico River by month, 2004 through 2010 (continued).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard			Total Catch	
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal		Slot-limit*
2008	Lower Tar/ Upper Pamlico River	January	322	1,697	7	17	0	0	1,231	0	1,238
		February	226	1,499	52	210	14	0	1,081	0	1,147
		March	19	95	8	0	0	0	183	0	191
		April	206	1,166	0	0	0	0	494	0	494
		May	151	641	52	187	0	0	263	37	315
		June	44	118	0	0	23	0	156	0	179
		July	26	46	0	0	81	0	199	0	280
		August	31	56	0	0	79	0	156	0	235
		September	28	184	0	0	87	0	440	0	527
		October	146	880	28	130	0	0	420	0	448
		November	223	1,046	11	39	11	0	369	0	391
		December	210	1,188	17	64	0	0	146	0	163
		River Total	1,632	8,616	174	648	296	0	5,137	37	5,607
2009	Lower Tar/ Upper Pamlico River	January	218	1,335	26	80	36	0	173	79	314
		February	396	3,349	78	259	51	0	667	195	991
		March	137	664	50	195	37	0	109	0	196
		April	111	488	0	0	0	0	86	0	86
		May	15	91	0	0	0	0	10	0	10
		June	18	17	0	0	33	0	15	0	48
		July	3	8	0	0	0	0	0	0	0
		August	9	15	0	0	142	0	222	0	364
		September	12	38	0	0	154	0	214	0	368
		October	113	371	19	60	46	0	96	0	161
		November	143	1,072	6	18	13	0	208	0	227
		December	111	623	54	182	0	0	547	14	615
		River Total	1,288	8,070	234	794	511	0	2,348	288	3,381
2010	Lower Tar/ Upper Pamlico River	January	391	1,757	258	1,104	242	0	591	63	1,154
		February	113	630	136	546	14	0	349	46	545
		March	593	3,304	396	1,581	153	6	982	95	1,632
		April	241	1,020	188	761	0	0	572	36	796
		May	36	67	263	0	87	0	29	0	379
		June	28	45	0	0	7	0	10	0	17
		July	38	71	0	0	195	0	0	0	195
		August	48	67	0	0	0	0	10	0	10
		September	0	0	0	0	31	0	10	21	62
		October	252	1,073	48	0	30	0	504	66	648
		November	320	1,235	111	340	79	5	581	6	782
		December	168	1,053	110	364	5	11	287	5	418
		River Total	2,228	10,322	1,510	4,696	843	21	3,925	339	6,638

* Slot limit established in 2008.

** Sampling of upper Tar River was dropped in 2006.

Table 144. Estimated effort, harvest, and discard for striped bass in the Pungo River by month, 2004 through 2010.

Year	Zone	Month	Striped Bass Effort		Harvest		Discard				Total Catch
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal	Slot-Limit*	
2004	Pungo River	January	198	610	187	643	4	0	34	-	225
		February	103	430	75	276	9	56	124	-	264
		March	166	1,059	60	263	0	0	14	-	74
		April	70	291	42	157	0	0	24	-	66
		May	42	208	6	18	0	0	140	-	146
		June	358	1,382	91	252	0	0	596	-	687
		July	91	306	34	108	108	0	69	-	211
		August	34	132	22	77	7	0	14	-	43
		September	63	386	111	334	0	0	181	-	292
		October	265	2,292	481	1,632	74	0	768	-	1,323
		November	152	950	209	752	23	0	271	-	503
		December	368	2,137	175	715	34	0	308	-	517
			Total	1,910	10,183	1,493	5,227	259	56	2,543	-
2005	Pungo River	January	118	490	564	2,262	15	0	97	-	676
		February	97	498	41	187	0	0	3	-	44
		March	46	152	36	167	0	3	3	-	42
		April	48	79	56	197	0	0	11	-	67
		May	132	659	145	569	0	37	75	-	257
		June	63	260	85	289	0	0	44	-	129
		July	90	349	52	144	0	0	161	-	213
		August	139	1,122	205	616	2	0	128	-	335
		September	24	90	18	63	2	0	9	-	29
		October	44	274	26	79	0	19	55	-	100
		November	121	359	218	682	9	54	49	-	330
		December	231	1,616	173	659	48	26	78	-	325
			Total	1,153	5,948	1,619	5,914	76	139	713	0
2006	Pungo River	January	79	360	21	65	0	11	7	-	39
		February	69	216	17	60	0	0	0	-	17
		March	52	172	7	21	0	0	3	-	10
		April	56	267	100	332	0	0	342	-	442
		May	59	263	29	90	0	0	379	-	408
		June	47	190	62	224	0	23	60	-	145
		July	69	293	80	283	33	7	108	-	228
		August	19	122	28	75	0	0	123	-	151
		September	3	16	8	26	0	16	119	-	143
		October	42	149	163	466	0	0	370	-	533
		November	60	450	9	31	0	0	362	-	371
		December	205	1,457	38	158	0	0	290	-	328
			Total	760	3,955	562	1,831	57	33	2,163	0

Table 144. Estimated effort, harvest, and discard for striped bass in the Pungo River by month, 2004 through 2010 (continued).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard				Total Catch
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal	Slot-Limit*	
2007	Pungo River	January	165	1,363	109	323	0	0	892	-	1,001
		February	69	485	23	87	0	0	458	-	481
		March	87	601	48	156	0	0	249	-	297
		April	85	588	25	66	0	0	222	-	247
		May	96	699	92	344	0	0	276	-	368
		June	191	1,266	104	311	62	0	647	-	813
		July	80	772	19	74	0	0	311	-	330
		August	34	208	5	16	0	0	52	-	57
		September	63	694	69	205	12	0	173	-	254
		October	55	672	54	161	0	0	98	-	152
		November	8	84	10	39	0	7	498	-	515
		December	58	438	77	242	35	0	546	-	658
			River Total	991	7,870	635	2,024	109	7	4,422	0
2008	Pungo River	January	60	336	24	70	0	0	412	0	436
		February	43	473	35	124	0	0	310	0	345
		March	28	179	0	0	0	0	80	0	80
		April	13	102	13	39	0	0	39	0	52
		May	43	451	11	47	0	0	465	0	476
		June	13	92	44	144	0	0	18	0	62
		July	0	0	0	0	137	0	9	0	146
		August	0	0	0	0	81	0	92	0	173
		September	0	0	0	0	83	0	66	0	149
		October	32	415	97	282	0	0	50	0	147
		November	23	156	21	59	261	0	159	3	441
		December	48	345	18	68	9	0	82	0	109
			River Total	303	2,549	263	833	571	0	1,782	3
2009	Pungo River	January	73	497	53	180	0	7	32	59	151
		February	77	492	29	96	0	0	23	57	109
		March	118	924	52	184	10	0	121	85	268
		April	15	172	38	130	4	0	41	60	143
		May	0	0	0	0	203	0	266	0	469
		June	0	0	0	0	66	0	31	0	97
		July	0	0	0	0	15	0	67	0	82
		August	4	49	0	0	88	0	47	14	149
		September	0	0	0	0	167	0	805	0	972
		October	99	899	95	309	0	0	133	0	228
		November	0	0	45	163	0	0	0	0	45
		December	66	507	101	337	0	0	115	17	233
			River Total	452	3,540	413	1,399	553	7	1,681	292

Table 144. Estimated effort, harvest, and discard for striped bass in the Pungo River by month, 2004 through 2010 (*continued*).

Year	Zone	Month	Striped Bass Effort		Harvest		Discard				Total Catch
			Trips	Angler-h	Number	Pounds	Legal-sized	Over-creel	Sub-legal	Slot-Limit*	
2010	Pungo	January	33	94	0	0	0	0	47	0	47
	River	February	15	110	11	38	0	0	0	0	11
		March	7	116	17	93	0	0	0	0	17
		April	16	116	30	76	0	7	66	0	103
		May	12	82	0	0	23	0	50	0	73
		June	0	0	0	0	55	0	10	0	65
		July	0	0	0	0	13	0	198	0	211
		August	0	0	0	0	2	0	14	0	16
		September	0	0	0	0	24	0	11	0	35
		October	34	249	31	104	1	0	114	9	155
		November	4	17	29	86	0	0	44	0	73
		December	35	125	20	83	0	0	22	0	42
		River Total	156	909	138	480	118	7	576	9	848

* Slot limit established in 2008.

Table 145. Estimated average catch (harvest + discard) per unit effort in the CSMA by month, 2004 through 2010.

Year	Month	Total Caught per Trip	Harvests per Trip	Discards per Trip
2004	January	0.96	0.25	0.71
	February	0.36	0.12	0.24
	March	0.10	0.04	0.06
	April	0.15	0.03	0.11
	May	0.06	0.01	0.05
	June	0.40	0.13	0.27
	July	0.52	0.17	0.35
	August	0.25	0.02	0.22
	September	0.52	0.09	0.43
	October	0.68	0.32	0.36
	November	1.23	0.12	1.10
	December	1.00	0.46	0.54
	Total	0.43	0.13	0.29
2005	January	1.18	0.33	0.85
	February	0.63	0.13	0.50
	March	0.16	0.05	0.11
	April	0.48	0.06	0.42
	May	0.21	0.03	0.18
	June	0.18	0.05	0.12
	July	0.21	0.03	0.18
	August	0.37	0.16	0.21
	September	0.05	0.01	0.04
	October	1.39	0.04	1.35
	November	1.03	0.18	0.85
	December	0.73	0.17	0.55
	Total	0.41	0.08	0.33
2006	January	0.36	0.08	0.28
	February	0.96	0.26	0.71
	March	0.35	0.04	0.31
	April	0.22	0.04	0.18
	May	0.41	0.03	0.37
	June	0.40	0.05	0.35
	July	0.69	0.03	0.66
	August	0.74	0.12	0.62
	September	0.10	0.00	0.10
	October	0.61	0.14	0.47
	November	1.49	0.25	1.24
	December	0.69	0.10	0.59
	Total	0.51	0.07	0.43
2007	January	1.45	0.46	0.99
	February	4.13	0.14	4.00
	March	1.09	0.18	0.92
	April	0.48	0.05	0.43
	May	0.81	0.04	0.77
	June	0.25	0.06	0.19
	July	0.66	0.11	0.55
	August	0.71	0.15	0.56
	September	0.18	0.03	0.15
	October	0.51	0.13	0.38
	November	0.47	0.03	0.44
	December	0.59	0.05	0.54
	Total	0.74	0.10	0.64

Table 145. Estimated average trip and angler-h catch (harvest + discard) per unit effort in the CSMA by month, 2004 through 2010 (continued).

Year	Month	Total Caught per Trip	Harvests per Trip	Discards per Trip
2008	January	2.52	0.11	2.41
	February	1.19	0.07	1.12
	March	0.13	0.01	0.12
	April	0.21	0.01	0.21
	May	0.77	0.02	0.75
	June	0.19	0.02	0.17
	July	1.71	0.00	1.71
	August	0.33	0.00	0.33
	September	0.54	0.00	0.54
	October	0.47	0.05	0.42
	November	0.63	0.06	0.57
	December	0.30	0.10	0.20
	Total	0.65	0.03	0.62
2009	January	0.44	0.07	0.37
	February	0.56	0.05	0.50
	March	0.21	0.05	0.17
	April	0.10	0.01	0.09
	May	0.30	0.00	0.30
	June	0.28	0.00	0.28
	July	0.05	0.00	0.05
	August	0.40	0.00	0.40
	September	0.98	0.00	0.98
	October	0.34	0.12	0.21
	November	0.12	0.02	0.10
	December	0.57	0.15	0.42
	Total	0.32	0.04	0.28
2010	January	1.44	0.31	1.13
	February	3.76	0.99	2.76
	March	1.03	0.26	0.77
	April	0.39	0.12	0.27
	May	0.11	0.06	0.05
	June	0.28	0.00	0.28
	July	0.21	0.00	0.21
	August	0.51	0.00	0.51
	September	0.05	0.00	0.05
	October	0.67	0.06	0.60
	November	0.48	0.06	0.42
	December	1.66	0.32	1.34
	Total	0.46	0.08	0.38

Table 146. Observed North Carolina striped bass angler residency by county and river fished, 2004 through 2010.

Area	County	2004		2005		2006		2007		2008		2009		2010	
		Num	%	Num	%	Num	%	Num	%	Num	%	Num	%	Num	%
Upper Neuse River	Carteret	-	-	1	5.9	-	-	-	-	-	-	-	-	-	-
	Craven	1	5.0	-	-	-	-	-	-	-	-	-	-	-	-
	Duplin	1	5.0	-	-	-	-	-	-	-	-	-	-	-	-
	Edgecombe	-	-	1	5.9	-	-	-	-	-	-	-	-	-	-
	Johnston	6	30.0	2	11.8	-	-	-	-	-	-	-	-	-	-
	Lenoir	-	-	3	17.7	-	-	-	-	-	-	-	-	-	-
	Sampson	1	5.0	-	-	-	-	-	-	-	-	-	-	-	-
	Wake	1	5.0	2	11.8	-	-	-	-	-	-	-	-	-	-
	Wayne	10	50.0	8	47.1	-	-	-	-	-	-	-	-	-	-
All	20	100.0	17	100.0	-	-	-	-	-	-	-	-	-	-	
Lower Neuse River	Beaufort	-	-	1	0.4	-	-	2	2.3	-	-	-	-	-	-
	Cabarrus	1	0.3	-	-	-	-	1	1.1	-	-	-	-	-	-
	Carteret	5	1.6	5	2.1	-	-	-	-	1	1.8	1	3.6	-	-
	Chatham	-	-	-	-	-	-	-	-	-	-	1	3.6	-	-
	Craven	168	53.2	138	56.6	67	58.3	59	66.3	37	64.9	12	42.9	14	45.2
	Davidson	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Duplin	11	3.5	5	2.1	2	1.7	1	1.1	-	-	-	-	-	-
	Durham	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Greene	15	4.8	11	4.5	2	1.7	1	1.1	1	1.8	3	10.7	-	-
	Johnston	3	1.0	1	0.4	3	2.6	-	-	-	-	-	-	1	3.2
	Jones	11	3.5	2	0.8	6	5.2	2	2.3	1	1.8	-	-	3	9.7
	Lenoir	48	15.2	29	11.9	17	14.8	8	9.0	7	12.3	4	14.3	4	12.9
	Martin	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Nash	2	0.6	-	-	-	-	-	-	-	-	-	-	-	-
	New Hanover	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Onslow	12	3.8	7	2.9	3	2.6	1	1.1	1	1.8	1	3.6	-	-
	Orange	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Pamlico	4	1.3	5	2.1	5	4.4	1	1.1	4	7.0	1	3.6	1	3.2
	Pitt	15	4.8	18	7.4	7	6.1	5	5.6	3	5.3	3	10.7	5	16.1
	Sampson	-	-	4	1.6	-	-	-	-	-	-	-	-	-	-
Wake	1	0.3	3	1.2	-	-	-	-	-	-	-	-	-	-	
Wayne	14	4.4	15	6.2	2	1.7	8	9.0	2	3.5	2	7.1	3	9.7	
Wilson	1	0.3	-	-	1	0.9	-	-	-	-	-	-	-	-	
All	316	100.0	244	100.0	115	100.0	89	100.0	57	100.0	28	100.0	31	100.0	
Upper Tar River	Edgecombe	17	41.5	29	64.4	-	-	-	-	-	-	-	-	-	-
	Nash	3	7.3	4	8.9	-	-	-	-	-	-	-	-	-	-
	Pitt	18	43.9	11	24.4	-	-	-	-	-	-	-	-	-	-
	Wake	1	2.4	-	-	-	-	-	-	-	-	-	-	-	-
	Wilkes	1	2.4	-	-	-	-	-	-	-	-	-	-	-	-
	Wilson	1	2.4	1	2.2	-	-	-	-	-	-	-	-	-	-
All	41	100.0	45	100.0	-	-	-	-	-	-	-	-	-	-	

Table 146. Observed North Carolina striped bass angler residency by county and river fished, 2004 through 2010 (continued).

Area	County	2004		2005		2006		2007		2008		2009		2010	
		Num	%	Num	%	Num	%	Num	%	Num	%	Num	%	Num	%
Lower Tar/Upper Pamlico River	Alamance	2	0.6	-	-	-	-	-	-	-	-	-	-	-	-
	Beaufort	159	44.8	173	44.6	63	35.8	94	37.3	58	30.7	64	34.6	67	28.4
	Bertie	-	-	4	1.0	-	-	-	-	-	-	-	-	-	-
	Carteret	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Columbus	-	-	2	0.5	-	-	-	-	-	-	-	-	-	-
	Craven	12	3.4	4	1.0	4	2.3	10	4.0	-	-	1	0.5	10	4.2
	Cumberland	1	0.3	-	-	-	-	-	-	-	-	-	-	-	-
	Edgecombe	2	0.6	8	2.1	4	2.3	8	3.2	6	3.2	4	2.2	17	7.2
	Franklin	-	-	1	0.3	1	0.6	-	-	1	0.5	-	-	-	-
	Greene	10	2.8	19	4.9	9	5.1	6	2.4	2	1.1	4	2.2	9	3.8
	Harnett	-	-	1	0.3	-	-	-	-	-	-	-	-	-	-
	Johnston	1	0.3	1	0.3	-	-	2	0.8	-	-	2	1.1	7	3.0
	Lenoir	2	0.6	1	0.3	-	-	1	0.4	-	-	-	-	4	1.7
	Martin	13	3.7	4	1.0	6	3.4	6	2.4	5	2.7	6	3.2	9	3.8
	Moore	-	-	1	0.3	1	0.6	-	-	-	-	-	-	-	-
	Nash	2	0.6	4	1.0	-	-	7	2.8	3	1.6	1	0.5	2	0.9
	New Hanover	-	-	-	-	-	-	1	0.4	-	-	-	-	-	-
	Onslow	-	-	-	-	1	0.6	-	-	-	-	-	-	-	-
	Pamlico	3	0.9	-	-	-	-	-	-	-	-	-	-	-	-
	Pitt	132	37.2	150	38.7	77	43.8	110	43.7	111	58.7	94	50.8	95	40.3
	Wake	1	0.3	1	0.3	-	-	-	-	-	-	-	-	1	0.4
	Washington	-	-	-	-	1	0.6	-	-	-	-	-	-	-	-
	Wayne	2	0.6	2	0.5	-	-	1	0.4	-	-	6	3.2	5	2.1
Wilson	12	3.4	12	3.1	9	5.1	6	2.4	3	1.6	3	1.6	10	4.2	
All		355	100.0	388	100.0	176	100.0	252	100.0	189	100.0	185	100.0	236	100.0
Pungo River	Ashe	-	-	-	-	1	1.0	-	-	-	-	-	-	-	
	Beaufort	87	40.9	53	37.1	41	41.4	43	33.1	17	43.6	31	55.4	10	41.7
	Bertie	3	1.4	2	1.4	1	1.0	-	-	-	-	-	-	-	
	Brunswick	1	0.5	-	-	-	-	-	-	-	-	-	-	-	
	Buncombe	1	0.5	-	-	-	-	-	-	-	-	-	-	-	
	Chowan	-	-	-	-	-	-	1	0.8	-	-	1	1.8	-	
	Craven	2	0.9	1	0.7	1	1.0	2	1.5	-	-	-	-	-	
	Cumberland	-	-	1	0.7	-	-	-	-	-	-	-	-	-	
	Duplin	1	0.5	-	-	1	1.0	2	1.5	-	-	-	-	-	
	Edgecombe	10	4.7	3	2.1	2	2.0	11	8.5	4	10.3	5	8.9	-	
	Franklin	1	0.5	3	2.1	-	-	5	3.9	-	-	1	1.8	-	
	Greene	3	1.4	1	0.7	1	1.0	1	0.8	-	-	-	-	-	
	Guilford	1	0.5	-	-	2	2.0	-	-	1	2.6	-	-	-	
	Halifax	1	0.5	-	-	-	-	-	-	-	-	-	-	-	
	Harnett	-	-	1	0.7	-	-	-	-	-	-	-	-	-	
	Hertford	-	-	1	0.7	-	-	-	-	-	-	-	-	-	
	Hyde	5	2.4	3	2.1	1	1.0	6	4.6	1	2.6	1	1.8	1	4.2
	Johnston	-	-	3	2.1	1	1.0	1	0.8	-	-	-	-	1	4.2
	Lenoir	2	0.9	-	-	-	-	-	-	-	-	-	-	-	
	Martin	9	4.2	8	5.6	4	4.0	7	5.4	2	5.1	2	3.6	4	16.7
	Mecklenburg	-	-	-	-	-	-	-	-	2	5.1	-	-	-	
	Nash	11	5.2	5	3.5	8	8.1	4	3.1	-	-	4	7.1	1	4.2
	New Hanover	1	0.5	-	-	-	-	2	1.5	-	-	-	-	-	
Perquimans	-	-	-	-	-	-	1	0.8	-	-	-	-	-		
Pitt	33	15.5	34	23.8	24	24.2	24	18.5	11	28.2	6	10.7	5	20.8	
Randolph	-	-	1	0.7	-	-	-	-	-	-	-	-	-		
Sampson	1	0.5	-	-	-	-	-	-	-	-	-	-	-		
Wake	3	1.4	6	4.2	2	2.0	2	1.5	-	-	-	-	-		
Washington	2	0.9	1	0.7	-	-	1	0.8	-	-	-	-	-		
Wayne	19	8.9	7	4.9	5	5.1	11	8.5	-	-	-	-	-		
Wilkes	-	-	1	0.7	-	-	-	-	-	-	-	-	-		
Wilson	16	7.5	8	5.6	4	4.0	6	4.6	1	2.6	5	8.9	2	8.3	
All		213	100.0	143	100.0	99	100.0	130	100.0	39	100.0	56	100.0	24	100.0

Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010.

Year	Day Type	Expenditure	River and Zone					CSMA
			Upper Neuse River	Lower Neuse River	Upper Tar River	Lower Tar/upper Pamlico River	Pungo River	
2004	All	Nights of Trip	0.00	0.04	0.00	0.13	0.86	0.17
		Mile Traveled	8.90	26.80	9.72	20.26	48.09	28.28
		Lodging	\$0.00	\$0.40	\$0.00	\$0.00	\$11.96	\$1.48
		Food	\$2.22	\$5.38	\$6.74	\$4.24	\$16.36	\$6.93
		Ice	\$1.42	\$0.82	\$1.46	\$0.89	\$3.49	\$1.34
		Bait	\$3.32	\$2.47	\$4.61	\$3.77	\$4.05	\$3.28
		Equipment Rental	\$0.62	\$0.15	\$0.08	\$0.00	\$0.00	\$0.10
		Boat Fuel/Oil	\$5.92	\$9.14	\$10.67	\$11.55	\$14.81	\$11.45
		Total	\$13.51	\$18.37	\$23.56	\$20.45	\$50.66	\$24.57
	Weekday	Nights of Trip	0.00	0.00	0.00	0.05	0.87	0.11
		Mile Traveled	6.86	28.16	10.21	20.61	42.57	28.07
		Lodging	\$0.00	\$0.00	\$0.00	\$0.00	\$17.24	\$1.81
		Food	\$1.71	\$3.58	\$8.07	\$3.42	\$16.13	\$6.02
		Ice	\$1.57	\$0.70	\$1.85	\$0.79	\$2.62	\$1.12
		Bait	\$1.57	\$2.01	\$2.58	\$4.13	\$3.81	\$2.95
		Equipment Rental	\$0.00	\$0.23	\$0.00	\$0.00	\$0.00	\$0.11
		Boat Fuel/Oil	\$5.00	\$8.07	\$7.00	\$10.58	\$12.86	\$10.12
		Total	\$9.86	\$14.60	\$19.50	\$18.92	\$52.66	\$22.14
	Weekend/ Holiday	Nights of Trip	0.00	0.10	0.00	0.23	0.85	0.24
		Mile Traveled	11.38	24.89	9.15	19.88	56.31	28.55
		Lodging	\$0.00	\$1.08	\$0.00	\$0.00	\$4.84	\$1.00
		Food	\$2.85	\$7.92	\$5.04	\$5.08	\$16.66	\$8.08
		Ice	\$1.23	\$1.01	\$1.00	\$1.01	\$4.53	\$1.61
		Bait	\$5.46	\$3.17	\$6.92	\$3.35	\$4.46	\$3.72
Equipment Rental		\$1.38	\$0.00	\$0.17	\$0.00	\$0.00	\$0.08	
Boat Fuel/Oil		\$7.60	\$10.56	\$13.05	\$12.37	\$17.72	\$13.00	
Total		\$18.52	\$23.74	\$26.17	\$21.81	\$48.21	\$27.48	
2005	All	Nights of Trip	0.00	0.08	2.00	0.01	3.75	0.23
		Mile Traveled	15.59	25.60	10.72	20.83	61.77	28.50
		Lodging	\$0.00	\$0.00	\$0.00	\$0.08	\$2.19	\$0.41
		Food	\$4.31	\$4.67	\$5.95	\$4.41	\$20.71	\$7.46
		Ice	\$0.45	\$0.44	\$2.92	\$0.68	\$2.92	\$1.05
		Bait	\$2.58	\$1.65	\$12.47	\$2.87	\$2.95	\$2.70
		Equipment Rental	\$0.00	\$0.02	\$0.00	\$0.00	\$0.00	\$0.01
		Boat Fuel/Oil	\$6.98	\$9.05	\$8.63	\$10.60	\$21.99	\$12.05
		Total	\$14.32	\$15.82	\$29.98	\$18.64	\$50.75	\$23.67
	Weekday	Nights of Trip	0.00	0.00	0.0	0.00	5.43	0.25
		Mile Traveled	17.63	25.01	12.54	21.40	66.20	29.37
		Lodging	\$0.00	\$0.00	\$0.00	\$0.10	\$0.00	\$0.03
		Food	\$1.60	\$5.07	\$5.45	\$4.25	\$24.99	\$8.27
		Ice	\$0.00	\$0.46	\$3.71	\$0.50	\$2.82	\$1.01
		Bait	\$1.20	\$2.05	\$11.63	\$3.10	\$3.65	\$3.07
		Equipment Rental	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	\$7.57	\$8.53	\$8.62	\$10.27	\$23.46	\$12.05
		Total	\$10.37	\$16.11	\$29.41	\$18.24	\$54.92	\$24.44

Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010 (continued).

Year	Day Type	Expenditure	River and Zone					CSMA
			Upper Neuse River	Lower Neuse River	Upper Tar River	Lower Tar/upper Pamlico River	Pungo River	
2004	All	Nights of Trip	0.00	0.04	0.00	0.13	0.87	0.17
		Mile Traveled	8.90	26.80	9.72	20.26	48.22	28.29
		Lodging	\$0.00	\$0.40	\$0.00	\$0.00	\$12.13	\$1.48
		Food	\$2.22	\$5.38	\$6.74	\$4.24	\$16.46	\$6.94
		Ice	\$1.42	\$0.82	\$1.46	\$0.89	\$2.65	\$1.20
		Bait	\$3.32	\$2.47	\$4.61	\$3.77	\$4.08	\$3.28
		Equipment Rental	\$0.62	\$0.15	\$0.08	\$0.00	\$0.00	\$0.10
		Boat Fuel/Oil	\$5.92	\$9.14	\$10.67	\$11.55	\$14.85	\$11.46
	Total	\$13.51	\$18.37	\$23.56	\$20.45	\$50.17	\$24.46	
	Weekday	Nights of Trip	0.00	0.00	0.00	0.05	0.87	0.11
		Mile Traveled	6.86	28.16	10.21	20.54	42.57	28.02
		Lodging	\$0.00	\$0.00	\$0.00	\$0.00	\$17.24	\$1.81
		Food	\$1.71	\$3.58	\$8.07	\$3.40	\$16.13	\$6.00
		Ice	\$1.57	\$0.70	\$1.85	\$0.79	\$2.62	\$1.12
		Bait	\$1.57	\$2.01	\$2.58	\$4.21	\$3.81	\$2.98
		Equipment Rental	\$0.00	\$0.23	\$0.00	\$0.00	\$0.00	\$0.11
		Boat Fuel/Oil	\$5.00	\$8.07	\$7.00	\$10.82	\$12.86	\$10.19
	Total	\$9.86	\$14.60	\$19.50	\$19.22	\$52.66	\$22.22	
	Weekend/ Holiday	Nights of Trip	0.00	0.10	0.00	0.23	0.88	0.24
		Mile Traveled	11.38	24.89	9.15	19.95	56.69	28.64
		Lodging	\$0.00	\$1.08	\$0.00	\$0.00	\$5.00	\$1.01
		Food	\$2.85	\$7.92	\$5.04	\$5.12	\$16.90	\$8.11
		Ice	\$1.23	\$1.01	\$1.00	\$1.02	\$2.70	\$1.30
		Bait	\$5.46	\$3.17	\$6.92	\$3.24	\$4.56	\$3.69
Equipment Rental		\$1.38	\$0.00	\$0.17	\$0.00	\$0.00	\$0.08	
Boat Fuel/Oil		\$7.60	\$10.56	\$13.05	\$12.18	\$17.85	\$12.95	
Total	\$18.52	\$22.66	\$26.17	\$21.56	\$42.01	\$26.14		
2005	All	Nights of Trip	0.00	0.08	2.00	0.01	3.75	0.23
		Mile Traveled	15.59	25.60	10.72	20.83	61.77	28.50
		Lodging	\$0.00	\$0.00	\$0.00	\$0.08	\$2.19	\$0.41
		Food	\$4.31	\$4.67	\$5.95	\$4.41	\$20.71	\$7.46
		Ice	\$0.45	\$0.44	\$2.92	\$0.68	\$2.92	\$1.05
		Bait	\$2.58	\$1.65	\$12.47	\$2.87	\$2.95	\$2.70
		Equipment Rental	\$0.00	\$0.02	\$0.00	\$0.00	\$0.00	\$0.01
		Boat Fuel/Oil	\$6.98	\$9.05	\$8.63	\$10.60	\$21.99	\$12.05
	Total	\$14.32	\$15.82	\$29.98	\$18.64	\$50.75	\$23.67	
	Weekday	Nights of Trip	0.00	0.00	0.0	0.00	5.43	0.25
		Mile Traveled	17.63	25.01	12.54	21.40	66.20	29.37
		Lodging	\$0.00	\$0.00	\$0.00	\$0.10	\$0.00	\$0.03
		Food	\$1.60	\$5.07	\$5.45	\$4.25	\$24.99	\$8.27
		Ice	\$0.00	\$0.46	\$3.71	\$0.50	\$2.82	\$1.01
		Bait	\$1.20	\$2.05	\$11.63	\$3.10	\$3.65	\$3.07
		Equipment Rental	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	\$7.57	\$8.53	\$8.62	\$10.27	\$23.46	\$12.05
	Total	\$10.37	\$16.11	\$29.41	\$18.24	\$54.92	\$24.44	
	Weekend/ Holiday	Nights of Trip	0.00	0.16	2.00	0.02	1.93	0.20
		Mile Traveled	11.67	26.22	8.81	20.10	56.52	27.46
		Lodging	\$0.00	\$0.00	\$0.00	\$0.05	\$4.58	\$0.82
		Food	\$8.00	\$4.26	\$6.65	\$4.63	\$15.37	\$6.49
		Ice	\$1.00	\$0.41	\$2.00	\$0.88	\$3.03	\$1.08
		Bait	\$4.71	\$1.24	\$13.82	\$2.55	\$2.14	\$2.26
Equipment Rental		\$0.00	\$0.04	\$0.00	\$0.00	\$0.00	\$0.02	
Boat Fuel/Oil		\$4.00	\$9.54	\$8.65	\$11.01	\$20.22	\$12.05	
Total	\$17.71	\$15.49	\$31.11	\$19.08	\$40.76	\$21.89		

Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010 (continued).


Year	Day Type	Expenditure	River and Zone					CSMA
			Upper Neuse River	Lower Neuse River	Upper Tar River	Lower Tar/upper Pamlico River	Pungo River	
2006	All	Nights of Trip	-	0.00	-	0.00	2.03	0.10
		Mile Traveled	-	22.37	-	21.55	51.83	29.51
		Lodging	-	\$0.00	-	\$0.00	\$0.99	\$0.33
		Food	-	\$3.07	-	\$9.43	\$8.38	\$5.22
		Ice	-	\$0.32	-	\$1.58	\$1.01	\$0.63
		Bait	-	\$1.47	-	\$9.13	\$0.79	\$1.41
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$6.90	-	\$10.30	\$13.78	\$10.10
		Total	-	\$11.77	-	\$30.44	\$24.95	\$17.69
	Weekday	Nights of Trip	-	0.00	-	0.00	2.50	0.12
		Mile Traveled	-	21.95	-	21.14	51.61	29.79
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$2.29	-	\$10.00	\$9.09	\$5.21
		Ice	-	\$0.32	-	\$1.50	\$1.04	\$0.65
		Bait	-	\$1.68	-	\$0.00	\$0.00	\$1.09
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$6.25	-	\$9.31	\$12.28	\$9.18
		Total	-	\$10.54	-	\$20.81	\$22.41	\$16.13
	Weekend/ Holiday	Nights of Trip	-	0.00	-	0.00	1.50	0.08
		Mile Traveled	-	22.87	-	21.99	52.14	29.17
		Lodging	-	\$0.00	-	\$0.00	\$2.22	\$0.74
		Food	-	\$4.00	-	\$7.50	\$7.38	\$5.24
		Ice	-	\$0.33	-	\$1.75	\$0.97	\$0.59
		Bait	-	\$1.22	-	\$16.00	\$1.76	\$1.79
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.63	-	\$11.38	\$15.96	\$11.18
		Total	-	\$13.18	-	\$36.63	\$26.07	\$18.80
2007	All	Nights of Trip	-	0.00	-	0.00	13.50	0.69
		Mile Traveled	-	19.70	-	21.19	51.98	29.38
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$2.82	-	\$7.22	\$13.28	\$7.83
		Ice	-	\$0.07	-	\$1.91	\$2.93	\$1.02
		Bait	-	\$0.61	-	\$7.85	\$19.45	\$3.63
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.48	-	\$10.80	\$19.46	\$11.67
		Total	-	\$10.99	-	\$27.78	\$55.12	\$24.14
	Weekday	Nights of Trip	-	0.00	-	0.00	1.00	0.04
		Mile Traveled	-	21.86	-	21.15	53.57	30.29
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$2.29	-	\$7.50	\$13.50	\$8.19
		Ice	-	\$0.00	-	\$1.40	\$2.87	\$1.01
		Bait	-	\$0.35	-	\$7.50	\$20.00	\$3.57
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$6.69	-	\$9.39	\$19.04	\$10.53
		Total	-	\$9.33	-	\$25.79	\$55.41	\$23.30
	Weekend/ Holiday	Nights of Trip	-	0.00	-	0.00	22.33	1.34
		Mile Traveled	-	17.79	-	21.24	50.17	28.39
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$3.35	-	\$6.83	\$12.94	\$7.37
		Ice	-	\$0.14	-	\$3.25	\$3.00	\$1.03
		Bait	-	\$0.88	-	\$8.33	\$18.88	\$3.69
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$8.20	-	\$12.41	\$19.86	\$12.86
		Total	-	\$12.56	-	\$30.82	\$54.68	\$24.96

Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010 (continued).

Year	Day Type	Expenditure	River and Zone					CSMA
			Upper Neuse River	Lower Neuse River	Upper Tar River	Lower Tar/upper Pamlico River	Pungo River	
2008	All	Nights of Trip	-	0.00	-	2.00	3.51	0.21
		Mile Traveled	-	17.16	-	20.60	55.06	24.31
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$1.67	-	\$0.00	\$23.68	\$6.45
		Ice	-	\$0.19	-	\$0.00	\$2.91	\$0.52
		Bait	-	\$0.23	-	\$0.00	\$30.01	\$2.16
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.01	-	\$10.45	\$27.47	\$11.02
	Total	-	\$9.10	-	\$10.45	\$84.07	\$20.16	
	Weekday	Nights of Trip	-	0.00	-	0.00	4.00	0.24
		Mile Traveled	-	16.28	-	21.07	52.23	23.50
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Food	-	\$0.50	-	\$0.00	\$32.50	\$6.92
		Ice	-	\$0.13	-	\$0.00	\$3.50	\$0.50
		Bait	-	\$0.50	-	\$0.00	\$50.00	\$3.42
		Equipment Rental	-	\$0.00	-	\$0.00	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.50	-	\$10.24	\$41.67	\$10.80
	Total	-	\$8.63	-	\$10.24	\$127.67	\$21.64	
	Weekend/ Holiday	Nights of Trip	-	0.00	-	2.00	3.00	0.19
		Mile Traveled	-	17.90	-	19.93	57.29	25.29
		Lodging	-	\$0.00	-	\$0.00	\$0.00	\$0.00
Food		-	\$2.65	-	\$0.00	\$17.50	\$6.08	
Ice		-	\$0.25	-	\$0.00	\$2.50	\$0.54	
Bait		-	\$0.00	-	\$0.00	\$16.00	\$1.12	
Equipment Rental		-	\$0.00	-	\$0.00	\$0.00	\$0.00	
Boat Fuel/Oil		-	\$6.59	-	\$10.74	\$23.00	\$11.28	
Total	-	\$9.49	-	\$10.74	\$59.00	\$19.02		
2009	All	Nights of Trip	-	0.00	-	-	0.00	0.00
		Mile Traveled	-	29.27	-	-	38.12	35.04
		Lodging	-	\$0.00	-	-	\$0.00	\$0.00
		Food	-	\$1.49	-	-	\$14.18	\$5.84
		Ice	-	\$0.34	-	-	\$2.28	\$0.84
		Bait	-	\$0.41	-	-	\$25.00	\$1.53
		Equipment Rental	-	\$0.00	-	-	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.10	-	-	\$23.99	\$17.09
	Total	-	\$9.34	-	-	\$65.45	\$25.30	
	Weekday	Nights of Trip	-	0.00	-	-	0.00	0.00
		Mile Traveled	-	24.79	-	-	37.26	32.54
		Lodging	-	\$0.00	-	-	\$0.00	\$0.00
		Food	-	\$0.86	-	-	\$10.00	\$2.00
		Ice	-	\$0.21	-	-	\$2.25	\$0.67
		Bait	-	\$0.57	-	-	\$0.00	\$0.57
		Equipment Rental	-	\$0.00	-	-	\$0.00	\$0.00
		Boat Fuel/Oil	-	\$7.67	-	-	\$27.80	\$18.26
	Total	-	\$9.31	-	-	\$40.05	\$21.50	
	Weekend/ Holiday	Nights of Trip	-	0.00	-	-	0.00	0.00
		Mile Traveled	-	38.79	-	-	39.39	39.21
		Lodging	-	0.00	-	-	0.00	\$0.00
Food		-	\$2.92	-	-	\$15.17	\$10.03	
Ice		-	\$0.67	-	-	\$2.33	\$1.22	
Bait		-	\$0.00	-	-	\$25.00	\$3.57	
Equipment Rental		-	\$0.00	-	-	\$0.00	\$0.00	
Boat Fuel/Oil		-	\$5.75	-	-	\$19.50	\$15.27	
Total	-	\$9.34	-	-	\$62.00	\$30.10		

Table 147. Mean reported expenditures of striped bass anglers by river, day type, and expense type, 2004 through 2010 (continued).

Year	Day Type	Expenditure	River and Zone					CSMA
			Upper Neuse River	Lower Neuse River	Upper Tar River	Lower Tar/upper Pamlico River	Pungo River	
2010	All	Nights of Trip	-	0.00	-	0.00	3.00	0.05
		Mile Traveled	-	23.38	-	26.48	55.69	28.57
		Lodging	-	\$0.00	-	\$0.00	-	\$0.00
		Food	-	\$5.90	-	\$8.70	\$26.84	\$9.16
		Ice	-	\$1.18	-	\$2.13	-	\$1.47
		Bait	-	\$2.18	-	\$5.22	\$41.68	\$6.45
		Equipment Rental	-	\$0.00	-	\$0.00	.	\$0.00
		Boat Fuel/Oil	-	\$16.14	-	\$7.64	\$17.56	\$9.05
		Total	-	\$25.41	-	\$23.68	\$86.08	\$54.74
	Weekday	Nights of Trip	-	0.00	-	\$0.00	0.00	0.00
		Mile Traveled	-	22.15	-	\$25.56	36.46	26.16
		Lodging	-	\$0.00	-	-	-	\$0.00
		Food	-	\$6.25	-	\$10.00	\$13.38	\$7.24
		Ice	-	\$0.45	-	-	-	\$0.45
		Bait	-	\$0.00	-	\$11.33	\$60.00	\$7.23
		Equipment Rental	-	\$0.00	-	-	-	0.00
		Boat Fuel/Oil	-	\$17.75	-	\$6.58	\$17.33	8.39
		Total	-	\$24.45	-	\$27.91	\$90.72	\$49.48
	Weekend/ Holiday	Nights of Trip	-	0.00	-	0.00	3.00	0.11
		Mile Traveled	-	25.22	-	27.54	86.38	31.52
		Lodging	-	\$0.00	-	\$0.00	-	0.00
		Food	-	\$5.09	-	\$8.50	\$37.25	\$11.17
		Ice	-	\$2.46	-	\$2.13	-	\$2.28
		Bait	-	\$6.30	-	\$1.73	\$22.50	\$5.52
		Equipment Rental	-	\$0.00	-	\$0.00	-	\$0.00
		Boat Fuel/Oil	-	\$14.08	-	\$8.83	\$17.90	\$9.80
		Total	-	\$27.93	-	\$21.18	\$77.65	\$60.39



Upper Neuse River




Figure 80. Map of study area including sampling sites and description of upper and lower zones, 2004 through 2010.




Figure 81. Length frequencies by percent of total observed striped bass from the Neuse River, 2004 through 2010.




Figure 82. Length frequencies by percent of total observed striped bass from the Pamlico River, 2004 through 2010.




Figure 83. Length frequencies by percent of total observed striped bass from the Pungo River, 2004 through 2010.

Appendix 10. CSMA creel survey socioeconomic questions.

CSMA Creel Socioeconomic Questions

- 1) How old were you on December 31, 200x? _____
- 2) What state do you live in? _____
- 3) If the state is NC, what county do you live in? _____
- 4) Were you born in North Carolina? Yes No
- 5) Are you, Male Female
- 6) What do you consider your ethnic background?
 - Hispanic/Latino (all races) Asian-Pacific Islander
 - White/Caucasian Native American
 - African-American/Black
- 7) What is your marital status?
 - Currently married Widowed Separated
 - Divorced Never married
- 9) How many people live in your household? (include yourself and others such as students away at school, someone in the hospital, or currently away on business or vacation, etc., but not someone whose main place of residence is somewhere else.)

The following questions ask you about this fishing trip. If you aren't sure of the exact answer, please give your best estimate.

10) How many nights is the trip? (if none, skip 11 and 12).	
11) How many miles did you travel to get here?	
12) How many people who are on the trip are fishing?	
13) How many people who are on the trip don't fish?	
14) How much are you paying for lodging per night?	
15) How much will/did you pay for food?	
16) How much will/did you pay for ice?	
17) How much will/did you pay for bait?	
18) How much will/did you pay for equipment rental?	
19) How much will/did you pay for boat fuel and oil?	

CSMA CREEL SURVEY

Assignment Summary Form

- 1. INTERVIEWER ID
- 2. YR/MO/DAY
- 3. PERIOD
- 4. TYPE OF DAY
- 5. SITE
- 6. TIME ARRIVED 24 hr clock
- 7. NUMBER TRAILERS Upon Arrival
- 8. NUMBER TRAILERS Mid-Tine Count
- 9. NUMBER TRAILERS Upon Departure
- 10. NUMBER On Bank When Arrived
- 11. NUMBER On Bank mid-Time count
- 12. NUMBER On Bank When Departed
- 13. NUMBER FISHING PARTIES MISSED
- 14. NUMBER FISHING PARTIES REFUSED
- 16. TIME DEPARTED 24 hr clock

Comments

CONTACTS

This project was funded under the Federal Aid in Sport Fish Restoration Program using state fishing license money and federal grant funds derived from federal excise taxes on fishing tackle and other fishing related expenditures.

Funds from the Sport Fish Restoration Program are used for aquatic education, fisheries research and management, and boating access facilities. This program is administered cooperatively by the NCDMF, N.C. Wildlife and Resources Commission, and U.S. Fish and Wildlife Service. For additional information regarding the survey or for a complete report, please consider the list below.

North Carolina Division of Marine Fisheries
Don Hesselman, Chief, License & Statistics
P.O. Box 769
Morehead City, NC 27889
800-682-2632
Don.Hesselman@ncdenr.gov

North Carolina Division of Marine Fisheries
Doug Mumford
943 Washington Square Mall
Washington NC, 27889
800-338-7804
Doug.Mumford@ncdenr.gov

North Carolina Division of Marine Fisheries
Chris Wilson
943 Washington Square Mall
Washington NC, 27889
800-338-7804
Chris.Wilson@ncdenr.gov