ROY COOPER Governor ELIZABETH S. BISER Secretary MICHAEL ABRACZINSKAS Director



Enter XXXXX xx, 2023

Giuseppe Guarino President K-Flex USA, LLC 100 K-Flex Way Youngsville, NC 27596

SUBJECT: Air Quality Permit No. 07866T24

Facility ID: 3500067 K-Flex USA, LLC

Youngsville, North Carolina

Franklin County Fee Class: Title V PSD Class: Minor

Dear Mr. Guarino:

In accordance with your completed Air Quality Permit Application for a renewal of your Title V permit, we are forwarding, herewith, Air Quality Permit No. 07866T24 authorizing the construction and operation, of the emission source(s) and associated air pollution control device(s) specified herein. Additionally, any emissions activities determined from your Air Quality Permit Application as being insignificant per 15A North Carolina Administrative Code 02Q .0503(8) have been identified as such in the permit. Please note the requirements for the annual compliance certification are contained in General Condition P in Section 4. The current owner is responsible for submitting a compliance certification for the entire year regardless of who owned the facility during the year.

As the designated responsible official it is your responsibility to review, understand, and abide by all of the terms and conditions of the attached permit. It is also your responsibility to ensure that any person who operates any emission source and associated air pollution control device subject to any term or condition of the attached permit reviews, understands, and abides by the condition(s) of the attached permit that are applicable to that particular emission source.

If any parts, requirements, or limitations contained in this Air Quality Permit are unacceptable to you, you have the right to file a petition for contested case hearing in the North Carolina Office of Administrative Hearings. Information regarding the right, procedure, and time limit for permittees and other persons aggrieved to file such a petition is contained in the attached "Notice Regarding the Right to Contest a Division of Air Quality Permit Decision."

The construction of new air pollution emission source(s) and associated air pollution control device(s), or modifications to existing emission source(s) and air pollution control device(s) described in this permit must be covered under an Air Quality Permit issued by the Division of Air Quality prior to construction unless the Permittee has fulfilled the requirements of NCGS 143-215.108A(b) and received written approval from the Director of the Division of Air Quality to commence construction. Failure to receive an Air Quality Permit or written approval prior to commencing construction is a violation of NCGS



Giuseppe Guarino

Enter XX or Calendar Date

Page 2

143-215.108A and may subject the Permittee to civil or criminal penalties as described in NCGS 143-215.114A and 143-215.114B.

Franklin County has not triggered increment tracking under PSD for any pollutants, so no tracking is required.

This Air Quality Permit shall be effective from *(Enter Permit Issuance Date)* until *(Enter Permit Expiration Date)*, is nontransferable to future owners and operators, and shall be subject to the conditions and limitations as specified therein.

Should you have any questions concerning this matter, please contact Jacob Larson at (919) 707-8407 or <u>Jacob.larson@deq.nc.gov</u>.

Sincerely yours,

Mark J. Cuilla, EIT, CPM, Chief, Permitting Section Division of Air Quality, NCDEQ

Enclosure

c: Brad Akers, EPA Region 4 (Permit and Review) Laserfiche [3500067]

NOTICE REGARDING THE RIGHT TO CONTEST A DIVISION OF AIR QUALITY PERMIT DECISION

Right of the Permit Applicant or Permittee to File a Contested Case: Pursuant to NCGS 143-215.108(e), a permit applicant or permittee who is dissatisfied with the Division of Air Quality's decision on a permit application may commence a contested case by filing a petition under NCGS 150B-23 in the Office of Administrative Hearings within 30 days after the Division notifies the applicant or permittee of its decision. If the applicant or permittee does not file a petition within the required time, the Division's decision on the application is final and is not subject to review. The filing of a petition will stay the Division's decision until resolution of the contested case.

Right of Other Persons Aggrieved to File a Contested Case: Pursuant to NCGS 143-215.108(e1), a person other than an applicant or permittee who is a person aggrieved by the Division's decision on a permit application may commence a contested case by filing a petition under NCGS 150B-23 within 30 days after the Division provides notice of its decision on a permit application, as provided in NCGS 150B-23(f), or by posting the decision on a publicly available Web site. The filing of a petition under this subsection does not stay the Division's decision except as ordered by the administrative law judge under NCGS 150B-33(b).

General Filing Instructions: A petition for contested case hearing must be in the form of a written petition, conforming to NCGS 150B-23, and filed with the Office of Administrative Hearings, 1711 New Hope Church Road, Raleigh NC, 27609, along with a fee in an amount provided in NCGS 150B-23.2. A petition for contested case hearing form may be obtained upon request from the Office of Administrative Hearings or on its website at https://www.oah.nc.gov/hearings-division/filing/hearing-forms. Additional specific instructions for filing a petition are set forth at 26 NCAC Chapter 03.

Service Instructions: A party filing a contested case is required to serve a copy of the petition, by any means authorized under 26 NCAC 03 .0102, on the process agent for the Department of Environmental Quality:

William F. Lane, General Counsel North Carolina Department of Environmental Quality 1601 Mail Service Center Raleigh, North Carolina 27699-1601

If the party filing the petition is a person aggrieved other than the permittee or permit applicant, the party **must also** serve the permittee in accordance with NCGS 150B-23(a).

* * *

Additional information is available at https://www.oah.nc.gov/hearings-division/hearing-process/filing-contested-case. Please contact the OAH at 984-236-1850 or oah.postmaster@oah.nc.gov with all questions regarding the filing fee and/or the details of the filing process.

Summary of Changes to Permit

The following changes were made to Air Permit No. 07966T23*

Page No.	Section	Description of Changes
	Cover page and throughout permit	Updated all dates and permit revision numbers.
3	Cover page	 Added "Notice Regarding The Right To Contest A Division Of Air Quality Permit Decision" page
4	Summary of Changes to Permit	• Added summary of changes made to Permit No. 07966T23, according to the most recent requirements of the renewal Title V permit
2	Table of Contents	Added Section 3.0 as "Insignificant Activities List"Added Section 4.0 as "General Permit Conditions"
3	List of Acronyms	Added "List of Acronyms"
4	Section 1 Emission Source Table	 Updated ES-6A, D, and F emission source descriptions Updated ES-6B and C emission source description
6	2.1 A.1.c	Corrected pressure drop to 180 from 120 millimeters of water
6	2.1 A.2	Added 15A NCAC 02D .0516 condition
8	2.2 A.1	Updated toxics condition and table to current shell language
9	2.2 A.2	Updated TPER table to current shell version
12	2.2 A.5	Added PFAS disclosure condition
13	Section 3	 Added Insignificant Activities as Section 3 of the Title V Permit Added fourth boiler to IES-6 with additional 2.1 million btu per hour total capacity. Updated description for IES-8 and IES-14
14-21	Section 4	 Added General Conditions as Section 4 of the Title V Permit Updated General Conditions to version 7.0, 08/21/2023

^{*} This list is not intended to be a detailed record of every change made to the permit but a summary of those changes.



State of North Carolina Department of Environmental Quality Division of Air Quality

AIR QUALITY PERMIT

Permit No.	Replaces Permit No.(s)	Effective Date	Expiration Date
07866T24	07866T23	XXXX*	XXXX**

NOTE: Per General Condition K, a permit application for the renewal of this Title V permit shall be submitted no later than *lenter date six months prior to expiration date*].

Until such time as this permit expires or is modified or revoked, the below named Permittee is permitted to construct and operate the emission source(s) and associated air pollution control device(s) specified herein, in accordance with the terms, conditions, and limitations within this permit. This permit is issued under the provisions of Article 21B of Chapter 143, General Statutes of North Carolina as amended, and Title 15A North Carolina Administrative Codes (15A NCAC), Subchapters 02D and 02Q, and other applicable Laws.

Pursuant to Title 15A NCAC, Subchapter 02Q, the Permittee shall not construct, operate, or modify any emission source(s) or air pollution control device(s) without having first submitted a complete Air Quality Permit Application to the permitting authority and received an Air Quality Permit, except as provided in this permit.

Permittee: K-Flex USA, LLC

Facility ID: 3500067
Primary SIC Code: 3086
NAICS Code: 32615

Facility Site Location: 100 K-Flex Way

City, County, State, Zip: Youngsville, Franklin County, North Carolina, 27596

Mailing Address: 100 K-Flex Way

City, State, Zip: Youngsville, North Carolina 27596

Application Number(s): 3500067.24A Complete Application Date(s): May 13, 2024

Division of Air Quality, Raleigh Regional Office Regional Office Address: 3800 Barrett Drive

Raleigh, North Carolina 27609

Permit issued this the XX day of XXXXX, XXXX.

Mark J. Cuilla, EIT, CPM, Chief, Air Permitting Section By Authority of the Environmental Management Commission

Table of Contents

LIST OF ACRONYMS

SECTION 1: PERMITTED EMISSION SOURCE(S) AND ASSOCIATED AIR POLLUTION CONTROL DEVICE(S) AND APPURTENANCES

SECTION 2: SPECIFIC LIMITATIONS AND CONDITIONS

- 2.1 Emission Source(s) Specific Limitations and Conditions (Including specific requirements, testing, monitoring, recordkeeping, and reporting requirements)
- 2.2 Multiple Emission Source(s) Specific Limitations and Conditions (Including specific requirements, testing, monitoring, recordkeeping, and reporting requirements)

SECTION 3: INSIGNIFICANT ACTIVITIES PER 15A NCAC 02Q .0503(8)

SECTION 4: GENERAL PERMIT CONDITIONS

List of Acronyms

AOS Alternative Operating Scenario
BACT Best Available Control Technology

BAE Baseline Actual Emissions

Btu British thermal unit CAA Clean Air Act

CAM Compliance Assurance Monitoring
CEMS Continuous Emission Monitoring System

CEDRI Compliance and Emissions Data Reporting Interface

CFR Code of Federal Regulations

CO Carbon Monoxide

COMS Continuous Opacity Monitoring System

CSAPR Cross-State Air Pollution Rule DAO Division of Air Quality

DEQ Department of Environmental Quality
EMC Environmental Management Commission

EPA Environmental Protection Agency

FR Federal Register

GACT Generally Available Control Technology

GHGs Greenhouse Gases
HAP Hazardous Air Pollutant

LAER Lowest Achievable Emission Rate

MACT Maximum Achievable Control Technology

NAA Non-Attainment Area

NAAQS National Ambient Air Quality Standards
NAICS North American Industry Classification System

NCAC North Carolina Administrative Code NCGS North Carolina General Statutes

NESHAP National Emission Standards for Hazardous Air Pollutants

NO_X Nitrogen Oxides

NSPS New Source Performance Standard

NSR New Source Review

OAH Office of Administrative Hearings
PAE Projected Actual Emissions
PAL Plantwide Applicability Limitation

PM Particulate Matter

PM_{2.5} Particulate Matter with Nominal Aerodynamic Diameter of 2.5 Micrometers or Less PM₁₀ Particulate Matter with Nominal Aerodynamic Diameter of 10 Micrometers or Less

POS Primary Operating Scenario

PSD Prevention of Significant Deterioration

PTE Potential to Emit

RACT Reasonably Available Control Technology

SIC Standard Industrial Classification SIP State Implementation Plan

SO₂ Sulfur Dioxide TAP Toxic Air Pollutant tpy Tons Per Year

VOC Volatile Organic Compound

SECTION 1- PERMITTED EMISSION SOURCE(S) AND ASSOCIATED AIR POLLUTION CONTROL DEVICE(S) AND APPURTENANCES

The following table contains a summary of all permitted emission sources and associated air pollution control devices and appurtenances:

	The following table contains a summary of all permitted emission sources and associated air pollution control devices and appurtenances:					
Emission Source		Control Device				
ID No. Emission Source Description ID No. Control Device Description						
Rubber Extrusion Operation consisting of the following:						
ES-6A	Hot oil heated continuous curing oven No. 1	C-9A, C-10A, C-	Two exhaust treatment trains: Pre-filter in series with a coalescence			
ES-6B	Batch curing oven No. 1 (Natural gas-fired 0.88 million Btu per hour maximum heat input capacity)	11A,	filter in series with a steel AISI scrubber (265 gallons per minute minimum injection rate)			
ES-6C	Batch curing oven No. 2 (Natural gas-fired 0.88 million Btu per hour maximum heat input capacity)	C-9B, C-10B, C- 11B				
ES-6D	Hot oil heated continuous curing oven No. 2		Pre-filter in series with a coalescence filter in series with a steel AISI			
ES-6F	Hot oil heated continuous curing oven No. 3		scrubber (265 gallons per minute minimum injection rate)			
ES-7	Mixer No. 1	B-9	Fabric filter (790 square feet of filter area)			
ES-8	Mixer No. 2 (9,106 pounds per hour, maximum throughput)	B-10	Fabric filter (790 square feet of filter area)			
ES-9	Dosing Table No. 1					
ES-10	Mixer No. 3 (2,811 pounds per hour, maximum throughput)	B-11	Fabric filter (1,600 square feet of filter area)			
ES-11	Dosing Table No. 2					
EPE extrusion operation consisting of the following:						
ES-12	EPE Extruder Line 1 (397 pounds per hour, maximum throughput)	N/A	N/A			
ES-13	EPE Extruder Line 2 (397 pounds per hour, maximum throughput)	N/A	N/A			

SECTION 2 - SPECIFIC LIMITATIONS AND CONDITIONS

2.1 Emission Source(s) and Control Devices(s) Specific Limitations and Conditions

The emission source(s) and associated air pollution control device(s) and appurtenances listed below are subject to the following specific terms, conditions, and limitations, including the testing, monitoring, recordkeeping, and reporting requirements as specified herein:

A. Rubber Extrusion Operation consisting of the following:

Continuous oven curing operation 1 (ID No. ES-6A), Batch oven curing operation 1 (ID No. ES-6B), Continuous oven curing operation 2 (ID No. ES-6C), Batch oven curing operation 2 (ID No. ES-6D), Continuous curing oven No. 3 (ID No. ES-6F)

and two associated parallel exhaust treatment trains: Pre-filter (ID No. C-9A) in series with a coalescence filter (ID No. C-10A) in series with a steel AISI scrubber (ID No. C-11A)

and Pre-filter (ID No. C-9B) in series with a coalescence filter (ID No. C-10B) in series with a steel AISI scrubber (ID No. C-11B)

Mixer No. 1 (ID No. ES-7) with associated fabric filter (790 square feet of filter area, ID No. B-9) Mixer No. 2 (9,106 pounds per hour maximum throughput, ID No. ES-8) and Dosing Table No. 1 (ID No. ES-9) with associated fabric filter (790 square feet of filter area, ID No. B-10)

Mixer No. 3 (2,811 pounds per hour maximum throughput, ID No. ES-10) and Dosing Table No. 2, ID No. ES-11) with associated fabric filter (1,600 square feet of filter area, ID No. B-11)

The following table provides a summary	a of limits and standards for th	ha amiggion gaurage	dagarihad aharra
The following table brovides a summary	v of fiffiles and standards for th	de emission sourcers	i described above:

Pollutant	Limits/Standards	Applicable Regulation
Particulate matter	$E=4.10 \times P^{0.67}$	15A NCAC 02D .0515
	$E = 55.0 \times P^{0.11} - 40$	
	Where $E =$ allowable emission rate in pounds per hour	
	P = process weight in tons per hour	
Visible emissions	20 percent opacity	15A NCAC 02D .0521
Toxic air pollutants	Limit the toxic air pollutants to less than respective limits	15A NCAC 02D .1100
_	See Section 2.2 A - State-enforceable Only	15A NCAC 02Q .0711
Volatile organic	Less than 250 tons per year	15A NCAC 02Q .0317
compounds	See Section 2.2 B	PSD Avoidance

1. 15A NCAC 02D .0515: PARTICULATES FROM MISCELLANEOUS INDUSTRIAL PROCESSES

a. Emissions of particulate matter from these sources (ID Nos. ES-6A, ES-6B, ES-6C, ES-6D, ES-6F, ES-7, ES-8, ES-9, ES-10 and ES-11) shall not exceed an allowable emission rate as calculated by the following equation:

```
E = 4.10 \text{ x } P^{0.67} (for process rates less than or equal to 30 tons per hour), or E = 55.0 \text{ x } P^{0.11} - 40 (for process rates greater than 30 tons per hour)
```

Where E = allowable emission rate in pounds per hour P = process weight in tons per hour

Liquid and gaseous fuels and combustion air are not considered as part of the process weight.

Testing [15A NCAC 02Q .0508(f)]

b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A.1.a above, the Permittee shall be deemed in noncompliance with 15A NCAC 02D .0515.

Monitoring [15A NCAC 02Q .0508(f)]

c. Particulate matter emissions from these sources (ID Nos. ES-6A, ES-6B, ES-6C, ES-6D, ES-6F, ES-7, ES-8, ES-9, ES-10 and ES-11) shall be controlled by the filters and scrubbers (ID Nos. B-9, B-10, B-11, C-9A, C-10A, C-11A, C-9B, C-10B, and C-11B). To ensure compliance, the Permittee shall perform inspections and maintenance as recommended by the manufacturer.

In addition to the manufacturer's inspection and maintenance recommendations, or if there are no manufacturer's inspection and maintenance recommendations, as a minimum, the inspection and maintenance requirement shall include the following:

- i. a monthly visual inspection of the system ductwork and material collection units for leaks including inspection of the scrubbers' pressure drop (maximum of 180 millimeters of water for cleaning), spray nozzles, packing material, chemical feed system, and the cleaning/calibration of all associated instrumentation; and
- ii. an annual (for each 12-month period following the initial inspection) inspection of the filters and scrubbers. The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0515 if the ductwork, filters and scrubbers are not inspected and maintained.

Recordkeeping [15A NCAC 02Q .0508(f)]

- d. The results of inspection and maintenance shall be maintained in a logbook (written or electronic format) on-site and made available to an authorized representative upon request. The logbook shall record the following:
 - i. the date and time of each recorded action;
 - ii. the results of each inspection;
 - iii. the results of any maintenance performed on any control device; and
 - iv. any variance from manufacturer's recommendations, if any, and corrections made.

The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0515 if these records are not maintained.

Reporting [15A NCAC 02Q .0508(f)]

- e. The Permittee shall submit the results of any maintenance performed on any control device within 30 days of a written request by the DAO.
- f. The Permittee shall submit a summary report of the monitoring and recordkeeping activities given in Section(s) 2.1 A.1.c and d above postmarked on or before January 30 of each calendar year for the preceding six-month period between July and December and July 30 of each calendar year for the preceding six-month period between January and June. All instances of deviations from the requirements of this permit must be clearly identified.

2. 15A NCAC 02D .0516: SULFUR DIOXIDE EMISSIONS FROM COMBUSTION SOURCES

a. Emissions of sulfur dioxide from these sources (ID Nos. ES-6B and ES-6C) shall not exceed 2.3 pounds per million Btu heat input. Sulfur dioxide formed by the combustion of sulfur in fuels, wastes, ores, and other substances shall be included when determining compliance with this standard.

Testing [15A NCAC 02Q .0508(f)]

b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A.2.a above, the Permittee shall be deemed in noncompliance with 15A NCAC 02D .0516.

Monitoring/Recordkeeping/Reporting [15A NCAC 02Q .0508(f)]

c. No monitoring/recordkeeping/reporting is required for sulfur dioxide emissions from the firing of natural gas in these sources (ID Nos. ES-6B and ES-6C).

3. 15A NCAC 02D .0521: CONTROL OF VISIBLE EMISSIONS

a. Visible emissions from these sources (ID Nos. ES-6A, ES-6B, ES-6C, ES-6D, ES-6F, ES-7, ES-8, ES-9, ES-10 and ES-11) shall not be more than 20 percent opacity when averaged over a six-minute period. However, six-minute averaging periods may exceed 20 percent not more than once in any hour and not more than four times in any 24-hour period. In no event shall the six-minute average exceed 87 percent opacity.

Testing [15A NCAC 02Q .0508(f)]

b. If emissions testing is required, the testing shall be performed in accordance with General Condition JJ. If the results of this test are above the limit given in Section 2.1 A.2.a above, the Permittee shall be deemed in noncompliance with 15A NCAC 02D .0521.

Monitoring [15A NCAC 02Q .0508(f)]

- c. To ensure compliance, once a month the Permittee shall observe the emission points of these sources (ID Nos. ES-6A, ES-6B, ES-6C, ES-6D, ES-6F, ES-7, ES-8, ES-9, ES-10 and ES-11) for any visible emissions above normal. The monthly observation must be made for each month of the calendar year period to ensure compliance with this requirement. If visible emissions from these sources are observed to be above normal, the Permittee shall either:
 - i. take appropriate action to correct the above-normal emissions as soon as practicable and within the monitoring period and record the action taken as provided in the recordkeeping requirements below, or
 - ii. demonstrate that the percent opacity from the emission points of the emission sources in accordance with 15A NCAC 02D .2610 (Method 9) for 12 minutes is below the limit given in Section 2.1 A.2.a above.

The Permittee shall be deemed to be in noncompliance with 15A NCAC 02D .0521 if the required monthly observations are not conducted as required; if the above-normal emissions are not corrected within the monitoring period or the percent opacity demonstration cannot be made.

Recordkeeping [15A NCAC 02Q .0508(f)]

- d. The results of the monitoring shall be maintained in a logbook (written or electronic format) on-site and made available to an authorized representative upon request. The logbook shall record the following:
 - i. the date and time of each recorded action;
 - ii. the results of each observation and/or test noting those sources with emissions that were observed to be in noncompliance along with any corrective actions taken to reduce visible emissions; and
 - iii. the results of any corrective actions performed.

The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0521 if these records are not maintained.

Reporting [15A NCAC 02Q .0508(f)]

e. The Permittee shall submit a summary report of the monitoring and recordkeeping activities given in Section(s) 2.1 A.2.c and d above postmarked on or before January 30 of each calendar year for the preceding six-month period between July and December and July 30 of each calendar year for the preceding six-month period between January and June. All instances of deviations from the requirements of this permit must be clearly identified.

B. EPE Extrusion Operation consisting of the following: EPE Extruder Line 1 (ID No. ES-12) and EPE Extruder Line 2 (ID No. ES-13)

The following table provides a summary of limits and standards for the emission source(s) described above:

Pollutant	Limits/Standards	Applicable Regulation		
Volatile organic compounds	Less than 250 tons per year See Section 2.2 B	15A NCAC 02Q .0317 PSD Avoidance		

2.2 Multiple Emission Source(s) Specific Limitations and Conditions

A. Facility-Wide Affected Sources

The following table provides a summary of limits and standards for the emission source(s) describe above:

Pollutant	Limits/Standards	Applicable Regulation
Toxic air pollutants	Toxic air pollutants Limit the toxic air pollutants to less than respective limits	
	See Section 2.2 A.1 and 2 below - State-enforceable Only	15A NCAC 02Q .0711
odors	State-enforceable only	15A NCAC 02D .1806
	Odorous emissions must be controlled See Section 2.2 A.3	
Regulated substance	Regulated substance Comply with all applicable requirements in the Risk	
(isobutane)	Management Program as promulgated in 40 CFR Part 68	
	See Section 2.2 A.4	
Volatile organic less than 250 tons per year		15A NCAC 02Q .0317 -
compounds		Avoidance of 15A NCAC 02D
		.0530
Fluorinated chemicals	Fluorinated chemicals Duty to disclose the presence of materials containing	
	fluorinated chemicals	15A NCAC 02D .0309(b)

State-enforceable only

1. 15A NCAC 02D .1100 TOXIC AIR POLLUTANT EMISSIONS LIMITATION AND REPORTING REQUIREMENT

a. The Permittee has submitted a toxic air pollutant dispersion modeling analysis dated June 05, 2017 for the facility's toxic air pollutant emissions as listed in the table below. The original modeling analysis was reviewed and approved by the AQAB on June 26, 2017. Placement of the emission sources, configuration of the emission points, and operation of the sources shall be in accordance with the submitted dispersion modeling analysis and should reflect any changes from the original analysis submittal as outlined in the AQAB review memo.

Affected Sources	Toxic Air Pollutant (CAS)	Emission Limits*
Continuous oven curing operation 1 (ES-6A), Batch oven curing operation	Acrolein (107-02-8)	0.0949 pounds per hour
1 (ES-6B), Batch oven curing operation 2 (ES-6C), Continuous oven	Acrylonitrile (107-13-1)	5.07 pounds per hour combined and 25.4 pounds per day combined
curing operation 2 (ES-6D), Continuous curing oven No. 3 (ES-6F)	Ammonia (7664-41-7)	37.9 pounds per hour combined
	Benzene (71-43-2)	254 pounds per year combined
Mixing operations (ES-7, ES-8 and ES-10), and Dosing operation (ES-9	Acrolein (107-02-8)	0.12 pounds per hour combined
and ES-11), and continuous oven hot oil boiler 2 (IES-14), continuous curing oven No. 3	Acrylonitrile (107-13-1)	1.11 pounds per hour combined and 5.56 pounds per day combined
natural gas-fired hot oil boiler 2 (IES-15), diesel-fired emergency generator (IES-5), and	Ammonia (7664-41-7)	3.03 pounds per hour combined
propane-fired emergency generator (IES-9)	Benzene (71-43-2)	11.2 pounds per year combined

- a. <u>Restrictions</u> To ensure compliance with the above limits, the following restrictions shall apply:
 - Ammonia emissions shall be controlled by the scrubbers as described in the permitted equipment list. The
 inspection and maintenance and recordkeeping requirements below shall be used to demonstrate compliance
 with this requirement.

- A. <u>Scrubber Requirements</u> Ammonia emissions shall be controlled by the steel AISI scrubbers (C-11A and C-11B) as described in the permitted equipment list. To comply with the provisions of this permit and ensure that emissions do not exceed the regulatory limits, the Permittee shall perform periodic inspections and maintenance (I&M) as recommended by the manufacturer. In addition, the Permittee shall perform an annual (for each 12 month period following the initial inspection) internal inspection of each scrubber system. As a minimum, the I&M program and each annual inspection should include the following:
 - 1. Inspection of the pressure drop (maximum of 180 millimeters of water for cleaning), spray nozzles, packing material, chemical feed system (if so equipped), and the cleaning/calibration of all associated instrumentation.

B. Recordkeeping Requirements

A log book shall be kept on site for each control device and made available to Division of Air Quality personnel upon request. The Permittee shall record all inspection, maintenance and monitoring requirements listed above in the log book. Any variance from the manufacturer's recommendations shall be investigated with corrections made and date of actions recorded in the log book.

State-enforceable only

2. 15A NCAC 02Q .0711: EMISSION RATES REQUIRING A PERMIT

- a. The facility shall be operated and maintained in such a manner that any new, existing or increased actual emissions of any Toxic Air Pollutant (TAP) listed in 15A NCAC 02Q .0711 or in this permit from all sources at the facility (excluding those sources exempt under 15A NCAC 02Q .0702 "Exemptions"), including fugitive emissions and emission sources not otherwise required to have a permit, will not exceed its respective TAP permitting emission rates (TPER) listed in 15A NCAC 02Q .0711 without first obtaining an air permit to construct or operate.
- b. PRIOR to exceeding any of the TPERs listed in 15A NCAC 02Q .0711, the Permittee shall be responsible for obtaining an air permit to emit TAPs and for demonstrating compliance with the requirements found in 15A NCAC 02D .1100 "Control of Toxic Air Pollutants."
- c. The Permittee shall maintain at the facility records of operational information sufficient for demonstrating to the Division of Air Quality staff that actual TAPs are less than the rate listed in 15A NCAC 02Q .0711.
- d. The TPER table listed below is provided to assist the Permittee in determining when an air permit is required pursuant to 15A NCAC 02Q .0711 and may not represent all TAPs being emitted from the facility. This table will be updated at such time as the permit is either modified or renewed.

Pollutant	CAS No.	Carcinogens (lb/yr)	Chronic Toxicant (lb/day)	Acute Systemic Toxicants (lb/hr)	Acute Irritants (lb/hr)
Acetaldehyde	75-07-0				6.8
Aniline	62-53-3			.25	
Arsenic and inorganic Arsenic Compounds	7440-38-2	0.053			
Benzidine & salts	92-87-5	0.01			
Benzo(a)pyrene	92-87-5	2.2			
Beryllium Metal	7440-41-7	0.28			
Butadiene, 1,3	106-99-0	11			
Cadmium Metal	7440-43-9	0.37			
Carbon disulfide	75-15-0		3.9		
Carbon tetrachloride	56-23-5	460			
Chlorobenzene	108-90-7		46		
Chloroform	67-66-3	290			
1,4-Dichlorobenzene	106-46-7				16.8
Ethylene dibromide	106-93-4	27			
Formaldehyde	50-00-0				0.04
n-Hexane	110-54-3		23		
Hydrogen chloride	7647-01-0				0.18
2-butanone	78-93-3		78		22.4

Manganese & compounds	MNC		0.63		
Mercury	7439-97-6		0.013		
Nickel	7440-02-0		0.13		
Nitrobenzene	98-95-3		1.3	0.13	
N-Nitrosodimethylamine	62-75-9	3.4			
Pentachlorophenol	87-86-5		0.063	0.0064	
Phenol	108-95-2			0.24	
Styrene	100-42-5			2.7	
Toluene	108-88-3		98		14.4
Vinyl Chloride	75-01-4	26			
Xylene	1330-20-7		57		16.4

State-enforceable only

3. 15A NCAC 02D .1806: CONTROL AND PROHIBITION OF ODOROUS EMISSIONS

The Permittee shall not operate the facility without implementing management practices or installing and operating odor control equipment sufficient to prevent odorous emissions from the facility from causing or contributing to objectionable odors beyond the facility's boundary.

4. 15A NCAC 02D .2100: RISK MANAGEMENT PROGRAM

a. The Permittee is subject to Section 112(r) of the Clean Air Act and shall comply with all applicable requirements in 15A NCAC 02D .2100, "Risk Management Program," as promulgated in 40 CFR Part 68.

Recordkeeping/Reporting [15A NCAC 02Q .0508(f), 15A NCAC 02Q .0508(h)]

- b. The Permittee shall submit an update to the Risk Management Plan (RMP) to EPA pursuant to 40 CFR 68.150 or as specified in 40 CFR 68.10.
- c. The Permittee shall revise and update the RMP submitted under 40 CFR 68.150 at least every five years from the date of the most recent update required by 40 CFR 68.190(b)(2) through (b)(7) and 68.195.
- d. When the Permittee submits the Annual Compliance Certification required by General Condition P, the Permittee shall include a statement that the facility is in compliance with all requirements of 15A NCAC 02D .2100, including the registration and submission of the risk management plan.

The Permittee shall be deemed in noncompliance with 15A NCAC 02D .2100 if conditions 2.2 A.4.b and c are not met.

5. 15A NCAC 02Q .0317: AVOIDANCE CONDITIONS FOR AVOIDANCE OF 15A NCAC 02D. 0530: PREVENTION OF SIGNIFICANT DETERIORATION

- a. To comply with this permit and avoid the applicability of 15A NCAC 02D .0530, "Prevention of Significant Deterioration," as requested by the Permittee, volatile organic compound emissions from these sources (ID Nos. ES-12 and ES-13) shall be less than 216 tons per consecutive 12-month period.
 - i. To ensure enforceability of this limit, the total usage of isobutane shall not exceed 432,000 pounds per consecutive 12-month period.

Monitoring/Recordkeeping [15A NCAC 02Q .0508(f)]

b. Calculations of VOC emissions per month shall be made at the end of each month. VOC emissions shall be determined by multiplying the total amount of each type of VOC-containing material consumed during the month by the VOC content of the material. The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0530 if the amounts of VOC containing materials or the VOC emissions are not monitored and recorded.

The use of isobutane in extrusion lines shall be limited such that VOC emissions shall not exceed 216 tons for any consecutive 12-month period. Calculations shall be made monthly and recorded in a logbook (written or in electronic format), according to the following formula:

$$V = X + Y - Z$$

Where: V is the total actual emissions of VOC/isobutane in pounds per month

X is the previous month-end isobutane storage tank weight in pounds

Y is the total isobutane shipments received during the month in pounds

Z is the current month-end isobutane storage tank weight in pounds

c. Calculations and the total amount of VOC emissions shall be recorded monthly in a logbook (written or electronic format). The Permittee shall be deemed in noncompliance with 15A NCAC 02D .0530 if these records are not kept or the VOC emissions exceed the limit in Section 2.2 B.1.a above.

Reporting [15A NCAC 02Q .0508(f)]

d. The Permittee shall submit a summary report of monitoring and recordkeeping activities given in Section(s) 2.2 B.1.b and c above postmarked on or before January 30 of each calendar year for the preceding six-month period between July and December and July 30 of each calendar year for the preceding six-month period between January and June. The report shall contain the monthly VOC emissions for the previous 17 months. The emissions must be calculated for each of the 12-month periods over the previous 17 months.

State-enforceable only

6. Disclosure of Information Relating to Emissions of Fluorinated Chemicals [15A NCAC 02Q .0308(a); 15A NCAC 02D .0309(b)]

The Permittee shall have an ongoing duty to disclose the presence of materials containing fluorinated chemicals at the facility that have the potential to result in the emission of fluorinated chemicals to the environment. Such disclosures shall be in writing and submitted to the Regional Office Supervisor within thirty days of the Permittee becoming aware of such information, unless such information has already been disclosed to DAQ by the Permittee. The disclosure shall describe the identity, quantity, and use of such material to the extent known. DAQ may require the permittee to conduct analysis or testing of fluorinated chemical emissions as necessary to properly evaluate emissions sources at the facility. As used in this condition, the term "fluorinated chemicals" includes but is not limited to per- and polyfluoroalkyl substances (PFAS).

SECTION 3 - INSIGNIFICANT ACTIVITIES PER 15A NCAC 02Q .0503(8)

Emission Source ID No.	Emission Source Description ^{1,2}
IES-5 [NSPS IIII and GACT ZZZZ]	diesel-fired emergency generator (80 kilowatts)
IES-6	four natural gas-fired hot water boilers (6.31 million Btu per hour total capacity)
IES-7	batch natural gas furnace (0.88 million Btu per hour capacity)
IES-8	continuous oven natural gas-fired hot oil boiler (3.0 million Btu per hour capacity)
IES-9 [GACT ZZZZ]	propane-fired emergency generator (0.14 million Btu per hour capacity)
IES-10	jet printers
IES-12	cladding and gluing operations
IES-13	batch natural gas furnace 2 (0.88 million Btu per hour capacity)
IES-14	continuous oven natural gas-fired hot oil boiler 2 (3.5 million Btu per hour capacity)
IES-15	continuous curing oven No. 3 natural gas-fired hot oil boiler 2 (3.5 million Btu per hour capacity)
IES-16	natural gas-fired heat generator to maintain temperature at (coalescence filter, C-10A) (0.4 million Btu per hour)
IES-17	natural gas-fired heat generator to maintain temperature at (coalescence filter, C-10B) (0.4 million Btu per hour)
IES-18 [Section 112(r)]	EPE blowing agent storage tank (12,000 gallon capacity)

¹ Because an activity is insignificant does not mean that the activity is exempted from an applicable requirement (Federal or State) or that the Permittee is exempted from demonstrating compliance with any applicable requirement.

² When applicable, emissions from stationary source activities identified above shall be included in determining compliance with the permit requirements for toxic air pollutants under 15A NCAC 02D .1100 "Control of Toxic Air Pollutants" or 02Q .0711 "Emission Rates Requiring a Permit."

SECTION 4 - GENERAL CONDITIONS (version 7.0, 08/21/2023)

This section describes terms and conditions applicable to this Title V facility.

A. General Provisions [NCGS 143-215 and 15A NCAC 02Q .0508(i)(16)]

- 1. Terms not otherwise defined in this permit shall have the meaning assigned to such terms as defined in 15A NCAC 02D and 02O.
- 2. The terms, conditions, requirements, limitations, and restrictions set forth in this permit are binding and enforceable pursuant to NCGS 143-215.114A and 143-215.114B, including assessment of civil and/or criminal penalties. Any unauthorized deviation from the conditions of this permit may constitute grounds for revocation and/or enforcement action by the DAO.
- 3. This permit is not a waiver of or approval of any other Department permits that may be required for other aspects of the facility which are not addressed in this permit.
- 4. This permit does not relieve the Permittee from liability for harm or injury to human health or welfare, animal or plant life, or property caused by the construction or operation of this permitted facility, or from penalties therefore, nor does it allow the Permittee to cause pollution in contravention of state laws or rules, unless specifically authorized by an order from the North Carolina Environmental Management Commission.
- 5. Except as identified as state-only requirements in this permit, all terms and conditions contained herein shall be enforceable by the DAQ, the EPA, and citizens of the United States as defined in the Federal Clean Air Act.
- 6. Any stationary source of air pollution shall not be operated, maintained, or modified without the appropriate and valid permits issued by the DAQ, unless the source is exempted by rule. The DAQ may issue a permit only after it receives reasonable assurance that the installation will not cause air pollution in violation of any of the applicable requirements. A permitted installation may only be operated, maintained, constructed, expanded, or modified in a manner that is consistent with the terms of this permit.

B. **Permit Availability** [15A NCAC 02Q .0507(k) and .0508(i)(9)(B)]

The Permittee shall have available at the facility a copy of this permit and shall retain for the duration of the permit term one complete copy of the application(s) and any information submitted in support of the application package. The permit and application shall be made available to an authorized representative of the Department of Environmental Quality upon request.

C. Severability Clause [15A NCAC 02Q .0508(i)(2)]

In the event of an administrative challenge to a final and binding permit in which a condition is held to be invalid, the provisions in this permit are severable so that all requirements contained in the permit, except those held to be invalid, shall remain valid and must be complied with.

D. **Submissions** [15A NCAC 02Q .0507(e) and 02Q .0508(i)(16)]

Except as otherwise specified herein, two copies of all documents, reports, test data, monitoring data, notifications, request for renewal, and any other information required by this permit shall be submitted to the appropriate Regional Office. Refer to the Regional Office address on the cover page of this permit. For continuous emissions monitoring systems (CEMS) reports, continuous opacity monitoring systems (COMS) reports, quality assurance (QA)/quality control (QC) reports, acid rain CEM certification reports, and NOx budget CEM certification reports, one copy shall be sent to the appropriate Regional Office and one copy shall be sent to:

Supervisor, Stationary Source Compliance North Carolina Division of Air Quality 1641 Mail Service Center Raleigh, NC 27699-1641

All submittals shall include the facility name and Facility ID number (refer to the cover page of this permit).

E. **Duty to Comply** [15A NCAC 02Q .0508(i)(3)]

The Permittee shall comply with all terms, conditions, requirements, limitations and restrictions set forth in this permit. Noncompliance with any permit condition except conditions identified as state-only requirements constitutes a violation of the Federal Clean Air Act. Noncompliance with any permit condition is grounds for enforcement action, for permit termination, revocation and reissuance, or modification, or for denial of a permit renewal application.

F. Circumvention - STATE ENFORCEABLE ONLY

The facility shall be properly operated and maintained at all times in a manner that will effect an overall reduction in air pollution. Unless otherwise specified by this permit, no emission source may be operated without the concurrent operation of its associated air pollution control device(s) and appurtenances.

G. Title V Permit Modifications

- 1. Administrative Permit Amendments [15A NCAC 02O .0514]
 - The Permittee shall submit an application for an administrative permit amendment in accordance with 15A NCAC 02Q .0514.
- Transfer in Ownership or Operation and Application Submittal Content [15A NCAC 02Q .0524 and 02Q .0505]
 The Permittee shall submit an application for an ownership change in accordance with 15A NCAC 02Q.0524 and 02Q 0505
- 3. Minor Permit Modifications [15A NCAC 02Q .0515]
 - The Permittee shall submit an application for a minor permit modification in accordance with 15A NCAC 02Q .0515.
- 4. Significant Permit Modifications [15A NCAC 02Q .0516]
 - The Permittee shall submit an application for a significant permit modification in accordance with 15A NCAC 02Q .0516.
- 5. Reopening for Cause [15A NCAC 02Q .0517]
 - The Permittee shall submit an application for reopening for cause in accordance with 15A NCAC 02Q .0517.

H. Changes Not Requiring Permit Modifications

1. Reporting Requirements [15A NCAC 02Q .0508(f)]

Any of the following that would result in new or increased emissions from the emission source(s) listed in Section 1 must be reported to the Regional Supervisor, DAQ:

- a. changes in the information submitted in the application;
- b. changes that modify equipment or processes; or
- c. changes in the quantity or quality of materials processed.

If appropriate, modifications to the permit may then be made by the DAQ to reflect any necessary changes in the permit conditions. In no case are any new or increased emissions allowed that will cause a violation of the emission limitations specified herein.

- 2. Section 502(b)(10) Changes [15A NCAC 02Q .0523(a)]
 - a. "Section 502(b)(10) changes" means changes that contravene an express permit term or condition. Such changes do not include changes that would violate applicable requirements or contravene federally enforceable permit terms and conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements.
 - b. The Permittee may make Section 502(b)(10) changes without having the permit revised if:
 - i. the changes are not a modification under Title I of the Federal Clean Air Act;
 - ii. the changes do not cause the allowable emissions under the permit to be exceeded;
 - iii. the Permittee notifies the Director and EPA with written notification at least seven days before the change is made; and
 - iv. the Permittee shall attach the notice to the relevant permit.
 - c. The written notification shall include:
 - i. a description of the change;
 - ii. the date on which the change will occur;
 - iii. any change in emissions; and
 - iv. any permit term or condition that is no longer applicable as a result of the change.
 - d. Section 502(b)(10) changes shall be made in the permit the next time that the permit is revised or renewed, whichever comes first.
- 3. Off Permit Changes [15A NCAC 02Q .0523(b)]

The Permittee may make changes in the operation or emissions without revising the permit if:

- a. the change affects only insignificant activities and the activities remain insignificant after the change; or
- b. the change is not covered under any applicable requirement.
- 4. Emissions Trading [15A NCAC 02Q .0523(c)]

To the extent that emissions trading is allowed under 15A NCAC 02D, including subsequently adopted maximum achievable control technology standards, emissions trading shall be allowed without permit revision pursuant to 15A NCAC 02Q .0523(c).

I.A Reporting Requirements for Excess Emissions [15A NCAC 02D .0535(f) and 02Q .0508(f)(2)]

- 1. "Excess Emissions" means an emission rate that exceeds any applicable emission limitation or standard allowed by any rule in Sections .0500, .0900, .1200, or .1400 of Subchapter 02D; or by a permit condition; or that exceeds an emission limit established in a permit issued under 15A NCAC 02Q .0700. (Note: Definitions of excess emissions under 02D .1110 and 02D .1111 shall apply where defined by rule.)
- 2. If a source is required to report excess emissions under NSPS (15A NCAC 02D .0524), NESHAPS (15A NCAC 02D .1110 or .1111), or the operating permit provides for periodic (e.g., quarterly) reporting of excess emissions, reporting shall be performed as prescribed therein.
- 3. If the source is not subject to NSPS (15A NCAC 02D .0524), NESHAPS (15A NCAC 02D .1110 or .1111), or these rules do NOT define "excess emissions," the Permittee shall report excess emissions in accordance with 15A NCAC 02D .0535 as follows:
 - a. Pursuant to 15A NCAC 02D .0535, if excess emissions last for more than four hours resulting from a malfunction, a breakdown of process or control equipment, or any other abnormal condition, the owner or operator shall:
 - notify the Regional Supervisor or Director of any such occurrence by 9:00 a.m. Eastern Time of the Division's next business day of becoming aware of the occurrence and provide:
 - name and location of the facility;
 - nature and cause of the malfunction or breakdown;
 - time when the malfunction or breakdown is first observed;
 - expected duration; and
 - estimated rate of emissions;
 - ii. notify the Regional Supervisor or Director immediately when corrective measures have been accomplished; and
 - iii. submit to the Regional Supervisor or Director within 15 days a written report as described in 15A NCAC 02D .0535(f)(3).

I.B Reporting Requirements for Permit Deviations [15A NCAC 02D .0535(f) and 02Q .0508(f)(2)]

- "Permit Deviations" for the purposes of this condition, any action or condition not in accordance with the terms and conditions of this permit including those attributable to upset conditions as well as excess emissions as defined above lasting less than four hours.
- 2. Pursuant to 15A NCAC 02Q .0508(f)(2), the Permittee shall report deviations from permit requirements (terms and conditions) quarterly by notifying the Regional Supervisor or Director of all other deviations from permit requirements not covered under 15A NCAC 02D .0535. A written report to the Regional Supervisor shall include the probable cause of such deviation and any corrective actions or preventative actions taken. The responsible official shall certify all deviations from permit requirements.

I.C Other Requirements under 15A NCAC 02D .0535

The Permittee shall comply with all other applicable requirements contained in 15A NCAC 02D .0535, including 15A NCAC 02D .0535(c) as follows:

- 1. Any excess emissions that do not occur during start-up and shut-down shall be considered a violation of the appropriate rule unless the owner or operator of the sources demonstrates to the Director that the excess emissions are a result of a malfunction. The Director shall consider, along with any other pertinent information, the criteria contained in 15A NCAC 02D .0535(c)(1) through (7).
- 2. 15A NCAC 02D .0535(g). Excess emissions during start-up and shut-down shall be considered a violation of the appropriate rule if the owner or operator cannot demonstrate that excess emissions are unavoidable.

J. RESERVED

K. Permit Renewal [15A NCAC 02Q .0508(e) and 02Q .0513(b)]

This 15A NCAC 02Q .0500 permit is issued for a fixed term not to exceed five years and shall expire at the end of its term. Permit expiration terminates the facility's right to operate unless a complete 15A NCAC 02Q .0500 renewal application is submitted at least six months before the date of permit expiration. If the Permittee or applicant has complied with 15A NCAC 02Q .0512(b)(1), this 15A NCAC 02Q .0500 permit shall not expire until the renewal permit has been issued or denied. Permit expiration under 15A NCAC 02Q .0400 terminates the facility's right to operate unless a complete 15A NCAC 02Q .0400 renewal application is submitted at least six months before the date of permit expiration for facilities subject to 15A NCAC 02Q .0400 requirements. In either of these events, all terms and conditions of these permits shall remain in effect until the renewal permits have been issued or denied.

L. Need to Halt or Reduce Activity Not a Defense [15A NCAC 02Q .0508(i)(4)]

It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

M. <u>Duty to Provide Information (submittal of information)</u> [15A NCAC 02Q .0508(i)(9)]

- 1. The Permittee shall furnish to the DAQ, in a timely manner, any reasonable information that the Director may request in **writing** to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit.
- 2. The Permittee shall furnish the DAQ copies of records required to be kept by the permit when such copies are requested by the Director. For information claimed to be confidential, the Permittee may furnish such records directly to the EPA upon request along with a claim of confidentiality.

N. **Duty to Supplement** [15A NCAC 02Q .0507(f)]

The Permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information to the DAQ. The Permittee shall also provide additional information as necessary to address any requirement that becomes applicable to the facility after the date a complete permit application was submitted but prior to the release of the draft permit.

O. Retention of Records [15A NCAC 02Q .0508(f) and 02Q .0508(l)]

The Permittee shall retain records of all required monitoring data and supporting information for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring information, and copies of all reports required by the permit. These records shall be maintained in a form suitable and readily available for expeditious inspection and review. Any records required by the conditions of this permit shall be kept on site and made available to DAQ personnel for inspection upon request.

P. Compliance Certification [15A NCAC 02Q .0508(n)]

The Permittee shall submit to the DAQ and the EPA (Air Enforcement Branch, EPA, Region 4, 61 Forsyth Street SW, Atlanta, GA 30303 or through the EPA CEDRI) postmarked on or before March 1 a compliance certification (for the preceding calendar year) by a responsible official with all terms and conditions in the permit (including emissions limitations, standards, or work practices), except for conditions identified as being State-enforceable Only. It shall be the responsibility of the current owner to submit a compliance certification for the entire year regardless of who owned the facility during the year. The compliance certification shall comply with additional requirements as may be specified under Sections 114(a)(3) or 504(b) of the Federal Clean Air Act. The compliance certification shall specify:

- 1. the identification of each term or condition of the permit that is the basis of the certification;
- 2. the compliance status (with the terms and conditions of the permit for the period covered by the certification);
- 3. whether compliance was continuous or intermittent;
- 4. the method(s) used for determining the compliance status of the source during the certification period;
- 5. each deviation and take it into account in the compliance certification; and
- 6. as possible exceptions to compliance, any periods during which compliance is required and in which an excursion or exceedance as defined under 40 CFR Part 64 (CAM) occurred.

Q. Certification by Responsible Official [15A NCAC 02Q .0520]

A responsible official shall certify the truth, accuracy, and completeness of any application form, report, or compliance certification required by this permit. All certifications shall state that based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

R. Permit Shield for Applicable Requirements [15A NCAC 02Q .0512]

- 1. Compliance with the terms and conditions of this permit shall be deemed compliance with applicable requirements, where such applicable requirements are included and specifically identified in the permit as of the date of permit issuance.
- 2. A permit shield shall not alter or affect:
 - a. the power of the Commission, Secretary of the Department, or Governor under NCGS 143-215.3(a)(12), or EPA under Section 303 of the Federal Clean Air Act;
 - b. the liability of an owner or operator of a facility for any violation of applicable requirements prior to the effective date of the permit or at the time of permit issuance;
 - c. the applicable requirements under Title IV; or

- d. the ability of the Director or the EPA under Section 114 of the Federal Clean Air Act to obtain information to determine compliance of the facility with its permit.
- 3. A permit shield does not apply to any change made at a facility that does not require a permit or permit revision made under 15A NCAC 02Q .0523.
- 4. A permit shield does not extend to minor permit modifications made under 15A NCAC 02Q .0515.

S. Termination, Modification, and Revocation of the Permit [15A NCAC 02Q .0519]

The Director may terminate, modify, or revoke and reissue this permit if:

- 1. the information contained in the application or presented in support thereof is determined to be incorrect;
- 2. the conditions under which the permit or permit renewal was granted have changed;
- 3. violations of conditions contained in the permit have occurred;
- 4. the EPA requests that the permit be revoked under 40 CFR 70.7(g) or 70.8(d); or
- 5. the Director finds that termination, modification, or revocation and reissuance of the permit is necessary to carry out the purpose of NCGS Chapter 143, Article 21B.

T. <u>Insignificant Activities</u> [15A NCAC 02Q .0503]

Because an emission source or activity is insignificant does not mean that the emission source or activity is exempted from any applicable requirement or that the owner or operator of the source is exempted from demonstrating compliance with any applicable requirement. The Permittee shall have available at the facility at all times and made available to an authorized representative upon request, documentation, including calculations, if necessary, to demonstrate that an emission source or activity is insignificant.

U. **Property Rights** [15A NCAC 02Q .0508(i)(8)]

This permit does not convey any property rights in either real or personal property or any exclusive privileges.

V. <u>Inspection and Entry</u> [15A NCAC 02Q .0508(l) and NCGS 143-215.3(a)(2)]

- 1. Upon presentation of credentials and other documents as may be required by law, the Permittee shall allow the DAQ, or an authorized representative, to perform the following:
 - a. enter the Permittee's premises where the permitted facility is located or emissions-related activity is conducted, or where records are kept under the conditions of the permit;
 - b. have access to and copy, at reasonable times, any records that are required to be kept under the conditions of the permit;
 - c. inspect at reasonable times and using reasonable safety practices any source, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and
 - d. sample or monitor substances or parameters, using reasonable safety practices, for the purpose of assuring compliance with the permit or applicable requirements at reasonable times.

Nothing in this condition shall limit the ability of the EPA to inspect or enter the premises of the Permittee under Section 114 or other provisions of the Federal Clean Air Act.

2. No person shall refuse entry or access to any authorized representative of the DAQ who requests entry for purposes of inspection, and who presents appropriate credentials, nor shall any person obstruct, hamper, or interfere with any such authorized representative while in the process of carrying out his official duties. Refusal of entry or access may constitute grounds for permit revocation and assessment of civil penalties.

W. Annual Fee Payment [15A NCAC 02Q .0508(i)(10)]

- 1. The Permittee shall pay all fees in accordance with 15A NCAC 02Q .0200.
- 2. Payment of fees may be by check or money order made payable to the N.C. Department of Environmental Quality. Annual permit fee payments shall refer to the permit number.
- 3. If, within 30 days after being billed, the Permittee fails to pay an annual fee, the Director may initiate action to terminate the permit under 15A NCAC 02Q .0519.

X. Annual Emission Inventory Requirements [15A NCAC 02Q .0207]

The Permittee shall report by **June 30 of each year** the actual emissions of each air pollutant listed in 15A NCAC 02Q .0207(a) from each emission source within the facility during the previous calendar year. The report shall be in or on such form as may be established by the Director. The accuracy of the report shall be certified by a responsible official of the facility.

Y. Confidential Information [15A NCAC 02Q .0107 and 02Q .0508(i)(9)]

Whenever the Permittee submits information under a claim of confidentiality pursuant to 15A NCAC 02Q .0107, the Permittee may also submit a copy of all such information and claim directly to the EPA upon request. All requests for confidentiality must be in accordance with 15A NCAC 02Q .0107.

Z. Construction and Operation Permits [15A NCAC 02Q .0100 and .0300]

A construction and operating permit shall be obtained by the Permittee for any proposed new or modified facility or emission source which is not exempted from having a permit prior to the beginning of construction or modification, in accordance with all applicable provisions of 15A NCAC 02Q .0100 and .0300.

AA. Standard Application Form and Required Information [15A NCAC 02Q .0505 and .0507]

The Permittee shall submit applications and required information in accordance with the provisions of 15A NCAC 02Q .0505 and .0507.

BB. Financial Responsibility and Compliance History [15A NCAC 02Q .0507(d)(3)]

The DAQ may require an applicant to submit a statement of financial qualifications and/or a statement of substantial compliance history.

CC. Refrigerant Requirements (Stratospheric Ozone and Climate Protection) [15A NCAC 02Q .0501(d)]

- 1. If the Permittee has appliances or refrigeration equipment, including air conditioning equipment, which use Class I or II ozone-depleting substances such as chlorofluorocarbons and hydrochlorofluorocarbons listed as refrigerants in 40 CFR Part 82 Subpart A Appendices A and B, the Permittee shall service, repair, and maintain such equipment according to the work practices, personnel certification requirements, and certified recycling and recovery equipment specified in 40 CFR Part 82 Subpart F.
- 2. The Permittee shall not knowingly vent or otherwise release any Class I or II substance into the environment during the repair, servicing, maintenance, or disposal of any such device except as provided in 40 CFR Part 82 Subpart F.
- 3. The Permittee shall comply with all reporting and recordkeeping requirements of 40 CFR 82.166. Reports shall be submitted to the EPA or its designee as required.

DD. Prevention of Accidental Releases - Section 112(r) [15A NCAC 02Q .0508(h)]

If the Permittee is required to develop and register a Risk Management Plan with EPA pursuant to Section 112(r) of the Clean Air Act, then the Permittee is required to register this plan in accordance with 40 CFR Part 68.

EE. National Emission Standards Asbestos – 40 CFR Part 61, Subpart M [15A NCAC 02D .1110]

The Permittee shall comply with all applicable standards for demolition and renovation activities pursuant to the requirements of 40 CFR Part 61, Subpart M. The permittee shall not be required to obtain a modification of this permit in order to perform the referenced activities.

FF. Title IV Allowances [15A NCAC 02Q .0508(i)(1)]

This permit does not limit the number of Title IV allowances held by the Permittee, but the Permittee may not use allowances as a defense to noncompliance with any other applicable requirement. The Permittee's emissions may not exceed any allowances that the facility lawfully holds under Title IV of the Federal Clean Air Act.

GG. Air Pollution Emergency Episode [15A NCAC 02D .0300]

Should the Director of the DAQ declare an Air Pollution Emergency Episode, the Permittee will be required to operate in accordance with the Permittee's previously approved Emission Reduction Plan or, in the absence of an approved plan, with the appropriate requirements specified in 15A NCAC 02D .0300.

HH. Registration of Air Pollution Sources [15A NCAC 02D .0202]

The Director of the DAQ may require the Permittee to register a source of air pollution. If the Permittee is required to register a source of air pollution, this registration and required information will be in accordance with 15A NCAC 02D .0202(b).

II. Ambient Air Quality Standards [15A NCAC 02D .0501(c)]

In addition to any control or manner of operation necessary to meet emission standards specified in this permit, any source of air pollution shall be operated with such control or in such manner that the source shall not cause the ambient air quality standards in 15A NCAC 02D .0400 to be exceeded at any point beyond the premises on which the source is located. When controls more stringent than named in the applicable emission standards in this permit are required to prevent violation of

the ambient air quality standards or are required to create an offset, the permit shall contain a condition requiring these controls.

JJ. General Emissions Testing and Reporting Requirements [15A NCAC 02Q .0508(i)(16)]

Emission compliance testing shall be by the procedures of Section .2600, except as may be otherwise required in Rules .0524, .1110, or .1111 of Subchapter 02D. If emissions testing is required by this permit or the DAQ or if the Permittee submits emissions testing to the DAQ to demonstrate compliance for emission sources subject to Rules .0524, .1110, or .1111, the Permittee shall provide and submit all notifications, conduct all testing, and submit all test reports in accordance with the requirements of 15A NCAC 02D .0524, .1110, or .1111, as applicable. Otherwise, if emissions testing is required by this permit or the DAQ or if the Permittee submits emissions testing to the DAQ to demonstrate compliance, the Permittee shall perform such testing in accordance with 15A NCAC 02D .2600 and follow the procedures outlined below:

- 1. The owner or operator of the source shall arrange for air emission testing protocols to be provided to the Director prior to air pollution testing. Testing protocols are not required to be pre-approved by the Director prior to air pollution testing. The Director shall review air emission testing protocols for pre-approval prior to testing if requested by the owner or operator at least **45 days** before conducting the test.
- 2. Any person proposing to conduct an emissions test to demonstrate compliance with an applicable standard shall notify the Director at least **15 days** before beginning the test so that the Director may at his option observe the test.
- 3. The owner or operator of the source shall arrange for controlling and measuring the production rates during the period of air testing. The owner or operator of the source shall ensure that the equipment or process being tested is operated at the production rate that best fulfills the purpose of the test. The individual conducting the emission test shall describe the procedures used to obtain accurate process data and include in the test report the average production rates determined during each testing period.
- 4. Two copies of the final air emission test report shall be submitted to the Director not later than **30 days** after sample collection unless otherwise specified in the specific conditions. The owner or operator may request an extension to submit the final test report. The Director shall approve an extension request if he finds that the extension request is a result of actions beyond the control of the owner or operator.
 - a. The Director shall make the final determination regarding any testing procedure deviation and the validity of the compliance test. The Director may:
 - i. Allow deviations from a method specified under a rule in this Section if the owner or operator of the source being tested demonstrates to the satisfaction of the Director that the specified method is inappropriate for the source being tested.
 - ii. Prescribe alternate test procedures on an individual basis when he finds that the alternative method is necessary to secure more reliable test data.
 - iii. Prescribe or approve methods on an individual basis for sources or pollutants for which no test method is specified in 15A NCAC 02D .2600 if the methods can be demonstrated to determine compliance of permitted emission sources or pollutants.
 - b. The Director may authorize the DAQ to conduct independent tests of any source subject to a rule in 15A NCAC 02D to determine the compliance status of that source or to verify any test data submitted relating to that source. Any test conducted by the Division of Air Quality using the appropriate testing procedures described in 15A NCAC 02D .2600 has precedence over all other tests.

KK. Reopening for Cause [15A NCAC 02Q .0517]

- 1. A permit shall be reopened and revised under the following circumstances:
 - a. additional applicable requirements become applicable to a facility with remaining permit term of three or more years;
 - additional requirements (including excess emission requirements) become applicable to a source covered by Title
 IV:
 - c. the Director or EPA finds that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit; or
 - d. the Director or EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements.
- 2. Any permit reopening shall be completed or a revised permit issued within 18 months after the applicable requirement is promulgated. No reopening is required if the effective date of the requirement is after the expiration of the permit term unless the term of the permit was extended pursuant to 15A NCAC 02Q .0513(c).
- 3. Except for the state-enforceable only portion of the permit, the procedures set out in 15A NCAC 02Q .0507, .0521, or .0522 shall be followed to reissue the permit. If the State-enforceable only portion of the permit is reopened, the procedures in 15A NCAC 02Q .0300 shall be followed. The proceedings shall affect only those parts of the permit for which cause to reopen exists.

- 4. The Director shall notify the Permittee at least 60 days in advance of the date that the permit is to be reopened, except in cases of imminent threat to public health or safety the notification period may be less than 60 days.
- 5. Within 90 days, or 180 days if the EPA extends the response period, after receiving notification from the EPA that a permit needs to be terminated, modified, or revoked and reissued, the Director shall send to the EPA a proposed determination of termination, modification, or revocation and reissuance, as appropriate.

LL. Reporting Requirements for Non-Operating Equipment [15A NCAC 02Q .0508(i)(16)]

The Permittee shall maintain a record of operation for permitted equipment noting whenever the equipment is taken from and placed into operation. When permitted equipment is not in operation, the requirements for testing, monitoring, and recordkeeping are suspended until operation resumes.

MM. Fugitive Dust Control Requirement [15A NCAC 02D .0540]

As required by 15A NCAC 02D .0540 "Particulates from Fugitive Dust Emission Sources," the Permittee shall not cause or allow fugitive dust emissions to cause or contribute to substantive complaints or excess visible emissions beyond the property boundary. If substantive complaints or excessive fugitive dust emissions from the facility are observed beyond the property boundaries for six minutes in any one hour (using Reference Method 22 in 40 CFR, Appendix A), the owner or operator may be required to submit a fugitive dust plan as described in 02D .0540(f).

"Fugitive dust emissions" means particulate matter from process operations that does not pass through a process stack or vent and that is generated within plant property boundaries from activities such as: unloading and loading areas, process areas, stockpiles, stock pile working, plant parking lots, and plant roads (including access roads and haul roads).

NN. Specific Permit Modifications [15A NCAC 02Q .0501 and .0523]

- 1. For modifications made pursuant to 15A NCAC 02Q .0501(b)(2), the Permittee shall file a Title V Air Quality Permit Application for the air emission source(s) and associated air pollution control device(s) on or before 12 months after commencing operation.
- 2. For modifications made pursuant to 15A NCAC 02Q .0501(c)(2), the Permittee shall not begin operation of the air emission source(s) and associated air pollution control device(s) until a Title V Air Quality Permit Application is filed and a construction and operation permit following the procedures of Section .0500 (except for Rule .0504 of this Section) is obtained.
- 3. For modifications made pursuant to 502(b)(10), in accordance with 15A NCAC 02Q .0523(a)(1)(C), the Permittee shall notify the Director and EPA (Air Permitting Branch, EPA, Region 4, 61 Forsyth Street SW, Atlanta, GA 30303 or through the EPA CEDRI) in writing at least seven days before the change is made.
 - a. The written notification shall include:
 - i. a description of the change at the facility;
 - ii. the date on which the change will occur;
 - iii. any change in emissions; and
 - iv. any permit term or condition that is no longer applicable as a result of the change.
 - b. In addition to this notification requirement, with the next significant modification or Air Quality Permit renewal, the Permittee shall submit a page "E5" of the application forms signed by the responsible official verifying that the application for the 502(b)(10) change/modification, is true, accurate, and complete. Further note that modifications made pursuant to 502(b)(10) do not relieve the Permittee from satisfying preconstruction requirements.

OO. Third Party Participation and EPA Review [15A NCAC 02Q .0521, .0522 and .0525(7)]

For permits modifications subject to 45-day review by the federal EPA, EPA's decision to not object to the proposed permit is considered final and binding on the EPA and absent a third party petition, the failure to object is the end of EPA's decision-making process with respect to the revisions to the permit. The time period available to submit a public petition pursuant to 15A NCAC 02Q .0518 begins at the end of the 45-day EPA review period.