

---


Mitigation Plan  
Edwards-Johnson Mitigation Project  
Johnston County, North Carolina  
FINAL VERSION

---

NCDEQ DMS Project Identification # 97080  
NCDEQ DMS Contract # 6825  
Neuse River Basin (Cataloging Unit 03020201)  
USACE Action ID Number: SAW-2016-00883  
Contracted Under RFP # 16-006477

Prepared for:

**North Carolina Department of Environmental Quality**  
**Division of Mitigation Services**  
1652 Mail Service Center  
Raleigh, NC 27699-1652  
**November 2017**



Prepared by:



**WATER & LAND SOLUTIONS**

11030 Raven Ridge Rd, Suite 119, Raleigh, NC 27614  
(919) 614-5111 | [waterlandsolutions.com](http://waterlandsolutions.com)





This mitigation plan has been written in conformance with the requirements of the following:

- Federal rule for compensatory mitigation project sites as described in the Federal Register, Title 33, Navigation and Navigable Waters, Volume 3, Chapter 2, Section § 332.8, paragraphs (c)(2) through (c)(14).
- NCDEQ Division of Mitigation Services In-Lieu Fee Instrument, signed and dated July 28, 2010.
- North Carolina Administrative Code (NCAC), “Consolidated Buffer Mitigation Rule”, Rule 15A NCAC 02B .0295, Effective November 1, 2015, for all Riparian Buffer Mitigation.

These documents govern NCDEQ Division of Mitigation Services operations and procedures for the delivery of compensatory mitigation.

A handwritten signature in blue ink, appearing to read 'W. Hunt III', is positioned above the contact information.

William “Scott” Hunt, III, PE  
Senior Water Resources Engineer  
Water & Land Solutions, LLC  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)

## Table of Contents

---

1	Project Introduction.....	1
2	Watershed Approach and Site Selection .....	2
3	Baseline Information and Existing Conditions Assessment .....	4
3.1	Watershed Processes and Resource Conditions.....	5
3.1.1	Watershed Context.....	5
3.1.2	Surface Water Classification .....	5
3.1.3	Aquatic Resource Health and Function.....	6
3.1.4	Benthic Macroinvertebrates and Aquatic Habitat .....	6
3.1.5	Pollutant Load Considerations .....	7
3.2	Landscape Characteristics and Regional Controls .....	9
3.2.1	Physiography and Geology.....	9
3.2.2	Soils .....	9
3.2.3	Climate .....	10
3.2.4	Existing Vegetation .....	11
3.3	Land Use and Development Trends.....	13
3.4	Watershed Disturbance and Response.....	14
3.4.1	Existing Reach Condition Summary .....	14
3.4.2	Channel Morphology and Stability Assessment.....	17
3.4.3	Channel Evolution .....	19
3.4.4	Sediment Supply, Delivery and Storage.....	20
3.4.5	Jurisdictional Stream and Wetland Impacts .....	20
4	Functional Uplift Potential .....	21
4.1.1	Function-Based Parameters and Measurement Methods.....	21
4.1.2	Performance Standards and Functional Capacity .....	22
4.1.3	Restoration Potential .....	23
4.1.4	Function-Based Goals and Objectives.....	24
5	Mitigation Project Goals and Objectives.....	24
5.1.1	Project Benefits Summary.....	26
6	Design Approach and Mitigation Work Plan.....	27
6.1	Stream Design Approach .....	28
6.1.1	Proposed Design Parameters.....	28
6.1.2	Design Reach Summary.....	30

6.2	Reference Reach Selection.....	31
6.3	Flow Regime.....	33
6.3.1	Bankfull Stage and Discharge.....	33
6.3.2	Regional Curve Comparison.....	34
6.3.3	Channel Forming Discharge.....	35
6.3.4	Channel Stability and Sediment Transport Analysis.....	36
6.4	Wetland Design Approach.....	38
6.5	Riparian Buffer Design Approach.....	38
6.5.1	Proposed Vegetation Planting.....	39
6.5.2	Planting Materials and Methods.....	40
6.6	Agricultural Best Management Practices.....	42
6.7	Water Quality Treatment Features.....	43
6.8	Site Construction Methods.....	43
6.8.1	Site Grading and Construction Elements.....	43
6.8.2	In-stream Structures and Site Improvement Features.....	44
6.8.3	Construction Feasibility.....	44
7	Performance Standards.....	45
7.1	Streams.....	46
7.2	Wetlands.....	46
7.3	Vegetation.....	46
8	Monitoring Plan.....	47
8.1	Visual Assessment Monitoring.....	47
8.2	Stream Assessment Monitoring.....	48
8.2.1	Hydrologic Monitoring.....	48
8.2.2	Geomorphic Monitoring.....	48
8.2.3	Flow Duration Monitoring.....	50
8.3	Wetland Monitoring.....	50
8.4	Vegetation Monitoring.....	51
9	Adaptive Management Plan.....	53
10	Long-Term Management Plan.....	53
11	References.....	54

## Tables

---

Table 1. Project Asset Summary .....	1
Table 2. Project Attribute Data and Baseline Summary Information .....	4
Table 3. Total Annual Pollutant Loadings and Removal Estimates from STEPL Model .....	7
Table 4. Project Soil Type and Descriptions.....	10
Table 5. Comparison of Monthly Rainfall Amounts vs. Long-term Averages .....	11
Table 6. Existing Site Vegetation.....	12
Table 7. Existing Channel Morphology Summary .....	18
Table 8. Existing and Proposed Functional Condition Assessment Summary .....	22
Table 9. Functional Lift Scoring Summary.....	23
Table 10. Restoration Potential Summary .....	24
Table 11. Function-Based Goals and Design Objectives Summary .....	25
Table 12. Project Benefits Summary.....	26
Table 13. Mitigation Components and Proposed Credit Summary .....	27
Table 14. Proposed Design Parameters .....	29
Table 15. Reference Reach Data Comparison.....	32
Table 16. Flow Level and Ecological Role.....	33
Table 17. North Carolina Rural Piedmont Regional Curve Equations.....	35
Table 18. Design Discharge Analysis Summary.....	36
Table 19. Boundary Shear Stress and Stream Power.....	37
Table 20. Proposed Riparian Buffer Bare Root and Live Stake Plantings .....	40
Table 21. Proposed Riparian Buffer Permanent Seeding.....	42
Table 22. Proposed Monitoring Plan Summary .....	52

## Figures

---

Figure 1 .....	Vicinity Map
Figure 2 .....	Watershed Context Map
Figure 3 .....	Existing Geology Map
Figure 4 .....	USGS Topographic Map
Figure 5 .....	NRCS Soils Map
Figure 6 .....	LiDAR Map
Figure 7 .....	Current Conditions Map
Figure 8a, 8b, 8c, 8d.....	Historic Aerial Map
Figure 9 .....	FEMA Floodplain Map
Figure 10 .....	Proposed Mitigation Assets & Monitoring Features Map
Figure 11 .....	Wetland Impacts Map

## Appendices

---

Appendix 1 .....	Plan Sheets
Appendix 2 .....	Site Data/Analysis/Supplementary Information
Appendix 3 .....	Site Protection Instrument
Appendix 4 .....	Credit Release Schedule
Appendix 5 .....	Financial Assurance
Appendix 6 .....	Maintenance Plan
Appendix 7 .....	DWR Stream Identification Forms, Determination and Viability Letters
Appendix 8 .....	USACE District Assessment Methods/Forms
Appendix 9 .....	Jurisdictional Wetland Forms
Appendix 10 .....	Invasive Species Plan
Appendix 11 .....	Approved FHWA Categorical Exclusion Form
Appendix 12 .....	DMS Floodplain Requirements Checklist





## 1 Project Introduction

The Edwards-Johnson Mitigation Project (“Project”) is a North Carolina Department of Environmental Quality (NCDEQ), Division of Mitigation Services (DMS) full-delivery stream mitigation project, contracted with Water & Land Solutions, LLC (WLS), on March 18, 2016 in response to RFP 16-006477 and RFQ 16-006825. The Project will provide stream mitigation credits in the Neuse River Basin (Cataloging Unit 03020201). The Project is located in Johnston County, North Carolina between the Community of Archer Lodge and the Town of Wendell at 35° 43’ 30.36’’ North and 78° 21’ 22.90’’ West. The Project site is located in the NCDEQ Sub-basin 03-04-06, in the Lower Buffalo Creek Priority Sub-watershed 030202011504 study area for the Neuse 01 Regional Watershed Plan (RWP), and in the Targeted Local Watershed 03020201180050, all of the Neuse River Basin.

The Project will involve the restoration, preservation and permanent protection of four stream reaches (R1, R2, R3, and R4) and their riparian buffers, totaling approximately 3,500 linear feet of existing streams. In addition, “project clusters”, or combinations of different practices or measures, will include riparian wetland restoration, riparian buffer restoration, and various agricultural best management practices (BMPs).

The Project will provide significant ecological improvements and functional uplift through stream and aquatic habitat restoration, and through decreasing nutrient and sediment loads within the watershed. See Section 5 for detailed benefits summary and Table 1 for a summary of project assets. Figure 10 illustrates the project mitigation components and assets.

**Table 1. Project Asset Summary**

Project Component	Type of Mitigation (Priority Level)	Creditable Units	Mitigation Ratio	Stream Mitigation Credits (SMCs)
R1	Stream Preservation	611 LF	10:1	61
R2	Stream Restoration (PI)	1,183 LF	1:1	1,183
R3 (upper)	Stream Restoration (PI)	815 LF	1:1	815
R3 (lower)	Stream Preservation	130 LF	10:1	13
R4	Stream Restoration (PI/PII)	951 LF	1:1	951
<b>Totals</b>		<b>3,690</b>		<b>3,023</b>

The project streams are all unnamed tributaries to Buffalo Creek, a tributary to the Little River, which is a tributary to the Neuse River. The project site is located in the Northern Outer Piedmont (‘45f’) US Environmental Protection Agency Level IV Ecoregion and the North Carolina Piedmont Physiographic Province (Omernik, 2014). The project is one of three DMS full delivery projects (Lake Wendell Mitigation Project, Pen Dell Mitigation Project, and Edwards-Johnson Mitigation Project) on properties owned by the same landowners. Each of these sites involve a series of adjacent direct headwater tributaries to Buffalo Creek, which will provide maximum ecological uplift due to our comprehensive watershed approach.



## 2 Watershed Approach and Site Selection

---


In an effort to revise its watershed prioritization process, DMS developed a Regional Watershed Plan (RWP) for the upper Neuse River Basin within Hydrologic Unit (HU) 03020201. The purpose of the Neuse 01 RWP is to identify and prioritize potential mitigation strategies to offset aquatic resource impacts from development and provide mitigation project implementation recommendations to improve ecological uplift within the Neuse 01 subbasin. The recommendations include traditional stream and wetland mitigation, buffer restoration, nutrient offsets, non-traditional mitigation projects such as stormwater and agricultural BMPs, and rare, threatened, or endangered (RTE) species habitat preservation or enhancement (Neuse 01 RWP – Phase II, 2015).

The Project site is situated in the lower piedmont where potential for future development associated with the I-540 corridor and rapidly growing Johnston County area is imminent, as described in the RWP. The USGS 2011 National Land Cover Data (NLCD, 2011) GIS Dataset was used to estimate the impervious cover and dominant land use information for the project catchment area. Currently, the catchment area has an impervious cover estimated to be approximately 2.3 percent and the dominant land uses are agriculture and mixed forest. Currently, the surrounding headwater tributaries that flow directly into the Buffalo Creek are largely undeveloped and privately owned. The project will extend the wildlife corridor and protect diverse aquatic and terrestrial habitat in the area through a permanent conservation easement, ahead of the anticipated development.

The proposed dam removal (Reach R4) and in-stream restoration practices will improve habitat diversity (e.g. restore floodplain and spring-fed wetlands, provide deeper pools and backwater areas) and promote native species propagation throughout the conservation easement (FISRWG, 1998). Additionally, agricultural BMPs and treatment basins will be installed to remove direct effluent inputs and pollutant contamination from the Project streams and wetlands.

As recommended in the Neuse 01 RWP, the Project site was selected to provide a unique opportunity for implementing “project clusters”, or combinations of different practices or measures, as part of a comprehensive watershed approach to improve and protect aquatic resource functions, as outlined in the DMS Compensation Planning Framework (CPF) and the Federal Mitigation Rule (USACE, 2008). Expected benefits to water quality, ecology, and hydrology functions, as a result of implementing these “project clusters” are further described in the Neuse 01 RWP and Section 5.1.1. Developing specific goals and objectives that directly relate to functional improvement is a critical path for implementing a successful restoration project. The expected functional uplift is discussed further and in more detail under “Section 4: Functional Uplift Potential”, and project goals and objectives are further described and discussed under “Section 5: Mitigation Project Goals and Objectives”. The graphic below illustrates the project clusters with easement boundaries and corresponding catchment areas.





**Graphic 1:** Graphic shows watershed boundaries of all three projects that are protected by three conservation easements.



### 3 Baseline Information and Existing Conditions Assessment

WLS performed an existing conditions assessment for the Project by compiling and analyzing baseline information, aerial photography, and field data. The purpose of this assessment was to determine how aquatic resource functions have been impacted within the catchment area. Parameters such as watershed drainage area, percent impervious cover, land use, climate, and hydrology (rainfall/runoff relationships) were evaluated, along with the analysis of physiography (soils and local geology), topographic position (basin relief, landforms, valley morphology), flow regime (discharge, precipitation, evapotranspiration, controlling vegetation, substrate, open stream channel, storm water infrastructure), as well as agrarian, forestry, and other land use practices and development trends.

Combined with historical context, the processes of hydrology and geomorphology must be linked to evaluate current physical and biological conditions and system responses to human activities within the riparian ecosystem (Montgomery and Bolton, 2003). Identifying the hydrogeomorphic variability, site constraints, and cause-and-effect relationships plays a key role in determining the functional loss and maximizing potential uplift (Harman, 2012). The following sub-sections further describe the existing site conditions, degrees of impairment, and primary controls that were considered for developing an appropriate restoration design approach. Table 2 represents the project attribute data and baseline summary information.

**Table 2. Project Attribute Data and Baseline Summary Information**

Project Information					
Project Name	Edwards-Johnson Wendell Mitigation Project				
County	Johnston				
Project Area (acres)	10.5				
Project Coordinates (latitude and longitude)	35.7245361° N, 78.3570806° W				
Project Watershed Summary Information					
Physiographic Province	Piedmont				
River Basin	Neuse				
USGS Hydrologic Unit	03020201180050				
DWR Sub-basin	03-04-06				
Project Drainage Area (acres)	223				
Project Drainage Area Percentage of Impervious Area	2.3				
CGIA Land Use Classification	2.01.03, 2.99.05, 413, 4.98 (33% crops/hay, 16% pasture, 51% mixed forest)				
Reach Summary Information					
Parameters	R1	R2	R3 (upper)	R3 (lower)	R4
Length of Reach (linear feet)	611	1,173	770	130	816
Valley Confinement (Confined, moderately confined, unconfined)	unconfined	unconfined	unconfined	unconfined	unconfined



<b>Drainage Area (acres)</b>	96	120	211	223	55
<b>Perennial, Intermittent, Ephemeral</b>	Intermittent	Perennial	Perennial	Perennial	Intermittent
<b>NCDWR Water Quality Classification</b>	C; NSW	C; NSW	C; NSW	C; NSW	C; NSW
<b>Stream Classification (existing and proposed)</b>	C5, C5	G5c, C5	E5(incised), C5	E5(incised), C5, D5	G5c / Pond, C5
<b>Evolutionary Trend (Simon)</b>	I	III/IV	IV	V	III/IV
<b>FEMA Classification</b>	N/A	N/A	N/A	Zone AE	N/A
<b>Regulatory Considerations</b>					
<b>Parameters</b>	Applicable?	Resolved?	Supporting Docs?		
<b>Water of the United States - Section 404</b>	Yes	Yes	Categorical Exclusion		
<b>Water of the United States - Section 401</b>	Yes	Yes	Categorical Exclusion		
<b>Endangered Species Act</b>	No	N/A	Categorical Exclusion		
<b>Historic Preservation Act</b>	No	N/A	Categorical Exclusion		
<b>Coastal Zone Management Act (CZMA or CAMA)</b>	No	N/A	N/A		
<b>FEMA Floodplain Compliance</b>	Yes	Yes	Categorical Exclusion		
<b>Essential Fisheries Habitat</b>	No	N/A	Categorical Exclusion		

### 3.1 Watershed Processes and Resource Conditions

#### 3.1.1 Watershed Context

Spatial and temporal variability of hydrologic and geomorphic processes, as well as excess sediment and nutrient inputs have influenced the overall system response and stability trends in multiple valley segments across the Project site. Measurable changes in the landscape ecology, including channel straightening, a man-made impoundment, and erosion dynamics/sediment supply have negatively impacted stream and wetland functions at the site. Evidence of these observed changes were documented throughout the watershed as increased channel widths/depths and bank height ratios, decreased riffle-pool frequency, sinuosity and bedform diversity, as well as limited floodplain connectivity and hyporheic zone interaction. Additionally, surrounding agricultural fertilization has likely increased nutrient levels within the watershed. These ecological impacts and the rates of systematic responses within the watershed have increased considerably over the past few decades.

#### 3.1.2 Surface Water Classification

The main unnamed tributary that flows to Buffalo Creek is classified as a C; NSW (Stream Index 7-57-16-3). Class 'C' waters are protected for secondary recreation, fishing, wildlife, fish and aquatic life propagation and survival, agriculture and other uses suitable for Class 'C'. A Nutrient Sensitive Water



(NSW) classification represents water bodies that require nutrient management to reduce water quality impacts likely due to excessive vegetation and nitrogen/ phosphorus levels.

### 3.1.3 *Aquatic Resource Health and Function*

WLS reviewed DWR biological and water quality data within the Upper Buffalo Creek watershed to identify any potential stressors near receiving waters. Currently, one DWR water quality monitoring station exists well upstream of Lake Wendell. However, no benthic or fish monitoring sites are currently active in Upper Buffalo Creek Watershed. A future monitoring site is proposed by DWR within the Lower Buffalo Creek watershed and additional sites may be added by DWR as land use changes (i.e., land development) have direct impacts to water quality throughout the watershed. At this time no DWR monitoring sites are proposed for monitoring use by WLS for this project.

It is generally accepted that nutrient loading and sedimentation from streambank erosion is a significant pollutant to water quality and aquatic habitat. However, there can be data uncertainties and excessive costs for monitoring nutrient levels and sediment delivery in streams (HESS, 2014). Without an extensive nutrient monitoring and management plan, types, application rates, groundwater leaching, and lag times can vary considerably, making it difficult to effectively determine water quality improvements in response to various restoration practices. Additionally, measuring in situ sediments that deposit or collect in ponds/reservoirs over time can often have longer transport times and legacy effects that can mask the water quality improvements and biologic functions related to common stream and wetland restoration activities (Bain, 2012).

### 3.1.4 *Benthic Macroinvertebrates and Aquatic Habitat*

WLS conducted sampling of benthic macroinvertebrate communities and aquatic habitat within the watershed. Macroinvertebrates are useful biological monitors because they are found in all aquatic environments, are less mobile than many other groups of organisms, and easily collectable (DWR, 2001). The samples were collected in October 2016 with Larry Eaton (Eaton Scientific, LS, Inc.) and followed methods and procedures defined by DWR's "*Standard Operating Procedures for the Collection and Analysis of Benthic Macroinvertebrates*" (DWR, 2016). Using the *Small Stream Criteria for Piedmont Streams* (DWR, 2015), the stream site has a Biotic Index value of 7.4, and a habitat assessment score of 54 (out of 100). Therefore, the bioclassification rating is considered 'Poor' overall.

It should be noted that Midges (Genus *Goeldichironomus*) were collected at the Project site. These are considered pond edge taxa and can indicate that portions of the site streams lack habitat diversity and have problems maintaining flow for much of the year. This result is likely due to seasonal flow durations, a lack of pools, minimal riffle habitat (woody debris) and channel incision characteristic of impaired headwater stream systems. Additional sampling was conducted again in Summer 2017 prior to restoration activities to document a full adult life cycle. The sampling data forms and results are shown in Appendix 2.



### 3.1.5 Pollutant Load Considerations

**STEPL Model:** WLS utilized the Spreadsheet Tool for Estimating Pollutant Loads (STEPL v4.3, 2015) to help quantify how the project may reduce pollutant loads into the Buffalo Creek Watershed. The STEPL model was developed for the United States Environmental Protection Agency (USEPA, Tetra Tech, 2015) and was used in the Neuse 01 RWP to estimate sediment and nutrient load reductions from the implementation of agricultural BMPs, such as vegetated filter strips, wetland detention, and bank stabilization/stream restoration. Model inputs include land use information, Revised Universal Soil Loss Equation (USLE)/runoff curve numbers, eroded streambank length, streambank height, lateral recession rates, soil type/weight, and BMP type/efficiency applicable to the agricultural piedmont area. The summary of total annual pollutant loadings and removal estimates are shown Table 3 below.

**Table 3. Total Annual Pollutant Loadings and Removal Estimates from STEPL Model**

Project Watershed (ac)	Existing Stream Length (ft)	Length of Scoured Bank (ft)	Sediment Load (ton/yr)	Nitrogen Load (lb/yr)	Phosphorus Load (lb/yr)	Sediment Reduction w/ BMP (ton/yr, %)	Nitrogen Reduction w/ BMP (lb/yr, %)	Phosphorus Reduction w/ BMP (lb/yr, %)
223	3,500	1,050	130.7	1,117.2	294.4	42.3 67.7%	234.2, 79.0%	127.7, 48.8%

*Note 1: Soil Texture Class is predominantly loam, sandy clay loam.*  
*Note 2: Average Bank heights in scour areas ranged 1.5 to 2.5 feet and did not include ponded area.*  
*Note 3: Lateral Recession Rates (ft/yr) ranged from slight category (0.01 to 0.05) to moderate (0.06 to 0.13)*  
*Note 4: Agricultural BMP input used for streambank stabilization/restoration.*

Although the STEPL model data is more empirically based, it is intended to be used as a basic planning tool. Inherently, there are certain assumptions and limitations that must be considered when refining model inputs and evaluating the results. For example, water quality calculations and sediment loading are highly dependent on actual BMP efficiencies, sophisticated algorithms, regression analysis, and not calibrated field measurements.

**BANCS Method:** As a comparison to the STEPL results for sediment loading, WLS used the unpublished NC piedmont BEHI and NBS ratings curve (personal communication with NRCS, Walker, 2016) to estimate annual sediment loss based on local observations and streambank measurements taken on October 5, 2016. The BEHI/NBS estimates for the existing conditions (pre-construction) predict that the project reaches contribute approximately 39.5 tons of sediment per year to Buffalo Creek, which is 91.2 tons lower than the STEPL estimates. The BEHI ratings varied from ‘very low’ to ‘high’ with preservation reach R1 rating in the ‘very low’ category based on minimal shear stress, and stream bed/bank stability and controlling vegetation. The middle section of R2, the upper portion of R3, and R4 scored mostly in the ‘moderate’ to ‘high’ categories due to poor stream bed/bank stability, a lack of bank surface protection, and incising channel conditions. These ratings and observations are typical of a degraded stream system with active bank erosion. See Appendix 2 for sediment loading assessment sheets.





**Hurricane Matthew Observations:** On October 8<sup>th</sup>, 2016, Hurricane Matthew delivered over 10” of rain to the project site in less than 12 hours. Locally, the recurrence interval was estimated to be greater than a 500-year storm event (NOAA, NWS, 2016). After Hurricane Matthew and prior to subsequent rain events, WLS visited the site on October 20<sup>th</sup>, 2016 to measure sediment deposits in two distinct depositional areas or sinks, consisting of mostly fine sand material. The aggradational areas were measured towards the lower catchment (lower Reach R3) to quantify the approximate sediment deposited by the storm event. For better accuracy, depositional areas were delineated using existing conditions survey basemap and grid areas/cross-sections were measured and compared with a cloth tape and hand-augured borings. The cubic footage was then converted to cubic yards to estimate tonnage. The total sediment yields were estimated to be approximately 31 tons, indicating the size of the pulse of sediment was mobilized through the system as a result of Hurricane Matthew.



*Photo depicts floodplain deposition along lower R3 after Hurricane Matthew 2016.*

This comparative analysis was not intended to generate a sediment rating curve since spatial and temporal variations make curve development especially challenging; nor does it represent the total sediment load (suspended washload and bedload particles) transported from all upstream supply sources. However, it was a useful exercise for validating the model estimates and evaluating the annual loading estimates and resulting sediment wave delivered from a large hydroclimatic event (James, 2010). Based on watershed reconnaissance, bed and bank conditions and cross-section comparisons before and after the Hurricane Matthew storm event, most of the contributing sediment sources are coming from eroding streambanks as compared with overland flow across upland areas.

**Soil Samples:** In addition to collecting water quality samples and estimating pollutant loads, composite soil samples were collected across the Project site to examine the basic soil properties in the adjacent floodplain, riparian buffers/reference areas, and stream bed and bank sediments. The core samples were taken from the ground surface elevation to approximately 12” depths and sent to the NCDA&CS Agronomic Division for lab analysis. The pre-restoration sample locations are shown on Figure 10 and the test results summary is located in Appendix 2. The intent of collecting this data is to examine soil characteristics such as nutrient capacity and soil fertility (i.e., humic matter, Phosphorus, pH, CEC) across the site and compare existing wooded and/or reference areas with agricultural field areas. This will allow us to determine if any soil amendments are necessary for post-construction planting and to document any relative changes throughout the monitoring period as buffer vegetation vigor and density becomes established after restoration activities. For example, initial soil sample results indicate the average pH is approximately 5.6, which is slightly below the optimal range for plant growth (5.8-6.5), therefore, no lime amendments are anticipated for post-construction planting. In addition, Nitrogen (N) is not typically measured since it is very unstable, however, Phosphorus (P) and Potassium (K) levels were compared for



determining fertilization rates. At the time of this report, no soil amendments are anticipated for post-construction planting.

Based on existing condition assessments, findings indicate the overall stream health is considered 'Poor/Fair', which is consistent with model estimates and comparisons with numerous referenced studies. WLS expects that the implementation of this restoration project will significantly reduce pollutant loads, including sediment and nutrients, improving the overall aquatic functions and water quality in Upper Buffalo Creek. WLS will conduct pre- and post-restoration sampling to document improvements directly related to pollutant load reductions. WLS understands that such monitoring activities are not tied performance standards nor required to demonstrate success for credit release. However, collecting and evaluating pollutant reduction data aligns with the goals and objectives of the project. We believe selecting applicable monitoring and evaluation methods will help develop a more function-based assessment and improve our project implementation process, thereby contributing positively to the advancement of the practice of ecosystem restoration.

## **3.2 Landscape Characteristics and Regional Controls**

### *3.2.1 Physiography and Geology*

The Project site is located in the Raleigh Belt region of the eastern Piedmont physiographic province in a transitional zone near the Eastern Slate Belt and Inner Coastal Plain. More specifically, the geologic unit is classified as 'PPmg' and lies within the Rolesville batholith (Rg) or pluton, which contains igneous intrusive bedrock formations (USGS, 2016). The lithologic unit is described as foliated to massive granitic rock and exposed outcrops were observed in the project vicinity east of Lake Wendell (See Figure 3 and Photographic Log in Appendix 2). Additionally, various upland areas near the Project site are in the Coastal Plain (Tt) and contain pockets of unconsolidated sedimentary rocks and terrace deposits of coarse-grained sands, fine gravel and clayey sand (USGS, 1998).

The Piedmont province in this transitional zone or 'fall line' is generally characterized by gently rolling, well-rounded hills and low ridges, with elevations near the project site ranging from 220 to 270 feet above sea level. The surface topography and dendritic drainage patterns within these alluvial valleys are consistent along many first order or headwater streams mapped in this region, with average valley slopes ranging from 1 percent to just over 2 percent (Russell, 2008). The narrow valley confinement and steeper side slopes (approximately 8 to 15 percent) typically decrease as the contributing drainage areas increase near the confluence of larger stream systems (i.e., Buffalo Creek).

### *3.2.2 Soils*

Soils at the project site were initially determined using NRCS soil survey data for Johnston County (NRCS Johnston County Soil Survey, 1994). The soils within the project area were verified during on-site field investigations. Figure 4 illustrates soil conditions throughout the project area and the soil descriptions are provided below in Table 4.

**Table 4. Project Soil Type and Descriptions**

Soil Name	Hydric	Description
Wehadkee (Wt) (82.3% of project area)	Yes, A	Poorly drained soils formed mainly on floodplains along headwater streams in the Piedmont Region that are frequently flooded. Slope ranges from 0 to 2% on landscapes with low relief and predominance of hardwoods. Loamy surface layer and loamy subsoil or sandy underlying material.
Gilead (GeB) (16.1% of project area)	No	Moderately well drained soils formed on marine terrace ridges on the Coastal Plain. Slope ranges from 2 to 8%, and typically the surface layer is sandy loam (~5 inches) and subsoil is sandy clay loam, clay, clay loam. Permeability and water capacity are moderate with medium surface runoff. Most areas are used for cropland with small areas used for woodland.
Wedowee (WoB) (0.4% of project area)	No	Well drained soils formed on narrow ridges and side slopes that are dissected by drainageways. Mapped areas are generally irregular in shape. Typically the surface layer is brown sandy loam (~9 inches) and subsoil is brown sandy clay loam. Small areas of this soil contain a gravelly surface layer and a bedrock depth of 60 inches. Slopes range from 2 to 8% in the uplands on the Piedmont. Permeability, water capacity and shrink-swell are moderate with medium surface runoff. Many areas used for woodland and the rest is well suited for pasture and row crops given moderate runoff and erosion potential.
Uchee (UcB) (1.2% of project area)	No	Well drained soils formed on ridges or broad interstream divides on marine terraces. Slope ranges from 6 to 6%. Typically the surface layer is loamy coarse sand (~26 inches) and sandy clay loam subsoil (~80 inches). Permeability, water capacity and shrink-swell are moderate to moderately high and runoff is rated as medium.

The soils within the floodplain and riparian areas are predominantly mapped Wehadkee Loam (Wt, Hydric A). The hydric soil properties have been degraded by historic agricultural and silvicultural activities have resulted in a significant loss of wetland function, surface/groundwater interaction, and increased streambank erosion and sedimentation.

### 3.2.3 Climate

The Project site is located in Johnston County, NC and therefore has a warm humid temperate climate with hot summers, minimal snowfall and no dry season (NRCS, 1994). The average growing season for the Project site is 227 days, beginning on April 6<sup>th</sup> and ending November 4<sup>th</sup> (NRCS Johnston County Soil Survey, Weather Station: Smithfield, NC). The average annual precipitation in the Project area is approximately 47.43 inches with a consistent monthly distribution, except for convective storm events or hurricanes that occur during the summer and fall months. In 2016, the area received over 57 inches as shown on WETS Table 5. Over the past 48 months, the Smithfield weather station (COOP 317994) has recorded over 221 inches of rain, which is approximately 31 inches above the total observed average.





**Table 5. Comparison of Monthly Rainfall Amounts vs. Long-term Averages**

Month-Year	Observed Monthly Precipitation (in)	WETS Average Monthly Precipitation (in)	Deviation of Observed from Average (in)
Jan-2016	3.01	4.24	-1.23
Feb-2016	7.27	3.66	+3.61
Mar-2016	2.83	4.57	-1.74
Apr-2016	4.39	3.24	+1.15
May-2016	5.01	4.16	+0.85
Jun-2016	5.11	4.14	+0.97
Jul-2016	7.82	5.14	+2.68
Aug-2016	4.23	4.58	-0.35
Sept-2016	8.58	4.54	+4.04
Oct-2016	5.2	3.16	+2.04
Nov-2016	0.98	2.95	-2.25
Dec-2016	2.99	3.05	-0.06
<b>Sum</b>	<b>57.42</b>	<b>47.43</b>	<b>+9.99</b>

Throughout much of the southeastern US, average rainfall often exceeds average evapotranspiration (ET) losses and areas experience a moisture excess during normal years, which is typical of the Project site. Excess water leaves the Project site by groundwater flow, surface runoff, channelized surface flow, or seepage. Annual losses due to seepage, or percolation of water are not considered a significant loss pathway for excess water. However, groundwater flow and the hyporheic exchange is critical in small headwater stream and wetland systems like those at the Project site, as most excess water is lost via surface and shallow subsurface flow.

The Project streams' drainage density relative to the geomorphic/geologic character and hydrologic regime is common given the seasonal rainfall patterns, runoff rates, topographic relief, groundwater recharge, and infiltration capacity/depth to impermeable bedrock layer (USGS, 1998). Further observations of perennial flow frequency, response time to storm events, pond level fluctuations, streambank erosion and groundwater saturation over the past year support this conclusion.

#### 3.2.4 Existing Vegetation

Historic land management surrounding the Project area has been primarily for agricultural and silvicultural purposes. Prior to anthropogenic land disturbances, the surrounding riparian vegetation community consisted of Mesic Mixed Forest (Piedmont Subtype) in the uplands with Alluvial Forest and Piedmont Bottomland Forest in the lower areas and floodplains (Schafale and Weakley, 1990).

The existing vegetation within the project area consists of mostly successional forest with large mature canopy trees, agricultural fields, and some disturbed pine forest (See Table 6). Much of the transitional



upland areas have a dense tree canopy and understory vegetation due to minimal buffer disturbance in the recent past. The existing vegetation has experienced limited disturbance and the widespread channel degradation is a result of ditching and altering the natural drainage patterns.

**Table 6. Existing Site Vegetation**

	Common Name	Scientific Name
<b>Canopy Vegetation</b>	Red maple	<i>Acer rubrum</i>
	Yellow-poplar	<i>Liriodendron tulipifera</i>
	Black gum	<i>Nyssa sylvatica</i>
	American sycamore	<i>Plantanus occidentalis</i>
	Sweetgum	<i>Liquidambar styraciflua</i>
	Green ash	<i>Fraxinus pennsylvanica</i>
<b>Understory &amp; Woody Shrubs</b>	Black willow	<i>Salix nigra</i>
	Ironwood	<i>Carpinus caroliniana</i>
	Persimmon	<i>Diospyros virginiana</i>
<b>Herbaceous &amp; Vines</b>	Poison ivy	<i>Toxicodendron radicans</i>
	Virginia creeper	<i>Parthenocissus quinquefolia</i>
	False nettle	<i>Boehmeria cylindrical</i>
	Broadleaf arrowhead	<i>Sagittaria latifolia</i>
	Jewelweed	<i>Impatiens capensis</i>
	Greenbrier	<i>Smilax rotundifolia</i>
	Fescue	<i>Fescue spp.</i>

**Maintained/Disturbed:**

This community is primarily located along the outer perimeter of Project area and contain successional deciduous vegetation which are periodically maintained for agriculture. Species such as Sweetgum (*Liquidambar styraciflua*), Pines (*Pinus spp*), Tulip-poplar (*Liriodendron tulipifera*) and Red maple (*Acer rubrum*) are the dominant regenerating deciduous trees located in these areas. In some areas, small ditches, spoil piles, and other evidence of land disturbance suggest portions of the forested areas were harvested in the past for timber production and pasture use.



**Agricultural Fields and Pasture Areas:**

Currently, the majority of surrounding agricultural fields are used for row crop agriculture and the vegetation along the field perimeter is primarily comprised of fescues, clovers, and some dog fennel (*Eupatorium capillifolium*). In smaller wooded riparian areas within the adjacent fields, the canopy is dominated by Red maple (*Acer rubrum*), Loblolly pine (*Pinus taeda*), and understory species consist of



Eastern red cedar (*Juniperus virginiana*), Black willow (*Salix nigra*), Sweetgum (*Liquidambar styraciflua*). Woody shrub and vine species include Muscadine (*Vitis rotundifolia*), Chinese privet (*Ligustrum sinense*) and Greenbrier (*Smilax rotundifolia*). Herbaceous species consist of Dog fennel (*Eupatorium capillifolium*) and Soft rush (*Juncus effusus*).

**Mesic Mixed Hardwood Forest:** The mature forested canopy located throughout much of the riparian corridor is dominated by Red Oak (*Quercus rubra*), American sycamore (*Platanus occidentalis*), Loblolly pine (*Pinus taeda*), American Beech (*Fagus grandifolia*) and also includes White Oak (*Quercus alba*), Swamp chestnut Oak (*Quercus michauxii*), Sweetgum (*Liquidambar styraciflua*), Eastern red cedar (*Juniperus virginiana*), Tulip-poplar (*Liriodendron tulipifera*), Black willow (*Salix nigra*), American hornbeam (*Carpinus caroliniana*), Red maple (*Acer rubrum*), American holly (*Ilex opaca*), and River birch (*Betula nigra*). The forested stand in this area is likely 30-40 years old as evidenced by mature tree heights that exceed 30 to 60 feet tall. Woody shrub and vine species include Poison ivy (*Toxicodendron radicans*), Greenbrier (*Smilax rotundifolia*), and Blackberry (*Rubus spp.*). Herbaceous species include Jewelweed (*Woodwardia areolata*) and Common juncus (*Juncus effuses*).

**Invasive Species Vegetation:** The invasive species vegetation present at the Project site are primarily Chinese privet (*Ligustrum sinense*), Microstegium (*Microstegium vimineum*) and Multiflora rose (*Rosa multiflora*), which were found interspersed primarily throughout the riparian buffer areas and a few areas along the streambanks.

### 3.3 Land Use and Development Trends

The USGS 2011 National Land Cover Data (NLCD, 2011) GIS Dataset was used to estimate the current impervious cover and land use information for the project catchment area. The 223-acre catchment area has an impervious cover estimated to be approximately 2.3 percent and the dominant land uses are approximately 49 percent agriculture (cropland) and 51 percent mixed forest. WLS conducted extensive field reconnaissance to verify the current land use practices within the catchment, which include active agricultural land managed as hay/crop production and forested areas at the downstream end and fragmented areas along the Project area perimeter.

Prior to the 1930s, most of the watershed was a mixed forested area as illustrated on historic aerials (See Figure 8a). WLS was unable to obtain land use information prior to the 1930s. By the 1950s, small portions of the headwater area were cleared for agriculture, and one small pond was built along Reach R4 in the late 1980s. The impoundments' size and location has remained unchanged since it was built and is currently used as a source for crop irrigation. Over time the natural stream and wetland processes and aquatic resource functions have been significantly impacted because of these historic anthropogenic disturbances. It is not uncommon to discover legacy sediment in numerous man-made ponds and floodplains in the mid-Atlantic Piedmont (Jacobson and Coleman, 1986). In this setting and context, legacy sediment can be defined as alluvium that was deposited following human disturbances in a watershed that represent episodic erosion in response to the colonization of land by European settlers (James, 2013). Interest in legacy sediment and its ecological implications have grown in recent years, as we understand how these deposits influence lateral channel connectivity, sediment budgets, water quality, and appropriateness of geomorphic restoration practices.

As described in the Neuse 01 RWP, potential for land use change and/or future development in the areas adjacent to the Project site is moderate to high, given the proximity to existing development and growth



trends associated with the I-540 corridor and rapidly growing Johnston County areas. As a design consideration, WLS coordinated with the landowner to extend the easement boundary to capture additional wetland areas and natural drainage features within the Project corridor. Increasing the Project footprint will provide wider riparian buffers and allow the implementation of agricultural best management practices (BMPs), which ultimately improve floodplain functions and pollutant removal effectiveness.

### **3.4 Watershed Disturbance and Response**

To determine what actions are needed to restore the riparian corridor structure and lift ecological functions, it is critical to examine the rates and type of disturbances, and how the system responds to those disturbances. Across the Project catchment, landowners historically cleared portions of mature forest and manipulated, and/or straightened streams and ditched riparian wetland systems to provide areas for crop production. Additionally, the farm pond used for irrigation has significantly altered the natural flow regime for over thirty years. The pond has caused changes to historic channel patterns, sediment transport, in-stream habitat and restriction of fish movement, thermal regulation, and dissolved oxygen (DO) content.

Cleared portions of the riparian buffer area and pond locations are shown on historical aerial photographs (See Figures 8a, 8b, 8c and 8d). A majority of the Project reaches have been heavily impacted from these historic and current land use practices, including agriculture, and silviculture. Figure 8d shows the most recent aerial photography depicting riparian buffers throughout much of the project area. However, historic manipulation of the stream channels have severely impacted the streambanks and natural flow pattern throughout the Project corridor. The stream channel in the middle of the Project area is incising and the floodplain connection has been lost in many locations. The past land use disturbances, active channel degradation, minimal impervious cover, and current agricultural and silvicultural practices present a significant opportunity for water quality and ecosystem improvements through the implementation of this project.

#### **3.4.1 Existing Reach Condition Summary**

The streams at the Project site were categorized into four reaches (R1, R2, R3, and R4) totaling approximately 3,500 linear feet of existing streams. Reach breaks were based on drainage area at confluences, valley length along an existing pond, changes in existing condition, restoration approaches, and/or changes in intermittent/perennial stream status. Field evaluations conducted by WLS at the proposal stage and during existing conditions assessments determined that Project reaches R2, R3, are perennial streams and upper R1 and R4 were determined to be intermittent. Determinations were based on *NCDWQ's Methodology for Identification of Intermittent and Perennial Streams and Their Origins*, (NCDWQ v4.11, Effective Date: September 1, 2010) stream assessment protocols. DWR's April 28, 2016 riparian buffer mitigation site viability letter also included determination that Project Reaches R1 (includes Project Reach R2), R3, and R4 were either intermittent or perennial.

Additionally, on June 1, 2017, DWR performed a requested determination and Reach R1 and Reach R4 were determined to be intermittent, as communicated in DWR's June 2, 2017 letter entitled "On-Site Stream Determination for Applicability to the Neuse Riparian Buffer Rules and Water Quality Standards (15A NCAC 02B.0233)". Copies of the referenced DWR Stream Identification Forms, Determinations, and Viability Letters are included in Appendix 7 and reach condition summaries are provided below.





R1 is a small intermittent headwater tributary that extends from the upstream terminus of the project site near Wendell Road at the northern parcel boundary to R2 downstream. R1 has a stream length of approximately 611 feet, valley slope of 1.1 percent, and drainage area of 96 acres. R1 originates at the outlet of a culverted pipe crossing that flows west from a small two-acre pond located immediately east of the Old Johnson Road 60-foot right-of-way. Based on preliminary site investigations, the existing pond in the upper catchment appears to intercept overland flows and partial road drainage, as well as to help attenuate storm events.



*Looking upstream at stable channel morphology and wood recruitment along R1 preservation area.*

Immediately west of the existing pond, a four-acre graveled parking lot area appears to be contributing excess fine sediment material to the downstream project reaches. The channel in this upper section is mostly stable and not incised, although an active headcut was observed towards the bottom of the reach. Minimal streambank erosion and bed scour was observed along most of the reach, although the channel appears to have been historically manipulated near the northern property line. The channel is well defined and the degree of incision is low, with bank height ratios (BHRs) near 1.1 and a winding sinuosity ( $k=1.21$ ). Mature woody riparian vegetation is present along the entire length of R1. Based on the existing channel morphology, R1 is classified as a C5 stream type.



*Photo illustrates severe bank erosion and lateral instability along R2.*

R2 begins at a large headcut immediately downstream of R1 and flows southwest for approximately 1,020 feet towards the confluence with R4. The valley slope is approximately 1.4 percent and the drainage area is 120 acres. R2 appears to be vertically and laterally unstable, with active headcuts present and bank height ratios ranging from 1.5 to greater than 3.0. The active erosion is estimated on 30 to 40 percent of the streambanks. Most of the erosion is in the form of downcutting and bank

scour caused by high near bank stresses during storm flows and the lack of deep rooting vegetation or geologic grade control.





The channel sinuosity is 1.16 and some floodplain alterations, such as spoil deposits, were observed throughout the reach segment. Although portions of the stream appear to have been historically manipulated, the existing riparian buffer is at least 50 feet wide throughout its entire length. Based on the existing conditions and coarse sand/fine gravel substrate, R2 is classified as an incised G5c stream type.

R3 (upper reach) begins at the confluence of reaches R2 and R4 and continues to flow southwest for approximately 943 feet. The valley slope is approximately 0.7 percent and the drainage area is 211 acres. As the valley slope begins to flatten, the sinuosity lowers ( $k=1.06$ ) and the channel appears to have been historically manipulated, straightened and relocated to the right side of the valley.

The upper portion of R3 is both vertically and laterally unstable, with active headcuts present and bank height ratios ranging from 1.5 to greater than 2.0. The active erosion is estimated along 20 to 30 percent of the streambanks.



*Looking at poor bedform diversity and the lack of deep rooting vegetation along R3.*



*Photo looking downstream at stable stream and wetland complex along bottom of R3 near Buffalo Creek.*

The lower portion of R3 continues for approximately 265 feet before transitioning into multi-thread channel as it connects to the Buffalo Creek floodplain. R3 has a drainage area of approximately 223 acres and the sinuosity remains low ( $k=1.06$ ). The channel is mostly stable along its downstream length and the width of the native woody riparian buffer vegetation is greater than 50 feet on both sides of the channel. The slope is 0.9 percent along this reach segment, bank erosion is low and scour is localized along a few meander bends. The valley floor widens in this area and the stream has connection to its

relic floodplain. Although the channel appears to have been manipulated some in the past, as evidenced by small remnant spoil deposits along its banks, the area has remained relatively undisturbed is



considered a high functioning stream and wetland system. The typical bank height ratios range from 1.0 to 1.2 and the channel is classified as a Rosgen C5/ D5 stream type.

R4 is a small intermittent headwater tributary that begins below a culvert crossing that flows underneath Wendell Road. The channel flows west for approximately 816 feet before its confluence with R2 and R3. R4 has a drainage area of approximately 55 acres and a valley slope of 1.9 percent. The upstream portion of the channel appears to have been manipulated in the past and man-made impoundment was built in the 1970s to provide a water source for irrigating adjacent agricultural fields. The pond depth at the upstream base of the dam was measured at approximately 3 to 4 feet deep.



*Photo looking at existing impoundment and floodplain alterations along R4.*

There is an active headcut migrating towards the pond dam. Moderate to severe bank erosion was observed downstream of the impoundment and bank height ratios are greater than 2.0. The reach has experienced downcutting for approximately 50 percent of its length, although the riparian buffer vegetation is greater than 50 feet wide throughout the reach. R4 is classified as a Rosgen G5 stream type.

### *3.4.2 Channel Morphology and Stability Assessment*

WLS conducted geomorphic and ecological assessments for each Project reach to assess the current stream channel condition and overall lateral and vertical stability. Data collection included seven representative riffle cross-sections, longitudinal profiles, and sediment samples. The existing channel morphology is summarized in Table 7 and detailed geomorphic assessment data is included in Appendix 2. Consistent geomorphic indicators of the bankfull stage could not be identified in the field given the modified flow regime and degraded channel conditions. Therefore, bankfull cross-sectional areas were initially compared with the published NC Rural Piedmont Regional Curve (Harman et al., 1999). The cross-sectional areas in Reaches R2, R3 (upper) and R4 were two to three times higher than the regional curve prediction, however preservation Reaches R1 and lower R3 were much closer to the regional curve as illustrated on the plot comparison.

Bank Height Ratios (BHR) were measured in the field to assess the degree of channel incision. BHRs range from 1.0 to 1.1 (Reach R1 and lower R3) to greater than 3.0 (Reach R2). BHR values greater than 2.0 typically indicate the stream channel is disconnected from its floodplain and system wide self-recovery is considered unlikely to occur within a desired timeframe (Rosgen, 2001). Entrenchment Ratios (ER) were measured to determine the degree of vertical confinement. ERs ranged from 1.2 (Reach R4) to greater than 11.0 (Reaches R1 and lower R3) throughout the project area indicating many of the reach segments are slightly to deeply entrenched. ERs, W/Ds, and BHRs were measured and calculated specifically at each of the representative riffle cross sections described above.



**Table 7. Existing Channel Morphology Summary**

Project Reach Designation	Watershed Drainage Area (Ac)	Entrenchment Ratio (ER)	Width/Depth Ratio (W/D)	Bank Height Ratio (BHR)	Sinuosity (K)	Channel Slope (S)
R1	96	12.0	7.5	1.0	1.21	0.0115
R2	120	1.7	7.2	3.1	1.16	0.0156
R3 (upper)	211	15.4	4.2	1.8	1.03	0.0065
R3 (lower)	223	11.0	8.1	1.1	1.10	0.0089
R4	55	1.2	5.6	1.6	1.06	0.0197

*Note 1: Watershed drainage area was approximated based on topographic and LiDAR information and compared with USGS StreamStats at the downstream end of each reach.*

*Note 2: Cross-section locations are shown on Figure 10.*

*Note 3: Approx. 100' along R4 is ponded, therefore channel morphology was not assessed along the entire reach. The R4 cross-section survey was taken downstream of pond/backwater conditions.*

*Note 4: Additional values and dimensionless ratios for meander geometry and facet slopes are provided in Appendix 2. The existing degraded channel parameters are compared to stable stream systems in the Piedmont Physiographic Region.*

WLS also compared historic aerial photographs with BANCS model estimates (Rosgen, 2006) described in Section 3.1.5 to identify areas susceptible to lateral bank erosion or accelerated meander migration. BEHI/NBS rating forms are in Appendix 3. Based on this comparison, most of the laterally unstable segments are located within Reaches R2, upper R3 and R4 and have occurred due to past land disturbances and channel manipulation. As described in the reach condition summary, the average valley slope is approximately 1.17 percent and overall sinuosity is 1.12. Most of the vertical grade control along the project reaches appears to be provided by infrequent vegetation root mass and a man-made pond dam. The surveyed longitudinal profile indicates Reach R2 has an active headcut near the upper segment and Reach R3 and R4 have been manipulated and straightened.

Reaches R2, upper R3, R4 have poor bedform diversity and minimal habitat features with shallow pools and longer/flatter riffles or higher pool-to-pool spacing. A portion of Reach R4 is under backwater conditions from a pond dam and stream crossing. Reaches R2, R3 (upper) and R4 are laterally unstable, with bank erosion observed along much of its length. Reaches R1 and lower R3 are vertically stable due to flatter slopes, diverse bedform morphology, native buffer and bank vegetation, and habitat features (woody debris).

**SVAP2:** WLS completed ecologic stream assessments of the Project reaches using the *Stream Visual Assessment Protocol, Version 2 (SVAP2)* developed by the Natural Resources Conservation Service (NRCS, 2009). The SVAP2 is a national protocol that provides a common method to evaluate the overall condition of small wadeable streams, riparian buffers, and in-stream habitats. It is a visual assessment tool that can be used for conservation planning, identifying restoration goals and objectives, developing appropriate restoration strategies and assessing trends in stream and riparian conditions over time.

WLS evaluated the SVAP2 scoring elements relevant to the project, as shown in Appendix 2. The physical, chemical, and biological features were evaluated within the riparian corridor to identify elements or conditions that are considered high quality or ‘excellent’ to ‘severely degraded’. The project reaches scores ranged from “good” to “fair” and overall are in “fair” condition. Reaches R1 and R3 (lower) are





preservation areas and scored “good” due to their stable channel and bank conditions, as well as the presence of deep pools and other habitat for aquatic resources. Reaches R2, R3 (upper), and R4 scored “fair” because of bank erosion, incising channel conditions, and a lack of pools and other habitat features. These reaches would have likely scored lower were it not for the strong buffer throughout the project.

**NC SAM:** WLS also completed stream evaluations of the Project reaches using the *NC Stream Assessment Method* (NC SAM, Version 2.1) developed by the NC Stream Functional Assessment Team (SFAT). The purpose of NC SAM is to provide the public and private sectors with an accurate, consistent, rapid, observational, and science-based field method to determine the level of function of streams within North Carolina. Similar to SVAP2, NC SAM can be used as a tool for the consideration of project restoration design and planning, allowing for impacts to be avoided and/or minimized, and to provide information concerning assessed stream characteristics and functions for the regulatory review process.

WLS evaluated the NC SAM metrics relevant to the project assessment reaches, as shown in Appendix 8. The metrics were documented to evaluate various stream functions. The Project reach scores ranged from ‘low’ to ‘medium’ to ‘high’. Reaches R2, R3 (upper) and R4 scored ‘low’ due unstable channel conditions, water quality stressors from nutrients, and altered stream morphology. Preservation Reaches R1 and R3 (lower) scored ‘high’ due to stable stream conditions, mature buffer, and high-quality aquatic habitat.

These channel stability and ecological assessments incorporated qualitative and quantitative observations using historic aeriels, visual field evaluations, and detailed topographic survey data collected across the site. The conclusions from these assessments were comparable and help describe the current stream stability, ecological conditions and functional ratings, however, these methods are not intended to be used for determining mitigation success on constructed stream and wetland sites.

### 3.4.3 Channel Evolution

The modified Simon Channel Evolution Model (CEM) describes a predictable sequence of change in a disturbed channel system (Simon, 1989). Channel evolution typically occurs when a stream system begins to change its morphologic condition, which can be a negative or positive trend towards stability. The channel evolution processes and stage vary across the Project site and have been greatly affected by human-induced disturbances. After reviewing the channel dimension, plan form, and longitudinal profile information, WLS concluded that Reach R1 and lower Reach R3 currently exhibit positive trends towards stability or quasi-equilibrium. However, Project reaches R2, upper R3 and R4 vary between Class ‘III’ and ‘IV’ of the CEM as evidenced by migrating headcuts, bank erosion and channel enlargement. This trend has continued based on ongoing observations beginning in Spring 2015. The lower portion of Reach R3 is transitioning from Class ‘V’ to Class ‘VI’ (quasi-equilibrium) as evidenced by channel overwidening and sediment aggradation due to a flatter valley slope. This valley location is considered an aggradation zone as it transitions into the Buffalo Creek floodplain. Reach R4 above and below the pond dam is unstable but will likely remain at Class ‘IV’ without any future disturbances and grade control. The proposed stream restoration approaches described in Section 6.1 are supported by these observations.



#### 3.4.4 *Sediment Supply, Delivery and Storage*

Visual inspections of the channel substrate materials were conducted for each of the Project stream reaches. Representative bed materials were bulk sampled both upstream and downstream of the reach R4 confluence. The existing streams consist of predominantly fine to medium sand (D50 particle size < 2mm), with localized sections of fine gravel material, as well as a fine sandy material in flatter channel sections. Much of the parent material, which contains fine gravel particle sizes, are mostly buried and still evident in some of the bank profiles. Additional field investigations conducted after geomorphically significant storm events (greater than 1 to 2-year recurrence intervals) suggest that the sediment supply is being recruited predominantly from streambank erosion along the project stream reaches. The streambank erosion along the project stream reaches appears to be limited during episodic storm flows due to the small headwater drainages, minimal impervious cover, man-made impoundment, and influences from herbaceous vegetation and rotational crop cover. Bed mobility in small headwater sand-bed streams can be highly variable and initiates over a range of streamflows (Wilcock, 1993). During these higher flood flows, some of the bed and bank material is mobilized from Reach R2 and R4 and is deposited in flatter/wider valley bottoms near lower Reach R3.

As described in Section 3.1.5, the Hurricane Matthew storm event on October 8<sup>th</sup>, 2016 deposited a measurable amount of fine sediment within the floodplain areas along lower portion of Reach R3. Prior to this historic flow event, the floodplain in this area was already functioning as sediment storage or a sink, but likely at a much slower rate. Over the past few decades, the deepening and straightening channel segments has decreased lateral stability and increased the episodic pulse deliveries of stored sediment to downstream channels (Bilby, 1984). This anthropogenic derived sediment does not occur uniformly over the landscape (James, 2013) and changes in the amount and local storage areas for water and sediment can substantially affect hydrogeomorphic variability in headwater stream systems (McKenney et al. 1995). Removing the impoundment dam and restoring more natural flood flows and sediment regime will facilitate positive adjustments to sediment routing and storage across the reconnected floodplain.

#### 3.4.5 *Jurisdictional Stream and Wetland Impacts*

WLS investigated on-site jurisdictional waters of the US (WOTUS) using the US Army Corps of Engineers (USACE) Routine On-Site Determination Method. This method is defined in the 1987 Corps of Engineers Wetlands Delineation Manual and subsequent Eastern Mountain and Piedmont Regional Supplement. Determination methods included stream classification utilizing the NCDWQ Stream Identification Form and the USACE Stream Quality Assessment Worksheet. Potential jurisdictional wetland areas as well as upland areas were classified using the USACE Wetland Determination Data Form.

The results of the on-site field investigation indicated that Project Reaches R1, R2, R3 and R4 were determined to be jurisdictional stream channels. Project Reaches R2 and R3 were determined to be perennial while upper Project Reaches R1 and R4 were determined to be intermittent. Two (2) jurisdictional wetland areas were delineated within the proposed project area (See Figure 7) and are located within the floodplain areas along the project stream reaches. USACE representative Samantha Dailey verified Jurisdictional Determinations during a field visit on December 20, 2016. The verification letter and supporting documents including Wetland Determination Data Forms are in Appendix 9.

Based on extensive field investigations, toe of slope wetlands and seeps were historically present in various locations within the valley setting. After evaluating existing topography, soils, hydrology and



hydrophytic vegetation within the project area, the plant communities located along R1, R2, and R3 were most likely indicative of reference wetlands in the region, but agricultural and silvicultural land use practices have severely altered the composition of the plant community. Wetland stressors, such as a man-made dam and channel manipulations have altered the hydrological connections within the project area. Portions of the site tributaries were piped to capture various sources of seepage to increase land available for agricultural use, which exacerbated channel incision and drainage effect across the adjacent fields.

Currently, some of the existing wetland areas located in the floodplain are drained. After restoration activities, these areas will experience a more natural hydrology and flooding regime. The restoration design approach will likely enhance any areas of adjacent fringe or marginal wetlands. Existing stream profiles will be elevated along various reach sections of R2, R3, and R4, which will improve local water table conditions adjacent to the channels and encourage more frequent flooding of riparian wetland areas. The proposed stream and wetland impacts are considered temporary and will be included with the 401/404 permit application.

## 4 Functional Uplift Potential

---

Harman et al. (2012) provides a framework for conducting function-based assessments to develop project goals and objectives based on a site's restoration potential and functional uplift. The framework is based on the Stream Functions Pyramid (SFP) which is a conceptual model that can be used to better define project goals and objectives by linking them to stream functions. Stream functions are separated into a hierarchy of functions and structural measures, ranging from Level 1 to Level 5 and include the following functional categories: Hydrology (Level 1), Hydraulic (Level 2), Geomorphic (Level 3), Physiochemical (Level 4), and Biological (Level 5). Chapter 4 of *A Function-Based Framework* (Harman, 2012) provides a more detailed description of the SFP and is illustrated in Appendix 2. The SFP framework is applied below to further describe the functional lift potential based on the existing conditions assessment and proposed restoration design elements.

### 4.1.1 Function-Based Parameters and Measurement Methods

Function-based parameters and measurement methods were evaluated using the Stream Functional Lift Quantification Tool (SQT) to help assess the existing stream conditions, determine restoration potential and identify risks associated with the project site. The SQT is a qualitative and quantitative resource used to describe the function-based condition of each project reach, as well as evaluate functional capacity and predict the overall proposed lift (Harman and Jones, 2016). WLS applied the SQT to help further define goals and objectives based on the restoration potential. The results of this assessment helped determine the highest level of restoration that can be achieved based on site constraints and existing conditions. Table 8 shows the function-based condition assessment parameters and measurement methods selected to help quantify and describe each functional category. The complete SQT functional assessment worksheets and summaries are provided in Appendix 2.



**Table 8. Existing and Proposed Functional Condition Assessment Summary**

Functional Category (Level)	Function-Based Parameters	Measurement Method
Hydrology (Level 1)	Channel Forming Discharge	Catchment Assessment
	Precipitation/Runoff	USGS Regression/Impervious Cover
	Flow Duration	Crest Gage/Flow Gage
Hydraulics (Level 2)	Floodplain Connectivity	Bank Height Ratio
		Entrenchment Ratio
Geomorphology (Level 3)	Large Woody Debris	LWD Index
	Bank Migration/Lateral Stability	Meander Width Ratio
		BEHI/NBS
		Percent Streambank Erosion (%)
	Riparian Vegetation	Left Buffer Width (ft)
		Right Buffer Width (ft)
		Left Density (stems/acre)
		Right Density (stems/acre)
	Bed Form Diversity	Pool Depth and Spacing Ratio
		Facet Slopes
		Percent Riffle and Pool
Sinuosity	Plan Form	
Channel Evolution	Simon Channel Evolution Model	
Physicochemical (Level 4)	Nutrients	N/A
Biology (Level 5)	Macrobenthos	Biotic Index EPT Taxa Present

Note: Table adapted from Harman et al. (2016).

#### 4.1.2 Performance Standards and Functional Capacity

The Pyramid Framework includes performance standards associated with the function-based assessments and measurement methods described above. The performance standards are used to determine the functional capacity and are stratified into three types: *Functioning*, *Functioning-at-Risk*, and *Not Functioning* (Harman and Jones, 2016). The definitions and index value ranges for each type are outlined below.

**Functioning:** A Functioning (F) score means that the measurement method is quantifying or describing one or more aspects of a function-based parameter in a way that **does support** a healthy aquatic ecosystem. A single functioning measurement method may not mean that the function-based parameter or overall category (e.g., Geomorphology) is functioning. Index value range of 0.7 – 1.

**Functioning-at-Risk:** A Functioning-at-Risk (FAR) score means that the measurement method is quantifying or describing one or more aspects of a function-based parameter in a way that **can support** a healthy aquatic ecosystem. In many cases, this indicates the function-based parameter is adjusting in response to changes in the reach or the watershed. The trend may be towards lower or higher function. A Functioning-at-Risk score implies that the aspect of the function-based parameter, described by the measurement method, is between Functioning and Not Functioning. Index value range of 0.3 – 0.69.



**Not Functioning:** A Not Functioning (NF) score means that the measurement method is quantifying or describing one or more aspects of a function-based parameter in a way that **does not support** a healthy aquatic ecosystem. A single functioning measurement method may not mean that the function-based parameter or overall category (e.g., Geomorphology) is not functioning. Index value range of 0 – 0.29.

Table 9 summarizes the overall reach scoring and functional lift summary for each project reach.

**Table 9. Functional Lift Scoring Summary**

Reach Scoring / Rating	R1	R2	R3 (upper)	R3 (lower)	R4
Overall Existing Condition Score (ECS)	0.55	0.27	0.35	0.51	0.23
Overall Proposed Condition Score (PCS)	0.57	0.75	0.56	0.53	0.57
Functional Lift Score	0.02	0.48	0.21	0.02	0.34
Percent Condition Lift	4%	178%	60%	4%	148%
Functional Foot Score (FFS) Existing vs. Proposed	12	612	185	6	354
Functional Lift (%)	4%	222%	68%	4%	189%
Overall Existing vs. Proposed Condition	FAR / FAR	NF / F	FAR / FAR	FAR / FAR	NF / FAR

#### 4.1.3 Restoration Potential

After the function-based assessment was completed, the restoration potential was determined to better define the Project design goals and objectives. It is common for restoration projects to occur at a reach scale that provide significant functional lift of Level 2 and 3 parameters. However, to achieve goals in Levels 4 and 5, a combination of reach scale restoration and upstream watershed health must be measurable and sustainable. The restoration potential was determined at Level 3 (Geomorphology) since the overall watershed assessment scored ‘Fair’ and may not fully support biological reference conditions given the current nutrient inputs and potential for future development.

Based on the existing condition assessments, the stream’s bioclassification is considered ‘Poor’. It is expected that the implementation of this project will significantly reduce pollutant loads, including sediment and nutrients, improving overall aquatic functions. Given the landscape position and catchment size, the restoration activities will likely provide functional lift within the physicochemical and biological functional categories. Post-restoration efforts will also include supplemental monitoring of biological parameters (Level 5 Category) to document any functional improvements and/or identify trends during the monitoring period. **However, any Level 4 and 5 function-based parameters and monitoring activities will not be tied to performance standards nor required to demonstrate success for credit release.**

The SQT manual recommends that practitioners, stakeholders and regulators collaborate when selecting appropriate parameters for determining whether project goals and objectives are being met or if any performance standards need to be adjusted based on local site conditions. Not all functional categories and parameters, such as water quality (Physicochemical - Level 4) and performance standards listed in the SQT will be compared or required to determine project success and stream mitigation credit and debit scenarios. However, selecting applicable monitoring and evaluation methods will help develop a more function-based assessment and improve our project implementation process, thereby advancing the practice of ecosystem restoration. Table 10 represents the restoration potential summary for the Project during the monitoring period.

**Table 10. Restoration Potential Summary**

Functional Category (Level)	Function-Based Parameters	Existing Condition Rating	Restoration Potential
Hydrology (Level 1)	Channel Forming Discharge	F	F
Hydraulics (Level 2)	Floodplain Connectivity	FAR	F
Geomorphology (Level 3)	Bedform Diversity	FAR	F
	Channel Evolution	FAR/NF	F
	Riparian Vegetation	F	F
	Lateral Stability	FAR	F
Physicochemical (Level 4)	Water Quality	N/A	N/A
Biology (Level 5)	Macroinvertebrate Communities	NF	FAR

#### 4.1.4 Function-Based Goals and Objectives

Function-based goals and objectives were developed to relate restoration activities to the appropriate parameters from the SFP framework, which are based on existing conditions, site constraints and overall restoration potential. When developing realistic function-based project goals and objectives, it is imperative to know why the functions or resources need to be restored (Goal) and what specific restoration activities and measurement methods will be used to validate the predicted results (Objective). Section 5 summarizes the Mitigation Project Goals and Objectives.

## 5 Mitigation Project Goals and Objectives

WLS set mitigation project goals and objectives to provide compensatory mitigation credits to DMS based on the resource condition, functional capacity and restoration potential of the watershed to improve and protect diverse aquatic resources comparable to stable headwater stream systems within the Piedmont Physiographic Province. The proposed mitigation types and design approaches considered the general restoration and resource protection goals and strategies outlined in the 2010 Neuse River Basin Restoration Priority Plan (RBRP). The functional goals and objectives are further defined in the 2013 Wake-Johnston Collaborative Local Watershed Plan (LWP) and 2015 Neuse 01 Regional Watershed Plan (RWP) and include:

- Reducing sediment and nutrient inputs to the upper Buffalo Creek Watershed,
- Restoring, preserving and protecting wetlands, streams, riparian buffers and aquatic habitat,
- Implementing agricultural BMPs and stream restoration in rural catchments together as “project clusters”.

The following site-specific goals were developed to address the primary concerns outlined in the LWP and RWP and include:

- Restore stream and floodplain interaction and geomorphically stable conditions by reconnecting historic flow paths and promoting more natural flood processes,
- Improve and protect water quality by reducing streambank erosion, nutrient and sediment inputs,



- Restore and protect riparian buffer functions and habitat connectivity in perpetuity by recording a permanent conservation easement,
- Implement agricultural BMPs to reduce nonpoint source inputs to receiving waters.

To accomplish these site-specific goals, the following function-based objectives will be measured to document overall project success as described in Table 11 below:

**Table 11. Function-Based Goals and Design Objectives Summary**

Functional Category (Level)	Functional Goal / Parameter	Functional Design Objective
Hydrology (Level 1)	Improve Base Flow	Remove man-made pond dam and restore a more natural flow regime and aquatic passage.
Hydraulics (Level 2)	Reconnect Floodplain / Increase Floodprone Area Widths	Lower BHRs from >2.0 to 1.0-1.2 and maintain ERs at 2.2 or greater.
Geomorphology (Level 3)	Improve Bedform Diversity	Increase riffle/pool percentage to 70/30 and pool-to-pool spacing ratio 4-7X bankfull width.
	Increase Lateral Stability	Reduce BEHI/NBS streambank erosion rates comparable to downstream reference condition and stable cross-section values.
	Enhance Riparian Buffer Vegetation	Plant or protect native species vegetation a minimum 50' wide from the top of the streambanks with a composition/density comparable to reference condition.
Physicochemical (Level 4)	Improve Water Quality	Install water quality treatment basins along the riparian corridor and reduce sediment and nutrient levels.
Biology (Level 5)	Improve Macroinvertebrate Community and Aquatic Species Health	Incorporate native woody debris and bedform diversity into channel and change DWR bioclassification rating from 'Poor' to a minimum 'Fair' by Monitoring Year 7.

As described in Section 4, the function-based assessment suggests that the proposed mitigation activities will result in a higher functioning aquatic ecosystem. The project goals and objectives address water quality stressors by reducing nutrient and sediment inputs through stream restoration, riparian buffer restoration, riparian wetland restoration and implementing agricultural BMPs. Hydrologic functions will be improved by raising the local water table. A more natural flow regime will be restored to riparian wetlands and floodplain areas by removing a man-made impoundment and implementing a Priority Level I Restoration. The biologic and habitat functions will be improved by extending wildlife corridors that connect with wooded areas near the upstream and downstream extents of the project reaches.

Additionally, site protection through a conservation easement in excess of 50 feet from the top of banks, will protect all stream reaches and aquatic resources in perpetuity. These mitigation efforts will provide a significant ecological benefit with minimal impacts and constraints during a recovery period that would not otherwise occur through natural processes.





5.1.1 Project Benefits Summary

The project will provide numerous water quality and ecological benefits within the upper Buffalo Creek Watershed. While many of these benefits will focus on the project area, others, such as nutrient removal, sediment reduction, and improved aquatic and terrestrial habitat, others have more far-reaching effects that extend downstream. The expected project benefits and ecological improvements are summarized below in Table 12.

**Table 12. Project Benefits Summary**

<b>Benefits Related to Hydrology</b>	
<b>Pond Dam Removal</b>	Removing a man-made farm pond dam will reestablish more natural flow conditions.
<b>Benefits Related to Hydraulics</b>	
<b>Floodplain Connectivity</b>	The restored streams will be raised and reconnected to their active or relic floodplains to spread higher flow energies onto the floodplain thereby increasing retention time and floodplain roughness.
<b>Surface Storage and Retention</b>	Incorporation of vernal pools, depressional areas, and other constructed floodplain features will improve flow dynamics by reducing runoff velocities and provide additional surface storage and habitat diversity.
<b>Groundwater Recharge/Hyporheic exchange</b>	Benefits will be achieved through establishing vegetated buffers, which increase groundwater infiltration, surface water interaction, and recharge rates.
<b>Benefits Related to Geomorphology</b>	
<b>Proper Channel Form</b>	Restoring an appropriate dimension, pattern, and profile will efficiently transport and deposit sediment (point bars and floodplain sinks) relative to the stream’s power and load that is supplied from banks and uplands. Stream channels that are appropriately sized to convey a smaller range of storm flows will greatly improve channel stability by reducing active bank erosion (lateral stability) and bed degradation (vertical stability; i.e. headcuts, downcutting, incision).
<b>Sediment Transport</b>	Boundary conditions, climate, and geologic controls influence stream channel formation and how sediment is transported through its watershed. Adequate channel capacity will ensure sediment supply is distributed such that excessive degradation and aggradation does not occur.
<b>Riparian Buffer Vegetation</b>	Planting buffer vegetation will improve thermal regulation (stream shading) along the riparian corridor, as well as increase woody root mass and density thereby decreasing bank erosion and sedimentation and increasing organic matter and woody debris.
<b>Bioengineering Treatments</b>	Bioengineering practices such as live staking, brush layering, and vegetated soil lifts will help encourage lateral bank stability and prevent further bank erosion and sedimentation.
<b>Benefits Related to Physicochemical (Water Quality)</b>	
<b>Nutrient Reduction</b>	Benefit will be achieved through the reduction of excess nutrients from adjacent agricultural fields through filtration and nutrient uptake within the protected vegetated buffers.





Sediment Reduction	Benefit will be achieved through stabilization of eroding banks; installation of water quality treatment basins; and by dissipating stream energy with increased overbank flows during storm events.
DO, NO <sub>3</sub> <sup>-</sup> , DOC Concentration	Benefits will be achieved through the restoration of more natural stream forms including riffle and pool sequences, which will increase dissolved oxygen (DO) concentrations. In addition, as planted riparian buffers mature, the increased shade and wider vegetation density/structure will reduce water temperatures and groundwater nitrates (NO <sub>3</sub> <sup>-</sup> ) as well as increase dissolved organic carbon (DOC) (King et al, 2016).
<b>Benefits Related to Biology</b>	
Terrestrial and Aquatic Habitat	Benefits will be achieved through the incorporation of physical structure, removal of invasive species vegetation and returning native vegetation to the restored buffer areas. Benefits to aquatic organisms will be achieved through the installation of appropriate in-stream structures and pond dam removal. Adequately transporting and depositing fine-grain sediment onto the floodplain will prevent embeddedness and create interstitial habitat, organic food resources and in-stream cover.
Landscape Connectivity	Benefits to landscape connectivity will be achieved by restoring a healthy stream corridor, promoting aquatic and terrestrial species migration and protecting their shared resources in perpetuity.

## 6 Design Approach and Mitigation Work Plan

The project includes the restoration, preservation and permanent protection of four stream reaches (R1, R2, R3, and R4) totaling approximately 3,500 linear feet of existing tributaries (See Figure 10). The design approach will utilize the entire suite of stream mitigation practices, from Priority Level I Restoration to Preservation, and appropriately addresses all the intermittent and perennial stream reaches at the project site. The project also includes enhancing and protecting riparian buffers and riparian wetlands along streams and improving the existing stream crossings, thus providing the maximum functional uplift and a unique opportunity to implement a comprehensive watershed approach. The mitigation components and proposed credit structure is outlined in Table 13 and the design approach and mitigation work plan are described in the following subsections.

**Table 13. Mitigation Components and Proposed Credit Summary**

Project Component	Existing Footage or Acreage	Proposed Reach Stationing	Restored Footage, Acreage, or SF	Creditable Footage, Acreage or SF	Restoration Level	Approach Priority Level	Mitigation Ratio (X:1)	Mitigation Credits
R1	611	10+00 – 16+11	611	611	P	---	10	61
R2	1,020	16+11 – 27+94	1,183	1,183	R	PI	1	1,183
R3 (upper)	835	27+94 - 36+29	970	815	R	PI	1	815
R3 (lower)	130	36+29 – 37+59	130	130	P	---	10	13
R4	816	10+00 – 19+51	951	951	R	PI/PII	1	951



## 6.1 Stream Design Approach

As described above in Sections 4 and 5, WLS used function-based assessment methods and data analyses to determine overall restoration potential and functional uplift. The stream design approach generally followed the techniques and methods outlined in the *NRCS Stream Restoration Design—National Engineering Handbook* (NRCS, 2007) and *Hydraulic Design of Stream Restoration Projects* (USACE, 2001). In addition, the natural stable channel design (NCD) procedures outlined in the *Natural Channel Design Review Checklist* (Harman and Starr, 2011) were applied to address specific stream functions lost across the site, while also minimizing disturbances to existing wooded areas and higher functioning resources.

WLS first compiled and assessed watershed information such as drainage areas, historical land use, geologic setting, soil types, sediment inputs and plant communities. WithersRavenel then performed detailed existing conditions topographic and planimetric surveying of the project site and produced a 1-foot contour map, based on survey data, to create base mapping and plan sheets (See Appendix 1). Detailed geomorphic surveys were also conducted along the channel and floodplain to determine valley slopes/widths, channel dimensions, longitudinal profile elevations, and to validate the signatures shown on the LiDAR imagery (See Figure 6).

Project stream design criteria was developed using a combination of industry sources and applied approaches, including a review of applicable reference reach data (analog), evaluation of published regression equations and hydraulic geometry relationships (regional curves), monitoring results from stable past projects (empirical), and building a 1D-steady state hydraulic model using process-based equations (HEC-RAS) to test design channel geometry, sediment transport capacity, and bed stability (analytical).

It should be mentioned, while analog and empirical form-based approaches have been proven effective in designing stable stream systems, their application assumes quasi-equilibrium conditions and similar watershed and boundary conditions (i.e. dominant discharge, flow regime, channel roughness, controlling vegetation). Using a static design template that accounts for natural channel variability can be limited by the regional data sets and overlook other local controlling factors such as flow impoundments, bedrock geology, woody debris/abundance, and sediment supply (Skidmore, 2001).

Conversely, analytical or process-based approaches rely heavily upon precise data inputs and a more robust level of effort may not be practical or even necessary to replicate channel geometry given the model sensitivity and desired outcome. Designing dynamic headwater channels is an iterative process that requires a detailed assessment of sediment continuity and predicted channel response for a range of smaller flows. Although it is difficult to definitively predict long term hydrologic conditions in the watershed, designing an appropriate stream channel for the valley characteristics (i.e. slope, width, and confinement) is always the preferred design rationale. Therefore, best professional judgment must be used when selecting appropriate design criteria for lifting the desired ecological functions.

### 6.1.1 Proposed Design Parameters

The proposed design parameters were developed so that plan view layout, cross-section dimensions, and longitudinal profiles could be described for developing construction documents. The design philosophy considers these parameters as conservative guidelines that allow for more natural variability in stream



dimension, facet slopes, and bed features to form over long periods of time under the processes of flooding, re-colonization of vegetation, and other watershed influences (Harman, Starr, 2011).

Evaluating reference reach information and empirical data from monitoring stable rural Piedmont stream restoration projects provided pertinent background information and rationale to determine the appropriate design parameters given the existing conditions and restoration potential. The proposed stream design parameters shown on Table 14 also considered the *USACE Stream Mitigation Guidelines* issued in April 2003 (rev. October 2005) and the Natural Channel Design Checklist (Harman, 2011).

**Table 14. Proposed Design Parameters**

Parameter	R1	R2	R3 (upper)	R3 (lower)	R4
Drainage Area, DA (sq mi)	0.150	0.188	0.330	0.348	0.086
Stream Type (Rosgen)	C5	C5	C5	C5/D5	C5
Bankfull Riffle XSEC Area, Abkf (sq ft)	4.2	5.0	5.6	6.1	3.6
Bankfull Mean Velocity, Vbkf (ft/sec)	4.9	5.2	6.1	6.0	4.4
Bankfull Riffle Width, Wbkf (ft)	7.0	7.7	8.1	8.6	6.6
Bankfull Riffle Mean Depth, Dbkf (ft)	0.6	0.6	0.7	0.8	0.5
Width to Depth Ratio, W/D (ft/ft)	12	12	12	12	12
Width Floodprone Area, Wfpa (ft)	30 - 80	20 - 50	30 - 80	30 - 80	25 - 70
Entrenchment Ratio, Wfpa/Wbkf (ft/ft)	7.2 - 12.0	2.5 - 6.1	3.7 - 9.8	3.5 - 9.4	4 - 10
Riffle Max Depth Ratio, Dmax/Dbkf	1.4	1.3	1.3	1.4	1.3
Bank Height Ratio, D <sub>tob</sub> /D <sub>max</sub> (ft/ft)	1.0 - 1.1	1.0	1.0	1.0 - 1.2	1.0
Meander Length Ratio, L <sub>m</sub> /Wbkf	5.1 - 6.2	7 - 12	6 - 9	5.8 - 9.4	6 - 9
Radius of Curvature Ratio, R <sub>c</sub> /Wbkf	1.6 - 2.9	2 - 3	1.8 - 3.0	1.6 - 2.9	2 - 3
Meander Width Ratio, W <sub>blt</sub> /Wbkf	6.4	4 - 7	3 - 6	4.1 - 5.9	3 - 6
Channel Sinuosity, K	~1.21	~1.17	~1.20	~1.13	~1.15
Channel Slope, S <sub>chan</sub> (ft/ft)	0.014	0.012	0.008	0.009	0.019
Riffle Slope Ratio, S <sub>riff</sub> /S <sub>chan</sub>	1.0 - 1.4	1.1 - 1.3	1.1 - 1.3	1.2 - 1.3	1.2 - 1.3
Pool Slope Ratio, S <sub>pool</sub> /S <sub>chan</sub>	0.1 - 0.2	0.1 - 0.3	0.1 - 0.3	0.1 - 0.3	0.1 - 0.3
Pool Width Ratio, W <sub>pool</sub> /Wbkf	1.2 - 2.8	1.2 - 1.6	1.1 - 1.3	1.1 - 1.5	1.2 - 1.5
Pool-Pool Spacing Ratio, L <sub>ps</sub> /Wbkf	4 - 9	4 - 7	3 - 6	3.5 - 6.1	3 - 7
Pool Max Depth Ratio, D <sub>maxpool</sub> /Dbkf	1.9 - 2.4	1.5 - 2.1	1.3 - 1.9	1.1 - 1.5	1.5 - 3.0

*Note: Information for Reach R1 and Lower R3 represents the existing condition parameters to be used for design comparison purposes.*



### 6.1.2 Design Reach Summary

For design purposes, the stream segments were divided into multiple reaches labeled R1, R2, R3 (upper), R3 (lower) and R4, as shown in Figure 10. The following narrative summarizes the proposed design approach, rationale and justification for each of stream reaches.

#### **R1 – Preservation**

R1 begins just west of Wendell Road at the northern parcel boundary and is classified as a Rosgen ‘C5’ stream type. Preservation is being proposed along this reach since the existing stream and wetland system is mostly stable with a mature riparian buffer due to minimal historic impacts. The preservation area will be protected in perpetuity through a permanent conservation easement. This approach will extend the wildlife corridor from the Buffalo Creek floodplain boundary throughout a majority of the riparian valley, while providing a hydrologic connection and critical habitat linkage within the catchment area.

#### **R2 – Restoration**

R2 begins at an active headcut at the downstream end of R1. R2 is severely incised in many locations with BHRs ranging from 1.5 to greater than 3.0. The channel has been historically manipulated, but generally flows through the low point of the valley. Work along R2 will involve a Priority Level I Restoration by raising the bed elevation and reconnecting the stream with its abandoned floodplain. This approach will promote more frequent over bank flooding in areas with hydric soils, thereby creating favorable conditions for wetland re-establishment. The reach currently exhibits lateral and vertical instability as shown by active bank erosion and headcutting. This systemic degradation is causing excess bank sediments to enter the system and will likely continue, if restoration is not implemented, since the existing channel has lost its active floodplain connection and has mostly vertical banks that are devoid of deep rooting vegetation.

The reach will be restored as a Rosgen ‘C5’ stream type using appropriate riffle-pool morphology with a conservative meander planform geometry that accommodates the valley slope (~1.5 percent) and bottom width (~50 feet). This approach will allow restoration of a stable channel form with appropriate bedform diversity, as well as improved biological functions through increased aquatic and terrestrial habitats. The proposed design width-to-depth ratio for the channel will be 12 to 15, which is comparable to stable streams in this geologic setting. In-stream structures will be incorporated to control grade, dissipate flow energies, protect streambanks, and eliminate the potential for upstream channel incision. Proposed in-stream structures will include constructed wood riffles for grade control and habitat, log j-hook vanes, and log weirs/jams for encouraging step-pool formation energy dissipation, bank stability, and bedform diversity. Riparian buffers greater than 50 feet will be enhanced and protected along the entire length of R2. Any mature trees or significant native vegetation will be protected and incorporated into the design.

Bioengineering techniques such as vegetated geolifts and live stakes will also be used to protect streambanks and promote woody vegetation growth along the streambanks. The existing unstable channel will be filled to an elevation sufficient to connect the new bankfull channel to its active floodplain using suitable fill material excavated from the newly restored channels and remnant spoil piles. Additionally, water quality treatment basins will be installed to reduce direct sediment and nutrient inputs. These proposed restoration activities will provide the maximum possible functional uplift.



### ***R3 (upper reach) – Restoration***

Due to the past manipulation, channelization and degraded nature of R3, a Priority Level I Restoration approach is proposed for the upstream portion to improve stream functions and water quality. The reach currently exhibits both lateral and vertical instability, as shown by an active headcut and moderate bank erosion. Given the flatter valley slope (~0.75 percent), the reach will be restored as a Rosgen 'C5' stream type using appropriate riffle-pool morphology with conservative meander geometry. A new channel will be constructed offline in this area before reconnecting with relic channel features and the existing channel alignment farther downstream. The proposed design width-to-depth ratio will be 12 to 15, which is comparable to stable streams in this geologic setting. It is expected that over time, channel widths will narrow slightly over time due to vegetation growth along the streambanks. In-stream structures, including log weirs and log vanes will be used to dissipate flow energy, protect streambanks, and eliminate potential for future incision. Restored streambanks will be graded to stable side slopes and the floodplain will be reconnected to further promote stability and hydrological function.

### ***R3 (lower reach) – Preservation***

The downstream portion of Reach R3 is currently classified as a Rosgen 'C5' stream type. Preservation is being proposed along much of this reach since the existing stream and wetland system is mostly stable with a mature riparian buffer due to minimal historic impacts. The preservation area will be protected in perpetuity through a permanent conservation easement. This approach will extend the wildlife corridor from the Buffalo Creek floodplain boundary throughout a majority of the riparian valley, while providing a hydrologic connection and critical habitat linkage within the catchment area.

### ***R4 – Restoration***

The restoration of R4 will begin downstream of the culvert crossing that flows underneath Wendell Road. The existing bed elevation will be gradually raised to reconnect the stream with its active floodplain. Towards the middle reach, the valley slope flattens slightly and existing channel begins experiencing backwater conditions and sediment aggradation from a man-made pond. The existing farm pond is less than one acre in size and previously served as an irrigation source in support of the landowner's agricultural fields. The failing dam and remnant spoil piles will be removed and the pond will be drained to reconnect the new stream channel with its geomorphic floodplain. Channel and floodplain excavation in this reach segment will include the removal of shallow legacy sediments (approx. 8" to 12" depth) to accommodate a new bankfull channel and in-stream structures, as well as a more natural step-pool morphology using grade control structures in the steeper transitional areas.

This impounded reach has experienced minor sedimentation of finer sandy/loam material, extensive floodplain alteration, and the historic removal of mature woody vegetation. Over time, the design approach will also promote a more natural flow regime and lotic conditions that will likely improve adjacent riparian wetland areas. Shallow vernal pools will be created in the floodplain to provide habitat diversity, nutrient cycling, and improved treatment of overland flows. Riparian buffers greater than 50 feet will be restored and protected along all R4. The proposed improvements will reduce valley confinement and provide the maximum possible functional uplift.

## **6.2 Reference Reach Selection**

The morphologic data obtained from reference reach surveys can be a valuable tool for comparison and used as a template for analog design of a stable stream in a similar valley type with similar bed material.



To extract the morphological relationships observed in a stable system, dimensionless ratios are developed from the surveyed reference reach. These ratios can be applied to a stream design to allow the designer to ‘mimic’ the natural, stable form of the target channel type.

While reference reach data can be a useful aid in analog design, they are not always necessary and can have limitations in smaller stream systems (Hey, 2006). The flow patterns and channel formation for many reference reach quality streams are often controlled by slope, bed material, drainage areas and larger trees and/or other deep-rooted vegetation. Some meander geometry parameters, such as radius of curvature, are particularly affected by vegetation control. Pattern ratios observed in reference reaches may not be applicable or are often adjusted in the design criteria to create more conservative designs that are less likely to erode after construction, before the permanent vegetation is established. Often the best reference data is from adjacent stable stream reaches, or reaches within the same watershed.

For comparison purposes, WLS selected local reference reaches in the same watershed and compared them with composite reference data. The reference reach data represents a small “Rural Piedmont Stream,” and falls within the same climatic, hydrophysiographic and ecological region as the project site. The data shown on Table 15 helped to determine how the stream system may have responded to changes within the watershed.

**Table 15. Reference Reach Data Comparison**

Parameter	On-Site Reference Data			Composite Reference Data	
	LW – R4	PD – R5	EJ – R1		
Stream Type (Rosgen)	E5	E5	C5	E5	C5
Bankfull Mean Velocity, $V_{bkf}$ (ft/s)	3.8	5.7	6.5	4.0 - 6.0	3.5 - 5.0
Width to Depth Ratio, $W/D$ (ft/ft)	6.2	7.4	14.2	10.0 - 12.0	10.0 - 14.0
Entrenchment Ratio, $W_{fpa}/W_{bkf}$ (ft/ft)	7.1	8.4	7.3	>2.2	>2.2
Riffle Max Depth Ratio, $D_{max}/D_{bkf}$	1.8	1.2	1.5	1.1 - 1.3	1.1 - 1.4
Bank Height Ratio, $D_{tob}/D_{max}$ (ft/ft)	0.9	1.0	1.1	1.0 - 1.1	1.0 - 1.1
Meander Length Ratio, $L_m/W_{bkf}$	9.3	8.4	6.2	5.0 - 12.0	7.0 - 14.0
Radius of Curvature Ratio, $R_c/W_{bkf}$	2.5	1.7	1.6	1.2 - 2.5	2.0 - 3.0
Meander Width Ratio, $W_{bit}/W_{bkf}$	3.9	4.5	4.0	2.0 - 10.0	3.0 - 8.0
Sinuosity, $K$	1.22	1.17	1.18	1.3 - 1.6	1.2 - 1.5
Valley Slope, $S_{val}$ (ft/ft)	0.0142	0.0011	0.0145	0.002 - 0.006	0.002 - 0.010
Channel Slope, $S_{chan}$ (ft/ft)	0.0123	0.0084	0.0118	---	---
Pool Max Depth Ratio, $D_{maxpool}/D_{bkf}$	2.6	2.5	2.9	1.2 - 2.5	1.2 - 2.5
Pool Width Ratio, $W_{pool}/W_{bkf}$	1.5	1.2	1.7	0.7 - 1.5	1.0 - 1.7
Pool-Pool Spacing Ratio, $L_{ps}/W_{bkf}$	3.1	3.7	5.0	2.5 - 5.0	3.0 - 7.0

*Note 1: Composite reference reach values and ratios were compared using stable stream restoration projects surveyed and monitored in NC as illustrated in the Natural Channel Design Checklist (Harman, 2011).*

*Note 2: On-site reference reach data was collected at Lake Wendell (Reach R4), Pen Dell (Reach R5), and Edwards-Johnson (Reach R1) DMS full delivery sites respectively.*

*Note 3: The difference between the existing stream lengths and associated credits determined at the proposal stage and the corresponding stream lengths measured during the existing condition surveys (and associated proposed stream mitigation credits), as presented above, is a result of differing measurement methodologies.*



### 6.3 Flow Regime

Extensive research demonstrates that a wide range of flows are essential to maintain stable and high functioning habitat across ecological systems. The flow regime has been identified as the primary factor in sustaining the ecological integrity of riparian systems (Poff et al. 1997) and is a key variable in determining the abundance, distribution, and evolution of aquatic and riparian species (Schlosser 1985, Resh et al. 1988, Power et al. 1995, Doyle et al. 2005). The ecological significance of variable stream flows is more relative to flow duration, not necessarily just the flow recurrence interval. Seasonal flow variations correlate to biological relationships and habitat response. The flow conditions can generally be categorized as low flow, channel-forming flow, or flood flows, each with specific ecological significance (Postel and Richter, 2003).

A majority of stream miles (>80 percent) in North Carolina are classified as headwater streams (drainage area <3.9 mi<sup>2</sup>), however, less than 10 percent of the 284 USGS stream gages in North Carolina are located on headwater streams (EFSAB, 2013). WLS recognizes the importance of these stream flow variables and the ecological role they play in supporting high functioning headwater stream and wetland systems. As such, flow monitoring will be conducted to demonstrate that the restored headwater stream systems exhibit seasonal base flow during a year with normal rainfall conditions. The stream surface flow documentation methods are further described in Section 8.2. Table 16 summarizes the basic flow levels and ecological roles the restoration design will provide after project implementation.

**Table 16. Flow Level and Ecological Role**

<p><b>Low Flow (Base Flow):</b> occurs most frequently/seasonally</p>	<ul style="list-style-type: none"> <li>-Provide year-round habitat for aquatic organisms (drying/inundation pattern)</li> <li>-Maintain suitable conditions for water temperature and dissolved oxygen</li> <li>-Provide water source for riparian plants and animals</li> <li>-Enable movement through stream corridor and refuge from predators</li> <li>-Support hyporheic functions and aquatic organisms</li> </ul>
<p><b>Channel-forming Flow:</b> infrequent, flow duration of a few days per year</p>	<ul style="list-style-type: none"> <li>-Shape and maintain physical stream channel form</li> <li>-Create and maintain pools, in-stream and refuge habitat</li> <li>-Redistribute and sort fine and coarse sediments</li> <li>-Reduce encroachment of vegetation in channel and establishment of exotic species</li> <li>-Maintain water quality by flushing pollutants</li> <li>-Maintain hyporheic connection by mobilizing bed and fine material</li> <li>-Create in-channel bars for seed colonization of native riparian plants</li> </ul>
<p><b>Flood Flow: very infrequent,</b> flow duration of a few days per decade or century</p>	<ul style="list-style-type: none"> <li>-Deposition of fine sediment and nutrients on floodplain</li> <li>-Maintain diversity, function, and health of riparian floodplain vegetation</li> <li>-Create streamside habitat, new channels, sloughs, and off-channel rearing habitat through lateral channel migration and avulsion</li> <li>-Recharge floodplain and storage processes</li> <li>-Recruitment of native wood and organic material into channel</li> </ul>

#### 6.3.1 Bankfull Stage and Discharge

Bankfull stage and its corresponding discharge are the primary variables used to develop a natural stable channel design. However, the correct identification of the bankfull stage in the field was difficult and can





also be subjective (Williams, 1978; Knighton, 1988; and Johnson and Heil, 1996). Numerous definitions exist of bankfull stage and methods for its identification in the field (Wolman and Leopold, 1957; Nixon, 1959; Schumm, 1960; Kilpatrick and Barnes, 1964; and Williams, 1978). The identification of bankfull stage in the humid Southeast can be especially challenging because of dense understory vegetation and extensive channel modification and subsequent adjustment in channel morphology.

It is generally understood that bankfull stage corresponds with the discharge that fills a channel to the elevation of the active floodplain and represents a breakpoint between processes of channel formation and floodplain development. The bankfull discharge, which also corresponds with the dominant discharge or effective discharge, is the flow that moves the most sediment over time in stable alluvial channels. Field indicators include the back of point bars, significant breaks in slope, changes in vegetation, the highest scour line, or the top of the streambank (Leopold, 1994). The most consistent bankfull indicators for streams in the Piedmont of North Carolina are the backs of point bars, breaks in slope at the front of flat bankfull benches, or the top of the streambanks (Harman et al., 1999).

Upon completion of the field survey and geomorphic assessment, accurate identification of bankfull stage could not be made in all reach sections throughout the site due to incised and impaired channel conditions. Although some field indicators were apparent in segments with lower streambank heights and discernible scour features, the reliability of the indicators was inconsistent due to the altered condition of the stream channels. For this reason, the bankfull stage and discharge were initially estimated using published regional curve information.

### *6.3.2 Regional Curve Comparison*

Regional curves developed by Dunne and Leopold (1978) relate bankfull channel dimensions to drainage area and are based on the channel forming discharge theory, which states that one unique flow can yield the same channel morphology as the full range of flows. A primary purpose for developing regional curves is to aid in identifying bankfull stage and dimension in un-gaged watersheds, as well as to help predict the bankfull dimension and discharge for natural channel designs (Rosgen, 1994). Gage station analyses throughout the United States have shown that the bankfull discharge has an average return interval of 1.5 years or 66.7% annual exceedance probability on the maximum annual series (Dunne and Leopold, 1978; Leopold, 1994).

Hydraulic geometry relationships are empirically derived and can be developed for a specific river or extrapolated to a watershed in the same physiographic region with similar rainfall/runoff relationships (FISRWG, 1998). Published and unpublished watershed specific bankfull regional curves are available for a range of stream types and physiographic provinces. The NC Rural Piedmont Regional Curve (Harman et al., 1999) and unpublished NC Piedmont Regional Curve developed by the Natural Resources Conservation Service (NRCS, Walker, private communication, 2015) were used for comparison when estimating bankfull discharge. The NC Rural Piedmont Regional Curve and bankfull hydraulic geometry equations are shown in Table 17.





**Table 17. North Carolina Rural Piedmont Regional Curve Equations**

NC Piedmont Rural Regional Curve Equations (Unpublished Revised NC Rural Piedmont Regional Curve (NRCS, 2015))			NC Piedmont Rural Regional Curve Equations (Harman et al., 1999)		
$Q_{bkf} = 55.31 A_w^{0.79}$	$R^2=0.97$		$Q_{bkf} = 89.04 A_w^{0.72}$	$R^2=0.91$	
$A_{bkf} = 19.23 A_w^{0.65}$	$R^2=0.97$		$A_{bkf} = 21.43 A_w^{0.68}$	$R^2=0.95$	
$W_{bkf} = 17.41 A_w^{0.37}$	$R^2=0.79$		$W_{bkf} = 11.89 A_w^{0.43}$	$R^2=0.81$	
$D_{bkf} = 1.09 A_w^{0.29}$	$R^2=0.80$		$D_{bkf} = 1.50 A_w^{0.32}$	$R^2=0.88$	

It's important to note these tributaries are classified as small first order streams, and generally smaller headwater streams can be poorly represented on the regional curves. Based on our experience, the published NC Piedmont Regional Curve Equations can slightly overestimate discharge and channel dimensions for smaller ungaged streams, such as those present at this site. Furthermore, estimating bankfull parameters subjectively rather than using deterministic values may encourage designers to make decisions on a range of values and beliefs that the bankfull depths must inherently be within that range (Johnson, 1996).

WLS has implemented numerous projects in ungaged drainages in the piedmont hydrophysiographic province of North Carolina, and has developed "mini-curves" specific to these projects. The data set on these small stream curves help reduce uncertainty by providing additional reference points and supporting evidence for the selection of bankfull indicators that produce slightly smaller dimensions and flow rates than the published regional curve data set. Channel slope, valley setting, channel geometry, and sediment supply, as well as information from the USGS regression and Manning's equations were all considered during examination of the field data. The estimated bankfull discharges and surveyed cross-sectional areas at the top of bank were plotted on the NC Rural Piedmont Regional Curve and illustrated in Appendix 2.

### 6.3.3 Channel Forming Discharge

A hydrologic analysis was completed to estimate and validate the design discharge and channel geometry required to provide more frequent overbank flows and floodplain inundation. WLS used multiple methods for evaluating the bankfull stage and dominant discharge for the project reaches. Cross-sections were identified and surveyed to represent reach-wide conditions. Additional bankfull estimation methods, such as the commonly accepted Manning's equation, were compared to help interpret and adjust field observations to select the appropriate design criteria and justification for the design approach.

The bankfull flows in gaged watersheds within the NC Rural Piedmont study documented return intervals (RI) that ranges from 1.1 to 1.8, with a mean of 1.4 years (Harman et al, 1999). WLS also compared the 2-year flow frequency using the published USGS regression equation for small rural streams ( $DA \leq 3 \text{ mi}^2$ ) within the piedmont hydrologic area of North Carolina (USGS, 2014). As expected, these values fall slightly above the published bankfull discharge, but were extrapolated to represent a wider range of flows. WLS then compared lower flow frequencies in the 1.0, 1.2, and 1.5 RI range versus survey data, field observations, and Hydraflow Hydrographs, which simulate rainfall-runoff relationships and establish peak flows for the project catchment (See Appendix 2).

It should be noted that this best fit approach does not always match the dataset, since it falls at the low end of the curve. Therefore, caution should be used when comparing these lower RIs with additional data



sets. Using the rationale described above, Table 18 provides the bankfull discharge analyses and comparisons based on the rural piedmont regional curves, the Manning’s equation discharges calculated from the representative cross-section geometry for existing reaches, USGS regional regression equations, and the design discharge estimated based on the proposed design cross-sections for all project reaches.

**Table 18. Design Discharge Analysis Summary**

Project Reach Designation	Watershed Drainage Area (Ac)	Published NC Rural Piedmont Regional Curve (cfs) <sup>1</sup>	Unpublished NC Rural Piedmont Regional Curve (cfs) <sup>2</sup>	Manning’s Equation (cfs) <sup>3</sup>	USGS Regression Equation for 2-year Recurrence Interval (cfs) <sup>4</sup>	USGS Regression Equation for 1.5-year Recurrence Interval (cfs) <sup>5</sup>	USGS Regression Equation for 1.2-year Recurrence Interval (cfs) <sup>5</sup>	Design Discharge Estimate (cfs)
R1	96	22.6	12.4	9.5	43.8	29.2	24.3	20.0
R2	120	28.7	16.1	25.5	51.4	34.3	28.6	26.0
R3 (upper)	211	39.9	23.1	33.9	76.6	51.1	42.6	34.0
R3 (lower)	223	41.5	24.1	35.7	79.5	53.0	44.2	37.0
R4	55	15.1	8.0	17.7	29.5	19.7	16.4	16.0

Note 1: Published NC Piedmont Regional Curve (Harman et al., 1999).

Note 2: Unpublished Revised NC Rural Piedmont Regional Curve developed by NRCS (A. Walker personal communication, 2015).

Note 3: Bankfull discharge estimates vary based on Manning’s Equation for the representative riffle cross-sections. Bankfull stage roughness estimates (n-values) ranged from approximately 0.035 to 0.055 based on channel slopes, depth, bed material size, and vegetation influence.

Note 4: USGS rural regression equation for 2-year flood recurrence interval, Q2 = 163(DA)<sup>0.7089</sup>\*10<sup>(0.0133\*(IMPNLCD06))</sup> for small rural streams (USGS, 2011)

Note 5: NC USGS rural regression equation extrapolated for 1.2- and 1.5-year flood recurrence interval (USGS, 2011)

After considering these estimation methods and results (geometry measurements, regional curves, flow frequency and USGS regional regression equations), WLS estimated the design bankfull discharge using values nearest to the published NC Rural Piedmont Regional Curve and Manning’s equation to select the appropriate design dimensions and flows rates that best correspond to the bankfull.

### 6.3.4 Channel Stability and Sediment Transport Analysis

In active sand-bed systems, sediment transport capacity is analyzed to determine what slope is needed to transport the estimated sediment supply and grain size distribution within a given range of flows. The sediment transport capacity is commonly defined as a stream’s ability to move a mass of sediment through a cross-section dimension, and is a measurement of stream power, expressed in units of watts/square meter. The total volume of sediment transported through a cross-section area consists of bedload plus suspended load fractions. The bedload is generally composed of larger particles, such as course sand, gravels, and small cobbles, which are transported by rolling, sliding, or hopping (saltating)



along the bed. The suspended load is composed of fine sand, silt, and clay particles transported in the water column. Therefore, in sand-bed or fine-grained streams, all particle sizes may become mobilized during geomorphically significant flow events (Wilcock, 1993).

The sediment transport capacity was analyzed to help predict stable channel design conditions for the project reaches. Proposed cross-section dimensions were input into HEC-RAS using the stable channel design function (i.e. Copeland Method). Table 19 illustrates boundary shear stress and stream power values under proposed design conditions for the project reaches. See Appendix 2 for model outputs.

**Table 19. Boundary Shear Stress and Stream Power**

Parameter	R1	R2	R3 (upper)	R4
Channel Bottom Width (ft)	2.9	3.2	3.3	3.7
Channel Energy Slope (feet/ foot)	0.012	0.014	0.007	0.019
Median Particle Size, D50 (mm)	0.57	0.57	0.57	0.57
Bankfull XSC Area (square feet)	4.1	5.0	5.1	3.6
Composite Mannings 'n' Value	0.04	0.04	0.04	0.04
Bankfull Width, W (feet)	7.0	7.7	8.2	6.6
Bankfull Depth, D (feet)	0.5	0.6	0.7	0.5
Hydraulic Radius, R (feet)	0.50	0.55	0.59	0.47
Bankfull Velocity (cfs)	2.5	3.0	2.4	3.1
Bankfull Discharge, Q (cfs)	10.4	14.9	12.2	11.2
Boundary Shear Stress, $\tau$ (lbs/ft <sup>2</sup> )	0.363	0.483	0.292	0.557
Stream Power (W/m <sup>2</sup> )	15.6	24.35	11.57	29.2

As a design consideration, portions of the bed material may contain particle sizes larger than the D84 to achieve vertical stability in steeper sections immediately after construction. The proposed channel slopes throughout the project reaches range from approximately 1.0% to 2.0%. In general, sections with steeper slopes will be addressed by installing a combination of grade control structures such as log riffles and log step pools in straighter segments. Incorporating these structures will prevent further channel degradation and embeddedness, promote natural scour and sediment storage, and increase bed/bank stability since shear stress and sediment entrainment are directly affected by factors such flow energy distribution and channel resistance. While it is predicted that the restoration efforts will reduce stream bed and bank erosion, the channels must still adequately transport finer bedload material while maintaining vertical and lateral stability.

It should be noted that sediment competency was not calculated and Wolman pebble counts are not appropriate for sand-bed systems; therefore, bulk samples were collected to characterize the bed material. Most of the site reaches contain medium sand and loam (D50 = 0.57 mm), with a limited fine gravel bottom due to the parent soil material and the material from the eroding streambanks. The samples were collected to confirm these initial observations and further site investigations were conducted to identify additional sediment sources within the watershed.

A site-specific sediment rating curve and budget was not developed given the limited sediment supply and headwater position in the watershed. This detailed effort requires using on-site monitoring data from documented flow events within the project watershed. However, empirical relationships from stable sand-bed streams were compared to published values and reference streams that have similar characteristics and boundary conditions such as slope, controlling vegetation and bedform morphology.



Comparing the design shear stress and stream power values for the project reaches useful to determine if the values predicted are within an acceptable range to those found in other stable sand-bed systems.

Based on field observations within the project watershed, the streams receive mostly fine-grained materials directly from streambank erosion with minimal contributions from the upper catchment area. Further field investigations confirmed that the sediment supply to the project reaches is transported mostly during larger storm events due to small headwater drainage, small impoundment upstream of the Wendell Road crossing, and influences from dense vegetation cover. The stream channels along reaches R2, R3 (upper), and R4 have lost floodplain connectivity and continue to deepen/widen which increases stream power and helps to transport the fine sediment load.

#### **6.4 Wetland Design Approach**

While it is understood that wetland mitigation credits are not contracted or proposed for this project, the project area will benefit greatly from the restoration of riparian wetland hydrology and improved ecological function along the floodplains of the project stream reaches where Priority Level I Restoration approaches are implemented. The project site is located in an agricultural setting in the Lower Piedmont, within a Priority Sub-watershed as described in the Neuse 01 RWP, where smaller headwater stream and wetland restoration projects are highly recommended and prioritized.

Based on field investigations, soil conditions are favorable for enhancing and/or rehabilitating areas of existing riparian wetlands along R2, R3, and R4. These areas are shown on Figure 7 and total approximately 2.9 acres. Riparian wetland rehabilitation is expected to occur in areas of drained hydric soils by improving current hydrologic conditions and overbank flooding across the historic floodplain as a direct result of implementing Priority Level I Restoration. Additionally, the wetland restoration approach will improve the hyporheic zone interaction and both biological and chemical processes associated with aquatic functions of the stream. These activities, including minimal grading and blending of natural microtopography, will provide significant functional uplift across the project area.

#### **6.5 Riparian Buffer Design Approach**

One of the primary project goals includes enhancing and protecting riparian buffer functions and corridor habitat. An objective identified in support of this goal includes supplementally planting native species vegetation along the entire length of the project reaches. This objective will be met by establishing riparian buffers which extend a minimum of 50 feet from the top of the streambanks along each of the project stream reaches, as well as permanently protecting those buffers with a conservation easement. For project stream reaches proposed for restoration, the riparian buffers will be restored through reforestation of areas disturbed during construction.

The limits of the proposed conservation easement boundaries were determined to ensure that a riparian buffer extending a minimum of 50 feet from the tops of both streambanks (left and right) will be permanently protected for each of the proposed project stream reaches. Many areas of the conservation easement currently have riparian buffer widths greater than 50 feet along both streambanks to provide additional functional uplift potential, such as encompassing adjacent jurisdictional wetland areas. For project stream reaches proposed for restoration, the riparian buffers will be restored through reforestation of any areas in the conservation easement disturbed during construction. For project



stream reach sections proposed for preservation, the existing riparian buffers will be permanently protected via the conservation easement.

The riparian buffer zone for the project includes the streambanks, floodplain, riparian wetland, and upland transitional areas. The proposed planting boundaries are shown on the revegetation plans in Appendix 1 and Figure 10. The conservation easement areas also may include areas outside of the riparian buffer zone that will be revegetated, including areas that lack vegetation species diversity, or areas otherwise disturbed or adversely impacted by construction. Proposed plantings will be conducted using native species bare-root trees and shrubs, live stakes, and seedlings. Proposed plantings will predominantly consist of bare root vegetation and will generally be planted at a total target density of 680 stems per acre. This planting density has proven successful with the reforestation of past completed mitigation projects, based on successful regulatory project closeout, and including the current USACE regulatory guidelines requiring levels of woody stem survival throughout the monitoring period, with a Year 7 final survival rate of 210 stems per acre.

WLS recognizes that riparian buffer conditions at mature reference sites are not reflected at planted or successional buffer sites until the woody species being to establish and compete with herbaceous vegetation. To account for this, we will utilize a successful riparian buffer planting strategy that includes a combination of overstory, or canopy, and understory species. WLS will also consider the supplemental planting of larger and older planting stock to modify species density and type, based on vegetation monitoring results after the first few growing seasons. This consideration will be utilized particularly to increase the rate of buffer establishment and buffer species variety, as well as to decrease the vegetation maintenance costs. An example might include selective supplemental planting of older mast producing species as potted stock in later years for increased survivability.

The site planting strategy also includes early successional, as well as climax species. The vegetation selections will be mixed throughout the project planting areas so that the early successional species will give way to climax species as they mature over time. The early successional species which have proven successful include River birch (*Betula nigra*), Green ash (*Fraxinus pennsylvanica*), and American sycamore (*Platanus occidentalis*). The climax species that have proven successful include Red maple (*Acer rubrum*) and Tulip-poplar (*Liriodendron tulipifera*). The understory and shrub layer species are all considered to be climax species in the riparian buffer community.

### 6.5.1 Proposed Vegetation Planting

The proposed plant selection will help to establish a natural vegetation community that will include appropriate strata (canopy, understory, shrub, and herbaceous species) based on an appropriate reference community. Schafale and Weakley's (1990) guidance on vegetation communities for Piedmont Bottomland Forest (mixed riparian community) and Dry-Mesic Oak-Hickory Forest (Piedmont Subtype), the USACE Wetland Research Program (WRP) Technical Note VN-RS-4.1 (1997), as well as existing mature species identified throughout the project area, were referenced during the development of riparian buffer and adjacent riparian wetland plants for the site. The proposed natural vegetation community will include appropriate strata (canopy, understory, shrub, and herbaceous species) based on the appropriate reference community. Within each of the four strata, a variety of species will be planted to ensure an appropriate and diverse plant community.



Tree species selected for restoration areas will be weak to tolerant of flooding. Weakly tolerant species can survive and grow in areas where the soil is saturated or flooded for relatively short periods of time. Moderately tolerant species can survive in soils that are saturated or flooded for several months during the growing season. Flood tolerant species can survive on sites in which the soil is saturated or flooded for extended periods during the growing season (WRP, 1997). Species proposed for revegetation planting are presented in Table 20.

**Table 20. Proposed Riparian Buffer Bare Root and Live Stake Plantings**

Botanical Name	Common Name	% Proposed for Planting by Species	Wetland Tolerance
<b>Riparian Buffer Bare Root Plantings – Overstory (Proposed 8' x 8' Planting Spacing @ 680 Stems/Acre)</b>			
<i>Fraxinus pennsylvanica</i>	Green Ash	7%	FACW
<i>Betula nigra</i>	River Birch	6%	FACW
<i>Quercus michauxii</i>	Swamp Chestnut Oak	7%	FACW
<i>Quercus pagoda</i>	Cherrybark Oak	7%	FACW
<i>Platanus occidentalis</i>	American Sycamore	7%	FACW
<i>Acer rubrum</i>	Red Maple	5%	FAC
<i>Liriodendron tulipifera</i>	Tulip-poplar	7%	FACU
<i>Quercus nigra</i>	Water Oak	7%	FAC
<i>Quercus phellos</i>	Willow Oak	5%	FACW
<b>Riparian Buffer Bare Root Plantings – Understory (Proposed 8' x 8' Planting Spacing @ 680 Stems/Acre)</b>			
<i>Diospyros virginiana</i>	Persimmon	6%	FAC
<i>Carpinus caroliniana</i>	Ironwood	6%	FAC
<i>Hamamelis virginiana</i>	Witch-hazel	6%	FACU
<i>Asimina triloba</i>	Paw	6%	FAC
<i>Lindera benzoin</i>	Spicebush	6%	FACW
<i>Alnus serrulata</i>	Tag Alder	6%	OBL
<i>Corylus americana</i>	Hazelnut	6%	FACU
<b>Riparian Buffer Live Stake Plantings – Streambanks (Proposed 2'to 3' Spacing @ Meander Bends and 6'to 8' Spacing @ Riffle Sections)</b>			
<i>Sambucus canadensis</i>	Elderberry	20%	FACW
<i>Salix sericea</i>	Silky Willow	30%	OBL
<i>Salix nigra</i>	Black Willow	10%	OBL
<i>Cornus amomum</i>	Silky Dogwood	40%	FACW
<i>Note: Final species selection may change due to refinement or availability at the time of planting. Species substitutions will be coordinated between WLS and planting contractor prior to the procurement of plant stock.</i>			

### 6.5.2 Planting Materials and Methods

Planting will be conducted during the dormant season, with all trees installed between Mid-November and early March. Observations will be made during construction of the site regarding the relative wetness of areas to be planted as compared to the revegetation plan. The final planting zone limits may be modified based on these observations and comparisons, and the final selection of the location of the planted species will be matched according to the species wetness tolerance and the anticipated wetness of





the planting area. It should be noted that smaller tree species planted in the understory, such as American Hornbeam (*Carpinus caroliniana*), will unlikely meet the height targets for tree species after seven years.

Plant stock delivery, handling, and installation procedures will be coordinated and scheduled to ensure that woody vegetation can be planted within two days of being delivered to the project site. Soils at the site areas proposed for planting will be prepared by sufficiently loosening prior to planting. Bare root seedlings will be manually planted using a dibble bar, mattock, planting bar, or other approved method. Planting holes prepared for the bare root seedlings will be sufficiently deep to allow the roots to spread outward and downward without “J-rooting.” Soil will be loosely re-compacted around each planting, as the last step, to prevent roots from drying out.

***Live Staking and Live Branch Cuttings:***

Where live staking is proposed, live stakes will typically be installed at a minimum of 40 stakes per 1,000 square feet and the stakes will be spaced approximately two to three feet apart in meander bends and six to eight feet apart in the riffle sections, using a triangular spacing pattern along the streambanks, between the toe of the streambank and bankfull elevation. When bioengineering is proposed, live branch cutting bundles comprised of similar live stake species, shall be installed at five linear feet per bundle approximately two to three branches thick. The basal ends of the live branch cuttings, or whips, shall contact the back of the excavated slope and shall extend six inches from the slope face.

***Permanent Seeding:***

Permanent seed mixtures of native species herbaceous vegetation and temporary herbaceous vegetation seed mixtures will be applied to all disturbed areas of the project site. Temporary and permanent seeding will be conducted simultaneously at all disturbed areas of the site during construction and will be conducted with mechanical broadcast spreaders. Simultaneous permanent and temporary seeding activities help to ensure rapid growth and establishment of herbaceous ground cover and promote soil stability and riparian habitat uplift.

Table 21 lists the proposed species, mixtures, and application rates for permanent seeding. The vegetation species proposed for permanent seeding are deep-rooted and have been shown to proliferate along restored stream channels, providing long-term stability. The vegetation species proposed for temporary seeding germinate quickly to swiftly establish vegetative ground cover and thus, short term stability.

The permanent seed mixture proposed is suitable for streambank, floodplain, and adjacent riparian wetland areas, and the upland transitional areas in the riparian buffer. Beyond the riparian buffer areas, temporary seeding will also be applied to all other disturbed areas of the site that are susceptible to erosion. These areas include constructed streambanks, access roads, side slopes, and spoil piles. If temporary seeding is applied from November through April, rye grain will be used and applied at a rate of 130 pounds per acre. If applied from May through October, temporary seeding will consist of browntop millet, applied at a rate of 40 pounds per acre.

**Table 21. Proposed Riparian Buffer Permanent Seeding**

Botanical Name	Common Name	% Proposed for Planting by Species	Seeding Rate (lb/acre)	Wetland Tolerance
<i>Andropogon gerardii</i>	Big blue stem	10%	1.50	FAC
<i>Dichanthelium clandestinum</i>	Deer Tongue	15%	1.50	FACW
<i>Carex crinata</i>	Fringed sedge	10%	2.25	FACW+
<i>Chasmanthium latifolium</i>	River oats	5%	1.50	FACU
<i>Elymus virginicus</i>	Virginia wild rye	15%	1.50	FAC
<i>Juncus effusus</i>	Soft rush	5%	2.25	FACW+
<i>Panicum virgatum</i>	Switchgrass	10%	1.50	FAC+
<i>Eutrochium fistulosum</i>	Joe-pye-weed	5%	0.75	FACW
<i>Schizachyrium scoparium</i>	Little blue stem	10%	0.75	FACU
<i>Tripsacum dactyloides</i>	Eastern gamagrass	5%	0.75	FAC+
<i>Sorghastrum nutans</i>	Indiangrass	10%	0.75	FACU

*Note: Final species selection may change due to refinement or availability at the time of planting. Species substitutions will be coordinated between WLS and planting contractor prior to the procurement of seeding stock.*

Invasive species vegetation, such as Chinese privet (*Ligustrum sinense*), Multiflora rose (*Rosa multiflora*), and Microstegium (*Microstegium vimineum*), will be treated to allow native plants to become established within the conservation easement. Larger native tree species will be preserved and harvested woody material will be utilized to provide bank stabilization cover and/or nesting habitat. Hardwood species will be planted to provide the appropriate vegetation for the restored riparian buffer areas. During the project implementation, invasive species exotic vegetation will be treated both to control its presence and reduce its spread within the conservation easement areas. These efforts will aid in the establishment of native riparian vegetation species within the restored riparian buffer areas.

## 6.6 Agricultural Best Management Practices

WLS proposes various agricultural best management practices (BMPs) as practices or measures to be implemented as part of a “project cluster” approach, as recommended under the Neuse 01 RWP. When combined with stream, riparian buffer, and riparian wetland restoration, agricultural BMPs can be effective at reducing pollutants, particularly sediment loadings, and therefore provide additional ecological uplift to the project. The agricultural BMPs that are best suited at this project site include no-till planting, grassed waterways, and impoundments or basins to treat agricultural runoff. Currently, the landowner actively employs no-till planting and the use of grassed waterways. Therefore, the continuation of these practices, along with the addition of water quality treatment features, as described in Sub-section 6.7 below, are proposed for this project.



## 6.7 Water Quality Treatment Features

Water quality treatment features in the form of small basins or impoundments designed to capture and treat runoff from the surrounding active agricultural fields are proposed in multiple locations adjacent to the restored riparian buffer corridor. These basins will increase infiltration and groundwater recharge, diffuse flow energies, and allow nutrient uptake within the extended riparian buffer area. The water quality treatment features are sized to treat storage volumes, which have been calculated by comparing the SCS Curve Number Method and Simple Method. The features are intended to function most similar to a stormwater wetland to temporarily store surface runoff in shallow pools that support emergent and native riparian vegetation. They will be designed and constructed such that they do not require any long-term maintenance and will be sited immediately outside of the conservation easement boundary to allow for modifications should that be desired.

The treatment basins will be excavated along non-jurisdictional flat or depression areas where ephemeral drainages intersect with the proposed restored stream corridor. The areas will be improved by grading flatter side slopes (>3H:1V) and planting appropriate wetland vegetation as outlined in Section 6.5.1. Over time, as vegetation becomes established, the areas will function as shallow wetland complexes or depressions. The outlets will be constructed with suitable material and stabilized with permanent vegetation or stone that will prevent headcut migration or erosion into the newly constructed areas. Each of the basins have been designed with zero-maintenance weir outlets and the basins will be planted even though they are excluded from the conservation easement area. This strategy will allow these features to function properly with minimal risk and without long term maintenance requirements. A stable ephemeral outlet channel will be constructed to deliver runoff to the receiving restored stream reach. It is anticipated that over a few growing seasons post-construction, these small conveyance swales will become heavily vegetated and diffuse flow paths will develop across the restored floodplain. No additional mitigation credit will be requested for these features and corresponding work activities.

## 6.8 Site Construction Methods

### 6.8.1 Site Grading and Construction Elements

Following initial evaluation of the design criteria, detailed refinements were made to the design plans in the field to accommodate the existing valley characteristics, vegetation influences and channel morphology. This was done to minimize unnecessary disturbance of the riparian area, and to allow for some natural channel adjustments following construction. The design plans and construction elements have been tailored to produce a cost and resource efficient design that is constructible, using a level of detail that corresponds to the tools of construction. A general construction sequence is included on the project design plan sheets located in Appendix 1.

Much of the grading across the site will be conducted within the existing riparian corridor. The restored streams will be excavated within the existing headwater stream valley. Suitable fill material will be generated from new channel excavation and adjacent upland areas and hauled to ditch fill/plugs or stockpile locations as necessary. Portions of the existing, unstable channels will be partially to completely filled along their length using compactable fill material excavated from construction of the restored channels.



Wetland and floodplain grading activities will focus on restoring pre-disturbance valley topography by removing overburden/spoil, surface drains, and legacy pond sediments that were imposed during conversion of the land for agriculture and/or silviculture. In general, floodplain grading activities will be minor, with the primary goal of soil scarification, creating depressional areas, water quality and habitat features, and microtopographic crenulations by filling the drainage features on the site back to natural ground elevations (Scherrer, 1999). Any excess material not used for ditch plugging or suitable as a soil base for vegetation will be spread across upland areas outside of the easement boundary and jurisdictional WOTUS.

### *6.8.2 In-stream Structures and Site Improvement Features*

A variety of in-stream structures are proposed for the project. Structures including log vanes, constructed log riffles, constructed stone riffles, grade control log j-hook vanes, rootwads, log weirs, stone and log step pools, and log step pools. Geolifts with toe wood, various other bioengineering measure, and native species vegetation transplants will be used to stabilize the newly-restored stream and improve bedform diversity and habitat functions. All in-stream structures will be constructed from native materials such as hardwood trees, trunks/logs, brush/branches, and gravel stone materials. Native woody debris will be harvested on-site during the project construction and incorporated into the stream channel restoration whenever possible. To ensure sustainability of these structures, WLS will use design and construction methods that have proven successful on numerous past projects in the same geographic region and similar site conditions.

It should be mentioned that unlike gravel/cobble bed systems, sand bed channels do not typically form deep pools around meander bends, unless a structure is located within the bed to promote scour. Bed material features called ripples, dunes, planebeds, and antidunes characterize the sand bed forms. In addition, sand bed streams do not technically have riffles. However, the term is often used to describe the transition or facet feature between pools. The term “riffle” in this context is used interchangeably with “ripple” in this report. Floodplain features such as small sloughs, meander scars, vernal pools, and tree throws are commonly found in natural riparian systems. These features will be appropriately added to provide additional habitat and serve as water storage and sediment sinks throughout the restoration corridor. When appropriate, these depressional features will be added adjacent to abandoned channel sections and/or strategic locations throughout the floodplain to provide habitat and serve as water storage and sediment sinks throughout the corridor (Metcalf, 2004).

### *6.8.3 Construction Feasibility*

WLS has field verified that the project site has adequate, viable construction access, staging, and stockpile areas. Physical constraints or barriers, such as stream crossings and a pond dam, account for only a small percentage of the proposed total stream reach length within the project boundary. Existing site access points and features may be used for future access after the completion of construction. Any potential impacts to existing wetland areas will be avoided whenever possible during construction. Only minimal, temporary impacts will be allowed when necessary for maximized permanent stream, wetland, and riparian buffer functional uplift.

The existing farm pond along Reach R4 will be first drained in Winter 2017. The dam material will be eventually removed prior to the completion of all stream restoration activities, including vegetation



planting. The methods used to lower the water surface elevation will include opening the existing spillway that extends to the downstream side of the pond dam. The spillway is actively eroding and will be stabilized to prevent further erosion until all construction activities have been completed. Next, the spillway will be opened and a temporary gravity siphoning system will be installed over the top of dam to further drain the pond. This will allow for the remnant pond area to function as a temporary stilling basin during the construction period and reduce sedimentation downstream and allow for controlled and slower drawdown period.

The existing pond bottom along R4 currently consists of mostly fine sand and muck. After the pond is drained down and sufficiently dried, the sand/muck layer will be removed (approximately 8" to 12" in depth) and organic material and topsoil from the adjacent field areas will be mixed across the restored floodplain (approximately 12" to 18" depth) to create a more suitable soil base to insure successful vegetation planting, growth, and establishment. The removed sand/muck layer soil material will be stockpiled and sufficiently dried for use in filling the lower depths of abandoned stream channel between the proposed stream plugs. Any unsuitable soil material will be excavated and spread across adjacent agricultural field areas outside of the conservation easement area. Soils across the remnant pond bottom and new floodplain, will be prepared by sufficiently disking and/or loosened prior to new channel excavation, in-stream structure installation and vegetation planting. Finally, the pond dam/embankment will be lowered and removed to the proposed design elevations and a new culverted stream crossing will be installed after the upstream restoration activities, including new channel and floodplain excavation, are completed and stabilized. The pond dam/embankment will be completely removed to restore the natural valley cross-section, such that the restored stream channel can access the floodplain. WLS will adhere to all applicable NCDEQ DEMLR erosion and sedimentation guidelines and exercise extreme caution to ensure that the pond does not drain too quickly to prevent excess erosion, sedimentation, turbidity, and sloughing due to saturated embankments.

## 7 Performance Standards

---

The applied success criteria for the project will follow necessary performance standards and monitoring protocols presented in this mitigation plan, once approved, and are developed in compliance with the *DMS Stream and Wetland Mitigation Plan Template Guidance*, adopted August 2016, as well as the *USACE Stream Mitigation Guidelines* issued in April 2003 and October 2005, and *Compensatory Mitigation for Losses of Aquatic Resources; Final Rule*, issued in 2008. In addition, the monitoring success criteria, practices, and corresponding reporting will follow the *NCEEP's Stream and Wetland Mitigation Monitoring Guidelines* issued February 2014, the *NCEEP As-built Baseline Monitoring Report Format, Data Requirements, and Content Guidance* issued in February 2014, the *NCEEP Annual Monitoring Report Format, Data Requirements, and Content Guidance*, issued April, 2015, the *NCEEP Closeout Report Template, Version 2.1*, adopted March, 2015, and the *NCEEP Closeout Template Guidance, Version 2.1*, adopted February, 2015.

Monitoring activities will be conducted for a period of seven years with the final duration dependent upon performance trends toward achieving project goals and objectives. Specific success criteria components and evaluation methods are described below.



## 7.1 Streams

**Stream Hydrology:** Two separate bankfull events must be documented within the seven-year monitoring period. These two bankfull events must occur in separate years. Otherwise, the stream monitoring will continue until two bankfull events have been documented in separate years. In addition to the two bankfull flow events, two “geomorphically significant” flow events ( $Q_{gs}=0.66Q_2$ ) must also be documented during the monitoring period. There are no temporal requirements regarding the distribution of the geomorphically significant flows.

**Stream Profiles, Vertical Stability, and Floodplain Access:** Stream profiles, as a measure of vertical stability will be evaluated by looking at Bank Height Ratios (BHR). In addition, observed bedforms should be consistent with those observed for channels of the design stream type(s). Vertical stability and floodplain access will both be evaluated by looking at Entrenchment Ratios (ER). The ER shall be no less than 2.2 (>1.5 for “B” stream types) along the restored project stream reaches. This standard only applies to restored reaches of the channel where ERs were corrected through design and construction.

**Stream Horizontal Stability:** Cross-sections will be used to evaluate horizontal stream stability. There should be little change expected in as-built restoration cross-sections. If measurable changes do occur, they should be evaluated to determine if the changes represent a movement toward a more unstable condition (e.g., downcutting, erosion) or a movement towards increased stability (e.g., settling, vegetation establishment, deposition along the streambanks, decrease in width/depth ratio). Cross-sections shall be classified using the Rosgen Stream Classification method and all monitored cross-sections should fall within the quantitative parameters defined for channels of the design stream type.

**Streambed Material Condition and Stability:** After construction, there should be minimal change in the particle size distribution of the streambed materials, over time, given the current watershed conditions and future upstream sediment supply regime. Since the streams are predominantly sand-bed systems with minimal fine/coarse gravel, significant changes in particle size distribution are not expected.

**Jurisdictional Stream Flow:** The restored stream systems must be classified as at least intermittent, and therefore must exhibit base flow for some portion of the year during a year with normal rainfall conditions as described in Section 8.2.3.

## 7.2 Wetlands

Wetland mitigation credits are not contracted or proposed for this project. Wetland mitigation performance standards are therefore not included in this section.

## 7.3 Vegetation

Vegetative restoration success for the project during the intermediate monitoring years will be based on the survival of at least 320, three-year-old planted trees per acre at the end of Year 3 of the monitoring period and at least 260, five-year-old, planted trees per acre at the end of Year 5 of the monitoring period. The final vegetative restoration success criteria will be achieving a density of not less than 210, seven-year-old planted stems per acre in Year 7 of monitoring. For all of the monitoring years (Year 1 through Year 7), the number of Red maple (*Acer rubrum*) stems cannot exceed 20% of the total stems in any of the vegetation monitoring plots.





## 8 Monitoring Plan

---

The proposed monitoring plan is intended to document the site improvements based on restoration potential, catchment health, ecological stressors and overall constraints. The measurement methods described below provide a connection between project goals and objectives, performance standards, and monitoring requirements to evaluate functional improvement. They specifically include:

- What will be measured,
- How measurements will be taken,
- When measurements will be taken,
- Where measurements will be taken.

In accordance with the approved mitigation plan, the baseline monitoring document and as-built monitoring report documenting the stream and riparian buffer mitigation will be developed within 60 days of the completion of planting and monitoring device installation at the restored project site. In addition, a period of at least six months will separate the as-built baseline measurements and the first-year monitoring measurements. The baseline monitoring document and as-built monitoring report will include all information required by the current DMS templates and guidance referenced above, including planimetric (plan view) and elevation (profile view) information, photographs, sampling plot locations, a description of initial vegetation species composition by community type, and location of monitoring stations. The report will include a list of the vegetation species planted, along with the associated planting densities.

WLS will conduct mitigation performance monitoring based on these methods and will submit annual monitoring reports to DMS by December 31<sup>st</sup> of each monitoring year during which required monitoring is conducted. The annual monitoring reports will organize and present the information resulting from the methods described in detail below.

The annual monitoring reports will provide a project data chronology for DMS to document the project status and trends, for population of DMS's databases for analyses, for research purposes, and to assist in decision making regarding project close-out. Project success criteria must be met by the final monitoring year prior to project closeout, or monitoring will continue until unmet criteria are successfully met. Table 22 in Section 8.5 summarizes the monitoring methods and linkage between the goals, parameters, and expected functional lift outcomes. Figure 10 illustrates the pre- and post-construction monitoring feature types and location.

### 8.1 Visual Assessment Monitoring

WLS will conduct visual assessments in support of mitigation performance monitoring. Visual assessments of all stream reaches will be conducted twice per monitoring year with at least five months in between each site visit for each of the seven years of monitoring. Photographs will be used to visually document system performance and any areas of concern related to streambank and bed stability, condition of in-stream structures, channel migration, active headcuts, live stake mortality, impacts from invasive plant species or animal browsing, easement boundary encroachments, cattle exclusion fence damage, and the general condition of pools and riffles. The monitoring activities will be summarized in DMS's *Visual Stream*



*Morphology Stability Assessment Table* and the *Vegetation Conditions Assessment Table*, which are used to document and quantify the visual assessment throughout the monitoring period.

A series of photographs over time will be also be compared to subjectively evaluate channel aggradation (bar formations) or degradation, streambank erosion, successful maturation of riparian vegetation, and effectiveness of sedimentation and erosion control measures. More specifically, the longitudinal profile photos should indicate the absence of developing bars within the channel or excessive increase in channel depth, while lateral photos should not indicate excessive erosion or continuing degradation of the banks. The photographs will be taken from a height of approximately five to six feet to ensure that the same locations (and view directions) at the site are documented in each monitoring period and will be shown on a plan view map. The results of the visual monitoring assessments will be used to support the development of the annual monitoring document that provides the visual assessment metrics.

## 8.2 Stream Assessment Monitoring

Based on the stream design approaches, different stream monitoring methods are proposed for the various project reaches. Hydrologic monitoring will be conducted for all project stream reaches. For reaches that involve a combination of traditional Restoration (Rosgen Priority Level I and II) approaches, geomorphic monitoring methods that follow those recommended by the *USACE Stream Mitigation Guidelines (USACE, 2003)* and revised October 2005, and NCEEP's *Stream and Wetland Mitigation Monitoring Guidelines*, which are described below, will be employed to evaluate the effectiveness of the restoration practices. Visual monitoring will also be conducted along these reaches as described herein.

For project reaches involving Preservation approaches, monitoring efforts will focus primarily on visual inspections, photo documentation, and vegetation assessments, each as described herein. The monitoring of these project reaches will utilize the methods described under visual monitoring. Each of the proposed stream monitoring methods are described in detail below.

### 8.2.1 Hydrologic Monitoring

The occurrence of the two required bankfull events (overbank flows) and the two required “geomorphically significant” flow events ( $Q_{gs}=0.66Q_2$ ) within the monitoring period, along with floodplain access by flood flows, will be documented using crest gauges and automated photography. The crest gages will be installed on the floodplain of and across the dimension of the restored channels as needed for monitoring. The crest gages will record the watermark associated with the highest flood stage between monitoring site visits. The gages will be checked each time WLS staff conduct a site visit to determine if a bankfull and/or geomorphically significant flow event has occurred since the previous gage check. Corresponding photographs will be used to document the occurrence of debris lines and sediment deposition on the floodplain during monitoring site visits. This monitoring will help establish that the restoration objectives of restoring floodplain functions and promoting more natural flood processes are being met.

### 8.2.2 Geomorphic Monitoring

**Horizontal Pattern:** A planimetric survey will be conducted for the entire length of restored channel immediately after construction to document as-built baseline conditions (Year 0). The survey will be tied



to a permanent benchmark and measurements will include thalweg, bankfull, and top of banks. The plan view measurements such as sinuosity, radius of curvature, meander width ratio will be taken on newly constructed meanders during baseline documentation (Year-0) only. The described visual monitoring will also document any changes or excessive lateral movement in the plan view of the restored channel. The results of the planimetric survey should show that the restored horizontal geometry is consistent with intended design stream type. These measurements will demonstrate that the restored stream channel pattern provides more stable planform and associated features than the old channel, which provide improved aquatic habitat and geomorphic function, as per the restoration objectives.

**Longitudinal Profile:** A longitudinal profile will be surveyed for the entire length of restored channel immediately after construction to document as-built baseline conditions for the first year of monitoring only. The survey will be tied to a permanent benchmark and measurements will include thalweg, water surface, bankfull, and top of low bank. Each of these measurements will be taken at the head of each feature (e.g., riffle, pool) and at the maximum pool depth. The longitudinal profile should show that the bedform features installed are consistent with intended design stream type. The longitudinal profiles will not be taken during subsequent monitoring years unless vertical channel instability has been documented or remedial actions/repairs are deemed necessary. These measurements will demonstrate that the restored stream profile provides more bedform diversity than the old channel with multiple facet features (such as scour pools and riffles) that provide improved aquatic habitat, as per the restoration objectives. BHRs will be measured along each of the restored reaches using the results of the longitudinal profile.

**Horizontal Dimension:** Permanent cross-sections will be installed and surveyed at an approximate rate of one cross-section per twenty (20) bankfull widths or an average distance interval (not to exceed 500 LF) of restored stream, with approximately (4) cross-sections located at riffles, and three (3) located at pools. Each cross-section will be monumented on both streambanks to establish the exact transect used and to facilitate repetition each year and easy comparison of year-to-year data. The cross-section surveys will occur in years zero (as-built), one, two, three, five, and seven, and must include measurements of Bank Height Ratio (BHR) and Entrenchment Ratio (ER). The monitoring survey will include points measured at all breaks in slope, including top of streambanks, bankfull, inner berm, edge of water, and thalweg, if the features are present.

There should be little change in as-built cross-sections. Stable cross-sections will establish that the restoration goal of creating geomorphically stable stream conditions has been met. If changes do take place, they will be documented in the survey data and evaluated to determine if they represent a movement toward a more unstable condition (e.g., down-cutting or erosion) or a movement toward increased stability (e.g., settling, vegetative changes, deposition along the streambanks, or decrease in width-to-depth ratio). Using the Rosgen Stream Classification System, all monitored cross-sections should fall within the quantitative parameters defined for channels of the design stream type. Given the smaller channel sizes and meander geometry of the proposed streams, bank pin arrays will not be installed unless monitoring results indicate active lateral erosion at cross-sections occurring in meander bends, typically at pools.

Reference photo transects will be taken at each permanent cross-section. Lateral photos should not indicate excessive erosion or continuing degradation of the streambanks. Photographs will be taken of both streambanks at each cross-section. A survey tape stretched between the permanent cross-section monuments/pins will be centered in each of the streambank photographs. The water elevation will be



shown in the lower edge of the frame, and as much of the streambank as possible will be included in each photo. Photographers should attempt to consistently maintain the same area in each photo over time.

**Streambed Materials:** Representative streambed material samples will be collected in locations where riffles are installed as part of the project. The post-construction riffle substrate samples will be compared to the existing riffle substrate data collected during the design phase. Any significant changes (e.g., aggradation, degradation, embeddedness) will be noted after streambank vegetation becomes established and a minimum of two bankfull flows or greater have been documented. If changes are observed within stable riffles and pools, additional sediment transport analyses and calculations may be required.

### 8.2.3 Flow Duration Monitoring

**Jurisdictional Stream Flow Documentation:** Monitoring of stream flow will be conducted to demonstrate that the restored stream systems classified as intermittent exhibit surface flow for a minimum of 30 consecutive days throughout some portion of the year during a year with normal rainfall conditions. To determine if rainfall amounts are normal for the given year, a rainfall gage will be installed on the site to compare precipitation amounts using tallied data obtained from the Johnston County weather station and from the automated weather station (COOP 317994), approximately twenty miles south of the site. Data from the weather station can be obtained from the CRONOS Database located on the State Climate Office of North Carolina's website. If a normal year of precipitation does not occur during the first seven years of monitoring, monitoring of flow conditions on the site will continue until it documents that the intermittent streams have been flowing during the appropriate times of the year.

The proposed monitoring of the restored intermittent reach will include a combination of photographic documentation and the installation of groundwater monitoring well within the thalweg (bottom) of the channel towards the downstream portion of Reach R4 the near the confluence with Reach R2. A regular and continuous series of remote photos over time will be used to subjectively evaluate and document channel flow conditions throughout the year. More specifically, the longitudinal photos should indicate the presence of flow within the channel to illustrate water levels within the pools and riffles. The photographs will be taken from a height of approximately five to six feet to ensure that the same locations (and view directions) at the site are documented in each monitoring period and will be shown on a plan view map.

Monitoring wells (continuous-read pressure transducers) will be installed towards the downstream portion of restored intermittent reaches. The well devices will be inspected on a quarterly basis to document surface hydrology and provide a basis for evaluating flow response to rainfall events and surface runoff during various water tables levels throughout the monitoring period (KCI, DMS, 2010).

## 8.3 Wetland Monitoring

Wetland mitigation credits are not contracted or proposed for this project. Wetland mitigation monitoring is therefore not included for this project.



## 8.4 Vegetation Monitoring

Successful restoration of the vegetation at the project site is dependent upon hydrologic restoration, active establishment, enhancement, preservation and survival of the planted preferred canopy vegetation species, and volunteer regeneration of the native plant community. To determine if these criteria are successfully achieved, vegetation-monitoring quadrants or plots will be installed and monitored across the restoration site in accordance with the CVS-EEP Level I & II Monitoring Protocol (CVS, 2008) and DMS Stream and Wetland Monitoring Guidelines (DMS, 2014). The vegetation monitoring plots shall be approximately 2% of the planted portion of the site (approximately 2 acres) with a minimum of four (4) plots established randomly within the planted riparian buffer areas. The sampling may employ quasi-random plot locations which may vary upon approval from DMS, DWR and IRT. Any random plots should comprise more than 50% of the total required plots and the location (GPS coordinates and orientation) will be identified in the monitoring reports. No monitoring quadrants will be established within undisturbed wooded areas, such as those along Reach R1 and R3 (lower), however visual observations will be documented in the annual monitoring reports to describe any changes to the existing vegetation community. The size and location of individual quadrants will be 100 square meters (10m X 10m) for woody tree species and may be adjusted based on site conditions after construction activities have been completed.

Vegetation monitoring will occur in the fall each required monitoring year, prior to the loss of leaves. Mortality will be determined from the difference between the previous year's living, planted seedlings and the current year's living, planted seedlings. Data will be collected at each individual quadrant and will include specific data for monitored stems on diameter, height, species, date planted, and grid location, as well as a collective determination of the survival density within that quadrant. Relative values will be calculated and importance values will be determined. Individual planted seedlings will be marked at planting or monitoring baseline setup so that those stems can be found and identified consistently each successive monitoring year. Volunteer species will be noted and their inclusion in quadrant data will be evaluated with DMS on a case-by-case basis. The presence of invasive species vegetation within the monitoring quadrants will also be noted, as will any wildlife effects.

At the end of the first full growing season (from baseline/year 0) or after 180 days between March 1<sup>st</sup> and November 30<sup>th</sup>, species composition, stem density, and survival will be evaluated. For each subsequent year, vegetation plots shall be monitored for seven years in years 1, 2, 3, 5 and 7, and visual monitoring in years 4 and 6, or until the final success criteria are achieved.

While measuring species density is the current accepted methodology for evaluating vegetation success on mitigation projects, species density alone may be inadequate for assessing plant community health. For this reason, the vegetation monitoring plan will incorporate the evaluation of native volunteer species, and the presence of invasive species vegetation to assess overall vegetative success.

WLS will provide required remedial action on a case-by-case basis, such as replanting more wet/drought tolerant species vegetation, conducting beaver and beaver dam management/removal, and removing undesirable/invasive species vegetation, and will continue to monitor vegetation performance until the corrective actions demonstrate that the site is trending towards or meeting the standard requirement. Existing mature woody vegetation will be visually monitored during annual site visits to document any



mortality, due to construction activities or changes to the water table, that negatively impact existing forest cover or favorable buffer vegetation.

**Table 22. Proposed Monitoring Plan Summary**

Functional Category (Level)	Project Goal / Parameter	Measurement Method	Performance Standard	Potential Functional Uplift
<b>Hydrology (Level 1)</b>	Improve Base Flow Duration and Overbank Flows (i.e. channel forming discharge)	Remove man-made pond, well device (pressure transducer), regional curve, regression equations, catchment assessment	Maintain seasonal flow for a minimum of 30 consecutive days during normal annual rainfall.	Create a more natural and higher functioning headwater flow regime and provide aquatic passage.
<b>Hydraulics (Level 2)</b>	Reconnect Floodplain / Increase Floodprone Area Widths	Bank Height Ratio, Entrenchment Ratio, crest gauge	Maintain average BHRs at 1.2 and increase ERs at 2.2 or greater and document bankfull/geomorphically significant flow events.	Provide temporary water storage and reduce erosive forces (shear stress) in channel during larger flow events.
<b>Geomorphology (Level 3)</b>	Improve Bedform Diversity	Pool to Pool spacing, riffle-pool sequence, pool max depth ratio, Longitudinal Profile	Increase riffle/pool percentage and pool-to-pool spacing ratios compared to reference reach conditions.	Provide a more natural stream morphology, energy dissipation and aquatic habitat/refugia.
	Increase Vertical and Lateral Stability	BEHI / NBS, Cross-sections and Longitudinal Profile Surveys, visual assessment	Decrease streambank erosion rates comparable to reference condition cross-section, pattern and vertical profile values.	Reduce sedimentation, excessive aggradation, and embeddedness to allow for interstitial flow habitat.
	Establish Riparian Buffer Vegetation	CVS Level I & II Protocol Tree Veg Plots (Strata Composition and Density), visual assessment	Within planted portions of the site, a minimum of 320 stems per acre must be present at year three; a minimum of 260 stems per acre must be present at year five; and a minimum of 210 stems per acre must be present at year seven.	Increase woody and herbaceous vegetation will provide channel stability and reduce streambank erosion, runoff rates and exotic species vegetation.
<b>Physicochemical (Level 4)</b>	Improve Water Quality	N/A	N/A	Reduction of excess nutrients and organic pollutants will increase the hyporheic exchange and dissolved oxygen (DO) levels.
<b>Biology (Level 5)</b>	Improve Benthic Macroinvertebrate Communities and Aquatic Health	DWR Small Stream/Qual v4 sampling, IBI	N/A	Increase leaf litter and organic matter critical to provide in-stream cover/shade, wood recruitment, and carbon sourcing.

*Note: Level 4 and 5 project parameters and monitoring activities will not be tied to performance standards nor required to demonstrate success for credit release.*





## 9 Adaptive Management Plan

---

In the event the mitigation site or a specific component of the mitigation site fails to achieve the necessary performance standards as specified in the mitigation plan, the sponsor shall notify the members of the NCIRT and work with the NCIRT to develop contingency plans and remedial actions.

## 10 Long-Term Management Plan

---

The site will be transferred to the NCDEQ Stewardship Program. This party shall serve as conservation easement holder and long-term steward for the property and will conduct periodic inspection of the site to ensure that restrictions required in the conservation easement are upheld. Funding will be supplied by the responsible party on a yearly basis until such time and endowments are established. The NCDEQ Stewardship Program is developing an endowment system within the non-reverting, interest-bearing Conservation Lands Stewardship Endowment Account. The use of funds from the Endowment Account is governed by NC General Statute GS 113A-232(d) (3). Interest gained by the endowment fund may be used only for stewardship, monitoring, stewardship administration, and land transaction costs, if applicable.

WLS does not expect that easement compliance and management will require any additional or alternative management planning, strategies or efforts beyond those typically prescribed and followed for DMS full-delivery projects.



## 11 References

---

- Bain, Daniel J. 2012. Legacy Effects in Material Flux: Structural Catchment Changes Predate Long-Term Studies. *BioScience*. Vol. 62 No. 6.
- Bilby, R. E. 1984. Removal of woody debris may affect stream channel stability. *Journal of Forestry* 82:609-61
- Copeland, R.R, D.N. McComas, C.R. Thorne, P.J. Soar, M.M. Jones, and J.B. Fripp. 2001. United States Army Corps of Engineers (USACE). *Hydraulic Design of Stream Restoration Projects*. Washington, DC.
- Ecological Flows Science Advisory Board (EFSAB). 2013. Recommendations for Estimating Flows to Maintain Ecological Integrity in Streams and Rivers in North Carolina. [https://www.fws.gov/asheville/pdfs/Recommendations\\_for\\_Maintaining\\_Flows\\_FINAL%202013-10-30.pdf](https://www.fws.gov/asheville/pdfs/Recommendations_for_Maintaining_Flows_FINAL%202013-10-30.pdf)
- Federal Interagency Stream Restoration Working Group (FISRWG). 1998. Stream corridor restoration: Principles, processes and practices. National Technical Information Service. Springfield, VA.
- Fischenich, J.C. 2006. Functional objectives for stream restoration. EMRRP Technical Notes Collection (ERDC TN-EMRRP-SR-52). Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Harman, W.A., G.D. Jennings, J.M. Patterson, D.R. Clinton, L.O. Slate, A.G. Jessup, J.R. Everhart, and R.E. Smith. 1999. Bankfull hydraulic geometry relationships for North Carolina streams. *Wildland Hydrology*. AWRA Symposium Proceedings. D.S. Olsen and J.P. Potyondy, eds. American Water Resources Association. June 30-July 2, 1999. Bozeman, MT.
- Harman, W.A. and C.J. Jones. 2016. Functional Lift Quantification Tool for Stream Restoration Projects in North Carolina: Spreadsheet User Manual. Environmental Defense Fund, Raleigh, NC.
- Harman, W., R. Starr, M. Carter, K. Tweedy, M. Clemmons, K. Suggs, C. Miller. 2012. A function based framework for developing stream assessments, restoration goals, performance standards and standard operating procedures. U.S. Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds, Washington, D.C.
- Harman, W., R. Starr. 2011. Natural Channel Design Review Checklist. US Fish and Wildlife Service, Chesapeake Bay Field Office, Annapolis, MD and US Environmental Protection Agency, Office of Wetlands, Oceans, and Watersheds, Wetlands Division. Washington D.C. EPS 843-B-12-005.
- Hey, R.D. 2006. Fluvial Geomorphological Methodology for Natural Stable Channel Design. *Journal of American Water Resources Association*. April 2006. Vol. 42, No. 2. pp. 357-374. AWRA Paper No. 02094.
- Homer, C.G., Dewitz, J.A., Yang, L., Jin, S., Danielson, P., Xian, G., Coulston, J., Herold, N.D., Wickham, J.D., and Megown, K., 2015, Completion of the 2011 National Land Cover Database for the conterminous United States-Representing a decade of land cover change information. *Photogrammetric Engineering and Remote Sensing*, v. 81, no. 5, 345-354.



- Hess, Hydrology and Earth System Sciences. 2014. Flow pathways and nutrient transport mechanisms drive hydrochemical sensitivity to climate change across catchments with different geology and topography. *V 18*, 5125–5148.
- Jacobson, R.B. and Coleman, D.J., 1986. Stratigraphy and recent evolution of Maryland Piedmont Flood Plains. *American Journal of Science* 286:617-637.
- James, Allan L., 2010. Secular Sediment Waves, Channel Bed Waves, and Legacy Sediment. Geography Department, University South Carolina.
- James, Allan L., 2013. Legacy sediment: Definitions and processes of episodically produced anthropogenic sediment. Geography Department, University South Carolina. *Anthropocene*, v. 2, pg 16–26.
- Johnson, P.A., and T.M. Heil, 1996. Uncertainty in Estimating Bankfull Conditions. *Journal of the American Water Resources Association* 32(6): 1283-1292.
- KCI Associates of NC, DMS. 2010. Using Pressure Transducers for Stream Restoration Design and Monitoring.
- Knighton, D. 1998. *Fluvial Forms and Processes – A New Perspective*. Arnold Publishers. London.
- King, S. E., Osmond, D.L., Smith, J., Burchell, Dukes, M., Evans, M., Knies, M., Kunickis, S. 2016. Effects of Riparian Buffer Vegetation and Width: A 12-Year Longitudinal Study. *Journal of Environmental Quality*.
- Lane, E. W. 1955. Design of stable channels. *Transactions of the American Society of Civil Engineers*. Paper No. 2776: 1234-1279.
- Lee, M., Peet R., Roberts, S., Wentworth, T. CVS-NCEEP Protocol for Recording Vegetation, Version 4.1, 2007.
- Leopold, Luna B., M. Gordon Wolman, and John P. Miller. 1964. *Fluvial Processes in Geomorphology*. San Francisco, CA. (151).
- Leopold, Luna B., 1994. *A View of the River*. Harvard University Press. Cambridge, Mass.
- McKenney, R., R. B. Jacobson, and R. C. Wertheimer. 1995. Woody vegetation and channel morphogenesis in low gradient gravel-bed streams. *Geomorphology* 13:175-198.
- Metcalf, C. 2004. Regional Channel Characteristics for Maintaining Natural Fluvial Geomorphology in Florida Streams. U.S. Fish and Wildlife Service, Panama City Fisheries Resource Office. Panama City, FL. [http://www.dot.state.fl.us/research-center/Completed\\_Proj/Summary\\_EMO/FDOT\\_BD470\\_final.pdf](http://www.dot.state.fl.us/research-center/Completed_Proj/Summary_EMO/FDOT_BD470_final.pdf)
- Millar, RG. 2000. Influence of bank vegetation on alluvial channel patterns. *Water Resources Research*. 36(4): 1109-1118.
- Montgomery D.R. and S. M. Bolton 2003. Hydrogeomorphic variability and river restoration, 39–80. © 2003 by the American Fisheries Society.
- North Carolina Natural Heritage Program (NHP) Element Occurrence Database (Listing of State and Federally Endangered and Threatened Species of North Carolina). North Carolina Department of Environment and Natural Resources. Raleigh, North Carolina. 2016.






- North Carolina Department of Environment and Natural Resources. 2006. Water Quality Stream Classifications for Streams in North Carolina. Water Quality Section, November 2006. Raleigh, NC.
- North Carolina Department of Environmental Quality, Division of Mitigation Services, Wildlands Engineering, Inc. 2015. Neuse 01 Regional Watershed Plan Phase II. Raleigh, NC.
- North Carolina Department of Environmental Quality, Division of Water Resources, Water Sciences Section, Biological Assessment Branch. 2016. Standard Operating Procedures for the Collection and Analysis of Benthic Macroinvertebrates, v. 5.0.
- North Carolina Department of Environmental Quality, Division of Water Resources, Environmental Sciences Section. 2009. Small Streams Biocriteria Development.
- North Carolina Division of Water Quality, Periann Russell. 2008. Mapping Headwater Streams: Intermittent and Perennial Headwater Stream Model Development and Spatial Application. Raleigh, NC.
- North Carolina Geological Survey. 1998. North Carolina Department of Environment and Natural Resources, Raleigh, NC. Cited from <http://www.geology.enr.state.nc.us/usgs/geomap.htm> on July 17, 2016.
- Omernik, J.M. and G.E. Griffith. 2014. Ecoregions of the conterminous United States: evolution of a hierarchical spatial framework. *Environmental Management* 54(6):1249-1266.
- Poff, N. L., J. D. Allan, M. B. Bain, J. R. Karr, K. L. Prestegard, B. D. Richter, R. E. Sparks, and J. C. Stromberg. 1997. The natural flow regime. *BioScience* 47:769-784.
- Postel, S. and B. D. Richter. 2003. *Rivers for Life: Managing Water for People and Nature*. Washington, D.C.: Island Press.
- Rosgen, D. L., 1994. A Classification of Natural Rivers. *Catena* 22: 169-199.
- Rosgen, D.L., 1996. *Applied River Morphology*. Wildland Hydrology Books, Pagosa Springs, CO.
- Rosgen, D.L. 1997. A Geomorphological Approach to Restoration of Incised Rivers.
- Schafale, M. P., and A. S. Weakley. 1990. Classification of the natural communities of North Carolina, third approximation. North Carolina Natural Heritage Program. NCDENR Division of Parks and Recreation. Raleigh, NC.
- Scherrer, E. 1999. Using Microtopography to Restore Wetland Plant Communities in Eastern North Carolina. <http://www4.ncsu.edu/unity/users/s/shear/public/restore/scherrer.htm>
- Schumm, S.A., 1960. The Shape of Alluvial Channels in Relation to Sediment Type. U.S. Geological Survey Professional Paper 352-B. U.S. Geological Survey. Washington, DC.
- Simon, Andrew 1989. A model of channel response in disturbed alluvial channels. *Earth Surface Processes and Landforms*. Volume 14, Issue 1, pg 11–26.
- Skidmore, P.B, Shields, F., Doyle, M., and Miller, D. (2001) A Categorization of Approaches to Natural Channel Design. *Wetlands Engineering & River Restoration* 2001: pg 1-12.



- Skidmore, P.B., C.R. Thorne, B.L. Cluer, G.R. Pess, J.M. Castro, T.J. Beechie, and C.C. Shea. 2011. Science base and tools for evaluating stream engineering, management, and restoration proposals. U.S. Dept. Commerce, NOAA Tech. Memo. NMFS-NWFSC-112, pg 255.
- United States Army Corps of Engineers. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. Environmental Laboratory. US Army Engineer Waterways Experiment Station. Vicksburg, MS.
- \_\_\_\_\_. 1997. Corps of Engineers Wetlands Research Program. Technical Note VN-RS-4.1. Environmental Laboratory. U.S. Army Engineer Waterways Experiment Station. Vicksburg, MS.
- \_\_\_\_\_. 2003. Stream Mitigation Guidelines, April 2003, U.S. Army Corps of Engineers. Wilmington District.
- United States Department of Agriculture, Natural Resources Conservation Service Soil Survey Division. 1994. Soil Survey, Johnson County, NC.
- United States Department of Agriculture, Natural Resources Conservation Service. 2009. Stream Visual Assessment Protocol, Version 2. NBH, Part 614.
- United States Department of Agriculture, Natural Resources Conservation Service Soil Survey Division. A. Walker, Personal communication, 2015. NC BEHI/NBS rating curve.
- United States Department of Interior, Fish and Wildlife Service (USFWS). Threatened and Endangered Species in North Carolina (County Listing). Johnston County. 2016.
- United States Environmental Protection Agency (USEPA), Tetra Tech, Inc. 2015. Spreadsheet Tool for Estimating Pollutant Loads. v4.3.
- Wilcock, P. R. 1993. Critical shear stress of natural sediments. *Journal of Hydraulic Engineering* 1199:491-505.
- Wohl, E., P. L. Angermeier, B. Bledsoe, G. M. Kondolf, L. MacDonnell, D. M. Merritt, M. A. Palmer, N. L. Poff, and D. Tarboton (2005), *River restoration*, *Water Resources. Res.*, 41, W10301.

**Legend**

- ★ Project Location
- HUC-12
- ▨ TLWs
- ▨ LWPs
- ▨ TLW: 03020201180050
- ▭ HUC-8 (Neuse 01)
- NC Cities
- Johnston Co. Hydrography
- ▨ Johnston County
- ▨ NC Counties



**WATER & LAND SOLUTIONS**

Edwards-Johnson Mitigation Project


Vicinity Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE

**1**







**Legend**

 Conservation Easement

**Existing Geology**

 Raleigh Belt: PPmg

 Coastal Plain: Tt



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



Edwards-Johnson  
Mitigation Project

Existing Geology  
Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE


**3**



**Legend**

 Conservation Easement

Flowers Quadrangle  
North Carolina - Johnston Co.



Copyright:© 2013 National Geographic Society, i-cubed



Edwards-Johnson Mitigation Project

USGS Topographic Map

FIGURE **4**





NAD 1983 2011 State Plane North Carolina FIPS 3200 FT US










**Legend**

 Conservation Easement


**Soil Map Units (NRCS Data from Web Soil Survey)**

-  DoA: Dorian fine sandy loam, 0-2% slopes, (HYDRIC B)
-  GeB: Gilead sandy loam, 2-8% slopes
-  GoA: Goldsboro sandy loam, 0-2% slopes, (HYDRIC B)
-  MaB: Marlboro sandy loam, 2-8% slopes

-  NoB: Norfolk loamy sand, 0-2% slopes
-  UcB: Uchee loamy coarse sand, 2-6% slopes
-  UcC: Uchee loamy coarse sand, 6-12% slopes
-  WoB: Wedowee sandy loam, 2-8% slopes
-  WoD: Wedowee sandy loam, 8-15% slopes
-  Wt: Wehadkee loam, 0-2% slopes, (HYDRIC A)










**Legend**


 Conservation Easement


**NC Floodplain Mapping Program  
LiDAR**


Window Size: 6.000


**Elevation (ft)**


341.2 - 1741.3


 291.6 - 341.2


 279 - 291.6


 268 - 279


 258.8 - 268

 249 - 258.8

 239.5 - 249

 231.2 - 239.5

 206.9 - 231.2



Edwards-Johnson  
Mitigation Project

LiDAR Map


NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE

**6**



**Legend**  
[Red Outline] Conservation Easement



Source: Johnston County Soil and Water Conservation District  
([www.johnstonnc.com/mainpage.cfm?category\\_level\\_id=704](http://www.johnstonnc.com/mainpage.cfm?category_level_id=704))




Edwards-Johnson Mitigation Project

1939 Aerial Photograph  
NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE  
**8a**



**Legend**  
[Red Outline] Conservation Easement



Source: Johnston County Soil and Water Conservation District  
([www.johnstonnc.com/mainpage.cfm?category\\_level\\_id=704](http://www.johnstonnc.com/mainpage.cfm?category_level_id=704))



Edwards-Johnson Mitigation Project

1949 Aerial Photograph

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE  
**8b**



**Legend**  
[Red Outline] Conservation Easement



Source: Johnston County Soil and Water Conservation District  
([www.johnstonnc.com/mainpage.cfm?category\\_level\\_id=704](http://www.johnstonnc.com/mainpage.cfm?category_level_id=704))



Edwards-Johnson  
Mitigation Project

1965 Aerial  
Photograph

FIGURE  
**8c**

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US



**Legend**

 Conservation Easement




Edwards-Johnson  
Mitigation Project

1988 Aerial  
Photograph

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE  
**8d**





**WATER & LAND  
SOLUTIONS**

Edwards-Johnson  
Mitigation Project


FEMA Floodplain  
Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE

**9**








**Legend**

-  Conservation Easement
-  Stream: Top of Bank
-  Verified Wetlands
-  Wetland Impact Area (0.073 acres)



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Edwards-Johnson  
Mitigation Project

Wetland Impacts  
Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE  
**11**



## Appendix 1 – Plan Sheets

---



# NC DEPARTMENT OF ENVIRONMENTAL QUALITY - DIVISION OF MITIGATION SERVICES

## EDWARDS-JOHNSON MITIGATION PROJECT

JOHNSTON COUNTY, NORTH CAROLINA

NCDEQ - DMS PROJECT ID # 97080


NCDEQ - DMS CONTRACT #6825 UNDER RFP 16-006477

NEUSE RIVER BASIN (CU 03020201)

USACE ACTION ID # SAW-2016-00883

TYPE OF WORK : STREAM MITIGATION

VICINITY MAP  
N.T.S.



NCDEQ-DMS CONTRACT ADMINISTRATOR:  
KRISTIE CORSON  
1652 MAIL SERVICE CENTER  
RALEIGH, NC 27689-1652  
PH: 919-707-8935


### PROJECT SUMMARY

Project Reach Designation	Type of Mitigation	Proposed Stream Length (LF)	Mitigation Ratio (X:1)	Proposed Stream Mitigation Credits (SMCs)
R1	Stream Preservation	611	10	61
R2	Stream Restoration	1,183	1	1,183
R3 (upper)	Stream Restoration	815	1	815
R3 (lower)	Stream Preservation	130	10	13
R4	Stream Restoration	951	1	951
<b>Total</b>		<b>3,690</b>		<b>3,023</b>

Note: No mitigation credits were calculated outside the conservation easement boundaries.

### SHEET INDEX

1	COVER SHEET
2	LEGEND/CONSTRUCTION SEQUENCE /GENERAL NOTES
3	TYPICAL SECTIONS
4-7	DETAILS
8-13	PLAN AND PROFILE
14-16	REVEGETATION PLAN



**WATER & LAND SOLUTIONS**  
11030 Raven Ridge Rd., Suite 119  
Raleigh, NC 27614  
(919)614-5111  
waterandsolutions.com

PROJECT ENGINEER  
**WILLIAM SCOTT HMT**  
NORTH CAROLINA PROFESSIONAL SEAL  
22967  
ENGINEER  
11-27-17

ENGINEERING SERVICES BY  
WLS ENGINEERING, PLLC  
FIRM LICENSE NO. P-1480

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17

PROJECT NAME  
**EDWARDS-JOHNSON MITIGATION PROJECT**  
JOHNSTON COUNTY, NC

DRAWING INFORMATION

PROJECT NO.:	97080
FILENAME:	01_EDWARDS JOHNSON COVER.DWG
DESIGNED BY:	KWV/MSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 300'
VERT. SCALE:	N/A

GRAPHIC SCALE  
150 75 0 150 300  
NORTH

SHEET NAME  
**COVER SHEET**

SHEET NUMBER  
**1**

WLS DRS  
11.27.2017



## LEGEND

	ROOTWAD
	LOG VANE
	LOG WEIR
	LOG STEP-POOL
	STONE AND LOG STEP-POOL
	CONSTRUCTED STONE RIFFLE
	CONSTRUCTED LOG RIFFLE
	GRADE CONTROL LOG J-HOOK VANE
	GEOFLT W/ TOEWOOD
	PROPOSED OUTLET CHANNEL
	100 YEAR FLOOD PLAIN
	EXISTING OVERHEAD ELECTRIC
	TEMPORARY STREAM CROSSING
	PERMANENT STREAM CROSSING
	PROPOSED CONSERVATION EASEMENT BOUNDARY
	EXISTING MAJOR CONTOUR
	EXISTING MINOR CONTOUR
	PROPOSED MAJOR CONTOUR
	PROPOSED MINOR CONTOUR
	LIMITS OF DISTURBANCE
	CUTOFFILL LIMITS
	EXISTING WETLAND BOUNDARY
	EXISTING WOODLINE
	PROPOSED TOP OF STREAM BANK
	EXISTING PROPERTY BOUNDARY
	EXISTING FENCE
	PROPOSED CENTERLINE (THALWEG)
	PROPOSED FIELD FENCE
	PROPOSED TREE PROTECTION FENCE
	EXISTING FARM PATH
	PROPOSED FARM PATH
	EXISTING TREE
	PROPOSED WATER QUALITY TREATMENT FEATURE
	CHANNEL BLOCK
	CHANNEL FILL
	PROPOSED GATE
	EXISTING STRUCTURE
	EXISTING WETLAND AREA

## CONSTRUCTION SEQUENCE

THE ENGINEER WILL PROVIDE CONSTRUCTION OBSERVATION DURING THE CONSTRUCTION PHASE OF THIS PROJECT. THE GENERAL CONSTRUCTION SEQUENCE SHALL BE USED DURING IMPLEMENTATION OF THE PROPOSED PROJECT CONSTRUCTION. CONTRACTOR SHALL REFER TO THE APPROVED PERMITS FOR SPECIFIC CONSTRUCTION SEQUENCE ITEMS AND SHALL BE RESPONSIBLE FOR FOLLOWING THE APPROVED PLANS AND PERMIT CONDITIONS.

- THE CONTRACTOR SHALL NOTIFY "NC 811" (1-800-632-4849) BEFORE ANY EXCAVATION BEGINS. ANY UTILITIES AND RESPECTIVE EASEMENTS SHOWN ON THE PLANS ARE CONSIDERED APPROXIMATE AND THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCIES. THE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UTILITIES AND ADJOINING EASEMENTS AND SHALL REPAIR OR REPLACE ANY DAMAGED UTILITIES AT HIS/HER OWN EXPENSE.
- THE CONTRACTOR SHALL MOBILIZE EQUIPMENT, MATERIALS AND PREPARE STAGING AREAS(S) AND STOCKPILE AREAS(S) AND HAUL ROADS AS SHOWN ON THE PLANS. BOUNDARIES OR AS DENOTED "LIMITS OF DISTURBANCE" OR "HAUL ROADS" ON THE PLANS.
- CONSTRUCTION TRAFFIC SHALL BE RESTRICTED TO THE PROJECT AREA BOUNDARIES OR AS DENOTED "LIMITS OF DISTURBANCE" OR "HAUL ROADS" ON THE PLANS.
- THE CONTRACTOR SHALL INSTALL APPROVED TEMPORARY SEDIMENTATION AND EROSION CONTROL MEASURES AT LOCATIONS INDICATED ON THE PLANS.
- THE CONTRACTOR SHALL INSTALL TEMPORARY SILT FENCE AROUND ALL STAGING AREAS(S). TEMPORARY SILT FENCING WILL ALSO BE PLACED AROUND THE TEMPORARY STOCKPILE AREAS AS MATERIAL IS STOCKPILED THROUGHOUT THE CONSTRUCTION PERIOD.
- THE CONTRACTOR SHALL INSTALL ALL TEMPORARY AND PERMANENT STREAM CROSSINGS AS SHOWN ON THE PLANS IN ACCORDANCE WITH THE SEDIMENTATION AND EROSION CONTROL PERMIT. THE EXISTING CHANNEL AND DITCHES ON SITE WILL REMAIN OPEN DURING THE INITIAL STAGES OF CONSTRUCTION TO ALLOW FOR DRAINAGE AND TO MAINTAIN SITE ACCESSIBILITY.
- THE CONTRACTOR SHALL COMPLETE ONLY THE PORTION OF THE PROPOSED CHANNEL THAT CAN BE COMPLETED AND STABILIZED WITHIN THE SAME DAY. THE CONTRACTOR SHALL APPLY TEMPORARY AND PERMANENT SEEDING, MATTING AND MULCHING TO ALL DISTURBED AREAS AT THE END OF EACH WORK DAY.
- THE CONTRACTOR SHALL CLEAR AND GRUB AN AREA ADEQUATE TO CONSTRUCT THE STREAM CHANNEL AND GRADING OPERATIONS AFTER ALL SEDIMENTATION AND EROSION CONTROL PRACTICES HAVE BEEN INSTALLED AND APPROVED. IN GENERAL, THE CONTRACTOR SHALL WORK FROM UPSTREAM TO DOWNSTREAM AND IN-STREAM STRUCTURES AND CHANNEL FILL MATERIAL SHALL BE INSTALLED USING A PUMP-AROUND OR FLOW DIVERSION MEASURE AS SHOWN ON THE PLANS.
- THE CONTRACTOR WILL BEGIN CONSTRUCTION BY EXCAVATING CHANNEL FILL MATERIAL IN AREAS ALONG THE EXISTING CHANNEL. THE CONTRACTOR MAY FILL DITCHES WHICH DO NOT CONTAIN ANY WATER DURING THE GRADING OPERATIONS. ALONG DITCHES WITH WATER OR STREAM REACHES, EXCAVATED MATERIAL SHOULD BE STOCKPILED IN DESIGNATED AREAS SHOWN ON THE PLANS. IN ANY AREAS WHERE EXCAVATION DEPTHS WILL EXCEED TEN INCHES, TOPSOIL SHALL BE SEPARATED, STOCKPILED AND PLACED BACK OVER THESE AREAS TO A DEPTH OF EIGHT INCHES TO ACHIEVE DESIGN GRADES AND CREATE A SOIL BASE FOR VEGETATION PLANTING ACCORDING TO THE DESIGN PLANS AND CONSTRUCTION SPECIFICATIONS.
- CONTRACTOR SHALL BEGIN DESIGN CHANNEL CONSTRUCTION AT STATION 10+00 AND PROCEED IN A DOWNSTREAM DIRECTION. THE DESIGN CHANNEL SHOULD BE CONSTRUCTED OFFLINE AND/OR IN THE DRY WHENEVER POSSIBLE.
- AFTER EXCAVATING THE CHANNEL TO DESIGN GRADES, INSTALL IN-STREAM STRUCTURES, GRASSING, MATTING, AND TEMPORARY VEGETATION IN THIS SECTION, AND READY THE CHANNEL TO ACCEPT FLOW PER APPROVAL BY THE ENGINEER.
- FLOWING WATER MAY BE TURNED INTO THE CONSTRUCTED CHANNEL ONCE THE AREA IN AND AROUND THE NEW CHANNEL HAS BEEN STABILIZED. IMMEDIATELY BEGIN PLUGGING, FILLING, AND GRADING THE ABANDONED CHANNEL, AS INDICATED ON PLANS. MOVING IN A DOWNSTREAM DIRECTION TO ALLOW FOR DRAINAGE OF THE OLD CHANNELS. NO FLOWING WATER SHALL BE TURNED INTO ANY SECTION OF RESTORED CHANNEL PRIOR TO THE CHANNEL BEING COMPLETELY STABILIZED WITH ALL IN-STREAM STRUCTURES INSTALLED.
- THE NEW CHANNEL SECTIONS AND FARM POND AREA SHALL REMAIN OPEN ON THE DOWNSTREAM END TO ALLOW FOR DRAINAGE DURING RAIN EVENTS.
- ANY GRADING ACTIVITIES ADJACENT TO THE EXISTING OR LIVE STREAM CHANNEL SHALL BE COMPLETED PRIOR TO TURNING WATER INTO THE NEW STREAM CHANNEL SEGMENTS. GRADING ACTIVITIES SHALL NOT BE PERFORMED WITHIN 10 FEET OF THE NEW STREAM CHANNEL BANKS. THE CONTRACTOR SHALL NOT GRADE OR ROUGHEN ANY AREAS WHERE EXCAVATION ACTIVITIES HAVE NOT BEEN COMPLETED.
- ONCE A STREAM WORK PHASE IS COMPLETE, APPLY TEMPORARY SEEDING TO ANY AREAS DISTURBED DURING CONSTRUCTION WITHIN HOURS AND ALL SLOPES STEEPER THAN 3:1 SHALL BE STABILIZED WITH GROUND COVER AS SOON AS PRACTICABLE WITHIN 7 CALENDAR DAYS. ALL OTHER DISTURBED AREAS AND SLOPES FLATTER THAN 3:1 SHALL BE STABILIZED WITHIN 14 CALENDAR DAYS FROM THE LAST LAND-DISTURBING ACTIVITY.
- PERMANENT SEEDING SHALL BE PLACED ON ALL DISTURBED AREAS WITHIN 15 WORKING DAYS OR 90 CALENDAR DAYS (WHICHEVER IS SHORTER) FOLLOWING COMPLETION OF CONSTRUCTION. ALL DISTURBED AREAS SHOULD HAVE ESTABLISHED GROUND COVER TO ALLOW FOR SOIL STABILIZATION. REMOVE ANY TEMPORARY STREAM CROSSINGS AND TEMPORARY EROSION CONTROL MEASURES.
- THE CONTRACTOR SHALL TREAT AREAS OF INVASIVE SPECIES VEGETATION THROUGHOUT THE PROJECT AREA ACCORDING TO THE DESIGN PLANS AND CONSTRUCTION SPECIFICATIONS PRIOR TO DEMOBILIZATION.
- THE CONTRACTOR SHALL PLANT WOODY VEGETATION AND LIVE STAKES ACCORDING TO PLANTING DETAILS AND SPECIFICATIONS. THE CONTRACTOR SHALL COMPLETE THE REFORESTATION PHASE OF THE PROJECT AND APPLY PERMANENT SEEDING AT THE APPROPRIATE TIME OF THE YEAR.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR OFF-SITE REMOVAL OF ALL TRASH, EXCESS BACKFILL, AND ANY OTHER INCIDENTAL MATERIALS PRIOR TO DEMOBILIZATION OF EQUIPMENT FROM THE SITE. THE DISPOSAL AND STOCKPILE LOCATIONS SELECTED MUST BE APPROVED TO THE ENGINEER AND ANY FEES SHALL BE PAID FOR BY THE CONTRACTOR.

## GENERAL NOTES


- THE PROJECT SITE IS LOCATED IN JOHNSTON COUNTY, NORTH CAROLINA, APPROXIMATELY 3.1 MILES SOUTH OF THE TOWN OF WENDELL, AS SHOWN ON THE COVER SHEET VICTORY MAP. TO ACCESS THE SITE FROM RALEIGH TAKE I-440 E AND US 264 E TO WINDMILLS CREEK. TAKE EXIT 427 FROM US-264 E/US-64 E (14.7 MI) AND CONTINUE ON WENDELL FALLS PARKWAY. TAKE EAGLE ROCK ROAD AND STOTT'S MILL ROAD TO WENDELL ROAD. TAKE A RIGHT ONTO THE GRAVEL ENTRANCE AT 2498 WENDELL ROAD. FOLLOW THE FARM ROAD TO THE SITE BOUNDARY.
- THE PROJECT SITE BOUNDARIES ARE SHOWN ON THE DESIGN PLANS AS THE PROPOSED CONSERVATION EASEMENT. THE CONTRACTOR SHALL PERFORM ALL RELATED WORK ACTIVITIES WITHIN THE PROJECT SITE BOUNDARIES AND/OR WITHIN THE LIMITS OF DISTURBANCE (LOD). THE PROJECT SITE SHALL BE ACCESSED THROUGH THE DESIGNATED ACCESS POINTS SHOWN ON THE PLANS. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING PERMITTED ACCESS THROUGHOUT ALL CONSTRUCTION ACTIVITIES.
- THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS AND MEASURES TO PROTECT ALL PROPERTIES FROM DAMAGE. THE CONTRACTOR SHALL REPAIR ALL DAMAGE CAUSED BY HIS/HER OPERATIONS TO ALL PUBLIC AND PRIVATE PROPERTY AND LEAVE THE PROPERTY IN GOOD CONDITION AND/OR AT LEAST EQUIVALENT TO THE PRE-CONSTRUCTION CONDITION. UPON COMPLETION OF ALL CONSTRUCTION ACTIVITIES, THE AREA IS TO BE RESTORED TO A CONDITION EQUAL TO OR BETTER THAN FOUND PRIOR TO CONSTRUCTION.
- THE TOPOGRAPHIC BASE MAP WAS DEVELOPED USING SURVEY DATA COLLECTED BY WITHERSRAVEL, INC. (WRI) IN THE FALL OF 2016. THE HORIZONTAL DATUM WAS TIED TO NAD83 NC STATE PLANE COORDINATE SYSTEM, US SURVEY FEET AND NAVD88 VERTICAL DATUM USING VRS NETWORK AND NCGS MONUMENT. IT IS POSSIBLE THAT EXISTING ELEVATIONS AND SITE CONDITIONS MAY HAVE CHANGED SINCE THE ORIGINAL SURVEY WAS COMPLETED DUE TO EROSION, AND/OR SEDIMENT ACCRETION. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CONFIRM EXISTING GRADES AND ADJUST QUANTITIES, EARTHWORK, AND WORK EFFORTS AS NECESSARY.
- THE CONTRACTOR SHALL VISIT THE CONSTRUCTION SITE AND THOROUGHLY FAMILIARIZE HIMSELF WITH ALL EXISTING CONDITIONS PRIOR TO BEGINNING CONSTRUCTION. THE CONTRACTOR SHALL VERIFY THE ACCURACY AND COMPLETENESS OF THE CONSTRUCTION SPECIFICATIONS AND DESIGN PLANS REGARDING THE NATURE AND EXTENT OF THE WORK DESCRIBED.
- THE CONTRACTOR SHALL BRING ANY DISCREPANCIES BETWEEN THE CONSTRUCTION PLANS AND SPECIFICATIONS AND/OR FIELD CONDITIONS TO THE ATTENTION OF THE SPONSORS ENGINEER BEFORE CONSTRUCTION BEGINS.
- THERE SHALL BE NO CLEARING OR REMOVAL OF ANY NATIVE SPECIES VEGETATION OR TREES OF SIGNIFICANCE, OTHER THAN THOSE INDICATED ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
- THE CONTRACTOR SHALL EXERCISE CARE DURING GRADING ACTIVITIES IN THE VICINITY OF NATIVE VEGETATION AND TREES OF SIGNIFICANCE AT THE CONSTRUCTION SITE. ALL GRADING IN THE VICINITY OF TREES NOT IDENTIFIED FOR REMOVAL SHALL BE MADE IN A MANNER THAT DOES NOT DISTURB THE ROOT SYSTEM WITHIN THE DRIP LINE OF THE TREE.
- WORK ACTIVITIES ARE BEING PERFORMED AS AN ENVIRONMENTAL RESTORATION PLAN NEAR PRIVATE RESIDENCES. THE CONTRACTOR SHALL MAKE ALL REASONABLE EFFORTS TO REDUCE SEDIMENT LOSS, PROTECT PUBLIC SAFETY, AND MINIMIZE DISTURBANCE OF THE SITE WHILE PERFORMING THE CONSTRUCTION WORK. ALL AREAS SHALL BE KEPT NEAT, CLEAN, AND FREE OF ALL TRASH AND DEBRIS, AND ALL REASONABLE PRECAUTIONS SHALL BE TAKEN TO AVOID DAMAGE TO EXISTING ROADS, VEGETATION, TURF, STRUCTURES, AND PRIVATE PROPERTY.
- PRIOR TO START OF WORK, THE CONTRACTOR SHALL SUBMIT THE SOURCE OF MATERIALS, INCLUDING AGGREGATES, EROSION CONTROL, MATTING, WOOD AND NATIVE PLANTING MATERIAL, TO THE ENGINEER FOR REVIEW AND APPROVAL. NO WORK SHALL BE PERFORMED UNTIL THE SOURCE OF MATERIAL IS APPROVED BY THE ENGINEER.
- THE CONTRACTOR SHALL BE HELD SOLELY RESPONSIBLE FOR ANY NECESSARY COORDINATION BETWEEN THE VARIOUS COUNTY, STATE OR FEDERAL AGENCIES, UTILITY COMPANIES, HIS/HER SUB-CONTRACTORS, AND THE ENGINEER FOR THE DURATION OF THE PROJECT.
- PRIOR TO START OF WORK, THE CONTRACTOR SHALL SUBMIT THEIR DETAILED PLANTING SCHEDULE TO THE ENGINEER FOR REVIEW. NO WORK SHALL BE PERFORMED UNTIL THIS SCHEDULE IS APPROVED BY THE ENGINEER. THE DETAILED PLANTING SCHEDULE SHALL CONFORM TO THE PLANTING REVEGETATION PLAN AND SHALL INCLUDE A SPECIES LIST AND TIMING SEQUENCE.
- THE CONTRACTOR IS REQUIRED TO INSTALL IN-STREAM STRUCTURES AND CULVERT PIPES USING A BACKHOE/EXCAVATOR WITH A HYDRAULIC THUMB OF SUFFICIENT SIZE TO PLACE STRUCTURES INCLUDING LOGS, STONE, BOULDERS, ROOT WADS, AND TEMPORARY WOOD MAT STREAM CROSSINGS.

## GRADING NOTES

- NO GRADING ACTIVITIES SHALL OCCUR BEYOND THE PROJECT LIMITS OF DISTURBANCE (LOD) AS SHOWN ON THE DESIGN PLANS.
- ONCE PROPOSED GRADES ARE ACHIEVED ALONG THE CONSTRUCTED STREAM CHANNEL, BEVELLED CURBS AND FLOODPLAIN AREAS AS SHOWN ON THE PLANS, GRADED AREAS SHALL BE ROUGHENED USING TECHNIQUES DESCRIBED IN THE CONSTRUCTION SPECIFICATIONS.
- ALL SUITABLE SOIL MATERIAL REQUIRED TO FILL AND/OR PLUG EXISTING DITCHES AND/OR STREAM CHANNEL SHALL BE GENERATED ON-SITE AS DESCRIBED IN THE CONSTRUCTION SPECIFICATIONS. ANY EXCESS SOIL MATERIAL SHALL BE STOCKPILED IN DESIGNATED AREAS AND OR HAULED OFF-SITE AS APPROVED BY THE ENGINEER.



**WATER & LAND SOLUTIONS**  
11030 Raven Ridge Rd., Suite 119  
Raleigh, NC 27614  
(919) 614-5111  
waterlandolutions.com



PROJECT ENGINEER  
ENGINEERING SERVICES BY  
WLS ENGINEERING, PLLC  
FIRM LICENSE NO. P-1480

REVISIONS		
NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17

PROJECT NAME  
**EDWARDS-  
JOHNSON  
MITIGATION  
PROJECT**  
JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO. :	97080
FILENAME :	02_EDWARDS-JOHNSON_GENERAL-NOTES-SWIML_SHEETING
DESIGNED BY :	KAW/WJSH
DRAWN BY :	APL
DATE :	11-22-17
HORIZ. SCALE :	N.T.S.
VERT. SCALE :	N/A

SHEET NAME  
**LEGEND/  
CONSTRUCTION  
SEQUENCE/  
GENERAL NOTES**

SHEET NUMBER  
**2**





11030 Raven Ridge Rd., Suite 119  
 Raleigh, NC 27614  
 (919)614-5111  
 waterandsolutions.com

PROJECT ENGINEER  
 NORTH CAROLINA PROFESSIONAL SEAL  
 WILLIAM SCOTT HNT  
 22967  
 11/22/17  
 ENGINEER

ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480






REVISIONS		DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17
NO.	DESCRIPTION	DATE

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO. :	97080
FILENAME :	06_EDWARDSJOHNSON_TYPICAL_SECTIONS.DWG
DESIGNED BY :	KM/WMSH
DRAWN BY :	APL
DATE :	11-22-17
HORIZ. SCALE :	N.T.S.
VERT. SCALE :	N.T.S.

SHEET NAME  
**TYPICAL  
 SECTIONS**

SHEET NUMBER  
**3**



OUTLET CHANNEL  
N.T.S.















Reach Name	R1		R2		R3 (upper)		R3 (lower)		R4		Outlet Channel
	Riffle	Pool	Riffle	Pool	Riffle	Pool	Riffle	Pool	Riffle	Pool	
Width of Bankfull, Wbckf (ft)	7.0	8.7	7.7	9.6	8.2	10.4	8.6	10.6	8.6	10.6	3.0 (MIN.)
Average Depth, Dbkf (ft)	0.6	0.7	0.6	0.8	0.7	0.9	0.7	0.9	0.7	0.9	N/A
Maximum Depth, D-Max (ft)	0.8	1.1	0.9	1.3	1.0	1.5	1.0	1.6	1.0	1.6	0.5
Width to Depth Ratio, bckf W/D	12.0	12.1	12.0	11.8	12.0	11.5	12.0	11.3	12.0	11.3	N/A
Bankfull Area, Abkf (sq ft)	4.1	6.2	5.0	7.8	5.6	9.4	6.1	9.9	6.1	9.9	N/A
Bottom Width, Wb (ft)	2.9	2.6	3.2	2.5	3.3	2.2	3.5	1.8	3.5	1.8	N/A



REVISIONS	
A	DRAFT MIT PLAN 7-31-17
B	FINAL DRAFT MIT PLAN 8-28-17
C	FINAL MIT PLAN 11-22-17
NO.	DESCRIPTION DATE

**EDWARDS- JOHNSON MITIGATION PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO.:	97080
FILENAME:	1047 EDWARDS-JOHNSON DETAIL SHEET.DWG
DESIGNED BY:	KAW/MSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	N.T.S.
VERT. SCALE:	N.T.S.



**LOG VANE**  
 NOT TO SCALE

NOTES:  
 1. LOGS SHOULD BE AT LEAST 10" IN DIAMETER, RELATIVELY STRAIGHT, HARDWOOD, AND RECENTLY HARVESTED.  
 2. SOIL SHOULD BE COMPACTED WELL AROUND BURIED PORTIONS OF LOGS.  
 3. ROOTWADS SHOULD BE PLACED BENEATH THE HEADER LOG AND PLACED SO THAT IT LOCKS THE HEADER LOG INTO THE BANK. SEE ROOTWAD DETAIL.  
 4. BOULDERS OF SUFFICIENT SIZE CAN BE PLACED ON TOP OF HEADER LOG FOR ANCHORING.  
 5. LOGS SHOULD BE BURIED INTO THE STREAM BED AND BANKS AT LEAST 5 FEET.  
 6. GEOTEXTILE FABRIC SHOULD BE WAGED TO THE LOG BELOW THE BANK.  
 7. TRANSPLANTS CAN BE USED INSTEAD OF ROOTWADS, PER DIRECTION OF ENGINEER.

**LOG WEIR**  
 NOT TO SCALE

NOTES:  
 1. LOGS SHOULD BE AT LEAST 12 INCHES IN DIAMETER, RELATIVELY STRAIGHT HARDWOOD AND RECENTLY HARVESTED.  
 2. LOGS >24 INCHES IN DIAMETER MAY BE USED ALONE WITHOUT AN ADDITIONAL LOG FILTER FABRIC SHOULD STILL BE USED TO SEAL AROUND LOG.  
 3. PLACE FOOTER LOGS FIRST AND THEN HEADER (TOP) LOG. SET HEADER LOG AT A MAXIMUM OF 3 INCHES ABOVE THE INVERT ELEVATION.  
 4. CUT A NOTCH IN THE HEADER LOG APPROXIMATELY 30% OF THE CHANNEL WIDTH TO CENTER FLOW AND NOT EXCEED 3 INCHES IN DEPTH.  
 5. STATIONING: SEE LONGITUDINAL PROFILE FOR STATIONING AND END STATIONING.  
 6. USE GEOTEXTILE FABRIC FOR DRAINAGE TO SEAL GAPS BETWEEN LOGS.  
 7. USE GEOTEXTILE FABRIC FOR DRAINAGE TO SEAL GAPS BETWEEN LOGS.  
 8. INSTALL VEGETATION TRANSPLANTS FROM TOE OF STREAMBANK TO TOP OF STREAMBANK.  
 9. SEE TYPICAL SECTION FOR CHANNEL DIMENSIONS.

**ROOTWADS**  
 NOT TO SCALE

NOTES:  
 1. THE TRENCHING METHOD REQUIRES THAT A TRENCH BE EXCAVATED FOR THE LOG PORTION OF THE ROOTWAD. A COVER LOG SHOULD BE INSTALLED TO THE BANK AND BELOW THE RESTORED STREAMBED. ONE-THIRD OF THE ROOTWAD SHOULD REMAIN BELOW NORMAL BASE FLOW CONDITIONS.

**STONE AND LOG STEP POOL**  
 NOT TO SCALE

NOTES:  
 1. LOGS SHOULD BE AT LEAST 12 INCHES IN DIAMETER, RELATIVELY STRAIGHT HARDWOOD AND RECENTLY HARVESTED.  
 2. LOGS >24 INCHES IN DIAMETER MAY BE USED ALONE WITHOUT AN ADDITIONAL LOG FILTER FABRIC SHOULD STILL BE USED TO SEAL AROUND LOG. LOGS SHOULD EXTEND INTO THE BANKS 2' ON EACH SIDE.  
 3. SOIL SHALL BE WELL COMPACTED AROUND BURIED PORTION OF FOOTER LOGS WITH BUCKET OF SOIL.  
 4. INSTALL GEOTEXTILE FILTER FABRIC UNDERNEATH LOGS.  
 5. UNDERCUT POOL BED ELEVATION 8 INCHES TO ALLOW FOR LAYER OF STONE. INSTALL LARGE STONE BACKFILL ALONG SIDE SLOPES.  
 6. INSTALL EROSION CONTROL MATTING ALONG COMPLETED BANKS SUCH THAT THE EROSION CONTROL MATTING AT THE TOE OF THE BANK EXTENDS DOWN TO THE UNDERCUT ELEVATION.  
 7. INSTALL LARGE STONE BACKFILL ALONG SIDE SLOPES.  
 8. FINAL CHANNEL BED SHAPE SHOULD BE ROUNDED, COMPACTED, AND CONCAVE WITH THE ELEVATION OF THE BED APPROXIMATELY 0.5 FT DEEPER IN THE CENTER THAN AT THE EDGES.  
 9. AVERAGE POOL TO POOL SPACING SHALL BE SHOWN ON THE PROFILE OR SPECIFIED BY ENGINEER BASED ON EXISTING CONDITIONS SUCH AS SLOPE AND SUITABLE FILL MATERIAL. RIFFLE STEP-POOLS OR CASCADE POOLS MAY BE SUBSTITUTED IN AREAS WHERE EXISTING SLOPES EXCEED 10% AS DETERMINED BY THE ENGINEER.




REVISIONS		DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17
NO.	DESCRIPTION	DATE

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO. :	97080
FILENAME :	M-07_EDWARDSJOHNSON_DETAIL_SHEETS.DWG
DESIGNED BY :	KM/WMSH
DRAWN BY :	APL
DATE :	11-22-17
HORIZ. SCALE :	N.T.S.
VERT. SCALE :	N.T.S.


SHEET NAME  
**DETAILS**

SHEET NUMBER  
**5**



- NOTES:
1. PRIMARY LOGS SHOULD BE AT LEAST 12" OR MORE IN DIAMETER, RELATIVELY STRAIGHT, HARDWOOD AND RECENTLY HARVESTED AND EXTENDING INTO THE BANK 5' ON EACH SIDE.
  2. SECONDARY LOGS SHOULD BE AT LEAST 4" IN DIAMETER AND NO LARGER THAN 10' AND EXTEND INTO THE BANK 3' ON EACH SIDE. WOODY DEBRIS MATERIAL SHALL BE VARYING DIAMETER TO ALLOW MATERIAL TO BE COMPACTED.
  3. NON-WOVEN GEOTEXTILE FABRIC SHOULD BE NAILED TO THE HEADER LOG BELOW THE BACKFILL.
  4. ROOT WADS AND EROSION CONTROL MATTING CAN BE USED INSTEAD OF TRANSPLANTS OR LIVE STAKES PER DIRECTION OF ENGINEER.
  5. AFTER TRENCH HAS BEEN EXCAVATED A LAYER OF SECONDARY LOGS AND WOODY DEBRIS SHOULD BE PLACED ON TOP OF PRIMARY LOGS. ADDITIONAL LOGS SHOULD BE APPLIED TO FILL VOIDS BETWEEN SECONDARY LOGS BEFORE ADDITIONAL LAYERS ARE PLACED.
  6. SEE TYPICAL SECTION FOR CHANNEL DIMENSIONS.

**CONSTRUCTED LOG RIFFLE**  
 NOT TO SCALE



- NOTES:
1. CONSTRUCT EMBANKMENT WITH COMPACTED SOIL AND GEOTEXTILE FABRIC IN ACCORDANCE WITH TECHNICAL SPECIFICATIONS.
  2. WATER QUALITY TREATMENT FEATURE VARIES IN SIZE AND SHAPE AS SHOWN ON PLANS.
  3. PLANT APPROPRIATE WETLAND SPECIES VEGETATION AS SPECIFIED IN THE PLANTING PLAN.

**WATER QUALITY TREATMENT FEATURE**  
 NOT TO SCALE



PROJECT ENGINEER  
**CAROL HUNT**  
 PROFESSIONAL SEAL  
 22967  
 NORTH CAROLINA  
 ENGINEER  
 WILLIAM SCOTT


ENGINEERING SERVICES BY  
 WILSON ENGINEERING, P.L.L.C.  
 FIRM LICENSE NO. P-1460

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17


PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO. :	97080
FILENAME :	M47_EDWARDS-JOHNSON_DETAIL_SHEETS.DWG
DESIGNED BY :	KAV/WSH
DRAWN BY :	APL
DATE :	11-22-17
HORIZ. SCALE :	N.T.S.
VERT. SCALE :	N.T.S.

SHEET NAME	<b>DETAILS</b>
SHEET NUMBER	<b>6</b>




**LIVE STAKE SPACING PLAN VIEW**




**LIVE STAKE DETAIL**

- NOTES:
1. LIVE STAKES SHOULD BE CUT AND INSTALLED ON THE SAME DAY.
  2. DO NOT INSTALL LIVE STAKES THAT HAVE BEEN SPLIT.
  3. LIVE STAKES MUST BE INSTALLED WITH BUDS POINTING UPWARDS.
  4. LIVE STAKES SHOULD BE INSTALLED PERPENDICULAR TO BANK.
  5. LIVE STAKES SHOULD BE 1/2 TO 2 INCHES IN DIAMETER AND 2 TO 3 FEET LONG.
  6. LIVE STAKES SHOULD BE INSTALLED LEAVING 1/5 OF THE LENGTH OF THE LIVE STAKE ABOVE GROUND.




**PLAN VIEW OF STREAM BANK**




**SECTION A-A**

**LIVE STAKING**  
 NOT TO SCALE




**PLAN VIEW**




**SECTION A-A**

**CHANNEL BLOCK**  
 NOT TO SCALE

- NOTES:
1. COMPACT BACKFILL USING ON-SITE HEAVY EQUIPMENT IN 10 INCH LIFTS.
  2. FILL DITCH PLUG TO TOP OF BANKS OR AS DIRECTED BY ENGINEER.




**PLAN VIEW**




**SECTION A-A**

**GEOLIFT W/ TOE WOOD**  
 NOT TO SCALE



**PLAN VIEW**

**SECTION A-A**




**PROFILE B-B**

- NOTES:
1. DITCH TRENCH BELOW THE RESTORED STREAMBED FOR THE STONE BACKFILL.
  2. FILL TRENCH WITH STONE BACKFILL.

**CONSTRUCTED STONE RIFLE**  
 NOT TO SCALE





PROJECT ENGINEER  
 WILLIAM SCOTT HUNT  
 PROFESSIONAL ENGINEER  
 STATE OF NORTH CAROLINA  
 LICENSE NO. 22967  
 EXPIRES 11-22-17

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7-31-17
B	FINAL DRAFT MIT PLAN	8-28-17
C	FINAL MIT PLAN	11-22-17



ENGINEERING SERVICES BY  
 EDWARDS-JOHNSON MITIGATION PROJECT  
 FIRM LICENSE NO. P-1480

DRAWING INFORMATION	
PROJECT NO.:	97080
FILENAME:	1047 EDWARDS-JOHNSON DETAIL SHEETING
DESIGNED BY:	KAV/MSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	N.T.S.
VERT. SCALE:	N.T.S.




PROJECT NAME	
EDWARDS-JOHNSON MITIGATION PROJECT	
JOHNSTON COUNTY, NC	

SHEET NAME	
DETAILS	

SHEET NUMBER	
7	




- NOTES:
- EXCAVATE A HOLE IN THE RESTORED STREAM BANK THAT WILL ACCOMMODATE THE SIZE OF TRANSPANT TO BE PLANTED. BEGIN EXCAVATION AT TOE OF THE STREAM BANK.
  - THE ROOT MASS OF TRANSPANT ROOT MASS AND AS MUCH AS THE ROOT MASS AS POSSIBLE. THE ENTIRE ROOT MASS CAN NOT BE EXCAVATED AT ONCE. THE TRANSPANT IS TOO LARGE AND ANOTHER SHOULD BE SELECTED.
  - PLANT TRANSPANT IN THE RESTORED STREAM BANK SO THAT VEGETATION IS ORIENTED VERTICALLY.
  - FILL IN ANY HOLES OR VOIDS AROUND THE TRANSPANT AND COMPACT.
  - ANY LOOSE SOIL LEFT IN THE STREAM SHOULD BE REMOVED.
  - WHEN POSSIBLE, PLACE MULTIPLE TRANSPANTS CLOSE TOGETHER SUCH THAT THEIR ROOT MASSES CONTACT.




- NOTES:
- LOGS SHOULD BE AT LEAST 18" IN DIAMETER, RELATIVELY STRAIGHT, HARDWOOD, AND RECENTLY HARVESTED.
  - LOGS SHOULD BE BURIED INTO THE STREAM BED AND BANKS AT LEAST 5 FEET.
  - SOIL SHOULD BE COMPACTED WELL AROUND BURIED PORTIONS OF LOGS.
  - INSTALL GEOTEXTILE FABRIC BEGINNING AT THE TOP OF THE HEADER LOG AND EXTEND DOWNWARD TO THE DEPTH OF THE BOTTOM FOOTER LOG AND THEN UPSTREAM TO A MINIMUM OF FIVE FEET. GEOTEXTILE FABRIC SHOULD BE NAILED TO THE LOG BELOW THE BACKFILL.
  - EXCAVATE A TRENCH BELOW THE BED FOR FOOTER LOG AND PLACE FILL ON UPSTREAM SIDE OF VANE ARM, BETWEEN THE ARM AND STREAMBANK.
  - START AT BANK AND PLACE FOOTER BOULDERS FIRST AND THEN HEADER BOULDERS.
  - CONTINUE WITH STRUCTURE, FOLLOWING ANGLE AND SLOPE SPECIFICATIONS.
  - AN OPTIONAL COVER LOG CAN BE PLACED IN SCOUR POOL FOR HABITAT IMPROVEMENT.
  - USE HAND PLACED STONE TO FILL GAPS ON UPSTREAM SIDE OF HEADER AND FOOTER BOULDERS.
  - AFTER ALL STONE BACKFILL HAS BEEN PLACED, FILL IN THE UPSTREAM SIDE OF THE STRUCTURE WITH ON-SITE ALLUVIUM TO THE ELEVATION OF THE TOP OF THE HEADER BOULDER AND LOG.
  - VEGETATION TRANSPANTS CAN BE USED INSTEAD OF ROOTWADS, PER DIRECTION OF ENGINEER.

**GRADE CONTROL LOG J-HOOK VANE**  
 NOT TO SCALE



**VEGETATION TRANSPANTS**  
 NOT TO SCALE



- NOTES:
- LOGS SHOULD BE AT LEAST 12 INCHES IN DIAMETER, RELATIVELY STRAIGHT HARDWOOD AND RECENTLY HARVESTED.
  - LOGS >24 INCHES IN DIAMETER MAY BE USED ALONE WITHOUT AN ADDITIONAL LOG FILTER FABRIC SHOULD STILL BE USED TO SEAL AROUND LOG. LOGS SHOULD EXTEND INTO THE BANKS 5" ON EACH SIDE.
  - SOIL SHALL BE WELL COMPACTED AROUND BURIED PORTION OF FOOTER LOGS WITH BUCKET OF TRACK HOE.
  - INSTALL NON-WOVEN GEOTEXTILE FABRIC UNDERNEATH LOGS.
  - UNDERCUT POOL BED ELEVATION 8 INCHES TO ALLOW FOR LAYER OF STONE. INSTALL STONE BACKFILL OR SUITABLE ALLUVIUM ALONG SIDE SLOPES.
  - INSTALL EROSION CONTROL MATTING ALONG COMPLETED BANKS SUCH THAT THE EROSION CONTROL MATTING AT THE TOE OF THE BANK EXTENDS DOWN TO THE UNDERCUT ELEVATION.
  - THE BACKFILL OR SUITABLE SOIL MATERIAL ALONG SIDE SLOPES.
  - FINAL CHANNEL BED SHAPE SHOULD BE ROUNDED, COMPACTED, AND CONCAVE, WITH THE ELEVATION OF THE BED APPROXIMATELY 0.5 FT DEEPER IN THE CENTER THAN AT THE EDGES.
  - AVERAGE POOL TO POOL SPACING SHALL BE SHOWN ON THE PROFILE OR SPECIFIED BY ENGINEER BASED ON EXISTING CONDITIONS SUCH AS SLOPE AND SUITABLE FILL MATERIAL. RIFLE STEP POOLS OR CASCADE POOLS MAY BE SUBSTITUTED IN AREAS WHERE EXISTING SLOPES EXCEED 10% AS DETERMINED BY THE ENGINEER.

**TYPICAL LARGE MATTING STAKE**

LENGTH	WIDTH	THICKNESS
24.00 IN (60.96 CM) (TAPERED TO POINT)	1.5 IN (3.81 CM)	0.60 IN (1.52 CM)

**TYPICAL SMALL MATTING STAKE**

LEG LENGTH	HEAD WIDTH	HEAD THICKNESS	LEG THICKNESS	LEG THICKNESS	TOTAL LENGTH
11.00 IN (27.94 CM)	1.25 IN (3.18 CM)	0.60 IN (1.52 CM)	0.60 IN (1.52 CM)	0.60 IN (1.52 CM)	12.00 IN (30.48 CM)

- NOTES:
- RESTORED STREAM BANKS MUST BE SEEDED AND MULCHED PRIOR TO PLACEMENT OF EROSION CONTROL MATTING.
  - SEE TECHNICAL SPECIFICATIONS FOR MATTING STAKE SPACING REQUIREMENTS.
  - PLACE LARGE STAKES ALONG ALL MATTING SEAMS, IN THE CENTER OF STREAM BANK, AND TOE OF SLOPE.

**EROSION CONTROL MATTING**  
 NOT TO SCALE



**LOG STEP POOL**  
 NOT TO SCALE

PRELIMINARY PLANS - NOT FOR CONSTRUCTION





WATER & LAND SOLUTIONS  
 11030 Raven Ridge Rd., Suite 1119  
 Raleigh, NC 27614  
 (919)614-5111  
 waterandsolutions.com

PROJECT ENGINEER



ENGINEERING SERVICES BY  
 WLS ENGINEERING PLLC  
 FIRM LICENSE NO. P-1460

REVISIONS		NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17		
B	FINAL DRAFT MIT PLAN	8/28/17		
C	FINAL MIT PLAN	11/22/17		

PROJECT NAME

**EDWARDS-  
JOHNSON  
MITIGATION  
PROJECT**

JOHNSTON COUNTY, NC

DRAWING INFORMATION

PROJECT NO. :	97080
FILENAME :	08-13_EDWARDS_JOHNSON_PP_SHEETS.DWG
DESIGNED BY :	KM/W/MSH
DRAWN BY :	APL
DATE :	11-22-17
HORIZ. SCALE :	1" = 60'
VERT. SCALE :	1" = 6'



GRAPHIC SCALE



SHEET NAME

**R1&R2**

**PLAN AND  
PROFILE**

SHEET NUMBER

**8**



PRELIMINARY PLANS - NOT FOR CONSTRUCTION



PROJECT ENGINEER  
**SCOTT HUNT**  
 PROFESSIONAL ENGINEER  
 NO. 22967  
 NORTH CAROLINA

ENGINEERING SERVICES BY  
 W&L SOLUTIONS  
 FIRM LICENSE NO. P-1460

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17
B	FINAL DRAFT MIT PLAN	8/28/17
C	FINAL MIT PLAN	11/22/17

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC



DRAWING INFORMATION	
PROJECT NO.:	87080
FILENAME:	08-13_EDWARDS JOHNSON_PP_SHEETS.DWG
DESIGNED BY:	KW/MSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 60'
VERT. SCALE:	1" = 6'

GRAPHIC SCALE  
 30 15 0 30 60

SHEET NAME  
**R2**

PLAN AND PROFILE

SHEET NUMBER  
**9**







WATER & LAND SOLUTIONS  
11030 Raven Ridge Rd., Suite 119  
Raleigh, NC 27614  
(919)614-5111  
waterandsolutions.com

PROJECT ENGINEER



ENGINEERING SERVICES BY  
WLS ENGINEERING, PLLC  
FIRM LICENSE NO. P-1460

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17
B	FINAL DRAFT MIT PLAN	8/28/17
C	FINAL MIT PLAN	11/22/17

PROJECT NAME

EDWARDS-  
JOHNSON  
MITIGATION  
PROJECT

JOHNSTON COUNTY, NC

DRAWING INFORMATION

PROJECT NO.:	97080
FILENAME:	08-1-EDWARDS_JOHNSON_PP_SHEETS.DWG
DESIGNED BY:	KAW/MSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 60'
VERT. SCALE:	1" = 6'



GRAPHIC SCALE



SHEET NAME

R2&R3

PLAN AND  
PROFILE

SHEET NUMBER

10




PRELIMINARY PLANS - NOT FOR CONSTRUCTION





11030 Raven Ridge Rd., Suite 119  
Raleigh, NC 27614  
(919)614-5111  
waterandsolutions.com



PROJECT ENGINEER  
WILLIAM SCOTT HMT  
NORTH CAROLINA PROFESSIONAL ENGINEER  
22967


ENGINEERING SERVICES BY  
WLS ENGINEERING, PLLC  
FIRM LICENSE NO. P-1480

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17
B	FINAL DRAFT MIT PLAN	8/28/17
C	FINAL MIT PLAN	11/22/17

PROJECT NAME  
**EDWARDS-  
JOHNSON  
MITIGATION  
PROJECT**  
JOHNSTON COUNTY, NC



DRAWING INFORMATION

PROJECT NO.:	97080
FILENAME:	08-13_EDWARDS JOHNSON_PP_SHEETS.DWG
DESIGNED BY:	KIM WISH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 60'
VERT. SCALE:	1" = 6'



SHEET NAME  
**R3**  
**PLAN AND  
PROFILE**

SHEET NUMBER  
**11**



PRELIMINARY PLANS - NOT FOR CONSTRUCTION




PROJECT ENGINEER  
**TIM SCOTT**  
 PROFESSIONAL SEAL  
 22967  
 11-22-17  
 ENGINEER  
 NORTH CAROLINA  
 PROJECT NAME  
**EDWARDS-JOHNSON MITIGATION PROJECT**

ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17
B	FINAL DRAFT MIT PLAN	8/28/17
C	FINAL MIT PLAN	11/22/17



**EDWARDS-JOHNSON MITIGATION PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO.:	97080
FILENAME:	08-13 EDWARDS JOHNSON_PP_SHEETS.DWG
DESIGNED BY:	KAWWASH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 60'
VERT. SCALE:	1" = 6'




SHEET NAME  
**R4**  
**PLAN AND PROFILE**

SHEET NUMBER  
**12**



PRELIMINARY PLANS - NOT FOR CONSTRUCTION






ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480

NO.	DESCRIPTION	DATE
A	DRAFT MIT PLAN	7/31/17
B	FINAL DRAFT MIT PLAN	8/28/17
C	FINAL MIT PLAN	11/22/17

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC




DRAWING INFORMATION

PROJECT NO.:	97080
FILENAME:	08-13_EDWARDS JOHNSON_PP_SHEETS.DWG
DESIGNED BY:	KM/WMSH
DRAWN BY:	APL
DATE:	11-22-17
HORIZ. SCALE:	1" = 60'
VERT. SCALE:	1" = 6'




SHEET NAME  
**R3&R4**  
**PLAN AND  
 PROFILE**

SHEET NUMBER  
**13**



PRELIMINARY PLANS - NOT FOR CONSTRUCTION






ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480

REVISIONS	
A	DRAFT MIT PLAN 7-31-17
B	FINAL DRAFT MIT PLAN 8-28-17
C	FINAL MIT PLAN 11-22-17

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION

PROJECT NO.:	97080
FILENAME:	K18_EDWARDS_JOHNSON_REVEGETATION_PLANS.DWG
DESIGNED BY:	KM/VWSH
DRAWN BY:	APL
DATE:	8-28-17
HORIZ. SCALE:	1" = 80'
VERT. SCALE:	N/A



SHEET NAME  
**REVEGETATION  
 PLAN**

**PLANTING ZONES**

- RIPARIAN BUFFER RESTORATION (BUFFER GROUP 1)
- RIPARIAN BUFFER ENHANCEMENT (BUFFER GROUP 2)
- RIPARIAN BUFFER PRESERVATION (BUFFER GROUP 3)

**PLANTING SCHEDULE**

Botanical Name	Common Name	% Proposed for Planting by Species	Wetland Tolerance
<b>Riparian Buffer Bare Root Plantings - Overstory</b>			
<b>(Proposed 8' x 8' Planting Spacing @ 680 Stems/Acre)</b>			
<i>Fraxinus pennsylvanica</i>	Green Ash	7%	FACW
<i>Betula nigra</i>	River Birch	6%	FACW
<i>Quercus michauxii</i>	Swamp Chestnut Oak	7%	FACW
<i>Quercus pagoda</i>	Cherrybark Oak	7%	FACW
<i>Platanus occidentalis</i>	American Sycamore	7%	FACW
<i>Acer rubrum</i>	Red Maple	5%	FAC
<i>Liriodendron tulipifera</i>	Tulip-poplar	7%	FACU
<i>Quercus nigra</i>	Water Oak	7%	FAC
<i>Quercus phellos</i>	Willow Oak	5%	FACW
<b>Riparian Buffer Bare Root Plantings - Understory</b>			
<b>(Proposed 8' x 8' Planting Spacing @ 680 Stems/Acre)</b>			
<i>Diospyros virginiana</i>	Persimmon	6%	FAC
<i>Carpinus caroliniana</i>	Ironwood	6%	FAC
<i>Hammamelis virginiana</i>	Witch-hazel	6%	FACU
<i>Asimina triloba</i>	Paw Paw	6%	FAC
<i>Lindera benzoin</i>	Spicebush	6%	FACW
<i>Alnus serrulata</i>	Tag Alder	6%	OBL
<i>Corylus americana</i>	Hazelnut	6%	FACU
<b>Riparian Buffer Live Stake Plantings - Streambanks</b>			
<b>(Proposed 2'-3' Spacing @ Meander Bends and 6'-8' Spacing @ Rifle Sections)</b>			
<i>Sambucus canadensis</i>	Elderberry	20%	FACW
<i>Salix serotina</i>	Silky Willow	30%	OBL
<i>Salix nigra</i>	Black Willow	10%	OBL
<i>Cornus amomum</i>	Silky Dogwood	40%	FACW

**PERMANENT SEEDING SCHEDULE**

Botanical Name	Common Name	% Proposed for Planting by Species	Seeding Rate (lbs/acre)	Wetland Tolerance
<b>Permanent Herbaceous Seed Mixture - Streambank, Floodplain, Wetlands and Riparian Buffer Areas</b>				
<b>(Proposed Seed Rate @ 15 lbs/acre)</b>				
<i>Andropogon gerardii</i>	Big blue stem	10%	1,500	FAC
<i>Dichanthium clandestinum</i>	Deer Tongue	15%	1,500	FACW
<i>Carex crinita</i>	Fringed sedge	10%	2,250	FACW+
<i>Chasmanthium latifolium</i>	River oats	5%	1,500	FACU
<i>Elymus virginicus</i>	Virginia wild rye	15%	1,500	FAC
<i>Juncus effusus</i>	Soft rush	5%	2,250	FACW+
<i>Panicum virgatum</i>	Switchgrass	10%	1,500	FAC+
<i>Eurochium fistulosum</i>	Joe-pye-weed	5%	0,750	FACW
<i>Schizachyrium scoparium</i>	Little blue stem	10%	0,750	FACU
<i>Tripsacum dactyloides</i>	Eastern gamagrass	5%	0,750	FAC+
<i>Sorghastrum nutans</i>	Indiangrass	10%	0,750	FACU

**TEMPORARY SEEDING SCHEDULE**

Planting Dates	Botanical Name	Common Name	Application Rate (lbs/acre)
September to March	<i>Secale cereale</i>	Rye Grain (Cool Season)	130
April to August	<i>Urochloa ramosa</i>	Browntop Millet (Warm Season)	40

**PLANTING NOTES**

- THE FOLLOWING TABLES LIST THE PROPOSED VEGETATION SPECIES SELECTION FOR THE PROJECT REVEGETATION. THE TOTAL PLANTING AREA IS APPROXIMATELY 2.6 ACRES AND WILL VARY BASED ON SITE CONDITIONS DURING CONSTRUCTION.
- FINAL VEGETATION SPECIES SELECTION MAY CHANGE DUE TO REFINEMENT OR SPECIES AVAILABILITY AT THE TIME OF PLANTING. SPECIES SUBSTITUTIONS WILL BE COORDINATED BETWEEN ENGINEER AND PLANTING CONTRACTOR PRIOR TO THE PROCUREMENT OF PLANT/SEED STOCK.
- IN GENERAL, WOODY SPECIES SHALL BE PLANTED AT A DENSITY OF 680 STEMS PER ACRE AND A MINIMUM OF 50 FEET FROM THE TOP OF RESTORED STREAMBANKS TO THE REVEGETATION LIMITS. EXACT PLACEMENT OF THE SPECIES WILL BE DETERMINED BY THE CONTRACTOR'S VEGETATION SPECIALIST PRIOR TO SITE PLANTING AND BASED ON THE WETNESS CONDITIONS OF PLANTING LOCATIONS.
- SUPPLEMENTAL PLANTING ACTIVITIES SHALL BE PERFORMED WITHIN THE EXISTING BUFFER ENHANCEMENT AREA (BUFFER GROUP 2) USING SPECIES DESCRIBED IN RIPARIAN BUFFER PLANT MIXTURE.
- ANY INVASIVE SPECIES VEGETATION, SUCH AS CHINESE PRIVET (*LIGUSTRUM SINENSE*), MULTIFLORA ROSE (*ROSA MULTIFLORA*), AND MICROSTEGIUM (*MICROSTEGIUM VIMINEUM*), WILL BE INITIALLY TREATED AS DESCRIBED IN THE CONSTRUCTION SPECIFICATIONS PRIOR TO PLANTING ACTIVITIES TO ALLOW NATIVE PLANTS TO BECOME ESTABLISHED WITHIN THE CONSERVATION EASEMENT.
- LARGER NATIVE TREE SPECIES TO BE PRESERVED WILL BE FLAGGED BY THE ENGINEER PRIOR TO CONSTRUCTION ACTIVITIES. ANY TREES HARVESTED FOR WOODY MATERIAL WILL BE UTILIZED TO PROVIDE BED AND BANK STABILIZATION, COVER AND/OR NESTING HABITAT.
- ALL DISTURBED AREAS WILL BE STABILIZED USING MULCHING AND SEEDING AS DEFINED IN THE CONSTRUCTION SPECIFICATIONS AND THE APPROVED SEDIMENTATION AND EROSION CONTROL PLANS.



BEGIN CONSTRUCTION R1  
 STATION 10+00.00

END CONSTRUCTION R1  
 BEGIN CONSTRUCTION R2  
 STATION 16+11.34

MATCHLINE - SEE SHEET 15



**PLANTING ZONES**

-  RIPARIAN BUFFER RESTORATION (BUFFER GROUP 1)
-  RIPARIAN BUFFER ENHANCEMENT (BUFFER GROUP 2)
-  RIPARIAN BUFFER PRESERVATION (BUFFER GROUP 3)



**WATER & LAND SOLUTIONS**  
 11030 Raven Ridge Rd., Suite 119  
 Raleigh, NC 27614  
 (919)614-5111  
 waterlandsolutions.com

PROJECT ENGINEER  
**SCOTT HUNT**  
 NORTH CAROLINA PROFESSIONAL ENGINEER  
 SEAL 22967



ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480

REVISIONS	
A	DRAFT MIT PLAN 7-31-17
B	FINAL DRAFT MIT PLAN 8-28-17
C	FINAL MIT PLAN 11-22-17

NO.	DESCRIPTION	DATE

PROJECT NAME  
**EDWARDS-  
 JOHNSON  
 MITIGATION  
 PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION	
PROJECT NO. :	97080
FILENAME :	1418_EDWARDS JOHNSON REVEGETATION PLANS.DWG
DESIGNED BY :	KMW/MSH
DRAWN BY :	APL
DATE :	8-28-17
HORIZ. SCALE :	1" = 80'
VERT. SCALE :	N/A

  
 NORTH  
  
 GRAPHIC SCALE




SHEET NAME  
**REVEGETATION  
 PLAN**

SHEET NUMBER  
**15**

PRELIMINARY PLANS - NOT FOR CONSTRUCTION



**PLANTING ZONES**

-  RIPARIAN BUFFER RESTORATION (BUFFER GROUP 1)
-  RIPARIAN BUFFER ENHANCEMENT (BUFFER GROUP 2)
-  RIPARIAN BUFFER PRESERVATION (BUFFER GROUP 3)



**WATER & LAND SOLUTIONS**  
 11030 Raven Ridge Rd., Suite 119  
 Raleigh, NC 27614  
 (919)614-5111  
 waterandsolutions.com

PROJECT ENGINEER  
**WILLIAM SCOTT HMT**  
 NORTH CAROLINA PROFESSIONAL ENGINEER  
 SEAL 22967


ENGINEERING SERVICES BY  
 WLS ENGINEERING, PLLC  
 FIRM LICENSE NO. P-1480

REVISIONS	
A	DRAFT MIT PLAN 7-31-17
B	FINAL DRAFT MIT PLAN 8-28-17
C	FINAL MIT PLAN 11-22-17
NO.	DESCRIPTION
NO.	DATE

PROJECT NAME  
**EDWARDS-JOHNSON MITIGATION PROJECT**  
 JOHNSTON COUNTY, NC

DRAWING INFORMATION

PROJECT NO. :	97080
FILENAME :	H:\8_EDWARDS JOHNSON_REVEGETATION_PLANS.DWG
DESIGNED BY :	KM/WMSH
DRAWN BY :	APL
DATE :	8-28-17
HORIZ. SCALE :	1" = 80'
VERT. SCALE :	N/A

 NORTH

GRAPHIC SCALE  
 0 20 40 80

SHEET NAME  
**REVEGETATION PLAN**

SHEET NUMBER  
**16**





## **Appendix 2 – Site Data/Analysis/Supplementary Information**

---

Habitat Assessment Scores and Taxa List

NRCS Stream Visual Assessment Protocol 2 (SVAP2) Reach Summary

Existing Cross-Section and Longitudinal Profile Data

Particle Size Distribution (Bulk Sediment Samples)

NCDA&CS Soil Sample Results

BANCS (BEHI/NBS) Method and Storm Sediment Deposition Estimates

Watershed Information and Site Runoff Volume

NC Rural Piedmont Regional Curve Comparison

USGS Regression Flow Analysis

Quantification Tool Reach Summary

Design Criteria and Stream Morphology Parameters Table

HEC-RAS Output and Design Channel Report

Site Photographs

Site: Edwards-Johnson Mitigation Project

Date: October 1, 2016

Evaluator: L. Eaton, A. Abernethy

<b>Metric</b>	<b>unit/out of</b>	<b>Edwards-Johnson</b>
Wetted width	(m)	0.6
TOB Channel width	(m)	1.5
Ave Depth	(m)	0.1
Max Depth	(m)	0.2
Bank Height	(m)	1.3
Boulder	100%	0
Rubble	100%	0
Gravel	100%	20
Sand	100%	80
Silt	100%	0
<b>Notes</b>		<b>Algae!</b>
Channel Modification	5	4
Instream Habitat	20	10
Bottom Substrate	15	4
Pool Variety	10	4
Riffle Habitats	16	3
Erosion	7	4
Bank Vegetation	7	5
Light Penetration	10	10
Riparian Zone Width	10	10
<b>Total Score</b>	<b>100</b>	<b>54</b>

Site: Edwards-Johnson Mitigation Project

Date: October 1, 2016

Evaluator: L. Eaton, A. Abernethy

<b>Taxon</b>	<b>Tolerance Value (TV)</b>	<b>Species Abundance*</b>
Trichoptera		
<i>Cheumatopsyche</i>	6.6	A
Diptera: Chironomidae		
<i>Goeldichironomus</i>		R
<i>Polypedilum fallax</i>	6.5	R
<i>Polypedilum flavum</i>	5.7	R
Diptera: Misc		
<i>Tipula</i>	7.5	C
Coleoptera		
<i>Cymbiodyta chaberlaini</i>		R
<i>Helichus fastigiatus</i>	4.1	R
Odonata		
<i>Calopteryx</i>	7.5	C
Oligochaeta		
Megadrile		R
Lumbriculidae	7	C
<i>Nais</i>	8.7	R
Crustacea		
Cambaridae	7.5	C
Mollusca		
<i>Physa</i>	8.7	A
<b>Total Taxa</b>	<b>13</b>	
<b>EPT Taxa Richness</b>	<b>1</b>	
<b>Biotic Index</b>	<b>7.4</b>	
<b>Bioclass Rating</b>	<b>Poor</b>	

\*R=Rare, C=Common, A=Abundant



## Stream Visual Assessment Protocol 2 Summary Sheet

### 1A. Preliminary Assessment

Project Name	Edwards-Johnson Mitigation Project
Evaluator(s)	J. Morgan, K. VanStell
Tributary Name	UT to Buffalo Creek
8 digit HUC / River Basin	03020201, Upper Neuse

#### A. Watershed Description

Level IV Ecoregion (USEPA)	Northern Outer Piedmont (45f)
Drainage Area (ac)	230
Land Use (%)	49% Pasture/crops, 30% deciduous/evergreen/mixed
Agronomic Practices in Uplands	Agriculture
Animal Feeding Operations	N/A
Length of Stream (LF)	3,186
Stream Hydrology	Perennial / Intermittent

#### B. Stream/Reach Description

Discharge (cfs)	42.67
Applicable Reference Reach	R1

### 2A. Field Assessment

Assessment Date	10/20/2016
Location / USGS Quad Map	Wendell, NC
Riparian Cover (%)	50% tree/ 50% herb
Bank Profile	Mod Cohesive Soil
Gradient (ft/ft)	Low 0-2%
Bankfull Channel Width (ft)	~7'
Ave Riparian Zone Width (ft)	>100'
Floodplain Wetlands (ac)	~2.9
Dominant Substrate (%)	med sand/fine gravel

#### Notes:

Q was estimated from NC rural piedmont regional curve

## Stream Visual Assessment Protocol 2 Summary Sheet

### 2B. Field Assessment

Element	Reach Scores				
	R1	R2	R3 (upper)	R3 (lower)	R4
1. Channel Condition	9	2	3	9	3
2. Hydrologic Alteration	8	8	8	8	4
3. Bank Condition	9	2	2	8	3
4. Riparian Area Quantity	9	9	9	9	9
5. Riparian Area Quality	8	8	8	8	8
6. Canopy Cover	8	8	8	8	8
7. Water Appearance	8	8	8	8	8
8. Nutrient Enrichment	8	8	8	8	8
9. Manure or Human Waste	9	9	9	9	9
10. Pools	8	4	3	8	2
11. Barriers to Movement	7	7	7	7	7
12. Fish Habitat Complexity	6	4	4	8	2
13. Aquatic Invertebrate Habitat	6	4	4	6	2
14. Aquatic Invertebrate Community	N/A	2	N/A	N/A	N/A
15. Riffle Embeddedness	N/A	N/A	N/A	N/A	N/A
16. Salinity	N/A	N/A	N/A	N/A	N/A
A. Sum of All Elements Scored	103	83	81	104	73
B. Number of Elements Scored	13	14	13	13	13
<b>Overall Score (A/B)</b>	7.9	5.9	6.2	8.0	5.6
<b>Overall Classification</b>	Good	Fair	Fair	Good	Fair

## Stream Visual Assessment Protocol 2 Summary Sheet

### 2. Field Assessment

#### B. Element Scores

Reach Name: R1

Photos

Reach Boundary: Outlet of culvert from Wendell Rd to beginning of R2

Element	Score
1. Channel Condition	9
2. Hydrologic Alteration	8
3. Bank Condition	9
4. Riparian Area Quantity	9
5. Riparian Area Quality	8
6. Canopy Cover	8
7. Water Appearance	8
8. Nutrient Enrichment	8
9. Manure or Human Waste	9
10. Pools	8
11. Barriers to Movement	7
12. Fish Habitat Complexity	6
13. Aquatic Invertebrate Habitat	6
14. Aquatic Invertebrate Community	N/A
15. Riffle Embeddedness	N/A
16. Salinity	N/A

\* Enter N/A if Element doesn't apply

A. Sum of All Elements Scored	103
B. Number of Elements Scored	13
<b>Overall Score (A/B)</b>	7.9
<b>Overall Classification</b>	Good

1-2.9 = Severely Degraded
3-4.9 = Poor
5-6.9 = Fair
7-8.9 = Good
9-10 = Excellent

**Suspected Causes of SVAP Scores less than 5 (does not meet quality criteria for stream species)**

**Recommendations for Further Assessment or Actions**  
preservation

**Riparian Wildlife Habitat Recommendations**



## Stream Visual Assessment Protocol 2 Summary Sheet

### 2. Field Assessment

#### B. Element Scores

**Reach Name: R2**

**Photos**

**Reach Boundary: End of R1 to confluence with R4 and R3**

Element	Score
1. Channel Condition	2
2. Hydrologic Alteration	8
3. Bank Condition	2
4. Riparian Area Quantity	9
5. Riparian Area Quality	8
6. Canopy Cover	8
7. Water Appearance	8
8. Nutrient Enrichment	8
9. Manure or Human Waste	9
10. Pools	4
11. Barriers to Movement	7
12. Fish Habitat Complexity	4
13. Aquatic Invertebrate Habitat	4
14. Aquatic Invertebrate Community	2
15. Riffle Embeddedness	N/A
16. Salinity	N/A

\* Enter N/A if Element doesn't apply

A. Sum of All Elements Scored	83
B. Number of Elements Scored	14
<b>Overall Score (A/B)</b>	5.9
<b>Overall Classification</b>	Fair

1-2.9 = Severely Degraded
3-4.9 = Poor
5-6.9 = Fair
7-8.9 = Good
9-10 = Excellent

**Suspected Causes of SVAP Scores less than 5 (does not meet quality criteria for stream species)**

#### Recommendations for Further Assessment or Actions

restoration

#### Riparian Wildlife Habitat Recommendations

## Stream Visual Assessment Protocol 2 Summary Sheet

### 2. Field Assessment

#### B. Element Scores

**Reach Name: R3 (upper)**

**Photos**

**Reach Boundary: From confluence of R2/R4 to ~630' downstream**

Element	Score
1. Channel Condition	3
2. Hydrologic Alteration	8
3. Bank Condition	2
4. Riparian Area Quantity	9
5. Riparian Area Quality	8
6. Canopy Cover	8
7. Water Appearance	8
8. Nutrient Enrichment	8
9. Manure or Human Waste	9
10. Pools	3
11. Barriers to Movement	7
12. Fish Habitat Complexity	4
13. Aquatic Invertebrate Habitat	4
14. Aquatic Invertebrate Community	N/A
15. Riffle Embeddedness	N/A
16. Salinity	N/A

\* Enter N/A if Element doesn't apply

A. Sum of All Elements Scored	81
B. Number of Elements Scored	13
<b>Overall Score (A/B)</b>	6.2
<b>Overall Classification</b>	Fair

1-2.9 = Severely Degraded
3-4.9 = Poor
5-6.9 = Fair
7-8.9 = Good
9-10 = Excellent

**Suspected Causes of SVAP Scores less than 5 (does not meet quality criteria for stream species)**

#### Recommendations for Further Assessment or Actions

restoration

#### Riparian Wildlife Habitat Recommendations

## Stream Visual Assessment Protocol 2 Summary Sheet

### 2. Field Assessment

#### B. Element Scores

**Reach Name: R3 (lower)**

**Photos**

**Reach Boundary: End of R3 (upper) to ~240' to end of project**

Element	Score
1. Channel Condition	9
2. Hydrologic Alteration	8
3. Bank Condition	8
4. Riparian Area Quantity	9
5. Riparian Area Quality	8
6. Canopy Cover	8
7. Water Appearance	8
8. Nutrient Enrichment	8
9. Manure or Human Waste	9
10. Pools	8
11. Barriers to Movement	7
12. Fish Habitat Complexity	8
13. Aquatic Invertebrate Habitat	6
14. Aquatic Invertebrate Community	N/A
15. Riffle Embeddedness	N/A
16. Salinity	N/A

\* Enter N/A if Element doesn't apply

A. Sum of All Elements Scored	104
B. Number of Elements Scored	13

<b>Overall Score (A/B)</b>	8.0
<b>Overall Classification</b>	Good

1-2.9 = Severely Degraded
3-4.9 = Poor
5-6.9 = Fair
7-8.9 = Good
9-10 = Excellent

**Suspected Causes of SVAP Scores less than 5 (does not meet quality criteria for stream species)**

**Recommendations for Further Assessment or Actions**  
preservation

**Riparian Wildlife Habitat Recommendations**



## Stream Visual Assessment Protocol 2 Summary Sheet

### 2. Field Assessment

#### B. Element Scores

**Reach Name: R4**

**Photos**

**Reach Boundary: Outlet of culvert under Wendell Rd to confluence with R2/R3**

Element	Score
1. Channel Condition	3
2. Hydrologic Alteration	4
3. Bank Condition	3
4. Riparian Area Quantity	9
5. Riparian Area Quality	8
6. Canopy Cover	8
7. Water Appearance	8
8. Nutrient Enrichment	8
9. Manure or Human Waste	9
10. Pools	2
11. Barriers to Movement	7
12. Fish Habitat Complexity	2
13. Aquatic Invertebrate Habitat	2
14. Aquatic Invertebrate Community	N/A
15. Riffle Embeddedness	N/A
16. Salinity	N/A

\* Enter N/A if Element doesn't apply

A. Sum of All Elements Scored	73
B. Number of Elements Scored	13
<b>Overall Score (A/B)</b>	5.6
<b>Overall Classification</b>	Fair

1-2.9 = Severely Degraded
3-4.9 = Poor
5-6.9 = Fair
7-8.9 = Good
9-10 = Excellent

**Suspected Causes of SVAP Scores less than 5 (does not meet quality criteria for stream species)**


#### Recommendations for Further Assessment or Actions

restoration

#### Riparian Wildlife Habitat Recommendations

**Cross Section X1**

1 + 50 Edwards-Johnson Mitigation Project, riffle



Bankfull Dimensions

4.1	x-section area (ft.sq.)
5.5	width (ft)
0.7	mean depth (ft)
1.3	max depth (ft)
6.2	wetted parimeter (ft)
0.7	hyd radi (ft)
7.5	width-depth ratio

Flood Dimensions

66.0	W flood prone area (ft)
12.0	entrenchment ratio
1.3	low bank height (ft)
1.0	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
36	threshold grain size (mm):

Bankfull Flow

4.3	velocity (ft/s)
17.6	discharge rate (cfs)
0.94	Froude number

Flow Resistance


0.035	Manning's roughness
0.16	D'Arcy-Weisbach fric.
13.3	resistance factor u/u*
59.2	relative roughness

Forces & Power

1.8	channel slope (%)
0.74	shear stress (lb/sq.ft.)
0.62	shear velocity (ft/s)
3.6	unit strm power (lb/ft/s)

## Cross Section X2

10 + 55 Edwards-Johnson Mitigation Project, riffle

Bankfull Dimensions

6.8	x-section area (ft.sq.)
7.0	width (ft)
1.0	mean depth (ft)
1.4	max depth (ft)
7.6	wetted parimeter (ft)
0.9	hyd radi (ft)
7.2	width-depth ratio

Flood Dimensions

11.5	W flood prone area (ft)
1.6	entrenchment ratio
4.5	low bank height (ft)
3.2	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
41	threshold grain size (mm):

Bankfull Flow

4.8	velocity (ft/s)
32.7	discharge rate (cfs)
0.90	Froude number

Flow Resistance

0.035	Manning's roughness
0.15	D'Arcy-Weisbach fric.
13.9	resistance factor $u/u^*$
77.7	relative roughness


Forces & Power

1.5	channel slope (%)
0.83	shear stress (lb/sq.ft.)
0.66	shear velocity (ft/s)
4.4	unit strm power (lb/ft/s)



**Cross Section X3**

21 + 40 Edwards-Johnson Mitigation Project, riffle



Bankfull Dimensions

10.1	x-section area (ft.sq.)
6.5	width (ft)
1.6	mean depth (ft)
2.0	max depth (ft)
7.0	wetted parimeter (ft)
1.5	hyd radi (ft)
4.2	width-depth ratio

Flood Dimensions

100.0	W flood prone area (ft)
15.4	entrenchment ratio
3.6	low bank height (ft)
1.8	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
36	threshold grain size (mm):

Bankfull Flow

4.9	velocity (ft/s)
49.4	discharge rate (cfs)
0.71	Froude number

Flow Resistance


0.035	Manning's roughness
0.13	D'Arcy-Weisbach fric.
15.0	resistance factor u/u*
124.9	relative roughness

Forces & Power

0.8	channel slope (%)
0.72	shear stress (lb/sq.ft.)
0.61	shear velocity (ft/s)
3.8	unit strm power (lb/ft/s)

**Cross Section X4**

27 + 0 Edwards-Johnson Mitigation Project, riffle

Bankfull Dimensions

10.4	x-section area (ft.sq.)
9.1	width (ft)
1.1	mean depth (ft)
2.0	max depth (ft)
10.2	wetted parimeter (ft)
1.0	hyd radi (ft)
8.1	width-depth ratio

Flood Dimensions

100.0	W flood prone area (ft)
11.0	entrenchment ratio
2.1	low bank height (ft)
1.1	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
28	threshold grain size (mm):

Bankfull Flow

4.1	velocity (ft/s)
42.2	discharge rate (cfs)
0.71	Froude number

Flow Resistance


0.035	Manning's roughness
0.14	D'Arcy-Weisbach fric.
14.4	resistance factor $u/u^*$
90.9	relative roughness

Forces & Power

0.9	channel slope (%)
0.57	shear stress (lb/sq.ft.)
0.54	shear velocity (ft/s)
2.6	unit strm power (lb/ft/s)

**Cross Section X5**

26 + 15 Edwards-Johnson Mitigation Project, riffle

Bankfull Dimensions

11.1	x-section area (ft.sq.)
7.9	width (ft)
1.4	mean depth (ft)
2.1	max depth (ft)
9.3	wetted parimeter (ft)
1.2	hyd radi (ft)
5.6	width-depth ratio

Flood Dimensions

60.0	W flood prone area (ft)
7.6	entrenchment ratio
2.1	low bank height (ft)
1.0	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
29	threshold grain size (mm):

Bankfull Flow

4.3	velocity (ft/s)
47.5	discharge rate (cfs)
0.69	Froude number

Flow Resistance

0.035	Manning's roughness
0.13	D'Arcy-Weisbach fric.
14.7	resistance factor $u/u^*$
112.7	relative roughness


Forces & Power

0.8	channel slope (%)
0.59	shear stress (lb/sq.ft.)
0.55	shear velocity (ft/s)
3	unit strm power (lb/ft/s)



**Cross Section X6**

6 + 50 Edwards-Johnson Mitigation Project, riffle

Bankfull Dimensions

4.3	x-section area (ft.sq.)
4.9	width (ft)
0.9	mean depth (ft)
1.1	max depth (ft)
6.0	wetted parimeter (ft)
0.7	hyd radi (ft)
5.6	width-depth ratio

Flood Dimensions

6.1	W flood prone area (ft)
1.2	entrenchment ratio
1.7	low bank height (ft)
1.6	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
39	threshold grain size (mm):

Bankfull Flow

4.6	velocity (ft/s)
19.6	discharge rate (cfs)
0.95	Froude number

Flow Resistance


0.035	Manning's roughness
0.16	D'Arcy-Weisbach fric.
13.3	resistance factor $u/u^*$
70.6	relative roughness

Forces & Power

1.8	channel slope (%)
0.80	shear stress (lb/sq.ft.)
0.64	shear velocity (ft/s)
4.5	unit strm power (lb/ft/s)

**Cross Section X7**

18 + 18 Edwards-Johnson Mitigation Project, riffle

Bankfull Dimensions

3.5	x-section area (ft.sq.)
7.1	width (ft)
0.5	mean depth (ft)
0.8	max depth (ft)
7.3	wetted parimeter (ft)
0.5	hyd radi (ft)
14.4	width-depth ratio

Flood Dimensions

35.1	W flood prone area (ft)
4.9	entrenchment ratio
2.6	low bank height (ft)
3.3	low bank height ratio

Materials

0.66	D50 Riffle (mm)
3.8	D84 Riffle (mm)
38	threshold grain size (mm):

Bankfull Flow


4.9	velocity (ft/s)
17.1	discharge rate (cfs)
1.25	Froude number

Flow Resistance


0.030	Manning's roughness
0.13	D'Arcy-Weisbach fric.
12.4	resistance factor $u/u^*$
39.4	relative roughness

Forces & Power

2.6	channel slope (%)
0.77	shear stress (lb/sq.ft.)
0.63	shear velocity (ft/s)
3.9	unit strm power (lb/ft/s)








### Weighted pebble count by bed features Edwards-Johnson Mitigation Project

80% riffle 20% pool



Size (mm)		Size Distribution		Type	
D16	0.067	mean	0.5	silt/clay	13%
D35	0.11	dispersion	7.5	sand	60%
D50	0.57	skewness	-0.04	gravel	27%
D65	1.4			cobble	0%
D84	3.7			boulder	0%
D95	12				

**NCDA&CS Soil Sample Results**

Date: 6/1/2016

*Optimum pH range for plant growth: 5.8-6.5
*Optimum Phosphorus Index score for plant growth: 50-70
*Optimum Potassium Index score for plant growth: 50-70

**Pre-Construction Conditions**

**Lake Wendell Site**

Date	Sample ID	Type/Location	pH	P-I	K-I	HM%	W/V	CEC	Mn-I	Zn-I	Cu-I	S-I
6/3/2016	lwa1	bank	5.6	29	25	0.86	1.12	3.7	32	77	67	16
6/3/2016	lwb2	bed	5.3	39	18	0.41	1.14	2.5	73	110	18	28
6/3/2016	lwb3	bed	6.1	21	6	0.13	1.44	1.1	22	24	14	15
6/3/2016	lwb4	bed	5.6	30	12	0.36	1.33	2.5	127	63	10	29
6/30/2016	lwf13	floodplain	6.0	21	25	0.81	0.94	10.3	32	92	37	54
6/30/2016	lwf14	floodplain	5.3	101	19	0.97	1.12	5.3	16	111	47	40
6/30/2016	lwf15	floodplain	4.8	15	31	0.81	1.11	4.1	77	70	20	22
6/30/2016	lwf16	floodplain	4.9	128	69	0.76	1.24	5.6	63	134	27	37

**Pen Dell Site**


Date	Sample ID	Type/Location	pH	P-I	K-I	HM%	W/V	CEC	Mn-I	Zn-I	Cu-I	S-I
6/3/2016	pdf5	floodplain	5.4	10	7	0.46	1.48	1.6	17	14	13	13
6/3/2016	pda6	bank	5.0	13	10	2.08	1.24	3.5	40	11	12	15
6/3/2016	pdb7	bed	5.5	14	6	0.41	1.41	1.6	26	20	12	13
6/3/2016	pdb8	bed	6.4	19	8	0.13	1.39	1.3	148	28	11	14
6/30/2016	pdf17	floodplain	5.1	44	36	1.25	1.14	4.8	37	92	54	29
6/30/2016	pdf18	floodplain	5.2	45	35	1.02	1.12	5.0	154	70	24	28
6/30/2016	pdf19	floodplain	5.0	14	27	1.02	1.15	5.4	79	2213	25	26

**Edwards-Johnson Site**

Date	Sample ID	Type/Location	pH	P-I	K-I	HM%	W/V	CEC	Mn-I	Zn-I	Cu-I	S-I
6/3/2016	eja9	bank	5.5	22	35	1.08	0.86	6.6	184	621	30	49
6/3/2016	eja10	bed	5.0	27	27	1.61	1.08	4.3	106	103	25	26
6/3/2016	ejb11	bed	5.8	13	10	0.46	1.36	2.0	95	73	14	17
6/3/2016	ejb12	bed	6.3	8	6	0.04	1.44	1.0	62	26	11	12
6/30/2016	ejf20	floodplain	5.5	17	26	0.76	1.19	5.8	262	214	21	18
6/30/2016	ejf21	floodplain	5.5	11	45	1.02	1.04	5.8	95	106	27	29







## Hurricane Matthew, 6 - 10 October 2016 Annual Exceedance Probabilities (AEPs) for the Worst Case 24-hour Rainfall


Hydrometeorological Design Studies Center  
Office of Water Prediction, National Weather Service  
National Oceanic and Atmospheric Administration

<http://www.nws.noaa.gov/ohd/hdsc/>

Created 18 October 2016

Rainfall frequency estimates are from NOAA Atlas 14, Volume 2, Version 3 and Volume 9, Version 2.  
Rainfall values come from 1-hour Stage IV data.

- > 1/10
- 1/50 - 1/10
- 1/100 - 1/50
- 1/200 - 1/100
- 1/500 - 1/200
- 1/1000 - 1/500
- < 1/1000



Notes: Hurricane Matthew rainfall distribution across NC on October 8, 2016.  
 Rainfall at Edwards site(s) approximately 10" per landowner gage.  
 Sediment data collected on October 26, 2016 with no appreciable rainfall in time between storm and data collection

**Lake Wendell sediment deposition estimates following Hurricane Matthew**

Above pond (R3)

Length ft	Width ft	Depth ft	Cubic ft
12	3	0.3	10.8
13	4.5	0.25	14.625
22	7	0.5	77
28	4	0.417	46.704
35	20	0.25	175
25	20	0.583	291.5
40	20	0.583	466.4
			<b>1082.029</b>

Total cubic yards  
40.08

Estimated tons\*  
52.10

**Total estimated cubic yards of deposition  
68.46**

**Total estimated tons of deposition  
89.00**

Below pond (R4 preservation area)

Length ft	Width ft	Depth ft	Cubic ft
30	25	0.75	562.5
30	20	0.34	204
			<b>766.5</b>

Total cubic yards  
28.39

Estimated tons\*  
36.91

\*Tons estimated using 1 cubic yard of deposition = 1.3 tons

**Pen Dell sediment deposition estimates following Hurricane Matthew**

R5 (near middle of reach)

Length ft	Width ft	Depth ft	Cubic ft
45	40	0.5	900

Total estimated cubic yards of deposition  
33.33

Total estimated tons of deposition  
43.33

**Edwards-Johnson sediment deposition estimates following Hurricane Matthew**

R3 (near bottom of preservation area/end of project)

Length ft	Width ft	Depth ft	Cubic ft
19	5	0.5	47.5
19	32	0.5	304
19	30	0.5	285
			<b>636.5</b>

Total estimated cubic yards of deposition  
23.57

Total estimated tons of deposition  
30.65



Catchment Area	5.95	BMP1
Pervious Area	5.8	
Impervious Area	0.15	

The Simple Method		
$R_v = 0.05 + 0.9 * I_a$		Step 1 in the Simple Method
R <sub>v</sub>	0.072689076	Runoff coefficient (unitless)
I <sub>a</sub>	0.025210084	Impervious fraction [impervious portion of drainage area (ac)/drainage area (ac)], (unitless)
$V = 3630 * R_o * R_v * A$		Step 2 in the Simple Method
V	1569.975	Volume of runoff that must be controlled for the design storm (cubic feet)
V	0.4325	Volume of runoff that must be controlled for the design storm (acre-in)
R <sub>o</sub>	1.0	Design storm rainfall depth (in) (Typically 1.0" or 1.5")
A	5.95	Watershed area (ac)

\*\*\*CN Method in this spreadsheet is for 2 CN areas only. The equations may be modified if using multiple CNs or use a composite pervious CN

SCS Curve Number Method		
$Q^* = (P - 0.25)^2 / (P + 0.85)$		
Q* (From Impervious)	0.01	Runoff depth (in)
P	1.0	Rainfall depth (in) (Typically 1.0" or 1.5")
S	3.89	Potential maximum retention after rainfall begins (in)
$S = (1000 / CN) - 10$	3.89	S is related to the soil and surface characteristics through the curve number (CN)
CN (Impervious)	72	Related to hydrologic soil group and ground cover. (Refer to DWQ Design Manual for CN Tables)
$S = (1000 / CN) - 10$	3.89	
CN (Pervious)	72	
Q* (From Pervious)	0.02	
P	1.00	
S	3.89	
Q*total	0.03	(in)
Dorian (middle ag field)		
Soil Type	Wehadkee	<a href="http://websoilsurvey.nrcs.usda.gov/app/">http://websoilsurvey.nrcs.usda.gov/app/</a>
Hydrologic Soil Group SCS (1986)	B	Refer to DWQ Design Manual after the soil series in the area of interest is identified

BMP Sizing Reqs		
$V = A(Q^*)$	0.09	SCS Method Volume of Runoff (ac-in) Required Storage Volume
V	340.73	SCS Method Volume of Runoff (cubic feet) Required Storage Volume
V	2548.84	SCS Method Volume of Runoff (gallons) Required Storage Volume
V	0.43	Simple Method Volume of Runoff (ac-in) Required Storage Volume
V	1570	Simple Method Volume of Runoff (cubic feet) Required Storage Volume
Required Ponding Depth	10.0	Depends on desired vegetation type and inundation time. Usually 6-12" (in)
Required BMP Surface Area	0.009	(ac) SCS Method
Required BMP Surface Area	408.877	(ft <sup>2</sup> ) SCS Method
Required BMP Surface Area	0.043	(ac) Simple Method
Required BMP Surface Area	1883.970	(ft <sup>2</sup> ) Simple Method
Actual BMP Surface Area	0.030	(ac) Measured in Cadd, GIS or by hand.
Actual BMP Surface Area	1325	(ft <sup>2</sup> )
Actual BMP Storage Volume	1104	(ft <sup>3</sup> )

\*\*\*Per DWQ BMP design manual, the BMP must be designed to treat a volume at least as large as the volume calculated using the simple method\*\*\*

\*\*DWQ recommends 9" but requires ponding depth to be less than 12"\*\*\*

Catchment Area	2.1	BMP2
Pervious Area	2.1	
Impervious Area	0	

The Simple Method		
$R_v = 0.05 + 0.9 * I_a$	Step 1 in the Simple Method	
$R_v$	0.05	Runoff coefficient (unitless)
$I_a$	0	Impervious fraction [impervious portion of drainage area (ac)/drainage area (ac)], (unitless)
$V = 3630 * R_o * R_v * A$	Step 2 in the Simple Method	
$V$	381.15	Volume of runoff that must be controlled for the design storm (cubic feet)
$V$	0.1050	Volume of runoff that must be controlled for the design storm (acre-in)
$R_o$	1.0	Design storm rainfall depth (in) (Typically 1.0" or 1.5")
$A$	2.1	Watershed area (ac)

\*\*\*CN Method in this spreadsheet is for 2 CN areas only. The equations may be modified if using multiple CNs or use a composite pervious CN


SCS Curve Number Method		
$Q^* = (P - 0.25)^2 / (P + 0.85)$		
$Q^*$ (From Impervious)	0.01	Runoff depth (in)
$P$	1.0	Rainfall depth (in) (Typically 1.0" or 1.5")
$S$	3.89	Potential maximum retention after rainfall begins (in)
$S = (1000 / CN) - 10$	3.89	$S$ is related to the soil and surface characteristics through the curve number (CN)
$CN$ (Impervious)	72	Related to hydrologic soil group and ground cover. (Refer to DWQ Design Manual for CN Tables)
$S = (1000 / CN) - 10$	3.89	
$CN$ (Pervious)	72	
$Q^*$ (From Pervious)	0.02	
$P$	1.00	
$S$	3.89	
$Q^*$ total	0.03	(in)
Dorian (middle ag field)		
Soil Type	Wehadkee	<a href="http://websoilsurvey.nrcs.usda.gov/app/">http://websoilsurvey.nrcs.usda.gov/app/</a>
Hydrologic Soil Group SCS (1986)	B	Refer to DWQ Design Manual after the soil series in the area of interest is identified

BMP Sizing Reqs		
$V = A(Q^*)$	0.03	SCS Method Volume of Runoff (ac-in) Required Storage Volume
$V$	121.00	SCS Method Volume of Runoff (cubic feet) Required Storage Volume
$V$	905.14	SCS Method Volume of Runoff (gallons) Required Storage Volume
$V$	0.10	Simple Method Volume of Runoff (ac-in) Required Storage Volume
$V$	381	Simple Method Volume of Runoff (cubic feet) Required Storage Volume
Required Ponding Depth	10.0	Depends on desired vegetation type and inundation time. Usually 6-12" (in)
Required BMP Surface Area	0.003	(ac) SCS Method
Required BMP Surface Area	145.200	(ft <sup>2</sup> ) SCS Method
Required BMP Surface Area	0.010	(ac) Simple Method
Required BMP Surface Area	457.380	(ft <sup>2</sup> ) Simple Method
Actual BMP Surface Area	0.014	(ac) Measured in Cadd, GIS or by hand.
Actual BMP Surface Area	600	(ft <sup>2</sup> )
Actual BMP Storage Volume	500	(ft <sup>3</sup> )

\*\*Per DWQ BMP design manual, the BMP must be designed to treat a volume at least as large as the volume calculated using the simple method\*\*

\*\*DWQ recommends 9" but requires ponding depth to be less than 12"\*\*\*


### NC Rural Piedmont Regional Curve: Bankfull Area



- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li><span style="color: blue;">▲</span> Published Rural Piedmont, Harman '99</li> <li><span style="color: yellow;">■</span> Edwards-Johnson Surveyed XSC</li> <li>— Power (Published Rural Piedmont, Harman '99)</li> </ul> | <ul style="list-style-type: none"> <li><span style="color: red;">×</span> NRCS Rural Piedmont, Walker '15</li> <li><span style="color: red;">◆</span> Surveyed Ref Reaches</li> <li>- - - Power (NRCS Rural Piedmont, Walker '15)</li> </ul> |
|--|--|




### NC Rural Piedmont Regional Curve: Bankfull Discharge



<ul style="list-style-type: none"> <li><span style="color: blue;">▲</span> Published Rural Piedmont, Harman '99</li> <li><span style="color: red;">◆</span> Surveyed Ref Reaches (Mannings 'n')</li> <li>----- Power (Lower 95%)</li> </ul>	<ul style="list-style-type: none"> <li><span style="color: red;">×</span> NRCS Rural Piedmont, Walker '15</li> <li>———— Power (Published Rural Piedmont, Harman '99)</li> <li>----- Power (Upper 95%)</li> </ul>	<ul style="list-style-type: none"> <li><span style="color: yellow;">■</span> Edwards-Johnson Design Value(s)</li> <li>----- Power (NRCS Rural Piedmont, Walker '15)</li> </ul>
---	--	--

<b>Site Description</b>	<b>DA (sq. mi.)</b>
Edwards-Johnson (R3 lower)	0.349

T-yr recurrence interval	AEP-annual exceedance probability	P-percent annual exceedance probability	Q-discharge estimate (cfs)	Notes
1	1.00	100.0%	23.3	extrapolated
1.2	0.83	83.3%	44.3	extrapolated
1.5	0.67	66.7%	53.1	extrapolated Qgs = 0.66*Q2
2	0.5	50.0%	79.7	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
5	0.2	20.0%	133.9	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
10	0.1	10.0%	175.4	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
25	0.04	4.0%	231.9	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
50	0.02	2.0%	277.4	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
100	0.01	1.0%	324.9	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
200	0.005	0.5%	374.6	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)
500	0.002	0.2%	442.7	USGS regional regression, 2011 (small streams, HR1, ≤3 sq. mi.)



Catchment Assessment Form

Rater(s): K. Van Stell

Date: 10/20/16 (rev 2/10/16)

<b>Overall Watershed Condition</b>	<b>F</b>
------------------------------------	----------

Purpose: This form is used to determine the project's restoration potential. The hydrology categories are used to determine the catchment hydrology score on the Quantification Tool sheet.

<b>CATCHMENT ASSESSMENT</b>				
Categories	Description of Catchment Condition			Rating (P/F/G)
	Poor	Fair	Good	
1 Concentrated Flow (Hydrology)	Potential for concentrated flow/impairments to reach restoration site and no treatments are in place	Some potential for concentrated flow/impairments to reach restoration site, however, measures are in place to protect resources	No potential for concentrated flow/impairments from adjacent land use	G
2 Impervious cover (Hydrology)	Greater than 25%	Between 10% and 25%	Less than 10%	G
3 Land Use Change (Hydrology)	Rapidly urbanizing/urban	Single family homes/suburban	Rural communities/slow growth or primarily forested	G
4 Distance to Roads (Hydrology)	Roads located in or adjacent to project reach and/or major roads proposed in 10 year DOT plans	No roads in or adjacent to project reach. No more than one major road proposed in 10 year DOT plans.	No roads in or adjacent to project reach. No proposed roads in 10 year DOT plans.	F
5 Percent Forested (Watershed) (Hydrology)	<= 20%	>20% and <70%	>=70%	F
6 Riparian Vegetation (Geomorphology)	<50% of contributing stream length has > 25 ft corridor width	50-80% of contributing stream length has > 25 ft corridor width	>80% of contributing stream length has > 25 ft corridor width	G
7 Sediment Supply (Geomorphology)	High sediment supply from upstream bank erosion and surface runoff	Moderate sediment supply from upstream bank erosion and surface runoff	Low sediment supply. Upstream bank erosion and surface runoff is minimal	F
8 Located on or downstream of a 303(d) listed stream TMDL list (Physicochemical)	On, upstream, or downstream of 303(d) and no TMDL/WS Mgmt plan to address deficiencies	On, upstream, or downstream of 303(d) and TMDL/WS Mgmt plan addressing deficiencies	Not on 303(d) list	G
9 Agricultural Land Use (Physicochemical)	Livestock access to stream and/or intensive cropland immediately upstream of project reach.	Livestock access to stream and/or intensive cropland upstream of project reach. A sufficient reach of stream is between Ag. land use and project reach.	There is little to no agricultural land uses or the livestock or cropland is far enough away from project reach to cause no impact to water quality or biology.	F
10 NPDES Permits	Many NPDES permits within watershed or some within one mile of project reach	A few NPDES permits within watershed and none within one mile of project reach	No NPDES permits within watershed and none within one mile of project reach	G
11 Specific Conductance (uS/cm at 25oC) (Physicochemical)	Piedmont = >229; Blue Ridge = >66	Piedmont = 78-229; Blue Ridge = 41-66	Piedmont = <78; Blue Ridge = <41	---
12 Watershed impoundments (Biology)	Impoundment(s) located within 1 mile upstream or downstream of project area and/or has a negative effect on project area and fish passage	No impoundment within 1 mile upstream or downstream of project area OR impoundment does not adversely affect project area but a blockage could exist outside of 1 mile and impact and fish passage	No impoundment upstream or downstream of project area OR impoundment provides beneficial effect on project area and allows for fish passage	F
13 Organism Recruitment (Biology)	Channel immediately upstream or downstream of project reach is concrete, piped, or hardened.	Channel immediately upstream or downstream of project reach has native bed and bank material, but is impaired.	Channel immediately upstream or downstream of project reach has native bed and bank material.	G
14 Percent of Catchment being Enhanced or Restored	Less than 40% of the total catchment area is draining to the project reach.	40 to 60% of the total catchment area is draining to the project reach.	Greater than 60% of the total catchment area is draining to the project reach.	G
15 Other				



Site Information and Performance Standard Stratification	
Project Name:	Edwards-Johnson Mitigation Project
Reach ID:	R1
Restoration Potential:	Level 3 - Geomorphology
Existing Stream Type:	C
Proposed Stream Type:	C
Region:	Piedmont
Drainage Area (sqmi):	0.15
Proposed Bed Material:	Sand
Existing Stream Length (ft):	611
Proposed Stream Length (ft):	611
Stream Slope (%):	1.15
Flow Type:	Intermittent
River Basin:	Neuse
Stream Temperature:	Warmwater
Data Collection Season:	Summer
Riparian Soil Texture:	Sandy

Notes
1. Users input values that are highlighted based on restoration potential
2. Users select values from a pull-down menu
3. Leave values blank for field values that were not measured

FUNCTIONAL LIFT SUMMARY	
Existing Condition Score (ECS)	0.55
Proposed Condition Score (PCS)	0.57
Functional Lift Score	0.02
Percent Condition Lift	4%
Existing Stream Length (ft)	611
Proposed Stream Length (ft)	611
Additional Stream Length (ft)	0
Existing Stream Functional Foot Score (FFS)	336
Proposed Stream Functional Foot Score (FFS)	348
Proposed FFS - Existing FFS	12
Functional Lift (%)	4%

BMP FUNCTIONAL LIFT SUMMARY	
Existing BMP Functional Feet Score (FFS)	0
Proposed BMP Functional Feet Score (FFS)	0
Proposed BMP FFS - Existing BMP FFS	0
Functional Lift (%)	

FUNCTIONAL FEET (FF) SUMMARY	
Existing Stream FFS + Existing BMP FFS	336
Proposed Stream FFS + Proposed BMP FFS	348
Total Proposed FFS - Total Existing FFS	12
Functional Lift (%)	4%

FUNCTION BASED PARAMETERS SUMMARY			
Functional Category	Function-Based Parameters	Existing Parameter	Proposed Parameter
Hydrology	Catchment Hydrology	0.90	0.90
	Reach Runoff	1.00	1.00
Hydraulics	Floodplain Connectivity	1.00	1.00
	Large Woody Debris		
Geomorphology	Lateral Stability	1.00	1.00
	Riparian Vegetation	0.93	0.75
	Bed Material		
	Bed Form Diversity	0.88	1.00
	Sinuosity	0.30	0.70
Physicochemical	Temperature		
	Bacteria		
	Organic Matter		
	Nitrogen		
	Phosphorus		
Biology	Macros		
	Fish		

FUNCTIONAL CATEGORY REPORT CARD			
Functional Category	ECS	PCS	Functional Lift
Hydrology	0.95	0.97	0.02
Hydraulics	1.00	1.00	0.00
Geomorphology	0.78	0.86	0.09
Physicochemical			
Biology			

EXISTING CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.95	Functioning	0.55	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	30 0	1 1	1.00				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 12.1	1 1	1.00	1.00	Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	L/L	1	1.00	0.78	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	5 5	1 1					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99	0.93				
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	125	0.93					
		Right Buffer Width (ft)	75	0.79					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)							
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	5 1.2 60	1 0.65 1	0.88					
Sinuosity	Plan Form	1.1	0.3	0.30					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present							
	Fish	North Carolina Index of Biotic Integrity							

PROPOSED CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.97	Functioning	0.57	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	30 0	1 1	1.00				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 12.1	1 1	1.00	1.00	Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	L/L	1	1.00	0.86	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	5 5	1 1					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99	0.75				
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	125	0.93					
		Right Buffer Width (ft)	75	0.79					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)							
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	5 1.8 60	1 1 1	1.00					
Sinuosity	Plan Form	1.2	0.7	0.70					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present							
	Fish	North Carolina Index of Biotic Integrity							

Site Information and Performance Standard Stratification	
Project Name:	Edwards-Johnson Mitigation Project
Reach ID:	R2
Restoration Potential:	Level 3 - Geomorphology
Existing Stream Type:	G
Proposed Stream Type:	C
Region:	Piedmont
Drainage Area (sqmi):	0.209
Proposed Bed Material:	Sand
Existing Stream Length (ft):	1020
Proposed Stream Length (ft):	1183
Stream Slope (%):	1.4
Flow Type:	Perennial
River Basin:	Neuse
Stream Temperature:	Warmwater
Data Collection Season:	Summer
Riparian Soil Texture:	Silty

Notes
1. Users input values that are highlighted based on restoration potential
2. Users select values from a pull-down menu
3. Leave values blank for field values that were not measured

FUNCTIONAL LIFT SUMMARY	
Existing Condition Score (ECS)	0.27
Proposed Condition Score (PCS)	0.75
Functional Lift Score	0.48
Percent Condition Lift	178%
Existing Stream Length (ft)	1020
Proposed Stream Length (ft)	1183
Additional Stream Length (ft)	163
Existing Stream Functional Foot Score (FFS)	275
Proposed Stream Functional Foot Score (FFS)	887
Proposed FFS - Existing FFS	612
Functional Lift (%)	223%

BMP FUNCTIONAL LIFT SUMMARY	
Existing BMP Functional Feet Score (FFS)	0
Proposed BMP Functional Feet Score (FFS)	0
Proposed BMP FFS - Existing BMP FFS	0
Functional Lift (%)	

FUNCTIONAL FEET (FF) SUMMARY	
Existing Stream FFS + Existing BMP FFS	275
Proposed Stream FFS + Proposed BMP FFS	887
Total Proposed FFS - Total Existing FFS	612
Functional Lift (%)	223%

FUNCTION BASED PARAMETERS SUMMARY			
Functional Category	Function-Based Parameters	Existing Parameter	Proposed Parameter
Hydrology	Catchment Hydrology	0.90	0.90
	Reach Runoff	0.97	0.97
Hydraulics	Floodplain Connectivity	0.00	0.94
	Large Woody Debris		
Geomorphology	Lateral Stability	0.35	1.00
	Riparian Vegetation	0.76	0.75
	Bed Material		
	Bed Form Diversity	0.33	1.00
	Sinuosity	0.30	0.70
Physicochemical	Temperature		
	Bacteria		
	Organic Matter		
	Nitrogen		
	Phosphorus		
Biology	Macros	0.00	1.00
	Fish		

FUNCTIONAL CATEGORY REPORT CARD			
Functional Category	ECS	PCS	Functional Lift
Hydrology	0.94	0.95	0.01
Hydraulics	0.00	0.94	0.94
Geomorphology	0.44	0.86	0.43
Physicochemical			
Biology	0.00	1.00	1.00

EXISTING CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.94	Functioning	0.27	Not Functioning
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	2 1.6	0 0	0.00	0.00	Not Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)			0.35	0.44	Functioning At Risk		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	M/M 35	0.5 0.2					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99					
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	100	0.86					
		Right Buffer Width (ft)	50	0.72					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)	mature mature	0.5 0.5					
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	10 1 70	0 0 1	0.33					
Sinuosity	Plan Form	1.1	0.3	0.30					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present	7.4 1	0 0	0.00	0.00	Not Functioning		
	Fish	North Carolina Index of Biotic Integrity							

PROPOSED CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.95	Functioning	0.75	Functioning
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 4	1 0.88	0.94	0.94	Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)			1.00	0.75	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	L/L 5	1 1					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99					
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	125	0.93					
		Right Buffer Width (ft)	75	0.79					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)	210 210	0.4 0.4					
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	5 1.8 60	1 1 1	1.00					
Sinuosity	Plan Form	1.2	0.7	0.70					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present	4 1	1 1	1.00	1.00	Functioning		
	Fish	North Carolina Index of Biotic Integrity							

Site Information and Performance Standard Stratification	
Project Name:	Edwards-Johnson Mitigation Project
Reach ID:	R3 (upper)
Restoration Potential:	Level 3 - Geomorphology
Existing Stream Type:	E
Proposed Stream Type:	C
Region:	Piedmont
Drainage Area (sqmi):	0.33
Proposed Bed Material:	Sand
Existing Stream Length (ft):	778
Proposed Stream Length (ft):	816
Stream Slope (%):	0.7
Flow Type:	Perennial
River Basin:	Neuse
Stream Temperature:	Warmwater
Data Collection Season:	Summer
Riparian Soil Texture:	Silty

Notes
1. Users input values that are highlighted based on restoration potential
2. Users select values from a pull-down menu
3. Leave values blank for field values that were not measured

FUNCTIONAL LIFT SUMMARY	
Existing Condition Score (ECS)	0.35
Proposed Condition Score (PCS)	0.56
Functional Lift Score	0.21
Percent Condition Lift	60%
Existing Stream Length (ft)	778
Proposed Stream Length (ft)	816
Additional Stream Length (ft)	38
Existing Stream Functional Foot Score (FFS)	272
Proposed Stream Functional Foot Score (FFS)	457
Proposed FFS - Existing FFS	185
Functional Lift (%)	68%

BMP FUNCTIONAL LIFT SUMMARY	
Existing BMP Functional Feet Score (FFS)	0
Proposed BMP Functional Feet Score (FFS)	0
Proposed BMP FFS - Existing BMP FFS	0
Functional Lift (%)	

FUNCTIONAL FEET (FF) SUMMARY	
Existing Stream FFS + Existing BMP FFS	272
Proposed Stream FFS + Proposed BMP FFS	457
Total Proposed FFS - Total Existing FFS	185
Functional Lift (%)	68%

FUNCTION BASED PARAMETERS SUMMARY			
Functional Category	Function-Based Parameters	Existing Parameter	Proposed Parameter
Hydrology	Catchment Hydrology	0.90	0.90
	Reach Runoff	0.97	0.97
Hydraulics	Floodplain Connectivity	0.38	1.00
	Large Woody Debris	0.70	0.78
Geomorphology	Lateral Stability	0.40	1.00
	Riparian Vegetation	0.76	0.73
	Bed Material		
	Bed Form Diversity	0.30	1.00
Physicochemical	Sinuosity	0.30	0.70
	Temperature		
	Bacteria		
	Organic Matter		
	Nitrogen		
Biology	Phosphorus		
	Macros		
	Fish		

FUNCTIONAL CATEGORY REPORT CARD			
Functional Category	ECS	PCS	Functional Lift
Hydrology	0.94	0.95	0.01
Hydraulics	0.38	1.00	0.62
Geomorphology	0.45	0.84	0.39
Physicochemical			
Biology			

EXISTING CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.94	Functioning	0.35	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	2.1 2.9	0 0.76	0.38	0.38	Functioning At Risk		
	Large Woody Debris	LWD Index	300	0.7	0.70				
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)		0.5	0.40	0.45	Functioning At Risk		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	M/M 25	0.3					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99	0.76				
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	100	0.86					
		Right Buffer Width (ft)	50	0.72					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)	mature mature	0.5 0.5					
	Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)							
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	10 1 80	0 0 0.3	0.10					
Sinuosity	Plan Form	1.1	0.3	0.30					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present							
	Fish	North Carolina Index of Biotic Integrity							

PROPOSED CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.95	Functioning	0.56	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 5	1 1	1.00	1.00	Functioning		
	Large Woody Debris	LWD Index	400	0.78	0.78				
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)		1	1.00	0.84	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	L/L 5	1 1					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99	0.73				
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	100	0.86					
		Right Buffer Width (ft)	50	0.72					
		Left Basal Area (sq.ft/acre) Right Basal Area (sq.ft/acre) Left Stem Density (stems/acre) Right Stem Density (stems/acre)	210 210	0.4 0.4					
	Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)							
Bed Form Diversity	Pool Spacing Ratio Pool Depth Ratio Percent Riffle	5 1.8 60	1 1 1	1.00					
Sinuosity	Plan Form	1.2	0.7	0.70					
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present		#NAME?					
	Fish	North Carolina Index of Biotic Integrity							



Site Information and Performance Standard Stratification	
Project Name:	Edwards-Johnson Mitigation Project
Reach ID:	R3 (lower)
Restoration Potential:	Level 3 - Geomorphology
Existing Stream Type:	C
Proposed Stream Type:	C
Region:	Piedmont
Drainage Area (sqmi):	0.34
Proposed Bed Material:	Sand
Existing Stream Length (ft):	285
Proposed Stream Length (ft):	285
Stream Slope (%):	0.8
Flow Type:	Perennial
River Basin:	Neuse
Stream Temperature:	Warmwater
Data Collection Season:	Summer
Riparian Soil Texture:	Silty

Notes
1. Users input values that are highlighted based on restoration potential
2. Users select values from a pull-down menu
3. Leave values blank for field values that were not measured

FUNCTIONAL LIFT SUMMARY	
Existing Condition Score (ECS)	0.51
Proposed Condition Score (PCS)	0.53
Functional Lift Score	0.02
Percent Condition Lift	4%
Existing Stream Length (ft)	285
Proposed Stream Length (ft)	285
Additional Stream Length (ft)	0
Existing Stream Functional Foot Score (FFS)	145
Proposed Stream Functional Foot Score (FFS)	151
Proposed FFS - Existing FFS	6
Functional Lift (%)	4%

BMP FUNCTIONAL LIFT SUMMARY	
Existing BMP Functional Feet Score (FFS)	0
Proposed BMP Functional Feet Score (FFS)	0
Proposed BMP FFS - Existing BMP FFS	0
Functional Lift (%)	

FUNCTIONAL FEET (FF) SUMMARY	
Existing Stream FFS + Existing BMP FFS	145
Proposed Stream FFS + Proposed BMP FFS	151
Total Proposed FFS - Total Existing FFS	6
Functional Lift (%)	4%

FUNCTION BASED PARAMETERS SUMMARY			
Functional Category	Function-Based Parameters	Existing Parameter	Proposed Parameter
Hydrology	Catchment Hydrology	0.90	0.90
	Reach Runoff	0.97	0.97
Hydraulics	Floodplain Connectivity	0.92	1.00
	Large Woody Debris	0.70	0.70
Geomorphology	Lateral Stability	1.00	1.00
	Riparian Vegetation	0.78	0.78
	Bed Material		
	Bed Form Diversity	0.77	0.77
	Sinuosity	0.30	0.30
Physicochemical	Temperature		
	Bacteria		
	Organic Matter		
	Nitrogen		
	Phosphorus		
Biology	Macros		
	Fish		

FUNCTIONAL CATEGORY REPORT CARD			
Functional Category	ECS	PCS	Functional Lift
Hydrology	0.94	0.95	0.01
Hydraulics	0.92	1.00	0.08
Geomorphology	0.71	0.71	0.00
Physicochemical			
Biology			

EXISTING CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.94	Functioning	0.51	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1.1 11.1	0.84 1	0.92	0.92	Functioning		
	Large Woody Debris	LWD Index	300	0.7	0.70				
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	L/L	1	1.00	0.71	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	5	1					
	Riparian Vegetation	Left Canopy Coverage (%)	95	1	0.78				
		Right Canopy Coverage (%)	95	1					
		Left Buffer Width (ft)	100	0.86					
		Right Buffer Width (ft)	75	0.79					
		Left Basal Area (sq.ft/acre)							
		Right Basal Area (sq.ft/acre)							
	Left Stem Density (stems/acre)	mature	0.5	0.5					
	Right Stem Density (stems/acre)	mature	0.5						
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio	7	0.3	0.77					
	Pool Depth Ratio	1.3	1						
Sinuosity	Percent Riffle	70	1	0.30					
	Plan Form	1.1	0.3						
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present							
	Fish	North Carolina Index of Biotic Integrity							

PROPOSED CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.95	Functioning	0.53	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 5	1 1	1.00	1.00	Functioning		
	Large Woody Debris	LWD Index	300	0.7	0.70				
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	L/L	1	1.00	0.71	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	5	1					
	Riparian Vegetation	Left Canopy Coverage (%)	95	1	0.78				
		Right Canopy Coverage (%)	95	1					
		Left Buffer Width (ft)	100	0.86					
		Right Buffer Width (ft)	75	0.79					
		Left Basal Area (sq.ft/acre)							
		Right Basal Area (sq.ft/acre)							
	Left Stem Density (stems/acre)	mature	0.5	0.5					
	Right Stem Density (stems/acre)	mature	0.5						
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio	7	0.3	0.77					
	Pool Depth Ratio	1.3	1						
Sinuosity	Percent Riffle	70	1	0.30					
	Plan Form	1.1	0.3						
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate Percent Shredders							
	Nitrogen	Monitoring (mg/L)							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index EPT Taxa Present							
	Fish	North Carolina Index of Biotic Integrity							

Site Information and Performance Standard Stratification	
Project Name:	Edwards-Johnson Mitigation Project
Reach ID:	R4
Restoration Potential:	Level 3 - Geomorphology
Existing Stream Type:	Gc
Proposed Stream Type:	C
Region:	Piedmont
Drainage Area (sqmi):	0.086
Proposed Bed Material:	Sand
Existing Stream Length (ft):	816
Proposed Stream Length (ft):	951
Stream Slope (%):	1.8
Flow Type:	Intermittent
River Basin:	Neuse
Stream Temperature:	Warmwater
Data Collection Season:	Summer
Riparian Soil Texture:	Silty

Notes
1. Users input values that are highlighted based on restoration potential
2. Users select values from a pull-down menu
3. Leave values blank for field values that were not measured

FUNCTIONAL LIFT SUMMARY	
Existing Condition Score (ECS)	0.23
Proposed Condition Score (PCS)	0.57
Functional Lift Score	0.34
Percent Condition Lift	148%
Existing Stream Length (ft)	816
Proposed Stream Length (ft)	951
Additional Stream Length (ft)	135
Existing Stream Functional Foot Score (FFS)	188
Proposed Stream Functional Foot Score (FFS)	542
Proposed FFS - Existing FFS	354
Functional Lift (%)	189%

BMP FUNCTIONAL LIFT SUMMARY	
Existing BMP Functional Feet Score (FFS)	0
Proposed BMP Functional Feet Score (FFS)	0
Proposed BMP FFS - Existing BMP FFS	0
Functional Lift (%)	

FUNCTIONAL FEET (FF) SUMMARY	
Existing Stream FFS + Existing BMP FFS	188
Proposed Stream FFS + Proposed BMP FFS	542
Total Proposed FFS - Total Existing FFS	354
Functional Lift (%)	188%

FUNCTION BASED PARAMETERS SUMMARY			
Functional Category	Function-Based Parameters	Existing Parameter	Proposed Parameter
Hydrology	Catchment Hydrology	0.50	0.90
	Reach Runoff	0.97	0.97
Hydraulics	Floodplain Connectivity	0.00	1.00
	Large Woody Debris		
Geomorphology	Lateral Stability	0.45	1.00
	Riparian Vegetation	0.76	0.73
	Bed Material		
	Bed Form Diversity	0.42	1.00
	Sinuosity	0.00	0.93
Physicochemical	Temperature		
	Bacteria		
	Organic Matter		
	Nitrogen		
	Phosphorus		
Biology	Macros		
	Fish		

FUNCTIONAL CATEGORY REPORT CARD			
Functional Category	ECS	PCS	Functional Lift
Hydrology	0.74	0.95	0.21
Hydraulics	0.00	1.00	1.00
Geomorphology	0.41	0.91	0.51
Physicochemical			
Biology			

EXISTING CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	M2	0.5	0.50	0.74	Functioning	0.23	Not Functioning
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	3.5 1.1	0 0	0.00	0.00	Not Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	M/L	0.6	0.45	0.41	Functioning At Risk		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	25	0.3					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99					
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	75	0.79					
		Right Buffer Width (ft)	75	0.79					
	Left Basal Area (sq.ft/acre)	mature	0.5						
	Right Basal Area (sq.ft/acre)	mature	0.5						
Left Stem Density (stems/acre)									
Right Stem Density (stems/acre)									
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio	7	0.3	0.42					
	Pool Depth Ratio	1.2	0.65						
Sinuosity	Percent Riffle	80	0.3	0.00					
	Plan Form	1.03	0						
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate							
	Nitrogen	Percent Shredders							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Monitoring (mg/L)							
	Fish	Biotic Index EPT Taxa Present North Carolina Index of Biotic Integrity							

PROPOSED CONDITION ASSESSMENT					Roll Up Scoring				
Functional Category	Function-Based Parameters	Measurement Method	Field Value	Index Value	Parameter	Category	Category	Overall	Overall
Hydrology	Catchment Hydrology	Catchment Assessment	H2	0.9	0.90	0.95	Functioning	0.57	Functioning At Risk
	Reach Runoff	Curve Number Concentrated Flow Points Soil Compaction	40 0	0.94 1	0.97				
Hydraulics	Floodplain Connectivity	Bank Height Ratio Entrenchment Ratio	1 5	1 1	1.00	1.00	Functioning		
	Large Woody Debris	LWD Index							
Geomorphology	Lateral Stability	Erosion Rate (ft/yr)	L/L	1	1.00	0.91	Functioning		
		Dominant BEHI/NBS Percent Streambank Erosion (%)	5	1					
	Riparian Vegetation	Left Canopy Coverage (%)	90	0.99					
		Right Canopy Coverage (%)	90	0.99					
		Left Buffer Width (ft)	75	0.79					
		Right Buffer Width (ft)	75	0.79					
	Left Basal Area (sq.ft/acre)	210	0.4						
	Right Basal Area (sq.ft/acre)	210	0.4						
Left Stem Density (stems/acre)									
Right Stem Density (stems/acre)									
Bed Material Characterization	Size Class Pebble Count Analyzer (p-value)								
Bed Form Diversity	Pool Spacing Ratio	5	1	1.00					
	Pool Depth Ratio	1.8	1						
Sinuosity	Percent Riffle	60	1	0.93					
	Plan Form	1.3	0.93						
Physicochemical	Temperature	Temperature (°F)							
	Bacteria	Fecal Coliform (Cfu/100 ml)							
	Organic Carbon	Leaf Litter Processing Rate							
	Nitrogen	Percent Shredders							
	Phosphorus	Monitoring (mg/L)							
Biology	Macros	Biotic Index		#NAME?					
	Fish	EPT Taxa Present North Carolina Index of Biotic Integrity							

Design Criteria


Edwards-Johnson Mitigation Project - R1

Parameter	Existing Site Data		Composite Reference Values		Design Values	
	MIN	MAX	MIN	MAX	MIN	MAX
Drainage Area, DA (sq mi)	0.150		---		0.150	
Stream Type (Rosgen)	C5		E5/C5		C5	
Bankfull Discharge, Qbkf (cfs)	20.0		---		20.0	
Bankfull Riffle XSEC Area, Abkf (sq ft)	4.1		---		4.1	
Bankfull Mean Velocity, Vbkf (ft/s)	4.1		3.5	5.0	4.9	
Bankfull Riffle Width, Wbkf (ft)	5.5	7.2	---	---	7.0	
Bankfull Riffle Mean Depth, Dbkf (ft)	0.4	0.8	---	---	0.6	
Width to Depth Ratio, W/D (ft/ft)	8.2	15.2	10	14	12	
Width Floodprone Area, Wfpa (ft)	30.0	80.0	---	---	30	80
Entrenchment Ratio, Wfpa/Wbkf (ft/ft)	4.3	12.0	2.2	>2.2	4.3	12.0
Riffle Max Depth @ bkf, Dmax (ft)	0.5	0.9	---	---	0.8	
Riffle Max Depth Ratio, Dmax/Dbkf	1.3	1.5	1.1	1.4	1.4	1.5
Bank Height Ratio, Dtob/Dmax (ft/ft)	1.1	1.1	1.0	1.1	1.0	1.1
Meander Length, Lm (ft)	27		---	---	27	
Meander Length Ratio, Lm/Wbkf	6.2		7.0	14.0	6.2	
Radius of Curvature, Rc (ft)	11.3	19.1	---	---	11.3	19.1
Rc Ratio, Rc/Wbkf	1.6	2.9	2.0	3.0	1.6	2.9
Belt Width, Wblt (ft)	28.1		---	---	28.1	
Meander Width Ratio, Wblt/Wbkf	6.4		3.0	8.0	6.4	
Sinuosity, K	1.21		1.1	1.5	1.21	
Valley Slope, Sval (ft/ft)	0.0140		0.002	0.015	---	---
Channel Slope, Schan (ft/ft)	0.0118		---	---	0.012	0.0118
Slope Riffle, Sriff (ft/ft)	0.0110	0.0130	---	---	0.011	0.016
Riffle Slope Ratio, Sriff/Schan	0.9	1.4	1.1	1.2	0.9	1.4
Slope Pool, Spool (ft/ft)	0.0010	0.0090	---	---	0.0010	0.0090
Pool Slope Ratio, Spool/Schan	0.1	0.8	0.0	0.3	0.1	0.8
Pool Max Depth, Dmaxpool (ft)	1.2		---	---	1.1	1.4
Pool Max Depth Ratio, Dmaxpool/Dbkf	2.9		1.2	3.5	1.9	2.4
Pool Width, Wpool (ft)	12.1		---	---	11.0	13.0
Pool Width Ratio, Wpool/Wbkf	2.2		1.0	1.7	1.6	1.9
Pool-Pool Spacing, Lps (ft)	22.0	50.0	---	---	22.0	50.0
Pool-Pool Spacing Ratio, Lps/Wbkf	4.0	9.1	3.0	7.0	3.1	7.1

Typical Design Cross-section:

Design Riffle Bankfull Area =	4.1
Design Riffle Width / Depth Ratio =	12
Max Pool Depth =	1.1
Pool Width =	8.7
Riffle Side-Slopes =	2.5 :1
Inside Pool Side-slope =	4 :1
Outside Pool Side-slope =	1.5 :1

Parameter	Riffle	Pool
Width of Bankfull (Wbkf)	7.0	8.7
Average Depth (Dbkf)	0.6	0.7
Maximum Depth (D-Max)	0.8	1.1
Width to Depth Ratio (bkf W/D)	12.0	12.1
Bankfull Area (Abkf)	4.1	6.2
Bottom Width (Wb)	2.9	2.7





Design Criteria


**Edwards-Johnson Mitigation Project - R2**

Parameter	Existing Site Data		Composite Reference Values		Design Values	
	MIN	MAX	MIN	MAX	MIN	MAX
Drainage Area, DA (sq mi)	0.188		---		0.188	
Stream Type (Rosgen)	G5		E5/C5		C5	
Bankfull Discharge, Q <sub>bkf</sub> (cfs)	26.0		---		26.0	
Bankfull Riffle XSEC Area, Ab <sub>kf</sub> (sq ft)	3.3	3.3	---		5.0	
Bankfull Mean Velocity, V <sub>bkf</sub> (ft/s)	4.1		3.5	5.0	5.2	
Bankfull Riffle Width, W <sub>bkf</sub> (ft)	4.4	7.2	---	---	7.7	
Bankfull Riffle Mean Depth, Db <sub>kf</sub> (ft)	0.4	0.8	---	---	0.6	
Width to Depth Ratio, W/D (ft/ft)	8.2	15.2	10	14	12	
Width Floodprone Area, W <sub>fpa</sub> (ft)	30.0	70.0	---	---	20	50
Entrenchment Ratio, W <sub>fpa</sub> /W <sub>bkf</sub> (ft/ft)	4.3	10.0	2.2	>2.2	2.6	6.5
Riffle Max Depth @ b <sub>kf</sub> , D <sub>max</sub> (ft)	0.5	0.9	---	---	0.9	
Riffle Max Depth Ratio, D <sub>max</sub> /Db <sub>kf</sub>	1.3	1.5	1.1	1.4	1.4	1.5
Bank Height Ratio, D <sub>tob</sub> /D <sub>max</sub> (ft/ft)	1.1	1.1	1.0	1.1	1.0	1.1
Meander Length, L <sub>m</sub> (ft)	45	---	---	---	55	100
Meander Length Ratio, L <sub>m</sub> /W <sub>bkf</sub>	6.3	---	7.0	14.0	7.1	12.9
Radius of Curvature, R <sub>c</sub> (ft)	11.3	19.1	---	---	15.0	25.0
R <sub>c</sub> Ratio, R <sub>c</sub> /W <sub>bkf</sub>	1.6	2.9	2.0	3.0	1.9	3.2
Belt Width, W <sub>blt</sub> (ft)	28.1	---	---	---	28.1	51.0
Meander Width Ratio, W <sub>blt</sub> /W <sub>bkf</sub>	6.4	---	3.0	8.0	3.6	6.6
Sinuosity, K	1.16		1.1	1.5	1.17	
Valley Slope, S <sub>val</sub> (ft/ft)	0.0140		0.002	0.015	---	---
Channel Slope, S <sub>chan</sub> (ft/ft)	0.0118		---	---	0.012	0.0118
Slope Riffle, S <sub>riff</sub> (ft/ft)	0.0110	0.0130	---	---	0.011	0.016
Riffle Slope Ratio, S <sub>riff</sub> /S <sub>chan</sub>	0.9	1.1	1.1	1.2	0.9	1.4
Slope Pool, S <sub>pool</sub> (ft/ft)	0.0010	0.0090	---	---	0.0010	0.0060
Pool Slope Ratio, S <sub>pool</sub> /S <sub>chan</sub>	0.1	0.8	0.0	0.3	0.1	0.5
Pool Max Depth, D <sub>maxpool</sub> (ft)	1.2		---	---	1.1	1.5
Pool Max Depth Ratio, D <sub>maxpool</sub> /Db <sub>kf</sub>	2.9		1.2	3.5	1.7	2.2
Pool Width, W <sub>pool</sub> (ft)	12.1		---	---	10.0	13.0
Pool Width Ratio, W <sub>pool</sub> /W <sub>bkf</sub>	2.8		1.0	1.7	1.3	1.7
Pool-Pool Spacing, L <sub>ps</sub> (ft)	22.0	39.0	---	---	30.0	55.0
Pool-Pool Spacing Ratio, L <sub>ps</sub> /W <sub>bkf</sub>	5.0	8.9	3.0	7.0	3.9	7.1

**Typical Design Cross-section:**

Design Riffle Bankfull Area =	5.0
Design Riffle Width / Depth Ratio =	12
Max Pool Depth =	1.3
Pool Width =	9.6
Riffle Side-Slopes =	2.5 :1
Inside Pool Side-slope =	4 :1
Outside Pool Side-slope =	1.5 :1

Parameter	Riffle	Pool
Width of Bankfull (W <sub>bkf</sub> )	7.7	9.6
Average Depth (Db <sub>kf</sub> )	0.6	0.8
Maximum Depth (D-Max)	0.9	1.3
Width to Depth Ratio (bkf W/D)	12.0	11.8
Bankfull Area (Ab <sub>kf</sub> )	5.0	7.8
Bottom Width (W <sub>b</sub> )	3.2	2.5



Design Criteria


**Edwards-Johnson Mitigation Project - R3 (upper)**

Parameter	Existing Site Data		Composite Reference Values		Design Values	
	MIN	MAX	MIN	MAX	MIN	MAX
Drainage Area, DA (sq mi)	0.330		---		0.330	
Stream Type (Rosgen)	incised E5		E5/C5		C5	
Bankfull Discharge, Q <sub>bkf</sub> (cfs)	34.0		---		34.0	
Bankfull Riffle XSEC Area, Ab <sub>kf</sub> (sq ft)	3.3	3.3	---		5.6	
Bankfull Mean Velocity, V <sub>bkf</sub> (ft/s)	4.1		3.5	5.0	6.1	
Bankfull Riffle Width, W <sub>bkf</sub> (ft)	4.4	7.2	---	---	8.2	
Bankfull Riffle Mean Depth, Db <sub>kf</sub> (ft)	0.4	0.8	---	---	0.7	
Width to Depth Ratio, W/D (ft/ft)	8.2	15.2	10	14	12	
Width Floodprone Area, W <sub>fpa</sub> (ft)	30.0	70.0	---	---	30	80
Entrenchment Ratio, W <sub>fpa</sub> /W <sub>bkf</sub> (ft/ft)	4.3	10.0	2.2	>2.2	3.7	9.8
Riffle Max Depth @ b <sub>kf</sub> , D <sub>max</sub> (ft)	0.5	0.9	---	---	1.0	
Riffle Max Depth Ratio, D <sub>max</sub> /Db <sub>kf</sub>	1.3	1.5	1.1	1.4	1.4	1.5
Bank Height Ratio, D <sub>tob</sub> /D <sub>max</sub> (ft/ft)	1.1	1.1	1.0	1.1	1.0	1.1
Meander Length, L <sub>m</sub> (ft)	27		---	---	50	80
Meander Length Ratio, L <sub>m</sub> /W <sub>bkf</sub>	6.2	---	7.0	14.0	6.1	9.8
Radius of Curvature, R <sub>c</sub> (ft)	11.3	19.1	---	---	11.3	19.1
R <sub>c</sub> Ratio, R <sub>c</sub> /W <sub>bkf</sub>	1.6	2.9	2.0	3.0	1.6	2.9
Belt Width, W <sub>blt</sub> (ft)	28.1		---	---	27.0	42.0
Meander Width Ratio, W <sub>blt</sub> /W <sub>bkf</sub>	6.4	---	3.0	8.0	3.3	5.1
Sinuosity, K	1.21		1.1	1.5	1.20	
Valley Slope, S <sub>val</sub> (ft/ft)	0.0070		0.002	0.015	---	---
Channel Slope, S <sub>chan</sub> (ft/ft)	0.0090		---	---	0.009	0.009
Slope Riffle, S <sub>riff</sub> (ft/ft)	0.0100	0.0130	---	---	0.01	0.012
Riffle Slope Ratio, S <sub>riff</sub> /S <sub>chan</sub>	1.1	1.4	1.1	1.2	1.1	1.3
Slope Pool, S <sub>pool</sub> (ft/ft)	0.0007	0.0030	---	---	0.0010	0.0030
Pool Slope Ratio, S <sub>pool</sub> /S <sub>chan</sub>	0.1	0.3	0.0	0.3	0.1	0.3
Pool Max Depth, D <sub>maxpool</sub> (ft)	1.2		---	---	1.1	1.5
Pool Max Depth Ratio, D <sub>maxpool</sub> /Db <sub>kf</sub>	2.9		1.2	3.5	1.6	2.1
Pool Width, W <sub>pool</sub> (ft)	12.1		---	---	11.0	13.0
Pool Width Ratio, W <sub>pool</sub> /W <sub>bkf</sub>	2.8		1.0	1.7	1.3	1.6
Pool-Pool Spacing, L <sub>ps</sub> (ft)	22.0	39.0	---	---	25.0	51.0
Pool-Pool Spacing Ratio, L <sub>ps</sub> /W <sub>bkf</sub>	5.0	8.9	3.0	7.0	3.0	6.2

**Typical Design Cross-section:**

Design Riffle Bankfull Area =	5.6
Design Riffle Width / Depth Ratio =	12
Max Pool Depth =	1.5
Pool Width =	10.4
Riffle Side-Slopes =	2.5 :1
Inside Pool Side-slope =	4 :1
Outside Pool Side-slope =	1.5 :1

Parameter	Riffle	Pool
Width of Bankfull (W <sub>bkf</sub> )	8.2	10.4
Average Depth (Db <sub>kf</sub> )	0.7	0.9
Maximum Depth (D-Max)	1.0	1.5
Width to Depth Ratio (bkf W/D)	12.0	11.5
Bankfull Area (Ab <sub>kf</sub> )	5.6	9.4
Bottom Width (W <sub>b</sub> )	3.3	2.2



Design Criteria


**Edwards-Johnson Mitigation Project - R3 (lower)**

Parameter	Existing Site Data		Composite Reference Values		Design Values	
	MIN	MAX	MIN	MAX	MIN	MAX
Drainage Area, DA (sq mi)	0.348		---		0.348	
Stream Type (Rosgen)	incised E5		E5/C5		C5	
Bankfull Discharge, Q <sub>bkf</sub> (cfs)	37.0		---		37.0	
Bankfull Riffle XSEC Area, Ab <sub>kf</sub> (sq ft)	3.3	3.3	---		6.1	
Bankfull Mean Velocity, V <sub>bkf</sub> (ft/s)	4.1		3.5	5.0	6.1	
Bankfull Riffle Width, W <sub>bkf</sub> (ft)	4.4	7.2	---	---	8.6	
Bankfull Riffle Mean Depth, D <sub>bkf</sub> (ft)	0.4	0.8	---	---	0.7	
Width to Depth Ratio, W/D (ft/ft)	8.2	15.2	10	14	12	
Width Floodprone Area, W <sub>fpa</sub> (ft)	30.0	70.0	---	---	30	80
Entrenchment Ratio, W <sub>fpa</sub> /W <sub>bkf</sub> (ft/ft)	4.3	10.0	2.2	>2.2	3.5	9.4
Riffle Max Depth @ b <sub>kf</sub> , D <sub>max</sub> (ft)	0.5	0.9	---	---	1.0	
Riffle Max Depth Ratio, D <sub>max</sub> /D <sub>bkf</sub>	1.3	1.5	1.1	1.4	1.4	1.5
Bank Height Ratio, D <sub>tob</sub> /D <sub>max</sub> (ft/ft)	1.1	1.1	1.0	1.1	1.0	1.1
Meander Length, L <sub>m</sub> (ft)	27		---	---	50	80
Meander Length Ratio, L <sub>m</sub> /W <sub>bkf</sub>	6.2	---	7.0	14.0	5.8	9.4
Radius of Curvature, R <sub>c</sub> (ft)	11.3	19.1	---	---	11.3	19.1
R <sub>c</sub> Ratio, R <sub>c</sub> /W <sub>bkf</sub>	1.6	2.9	2.0	3.0	1.6	2.9
Belt Width, W <sub>blt</sub> (ft)	28.1		---	---	27.0	42.0
Meander Width Ratio, W <sub>blt</sub> /W <sub>bkf</sub>	6.4	---	3.0	8.0	3.2	4.9
Sinuosity, K	1.21		1.1	1.5	1.21	
Valley Slope, S <sub>val</sub> (ft/ft)	0.0090		0.002	0.015	---	---
Channel Slope, S <sub>chan</sub> (ft/ft)	0.0080		---	---	0.008	0.008
Slope Riffle, S <sub>riff</sub> (ft/ft)	0.0100	0.0130	---	---	0.01	0.012
Riffle Slope Ratio, S <sub>riff</sub> /S <sub>chan</sub>	1.3	1.6	1.1	1.2	1.3	1.5
Slope Pool, S <sub>pool</sub> (ft/ft)	0.0007	0.0030	---	---	0.0010	0.0030
Pool Slope Ratio, S <sub>pool</sub> /S <sub>chan</sub>	0.1	0.4	0.0	0.3	0.1	0.4
Pool Max Depth, D <sub>maxpool</sub> (ft)	1.2		---	---	1.1	1.5
Pool Max Depth Ratio, D <sub>maxpool</sub> /D <sub>bkf</sub>	2.9	---	1.2	3.5	1.5	2.0
Pool Width, W <sub>pool</sub> (ft)	12.1		---	---	11.0	13.0
Pool Width Ratio, W <sub>pool</sub> /W <sub>bkf</sub>	2.8		1.0	1.7	1.3	1.5
Pool-Pool Spacing, L <sub>ps</sub> (ft)	22.0	39.0	---	---	30.0	60.0
Pool-Pool Spacing Ratio, L <sub>ps</sub> /W <sub>bkf</sub>	5.0	8.9	3.0	7.0	3.5	7.0

**Typical Design Cross-section:**

Design Riffle Bankfull Area =	6.1
Design Riffle Width / Depth Ratio =	12
Max Pool Depth =	1.6
Pool Width =	10.6
Riffle Side-Slopes =	2.5 :1
Inside Pool Side-slope =	4 :1
Outside Pool Side-slope =	1.5 :1

Parameter	Riffle	Pool
Width of Bankfull (W <sub>bkf</sub> )	8.6	10.6
Average Depth (D <sub>bkf</sub> )	0.7	0.9
Maximum Depth (D-Max)	1.0	1.6
Width to Depth Ratio (b <sub>kf</sub> W/D)	12.0	11.3
Bankfull Area (Ab <sub>kf</sub> )	6.1	9.9
Bottom Width (W <sub>b</sub> )	3.5	1.8





Design Criteria


Edwards-Johnson Mitigation Project - R4

Parameter	Existing Site Data		Composite Reference Values		Design Values	
	MIN	MAX	MIN	MAX	MIN	MAX
Drainage Area, DA (sq mi)	0.086		---		0.086	
Stream Type (Rosgen)	G5c		E5/C5		C5	
Bankfull Discharge, Q <sub>bkf</sub> (cfs)	16.0		---		16.0	
Bankfull Riffle XSEC Area, A <sub>bkf</sub> (sq ft)	15.8		---		3.6	
Bankfull Mean Velocity, V <sub>bkf</sub> (ft/s)	7.6		3.5	5.0	4.4	
Bankfull Riffle Width, W <sub>bkf</sub> (ft)	6.9		---	---	6.6	
Bankfull Riffle Mean Depth, D <sub>bkf</sub> (ft)	2.4		---	---	0.5	
Width to Depth Ratio, W/D (ft/ft)	5.6		10	14	12	
Width Floodprone Area, W <sub>fpa</sub> (ft)	6.1		---	---	25	70
Entrenchment Ratio, W <sub>fpa</sub> /W <sub>bkf</sub> (ft/ft)	1.0		2.2	>2.2	3.8	10.7
Riffle Max Depth @ bkf, D <sub>max</sub> (ft)	3.1		---	---	0.7	
Riffle Max Depth Ratio, D <sub>max</sub> /D <sub>bkf</sub>	1.3		1.1	1.4	1.3	1.5
Bank Height Ratio, D <sub>tob</sub> /D <sub>max</sub> (ft/ft)	1.6		1.0	1.1	1.0	1.1
Meander Length, L <sub>m</sub> (ft)			---	---	40	60
Meander Length Ratio, L <sub>m</sub> /W <sub>bkf</sub>			7.0	14.0	6.1	9.1
Radius of Curvature, R <sub>c</sub> (ft)			---	---	12.0	20.0
R <sub>c</sub> Ratio, R <sub>c</sub> /W <sub>bkf</sub>			2.0	3.0	1.8	3.0
Belt Width, W <sub>belt</sub> (ft)			---	---	22.0	35.0
Meander Width Ratio, W <sub>belt</sub> /W <sub>bkf</sub>			3.0	8.0	3.3	5.3
Sinuosity, K	1.06		1.1	1.5	1.15	
Valley Slope, S <sub>val</sub> (ft/ft)	0.0190		0.002	0.015	---	---
Channel Slope, S <sub>chan</sub> (ft/ft)	0.0180		---	---	0.012	0.0118
Slope Riffle, S <sub>riff</sub> (ft/ft)	0.0130	0.0210	---	---	0.011	0.016
Riffle Slope Ratio, S <sub>riff</sub> /S <sub>chan</sub>	0.7	1.2	1.1	1.2	0.9	1.4
Slope Pool, S <sub>pool</sub> (ft/ft)	0.0010	0.0090	---	---	0.0010	0.0060
Pool Slope Ratio, S <sub>pool</sub> /S <sub>chan</sub>	0.1	0.5	0.0	0.3	0.1	0.5
Pool Max Depth, D <sub>maxpool</sub> (ft)	1.2		---	---	1.1	1.5
Pool Max Depth Ratio, D <sub>maxpool</sub> /D <sub>bkf</sub>	0.5		1.2	3.5	2.0	2.6
Pool Width, W <sub>pool</sub> (ft)	12.1		---	---	11.0	13.0
Pool Width Ratio, W <sub>pool</sub> /W <sub>bkf</sub>	1.8		1.0	1.7	1.7	2.0
Pool-Pool Spacing, L <sub>ps</sub> (ft)	38.0	87.0	---	---	22.0	50.0
Pool-Pool Spacing Ratio, L <sub>ps</sub> /W <sub>bkf</sub>	5.5	12.6	3.0	7.0	3.3	7.6

Typical Design Cross-section:

Design Riffle Bankfull Area =	3.6
Design Riffle Width / Depth Ratio =	12
Max Pool Depth =	1.1
Pool Width =	8.6
Riffle Side-Slopes =	2 :1
Inside Pool Side-slope =	4 :1
Outside Pool Side-slope =	1.5 :1

Parameter	Riffle	Pool
Width of Bankfull (W <sub>bkf</sub> )	6.6	8.6
Average Depth (D <sub>bkf</sub> )	0.5	0.7
Maximum Depth (D-Max)	0.7	1.1
Width to Depth Ratio (bkf W/D)	12.0	12.1
Bankfull Area (A <sub>bkf</sub> )	3.6	6.1
Bottom Width (W <sub>b</sub> )	3.8	2.6



# Channel Report

## Edwards-Johnson Mainstem

### Trapezoidal


Bottom Width (ft) = 3.30  
Side Slopes (z:1) = 2.50, 2.50  
Total Depth (ft) = 1.00  
Invert Elev (ft) = 1.00  
Slope (%) = 1.20  
N-Value = 0.047

### Highlighted

Depth (ft) = 1.00  
Q (cfs) = 15.35  
Area (sqft) = 5.80  
Velocity (ft/s) = 2.65  
Wetted Perim (ft) = 8.69  
Crit Depth,  $Y_c$  (ft) = 0.73  
Top Width (ft) = 8.30  
EGL (ft) = 1.11

### Calculations

Compute by: Q vs Depth  
No. Increments = 10



Depth	Q	Area	Veloc	Wp
(ft)	(cfs)	(sqft)	(ft/s)	(ft)
0.10	0.251	0.355	0.71	3.84
0.20	0.819	0.760	1.08	4.38
0.30	1.657	1.215	1.36	4.92
0.40	2.759	1.720	1.60	5.45
0.50	4.130	2.275	1.82	5.99
0.60	5.777	2.880	2.01	6.53
0.70	7.711	3.535	2.18	7.07
0.80	9.943	4.240	2.35	7.61
0.90	12.48	4.995	2.50	8.15
1.00	15.35	5.800	2.65	8.69

Yc	TopWidth	Energy
(ft)	(ft)	(ft)
0.06	3.80	0.11
0.13	4.30	0.22
0.19	4.80	0.33
0.27	5.30	0.44
0.34	5.80	0.55
0.41	6.30	0.66
0.49	6.80	0.77
0.57	7.30	0.89
0.65	7.80	1.00
0.73	8.30	1.11




# Hydrograph Report

## Hyd. No. 1

Basin R3

Hydrograph type = SCS Runoff  
Storm frequency = 1 yrs  
Time interval = 6 min  
Drainage area = 223.000 ac  
Basin Slope = 1.3 %  
Tc method = TR55  
Total precip. = 2.09 in  
Storm duration = 6.00 hrs

Peak discharge = 37.32 cfs  
Time to peak = 2.60 hrs  
Hyd. volume = 251,237 cuft  
Curve number = 72  
Hydraulic length = 4600 ft  
Time of conc. (Tc) = 13.30 min  
Distribution = SCS 6-Hr  
Shape factor = 484




# Hydrograph Report

## Hyd. No. 1

### Basin R3

Hydrograph type = SCS Runoff  
Storm frequency = 2 yrs  
Time interval = 6 min  
Drainage area = 223.000 ac  
Basin Slope = 1.3 %  
Tc method = TR55  
Total precip. = 2.50 in  
Storm duration = 6.00 hrs

Peak discharge = 70.78 cfs  
Time to peak = 2.60 hrs  
Hyd. volume = 401,003 cuft  
Curve number = 72  
Hydraulic length = 4600 ft  
Time of conc. (Tc) = 13.30 min  
Distribution = SCS 6-Hr  
Shape factor = 484



# Channel Report

## Edwards-Johnson R4

### Trapezoidal


Bottom Width (ft) = 3.80  
Side Slopes (z:1) = 2.00, 2.00  
Total Depth (ft) = 0.70  
Invert Elev (ft) = 0.70  
Slope (%) = 1.80  
N-Value = 0.047

### Highlighted

Depth (ft) = 0.70  
Q (cfs) = 10.05  
Area (sqft) = 3.64  
Velocity (ft/s) = 2.76  
Wetted Perim (ft) = 6.93  
Crit Depth, Yc (ft) = 0.55  
Top Width (ft) = 6.60  
EGL (ft) = 0.82

### Calculations

Compute by: Q vs Depth  
No. Increments = 10




# Hydrograph Report

## Hyd. No. 1

Basin R4

Hydrograph type	= SCS Runoff	Peak discharge	= 11.62 cfs
Storm frequency	= 1 yrs	Time to peak	= 2.53 hrs
Time interval	= 2 min	Hyd. volume	= 61,964 cuft
Drainage area	= 55.000 ac	Curve number	= 72
Basin Slope	= 1.3 %	Hydraulic length	= 4600 ft
Tc method	= TR55	Time of conc. (Tc)	= 3.50 min
Total precip.	= 2.09 in	Distribution	= SCS 6-Hr
Storm duration	= 6.00 hrs	Shape factor	= 484






# Hydrograph Report

## Hyd. No. 1

Basin R4

Hydrograph type	= SCS Runoff	Peak discharge	= 20.48 cfs
Storm frequency	= 2 yrs	Time to peak	= 2.50 hrs
Time interval	= 2 min	Hyd. volume	= 98,902 cuft
Drainage area	= 55.000 ac	Curve number	= 72
Basin Slope	= 1.3 %	Hydraulic length	= 4600 ft
Tc method	= TR55	Time of conc. (Tc)	= 3.50 min
Total precip.	= 2.50 in	Distribution	= SCS 6-Hr
Storm duration	= 6.00 hrs	Shape factor	= 484



# Hydraflow Rainfall Report

Return Period (Yrs)	Intensity-Duration-Frequency Equation Coefficients (FHA)			
	B	D	E	(N/A)
1	63.0344	12.7000	0.8866	-----
2	76.7932	13.3000	0.8914	-----
3	0.0000	0.0000	0.0000	-----
5	77.7658	13.3000	0.8501	-----
10	72.9776	12.4000	0.8023	-----
25	65.4451	11.2000	0.7457	-----
50	59.4989	10.2000	0.6996	-----
100	53.8843	9.2000	0.6563	-----

File name: NOAA\_PDS\_Clayton31-1820.IDF

**Intensity = B / (Tc + D)^E**

Return Period (Yrs)	Intensity Values (in/hr)											
	5 min	10	15	20	25	30	35	40	45	50	55	60
1	4.93	3.96	3.32	2.86	2.52	2.26	2.05	1.88	1.73	1.61	1.50	1.41
2	5.75	4.64	3.90	3.37	2.98	2.67	2.42	2.22	2.05	1.90	1.78	1.67
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	6.57	5.35	4.54	3.95	3.51	3.16	2.88	2.65	2.45	2.29	2.15	2.02
10	7.38	6.02	5.12	4.48	3.99	3.61	3.30	3.05	2.83	2.65	2.49	2.35
25	8.20	6.71	5.73	5.03	4.50	4.09	3.76	3.48	3.24	3.04	2.87	2.72
50	8.87	7.27	6.22	5.48	4.93	4.49	4.14	3.84	3.60	3.39	3.20	3.04
100	9.44	7.75	6.66	5.88	5.30	4.85	4.48	4.18	3.92	3.70	3.51	3.34


Tc = time in minutes. Values may exceed 60.

Precip. file name: Sample.pcp

Storm Distribution	Rainfall Precipitation Table (in)							
	1-yr	2-yr	3-yr	5-yr	10-yr	25-yr	50-yr	100-yr
SCS 24-hour	0.00	2.20	0.00	3.30	4.25	5.77	6.80	7.95
SCS 6-Hr	0.00	1.80	0.00	0.00	2.60	0.00	0.00	4.00
Huff-1st	0.00	1.55	0.00	2.75	4.00	5.38	6.50	8.00
Huff-2nd	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Huff-3rd	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Huff-4th	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Huff-Indy	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Custom	0.00	1.75	0.00	2.80	3.90	5.25	6.00	7.10


# Hydraflow IDF Curves

IDF file: NOAA\_PDS\_Clayton31-1820.IDF



EJ\_existing Plan: EJ\_existing 6/28/2017


UT to Buffalo EJ






EJ\_existing Plan: EJ\_existing 6/28/2017














EJ R4 EJ




- Legend**
- EG USGS 100-yr
  - EG USGS 50-yr
  - EG USGS 25-yr
  - EG USGS 10-yr
  - WS USGS 100-yr
  - Crit USGS 100-yr
  - WS USGS 50-yr
  - Crit USGS 50-yr
  - EG USGS 5-yr
  - WS USGS 25-yr
  - Crit USGS 25-yr
  - WS USGS 10-yr
  - Crit USGS 10-yr
  - EG USGS 2-yr
  - WS USGS 5-yr
  - Crit USGS 5-yr
  - EG USGS 1.5-yr
  - WS USGS 2-yr
  - Crit USGS 2-yr
  - EG USGS 1.2-yr
  - EG BKF Harman
  - WS USGS 1.5-yr
  - EG Hydraflow 1-yr
  - Crit USGS 1.5-yr
  - WS USGS 1.2-yr
  - WS BKF Harman
  - Crit USGS 1.2-yr
  - Crit BKF Harman
  - EG BKF Walker
  - WS Hydraflow 1-yr
  - Crit Hydraflow 1-yr
  - WS BKF Walker
  - Crit BKF Walker
  - Ground




Legend	
	WS Hydraflow 1-yr
	WS USGS 1.2-yr
	WS USGS 1.5-yr
	WS BKF Harman
	WS BKF Walker
	WS USGS 2-yr
	WS USGS 5-yr
	WS USGS 10-yr
	WS USGS 25-yr
	WS USGS 50-yr
	WS USGS 100-yr
	Ground
	Bank Sta


Legend	
	WS Hydraflow 1-yr
	WS USGS 1.2-yr
	WS USGS 1.5-yr
	WS BKF Harman
	WS BKF Walker
	WS USGS 2-yr
	WS USGS 5-yr
	WS USGS 10-yr
	WS USGS 25-yr
	WS USGS 50-yr
	WS USGS 100-yr
	Ground
	Bank Sta




EJ\_existing Plan: EJ\_existing 6/28/2017  
 River = UT to Buffalo Reach = EJ RS = 3205.64 X1




EJ\_existing Plan: EJ\_existing 6/28/2017  
 River = UT to Buffalo Reach = EJ RS = 3061.48 X2







EJ\_existing Plan: EJ\_existing 6/28/2017  
 River = UT to Buffalo Reach = EJ RS = 2816.49 X3











EJ\_existing Plan: EJ\_existing 6/28/2017  
 River = UT to Buffalo Reach = EJ RS = 2517.82 X4











Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear Chan (lb/sq ft)	Power Chan (lb/ft s)
EJ	3205.64	Hydraflow 1-yr	37.30	258.40	260.24	260.24	260.54	0.010942	4.99	11.44	21.79	0.74	0.81	4.05
EJ	3205.64	USGS 1.2-yr	44.20	258.40	260.33	260.33	260.64	0.010998	5.21	13.52	24.29	0.75	0.87	4.53
EJ	3205.64	USGS 1.5-yr	53.00	258.40	260.43	260.43	260.75	0.010893	5.42	16.21	27.17	0.75	0.92	4.99
EJ	3205.64	BKF Harman	41.50	258.40	260.30	260.30	260.60	0.010639	5.07	12.92	23.59	0.73	0.83	4.19
EJ	3205.64	BKF Walker	24.10	258.40	259.97	259.97	260.28	0.012589	4.67	6.68	14.55	0.76	0.76	3.56
EJ	3205.64	USGS 2-yr	51.40	258.40	260.43	260.43	260.73	0.010460	5.30	16.05	27.01	0.74	0.88	4.66
EJ	3205.64	USGS 5-yr	85.00	258.40	260.71	260.71	261.05	0.010873	6.03	24.83	33.79	0.77	1.08	6.49
EJ	3205.64	USGS 10-yr	110.00	258.40	260.85	260.85	261.24	0.012099	6.65	29.58	36.78	0.82	1.28	8.54
EJ	3205.64	USGS 25-yr	143.50	258.40	261.03	261.03	261.45	0.012203	7.08	36.83	40.92	0.84	1.41	10.02
EJ	3205.64	USGS 50-yr	170.10	258.40	261.15	261.15	261.59	0.012694	7.47	41.69	43.47	0.86	1.55	11.56
EJ	3205.64	USGS 100-yr	197.60	258.40	261.25	261.25	261.73	0.013180	7.84	46.40	45.81	0.88	1.68	13.17
EJ	3061.48	Hydraflow 1-yr	37.30	257.00	258.60	258.60	258.77	0.006767	3.68	15.26	32.46	0.59	0.46	1.68
EJ	3061.48	USGS 1.2-yr	44.20	257.00	258.68	258.68	258.85	0.006704	3.83	18.02	35.15	0.59	0.48	1.85
EJ	3061.48	USGS 1.5-yr	53.00	257.00	258.75	258.75	258.94	0.007125	4.10	20.71	37.59	0.62	0.54	2.23
EJ	3061.48	BKF Harman	41.50	257.00	258.65	258.65	258.82	0.006822	3.79	16.84	34.03	0.60	0.48	1.82
EJ	3061.48	BKF Walker	24.10	257.00	258.38	258.38	258.55	0.007629	3.44	9.04	24.83	0.61	0.43	1.46
EJ	3061.48	USGS 2-yr	51.40	257.00	258.74	258.74	258.93	0.007025	4.04	20.27	37.20	0.61	0.53	2.15
EJ	3061.48	USGS 5-yr	85.00	257.00	258.99	258.99	259.21	0.007735	4.74	30.34	45.26	0.66	0.69	3.28
EJ	3061.48	USGS 10-yr	110.00	257.00	259.12	259.12	259.37	0.008198	5.16	36.89	49.80	0.69	0.80	4.11
EJ	3061.48	USGS 25-yr	143.50	257.00	259.33	259.33	259.58	0.007473	5.31	47.91	56.62	0.67	0.81	4.31
EJ	3061.48	USGS 50-yr	170.10	257.00	259.51	259.51	259.74	0.006384	5.21	58.78	62.63	0.63	0.76	3.96
EJ	3061.48	USGS 100-yr	197.60	257.00	259.38	259.38	259.79	0.012373	6.95	50.67	58.21	0.87	1.38	9.57
EJ	2816.49	Hydraflow 1-yr	37.30	254.90	256.09	256.09	256.35	0.015614	4.27	10.51	24.23	0.88	0.70	3.00
EJ	2816.49	USGS 1.2-yr	44.20	254.90	256.16	256.16	256.44	0.015626	4.52	12.15	26.48	0.89	0.77	3.46
EJ	2816.49	USGS 1.5-yr	53.00	254.90	256.25	256.25	256.54	0.014196	4.64	14.85	30.61	0.87	0.78	3.62
EJ	2816.49	BKF Harman	41.50	254.90	256.14	256.14	256.41	0.015233	4.39	11.63	25.80	0.88	0.73	3.19
EJ	2816.49	BKF Walker	24.10	254.90	255.97	255.97	256.15	0.013120	3.46	7.82	19.99	0.78	0.49	1.71
EJ	2816.49	USGS 2-yr	51.40	254.90	256.24	256.24	256.53	0.014529	4.63	14.30	29.70	0.87	0.78	3.62
EJ	2816.49	USGS 5-yr	85.00	254.90	256.51	256.51	256.83	0.012485	5.14	24.09	43.00	0.85	0.88	4.51
EJ	2816.49	USGS 10-yr	110.00	254.90	256.66	256.66	256.99	0.011634	5.40	31.32	50.63	0.84	0.93	5.02
EJ	2816.49	USGS 25-yr	143.50	254.90	256.78	256.78	257.19	0.013138	6.09	37.88	59.06	0.90	1.15	6.99
EJ	2816.49	USGS 50-yr	170.10	254.90	256.82	256.82	257.34	0.016528	6.94	40.05	62.92	1.02	1.48	10.28
EJ	2816.49	USGS 100-yr	197.60	254.90	257.14	257.14	257.39	0.007260	5.27	77.02	143.81	0.70	0.80	4.20
EJ	2517.82	Hydraflow 1-yr	37.30	249.90	251.46	251.46	251.61	0.007800	3.57	18.59	62.68	0.62	0.45	1.61
EJ	2517.82	USGS 1.2-yr	44.20	249.90	251.50	251.50	251.65	0.008233	3.76	21.24	64.45	0.64	0.50	1.87
EJ	2517.82	USGS 1.5-yr	53.00	249.90	251.54	251.54	251.71	0.009038	4.04	23.95	66.21	0.68	0.57	2.29
EJ	2517.82	BKF Harman	41.50	249.90	251.49	251.49	251.64	0.008209	3.71	20.08	63.68	0.64	0.49	1.81
EJ	2517.82	BKF Walker	24.10	249.90	251.15	251.09	251.49	0.018854	4.67	5.17	6.61	0.93	0.84	3.93
EJ	2517.82	USGS 2-yr	51.40	249.90	251.52	251.52	251.70	0.009776	4.15	22.52	65.29	0.70	0.60	2.49
EJ	2517.82	USGS 5-yr	85.00	249.90	251.68	251.68	251.88	0.010637	4.73	33.10	71.84	0.75	0.75	3.53
EJ	2517.82	USGS 10-yr	110.00	249.90	251.79	251.76	251.98	0.010183	4.90	41.20	76.49	0.74	0.78	3.80
EJ	2517.82	USGS 25-yr	143.50	249.90	251.93	251.85	252.12	0.009149	4.96	52.54	82.55	0.72	0.77	3.83
EJ	2517.82	USGS 50-yr	170.10	249.90	252.04	251.91	252.22	0.008416	4.98	61.58	87.08	0.70	0.76	3.79
EJ	2517.82	USGS 100-yr	197.60	249.90	252.14	251.98	252.32	0.007820	5.01	70.77	91.45	0.68	0.75	3.77
EJ	2156.77	Hydraflow 1-yr	37.30	243.40	244.92	244.91	245.44	0.021564	5.78	6.45	6.14	0.99	1.20	6.95
EJ	2156.77	USGS 1.2-yr	44.20	243.40	245.05	245.05	245.62	0.021852	6.08	7.26	6.42	1.01	1.30	7.92
EJ	2156.77	USGS 1.5-yr	53.00	243.40	245.21	245.21	245.84	0.021496	6.35	8.34	6.77	1.01	1.38	8.79
EJ	2156.77	BKF Harman	41.50	243.40	244.99	244.99	245.55	0.022001	6.00	6.92	6.30	1.01	1.28	7.65
EJ	2156.77	BKF Walker	24.10	243.40	244.69	244.60	245.04	0.016964	4.69	5.14	5.66	0.87	0.83	3.89
EJ	2156.77	USGS 2-yr	51.40	243.40	245.18	245.18	245.80	0.021556	6.31	8.15	6.71	1.01	1.37	8.64
EJ	2156.77	USGS 5-yr	85.00	243.40	245.71	245.71	246.49	0.020481	7.07	12.02	7.85	1.01	1.60	11.34
EJ	2156.77	USGS 10-yr	110.00	243.40	246.04	246.04	246.91	0.020027	7.49	14.68	8.54	1.01	1.74	13.05
EJ	2156.77	USGS 25-yr	143.50	243.40	246.42	246.42	247.40	0.019498	7.94	18.07	9.35	1.01	1.89	14.98
EJ	2156.77	USGS 50-yr	170.10	243.40	246.69	246.69	247.74	0.019147	8.23	20.66	9.93	1.01	1.98	16.33
EJ	2156.77	USGS 100-yr	197.60	243.40	246.95	246.95	248.06	0.018707	8.48	23.31	10.49	1.00	2.06	17.46
EJ	1777.96	Hydraflow 1-yr	37.30	237.20	238.80	238.80	239.13	0.013060	4.59	8.12	7.91	0.80	0.75	3.45
EJ	1777.96	USGS 1.2-yr	44.20	237.20	238.96	238.96	239.30	0.012270	4.71	9.38	8.33	0.78	0.77	3.62
EJ	1777.96	USGS 1.5-yr	53.00	237.20	239.15	239.15	239.51	0.011477	4.81	11.02	8.98	0.77	0.78	3.75
EJ	1777.96	BKF Harman	41.50	237.20	238.90	238.90	239.24	0.012477	4.66	8.91	8.18	0.79	0.76	3.53
EJ	1777.96	BKF Walker	24.10	237.20	238.45	238.36	238.75	0.016177	4.36	5.52	6.95	0.86	0.73	3.20
EJ	1777.96	USGS 2-yr	51.40	237.20	239.12	239.12	239.47	0.011547	4.79	10.74	8.87	0.77	0.77	3.71
EJ	1777.96	USGS 5-yr	85.00	237.20	239.74	239.74	240.13	0.009369	5.00	17.00	11.12	0.71	0.78	3.92
EJ	1777.96	USGS 10-yr	110.00	237.20	240.14	240.14	240.54	0.008213	5.07	21.72	12.55	0.68	0.77	3.92
EJ	1777.96	USGS 25-yr	143.50	237.20	240.62	240.62	241.02	0.007067	5.11	28.09	14.26	0.64	0.76	3.86
EJ	1777.96	USGS 50-yr	170.10	237.20	240.98	240.98	241.38	0.006238	5.08	33.48	15.56	0.61	0.73	3.69
EJ	1777.96	USGS 100-yr	197.60	237.20	241.31	241.31	241.71	0.005659	5.08	38.89	16.76	0.59	0.71	3.60
EJ	1467.93	Hydraflow 1-yr	37.30	233.90	235.83	235.83	236.08	0.007593	3.99	9.36	6.82	0.60	0.53	2.11
EJ	1467.93	USGS 1.2-yr	44.20	233.90	235.98	235.98	236.26	0.007926	4.24	10.41	7.06	0.62	0.59	2.50
EJ	1467.93	USGS 1.5-yr	53.00	233.90	236.15	236.15	236.47	0.008391	4.55	11.64	7.33	0.64	0.66	3.02
EJ	1467.93	BKF Harman	41.50	233.90	235.92	235.92	236.19	0.007855	4.16	9.98	6.96	0.61	0.57	2.37
EJ	1467.93	BKF Walker	24.10	233.90	235.50	235.50	235.68	0.006562	3.34	7.21	6.31	0.55	0.39	1.31
EJ	1467.93	USGS 2-yr	51.40	233.90	236.12	236.12	236.44	0.008305	4.50	11.42	7.28	0.63	0.65	2.92
EJ	1467.93	USGS 5-yr	85.00	233.90	236.64	236.64	237.11	0.010084	5.53	15.38	8.10	0.71	0.93	5.13
EJ	1467.93	USGS 10-yr	110.00	233.90	236.91	236.91	237.51	0.011661	6.24	17.64	8.52	0.76	1.15	7.20
EJ	1467.93	USGS 25-yr	143.50	233.90	237.18	237.18	237.98	0.014064	7.16	20.05	8.96	0.84	1.49	10.66
EJ	1467.93	USGS 50-yr	170.10	233.90	237.31	237.17	238.31	0.017079	8.04	21.17	9.15	0.93	1.86	14.94
EJ	1467.93	USGS 100-yr	197.60	233.90	237.44	237.44	238.65	0.019818	8.83	22.39	9.36	1.01	2.22	19.59</



HEC-RAS Plan: EJ existing River: UT to Buffalo Reach: EJ (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear Chan (lb/sq ft)	Power Chan (lb/ft s)
EJ	1177.17	BKF Walker	24.10	231.90	233.19		233.40	0.009453	3.62	6.65	7.07	0.66	0.49	1.76
EJ	1177.17	USGS 2-yr	51.40	231.90	233.92		234.18	0.007143	4.15	12.47	10.05	0.61	0.56	2.31
EJ	1177.17	USGS 5-yr	85.00	231.90	234.47		234.81	0.006193	4.79	19.91	16.97	0.60	0.66	3.18
EJ	1177.17	USGS 10-yr	110.00	231.90	234.80		235.17	0.005600	5.05	26.34	21.21	0.58	0.70	3.54
EJ	1177.17	USGS 25-yr	143.50	231.90	235.19	234.66	235.56	0.005020	5.29	35.37	26.01	0.56	0.73	3.87
EJ	1177.17	USGS 50-yr	170.10	231.90	235.48	234.90	235.85	0.004457	5.34	43.64	30.15	0.54	0.72	3.84
EJ	1177.17	USGS 100-yr	197.60	231.90	235.76	235.11	236.12	0.003986	5.36	52.80	35.09	0.52	0.70	3.77
EJ	918.94	Hydraflow 1-yr	37.30	230.20	231.95		232.13	0.005515	3.39	10.99	8.71	0.53	0.38	1.30
EJ	918.94	USGS 1.2-yr	44.20	230.20	232.06		232.27	0.006081	3.68	12.00	9.01	0.56	0.45	1.64
EJ	918.94	USGS 1.5-yr	53.00	230.20	232.21		232.45	0.006561	3.98	13.32	9.39	0.59	0.51	2.03
EJ	918.94	BKF Harman	41.50	230.20	232.02		232.22	0.005861	3.57	11.62	8.90	0.55	0.42	1.51
EJ	918.94	BKF Walker	24.10	230.20	231.69		231.81	0.004220	2.73	8.84	8.03	0.46	0.26	0.71
EJ	918.94	USGS 2-yr	51.40	230.20	232.18		232.42	0.006470	3.93	13.09	9.32	0.58	0.50	1.96
EJ	918.94	USGS 5-yr	85.00	230.20	232.62		232.99	0.008042	4.87	17.47	10.49	0.66	0.73	3.53
EJ	918.94	USGS 10-yr	110.00	230.20	232.87		233.33	0.009202	5.47	20.10	11.13	0.72	0.90	4.90
EJ	918.94	USGS 25-yr	143.50	230.20	233.14		233.73	0.010573	6.18	23.23	11.85	0.78	1.11	6.86
EJ	918.94	USGS 50-yr	170.10	230.20	233.26	233.01	234.00	0.012663	6.90	24.65	12.16	0.85	1.37	9.47
EJ	918.94	USGS 100-yr	197.60	230.20	233.36	233.23	234.26	0.015007	7.64	25.86	12.43	0.93	1.67	12.75
EJ	649.12	Hydraflow 1-yr	37.30	229.50	231.19		231.24	0.002036	1.88	20.49	25.17	0.33	0.12	0.23
EJ	649.12	USGS 1.2-yr	44.20	229.50	231.29		231.35	0.002024	2.00	23.18	26.96	0.34	0.14	0.27
EJ	649.12	USGS 1.5-yr	53.00	229.50	231.38		231.46	0.002171	2.19	25.81	28.60	0.35	0.16	0.35
EJ	649.12	BKF Harman	41.50	229.50	231.25		231.31	0.002031	1.96	22.13	26.27	0.34	0.13	0.26
EJ	649.12	BKF Walker	24.10	229.50	230.95		230.99	0.002152	1.61	15.01	21.05	0.33	0.10	0.16
EJ	649.12	USGS 2-yr	51.40	229.50	231.37		231.44	0.002149	2.16	25.33	28.30	0.35	0.15	0.33
EJ	649.12	USGS 5-yr	85.00	229.50	231.66		231.78	0.002605	2.77	34.53	34.48	0.40	0.23	0.65
EJ	649.12	USGS 10-yr	110.00	229.50	231.86		232.00	0.002746	3.08	42.08	48.61	0.42	0.28	0.86
EJ	649.12	USGS 25-yr	143.50	229.50	232.05	231.39	232.22	0.003021	3.48	58.45	104.96	0.45	0.34	1.20
EJ	649.12	USGS 50-yr	170.10	229.50	232.17	231.54	232.34	0.003069	3.65	70.69	110.43	0.46	0.37	1.35
EJ	649.12	USGS 100-yr	197.60	229.50	232.26	231.67	232.45	0.003153	3.82	81.71	115.14	0.47	0.40	1.53
EJ	375.16	Hydraflow 1-yr	37.30	228.60	229.90	229.84	230.15	0.010359	4.19	11.25	27.26	0.74	0.62	2.59
EJ	375.16	USGS 1.2-yr	44.20	228.60	229.97	229.97	230.25	0.010699	4.47	13.47	33.99	0.76	0.69	3.06
EJ	375.16	USGS 1.5-yr	53.00	228.60	230.09	230.09	230.35	0.009459	4.49	17.85	44.36	0.73	0.67	3.01
EJ	375.16	BKF Harman	41.50	228.60	229.94	229.92	230.22	0.010740	4.39	12.48	31.19	0.76	0.67	2.93
EJ	375.16	BKF Walker	24.10	228.60	229.74	229.55	229.92	0.009002	3.46	7.58	17.31	0.67	0.45	1.55
EJ	375.16	USGS 2-yr	51.40	228.60	230.07	230.07	230.33	0.009581	4.47	17.11	42.79	0.73	0.67	2.99
EJ	375.16	USGS 5-yr	85.00	228.60	230.33	230.33	230.58	0.008448	4.82	31.65	67.31	0.71	0.72	3.49
EJ	375.16	USGS 10-yr	110.00	228.60	230.44	230.44	230.72	0.009250	5.29	39.38	78.41	0.76	0.85	4.51
EJ	375.16	USGS 25-yr	143.50	228.60	230.58	230.58	230.87	0.009134	5.59	51.96	96.23	0.76	0.92	5.15
EJ	375.16	USGS 50-yr	170.10	228.60	230.67	230.67	230.96	0.009334	5.84	60.96	108.76	0.78	0.99	5.79
EJ	375.16	USGS 100-yr	197.60	228.60	230.76	230.76	231.05	0.009301	6.02	70.72	121.24	0.78	1.04	6.23
EJ	159.15	Hydraflow 1-yr	37.30	227.10	227.74	227.70	227.78	0.011002	2.44	27.28	132.89	0.67	0.28	0.68
EJ	159.15	USGS 1.2-yr	44.20	227.10	227.77	227.71	227.81	0.011006	2.54	30.89	142.43	0.68	0.30	0.75
EJ	159.15	USGS 1.5-yr	53.00	227.10	227.80	227.74	227.85	0.011005	2.66	35.38	153.47	0.69	0.32	0.84
EJ	159.15	BKF Harman	41.50	227.10	227.76	227.70	227.80	0.011005	2.50	29.48	138.80	0.68	0.29	0.72
EJ	159.15	BKF Walker	24.10	227.10	227.68	227.66	227.72	0.011019	2.21	20.05	116.77	0.66	0.24	0.53
EJ	159.15	USGS 2-yr	51.40	227.10	227.79	227.73	227.84	0.011006	2.64	34.57	151.54	0.69	0.31	0.83
EJ	159.15	USGS 5-yr	85.00	227.10	227.89	227.81	227.95	0.011008	2.99	49.69	160.81	0.71	0.38	1.13
EJ	159.15	USGS 10-yr	110.00	227.10	227.95	227.85	228.02	0.011001	3.21	59.42	165.17	0.72	0.42	1.34
EJ	159.15	USGS 25-yr	143.50	227.10	228.02	227.90	228.10	0.011004	3.45	71.19	169.94	0.73	0.47	1.61
EJ	159.15	USGS 50-yr	170.10	227.10	228.07	227.94	228.16	0.011003	3.61	79.72	172.60	0.74	0.50	1.81
EJ	159.15	USGS 100-yr	197.60	227.10	228.12	227.98	228.21	0.011002	3.77	88.06	175.17	0.75	0.53	2.01

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear Chan (lb/sq ft)	Power Chan (lb/ft s)
EJ	743.98	Hydraflow 1-yr	11.60	244.00	245.16		245.26	0.005485	2.58	4.50	5.00	0.48	0.25	0.66
EJ	743.98	USGS 1.2-yr	16.40	244.00	245.38		245.51	0.005723	2.89	5.67	5.34	0.50	0.31	0.88
EJ	743.98	USGS 1.5-yr	19.70	244.00	245.52		245.67	0.005879	3.08	6.41	5.55	0.50	0.34	1.04
EJ	743.98	BKF Harman	15.10	244.00	245.33		245.45	0.005646	2.81	5.37	5.26	0.49	0.29	0.82
EJ	743.98	BKF Walker	8.00	244.00	244.96		245.04	0.005190	2.26	3.53	4.70	0.46	0.21	0.47
EJ	743.98	USGS 2-yr	29.50	244.00	245.87	245.29	246.06	0.006205	3.50	8.42	6.07	0.52	0.42	1.45
EJ	743.98	USGS 5-yr	47.80	244.00	246.37	245.70	246.63	0.006689	4.09	11.69	6.84	0.55	0.53	2.18
EJ	743.98	USGS 10-yr	61.00	244.00	246.67	245.94	246.98	0.006953	4.42	13.81	7.29	0.57	0.61	2.67
EJ	743.98	USGS 25-yr	78.30	244.00	247.01	246.23	247.37	0.007258	4.78	16.37	7.81	0.58	0.69	3.30
EJ	743.98	USGS 50-yr	91.70	244.00	247.25	246.44	247.64	0.007430	5.02	18.26	8.16	0.59	0.75	3.74
EJ	743.98	USGS 100-yr	105.40	244.00	247.47	246.63	247.90	0.007592	5.24	20.11	8.50	0.60	0.80	4.19
EJ	582.75	Hydraflow 1-yr	11.60	242.60	243.33	243.33	243.61	0.024870	4.26	2.72	4.87	1.00	0.79	3.36
EJ	582.75	USGS 1.2-yr	16.40	242.60	243.48	243.48	243.82	0.024083	4.71	3.48	5.14	1.01	0.91	4.27
EJ	582.75	USGS 1.5-yr	19.70	242.60	243.58	243.58	243.96	0.023528	4.94	3.99	5.31	1.01	0.97	4.80
EJ	582.75	BKF Harman	15.10	242.60	243.44	243.44	243.77	0.024268	4.60	3.28	5.07	1.01	0.88	4.04
EJ	582.75	BKF Walker	8.00	242.60	243.19	243.19	243.42	0.026245	3.84	2.08	4.63	1.01	0.68	2.62
EJ	582.75	USGS 2-yr	29.50	242.60	243.82	243.82	244.30	0.022692	5.51	5.35	5.75	1.01	1.13	6.25
EJ	582.75	USGS 5-yr	47.80	242.60	244.20	244.20	244.81	0.021809	6.24	7.66	6.42	1.01	1.35	8.44
EJ	582.75	USGS 10-yr	61.00	242.60	244.44	244.44	245.12	0.021359	6.63	9.20	6.83	1.01	1.47	9.76
EJ	582.75	USGS 25-yr	78.30	242.60	244.71	244.71	245.48	0.020771	7.02	11.15	7.32	1.00	1.59	11.19
EJ	582.75	USGS 50-yr	91.70	242.60	244.90	244.90	245.73	0.020581	7.30	12.56	7.66	1.00	1.69	12.30
EJ	582.75	USGS 100-yr	105.40	242.60	245.08	245.08	245.96	0.020382	7.54	13.97	7.98	1.00	1.77	13.33
EJ	401.37	Hydraflow 1-yr	11.60	238.50	238.89		238.92	0.006035	1.52	7.62	24.22	0.48	0.12	0.18
EJ	401.37	USGS 1.2-yr	16.40	238.50	238.97		239.02	0.005483	1.68	9.78	25.04	0.47	0.13	0.22
EJ	401.37	USGS 1.5-yr	19.70	238.50	239.03	238.84	239.08	0.005252	1.77	11.16	25.55	0.47	0.14	0.25
EJ	401.37	BKF Harman	15.10	238.50	238.95		238.99	0.005597	1.64	9.22	24.83	0.47	0.13	0.21
EJ	401.37	BKF Walker	8.00	238.50	238.81		238.84	0.006516	1.36	5.89	23.53	0.48	0.10	0.14
EJ	401.37	USGS 2-yr	29.50	238.50	239.18		239.24	0.004565	1.95	15.16	26.98	0.46	0.16	0.31
EJ	401.37	USGS 5-yr	47.80	238.50	239.43		239.50	0.003847	2.17	22.03	29.28	0.44	0.18	0.39
EJ	401.37	USGS 10-yr	61.00	238.50	239.59		239.67	0.003464	2.27	26.86	30.79	0.43	0.19	0.43
EJ	401.37	USGS 25-yr	78.30	238.50	239.78		239.87	0.003098	2.37	33.03	32.62	0.42	0.19	0.46
EJ	401.37	USGS 50-yr	91.70	238.50	239.92		240.01	0.002881	2.43	37.72	33.94	0.41	0.20	0.48
EJ	401.37	USGS 100-yr	105.40	238.50	240.06		240.15	0.002707	2.49	42.41	35.21	0.40	0.20	0.50
EJ	189.06	Hydraflow 1-yr	11.60	235.70	236.63	236.57	236.85	0.018011	3.77	3.08	5.29	0.87	0.60	2.28
EJ	189.06	USGS 1.2-yr	16.40	235.70	236.79	236.73	237.06	0.018005	4.14	3.96	5.86	0.89	0.70	2.88
EJ	189.06	USGS 1.5-yr	19.70	235.70	236.89	236.82	237.18	0.018004	4.35	4.53	6.20	0.90	0.75	3.26
EJ	189.06	BKF Harman	15.10	235.70	236.75	236.69	237.01	0.018007	4.05	3.73	5.72	0.88	0.67	2.73
EJ	189.06	BKF Walker	8.00	235.70	236.49	236.43	236.67	0.018019	3.40	2.36	4.77	0.85	0.52	1.76
EJ	189.06	USGS 2-yr	29.50	235.70	237.12	237.06	237.49	0.018025	4.84	6.09	7.05	0.92	0.88	4.26
EJ	189.06	USGS 5-yr	47.80	235.70	237.46	237.41	237.93	0.018012	5.49	8.71	8.28	0.94	1.06	5.83
EJ	189.06	USGS 10-yr	61.00	235.70	237.66	237.61	238.19	0.018008	5.84	10.45	9.01	0.96	1.17	6.81
EJ	189.06	USGS 25-yr	78.30	235.70	237.89	237.85	238.49	0.018005	6.22	12.58	9.83	0.97	1.28	7.99
EJ	189.06	USGS 50-yr	91.70	235.70	238.05	238.02	238.70	0.018004	6.48	14.16	10.39	0.98	1.36	8.83
EJ	189.06	USGS 100-yr	105.40	235.70	238.19	238.16	238.89	0.018014	6.71	15.71	10.91	0.99	1.44	9.65

Reach R1- Typical stable conditions (10/21/15)



Reach R1/R2 Headcut transition (07/29/15)



Reach R2- Severe bank erosion and incision below headcut (10/21/15)



Reach R2- Typical stream incision mid-reach (10/21/15)





Reach R2- Typical unstable banks (10/21/15)



Reach R2-Typical stream down-cutting (10/21/15)



Reach R3-Typical unstable banks mid-reach (8/28/15)



Reach R3- Typical stable conditions downstream end (10/21/15)





Reach R3- Downstream end after Hurricane Matthew (10/19/16)



Reach R3- Straightened stream section (10/21/15)



Reach R4- Pond area (8/28/15)



Reach R4- Downstream of pond typical bank erosion (8/28/15)





Reach R4- Immediately below pond outlet (8/28/15)



Reach R4- Pond dam and outlet (10/21/15)





## Appendix 3 – Site Protection Instrument

---

WLS is in the process of obtaining a conservation easement from the current landowners for the project area. The easement deed and survey plat has been submitted to DMS and State Property Office (SPO) for approval and will be held by the State of North Carolina. Once recorded, the secured conservation easement will allow WLS to proceed with the project development and protect the mitigation assets in perpetuity. Table 3.1 includes the Site Protection Instrument information.

**Table 3-1**      *Site Protection Instrument Information*

Owner of Record N/F	PIN	County	Site Protection Instrument	Deed Book and Page Numbers	Acreage Protected
W. Odell Edwards Irrevocable Trust	179100-09-9826	Johnston	Conservation Easement	Book: ---- Page: ----	4.49
Annie Laura G Johnson Revocable Trust	179100-19-2336	Johnston	Conservation Easement	Book: ---- Page: ----	5.96
Edwards Land LLC	179100-08-8771	Johnston	Conservation Easement	Book: ---- Page: ----	0.53



## Appendix 4 – Credit Release Schedule

All credit releases will be based on the total credit generated as reported by the as-built survey of the mitigation site. Under no circumstances shall any mitigation project be debited until the necessary Department of the Army (DA) authorization has been received for its construction or the District Engineer (DE) has otherwise provided written approval for the project in the case where no DA authorization is required for construction of the mitigation project. The DE, in consultation with the NC Interagency Review Team (NCIRT), will determine if performance standards have been satisfied sufficiently to meet the requirements of the release schedules below. In cases where some performance standards have not been met, credits may still be released depending on the specifics of the case. Monitoring may be required to restart or be extended, depending on the extent to which the site fails to meet the specified performance standard. The release of project credits will be subject to the criteria described in the Table below.

**Table 4-1. Credit Release Schedule**

Stream Credits			
Monitoring Year	Credit Release Activity	Interim Release	Total Release
0	Initial Allocation - see requirements below	30%	30%
1	First year monitoring report demonstrates performance standards are being met	10%	40%
2	Second year monitoring report demonstrates performance standards are being met	10%	50% (60%*)
3	Third year monitoring report demonstrates performance standards are being met	10%	60% (70%*)
4	Fourth year monitoring report demonstrates performance standards are being met	5%	65% (75%*)
5	Fifth year monitoring report demonstrates performance standards are being met.	10%	75% (85%*)
6	Sixth year monitoring report demonstrates performance standards are being met.	5%	80% (90%*)
7	Seventh year monitoring report demonstrates performance standards are being met and project has received closeout approval.	10%	90% (100%)

*\*See Initial Allocation of Released Credits and Subsequent Credit Release descriptions below.*





### **Initial Allocation of Released Credits**

The initial allocation of released credits, as specified in the mitigation plan can be released by the NCDEQ DMS without prior written approval of the DE upon satisfactory completion of the following activities:

- a. Approval of the Final Mitigation Plan
- b. Recordation of the preservation mechanism, as well as a title opinion acceptable to the USACE covering the property
- c. Completion of project construction (the initial physical and biological improvements to the mitigation site) pursuant to the mitigation plan; Per the NCDEQ DMS Instrument, construction means that a mitigation site has been constructed in its entirety, to include planting, and an as-built report has been produced. As-built reports must be sealed by an engineer prior to project closeout, if appropriate but not prior to the initial allocation of released credits.
- d. Receipt of necessary DA permit authorization or written DA approval for projects where DA permit issuance is not required.

### **Subsequent Credit Releases**

All subsequent credit releases must be approved by the DE, in consultation with the NCIRT, based on a determination that required performance standards have been achieved. For stream projects a reserve of 10% of a site's total stream credits shall be released after two bankfull events have occurred, in separate years, provided the channel is stable and all other performance standards are met. In the event that less than two bankfull events occur during the monitoring period, release of these reserve credits shall be at the discretion of the NCIRT. As projects approach milestones associated with credit release, the NCDEQ DMS will submit a request for credit release to the DE along with documentation substantiating achievement of criteria required for release to occur. This documentation will be included with the annual monitoring report.



## **Appendix 5 – Financial Assurance**

---

Pursuant to Section IV H and Appendix III of the NCDEQ DMS (formerly Ecosystem Enhancement Program) In-Lieu Fee Instrument dated July 28, 2010, the North Carolina Department of Environmental Quality (NCDEQ) has provided the USACE-Wilmington District with a formal commitment to fund projects to satisfy mitigation requirements assumed by NCDEQ DMS. This commitment provides financial assurance for all mitigation projects implemented by the program.



## Appendix 6 – Maintenance Plan

The site will be monitored on a regular basis and a physical inspection of the site will take place at least once a year throughout the post-construction monitoring period until performance standards are met. These site inspections may identify site components and features that require routine maintenance. Routine maintenance will be most likely in the first two years following site construction and may include the following components as described in Table 6.1:

<b>Routine Maintenance Components</b>	
Edwards-Johnson Mitigation Project – NCDEQ DMS Project No. 97080	
<b>Feature</b>	<b>Maintenance through project close-out</b>
Stream	Routine channel maintenance and repair activities may include modifying in-stream structures to prevent piping, securing loose coir matting, and supplemental installations of live stakes and other target vegetation along the project reaches. Areas of concentrated stormwater and floodplain flows that intercept the channel may also require maintenance to prevent bank failures and head-cutting until vegetation becomes established.
Wetland	N/A
Vegetation	Vegetation will be maintained to ensure the health and vigor of the targeted plant community. Routine vegetation maintenance and repair activities may include supplemental planting, pruning, and fertilizing. Exotic invasive plant species will be treated by mechanical and/or chemical methods. Any invasive plant species control requiring herbicide application will be performed in accordance with NC Department of Agriculture (NCDA) rules and regulations.
Site Boundary	Site boundaries will be demarcated in the field to ensure clear distinction between the mitigation site and adjacent properties. Boundaries may be identified by fence, marker, bollard, post, or other means as allowed by site conditions and/or conservation easement. Boundary markers disturbed, damaged, or destroyed will be repaired and/or replaced on an as needed basis.
Stream Crossing	The stream crossing(s) within the site may be maintained only as allowed by the recorded Conservation Easement, deed restrictions, rights of way, or corridor agreements.
Beaver Management	Routine maintenance and repair activities caused by beaver activity may include supplemental planting, pruning, and dewatering/dam removal. Beaver management will be implemented using accepted trapping and removal methods only within the recorded Conservation Easement.



## Appendix 7 – DWR Stream Identification Forms, Determination and Viability Letters

The streams at the Project site were categorized into four reaches (R1, R2, R3, and R4) totaling approximately 3,655 linear feet of existing streams. Reach breaks were based on drainage area at confluences, valley length along an existing pond, changes in existing condition, restoration approaches, and/or changes in intermittent/perennial stream status. Field evaluations conducted by WLS at the proposal stage and during existing conditions assessments determined that Project reaches R2, R3, are perennial streams and upper R1 and R4 were determined to be intermittent. Determinations were based on NCDWQ's *Methodology for Identification of Intermittent and Perennial Streams and Their Origins*, (NCDWQ v4.11, Effective Date: September 1, 2010) stream assessment protocols. DWR's April 28, 2016 riparian buffer mitigation site viability letter, referenced earlier, also included determination that Project Reaches R1 (includes Project Reach R2), R3, and R4 were either intermittent or perennial. Additionally, on June 1, 2017, DWR performed a requested determination and Reach R1 and Reach R4 were determined to be intermittent, as communicated in DWR's June 2, 2017 letter entitled "On-Site Stream Determination for Applicability to the Neuse Riparian Buffer Rules and Water Quality Standards (15A NCAC 02B.0233)". Copies of the referenced DWR Stream Identification Forms, Determinations, and Viability Letters are included herein and reach condition summaries are provided below.

**Table 7-1. Summary of Field Investigations to Determine Intermittent/Perennial Status**

Project Reach Designation	Existing Project Reach Length (ft)	NCDWQ Stream Classification Form Score <sup>1</sup>	Watershed Drainage Area (acres) <sup>1</sup>	Stream Status Based on Field Analyses
R1	611	29.75	96	Intermittent
R2	1,020	45.0	120	Perennial
R3 (upper)	943	46.5	211	Perennial
R3 (lower)	265	46.5	223	Perennial
R4	816	26.0	55	Intermittent

*Note 1: Watershed drainage area was approximated based on topographic and LiDAR information and compared with USGS StreamStats at the downstream end of each reach.*



### NC DWQ Stream Identification Form Version 4.11

Date: 8/28/15	Project/Site: E-J MB - R1	Latitude: 35°43'39.59"N
Evaluator: K. VANSTELL	County: JOHNSTON	Longitude: 78°21'09.92"W
<b>Total Points:</b> Stream is at least intermittent if ≥ 19 or perennial if ≥ 30*      29.75	<b>Stream Determination (circle one)</b> Ephemeral Intermittent Perennial	<b>Other</b> e.g. Quad Name: FLOWERS

**A. Geomorphology (Subtotal = 19.5)**

	Absent	Weak	Moderate	Strong
1 <sup>a</sup> Continuity of channel bed and bank	0	1	2	3
2. Sinuosity of channel along thalweg	0	1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	1	2	3
4. Particle size of stream substrate <i>NON-MATIVE SAND I / IMBEDDED</i>	0	1	2	3
5. Active/relict floodplain	0	1	2	3
6. Depositional bars or benches	0	1	2	3
7. Recent alluvial deposits	0	1	2	3
8. Headcuts	0	1	2	3
9. Grade control	0	0.5	1	1.5
10. Natural valley	0	0.5	1	1.5
11. Second or greater order channel	No = 0		Yes = 3	

<sup>a</sup> artificial ditches are not rated; see discussions in manual

**B. Hydrology (Subtotal = 6.0)**

12. Presence of Baseflow	0	1	2	3
13. Iron oxidizing bacteria	0	1	2	3
14. Leaf litter	1.5	1	0.5	0
15. Sediment on plants or debris	0	0.5	1	1.5
16. Organic debris lines or piles	0	0.5	1	1.5
17. Soil-based evidence of high water table?	No = 0		Yes = 3	

**C. Biology (Subtotal = 4.25)**

18. Fibrous roots in streambed	3	2	1	0
19. Rooted upland plants in streambed	3	2	1	0
20. Macroinvertebrates (note diversity and abundance)	0	1	2	3
21. Aquatic Mollusks	0	1	2	3
22. Fish	0	0.5	1	1.5
23. Crayfish (IN FLOODPLAIN)	0	0.5	1	1.5
24. Amphibians	0	0.5	1	1.5
25. Algae	0	0.5	1	1.5
26. Wetland plants in streambed	FACW = 0.75; OBL = 1.5 Other = 0			

\*perennial streams may also be identified using other methods. See p. 35 of manual.

**Notes:** CHANNEL APPEARS TO HAVE BEEN MANIPULATED NEAR P. LINE

Sketch:

## NC DWQ Stream Identification Form Version 4.11

Date: 8/28/15	Project/Site: E.J MB - R2	Latitude: 35°43'32.18"N
Evaluator: K. VAN STELL	County: JOHNSTON	Longitude: -78°21'19.23"W
<b>Total Points:</b> <i>Stream is at least intermittent if ≥ 19 or perennial if ≥ 30*</i> 45.0	<b>Stream Determination (circle one)</b> Ephemeral Intermittent Perennial	<b>Other</b> e.g. Quad Name: FLOWERS

**A. Geomorphology (Subtotal = 26.5)**

	Absent	Weak	Moderate	Strong
1 <sup>a</sup> Continuity of channel bed and bank	0	1	2	3
2. Sinuosity of channel along thalweg	0	1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	1	2	3
4. Particle size of stream substrate	0	1	2	3
5. Active/relict floodplain	0	1	2	3
6. Depositional bars or benches	0	1	2	3
7. Recent alluvial deposits	0	1	2	3
8. Headcuts	0	1	2	3
9. Grade control	0	0.5	1	1.5
10. Natural valley	0	0.5	1	1.5
11. Second or greater order channel	No = 0		Yes = 3	

<sup>a</sup> artificial ditches are not rated; see discussions in manual

**B. Hydrology (Subtotal = 12.0)**

12. Presence of Baseflow	0	1	2	3
13. Iron oxidizing bacteria	0	1	2	3
14. Leaf litter	1.5	1	0.5	0
15. Sediment on plants or debris	0	0.5	1	1.5
16. Organic debris lines or piles	0	0.5	1	1.5
17. Soil-based evidence of high water table?	No = 0		Yes = 3	

**C. Biology (Subtotal = 6.5)**

18. Fibrous roots in streambed	3	2	1	0
19. Rooted upland plants in streambed	3	2	1	0
20. Macrobenthos (note diversity and abundance)	0	1	2	3
21. Aquatic Mollusks	0	1	2	3
22. Fish	0	0.5	1	1.5
23. Crayfish	0	0.5	1	1.5
24. Amphibians	0	0.5	1	1.5
25. Algae	0	0.5	1	1.5
26. Wetland plants in streambed	FACW = 0.75; OBL = 1.5 Other = 0			

\*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes:

Sketch:



NC DWQ Stream Identification Form Version 4.11

Date: 8/28/15	Project/Site: E.JMB-R3	Latitude: 35°43'28.08"N
Evaluator: K. VANSEEL	County: JOHNSTON	Longitude: -78°21'28.45"W
<b>Total Points:</b> Stream is at least intermittent if ≥ 19 or perennial if ≥ 30* 46.5	<b>Stream Determination (circle one)</b> Ephemeral Intermittent <u>Perennial</u>	<b>Other</b> e.g. Quad Name: FLOWERS

A. Geomorphology (Subtotal = 28.5)

	Absent	Weak	Moderate	Strong
1 <sup>a</sup> Continuity of channel bed and bank	0	1	2	3
2. Sinuosity of channel along thalweg	0	1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	1	2	3
4. Particle size of stream substrate	0	1	2	3
5. Active/relict floodplain	0	1	2	3
6. Depositional bars or benches	0	1	2	3
7. Recent alluvial deposits	0	1	2	3
8. Headcuts	0	1	2	3
9. Grade control	0	0.5	1	1.5
10. Natural valley	0	0.5	1	1.5
11. Second or greater order channel	No = 0		Yes = 3	

<sup>a</sup> artificial ditches are not rated; see discussions in manual

B. Hydrology (Subtotal = 11.5)

12. Presence of Baseflow	0	1	2	3
13. Iron oxidizing bacteria	0	1	2	3
14. Leaf litter	1.5	1	0.5	0
15. Sediment on plants or debris	0	0.5	1	1.5
16. Organic debris lines or piles	0	0.5	1	1.5
17. Soil-based evidence of high water table?	No = 0		Yes = 3	

C. Biology (Subtotal = 6.5)

18. Fibrous roots in streambed	3	2	1	0
19. Rooted upland plants in streambed	3	2	1	0
20. Macroinvertebrates (note diversity and abundance)	0	1	2	3
21. Aquatic Mollusks	0	1	2	3
22. Fish	0	0.5	1	1.5
23. Crayfish	0	0.5	1	1.5
24. Amphibians	0	0.5	1	1.5
25. Algae	0	0.5	1	1.5
26. Wetland plants in streambed <u>CARDINAL FLOWER</u>	FACW = 0.75; OBL = 1.5 Other = 0			

\*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes: STREAM APPEARS TO HAVE MOVED TO VALLEY EDGE

Sketch:

# NC DWQ Stream Identification Form Version 4.11

Date: 8/28/15	Project/Site: E-J MB-R4	Latitude: 35°43'29.47" N
Evaluator: K. VANSTELL	County: JOHNSON	Longitude: -78°21'20.89" W
<b>Total Points:</b> Stream is at least intermittent if ≥ 19 or perennial if ≥ 30*      26.0	<b>Stream Determination (circle one)</b> Ephemeral <input type="checkbox"/> Intermittent <input checked="" type="checkbox"/> Perennial <input type="checkbox"/>	<b>Other</b> e.g. Quad Name: FLOWERS

**A. Geomorphology (Subtotal = 21.0)**

	Absent	Weak	Moderate	Strong
1 <sup>a</sup> Continuity of channel bed and bank	0	1	2	3
2. Sinuosity of channel along thalweg	0	1	2	3
3. In-channel structure: ex. riffle-pool, step-pool, ripple-pool sequence	0	1	2	3
4. Particle size of stream substrate	0	1	2	3
5. Active/felict floodplain	0	1	2	3
6. Depositional bars or benches	0	1	2	3
7. Recent alluvial deposits	0	1	2	3
8. Headcuts	0	1	2	3
9. Grade control	0	0.5	1	1.5
10. Natural valley	0	0.5	1	1.5
11. Second or greater order channel	No = 0		Yes = 3	

<sup>a</sup> artificial ditches are not rated; see discussions in manual

**B. Hydrology (Subtotal = 2.0)**


12. Presence of Baseflow	0	1	2	3
13. Iron oxidizing bacteria	0	1	2	3
14. Leaf litter	1.5	1	0.5	0
15. Sediment on plants or debris	0	0.5	1	1.5
16. Organic debris lines or piles	0	0.5	1	1.5
17. Soil-based evidence of high water table?	No = 0		Yes = 3	

**C. Biology (Subtotal = 3.0)**

18. Fibrous roots in streambed	3	2	1	0
19. Rooted upland plants in streambed	3	2	1	0
20. Macrobenthos (note diversity and abundance)	0	1	2	3
21. Aquatic Mollusks	0	1	2	3
22. Fish	0	0.5	1	1.5
23. Crayfish	0	0.5	1	1.5
24. Amphibians	0	0.5	1	1.5
25. Algae	0	0.5	1	1.5
26. Wetland plants in streambed	FACW = 0.75; OBL = 1.5 Other = 0			

\*perennial streams may also be identified using other methods. See p. 35 of manual.

Notes: CHANNEL APPEARS TO BE MANIPULATED. SOME SUBSTRATE SORTING NEAR BOTTOM







ROY COOPER

*Governor*

MICHAEL S. REGAN

*Secretary*

S. JAY ZIMMERMAN

*Director*

June 2, 2017

Water & Land Solutions, LLC  
 Attn: Mr. Scott Hunt  
 11030 Raven Ridge Road, Suite 119  
 Raleigh, NC 27614

DWR Project #16-0404 Version 3  
 Johnston County

**Subject: On-Site Stream Determination for Applicability to the Neuse Riparian Buffer Rules and Water Quality Standards (15A NCAC 02B .0233)**

Subject Property/ Project Name: Edwards-Johnson Mitigation Project  
 Address/Location: Immediately southwest of the Wendell Road and Lake Wendell Road intersection  
 Stream(s) Evaluated: UTs to Buffalo Creek  
 Determination Date: June 1, 2017 Staff: Shelton Sullivan

Determination Type:	
Buffer:X	Stream:X
<input checked="" type="checkbox"/> Neuse (15A NCAC 02B .0233)	<input checked="" type="checkbox"/> Intermittent/Perennial Determination (where local buffer ordinances apply)

Feature ID <sup>1</sup>	Feature Type <sup>2</sup>	Not Subject	Subject	Location of Determination	Soil Survey	USGS Topo
R1 Start Point	Intermittent Stream		X	Upper Reach of R1 @ Project Start and Property Boundary @ flag	X	
R4 Start Point	Intermittent Stream		X	Upper Reach of R4 @ Project start and property boundary @ flag	X	X

The Division of Water Resources has determined that the feature(s) listed above and included on the attached site maps initialed by Shelton Sullivan on June 1, 2017 are located on the most recent published NRCS Soil Survey of Johnston County, North Carolina and/or the most recent

copy of the USGS Topographic map at a 1:24,000 scale and evaluated for applicability to the Neuse Riparian Buffer Rule.

The other stream reaches on the property were not evaluated during this site visit and may or may not appear on the maps referenced above but may be considered jurisdictional per the US Army Corps of Engineers and subject to the Clean Water Act.

**This on-site determination shall expire five (5) years from the date of this letter. Landowners or affected parties that dispute a determination made by the DWR may request a determination by the Director. An appeal request must be made within sixty (60) calendar days of date of this letter to the Director in writing.**

*If sending via US Postal Service:*

*c/o Karen Higgins  
DWR – 401 & Buffer Permitting Branch  
1617 Mail Service Center  
Raleigh, NC 27699-1617*

*If sending via delivery service (UPS, FedEx, etc.):*


*c/o Karen Higgins  
DWR – 401 & Buffer Permitting Branch  
512 N. Salisbury Street  
Raleigh, NC 27604*

This determination is final and binding as detailed above, unless an appeal is requested within sixty (60) days.

This determination only addresses the applicability to the buffer rules and does not approve any activity within the buffers. The project may require a Section 404/401 Permit for the proposed activity. Any inquiries regarding applicability to the Clean Water Act should be directed to the US Army Corps of Engineers Raleigh Regulatory Field Office at (919)-554-4884.

If you have questions regarding this determination, please feel free to contact Shelton Sullivan at (919) 807-6361.

Sincerely,




Karen Higgins, Supervisor  
401 & Buffer Permitting Branch

Attachments: Relative Maps

cc: Annie Laura G. Johnson Revocable Trust, 880 Salem Church Road, Wendell, NC 27591-6530, Attention: Annie Laura G. Johnson - Trustee  
401 & Buffer Permitting Branch file  
RRO - DWR file





Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Legend**

- Conservation Easement
  - Proposed BMPs (Ag)
  - Water Quality Samples
  - Sediment Samples
  - Cross Section
- Stream Mitigation Type**
- Preservation
  - Restoration



Edwards-Johnson  
Mitigation Project

Mitigation Assets &  
Monitoring Features  
Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE  
**10**





PAT MCCRORY

Governor

DONALD R. VAN DER VAART

Secretary

S. JAY ZIMMERMAN

Director

April 28, 2016

DWR Project #: 2016-0404

Scott Hunt  
 Water & Land Solutions, LLC  
 11030 Raven Ridge Rd, Suite 119  
 Raleigh, NC 27614  
 (via electronic mail)

Re: Site Viability for Buffer Mitigation & Nutrient Offset – Edwards/Johnson Properties  
 Located near the intersection of Lake Wendell Rd and Wendell Rd in Wendell, NC  
 Johnston County

Dear Mr. Hunt,

On April 8, 2016, Katie Merritt, with the Division of Water Resources (DWR), assisted you and others from Water & Land Solutions, LLC at the proposed Edwards Johnson Mitigation Site (Site) in Wendell, NC. The Site is located in the Neuse River Basin within the 8-digit Hydrologic Unit Code 03020201. The Site is being proposed as part of a full-delivery stream restoration project for the Division of Mitigation Services (RFP #16-006477). The Interagency Review Team (IRT) was also present onsite. At your request, Ms. Merritt performed a site assessment of features onsite to determine suitability for buffer and nutrient offset mitigation. Features are more accurately shown in the attached maps signed by Ms. Merritt on April 26, 2016. If approved, mitigating this site could provide stream mitigation credits, riparian buffer credits and/or nutrient offset credits.

Ms. Merritt’s evaluation of the features from Top of Bank (TOB) out to 200’ for buffer and nutrient offset mitigation pursuant to Rule 15A NCAC 02B .0295 (effective November 1, 2015) and Rule 15A NCAC 02B .0240 is provided in the table below:

<u>Feature</u>	<u>Classification</u>	<u><sup>1</sup>Subject to Buffer Rule</u>	<u>Adjacent Land uses</u>	<u><sup>3</sup>Buffer Credit Viable</u>	<u><sup>2</sup>Nutrient Offset Viable at 2,273 lbs/acre</u>	<u>Mitigation Type/Comments</u>
R1 (below wetland to confluence w/ R4)	Stream w/ riparian wetland complexes throughout	Yes (stream only w/ start & stop points needed)	Native hardwood forest, closed canopy; Adjacent fields are in active row crop agriculture	Yes <sup>3</sup>	Yes, but only in fields & outside of the buffer mitigation area	Forested areas = Preservation per 15A NCAC 02B .0295 (o)(5) Fields = Restoration *stream determination from DWR is recommended for start and stop points *No buffer credit within or around wetlands
R3 (start @ R1 and R4 confluence to wetland near Buffalo Creek)	Stream w/ riparian wetland complexes throughout	Yes (stream only)	Native hardwood forest, closed canopy; Adjacent fields are in active row crop agriculture	Yes <sup>3</sup>	Yes, but only in fields & outside of the buffer mitigation area	Forested areas = Preservation per 15A NCAC 02B .0295 (o)(5) Fields = Restoration *stream determination from DWR is recommended for start and stop points *No buffer credit within or around wetlands



R4 (where shown on figure 9)	Stream w/ man-made impoundment	Yes	Native hardwood forest, closed canopy; Adjacent field is in active row crop agriculture, in-line impoundment to be removed	Yes <sup>3</sup>	Yes, but only in fields & outside of the buffer mitigation area	Forested areas = Preservation per 15A NCAC 02B .0295 (o)(5) Fields = Restoration *stream determination from DWR is recommended for start and stop points *No buffer credit within or around wetlands;
------------------------------	--------------------------------	-----	--	------------------	---	--

<sup>1</sup>Subjectivity calls were determined using the 1:24,000 scale quadrangle topographic map prepared by USGS and the most recent printed version of the soil survey map prepared by the NRCS

<sup>2</sup>For nutrient offset viability to be determined, the landowner must provide proof in writing that the land is being used for agriculture or has been used for agriculture previously (prior to rule baseline). Dates, supported by photos or other written records, must be included to confirm that the uses of the open fields onsite are/were for hay crop cultivation/row crop/cattle.


<sup>3</sup>The area of preservation credit within a buffer mitigation site shall comprise of no more than 25 percent (25%) of the total area of buffer mitigation per 15A NCAC 0295 (o)(5). Site cannot be a Preservation only site to comply with this rule.

Maps showing the project site and the features are provided and are signed by Ms. Merritt on April 25, 2016. This letter should be provided in all future mitigation plans for this Site. In addition, all vegetative plantings, performance criteria and other mitigation requirements for riparian restoration, enhancement and preservation must follow the requirements in 15A NCAC 02B .0295 to be eligible for buffer and/or nutrient offset credits.

Where buffer and nutrient offset credits are viable in the same area, only one credit type is allowed to be generated for credit, not both.

For any areas depicted as not being viable for nutrient offset credit, one could propose a different measure other than riparian restoration/enhancement, along with supporting calculations and sufficient detail to support estimates of load reduction, for review by the DWR to determine viability for nutrient offset according to 15A NCAC 02B .0240.

Please contact Katie Merritt at (919)-807-6371 if you have any questions regarding this correspondence.

Sincerely,  
  
 Karen Higgins, Supervisor  
 401 and Buffer Permitting Branch


KAH/km  
 Attachments: Site Aerial Map, USGS Topographic Map,

cc:File Copy (Katie Merritt)  
 DMS – Jeff Schaffer (via electronic mail)

Legend

□ Conservation Easement

Flowers Quadrangle  
North Carolina - Johnston Co.



Copyright: © 2013 National Geographic Society, i-cubed



*Kym 4/26/16*  
 Edwards-Johnson  
 Mitigation Project  
 DNR# 2016-0404

USGS  
 Topographic  
 Map

NAD 1983 2011 State Plane

FIGURE  
**2**

**Legend**

□ Conservation Easement

— Water Quality Stressors

— Nutrient and Sediment Inputs

Water Quality and Habitat Stressors					
Reach ID	Existing Stream Length (ft)	Livestock Access	Narrow Buffer (< 30')	Buffer (> 30')	Nutrient and Sediment Inputs
R1	495	0%	0%	100%	10%
R2	1,007	0%	0%	100%	20%
R3 (upper)	629	0%	0%	100%	40%
R3 (lower)	240	0%	0%	100%	10%
R4	815	0%	0%	100%	30%

Notes: The percentages shown were estimated for both stream banks combined.

*Rym  
4/26/16  
DNR #  
2016-0404*



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Edwards-Johnson Mitigation Project

Water Quality Stressors

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE 9



## **Appendix 8 – USACE District Assessment Methods/Forms**

---



**NC SAM FIELD ASSESSMENT FORM**  
**Accompanies User Manual Version 2.1**

USACE AID #: SAW-2016-00876

NCDWR #: 2016-0385

**INSTRUCTIONS:** Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

**NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).**

**PROJECT/SITE INFORMATION:**

1. Project name (if any): Edwards-Johnson 2. Date of evaluation: 5/31/17  
 3. Applicant/owner name: Edwards-Johnson 4. Assessor name/organization: Water and Land Solutions  
 5. County: Johnston 6. Nearest named water body on USGS 7.5-minute quad: Lake Wendell  
 7. River basin: Neuse  
 8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.7251220, -78.3562610


**STREAM INFORMATION: (depth and width can be approximations)**

9. Site number (show on attached map): R1 10. Length of assessment reach evaluated (feet): 611  
 11. Channel depth from bed (in riffle, if present) to top of bank (feet): 0.7  Unable to assess channel depth.  
 12. Channel width at top of bank (feet): 5.5 13. Is assessment reach a swamp steam?  Yes  No  
 14. Feature type:  Perennial flow  Intermittent flow  Tidal Marsh Stream

**STREAM CATEGORY INFORMATION:**

15. NC SAM Zone:  Mountains (M)  Piedmont (P)  Inner Coastal Plain (I)  Outer Coastal Plain (O)

16. Estimated geomorphic valley shape (skip for Tidal Marsh Stream):

A   
 (more sinuous stream, flatter valley slope)

B   
 (less sinuous stream, steeper valley slope)

17. Watershed size: (skip for Tidal Marsh Stream)

Size 1 (< 0.1 mi<sup>2</sup>)  Size 2 (0.1 to < 0.5 mi<sup>2</sup>)  Size 3 (0.5 to < 5 mi<sup>2</sup>)  Size 4 (≥ 5 mi<sup>2</sup>)

**ADDITIONAL INFORMATION:**

18. Were regulatory considerations evaluated?  Yes  No If Yes, check all that apply to the assessment area.  
 Section 10 water  Classified Trout Waters  Water Supply Watershed ( I  II  III  IV  V)  
 Essential Fish Habitat  Primary Nursery Area  High Quality Waters/Outstanding Resource Waters  
 Publicly owned property  NCDWR Riparian buffer rule in effect  Nutrient Sensitive Waters  
 Anadromous fish  303(d) List  CAMA Area of Environmental Concern (AEC)  
 Documented presence of a federal and/or state listed protected species within the assessment area.

List species: \_\_\_\_\_

Designated Critical Habitat (list species) \_\_\_\_\_

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached?  Yes  No

**1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)**

- A Water throughout assessment reach.  
 B No flow, water in pools only.  
 C No water in assessment reach.

**2. Evidence of Flow Restriction – assessment reach metric**

- A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).  
 B Not A

**3. Feature Pattern – assessment reach metric**

- A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).  
 B Not A

**4. Feature Longitudinal Profile – assessment reach metric**

- A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).  
 B Not A

**5. Signs of Active Instability – assessment reach metric**

**Consider only current instability, not past events from which the stream has currently recovered.** Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).

- A < 10% of channel unstable  
 B 10 to 25% of channel unstable  
 C > 25% of channel unstable

6. Streamside Area Interaction – streamside area metric

Consider for the Left Bank (LB) and the Right Bank (RB).

- LB RB
[A] [A] Little or no evidence of conditions that adversely affect reference interaction
[B] [B] Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction
[C] [C] Extensive evidence of conditions that adversely affect reference interaction

7. Water Quality Stressors – assessment reach/intertidal zone metric

Check all that apply.

- [A] Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
[B] Excessive sedimentation (burying of stream features or intertidal zone)
[C] Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
[D] Odor (not including natural sulfide odors)
[E] Current published or collected data indicating degraded water quality in the assessment reach. Cite source in "Notes/Sketch" section.
[F] Livestock with access to stream or intertidal zone
[G] Excessive algae in stream or intertidal zone
[H] Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
[I] Other: (explain in "Notes/Sketch" section)
[J] Little to no stressors

8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)

For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- [A] Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
[B] Drought conditions and rainfall exceeding 1 inch within the last 48 hours
[C] No drought conditions

9. Large or Dangerous Stream – assessment reach metric

[Yes] [No] Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

10. Natural In-stream Habitat Types – assessment reach metric

10a. [Yes] [No] Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) (evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)

10b. Check all that occur (occurs if > 5% coverage of assessment reach) (skip for Size 4 Coastal Plain streams)

- [A] Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
[B] Multiple sticks and/or leaf packs and/or emergent vegetation
[C] Multiple snags and logs (including lap trees)
[D] 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter
[E] Little or no habitat
[F] 5% oysters or other natural hard bottoms
[G] Submerged aquatic vegetation
[H] Low-tide refugia (pools)
[I] Sand bottom
[J] 5% vertical bank along the marsh
[K] Little or no habitat

\*\*\*\*\*REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS\*\*\*\*\*

11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

11a. [Yes] [No] Is assessment reach in a natural sand-bed stream? (skip for Coastal Plain streams)

11b. Bedform evaluated. Check the appropriate box(es).

- [A] Riffle-run section (evaluate 11c)
[B] Pool-glide section (evaluate 11d)
[C] Natural bedform absent (skip to Metric 12, Aquatic Life)

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams). Not Present (NP) = absent, Rare (R) = present but <= 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

Table with 5 columns (NP, R, C, A, P) and 7 rows of substrate types: Bedrock/saprolite, Boulder (256 – 4096 mm), Cobble (64 – 256 mm), Gravel (2 – 64 mm), Sand (.062 – 2 mm), Silt/clay (< 0.062 mm), Detritus, Artificial (rip-rap, concrete, etc.)

11d. [Yes] [No] Are pools filled with sediment? (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

**12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)**

12a.  Yes  No Was an in-stream aquatic life assessment performed as described in the User Manual?  
If No, select one of the following reasons and skip to Metric 13.  No Water  Other: \_\_\_\_\_

12b.  Yes  No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

- 1 >1 Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
- Adult frogs
  - Aquatic reptiles
  - Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
  - Beetles
  - Caddisfly larvae (T)
  - Asian clam (*Corbicula*)
  - Crustacean (isopod/amphipod/crayfish/shrimp)
  - Damselfly and dragonfly larvae
  - Dipterans
  - Mayfly larvae (E)
  - Megaloptera (alderfly, fishfly, dobsonfly larvae)
  - Midges/mosquito larvae
  - Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea*)
  - Mussels/Clams (not *Corbicula*)
  - Other fish
  - Salamanders/tadpoles
  - Snails
  - Stonefly larvae (P)
  - Tipulid larvae
  - Worms/leeches

**13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)**

**Consider for the Left Bank (LB) and the Right Bank (RB).** Consider storage capacity with regard to both overbank flow and upland runoff.

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> A | <input type="checkbox"/> A            | Little or no alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> B            | <input checked="" type="checkbox"/> B | Moderate alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes) |

**14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)**

**Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.**

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> A | <input checked="" type="checkbox"/> A | Majority of streamside area with depressions able to pond water ≥ 6 inches deep    |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Majority of streamside area with depressions able to pond water 3 to 6 inches deep |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Majority of streamside area with depressions able to pond water < 3 inches deep    |

**15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)**

**Consider for the Left Bank (LB) and the Right Bank (RB).** Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> Y | <input checked="" type="checkbox"/> Y | Are wetlands present in the streamside area? |
| <input type="checkbox"/> N            | <input type="checkbox"/> N            |  |

**16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)**

**Check all contributors within the assessment reach or within view of and draining to the assessment reach.**

- A Streams and/or springs (jurisdictional discharges)
- B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
- C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
- D Evidence of bank seepage or sweating (iron in water indicates seepage)
- E Stream bed or bank soil reduced (dig through deposited sediment if present)
- F None of the above

**17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)**

**Check all that apply.**

- A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
- B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
- C Urban stream (≥ 24% impervious surface for watershed)
- D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
- E Assessment reach relocated to valley edge
- F None of the above

**18. Shading – assessment reach metric (skip for Tidal Marsh Streams)**

Consider aspect. Consider "leaf-on" condition.

- A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
- B Degraded (example: scattered trees)
- C Stream shading is gone or largely absent

**19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)**

Consider “vegetated buffer” and “wooded buffer” separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	≥ 100 feet wide <u>or</u> extends to the edge of the watershed
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	From 50 to < 100 feet wide
<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	From 30 to < 50 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	From 10 to < 30 feet wide
<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	< 10 feet wide <u>or</u> no trees

**20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Vegetated” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Mature forest
<input type="checkbox"/> B	<input type="checkbox"/> B	Non-mature woody vegetation <u>or</u> modified vegetation structure
<input type="checkbox"/> C	<input type="checkbox"/> C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	Maintained shrubs
<input type="checkbox"/> E	<input type="checkbox"/> E	Little or no vegetation

**21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)**

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22:

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input checked="" type="checkbox"/> A	Row crops
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	Maintained turf
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	Pasture (no livestock)/commercial horticulture
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	Pasture (active livestock use)

**22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Wooded” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Medium to high stem density
<input type="checkbox"/> B	<input type="checkbox"/> B	Low stem density
<input type="checkbox"/> C	<input type="checkbox"/> C	No wooded riparian buffer <u>or</u> predominantly herbaceous species <u>or</u> bare ground

**23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)**

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	The total length of buffer breaks is < 25 percent.
<input type="checkbox"/> B	<input checked="" type="checkbox"/> B	The total length of buffer breaks is between 25 and 50 percent.
<input checked="" type="checkbox"/> C	<input type="checkbox"/> C	The total length of buffer breaks is > 50 percent.

**24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)**

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
<input type="checkbox"/> B	<input type="checkbox"/> B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing <u>or</u> communities with non-native invasive species present, but not dominant, over a large portion of the expected strata <u>or</u> communities missing understory but retaining canopy trees.
<input type="checkbox"/> C	<input type="checkbox"/> C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent <u>or</u> communities with non-native invasive species dominant over a large portion of expected strata <u>or</u> communities composed of planted stands of non-characteristic species <u>or</u> communities inappropriately composed of a single species <u>or</u> no vegetation.

**25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)**

25a. Yes No Was conductivity measurement recorded?  
If No, select one of the following reasons. No Water Other: \_\_\_\_\_

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).  
A < 46 B 46 to < 67 C 67 to < 79 D 79 to < 230 E ≥ 230

Notes/Sketch:



**Draft NC SAM Stream Rating Sheet**  
**Accompanies User Manual Version 2.1**

Stream Site Name Edwards-Johnson Date of Assessment 5/31/17  
 Stream Category Pb2 Assessor Name/Organization Water and Land Solutions

Notes of Field Assessment Form (Y/N) NO  
 Presence of regulatory considerations (Y/N) YES  
 Additional stream information/supplementary measurements included (Y/N) YES  
 NC SAM feature type (perennial, intermittent, Tidal Marsh Stream) Intermittent

<b>Function Class Rating Summary</b>	<b>USACE/ All Streams</b>	<b>NCDWR Intermittent</b>
(1) Hydrology	<b>HIGH</b>	<b>HIGH</b>
(2) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(2) Flood Flow	<b>HIGH</b>	<b>HIGH</b>
(3) Streamside Area Attenuation	<b>HIGH</b>	<b>HIGH</b>
(4) Floodplain Access	<b>HIGH</b>	<b>HIGH</b>
(4) Wooded Riparian Buffer	<b>HIGH</b>	<b>HIGH</b>
(4) Microtopography	NA	NA
(3) Stream Stability	<b>HIGH</b>	<b>HIGH</b>
(4) Channel Stability	<b>HIGH</b>	<b>HIGH</b>
(4) Sediment Transport	<b>HIGH</b>	<b>HIGH</b>
(4) Stream Geomorphology	<b>HIGH</b>	<b>HIGH</b>
(2) Stream/Intertidal Zone Interaction	NA	NA
(2) Longitudinal Tidal Flow	NA	NA
(2) Tidal Marsh Stream Stability	NA	NA
(3) Tidal Marsh Channel Stability	NA	NA
(3) Tidal Marsh Stream Geomorphology	NA	NA
(1) Water Quality	<b>HIGH</b>	<b>HIGH</b>
(2) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(2) Streamside Area Vegetation	<b>MEDIUM</b>	<b>MEDIUM</b>
(3) Upland Pollutant Filtration	<b>LOW</b>	<b>LOW</b>
(3) Thermoregulation	<b>HIGH</b>	<b>HIGH</b>
(2) Indicators of Stressors	<b>NO</b>	<b>NO</b>
(2) Aquatic Life Tolerance	<b>HIGH</b>	NA
(2) Intertidal Zone Filtration	NA	NA
(1) Habitat	<b>HIGH</b>	<b>HIGH</b>
(2) In-stream Habitat	<b>MEDIUM</b>	<b>MEDIUM</b>
(3) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(3) Substrate	<b>LOW</b>	<b>LOW</b>
(3) Stream Stability	<b>HIGH</b>	<b>HIGH</b>
(3) In-stream Habitat	<b>HIGH</b>	<b>HIGH</b>
(2) Stream-side Habitat	<b>HIGH</b>	<b>HIGH</b>
(3) Stream-side Habitat	<b>HIGH</b>	<b>HIGH</b>
(3) Thermoregulation	<b>HIGH</b>	<b>HIGH</b>
(2) Tidal Marsh In-stream Habitat	NA	NA
(3) Flow Restriction	NA	NA
(3) Tidal Marsh Stream Stability	NA	NA
(4) Tidal Marsh Channel Stability	NA	NA
(4) Tidal Marsh Stream Geomorphology	NA	NA
(3) Tidal Marsh In-stream Habitat	NA	NA
(2) Intertidal Zone	NA	NA
<b>Overall</b>	<b>HIGH</b>	<b>HIGH</b>

**NC SAM FIELD ASSESSMENT FORM**  
**Accompanies User Manual Version 2.1**

USACE AID #: SAW-2016-00876

NCDWR #: 2016-0385

**INSTRUCTIONS:** Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

**NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).**

**PROJECT/SITE INFORMATION:**



1. Project name (if any): Edwards-Johnson 2. Date of evaluation: 5/31/17  
 3. Applicant/owner name: Edwards-Johnson 4. Assessor name/organization: Water and Land Solutions  
 5. County: Johnston 6. Nearest named water body on USGS 7.5-minute quad: Lake Wendell  
 7. River basin: Neuse  
 8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.7251220, -78.3562610

**STREAM INFORMATION: (depth and width can be approximations)**

9. Site number (show on attached map): R2 10. Length of assessment reach evaluated (feet): 1,020  
 11. Channel depth from bed (in riffle, if present) to top of bank (feet): 10.8  Unable to assess channel depth.  
 12. Channel width at top of bank (feet): 2.6 13. Is assessment reach a swamp stream?  Yes  No  
 14. Feature type:  Perennial flow  Intermittent flow  Tidal Marsh Stream

**STREAM CATEGORY INFORMATION:**

15. NC SAM Zone:  Mountains (M)  Piedmont (P)  Inner Coastal Plain (I)  Outer Coastal Plain (O)

16. Estimated geomorphic valley shape (skip for Tidal Marsh Stream):  
 A  (more sinuous stream, flatter valley slope)  
 B  (less sinuous stream, steeper valley slope)

17. Watershed size: (skip for Tidal Marsh Stream)  
 Size 1 (< 0.1 mi<sup>2</sup>)  Size 2 (0.1 to < 0.5 mi<sup>2</sup>)  Size 3 (0.5 to < 5 mi<sup>2</sup>)  Size 4 (≥ 5 mi<sup>2</sup>)

**ADDITIONAL INFORMATION:**

18. Were regulatory considerations evaluated?  Yes  No If Yes, check all that apply to the assessment area.  
 Section 10 water  Classified Trout Waters  Water Supply Watershed ( I  II  III  IV  V)  
 Essential Fish Habitat  Primary Nursery Area  High Quality Waters/Outstanding Resource Waters  
 Publicly owned property  NCDWR Riparian buffer rule in effect  Nutrient Sensitive Waters  
 Anadromous fish  303(d) List  CAMA Area of Environmental Concern (AEC)  
 Documented presence of a federal and/or state listed protected species within the assessment area.  
 List species: \_\_\_\_\_  
 Designated Critical Habitat (list species) \_\_\_\_\_

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached?  Yes  No

**1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)**

- A Water throughout assessment reach.
- B No flow, water in pools only.
- C No water in assessment reach.

**2. Evidence of Flow Restriction – assessment reach metric**

- A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- B Not A

**3. Feature Pattern – assessment reach metric**

- A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- B Not A

**4. Feature Longitudinal Profile – assessment reach metric**

- A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- B Not A

**5. Signs of Active Instability – assessment reach metric**

- Consider only current instability, not past events from which the stream has currently recovered.** Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
- A < 10% of channel unstable
  - B 10 to 25% of channel unstable
  - C > 25% of channel unstable

**6. Streamside Area Interaction – streamside area metric**  
**Consider for the Left Bank (LB) and the Right Bank (RB).**

- |                                       |                                       |   |
|---------------------------------------|---------------------------------------|---|
| LB                                    | RB                                    |   |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no evidence of conditions that adversely affect reference interaction   |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])   |
| <input checked="" type="checkbox"/> C | <input checked="" type="checkbox"/> C | Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] <u>or</u> too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) <u>or</u> floodplain/intertidal zone unnaturally absent <u>or</u> assessment reach is a man-made feature on an interstream divide |

**7. Water Quality Stressors – assessment reach/intertidal zone metric**

**Check all that apply.**

- A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- B Excessive sedimentation (burying of stream features or intertidal zone)
- C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- D Odor (not including natural sulfide odors)
- E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in “Notes/Sketch” section.
- F Livestock with access to stream or intertidal zone
- G Excessive algae in stream or intertidal zone
- H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- I Other: \_\_\_\_\_ (explain in “Notes/Sketch” section)
- J Little to no stressors

**8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)**

For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- C No drought conditions

**9. Large or Dangerous Stream – assessment reach metric**

- Yes No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

**10. Natural In-stream Habitat Types – assessment reach metric**

10a. Yes No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- |   |                                    |   |
|---|------------------------------------|---|
| <input type="checkbox"/> A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)  | Check for Tidal Marsh Streams Only | <input type="checkbox"/> F 5% oysters or other natural hard bottoms |
| <input type="checkbox"/> B Multiple sticks and/or leaf packs and/or emergent vegetation                                   |                                    | <input type="checkbox"/> G Submerged aquatic vegetation             |
| <input type="checkbox"/> C Multiple snags and logs (including lap trees)  |                                    | <input type="checkbox"/> H Low-tide refugia (pools)                 |
| <input type="checkbox"/> D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter |                                    | <input type="checkbox"/> I Sand bottom                              |
| <input checked="" type="checkbox"/> E Little or no habitat  |                                    | <input type="checkbox"/> J 5% vertical bank along the marsh         |
|   |                                    | <input type="checkbox"/> K Little or no habitat                     |

\*\*\*\*\*REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS\*\*\*\*\*

**11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

11a. Yes No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- A Riffle-run section **(evaluate 11c)**
- B Pool-glide section **(evaluate 11d)**
- C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams).** Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

- |                                     |                                     |                          |                                     |                                     |                                      |
|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| NP                                  | R                                   | C                        | A                                   | P                                   |                                      |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Bedrock/saprolite                    |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Boulder (256 – 4096 mm)              |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Cobble (64 – 256 mm)                 |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Gravel (2 – 64 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Sand (.062 – 2 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Silt/clay (< 0.062 mm)               |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Detritus                             |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Artificial (rip-rap, concrete, etc.) |

11d. Yes No Are pools filled with sediment? **(skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

**12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)**

12a.  Yes  No Was an in-stream aquatic life assessment performed as described in the User Manual?  
If No, select one of the following reasons and skip to Metric 13.  No Water  Other: \_\_\_\_\_

12b.  Yes  No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

1 >1 Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.

- Adult frogs
- Aquatic reptiles
- Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
- Beetles
- Caddisfly larvae (T)
- Asian clam (*Corbicula*)
- Crustacean (isopod/amphipod/crayfish/shrimp)
- Damselfly and dragonfly larvae
- Dipterans
- Mayfly larvae (E)
- Megaloptera (alderfly, fishfly, dobsonfly larvae)
- Midges/mosquito larvae
- Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea*)
- Mussels/Clams (not *Corbicula*)
- Other fish
- Salamanders/tadpoles
- Snails
- Stonefly larvae (P)
- Tipulid larvae
- Worms/leeches

**13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)**

**Consider for the Left Bank (LB) and the Right Bank (RB).** Consider storage capacity with regard to both overbank flow and upland runoff.

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no alteration to water storage capacity over a majority of the streamside area   |
| <input checked="" type="checkbox"/> B | <input checked="" type="checkbox"/> B | Moderate alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes) |

**14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)**

**Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.**

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Majority of streamside area with depressions able to pond water ≥ 6 inches deep    |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Majority of streamside area with depressions able to pond water 3 to 6 inches deep |
| <input checked="" type="checkbox"/> C | <input checked="" type="checkbox"/> C | Majority of streamside area with depressions able to pond water < 3 inches deep    |

**15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)**

**Consider for the Left Bank (LB) and the Right Bank (RB).** Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.

- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> Y            | <input type="checkbox"/> Y            | Are wetlands present in the streamside area? |
| <input checked="" type="checkbox"/> N | <input checked="" type="checkbox"/> N |  |

**16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)**

**Check all contributors within the assessment reach or within view of and draining to the assessment reach.**

- A Streams and/or springs (jurisdictional discharges)
- B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
- C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
- D Evidence of bank seepage or sweating (iron in water indicates seepage)
- E Stream bed or bank soil reduced (dig through deposited sediment if present)
- F None of the above

**17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)**

**Check all that apply.**

- A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
- B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
- C Urban stream (≥ 24% impervious surface for watershed)
- D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
- E Assessment reach relocated to valley edge
- F None of the above

**18. Shading – assessment reach metric (skip for Tidal Marsh Streams)**

Consider aspect. Consider "leaf-on" condition.

- A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
- B Degraded (example: scattered trees)
- C Stream shading is gone or largely absent



**19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)**

Consider “vegetated buffer” and “wooded buffer” separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	≥ 100 feet wide <u>or</u> extends to the edge of the watershed
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	From 50 to < 100 feet wide
<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	From 30 to < 50 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	From 10 to < 30 feet wide
<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	< 10 feet wide <u>or</u> no trees

**20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Vegetated” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Mature forest
<input type="checkbox"/> B	<input type="checkbox"/> B	Non-mature woody vegetation <u>or</u> modified vegetation structure
<input type="checkbox"/> C	<input type="checkbox"/> C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	Maintained shrubs
<input type="checkbox"/> E	<input type="checkbox"/> E	Little or no vegetation

**21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)**

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22:

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Row crops
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	Maintained turf
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	Pasture (no livestock)/commercial horticulture
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	Pasture (active livestock use)

**22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Wooded” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Medium to high stem density
<input type="checkbox"/> B	<input type="checkbox"/> B	Low stem density
<input type="checkbox"/> C	<input type="checkbox"/> C	No wooded riparian buffer <u>or</u> predominantly herbaceous species <u>or</u> bare ground

**23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)**

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	The total length of buffer breaks is < 25 percent.
<input checked="" type="checkbox"/> B	<input checked="" type="checkbox"/> B	The total length of buffer breaks is between 25 and 50 percent.
<input type="checkbox"/> C	<input type="checkbox"/> C	The total length of buffer breaks is > 50 percent.

**24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)**

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
<input type="checkbox"/> B	<input type="checkbox"/> B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing <u>or</u> communities with non-native invasive species present, but not dominant, over a large portion of the expected strata <u>or</u> communities missing understory but retaining canopy trees.
<input type="checkbox"/> C	<input type="checkbox"/> C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent <u>or</u> communities with non-native invasive species dominant over a large portion of expected strata <u>or</u> communities composed of planted stands of non-characteristic species <u>or</u> communities inappropriately composed of a single species <u>or</u> no vegetation.

**25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)**

25a. Yes No Was conductivity measurement recorded?  
If No, select one of the following reasons. No Water Other: \_\_\_\_\_

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).  
A < 46 B 46 to < 67 C 67 to < 79 D 79 to < 230 E ≥ 230

Notes/Sketch:

**Draft NC SAM Stream Rating Sheet**  
**Accompanies User Manual Version 2.1**

Stream Site Name Edwards-Johnson Date of Assessment 5/31/17  
 Stream Category Pb2 Assessor Name/Organization Water and Land Solutions

Notes of Field Assessment Form (Y/N) NO  
 Presence of regulatory considerations (Y/N) YES  
 Additional stream information/supplementary measurements included (Y/N) YES  
 NC SAM feature type (perennial, intermittent, Tidal Marsh Stream) Perennial

<b>Function Class Rating Summary</b>	<b>USACE/ All Streams</b>	<b>NCDWR Intermittent</b>
(1) Hydrology	<b>LOW</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Flood Flow	<b>LOW</b>	
(3) Streamside Area Attenuation	<b>LOW</b>	
(4) Floodplain Access	<b>LOW</b>	
(4) Wooded Riparian Buffer	<b>HIGH</b>	
(4) Microtopography	NA	
(3) Stream Stability	<b>MEDIUM</b>	
(4) Channel Stability	<b>LOW</b>	
(4) Sediment Transport	<b>HIGH</b>	
(4) Stream Geomorphology	<b>MEDIUM</b>	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	<b>HIGH</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Streamside Area Vegetation	<b>MEDIUM</b>	
(3) Upland Pollutant Filtration	<b>LOW</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Indicators of Stressors	<b>NO</b>	
(2) Aquatic Life Tolerance	<b>HIGH</b>	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	<b>LOW</b>	
(2) In-stream Habitat	<b>LOW</b>	
(3) Baseflow	<b>HIGH</b>	
(3) Substrate	<b>LOW</b>	
(3) Stream Stability	<b>LOW</b>	
(3) In-stream Habitat	<b>LOW</b>	
(2) Stream-side Habitat	<b>HIGH</b>	
(3) Stream-side Habitat	<b>MEDIUM</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
<b>Overall</b>	<b>LOW</b>	

**NC SAM FIELD ASSESSMENT FORM**  
**Accompanies User Manual Version 2.1**

USACE AID #: SAW-2016-00876

NCDWR #: 2016-0385

**INSTRUCTIONS:** Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

**NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).**

**PROJECT/SITE INFORMATION:**

1. Project name (if any): Edwards-Johnson 2. Date of evaluation: 5/31/17  
 3. Applicant/owner name: Edwards-Johnson 4. Assessor name/organization: Water and Land Solutions  
 5. County: Johnston 6. Nearest named water body on USGS 7.5-minute quad: Lake Wendell  
 7. River basin: Neuse  
 8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.7251220, -78.3562610

**STREAM INFORMATION: (depth and width can be approximations)**

9. Site number (show on attached map): R3 (upper) 10. Length of assessment reach evaluated (feet): 943  
 11. Channel depth from bed (in riffle, if present) to top of bank (feet): 3.8  Unable to assess channel depth.  
 12. Channel width at top of bank (feet): 8.4 13. Is assessment reach a swamp steam?  Yes  No  
 14. Feature type:  Perennial flow  Intermittent flow  Tidal Marsh Stream

**STREAM CATEGORY INFORMATION:**

15. NC SAM Zone:  Mountains (M)  Piedmont (P)  Inner Coastal Plain (I)  Outer Coastal Plain (O)

16. Estimated geomorphic valley shape (skip for Tidal Marsh Stream):

A  (more sinuous stream, flatter valley slope)  B  (less sinuous stream, steeper valley slope)

17. Watershed size: (skip for Tidal Marsh Stream)

Size 1 (< 0.1 mi<sup>2</sup>)  Size 2 (0.1 to < 0.5 mi<sup>2</sup>)  Size 3 (0.5 to < 5 mi<sup>2</sup>)  Size 4 (≥ 5 mi<sup>2</sup>)

**ADDITIONAL INFORMATION:**

18. Were regulatory considerations evaluated?  Yes  No If Yes, check all that apply to the assessment area.  
 Section 10 water  Classified Trout Waters  Water Supply Watershed ( I  II  III  IV  V)  
 Essential Fish Habitat  Primary Nursery Area  High Quality Waters/Outstanding Resource Waters  
 Publicly owned property  NCDWR Riparian buffer rule in effect  Nutrient Sensitive Waters  
 Anadromous fish  303(d) List  CAMA Area of Environmental Concern (AEC)  
 Documented presence of a federal and/or state listed protected species within the assessment area.

List species: \_\_\_\_\_

Designated Critical Habitat (list species) \_\_\_\_\_

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached?  Yes  No

**1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)**

- A Water throughout assessment reach.
- B No flow, water in pools only.
- C No water in assessment reach.

**2. Evidence of Flow Restriction – assessment reach metric**

- A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- B Not A

**3. Feature Pattern – assessment reach metric**

- A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- B Not A

**4. Feature Longitudinal Profile – assessment reach metric**

- A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- B Not A

**5. Signs of Active Instability – assessment reach metric**

**Consider only current instability, not past events from which the stream has currently recovered.** Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).

- A < 10% of channel unstable
- B 10 to 25% of channel unstable
- C > 25% of channel unstable

**6. Streamside Area Interaction – streamside area metric**  
**Consider for the Left Bank (LB) and the Right Bank (RB).**

- |                                       |                                       |   |
|---------------------------------------|---------------------------------------|---|
| LB                                    | RB                                    |   |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no evidence of conditions that adversely affect reference interaction   |
| <input checked="" type="checkbox"/> B | <input checked="" type="checkbox"/> B | Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])   |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] <u>or</u> too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) <u>or</u> floodplain/intertidal zone unnaturally absent <u>or</u> assessment reach is a man-made feature on an interstream divide |

**7. Water Quality Stressors – assessment reach/intertidal zone metric**

**Check all that apply.**

- A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- B Excessive sedimentation (burying of stream features or intertidal zone)
- C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- D Odor (not including natural sulfide odors)
- E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in “Notes/Sketch” section.
- F Livestock with access to stream or intertidal zone
- G Excessive algae in stream or intertidal zone
- H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- I Other: \_\_\_\_\_ (explain in “Notes/Sketch” section)
- J Little to no stressors

**8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)**

For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- C No drought conditions

**9. Large or Dangerous Stream – assessment reach metric**

- Yes No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

**10. Natural In-stream Habitat Types – assessment reach metric**

10a. Yes No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- |   |                                    |   |
|---|------------------------------------|---|
| <input type="checkbox"/> A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)  | Check for Tidal Marsh Streams Only | <input type="checkbox"/> F 5% oysters or other natural hard bottoms |
| <input type="checkbox"/> B Multiple sticks and/or leaf packs and/or emergent vegetation                                   |                                    | <input type="checkbox"/> G Submerged aquatic vegetation             |
| <input type="checkbox"/> C Multiple snags and logs (including lap trees)  |                                    | <input type="checkbox"/> H Low-tide refugia (pools)                 |
| <input type="checkbox"/> D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter |                                    | <input type="checkbox"/> I Sand bottom                              |
| <input checked="" type="checkbox"/> E Little or no habitat  |                                    | <input type="checkbox"/> J 5% vertical bank along the marsh         |
|   |                                    | <input type="checkbox"/> K Little or no habitat                     |

\*\*\*\*\*REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS\*\*\*\*\*

**11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

11a. Yes No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- A Riffle-run section **(evaluate 11c)**
- B Pool-glide section **(evaluate 11d)**
- C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams).** Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

- |                                     |                                     |                          |                                     |                                     |                                      |
|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| NP                                  | R                                   | C                        | A                                   | P                                   |                                      |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Bedrock/saprolite                    |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Boulder (256 – 4096 mm)              |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Cobble (64 – 256 mm)                 |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Gravel (2 – 64 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Sand (.062 – 2 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Silt/clay (< 0.062 mm)               |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Detritus                             |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Artificial (rip-rap, concrete, etc.) |

11d. Yes No Are pools filled with sediment? **(skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**



**12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)**

- 12a.  Yes  No Was an in-stream aquatic life assessment performed as described in the User Manual?  
If No, select one of the following reasons and skip to Metric 13.  No Water  Other: \_\_\_\_\_
- 12b.  Yes  No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

- 1 >1 Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
- Adult frogs
  - Aquatic reptiles
  - Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
  - Beetles
  - Caddisfly larvae (T)
  - Asian clam (*Corbicula*)
  - Crustacean (isopod/amphipod/crayfish/shrimp)
  - Damselfly and dragonfly larvae
  - Dipterans
  - Mayfly larvae (E)
  - Megaloptera (alderfly, fishfly, dobsonfly larvae)
  - Midges/mosquito larvae
  - Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea*)
  - Mussels/Clams (not *Corbicula*)
  - Other fish
  - Salamanders/tadpoles
  - Snails
  - Stonefly larvae (P)
  - Tipulid larvae
  - Worms/leeches

**13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Consider storage capacity with regard to both overbank flow and upland runoff.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Moderate alteration to water storage capacity over a majority of the streamside area   |
| <input checked="" type="checkbox"/> C | <input checked="" type="checkbox"/> C | Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes) |

**14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.**
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Majority of streamside area with depressions able to pond water ≥ 6 inches deep    |
| <input checked="" type="checkbox"/> B | <input checked="" type="checkbox"/> B | Majority of streamside area with depressions able to pond water 3 to 6 inches deep |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Majority of streamside area with depressions able to pond water < 3 inches deep    |

**15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> Y | <input checked="" type="checkbox"/> Y | Are wetlands present in the streamside area? |
| <input type="checkbox"/> N            | <input type="checkbox"/> N            |  |

**16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)**

- Check all contributors within the assessment reach or within view of and draining to the assessment reach.**
- A Streams and/or springs (jurisdictional discharges)
  - B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
  - C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
  - D Evidence of bank seepage or sweating (iron in water indicates seepage)
  - E Stream bed or bank soil reduced (dig through deposited sediment if present)
  - F None of the above

**17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)**

- Check all that apply.**
- A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
  - B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
  - C Urban stream (≥ 24% impervious surface for watershed)
  - D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
  - E Assessment reach relocated to valley edge
  - F None of the above

**18. Shading – assessment reach metric (skip for Tidal Marsh Streams)**

- Consider aspect. Consider "leaf-on" condition.
- A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
  - B Degraded (example: scattered trees)
  - C Stream shading is gone or largely absent

**19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)**

Consider “vegetated buffer” and “wooded buffer” separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	≥ 100 feet wide <u>or</u> extends to the edge of the watershed
<input checked="" type="checkbox"/> B	<input checked="" type="checkbox"/> B	<input checked="" type="checkbox"/> B	<input checked="" type="checkbox"/> B	From 50 to < 100 feet wide
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	From 30 to < 50 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	From 10 to < 30 feet wide
<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	< 10 feet wide <u>or</u> no trees

**20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Vegetated” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Mature forest
<input type="checkbox"/> B	<input type="checkbox"/> B	Non-mature woody vegetation <u>or</u> modified vegetation structure
<input type="checkbox"/> C	<input type="checkbox"/> C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	Maintained shrubs
<input type="checkbox"/> E	<input type="checkbox"/> E	Little or no vegetation

**21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)**

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22:

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Row crops
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	Maintained turf
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	Pasture (no livestock)/commercial horticulture
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	Pasture (active livestock use)

**22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Wooded” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Medium to high stem density
<input type="checkbox"/> B	<input type="checkbox"/> B	Low stem density
<input type="checkbox"/> C	<input type="checkbox"/> C	No wooded riparian buffer <u>or</u> predominantly herbaceous species <u>or</u> bare ground

**23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)**

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	The total length of buffer breaks is < 25 percent.
<input type="checkbox"/> B	<input checked="" type="checkbox"/> B	The total length of buffer breaks is between 25 and 50 percent.
<input checked="" type="checkbox"/> C	<input type="checkbox"/> C	The total length of buffer breaks is > 50 percent.

**24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)**

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
<input type="checkbox"/> B	<input type="checkbox"/> B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing <u>or</u> communities with non-native invasive species present, but not dominant, over a large portion of the expected strata <u>or</u> communities missing understory but retaining canopy trees.
<input type="checkbox"/> C	<input type="checkbox"/> C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent <u>or</u> communities with non-native invasive species dominant over a large portion of expected strata <u>or</u> communities composed of planted stands of non-characteristic species <u>or</u> communities inappropriately composed of a single species <u>or</u> no vegetation.

**25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)**

25a. Yes No Was conductivity measurement recorded?  
If No, select one of the following reasons. No Water Other: \_\_\_\_\_

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).  
A < 46 B 46 to < 67 C 67 to < 79 D 79 to < 230 E ≥ 230

Notes/Sketch:

**Draft NC SAM Stream Rating Sheet**  
**Accompanies User Manual Version 2.1**

Stream Site Name Edwards-Johnson Date of Assessment 5/31/17  
 Stream Category Pb2 Assessor Name/Organization Water and Land Solutions

Notes of Field Assessment Form (Y/N) NO  
 Presence of regulatory considerations (Y/N) YES  
 Additional stream information/supplementary measurements included (Y/N) YES  
 NC SAM feature type (perennial, intermittent, Tidal Marsh Stream) Perennial

<b>Function Class Rating Summary</b>	<b>USACE/ All Streams</b>	<b>NCDWR Intermittent</b>
(1) Hydrology	<b>MEDIUM</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Flood Flow	<b>MEDIUM</b>	
(3) Streamside Area Attenuation	<b>MEDIUM</b>	
(4) Floodplain Access	<b>MEDIUM</b>	
(4) Wooded Riparian Buffer	<b>HIGH</b>	
(4) Microtopography	NA	
(3) Stream Stability	<b>MEDIUM</b>	
(4) Channel Stability	<b>MEDIUM</b>	
(4) Sediment Transport	<b>HIGH</b>	
(4) Stream Geomorphology	<b>LOW</b>	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	<b>LOW</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Streamside Area Vegetation	<b>MEDIUM</b>	
(3) Upland Pollutant Filtration	<b>LOW</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Indicators of Stressors	<b>NO</b>	
(2) Aquatic Life Tolerance	<b>LOW</b>	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	<b>LOW</b>	
(2) In-stream Habitat	<b>LOW</b>	
(3) Baseflow	<b>HIGH</b>	
(3) Substrate	<b>LOW</b>	
(3) Stream Stability	<b>MEDIUM</b>	
(3) In-stream Habitat	<b>LOW</b>	
(2) Stream-side Habitat	<b>HIGH</b>	
(3) Stream-side Habitat	<b>HIGH</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
<b>Overall</b>	<b>LOW</b>	

**NC SAM FIELD ASSESSMENT FORM**  
**Accompanies User Manual Version 2.1**

USACE AID #: SAW-2016-00876

NCDWR #: 2016-0385

**INSTRUCTIONS:** Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

**NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).**

**PROJECT/SITE INFORMATION:**



1. Project name (if any): Edwards-Johnson 2. Date of evaluation: 5/31/17  
 3. Applicant/owner name: Edwards-Johnson 4. Assessor name/organization: Water and Land Solutions  
 5. County: Johnston 6. Nearest named water body on USGS 7.5-minute quad: Lake Wendell  
 7. River basin: Neuse  
 8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.7251220, -78.3562610

**STREAM INFORMATION: (depth and width can be approximations)**

9. Site number (show on attached map): R3 (lower) 10. Length of assessment reach evaluated (feet): 265  
 11. Channel depth from bed (in riffle, if present) to top of bank (feet): 1.1  Unable to assess channel depth.  
 12. Channel width at top of bank (feet): 9.1 13. Is assessment reach a swamp steam?  Yes  No  
 14. Feature type:  Perennial flow  Intermittent flow  Tidal Marsh Stream

**STREAM CATEGORY INFORMATION:**

15. NC SAM Zone:  Mountains (M)  Piedmont (P)  Inner Coastal Plain (I)  Outer Coastal Plain (O)

16. Estimated geomorphic valley shape (skip for Tidal Marsh Stream):  
 A  (more sinuous stream, flatter valley slope)  
 B  (less sinuous stream, steeper valley slope)  
 17. Watershed size: (skip for Tidal Marsh Stream)  
 Size 1 (< 0.1 mi<sup>2</sup>)  Size 2 (0.1 to < 0.5 mi<sup>2</sup>)  Size 3 (0.5 to < 5 mi<sup>2</sup>)  Size 4 (≥ 5 mi<sup>2</sup>)

**ADDITIONAL INFORMATION:**

18. Were regulatory considerations evaluated?  Yes  No If Yes, check all that apply to the assessment area.  
 Section 10 water  Classified Trout Waters  Water Supply Watershed ( I  II  III  IV  V)  
 Essential Fish Habitat  Primary Nursery Area  High Quality Waters/Outstanding Resource Waters  
 Publicly owned property  NCDWR Riparian buffer rule in effect  Nutrient Sensitive Waters  
 Anadromous fish  303(d) List  CAMA Area of Environmental Concern (AEC)  
 Documented presence of a federal and/or state listed protected species within the assessment area.  
 List species: \_\_\_\_\_  
 Designated Critical Habitat (list species) \_\_\_\_\_

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached?  Yes  No

**1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)**

- A Water throughout assessment reach.
- B No flow, water in pools only.
- C No water in assessment reach.

**2. Evidence of Flow Restriction – assessment reach metric**

- A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- B Not A

**3. Feature Pattern – assessment reach metric**

- A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- B Not A

**4. Feature Longitudinal Profile – assessment reach metric**

- A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- B Not A

**5. Signs of Active Instability – assessment reach metric**

**Consider only current instability, not past events from which the stream has currently recovered.** Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).

- A < 10% of channel unstable
- B 10 to 25% of channel unstable
- C > 25% of channel unstable



**6. Streamside Area Interaction – streamside area metric**

Consider for the Left Bank (LB) and the Right Bank (RB).

- |                                       |                                       |   |
|---------------------------------------|---------------------------------------|---|
| LB                                    | RB                                    |   |
| <input checked="" type="checkbox"/> A | <input checked="" type="checkbox"/> A | Little or no evidence of conditions that adversely affect reference interaction   |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])   |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] <u>or</u> too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) <u>or</u> floodplain/intertidal zone unnaturally absent <u>or</u> assessment reach is a man-made feature on an interstream divide |

**7. Water Quality Stressors – assessment reach/intertidal zone metric**

Check all that apply.

- A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- B Excessive sedimentation (burying of stream features or intertidal zone)
- C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- D Odor (not including natural sulfide odors)
- E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in “Notes/Sketch” section.
- F Livestock with access to stream or intertidal zone
- G Excessive algae in stream or intertidal zone
- H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- I Other: \_\_\_\_\_ (explain in “Notes/Sketch” section)
- J Little to no stressors

**8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)**

For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- C No drought conditions

**9. Large or Dangerous Stream – assessment reach metric**

Yes No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

**10. Natural In-stream Habitat Types – assessment reach metric**

10a. Yes No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) (evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)

10b. Check all that occur (occurs if > 5% coverage of assessment reach) (skip for Size 4 Coastal Plain streams)

- |  |                                    |   |
|--|------------------------------------|---|
| <input type="checkbox"/> A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)             | Check for Tidal Marsh Streams Only | <input type="checkbox"/> F 5% oysters or other natural hard bottoms |
| <input checked="" type="checkbox"/> B Multiple sticks and/or leaf packs and/or emergent vegetation                                   |                                    | <input type="checkbox"/> G Submerged aquatic vegetation             |
| <input checked="" type="checkbox"/> C Multiple snags and logs (including lap trees)  |                                    | <input type="checkbox"/> H Low-tide refugia (pools)                 |
| <input checked="" type="checkbox"/> D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter |                                    | <input type="checkbox"/> I Sand bottom                              |
| <input type="checkbox"/> E Little or no habitat  |                                    | <input type="checkbox"/> J 5% vertical bank along the marsh         |
|  |                                    | <input type="checkbox"/> K Little or no habitat                     |

\*\*\*\*\*REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS\*\*\*\*\*

**11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

11a. Yes No Is assessment reach in a natural sand-bed stream? (skip for Coastal Plain streams)

11b. Bedform evaluated. Check the appropriate box(es).

- A Riffle-run section (evaluate 11c)
- B Pool-glide section (evaluate 11d)
- C Natural bedform absent (skip to Metric 12, Aquatic Life)

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams). Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

- |                                     |                                     |                                     |                                     |                                     |                                      |
|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| NP                                  | R                                   | C                                   | A                                   | P                                   |                                      |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | Bedrock/saprolite                    |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | Boulder (256 – 4096 mm)              |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | Cobble (64 – 256 mm)                 |
| <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | Gravel (2 – 64 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Sand (.062 – 2 mm)                   |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Silt/clay (< 0.062 mm)               |
| <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | Detritus                             |
| <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/>            | Artificial (rip-rap, concrete, etc.) |

11d. Yes No Are pools filled with sediment? (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)

**12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)**

- 12a.  Yes  No Was an in-stream aquatic life assessment performed as described in the User Manual?  
If No, select one of the following reasons and skip to Metric 13.  No Water  Other: \_\_\_\_\_
- 12b.  Yes  No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

- 1 >1 Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
- Adult frogs
  - Aquatic reptiles
  - Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
  - Beetles
  - Caddisfly larvae (T)
  - Asian clam (*Corbicula*)
  - Crustacean (isopod/amphipod/crayfish/shrimp)
  - Damselfly and dragonfly larvae
  - Dipterans
  - Mayfly larvae (E)
  - Megaloptera (alderfly, fishfly, dobsonfly larvae)
  - Midges/mosquito larvae
  - Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea*)
  - Mussels/Clams (not *Corbicula*)
  - Other fish
  - Salamanders/tadpoles
  - Snails
  - Stonefly larvae (P)
  - Tipulid larvae
  - Worms/leeches

**13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Consider storage capacity with regard to both overbank flow and upland runoff.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> A | <input type="checkbox"/> A            | Little or no alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> B            | <input checked="" type="checkbox"/> B | Moderate alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes) |

**14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.**
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> A | <input checked="" type="checkbox"/> A | Majority of streamside area with depressions able to pond water ≥ 6 inches deep    |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Majority of streamside area with depressions able to pond water 3 to 6 inches deep |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Majority of streamside area with depressions able to pond water < 3 inches deep    |

**15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input checked="" type="checkbox"/> Y | <input checked="" type="checkbox"/> Y | Are wetlands present in the streamside area? |
| <input type="checkbox"/> N            | <input type="checkbox"/> N            |  |

**16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)**

- Check all contributors within the assessment reach or within view of and draining to the assessment reach.**
- A Streams and/or springs (jurisdictional discharges)
  - B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
  - C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
  - D Evidence of bank seepage or sweating (iron in water indicates seepage)
  - E Stream bed or bank soil reduced (dig through deposited sediment if present)
  - F None of the above

**17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)**

- Check all that apply.**
- A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
  - B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
  - C Urban stream (≥ 24% impervious surface for watershed)
  - D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
  - E Assessment reach relocated to valley edge
  - F None of the above

**18. Shading – assessment reach metric (skip for Tidal Marsh Streams)**

- Consider aspect. Consider "leaf-on" condition.
- A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
  - B Degraded (example: scattered trees)
  - C Stream shading is gone or largely absent

**19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)**

Consider “vegetated buffer” and “wooded buffer” separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	≥ 100 feet wide <u>or</u> extends to the edge of the watershed
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	From 50 to < 100 feet wide
<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	From 30 to < 50 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	From 10 to < 30 feet wide
<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	< 10 feet wide <u>or</u> no trees

**20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Vegetated” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Mature forest
<input type="checkbox"/> B	<input type="checkbox"/> B	Non-mature woody vegetation <u>or</u> modified vegetation structure
<input type="checkbox"/> C	<input type="checkbox"/> C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	Maintained shrubs
<input type="checkbox"/> E	<input type="checkbox"/> E	Little or no vegetation

**21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)**

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22:

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input checked="" type="checkbox"/> A	Row crops
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	Maintained turf
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	Pasture (no livestock)/commercial horticulture
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	Pasture (active livestock use)

**22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Wooded” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Medium to high stem density
<input type="checkbox"/> B	<input type="checkbox"/> B	Low stem density
<input type="checkbox"/> C	<input type="checkbox"/> C	No wooded riparian buffer <u>or</u> predominantly herbaceous species <u>or</u> bare ground

**23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)**

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	The total length of buffer breaks is < 25 percent.
<input type="checkbox"/> B	<input checked="" type="checkbox"/> B	The total length of buffer breaks is between 25 and 50 percent.
<input checked="" type="checkbox"/> C	<input type="checkbox"/> C	The total length of buffer breaks is > 50 percent.

**24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)**

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
<input type="checkbox"/> B	<input type="checkbox"/> B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing <u>or</u> communities with non-native invasive species present, but not dominant, over a large portion of the expected strata <u>or</u> communities missing understory but retaining canopy trees.
<input type="checkbox"/> C	<input type="checkbox"/> C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent <u>or</u> communities with non-native invasive species dominant over a large portion of expected strata <u>or</u> communities composed of planted stands of non-characteristic species <u>or</u> communities inappropriately composed of a single species <u>or</u> no vegetation.

**25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)**

25a. Yes No Was conductivity measurement recorded?  
If No, select one of the following reasons. No Water Other: \_\_\_\_\_

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).  
A < 46 B 46 to < 67 C 67 to < 79 D 79 to < 230 E ≥ 230

Notes/Sketch:

**Draft NC SAM Stream Rating Sheet**  
**Accompanies User Manual Version 2.1**

Stream Site Name Edwards-Johnson Date of Assessment 5/31/17  
 Stream Category Pb2 Assessor Name/Organization Water and Land Solutions

Notes of Field Assessment Form (Y/N) NO  
 Presence of regulatory considerations (Y/N) YES  
 Additional stream information/supplementary measurements included (Y/N) YES  
 NC SAM feature type (perennial, intermittent, Tidal Marsh Stream) Perennial

<b>Function Class Rating Summary</b>	<b>USACE/ All Streams</b>	<b>NCDWR Intermittent</b>
(1) Hydrology	<b>HIGH</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Flood Flow	<b>HIGH</b>	
(3) Streamside Area Attenuation	<b>HIGH</b>	
(4) Floodplain Access	<b>HIGH</b>	
(4) Wooded Riparian Buffer	<b>HIGH</b>	
(4) Microtopography	NA	
(3) Stream Stability	<b>HIGH</b>	
(4) Channel Stability	<b>HIGH</b>	
(4) Sediment Transport	<b>HIGH</b>	
(4) Stream Geomorphology	<b>HIGH</b>	
(2) Stream/Intertidal Zone Interaction	NA	
(2) Longitudinal Tidal Flow	NA	
(2) Tidal Marsh Stream Stability	NA	
(3) Tidal Marsh Channel Stability	NA	
(3) Tidal Marsh Stream Geomorphology	NA	
(1) Water Quality	<b>HIGH</b>	
(2) Baseflow	<b>HIGH</b>	
(2) Streamside Area Vegetation	<b>MEDIUM</b>	
(3) Upland Pollutant Filtration	<b>LOW</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Indicators of Stressors	<b>NO</b>	
(2) Aquatic Life Tolerance	<b>HIGH</b>	
(2) Intertidal Zone Filtration	NA	
(1) Habitat	<b>HIGH</b>	
(2) In-stream Habitat	<b>MEDIUM</b>	
(3) Baseflow	<b>HIGH</b>	
(3) Substrate	<b>LOW</b>	
(3) Stream Stability	<b>HIGH</b>	
(3) In-stream Habitat	<b>HIGH</b>	
(2) Stream-side Habitat	<b>HIGH</b>	
(3) Stream-side Habitat	<b>HIGH</b>	
(3) Thermoregulation	<b>HIGH</b>	
(2) Tidal Marsh In-stream Habitat	NA	
(3) Flow Restriction	NA	
(3) Tidal Marsh Stream Stability	NA	
(4) Tidal Marsh Channel Stability	NA	
(4) Tidal Marsh Stream Geomorphology	NA	
(3) Tidal Marsh In-stream Habitat	NA	
(2) Intertidal Zone	NA	
<b>Overall</b>	<b>HIGH</b>	



**NC SAM FIELD ASSESSMENT FORM**  
**Accompanies User Manual Version 2.1**

USACE AID #: SAW-2016-00876

NCDWR #: 2016-0385

**INSTRUCTIONS:** Attach a sketch of the assessment area and photographs. Attach a copy of the USGS 7.5-minute topographic quadrangle, and circle the location of the stream reach under evaluation. If multiple stream reaches will be evaluated on the same property, identify and number all reaches on the attached map, and include a separate form for each reach. See the NC SAM User Manual for detailed descriptions and explanations of requested information. Record in the "Notes/Sketch" section if supplementary measurements were performed. See the NC SAM User Manual for examples of additional measurements that may be relevant.

**NOTE EVIDENCE OF STRESSORS AFFECTING THE ASSESSMENT AREA (do not need to be within the assessment area).**

**PROJECT/SITE INFORMATION:**



1. Project name (if any): Edwards-Johnson 2. Date of evaluation: 5/31/17  
 3. Applicant/owner name: Edwards-Johnson 4. Assessor name/organization: Water and Land Solutions  
 5. County: Johnston 6. Nearest named water body on USGS 7.5-minute quad: Lake Wendell  
 7. River basin: Neuse  
 8. Site coordinates (decimal degrees, at lower end of assessment reach): 35.7251220, -78.3562610

**STREAM INFORMATION: (depth and width can be approximations)**

9. Site number (show on attached map): R4 10. Length of assessment reach evaluated (feet): 816  
 11. Channel depth from bed (in riffle, if present) to top of bank (feet): 3.1  Unable to assess channel depth.  
 12. Channel width at top of bank (feet): 8.2 13. Is assessment reach a swamp steam?  Yes  No  
 14. Feature type:  Perennial flow  Intermittent flow  Tidal Marsh Stream

**STREAM CATEGORY INFORMATION:**

15. NC SAM Zone:  Mountains (M)  Piedmont (P)  Inner Coastal Plain (I)  Outer Coastal Plain (O)

16. Estimated geomorphic valley shape (skip for Tidal Marsh Stream):  
 A  (more sinuous stream, flatter valley slope)  
 B  (less sinuous stream, steeper valley slope)

17. Watershed size: (skip for Tidal Marsh Stream)  
 Size 1 (< 0.1 mi<sup>2</sup>)  Size 2 (0.1 to < 0.5 mi<sup>2</sup>)  Size 3 (0.5 to < 5 mi<sup>2</sup>)  Size 4 (≥ 5 mi<sup>2</sup>)

**ADDITIONAL INFORMATION:**

18. Were regulatory considerations evaluated?  Yes  No If Yes, check all that apply to the assessment area.  
 Section 10 water  Classified Trout Waters  Water Supply Watershed ( I  II  III  IV  V)  
 Essential Fish Habitat  Primary Nursery Area  High Quality Waters/Outstanding Resource Waters  
 Publicly owned property  NCDWR Riparian buffer rule in effect  Nutrient Sensitive Waters  
 Anadromous fish  303(d) List  CAMA Area of Environmental Concern (AEC)  
 Documented presence of a federal and/or state listed protected species within the assessment area.  
 List species: \_\_\_\_\_  
 Designated Critical Habitat (list species) \_\_\_\_\_

19. Are additional stream information/supplementary measurements included in "Notes/Sketch" section or attached?  Yes  No

**1. Channel Water – assessment reach metric (skip for Size 1 streams and Tidal Marsh Streams)**

- A Water throughout assessment reach.
- B No flow, water in pools only.
- C No water in assessment reach.

**2. Evidence of Flow Restriction – assessment reach metric**

- A At least 10% of assessment reach in-stream habitat or riffle-pool sequence is severely affected by a flow restriction or fill to the point of obstructing flow or a channel choked with aquatic macrophytes or ponded water or impoundment on flood or ebb within the assessment reach (examples: undersized or perched culverts, causeways that constrict the channel, tidal gates, debris jams, beaver dams).
- B Not A

**3. Feature Pattern – assessment reach metric**

- A A majority of the assessment reach has altered pattern (examples: straightening, modification above or below culvert).
- B Not A

**4. Feature Longitudinal Profile – assessment reach metric**

- A Majority of assessment reach has a substantially altered stream profile (examples: channel down-cutting, existing damming, over widening, active aggradation, dredging, and excavation where appropriate channel profile has not reformed from any of these disturbances).
- B Not A

**5. Signs of Active Instability – assessment reach metric**

- Consider only current instability, not past events from which the stream has currently recovered.** Examples of instability include active bank failure, active channel down-cutting (head-cut), active widening, and artificial hardening (such as concrete, gabion, rip-rap).
- A < 10% of channel unstable
  - B 10 to 25% of channel unstable
  - C > 25% of channel unstable

**6. Streamside Area Interaction – streamside area metric**  
**Consider for the Left Bank (LB) and the Right Bank (RB).**

- |                                       |                                       |   |
|---------------------------------------|---------------------------------------|---|
| LB                                    | RB                                    |   |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no evidence of conditions that adversely affect reference interaction   |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Moderate evidence of conditions (examples: berms, levees, down-cutting, aggradation, dredging) that adversely affect reference interaction (examples: limited streamside area access, disruption of flood flows through streamside area, leaky or intermittent bulkheads, causeways with floodplain constriction, minor ditching [including mosquito ditching])   |
| <input checked="" type="checkbox"/> C | <input checked="" type="checkbox"/> C | Extensive evidence of conditions that adversely affect reference interaction (little to no floodplain/intertidal zone access [examples: causeways with floodplain and channel constriction, bulkheads, retaining walls, fill, stream incision, disruption of flood flows through streamside area] <u>or</u> too much floodplain/intertidal zone access [examples: impoundments, intensive mosquito ditching]) <u>or</u> floodplain/intertidal zone unnaturally absent <u>or</u> assessment reach is a man-made feature on an interstream divide |

**7. Water Quality Stressors – assessment reach/intertidal zone metric**

**Check all that apply.**

- A Discolored water in stream or intertidal zone (milky white, blue, unnatural water discoloration, oil sheen, stream foam)
- B Excessive sedimentation (burying of stream features or intertidal zone)
- C Noticeable evidence of pollutant discharges entering the assessment reach and causing a water quality problem
- D Odor (not including natural sulfide odors)
- E Current published or collected data indicating degraded water quality in the assessment reach. Cite source in “Notes/Sketch” section.
- F Livestock with access to stream or intertidal zone
- G Excessive algae in stream or intertidal zone
- H Degraded marsh vegetation in the intertidal zone (removal, burning, regular mowing, destruction, etc)
- I Other: \_\_\_\_\_ (explain in “Notes/Sketch” section)
- J Little to no stressors

**8. Recent Weather – watershed metric (skip for Tidal Marsh Streams)**

For Size 1 or 2 streams, D1 drought or higher is considered a drought; for Size 3 or 4 streams, D2 drought or higher is considered a drought.

- A Drought conditions and no rainfall or rainfall not exceeding 1 inch within the last 48 hours
- B Drought conditions and rainfall exceeding 1 inch within the last 48 hours
- C No drought conditions

**9. Large or Dangerous Stream – assessment reach metric**

- Yes No Is stream is too large or dangerous to assess? If Yes, skip to Metric 13 (Streamside Area Ground Surface Condition).

**10. Natural In-stream Habitat Types – assessment reach metric**

10a. Yes No Degraded in-stream habitat over majority of the assessment reach (examples of stressors include excessive sedimentation, mining, excavation, in-stream hardening [for example, rip-rap], recent dredging, and snagging) **(evaluate for Size 4 Coastal Plain streams only, then skip to Metric 12)**

10b. **Check all that occur** (occurs if > 5% coverage of assessment reach) **(skip for Size 4 Coastal Plain streams)**

- |   |                                    |   |
|---|------------------------------------|---|
| <input type="checkbox"/> A Multiple aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)  | Check for Tidal Marsh Streams Only | <input type="checkbox"/> F 5% oysters or other natural hard bottoms |
| <input type="checkbox"/> B Multiple sticks and/or leaf packs and/or emergent vegetation                                   |                                    | <input type="checkbox"/> G Submerged aquatic vegetation             |
| <input type="checkbox"/> C Multiple snags and logs (including lap trees)  |                                    | <input type="checkbox"/> H Low-tide refugia (pools)                 |
| <input type="checkbox"/> D 5% undercut banks and/or root mats and/or roots in banks extend to the normal wetted perimeter |                                    | <input type="checkbox"/> I Sand bottom                              |
| <input checked="" type="checkbox"/> E Little or no habitat  |                                    | <input type="checkbox"/> J 5% vertical bank along the marsh         |
|   |                                    | <input type="checkbox"/> K Little or no habitat                     |

\*\*\*\*\*REMAINING QUESTIONS ARE NOT APPLICABLE FOR TIDAL MARSH STREAMS\*\*\*\*\*

**11. Bedform and Substrate – assessment reach metric (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

11a. Yes No Is assessment reach in a natural sand-bed stream? **(skip for Coastal Plain streams)**

11b. Bedform evaluated. **Check the appropriate box(es).**

- A Riffle-run section **(evaluate 11c)**
- B Pool-glide section **(evaluate 11d)**
- C Natural bedform absent **(skip to Metric 12, Aquatic Life)**

11c. In riffle sections, check all that occur below the normal wetted perimeter of the assessment reach – whether or not submerged. **Check at least one box in each row (skip for Size 4 Coastal Plain streams and Tidal Marsh Streams).** Not Present (NP) = absent, Rare (R) = present but ≤ 10%, Common (C) = > 10-40%, Abundant (A) = > 40-70%, Predominant (P) = > 70%. Cumulative percentages should not exceed 100% for each assessment reach.

- |  |                                     |                            |                                     |                                     |                                      |
|--|-------------------------------------|----------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| <input checked="" type="checkbox"/> NP | <input type="checkbox"/> R          | <input type="checkbox"/> C | <input type="checkbox"/> A          | <input type="checkbox"/> P          | Bedrock/saprolite                    |
| <input checked="" type="checkbox"/>    | <input type="checkbox"/>            | <input type="checkbox"/>   | <input type="checkbox"/>            | <input type="checkbox"/>            | Boulder (256 – 4096 mm)              |
| <input type="checkbox"/>               | <input checked="" type="checkbox"/> | <input type="checkbox"/>   | <input type="checkbox"/>            | <input type="checkbox"/>            | Cobble (64 – 256 mm)                 |
| <input type="checkbox"/>               | <input checked="" type="checkbox"/> | <input type="checkbox"/>   | <input type="checkbox"/>            | <input type="checkbox"/>            | Gravel (2 – 64 mm)                   |
| <input type="checkbox"/>               | <input type="checkbox"/>            | <input type="checkbox"/>   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | Sand (.062 – 2 mm)                   |
| <input type="checkbox"/>               | <input type="checkbox"/>            | <input type="checkbox"/>   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | Silt/clay (< 0.062 mm)               |
| <input type="checkbox"/>               | <input checked="" type="checkbox"/> | <input type="checkbox"/>   | <input type="checkbox"/>            | <input type="checkbox"/>            | Detritus                             |
| <input checked="" type="checkbox"/>    | <input type="checkbox"/>            | <input type="checkbox"/>   | <input type="checkbox"/>            | <input type="checkbox"/>            | Artificial (rip-rap, concrete, etc.) |

11d. Yes No Are pools filled with sediment? **(skip for Size 4 Coastal Plain streams and Tidal Marsh Streams)**

**12. Aquatic Life – assessment reach metric (skip for Tidal Marsh Streams)**

- 12a.  Yes  No Was an in-stream aquatic life assessment performed as described in the User Manual?  
If No, select one of the following reasons and skip to Metric 13.  No Water  Other: \_\_\_\_\_
- 12b.  Yes  No Are aquatic organisms present in the assessment reach (look in riffles, pools, then snags)? If Yes, check all that apply. If No, skip to Metric 13.

- 1 >1 Numbers over columns refer to "individuals" for Size 1 and 2 streams and "taxa" for Size 3 and 4 streams.
- Adult frogs
  - Aquatic reptiles
  - Aquatic macrophytes and aquatic mosses (include liverworts, lichens, and algal mats)
  - Beetles
  - Caddisfly larvae (T)
  - Asian clam (*Corbicula*)
  - Crustacean (isopod/amphipod/crayfish/shrimp)
  - Damselfly and dragonfly larvae
  - Dipterans
  - Mayfly larvae (E)
  - Megaloptera (alderfly, fishfly, dobsonfly larvae)
  - Midges/mosquito larvae
  - Mosquito fish (*Gambusia*) or mud minnows (*Umbra pygmaea*)
  - Mussels/Clams (not *Corbicula*)
  - Other fish
  - Salamanders/tadpoles
  - Snails
  - Stonefly larvae (P)
  - Tipulid larvae
  - Worms/leeches

**13. Streamside Area Ground Surface Condition – streamside area metric (skip for Tidal Marsh Streams and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Consider storage capacity with regard to both overbank flow and upland runoff.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Little or no alteration to water storage capacity over a majority of the streamside area   |
| <input type="checkbox"/> B            | <input type="checkbox"/> B            | Moderate alteration to water storage capacity over a majority of the streamside area   |
| <input checked="" type="checkbox"/> C | <input checked="" type="checkbox"/> C | Severe alteration to water storage capacity over a majority of the streamside area (examples: ditches, fill, soil compaction, livestock disturbance, buildings, man-made levees, drainage pipes) |

**14. Streamside Area Water Storage – streamside area metric (skip for Size 1 streams, Tidal Marsh Streams, and B valley types)**

- Consider for the Left Bank (LB) and the Right Bank (RB) of the streamside area.**
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> A            | <input type="checkbox"/> A            | Majority of streamside area with depressions able to pond water ≥ 6 inches deep    |
| <input checked="" type="checkbox"/> B | <input checked="" type="checkbox"/> B | Majority of streamside area with depressions able to pond water 3 to 6 inches deep |
| <input type="checkbox"/> C            | <input type="checkbox"/> C            | Majority of streamside area with depressions able to pond water < 3 inches deep    |

**15. Wetland Presence – streamside area metric (skip for Tidal Marsh Streams)**

- Consider for the Left Bank (LB) and the Right Bank (RB).** Do not consider wetlands outside of the streamside area or within the normal wetted perimeter of assessment reach.
- |                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| LB                                    | RB                                    |  |
| <input type="checkbox"/> Y            | <input type="checkbox"/> Y            | Are wetlands present in the streamside area? |
| <input checked="" type="checkbox"/> N | <input checked="" type="checkbox"/> N |  |

**16. Baseflow Contributors – assessment reach metric (skip for Size 4 streams and Tidal Marsh Streams)**

- Check all contributors within the assessment reach or within view of and draining to the assessment reach.**
- A Streams and/or springs (jurisdictional discharges)
  - B Ponds (include wet detention basins; do not include sediment basins or dry detention basins)
  - C Obstruction passing flow during low-flow periods within the assessment area (beaver dam, leaky dam, bottom-release dam, weir)
  - D Evidence of bank seepage or sweating (iron in water indicates seepage)
  - E Stream bed or bank soil reduced (dig through deposited sediment if present)
  - F None of the above

**17. Baseflow Detractors – assessment area metric (skip for Tidal Marsh Streams)**

- Check all that apply.**
- A Evidence of substantial water withdrawals from the assessment reach (includes areas excavated for pump installation)
  - B Obstruction not passing flow during low-flow periods affecting the assessment reach (ex: watertight dam, sediment deposit)
  - C Urban stream (≥ 24% impervious surface for watershed)
  - D Evidence that the streamside area has been modified resulting in accelerated drainage into the assessment reach
  - E Assessment reach relocated to valley edge
  - F None of the above

**18. Shading – assessment reach metric (skip for Tidal Marsh Streams)**

- Consider aspect. Consider "leaf-on" condition.
- A Stream shading is appropriate for stream category (may include gaps associated with natural processes)
  - B Degraded (example: scattered trees)
  - C Stream shading is gone or largely absent

**19. Buffer Width – streamside area metric (skip for Tidal Marsh Streams)**

Consider “vegetated buffer” and “wooded buffer” separately for left bank (LB) and right bank (RB) starting at the top of bank out to the first break.

Vegetated		Wooded		
LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	≥ 100 feet wide <u>or</u> extends to the edge of the watershed
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	From 50 to < 100 feet wide
<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	<input checked="" type="checkbox"/> C	From 30 to < 50 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	From 10 to < 30 feet wide
<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	<input type="checkbox"/> E	< 10 feet wide <u>or</u> no trees

**20. Buffer Structure – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Vegetated” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Mature forest
<input type="checkbox"/> B	<input type="checkbox"/> B	Non-mature woody vegetation <u>or</u> modified vegetation structure
<input type="checkbox"/> C	<input type="checkbox"/> C	Herbaceous vegetation with or without a strip of trees < 10 feet wide
<input type="checkbox"/> D	<input type="checkbox"/> D	Maintained shrubs
<input type="checkbox"/> E	<input type="checkbox"/> E	Little or no vegetation

**21. Buffer Stressors – streamside area metric (skip for Tidal Marsh Streams)**

Check all appropriate boxes for left bank (LB) and right bank (RB). Indicate if listed stressor abuts stream (Abuts), does not abut but is within 30 feet of stream (< 30 feet), or is between 30 to 50 feet of stream (30-50 feet).

If none of the following stressors occurs on either bank, check here and skip to Metric 22:

Abuts		< 30 feet		30-50 feet		
LB	RB	LB	RB	LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input type="checkbox"/> A	<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Row crops
<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	<input type="checkbox"/> B	Maintained turf
<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	<input type="checkbox"/> C	Pasture (no livestock)/commercial horticulture
<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	<input type="checkbox"/> D	Pasture (active livestock use)

**22. Stem Density – streamside area metric (skip for Tidal Marsh Streams)**

Consider for left bank (LB) and right bank (RB) for Metric 19 (“Wooded” Buffer Width).

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Medium to high stem density
<input type="checkbox"/> B	<input type="checkbox"/> B	Low stem density
<input type="checkbox"/> C	<input type="checkbox"/> C	No wooded riparian buffer <u>or</u> predominantly herbaceous species <u>or</u> bare ground

**23. Continuity of Vegetated Buffer – streamside area metric (skip for Tidal Marsh Streams)**

Consider whether vegetated buffer is continuous along stream (parallel). Breaks are areas lacking vegetation > 10 feet wide.

LB	RB	
<input type="checkbox"/> A	<input type="checkbox"/> A	The total length of buffer breaks is < 25 percent.
<input checked="" type="checkbox"/> B	<input checked="" type="checkbox"/> B	The total length of buffer breaks is between 25 and 50 percent.
<input type="checkbox"/> C	<input type="checkbox"/> C	The total length of buffer breaks is > 50 percent.

**24. Vegetative Composition – streamside area metric (skip for Tidal Marsh Streams)**

Evaluate the dominant vegetation within 100 feet of each bank or to the edge of the watershed (whichever comes first) as it contributes to assessment reach habitat.

LB	RB	
<input checked="" type="checkbox"/> A	<input checked="" type="checkbox"/> A	Vegetation is close to undisturbed in species present and their proportions. Lower strata composed of native species, with non-native invasive species absent or sparse.
<input type="checkbox"/> B	<input type="checkbox"/> B	Vegetation indicates disturbance in terms of species diversity or proportions, but is still largely composed of native species. This may include communities of weedy native species that develop after clear-cutting or clearing <u>or</u> communities with non-native invasive species present, but not dominant, over a large portion of the expected strata <u>or</u> communities missing understory but retaining canopy trees.
<input type="checkbox"/> C	<input type="checkbox"/> C	Vegetation is severely disturbed in terms of species diversity or proportions. Mature canopy is absent <u>or</u> communities with non-native invasive species dominant over a large portion of expected strata <u>or</u> communities composed of planted stands of non-characteristic species <u>or</u> communities inappropriately composed of a single species <u>or</u> no vegetation.

**25. Conductivity – assessment reach metric (skip for all Coastal Plain streams)**

25a. Yes No Was conductivity measurement recorded?  
If No, select one of the following reasons. No Water Other: \_\_\_\_\_

25b. Check the box corresponding to the conductivity measurement (units of microsiemens per centimeter).  
A < 46 B 46 to < 67 C 67 to < 79 D 79 to < 230 E ≥ 230

Notes/Sketch:



**Draft NC SAM Stream Rating Sheet**  
**Accompanies User Manual Version 2.1**

Stream Site Name Edwards-Johnson Date of Assessment 5/31/17  
 Stream Category Pb2 Assessor Name/Organization Water and Land Solutions

Notes of Field Assessment Form (Y/N) NO  
 Presence of regulatory considerations (Y/N) YES  
 Additional stream information/supplementary measurements included (Y/N) YES  
 NC SAM feature type (perennial, intermittent, Tidal Marsh Stream) Intermittent

<b>Function Class Rating Summary</b>	<b>USACE/ All Streams</b>	<b>NCDWR Intermittent</b>
(1) Hydrology	<b>LOW</b>	<b>LOW</b>
(2) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(2) Flood Flow	<b>LOW</b>	<b>LOW</b>
(3) Streamside Area Attenuation	<b>LOW</b>	<b>LOW</b>
(4) Floodplain Access	<b>LOW</b>	<b>LOW</b>
(4) Wooded Riparian Buffer	<b>HIGH</b>	<b>HIGH</b>
(4) Microtopography	NA	NA
(3) Stream Stability	<b>MEDIUM</b>	<b>MEDIUM</b>
(4) Channel Stability	<b>MEDIUM</b>	<b>MEDIUM</b>
(4) Sediment Transport	<b>HIGH</b>	<b>HIGH</b>
(4) Stream Geomorphology	<b>LOW</b>	<b>LOW</b>
(2) Stream/Intertidal Zone Interaction	NA	NA
(2) Longitudinal Tidal Flow	NA	NA
(2) Tidal Marsh Stream Stability	NA	NA
(3) Tidal Marsh Channel Stability	NA	NA
(3) Tidal Marsh Stream Geomorphology	NA	NA
(1) Water Quality	<b>HIGH</b>	<b>HIGH</b>
(2) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(2) Streamside Area Vegetation	<b>MEDIUM</b>	<b>MEDIUM</b>
(3) Upland Pollutant Filtration	<b>LOW</b>	<b>LOW</b>
(3) Thermoregulation	<b>HIGH</b>	<b>HIGH</b>
(2) Indicators of Stressors	<b>NO</b>	<b>NO</b>
(2) Aquatic Life Tolerance	<b>HIGH</b>	NA
(2) Intertidal Zone Filtration	NA	NA
(1) Habitat	<b>LOW</b>	<b>LOW</b>
(2) In-stream Habitat	<b>LOW</b>	<b>LOW</b>
(3) Baseflow	<b>HIGH</b>	<b>MEDIUM</b>
(3) Substrate	<b>LOW</b>	<b>LOW</b>
(3) Stream Stability	<b>MEDIUM</b>	<b>MEDIUM</b>
(3) In-stream Habitat	<b>LOW</b>	<b>LOW</b>
(2) Stream-side Habitat	<b>HIGH</b>	<b>HIGH</b>
(3) Stream-side Habitat	<b>MEDIUM</b>	<b>MEDIUM</b>
(3) Thermoregulation	<b>HIGH</b>	<b>HIGH</b>
(2) Tidal Marsh In-stream Habitat	NA	NA
(3) Flow Restriction	NA	NA
(3) Tidal Marsh Stream Stability	NA	NA
(4) Tidal Marsh Channel Stability	NA	NA
(4) Tidal Marsh Stream Geomorphology	NA	NA
(3) Tidal Marsh In-stream Habitat	NA	NA
(2) Intertidal Zone	NA	NA
<b>Overall</b>	<b>LOW</b>	<b>LOW</b>



## Appendix 9 – Wetland JD Forms

---

**U.S. ARMY CORPS OF ENGINEERS**  
**WILMINGTON DISTRICT**

Action Id. SAW-2016-00883 County: Johnston U.S.G.S. Quad: Flowers

**NOTIFICATION OF JURISDICTIONAL DETERMINATION**

Requestor: Water & Land Solutions  
Mr. Scott Hunt  
Address: 11030 Raven Ridge Road, Suite 119  
Raleigh, North Carolina 27614

Size (acres)	<u>76.43</u>	Nearest Town	<u>Wendell</u>
Nearest Waterway	<u>Buffalo Creek</u>	River Basin	<u>Upper Neuse River</u>
USGS HUC	<u>03020201</u>	Coordinates	Latitude: <u>35.7318</u> Longitude: <u>-78.35126</u>

**Location description:** The NC DMS Edwards Johnson Mitigation Site project area is identified as an approximate 76.43 acre tract of land, located on Johnston County, North Carolina Parcels 179100-19-2336, 179100-09-9826. These parcels are located at 2182 Wendell Road, Wendell, Johnston County, North Carolina.

**Indicate Which of the Following Apply:**

**A. Preliminary Determination**

- There are waters, including wetlands, on the above described project area, that may be subject to Section 404 of the Clean Water Act (CWA)(33 USC § 1344) and/or Section 10 of the Rivers and Harbors Act (RHA) (33 USC § 403). The waters, including wetlands, have been delineated, and the delineation has been verified by the Corps to be sufficiently accurate and reliable. Therefore this preliminary jurisdiction determination may be used in the permit evaluation process, including determining compensatory mitigation. For purposes of computation of impacts, compensatory mitigation requirements, and other resource protection measures, a permit decision made on the basis of a preliminary JD will treat all waters and wetlands that would be affected in any way by the permitted activity on the site as if they are jurisdictional waters of the U.S. This preliminary determination is not an appealable action under the Regulatory Program Administrative Appeal Process (Reference 33 CFR Part 331). However, you may request an approved JD, which is an appealable action, by contacting the Corps district for further instruction.
- There are wetlands on the above described property, that may be subject to Section 404 of the Clean Water Act (CWA)(33 USC § 1344) and/or Section 10 of the Rivers and Harbors Act (RHA) (33 USC § 403). However, since the waters, including wetlands, have not been properly delineated, this preliminary jurisdiction determination may not be used in the permit evaluation process. Without a verified wetland delineation, this preliminary determination is merely an effective presumption of CWA/RHA jurisdiction over all of the waters, including wetlands, at the project area, which is not sufficiently accurate and reliable to support an enforceable permit decision. We recommend that you have the waters of the U.S. on your property delineated. As the Corps may not be able to accomplish this wetland delineation in a timely manner, you may wish to obtain a consultant to conduct a delineation that can be verified by the Corps.

**B. Approved Determination**

- There are Navigable Waters of the United States within the above described property subject to the permit requirements of Section 10 of the Rivers and Harbors Act (RHA) (33 USC § 403) and Section 404 of the Clean Water Act (CWA)(33 USC § 1344). Unless there is a change in law or our published regulations, this determination may be relied upon for a period not to exceed five years from the date of this notification.
- There are waters of the U.S., including wetlands, on the above described project area subject to the permit requirements of Section 404 of the Clean Water Act (CWA) (33 USC § 1344). Unless there is a change in the law or our published regulations, this determination may be relied upon for a period not to exceed five years from the date of this notification.
- We recommend you have the waters of the U.S. on your property delineated. As the Corps may not be able to accomplish this wetland delineation in a timely manner, you may wish to obtain a consultant to conduct a delineation that can be verified by the Corps.

\_ The waters of the U.S., including wetlands, on your project area have been delineated and the delineation has been verified by the Corps. If you wish to have the delineation surveyed, the Corps can review and verify the survey upon completion. Once verified, this survey will provide an accurate depiction of all areas subject to CWA and/or RHA jurisdiction on your property which, provided there is no change in the law or our published regulations, may be relied upon for a period not to exceed five years.

\_ The waters of the U.S., including wetlands, have been delineated and surveyed and are accurately depicted on the plat signed by the Corps Regulatory Official identified below on \_\_\_\_\_. Unless there is a change in the law or our published regulations, this determination may be relied upon for a period not to exceed five years from the date of this notification.

- There are no waters of the U.S., to include wetlands, present on the above described project area which are subject to the permit requirements of Section 404 of the Clean Water Act (33 USC 1344). Unless there is a change in the law or our published regulations, this determination may be relied upon for a period not to exceed five years from the date of this notification.
- The property is located in one of the 20 Coastal Counties subject to regulation under the Coastal Area Management Act (CAMA). You should contact the Division of Coastal Management in Morehead City, NC, at (252) 808-2808 to determine their requirements.

Placement of dredged or fill material within waters of the US, including wetlands, without a Department of the Army permit may constitute a violation of Section 301 of the Clean Water Act (33 USC § 1311). Placement of dredged or fill material, construction or placement of structures, or work within navigable waters of the United States without a Department of the Army permit may constitute a violation of Sections 9 and/or 10 of the Rivers and Harbors Act (33 USC § 401 and/or 403). If you have any questions regarding this determination and/or the Corps regulatory program, please contact [Ms. Samantha Dailey at \(919\) 554-4884, ext. 22 or Samantha.J.Dailey@usace.army.mil](mailto:Ms.Samantha.Dailey@usace.army.mil).

**C. Basis For Determination: Refer to the enclosed Preliminary Jurisdictional Determination Form and maps.**

**D. Remarks:**

**E. Attention USDA Program Participants**

This delineation/determination has been conducted to identify the limits of Corps' Clean Water Act jurisdiction for the particular site identified in this request. The delineation/determination may not be valid for the wetland conservation provisions of the Food Security Act of 1985. If you or your tenant are USDA Program participants, or anticipate participation in USDA programs, you should request a certified wetland determination from the local office of the Natural Resources Conservation Service, prior to starting work.

**F. Appeals Information (This information applies only to approved jurisdictional determinations as indicated in B. above)**

This correspondence constitutes an approved jurisdictional determination for the above described site. If you object to this determination, you may request an administrative appeal under Corps regulations at 33 CFR Part 331. Enclosed you will find a Notification of Appeal Process (NAP) fact sheet and request for appeal (RFA) form. If you request to appeal this determination you must submit a completed RFA form to the following address:

US Army Corps of Engineers  
South Atlantic Division  
Attn: Jason Steele, Review Officer  
60 Forsyth Street SW, Room 10M15  
Atlanta, Georgia 30303-8801

In order for an RFA to be accepted by the Corps, the Corps must determine that it is complete, that it meets the criteria for appeal under 33 CFR part 331.5, and that it has been received by the Division Office within 60 days of the date of the NAP. Should you decide to submit an RFA form, it must be received at the above address by \_\_\_\_\_.



\*\*It is not necessary to submit an RFA form to the Division Office if you do not object to the determination in this correspondence.\*\*

DAILEY.SAMANT  
HA.J.1387567948

Digitally signed by  
DAILEY.SAMANTHA.J.1387567948  
DN: c=US, o=U.S. Government, ou=DoD,  
ou=PKI, ou=USA,  
cn=DAILEY.SAMANTHA.J.1387567948  
Date: 2017.05.25 10:49:24 -04'00'

Corps Regulatory Official: \_\_\_\_\_

Date: May 25, 2017      Expiration Date: N/A

The Wilmington District is committed to providing the highest level of support to the public. To help us ensure we continue to do so, please complete our Customer Satisfaction Survey, located online at [http://corpsmapu.usace.army.mil/cm\\_apex/f?p=136:4:0](http://corpsmapu.usace.army.mil/cm_apex/f?p=136:4:0).

**NOTIFICATION OF ADMINISTRATIVE APPEAL OPTIONS AND PROCESS AND  
REQUEST FOR APPEAL**

Applicant: **Water & Land Solutions**  
**Attn: Mr. Scott Hunt**

File Number: **SAW-2016-00883**

Date: **May 25, 2017**

Attached is:

See Section below

<input type="checkbox"/>	INITIAL PROFFERED PERMIT (Standard Permit or Letter of permission)	A
<input type="checkbox"/>	PROFFERED PERMIT (Standard Permit or Letter of permission)	B
<input type="checkbox"/>	PERMIT DENIAL	C
<input type="checkbox"/>	APPROVED JURISDICTIONAL DETERMINATION	D
<input checked="" type="checkbox"/>	PRELIMINARY JURISDICTIONAL DETERMINATION	E

SECTION I - The following identifies your rights and options regarding an administrative appeal of the above decision. Additional information may be found at <http://www.usace.army.mil/Missions/CivilWorks/RegulatoryProgramandPermits.aspx> or Corps regulations at 33 CFR Part 331.

**A: INITIAL PROFFERED PERMIT: You may accept or object to the permit.**

- **ACCEPT:** If you received a Standard Permit, you may sign the permit document and return it to the district engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- **OBJECT:** If you object to the permit (Standard or LOP) because of certain terms and conditions therein, you may request that the permit be modified accordingly. You must complete Section II of this form and return the form to the district engineer. Your objections must be received by the district engineer within 60 days of the date of this notice, or you will forfeit your right to appeal the permit in the future. Upon receipt of your letter, the district engineer will evaluate your objections and may: (a) modify the permit to address all of your concerns, (b) modify the permit to address some of your objections, or (c) not modify the permit having determined that the permit should be issued as previously written. After evaluating your objections, the district engineer will send you a proffered permit for your reconsideration, as indicated in Section B below.

**B: PROFFERED PERMIT: You may accept or appeal the permit**

- **ACCEPT:** If you received a Standard Permit, you may sign the permit document and return it to the district engineer for final authorization. If you received a Letter of Permission (LOP), you may accept the LOP and your work is authorized. Your signature on the Standard Permit or acceptance of the LOP means that you accept the permit in its entirety, and waive all rights to appeal the permit, including its terms and conditions, and approved jurisdictional determinations associated with the permit.
- **APPEAL:** If you choose to decline the proffered permit (Standard or LOP) because of certain terms and conditions therein, you may appeal the declined permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division engineer. This form must be received by the division engineer within 60 days of the date of this notice.

**C: PERMIT DENIAL:** You may appeal the denial of a permit under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the division engineer. This form must be received by the division engineer within 60 days of the date of this notice.

**D: APPROVED JURISDICTIONAL DETERMINATION:** You may accept or appeal the approved JD or provide new information.

- **ACCEPT:** You do not need to notify the Corps to accept an approved JD. Failure to notify the Corps within 60 days of the date of this notice, means that you accept the approved JD in its entirety, and waive all rights to appeal the approved JD.
- **APPEAL:** If you disagree with the approved JD, you may appeal the approved JD under the Corps of Engineers Administrative Appeal Process by completing Section II of this form and sending the form to the district engineer. This form must be received by the division engineer within 60 days of the date of this notice.

E: PRELIMINARY JURISDICTIONAL DETERMINATION: You do not need to respond to the Corps regarding the preliminary JD. The Preliminary JD is not appealable. If you wish, you may request an approved JD (which may be appealed), by contacting the Corps district for further instruction. Also you may provide new information for further consideration by the Corps to reevaluate the JD.

**SECTION II - REQUEST FOR APPEAL or OBJECTIONS TO AN INITIAL PROFFERED PERMIT**

REASONS FOR APPEAL OR OBJECTIONS: (Describe your reasons for appealing the decision or your objections to an initial proffered permit in clear concise statements. You may attach additional information to this form to clarify where your reasons or objections are addressed in the administrative record.)

ADDITIONAL INFORMATION: The appeal is limited to a review of the administrative record, the Corps memorandum for the record of the appeal conference or meeting, and any supplemental information that the review officer has determined is needed to clarify the administrative record. Neither the appellant nor the Corps may add new information or analyses to the record. However, you may provide additional information to clarify the location of information that is already in the administrative record.

**POINT OF CONTACT FOR QUESTIONS OR INFORMATION:**

If you have questions regarding this decision and/or the appeal process you may contact:

**District Engineer, Wilmington Regulatory Division  
Raleigh Regulatory Field Office  
Attn: Samantha Dailey  
3331 Heritage Trade Drive, Suite 105  
Wake Forest, North Carolina 27587**

If you only have questions regarding the appeal process you may also contact:

Mr. Jason Steele, Administrative Appeal Review Officer  
CESAD-PDO  
U.S. Army Corps of Engineers, South Atlantic Division  
60 Forsyth Street, Room 10M15  
Atlanta, Georgia 30303-8801  
Phone: (404) 562-5137

RIGHT OF ENTRY: Your signature below grants the right of entry to Corps of Engineers personnel, and any government consultants, to conduct investigations of the project site during the course of the appeal process. You will be provided a 15 day notice of any site investigation, and will have the opportunity to participate in all site investigations.

<p>_____</p> <p>Signature of appellant or agent.</p>	<p>Date:</p>	<p>Telephone number:</p>
--	--------------	--------------------------

*For appeals on Initial Proffered Permits send this form to:*

**District Engineer, Wilmington Regulatory Division, Attn: Samantha Dailey, 69 Darlington Avenue, Wilmington, North Carolina 28403**

*For Permit denials, Proffered Permits and Approved Jurisdictional Determinations send this form to:*

**Division Engineer, Commander, U.S. Army Engineer Division, South Atlantic, Attn: Mr. Jason Steele, Administrative Appeal Officer, CESAD-PDO, 60 Forsyth Street, Room 10M15, Atlanta, Georgia 30303-8801  
Phone: (404) 562-5137**

## APPENDIX 2

### PRELIMINARY JURISDICTIONAL DETERMINATION FORM

#### BACKGROUND INFORMATION

**A. REPORT COMPLETION DATE FOR PRELIMINARY JURISDICTIONAL DETERMINATION (JD):**  
May 19, 2017

**B. NAME AND ADDRESS OF PERSON REQUESTING PRELIMINARY JD:**

Requestor: **Water & Land Solutions**  
**Mr. Scott Hunt**  
Address: **11030 Raven Ridge Road, Suite 119**  
**Raleigh, North Carolina 27614**

**C. DISTRICT OFFICE, FILE NAME, AND NUMBER: Wilmington, Pen Dell Mitigation Site, Water & Land Solutions, Johnston County, SAW-2016-0885**

**D. PROJECT LOCATION(S) AND BACKGROUND INFORMATION:**  
(USE THE ATTACHED TABLE TO DOCUMENT MULTIPLE WATERBODIES AT DIFFERENT SITES)

State: **NC** County/parish/borough: **Johnston** City: **Wendell**  
Center coordinates of site (lat/long in degree decimal format): Lat. **35.7262°N**, Long. **78.3530° W**.  
Universal Transverse Mercator:  
Name of nearest water body: **Buffalo Creek**

**E. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLIES):**

- Office (Desk) Determination. Date: **May 19, 2017**  
 Field Determination. Date(s): **December 20, 2016**

**TABLE OF AQUATIC RESOURCES IN REVIEW AREA WHICH "MAY BE" SUBJECT TO REGULATORY JURISDICTION**

Site Number	Latitude (°N)	Latitude (°W)	Estimated Amount of Aquatic Resources in Review Area		Type of aquatic resource (i.e. wetland vs. non-wetland)	Geographic authority to which the aquatic resource "may be" subject (i.e. Section 404 or Section 10/404)
			Linear Feet	Acres		
Wetland A	35.72412	-78.35788		2.08	PFO Wetland	Section 404
Wetland B	35.72743	-78.35309		0.82	PFO Wetland	Section 404
Stream R1	35.72743	-78.35309	1,050		R4SB4	Section 404
Stream R2	35.72600	-78.35468	1,007		R2SB4	Section 404
Stream R3	35.72438	-78.35734	1,208		R2SB4	Section 404
Stream R4	35.72468	-78.35504	828		R4SB4	Section 404

1. The Corps of Engineers believes that there may be jurisdictional aquatic resources in the review area, and the requestor of this PJD is hereby advised of his or her option to request and obtain an approved JD (AJD) for that review area based on an informed decision after having discussed the various types of JDs and their characteristics and circumstances when they may be appropriate.

2. In any circumstance where a permit applicant obtains an individual permit, or a Nationwide General Permit (NWP) or other general permit verification requiring "pre-construction notification" (PCN), or requests verification for a non-reporting NWP or other general permit, and the permit applicant has not requested an AJD for the activity, the permit applicant is hereby made aware that: (1) the permit applicant has elected to seek a permit authorization based on a PJD, which does not make an official determination of jurisdictional aquatic resources; (2) the applicant has the option to request an AJD before accepting the terms



and conditions of the permit authorization, and that basing a permit authorization on an AJD could possibly result in less compensatory mitigation being required or different special conditions; (3) the applicant has the right to request an individual permit rather than accepting the terms and conditions of the NWP or other general permit authorization; (4) the applicant can accept a permit authorization and thereby agree to comply with all the terms and conditions of that permit, including whatever mitigation requirements the Corps has determined to be necessary; (5) undertaking any activity in reliance upon the subject permit authorization without requesting an AJD constitutes the applicant's acceptance of the use of the PJD; (6) accepting a permit authorization (e.g., signing a proffered individual permit) or undertaking any activity in reliance on any form of Corps permit authorization based on a PJD constitutes agreement that all aquatic resources in the review area affected in any way by that activity will be treated as jurisdictional, and waives any challenge to such jurisdiction in any administrative or judicial compliance or enforcement action, or in any administrative appeal or in any Federal court; and (7) whether the applicant elects to use either an AJD or a PJD, the JD will be processed as soon as practicable. Further, an AJD, a proffered individual permit (and all terms and conditions contained therein), or individual permit denial can be administratively appealed pursuant to 33 C.F.R. Part 331. If, during an administrative appeal, it becomes appropriate to make an official determination whether geographic jurisdiction exists over aquatic resources in the review area, or to provide an official delineation of jurisdictional aquatic resources in the review area, the Corps will provide an AJD to accomplish that result, as soon as is practicable. This PJD finds that there "may be" waters of the U.S. and/or that there "may be" navigable waters of the U.S. on the subject review area, and identifies all aquatic features in the review area that could be affected by the proposed activity, based on the following information:

**SUPPORTING DATA. Data reviewed for preliminary JD (check all that apply):** Checked items should be included in subject file. Appropriately reference sources below where indicated for all checked items:

- Maps, plans, plots or plat submitted by or on behalf of the PJD requestor: **Water & Land Solutions submitted a Jurisdictional Determination Request on October 4, 2016, with revisions received on February 10, 2017.**
- Data sheets prepared/submitted by or on behalf of the PJD requestor.
  - Office concurs with data sheets/delineation report.
  - Office does not concur with data sheets/delineation report.
- Data sheets prepared by the Corps:
- Corps navigable waters' study:
- U.S. Geological Survey Hydrologic Atlas:
  - USGS NHD data.
  - USGS 8 and 12 digit HUC maps.
- U.S. Geological Survey map(s). Cite scale & quad name: **1:24K, NC-Flowers**
- USDA Natural Resources Conservation Service Soil Survey. Citation: **Web Soil Survey: December 2016.**
- National wetlands inventory map(s). Cite name: **Corps of Engineers SimSuite – December 2016.**
- State/Local wetland inventory map(s):
- FEMA/FIRM maps:
- 100-year Floodplain Elevation is: (National Geodetic Vertical Datum of 1929)
- Photographs:  Aerial (Name & Date):  
or  Other (Name & Date):
- Previous determination(s). File no. and date of response letter:
- Other information (please specify):

**IMPORTANT NOTE: The information recorded on this form has not necessarily been verified by the Corps and should not be relied upon for later jurisdictional determinations.**

**DAILEY.SAMA**  
**NTHA.J.13875**  
**67948**

Digitally signed by  
 DAILEY.SAMANTHA.J.1387567948  
 DN: c=US, o=U.S. Government,  
 ou=DoD, ou=PKI, ou=USA,  
 cn=DAILEY.SAMANTHA.J.1387567  
 948  
 Date: 2017.05.25 11:11:23 -04'00'













5/24/17




Signature and date of  
 Regulatory Project Manager  
 (REQUIRED)

Signature and date of  
 person requesting preliminary JD  
 (REQUIRED, unless obtaining the signature is  
 Impracticable)

1 Districts may establish timeframes for requestor to return signed PJD forms. If the requestor does not respond within the established time frame, the district may presume concurrence and no additional follow up is necessary prior to finalizing an action.

**Legend**

-  Project Location
-  LWPs
-  TLWs
-  TLW: 03020201180050
-  HUC-8 (Neuse 01)
-  HUC-12
-  NC Cities
-  Johnston Co. Hydrography
-  Johnston County
-  NC Counties



Edwards-Johnson  
Mitigation Project

Project Location

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US




**Legend**

**Existing Streams**

**Reach, Classification**

- R1, Intermittent
- R2, Perennial
- R3, Perennial
- R4, Intermittent
- Catchment Area
- Conservation Easement

Catchment Area: 230 acres  
 Impervious Cover: 2.29 %  
 Dominant Land Use: Agriculture (49% pasture/crops) and Forest (30% deciduous/evergreen/mixed)



Copyright: © 2013 National Geographic Society, i-cubed



Edwards-Johnson Mitigation Project

USGS Topographic Map

NAD 1983 2011 State Plane  
 North Carolina FIPS 3200 FT US



**Legend**

— stream\_EJ

▭ Conservation Easement

**Soil Map Units (NRCS Data from Web Soil Survey)**

DoA: Dorian fine sandy loam, 0-2% slopes, (HYDRIC B)

GeB: Gilead sandy loam, 2-8% slopes

GoA: Goldsboro sandy loam, 0-2% slopes, (HYDRIC B)

MaB: Marlboro sandy loam, 2-8% slopes

NoB: Norfolk loamy sand, 0-2% slopes


UcB: Uchee loamy coarse sand, 2-6% slopes

UcC: Uchee loamy coarse sand, 6-12% slopes

WoB: Wedowee sandy loam, 2-8% slopes

WoD: Wedowee sandy loam, 8-15% slopes

Wt: Wehadkee loam, 0-2% slopes, (HYDRIC A)



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community




Edwards-Johnson Mitigation Project

NRCS Soils Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US





**WATER & LAND  
SOLUTIONS**






Edwards-Johnson  
Mitigation Project


Floodplain  
Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US



**Legend**

-  Stream
-  Survey of Potential Wetlands
-  NWI Wetlands
-  Conservation Easement
-  Parcels



Address: 2182 Wendell Road, Wendell, NC 27591  
 PIN: 179100-19-2336  
 PIN: 179100-09-9826

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Edwards-Johnson  
 Mitigation Project

Current Wetlands Conditions  
 Map

NAD 1983 2011 State Plane  
 North Carolina FIPS 3200 FT US



## Appendix 10 – Invasive Species Plan

---

WLS will treat invasive species vegetation within the project area and provide remedial action on a case-by-case basis. Common invasive species vegetation, such as Chinese privet (*Ligustrum sinense*), Multiflora rose (*Rosa multiflora*), and Microstegium (*Microstegium vimineum*), will be treated to allow native plants to become established within the conservation easement. Invasive species vegetation will be treated by approved mechanical and/or chemical methods such that the percent composition of exotic/invasive species vegetation is less than 5% of the total riparian buffer area. Any control methods requiring herbicide application will be performed in accordance with NC Department of Agriculture (NCDCA) rules and regulations. If necessary, these removal treatments (i.e., cutting and/or spraying) will continue until the corrective actions demonstrate that the site is trending towards or meeting the standard monitoring requirement.



## **Appendix 11 – Approved FHWA Categorical Exclusion Form**

---



Appendix A

**Categorical Exclusion Form for Ecosystem Enhancement  
Program Projects  
Version 1.4**

**Note: Only Appendix A should be submitted (along with any supporting documentation) as the environmental document.**

Part 1: General Project Information	
<b>Project Name:</b>	Edwards-Johnson Mitigation Project
<b>County Name:</b>	Johnston
<b>EEP Number:</b>	DMS Proj. #97080, DMS Contract #6825
<b>Project Sponsor:</b>	Water & Land Solutions, LLC
<b>Project Contact Name:</b>	William "Scott" Hunt, III, PE
<b>Project Contact Address:</b>	11030 Raven Ridge Road, Ste. 119, Raleigh, NC 27614
<b>Project Contact E-mail:</b>	scott@waterlandsolutions.com
<b>EEP Project Manager:</b>	Lindsay Crocker
Project Description	
<p>The Edwards-Johnson Mitigation Project is a full-delivery project for the NCDEQ Division of Mitigation Services (DMS) identified and contracted to provide stream mitigation credits for permitted, unavoidable impacts in the Neuse River Basin, Cataloging Unit 03020201. The project will involve the restoration, preservation, and permanent protection of four stream reaches (Reaches R1, R2, R3, and R4), totaling approximately 3,186 linear feet of existing streams. In addition, the adjacent riparian wetlands and riparian buffers will be restored and the entire restored corridor will be protected by a permanent conservation easement to be held by the State of North Carolina. The project site consists of a degraded headwater stream and riparian wetland system that flows through a narrow riparian corridor between active agricultural fields and then into the mature bottomland hardwood floodplain adjacent to Buffalo Creek. The proposed restoration project will provide significant ecological improvements and functional uplift through habitat restoration, and through decreasing nutrient and sediment loads from the project watershed. The project site is located in Johnston County, North Carolina, between the Town of Wendell and the Community of Archer Lodge.</p>	
For Official Use Only	
<b>Reviewed By:</b> <u>LINDSAY CROCKER</u>	
<u>5/3/2016</u> Date	<u>[Signature]</u> EEP Project Manager
<b>Conditional Approved By:</b>	
<u>        </u> Date	<b>For Division Administrator FHWA</b>
<input type="checkbox"/> Check this box if there are outstanding issues	
<b>Final Approval By:</b>	
<u>6-3-16</u> Date	<u>[Signature]</u> For Division Administrator FHWA











Part 2: All Projects Regulation/Question		Response
<b>Coastal Zone Management Act (CZMA)</b>		
1. Is the project located in a CAMA county?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Does the project involve ground-disturbing activities within a CAMA Area of Environmental Concern (AEC)?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Has a CAMA permit been secured?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Has NCDCCM agreed that the project is consistent with the NC Coastal Management Program?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)</b>		
1. Is this a "full-delivery" project?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Has the zoning/land use of the subject property and adjacent properties ever been designated as commercial or industrial?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
3. As a result of a limited Phase I Site Assessment, are there known or potential hazardous waste sites within or adjacent to the project area?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
4. As a result of a Phase I Site Assessment, are there known or potential hazardous waste sites within or adjacent to the project area?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
5. As a result of a Phase II Site Assessment, are there known or potential hazardous waste sites within the project area?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
6. Is there an approved hazardous mitigation plan?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>National Historic Preservation Act (Section 106)</b>		
1. Are there properties listed on, or eligible for listing on, the National Register of Historic Places in the project area?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Does the project affect such properties and does the SHPO/THPO concur?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. If the effects are adverse, have they been resolved?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Uniform Relocation Assistance and Real Property Acquisition Policies Act (Uniform Act)</b>		
1. Is this a "full-delivery" project?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Does the project require the acquisition of real estate?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3. Was the property acquisition completed prior to the intent to use federal funds?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
4. Has the owner of the property been informed: * prior to making an offer that the agency does not have condemnation authority; and * what the fair market value is believed to be?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A




<b>Part 3: Ground-Disturbing Activities Regulation/Question</b>		<b>Response</b>
<b>American Indian Religious Freedom Act (AIRFA)</b>		
1. Is the project located in a county claimed as "territory" by the Eastern Band of Cherokee Indians?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Is the site of religious importance to American Indians?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Is the project listed on, or eligible for listing on, the National Register of Historic Places?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Have the effects of the project on this site been considered?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Antiquities Act (AA)</b>		
1. Is the project located on Federal lands?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Will there be loss or destruction of historic or prehistoric ruins, monuments or objects of antiquity?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Will a permit from the appropriate Federal agency be required?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Has a permit been obtained?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Archaeological Resources Protection Act (ARPA)</b>		
1. Is the project located on federal or Indian lands (reservation)?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Will there be a loss or destruction of archaeological resources?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Will a permit from the appropriate Federal agency be required?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Has a permit been obtained?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Endangered Species Act (ESA)</b>		
1. Are federal Threatened and Endangered species and/or Designated Critical Habitat listed for the county?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Is Designated Critical Habitat or suitable habitat present for listed species?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
3. Are T&E species present or is the project being conducted in Designated Critical Habitat?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Is the project "likely to adversely affect" the specie and/or "likely to adversely modify" Designated Critical Habitat?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
5. Does the USFWS/NOAA-Fisheries concur in the effects determination?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
6. Has the USFWS/NOAA-Fisheries rendered a "jeopardy" determination?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

<b>Executive Order 13007 (Indian Sacred Sites)</b>	
1. Is the project located on Federal lands that are within a county claimed as "territory" by the EBCI?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Has the EBCI indicated that Indian sacred sites may be impacted by the proposed project?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Have accommodations been made for access to and ceremonial use of Indian sacred sites?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Farmland Protection Policy Act (FPPA)</b>	
1. Will real estate be acquired?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Has NRCS determined that the project contains prime, unique, statewide or locally important farmland?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
3. Has the completed Form AD-1006 been submitted to NRCS?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>Fish and Wildlife Coordination Act (FWCA)</b>	
1. Will the project impound, divert, channel deepen, or otherwise control/modify any water body?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
2. Have the USFWS and the NCWRC been consulted?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>Land and Water Conservation Fund Act (Section 6(f))</b>	
1. Will the project require the conversion of such property to a use other than public, outdoor recreation?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Has the NPS approved of the conversion?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Magnuson-Stevens Fishery Conservation and Management Act (Essential Fish Habitat)</b>	
1. Is the project located in an estuarine system?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Is suitable habitat present for EFH-protected species?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
3. Is sufficient design information available to make a determination of the effect of the project on EFH?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
4. Will the project adversely affect EFH?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
5. Has consultation with NOAA-Fisheries occurred?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Migratory Bird Treaty Act (MBTA)</b>	
1. Does the USFWS have any recommendations with the project relative to the MBTA?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Have the USFWS recommendations been incorporated?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
<b>Wilderness Act</b>	
1. Is the project in a Wilderness area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
2. Has a special use permit and/or easement been obtained from the maintaining federal agency?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A



**Legend**

-  Project Location
-  LWPs
-  TLWs
-  TLW: 03020201180050
-  HUC-8 (Neuse 01)
-  HUC-12
-  NC Cities
-  Johnston Co. Hydrography
-  Johnston County
-  NC Counties



Edwards-Johnson  
Mitigation Project

Project Location

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US


FIGURE  
**1**



**Legend**

 Conservation Easement

Flowers Quadrangle  
North Carolina - Johnston Co.



Edwards-Johnson  
Mitigation Project

USGS  
Topographic  
Map


NAD 1983 2011 State Plane

FIGURE


2





**Legend**


 Conservation Easement


**Soil Map Units (NRCS Data from Web Soil Survey)**


 DoA: Dorian fine sandy loam, 0-2% slopes, (HYDRIC B)


 GeB: Gilead sandy loam, 2-8% slopes


 GoA: Goldsboro sandy loam, 0-2% slopes, (HYDRIC B)


 MaB: Marlboro sandy loam, 2-8% slopes


 NoB: Norfolk loamy sand, 0-2% slopes


 UcB: Uchee loamy coarse sand, 2-6% slopes

 UcC: Uchee loamy coarse sand, 6-12% slopes

 WoB: Wedowee sandy loam, 2-8% slopes

 WoD: Wedowee sandy loam, 8-15% slopes

 Wt: Wehadkee loam, 0-2% slopes, (HYDRIC A)



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AEX, Getmapping, Aerogrid, IGN, IGP, swisstopo, and the GIS User Community



Edwards-Johnson Mitigation Project


NRCS Soils Map

FIGURE  
**3**

NAD 1983 2011 State Plane North Carolina FIPS 3200 FT US



**Legend**


 Conservation Easement


**NC Floodplain Mapping Program  
LiDAR**


Window Size: 6.000


**Elevation (ft)**


341.2 - 1741.3


 291.6 - 341.2


 279 - 291.6


 268 - 279


 258.8 - 268

 249 - 258.8

 239.5 - 249

 231.2 - 239.5

 206.9 - 231.2



Edwards-Johnson  
Mitigation Project

LiDAR Map

NAD 1983 2011 State Plane  
North Carolina FIPS 3200 FT US

FIGURE

4



## Edwards-Johnson Mitigation Project Pre-Restoration Photo Log

Looking upstream at stable channel morphology and wood recruitment along R1 preservation area.



Sever bank erosion and lateral instability along R2.



Poor bedform diversity and lack of deep rooting vegetation along R3.



Looking downstream at a stable stream and wetland complex at the bottom of R3.





Existing impoundment and floodplain manipulation along R4.



Active headcut looking upstream.





**WATER & LAND  
SOLUTIONS**

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

**May 27, 2016**

**NC Department of Environmental Quality  
Division of Mitigation Services  
Attn: Lindsay Crocker  
217 West Jones Street, Suite 3000-A  
Raleigh, NC 27603**

**RE: Categorical Exclusion for Edwards-Johnson Mitigation Project, NCDEQ DMS Full-Delivery Project ID #97080,  
Contract #6825, Neuse River Basin, Cataloging Unit 03020201, Johnston County, NC**

Dear Ms. Crocker:

Water & Land Solutions, LLC (WLS) is pleased to present the Categorical Exclusion (CE) for the Edwards-Johnson Mitigation Project to the North Carolina Department of Environmental Quality (NCDEQ) Division of Mitigation Services (DMS). Please find enclosed two (2) hard copies of the CE as required. The project site is located in Johnston County, North Carolina, between the Town of Wendell and the Community of Archer Lodge. In addition, the project is located in the NCDEQ (formerly NCDENR) Sub-basin 03-04-06, in the Lower Buffalo Creek Priority Sub-watershed 030202011504 study area for the Neuse 01 Regional Watershed Plan (RWP), and in the Targeted Local Watershed 03020201180050, all of the Neuse River Basin.

The Edwards-Johnson Mitigation Project is a full-delivery project for the NCDEQ DMS identified and contracted to provide stream mitigation credits for permitted, unavoidable impacts in the Neuse River Basin, Cataloging Unit 03020201. The project will involve the restoration, preservation, and permanent protection of four stream reaches (Reaches R1, R2, R3, and R4), totaling approximately 3,186 linear feet of existing streams. In addition, the adjacent riparian wetlands and riparian buffers will be restored and the entire restored corridor will be protected by a permanent conservation easement, approximately 10 acres in size, to be held by the State of North Carolina. The project site consists of a degraded headwater stream and riparian wetland system that flows through a narrow riparian corridor between active agricultural fields and then into the mature bottomland hardwood floodplain adjacent to Buffalo Creek. The proposed restoration project not only has the potential to provide at least 3,015 stream mitigation credits, but will also provide significant ecological improvements and functional uplift through habitat restoration, and through decreasing nutrient and sediment loads from the project watershed.

Based on WLS review of the most current information from the United States Fish and Wildlife Service (USFWS) and the North Carolina Wildlife Resources Commission (NCWRC), the following species are considered federally-listed species in Johnston County:

Species Type	Scientific Name	Common Name	Federal Status Code
Vertebrate	<i>Haliaeetus leucocephalus</i>	Bald eagle	BGPA
Vertebrate	<i>Picoides borealis</i>	Red-cockaded woodpecker	E
Invertebrate	<i>Alasmidonta heterodon</i>	Dwarf wedgemussel	E
Invertebrate	<i>Elliptio steinstansana</i>	Tar River spiny mussel	E
Vascular Plant	<i>Rhus michauxii</i>	Michaux's sumac	E

## Definitions of Federal Status Codes:

**BGPA = Bald and Golden Eagle Protection Act.** In the July 9, 2007 Federal Register (72:37346-37372), the bald eagle was declared recovered, and removed (de-listed) from the Federal List of Threatened and Endangered wildlife. This delisting took effect August 8, 2007. After delisting, the Bald and Golden Eagle Protection Act (Eagle Act) (16 U. S. C. 668-668d) becomes the primary law protecting bald eagles. The Eagle Act prohibits take of bald and golden eagles and provides a statutory definition of “take” that includes “disturb”. The USFWS has developed National Bald Eagle Management Guidelines to provide guidance to land managers, landowners, and others as to how to avoid disturbing bald eagles. For more information, visit <http://www.fws.gov/migratorybirds/baldeagle.htm>

**E = endangered.** A taxon “in danger of extinction throughout all or a significant portion of its range.”

(Federal status information referenced from <http://www.fws.gov/raleigh/species/cntylist/johnston.html>)

## Vertebrates

### Bald eagle (*Haliaeetus leucocephalus*)

Family: *Accipitridae*

Federal Status: Protected under the Bald and Golden Eagle Projection Act

Description: Distinguished by a white head and white tail feathers, Bald eagles are powerful, brown birds that may weigh 14 pounds and have a wingspan of 8 feet. Male Bald eagles are smaller, weighing as much as 10 pounds and have a wingspan of 6 feet. Sometimes confused with Golden Eagles, Bald eagles are mostly dark brown until they are four to five years old and acquire their characteristic coloring. Bald eagles mate for life, choosing the tops of large trees to build nests, which they typically use and enlarge each year. Nests may reach 10 feet across and weigh a half ton. They may also have one or more alternate nests within their breeding territory. In treeless regions, they may also nest in cliffs or on the ground. The birds travel great distances but usually return to breeding grounds within 100 miles of the place where they were raised. Bald eagles may live 15 to 25 years in the wild, longer in captivity. Breeding Bald eagles typically lay one to three eggs once a year, and they hatch after about 35 days. The young eagles are flying within three months and are on their own about a month later.

Habitat: Bald eagles live near rivers, lakes, and marshes where they can find fish, their staple food. Bald eagles will also feed on waterfowl, turtles, rabbits, snakes, and other small animals and carrion. Bald eagles require a good food base, perching areas, and nesting sites. Their habitat includes estuaries, large lakes, reservoirs, rivers, and some seacoasts. In winter, the birds congregate near open water in tall trees for spotting prey and night roosts for sheltering.

Distribution: Bald eagle have a historic range from Alaska and Canada to northern Mexico. Based on the most recent population figures, the USFWS estimates that there are at least 9,789 nesting pairs of bald eagles in the contiguous United States.

Threats: Human disturbance is the greatest threat to Bald eagles, including habitat destruction and degradation, illegal shooting and the contamination or destruction of food sources, as evidenced by history.

WLS biologists conducted numerous field reviews of the project site during the months of July, August, September, October, November, and December 2015, as well as March and April 2016 and no occurrence or evidence of Bald eagles or their nests were observed in the project area. Based on a review of the NCDEQ Natural Heritage Program’s available Natural Heritage Element Occurrences (NHEO) GIS shapefile (<https://ncnhde.natureserve.org/content/data-download>), on April 26, 2016, there are not records of protected species within a 2-mile radius of the project area. The implementation of the proposed project will not have an adverse effect on the Bald eagle.

(Species profile information referenced from <http://www.fws.gov/birds/management/managed-species/bald-and-golden-eagle-information.php>)



## **Red-cockaded woodpecker (*Picoides borealis*)**

Family: *Picidae*

Federal Status: Endangered, Listed October 13, 1970

Description: The red-cockaded woodpecker (RCW) is a small bird measuring about 7 inches in length. Identifiable by its white cheek patch and black and white barred back, the males have a few red feathers, or "cockade". These red feathers usually remain hidden underneath black feathers between the black crown and white cheek patch unless the male is disturbed or excited. Female RCWs lack the red cockade. Juvenile males have a red 'patch' in the center of their black crown. This patch disappears during the fall of their first year at which time their 'red-cockades' appear.

Habitat: Red-cockaded woodpecker habitat includes forests with trees old enough for roosting, generally at least 60-120 years old, depending on species of pine. The most prominent adaptation of RCWs is their use of living pines for cavity excavation. For nesting and roosting habitat, red-cockaded woodpeckers need open stands of pine containing trees 60 years old and older. RCWs need live, large older pines in which to excavate their cavities. Longleaf pines (*Pinus palustris*) are preferred, but other species of southern pine are also acceptable. Dense stands (stands that are primarily hardwoods, or that have a dense hardwood understory) are avoided. Foraging habitat is provided in pine and pine hardwood stands 30 years old or older with foraging preference for pine trees 10 inches or larger in diameter. In good, moderately-stocked, pine habitat, sufficient foraging substrate can be provided on 80 to 125 acres. Roosting cavities are excavated in living pines, and usually in those which are infected with a fungus known as red-heart disease. The aggregate of cavity trees is called a cluster and may include 1 to 20 or more cavity trees on 3 to 60 acres. The average cluster is about 10 acres. Completed cavities that are being actively used have numerous, small resin wells which exude sap. The birds keep the sap flowing as a cavity defense mechanism against rat snakes and other tree climbing predators. Hardwood midstory encroachment results in cluster abandonment; therefore, it is critical that hardwood midstory be controlled. Prescribed burning is the most efficient and ecologically beneficial method to accomplish hardwood midstory control.

Distribution: RCWs were once considered common throughout the longleaf pine ecosystem, which covered approximately 90 million acres before European settlement. Historical population estimates are 1-1.6 million "groups", the family unit of RCWs. The birds inhabited the open pine forests of the southeast from New Jersey, Maryland and Virginia to Florida, west to Texas and north to portions of Oklahoma, Missouri, Tennessee and Kentucky. The longleaf pine ecosystem initially disappeared from much of its original range because of early (1700's) European settlement, widespread commercial timber harvesting and the naval stores/turpentine industry (1800's). Early to mid-1900 commercial tree farming, urbanization and agriculture contributed to further declines. Much of the current habitat is also very different in quality from historical pine forests in which RCWs evolved. Today, many southern pine forests are young and an absence of fire has created a dense pine/hardwood forest.

Threats: The loss of suitable habitat has caused the number of RCWs to decline by approximately 99% since the time of European settlement. The primary habitat of the RCW, the longleaf pine ecosystem, has been reduced to 3% of its original expanse. Many RCW populations were stabilized during the 1990's due to management based on new understanding of RCW biology and population dynamics. However, there are still populations in decline and small populations throughout the species' current range are still in danger of extirpation.

### **Biological Conclusion: No effect**

WLS biologists conducted numerous field reviews of the project site during the months of July, August, September, October, November, and December 2015, as well as March and April 2016 and no suitable habitat for, occurrence of, or evidence of Red-cockaded woodpecker was observed in the project area. Southern pine species are present in some parts of the project area, however, there are no pines that appeared to be 60 to 120 years old and the forest communities present are too fragmented to provide suitable habitat. Based on a review of the NCDEQ Natural Heritage Program's available Natural Heritage Element Occurrences (NHEO) GIS shapefile (<https://ncnhde.natureserve.org/content/data-download>), on April 26, 2016, there are not records of protected species within a 2-mile radius of the project area. The implementation of the proposed project will not have an adverse effect on the Red-cockaded woodpecker.

(Species profile information referenced from [http://www.fws.gov/raleigh/species/es\\_red-cockaded\\_woodpecker.html](http://www.fws.gov/raleigh/species/es_red-cockaded_woodpecker.html))

## **Invertebrates**

### **Dwarf wedgemussel (*Alasmidonta heterodon*)**

Family: Cashew (*Unionidae*)

Federal Status: Endangered, Listed March 14, 1990

Description: The dwarf wedgemussel is a small bivalve, rarely exceeding 45 mm in length. Clean young shells are usually greenish-brown with green rays. As the animal ages, the shell color becomes obscured by diatoms or mineral deposits and appears black or brown. The shell is thin but does thicken somewhat with age, especially toward the anterior end. The anterior end is rounded while the posterior end is angular forming a point near the postero-ventral margin. The ventral margin is only slightly curved. The nacre is bluish-white, appearing whiter in the thicker anterior end. The most distinctive shell character of the dwarf wedgemussel is the arrangement of the lateral teeth. There are two lateral teeth in the right valve and one in the left valve. The typical arrangement for most freshwater mussel species consists of two lateral teeth in the left valve and one in the right valve. The incurrent and excurrent apertures and their associated papillae are usually white. The foot and other organs are also white. Maximum age for the dwarf wedgemussel is around twelve years. The species is a bradytictic breeder, meaning that females become gravid in the early fall and glochidia are released by mid-spring. The tessellated darter (*Etheostoma olmstedi*), johnny darter (*Etheostoma nigrum*), and mottled sulpin (*Cottus bairdi*) have been identified as hosts for the dwarf wedgemussel. An anadromous fish may also serve as a host species but this has not been documented for the dwarf wedgemussel in the southern portion of its range.

Habitat: The dwarf wedgemussel appears to be a generalist in terms of its preference for stream size, substrate and flow conditions – it inhabits small streams less than five meters wide to large rivers more than 100 meters wide; it is found in a variety of substrate types including clay, sand, gravel and pebble, and sometimes in silt depositional areas near banks; and it usually inhabits hydrologically stable areas, including very shallow water along streambanks and under root mats, but it has also been found at depths of 25 feet in the Connecticut River. Dwarf wedgemussels are often patchily distributed in rivers.

Distribution: Historically, the dwarf wedgemussel was found from the Petitcodiac River in New Brunswick, Canada to the Neuse River in North Carolina, and was found in 15 major Atlantic slope river systems. It is now extinct in Canada, extirpated in the Neuse River, and present in low densities throughout much of its former range. It is known from 54 locations in 15 major watersheds, with the largest populations in the Connecticut River watershed. North Carolina supports the greatest number of known sites: Neuse River Basin: Orange County, Wake County, Johnston County, Wilson County, and Nash County; Tar River Basin: Person County, Granville County, Vance County, Franklin County, Warren County, Halifax County, and Nash County. Unfortunately, most of these populations are very small and isolated.

Threats: Impacts including riparian disturbance, pollution, sedimentation, impoundments, artificial flow regimes, and stream fragmentation disrupt mussel life cycles, prevent host fish migration, block gene flow, and prohibit recolonization, resulting in reduced recruitment rates, decreased population densities and increased probability of local extinctions. Toxic effects from industrial, domestic and agricultural pollution are the primary threats to this mussel's survival. Increased acidity, caused by the mobilization of toxic metals by acid rain, is thought to be one of the chief causes of the species' extirpation from the Fort River in Massachusetts. One of the largest remaining populations has declined dramatically in the Ashuelot River, downstream of a golf course. This population probably has been affected by fungicides, herbicides, insecticides, and fertilizers which have been applied to the golf course. Agricultural runoff from adjacent corn fields and pastures also is contributing to this population's decline. Freshwater mussels, including the dwarf wedgemussel, are sensitive to potassium, zinc, copper, cadmium, and other elements associated with industrial pollution. Short life spans, low fecundity, high degree of host specificity, limited dispersal ability of its primary host, low population densities, coupled with the threats facing the species, likely all contribute to the endangered status of the dwarf wedgemussel.

### **Biological Conclusion: No effect**

WLS biologists conducted numerous field reviews of the project site during the months of July, August, September, October, November, and December 2015, as well as March and April 2016 and no occurrences of Dwarf wedgemussel were observed in the project area. Due to the small size and landscape position of the headwater stream systems that comprise the project, suitable habitat for Dwarf wedgemussel does not exist within the project area. Based on a review of the NCDEQ Natural Heritage Program's available Natural Heritage Element Occurrences (NHEO) GIS shapefile (<https://ncnhde.natureserve.org/content/data-download>), on April 26, 2016, there are not records of protected species

within a 2-mile radius of the project area. The implementation of the proposed project will not have an adverse effect on the Dwarf wedgemussel.

(Species profile information referenced from [http://www.fws.gov/raleigh/species/es\\_dwarf\\_wedgemussel.html](http://www.fws.gov/raleigh/species/es_dwarf_wedgemussel.html))

### **Tar River spiny mussel (*Elliptio steinstansana*)**

Family: Cashew (*Unionidae*)

Federal Status: Endangered, Listed July 29, 1985

Description: The Tar River spiny mussel is one of only three freshwater mussels with spines in the world. The brownish shell is rhomboid-shaped, up to 2.4 inches (6 cm) long, with 0-6 spines on each valve. The shell is rather smooth and shiny, with concentric rings, and ends in a blunt point. Younger individuals are orange-brown with greenish rays streaking outward from the hinge area. Adults are darker with less distinct rays. One to three small thin ridges run on the interior surface of the shell from the beak cavity to the lower ventral area of the shell. The anterior half of the shell's inner surface is salmon-colored, the posterior half is iridescent blue. Juveniles may have up to 12 spines, however, adults tend to lose their spines as they mature. Their method of reproduction is similar among freshwater mussel species. Males release sperm into the water column, and the sperm are taken in by the females through their siphons as they respire. The eggs are fertilized and develop within the females' gills into larvae (glochidia). The females release the glochidia that must then attach to the gills or fins of specific fish species. The glochidia transform into juvenile mussels and drop off the fish onto the stream bottom.

Habitat: The Tar River spiny mussel lives in relatively silt-free uncompacted gravel and/or coarse sand in fast-flowing, well oxygenated stream reaches. It is found in association with other mussels, but it is never very numerous. It feeds by syphoning and filtering small food particles that are suspended in the water.

Distribution: The Tar River spiny mussel is endemic only to the Tar River and Neuse River systems in North Carolina. In the Tar River system, the species has been documented only from the mainstem of the Tar River, Shocco Creek, Fishing Creek, Little Fishing Creek, and Swift Creek. In the Neuse River system, the species has been documented only from the Little River. Based on the most recent survey data, the species may be extirpated from the mainstem of the Tar River (last observation was a single individual in 2000) and Shocco Creek (last and only record was a shell found in 1993). Only 1 individual was found during the most recent surveys in Swift Creek (2004 - 2005); only 16 individuals in Little Fishing Creek (2008 and 2009); only 4 individuals in Fishing Creek (2008 and 2009); and, only 3 individuals have been found during the most recent surveys (2006-2008) of the Little River (Neuse River basin) (one each in 2006, 2007, and 2008 in same general area of the river).

Threats: Based on available data, all surviving populations of the Tar River spiny mussel are small to extremely small in size, highly fragmented and isolated from one another, and are in decline. The primary factors affecting the species and its habitat appear to be primarily stream impacts (sedimentation, bank instability, loss of instream habitat) associated with the loss of forest lands and forested riparian buffers, and poorly controlled stormwater runoff of silt and other pollutants from forestry and agricultural (livestock and row crop farming) activities, development activities, and road construction, operation, and maintenance. Pesticides were implicated in the largest known mortality event for Tar River spiny mussel. In addition to the above, point source discharges continue to affect and threaten habitat quality in the Tar River, and Wake County, North Carolina has proposed a new water supply reservoir and wastewater discharge which threatens the Little River population of the species.

### **Biological Conclusion: No effect**

WLS biologists conducted numerous field reviews of the project site during the months of July, August, September, October, November, and December 2015, as well as March and April 2016 and no occurrences of Tar River spiny mussel were observed in the project area. Due to the small size and landscape position of the headwater stream systems that comprise the project, suitable habitat for Tar River spiny mussel does not exist within the project area. Based on a review of the NCDEQ Natural Heritage Program's available Natural Heritage Element Occurrences (NHEO) GIS shapefile (<https://ncnhde.natureserve.org/content/data-download>), on April 26, 2016, there are not records of protected species within a 2-mile radius of the project area. The implementation of the proposed project will not have an adverse effect on the Tar River spiny mussel.

(Species profile information referenced from [http://www.fws.gov/raleigh/species/es tar spiny mussel.html](http://www.fws.gov/raleigh/species/es_tar_spiny mussel.html))

## **Vascular Plants**

### **Michaux's sumac (*Rhus michauxii*)**

Family: Cashew (*Anacardiaceae*)

Federal Status: Endangered, listed September 28, 1989

Best Search Time: May through October

Description: Michaux's sumac is a rhizomatous, densely hairy shrub, with erect stems from 1 - 3 feet (ft) (30.5 - 91 centimeters, cm) in height. The compound leaves contain evenly serrated, oblong to lanceolate, acuminate leaflets. Most plants are unisexual; however, more recent observations have revealed plants with both male and female flowers on one plant. The flowers are small, borne in a terminal, erect, dense cluster, and colored greenish yellow to white. Flowering usually occurs from June to July; while the fruit, a red drupe, is produced through the months of August to October.

Habitat: Michaux's sumac grows in sandy or rocky open woods in association with basic soils. Apparently, this plant survives best in areas where some form of disturbance has provided an open area. Several populations in North Carolina are on highway rights-of way, roadsides, or on the edges of artificially maintained clearings. Two other populations are in areas with periodic fires, and two populations exist on sites undergoing natural succession. One population is situated in a natural opening on the rim of a Carolina bay.

Distribution: Michaux's sumac is endemic to the coastal plain and piedmont of Virginia, North Carolina, South Carolina, Georgia, and Florida. The largest population known is located at Fort Pickett in Virginia, but the most populations are located in the North Carolina piedmont and sandhills. Currently, the plant is extant in the following North Carolina counties: Cumberland, Davie, Durham, Franklin, Hoke, Moore, Nash, Richmond, Robeson, Scotland and Wake. It is considered historic in the following counties: Johnston, Lincoln, Mecklenburg, Orange, Union and Wilson.

Threats: Perhaps the most crucial factor endangering this species is its low reproductive capacity. A low percentage of the plant's remaining populations have both male and female plants. The plant is also threatened by fire suppression and habitat destruction due to residential and industrial development. Michaux's sumac populations have been destroyed by residential and commercial development, conversion of a site to a pine plantation, the construction of a water tower, highways and herbicides used for power line maintenance.

### **Biological Conclusion: No effect**

WLS biologists conducted numerous field reviews of the project site during the months of July, August, September, October, November, and December 2015, as well as March and April 2016 and no suitable habitat for or occurrences of Michaux's sumac were discovered in the project area. Based on a review of the NCDEQ Natural Heritage Program's available Natural Heritage Element Occurrences (NHEO) GIS shapefile (<https://ncnhde.natureserve.org/content/data-download>), on April 26, 2016, there are not records of protected species within a 2-mile radius of the project area. The implementation of the proposed project will not have an adverse effect on Michaux's sumac.

(Species profile information referenced from [http://www.fws.gov/raleigh/species/es\\_michauxs\\_sumac.html](http://www.fws.gov/raleigh/species/es_michauxs_sumac.html))

The implementation of the Edwards-Johnson Mitigation Project is considered a "Ground-disturbing Activity", and therefore the required "Appendix A, Categorical Exclusion Form for Ecosystem Enhancement Program Projects, Version 1.4" "Checklist" (Parts 1 through 3) has been completed and is attached. Copies of required correspondence and supporting documentation, including the following are also attached:

- Project figures and photolog sent to each of the review/regulatory agencies
  - Figure 1 Project Location
  - Figure 2 USGS Topographic Map
  - Figure 3 NRCS Soils Map
  - Figure 4 LiDAR Map



- Edwards-Johnson Mitigation Project Pre-Restoration Photo Log
- Environmental Data Resources, Inc. (EDR) Environmental Risk Review Report
- Copy of correspondence with and resulting finding of “not likely to adversely affect” from the USFWS
- Copy of correspondence with and resulting minimal comments from the NCWRC
- Copy of correspondence with and resulting finding of “no comment” from the North Carolina State Historic Preservation Office (NCSHPO) due to their finding of no historic resources that would be affected by the project
- NCSHPO Map of Records
- Copy of correspondence with and resulting finding regarding farmland conversion from the United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS)
- USDA Farmland Conversion Impact Rating Worksheet (Form AD-1006)
- Copy of written landowner correspondence required under the Uniform Relocation Assistance and Real Property Acquisition Policies Act

Submission of this Categorical Exclusion document fulfills the environmental documentation requirements mandated under the National Environmental Policy Act (NEPA; 40 CFR Parts 1500-1508).

Please contact me if you have any further questions or comments.

Sincerely,

**Water & Land Solutions, LLC**



William “Scott” Hunt, III, PE  
Senior Water Resources Engineer  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)



**WATER & LAND  
SOLUTIONS**

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

**May 2, 2016**

**United States Fish and Wildlife Service  
Raleigh Ecological Services Field Office  
Attn: Emily Wells, Fish and Wildlife Biologist  
PO Box 3376  
Raleigh, NC 27636-3726**

**RE: Categorical Exclusion for Edwards-Johnson Mitigation Project, NCDEQ DMS Full-Delivery Project ID #97080,  
Contract # 6825, Neuse River Basin, Cataloging Unit 03020201, Johnston County, NC**

Dear Ms. Wells:

Water & Land Solutions, LLC (WLS) respectfully requests review and comment from the United States Fish and Wildlife Service (USFWS) on any possible concerns they may have with regards to the implementation of the Edwards-Johnson Mitigation Project. Please note that this request is in support of the development of the Categorical Exclusion (CE) for the referenced project.

The project site is located in Johnston County, North Carolina, between the Town of Wendell and the Community of Archer Lodge. In addition, the project is located in the North Carolina Department of Environmental Quality (NCDEQ) (formerly NCDENR) Sub-basin 03-04-06, in the Lower Buffalo Creek Priority Sub-watershed 030202011504 study area for the Neuse 01 Regional Watershed Plan (RWP), and in the Targeted Local Watershed 03020201180050, all of the Neuse River Basin.

The Edwards-Johnson Mitigation Project is a full-delivery project for the NCDEQ Division of Mitigation Services (DMS) identified and contracted to provide stream mitigation credits for permitted, unavoidable impacts in the Neuse River Basin, Cataloging Unit 03020201. The project will involve the restoration, preservation, and permanent protection of four stream reaches (Reaches R1, R2, R3, and R4), totaling approximately 3,186 linear feet of existing streams. In addition, the adjacent riparian wetlands and riparian buffers will be restored and the entire restored corridor will be protected by a permanent conservation easement to be held by the State of North Carolina. The project site consists of a degraded headwater stream and riparian wetland system that flows through a narrow riparian corridor between active agricultural fields and then into the mature bottomland hardwood floodplain adjacent to Buffalo Creek. The proposed restoration project not only has the potential to provide at least 3,015 stream mitigation credits, but will also provide significant ecological improvements and functional uplift through habitat restoration, and through decreasing nutrient and sediment loads from the project watershed.

Based on WLS review of the most current information from the United States Fish and Wildlife Service (USFWS) and the North Carolina Wildlife Resources Commission (NCWRC), the following species are considered federally-listed species in Johnston County:

Species Type	Scientific Name	Common Name	Federal Status Code
Vertebrate	<i>Haliaeetus leucocephalus</i>	Bald eagle	BGPA
Vertebrate	<i>Picoides borealis</i>	Red-cockaded woodpecker	E
Invertebrate	<i>Alasmidonta heterodon</i>	Dwarf wedgemussel	E
Invertebrate	<i>Elliptio steinstansana</i>	Tar River spiny mussel	E

**Definitions of Federal Status Codes:**

**BGPA = Bald and Golden Eagle Protection Act.** In the July 9, 2007 Federal Register (72:37346-37372), the bald eagle was declared recovered, and removed (de-listed) from the Federal List of Threatened and Endangered wildlife. This delisting took effect August 8, 2007. After delisting, the Bald and Golden Eagle Protection Act (Eagle Act) (16 U. S. C. 668-668d) becomes the primary law protecting bald eagles. The Eagle Act prohibits take of bald and golden eagles and provides a statutory definition of "take" that includes "disturb". The USFWS has developed National Bald Eagle Management Guidelines to provide guidance to land managers, landowners, and others as to how to avoid disturbing bald eagles. For more information, visit <http://www.fws.gov/migratorybirds/baldeagle.htm>

**E = endangered.** A taxon "in danger of extinction throughout all or a significant portion of its range."

(Federal status information referenced from <http://www.fws.gov/raleigh/species/cntylist/johnston.html>)

To assist with your review, please find the following supporting documentation attached:

- Project figures including:
  - Figure 1 Project Location
  - Figure 2 USGS Topographic Map
  - Figure 3 NRCS Soils Map
  - Figure 4 LiDAR Map
- Project pre-restoration photo log

If WLS has not received response from you within 30 days, we will assume that the USFWS does not have any comment or information relevant to the implementation of this project at the current time. We thank you in advance for your timely response, input, and cooperation. Please contact me if you have any further questions or comments.

Sincerely,

**Water & Land Solutions, LLC**



William "Scott" Hunt, III, PE  
Senior Water Resources Engineer  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)

**Edwards-Johnson Mitigation Project**


Lake Wendell Road

Wendell, NC 27591

Inquiry Number: 4603012.10s

April 27, 2016

**The EDR Radius Map™ Report with GeoCheck®**



6 Armstrong Road, 4th floor  
Shelton, CT 06484  
Toll Free: 800.352.0050  
[www.edrnet.com](http://www.edrnet.com)



# TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary .....	ES1
Overview Map .....	2
Detail Map .....	3
Map Findings Summary .....	4
Map Findings .....	8
Orphan Summary .....	9
Government Records Searched/Data Currency Tracking .....	GR-1
 <b><u>GEOCHECK ADDENDUM</u></b>	
Physical Setting Source Addendum .....	A-1
Physical Setting Source Summary .....	A-2
Physical Setting SSURGO Soil Map .....	A-5
Physical Setting Source Map .....	A-15
Physical Setting Source Map Findings .....	A-17
Physical Setting Source Records Searched .....	PSGR-1

*Thank you for your business.*  
Please contact EDR at 1-800-352-0050  
with any questions or comments.

### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

### TARGET PROPERTY INFORMATION

#### ADDRESS

LAKE WENDELL ROAD  
WENDELL, NC 27591

#### COORDINATES

Latitude (North): 35.7251220 - 35° 43' 30.43"  
Longitude (West): 78.3562610 - 78° 21' 22.53"  
Universal Transverse Mercator: Zone 17  
UTM X (Meters): 739130.9  
UTM Y (Meters): 3956484.2  
Elevation: 239 ft. above sea level

#### USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 5948586 FLOWERS, NC  
Version Date: 2013  
  
Southwest Map: 5947400 CLAYTON, NC  
Version Date: 2013

#### AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 20120531  
Source: USDA

MAPPED SITES SUMMARY

Target Property Address:  
LAKE WENDELL ROAD  
WENDELL, NC 27591

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
--------	-----------	---------	-------------------	--------------------	----------------------------

NO MAPPED SITES FOUND

# EXECUTIVE SUMMARY

## TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

## DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal NPL site list***

NPL..... National Priority List  
Proposed NPL..... Proposed National Priority List Sites  
NPL LIENS..... Federal Superfund Liens

### ***Federal Delisted NPL site list***

Delisted NPL..... National Priority List Deletions

### ***Federal CERCLIS list***

FEDERAL FACILITY..... Federal Facility Site Information listing  
SEMS..... Superfund Enterprise Management System

### ***Federal CERCLIS NFRAP site list***

SEMS-ARCHIVE..... Superfund Enterprise Management System Archive

### ***Federal RCRA CORRACTS facilities list***

CORRACTS..... Corrective Action Report

### ***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

### ***Federal RCRA generators list***

RCRA-LQG..... RCRA - Large Quantity Generators  
RCRA-SQG..... RCRA - Small Quantity Generators  
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

### ***Federal institutional controls / engineering controls registries***

LUCIS..... Land Use Control Information System  
US ENG CONTROLS..... Engineering Controls Sites List



## EXECUTIVE SUMMARY

US INST CONTROL..... Sites with Institutional Controls

### **Federal ERNS list**

ERNS..... Emergency Response Notification System

### **State- and tribal - equivalent NPL**

NC HSDS..... Hazardous Substance Disposal Site

### **State- and tribal - equivalent CERCLIS**

SHWS..... Inactive Hazardous Sites Inventory

### **State and tribal landfill and/or solid waste disposal site lists**

SWF/LF..... List of Solid Waste Facilities

OLI..... Old Landfill Inventory

### **State and tribal leaking storage tank lists**

LAST..... Leaking Aboveground Storage Tanks

LUST..... Regional UST Database

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

LUST TRUST..... State Trust Fund Database

### **State and tribal registered storage tank lists**

FEMA UST..... Underground Storage Tank Listing

UST..... Petroleum Underground Storage Tank Database

AST..... AST Database

INDIAN UST..... Underground Storage Tanks on Indian Land

### **State and tribal institutional control / engineering control registries**

INST CONTROL..... No Further Action Sites With Land Use Restrictions Monitoring

### **State and tribal voluntary cleanup sites**

INDIAN VCP..... Voluntary Cleanup Priority Listing

VCP..... Responsible Party Voluntary Action Sites

### **State and tribal Brownfields sites**

BROWNFIELDS..... Brownfields Projects Inventory

## **ADDITIONAL ENVIRONMENTAL RECORDS**

### **Local Brownfield lists**

US BROWNFIELDS..... A Listing of Brownfields Sites

### **Local Lists of Landfill / Solid Waste Disposal Sites**

HIST LF..... Solid Waste Facility Listing

## EXECUTIVE SUMMARY

SWRCY..... Recycling Center Listing  
INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands  
ODI..... Open Dump Inventory  
DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

### **Local Lists of Hazardous waste / Contaminated Sites**

US HIST CDL..... Delisted National Clandestine Laboratory Register  
US CDL..... National Clandestine Laboratory Register

### **Local Land Records**

LIENS 2..... CERCLA Lien Information

### **Records of Emergency Release Reports**

HMIRS..... Hazardous Materials Information Reporting System  
SPILLS..... Spills Incident Listing  
IMD..... Incident Management Database  
SPILLS 90..... SPILLS 90 data from FirstSearch  
SPILLS 80..... SPILLS 80 data from FirstSearch

### **Other Ascertainable Records**

RCRA NonGen / NLR..... RCRA - Non Generators / No Longer Regulated  
FUDS..... Formerly Used Defense Sites  
DOD..... Department of Defense Sites  
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing  
US FIN ASSUR..... Financial Assurance Information  
EPA WATCH LIST..... EPA WATCH LIST  
2020 COR ACTION..... 2020 Corrective Action Program List  
TSCA..... Toxic Substances Control Act  
TRIS..... Toxic Chemical Release Inventory System  
SSTS..... Section 7 Tracking Systems  
ROD..... Records Of Decision  
RMP..... Risk Management Plans  
RAATS..... RCRA Administrative Action Tracking System  
PRP..... Potentially Responsible Parties  
PADS..... PCB Activity Database System  
ICIS..... Integrated Compliance Information System  
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)  
MLTS..... Material Licensing Tracking System  
COAL ASH DOE..... Steam-Electric Plant Operation Data  
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List  
PCB TRANSFORMER..... PCB Transformer Registration Database  
RADINFO..... Radiation Information Database  
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing  
DOT OPS..... Incident and Accident Data  
CONSENT..... Superfund (CERCLA) Consent Decrees  
INDIAN RESERV..... Indian Reservations  
FUSRAP..... Formerly Utilized Sites Remedial Action Program  
UMTRA..... Uranium Mill Tailings Sites  
LEAD SMELTERS..... Lead Smelter Sites  
US AIRS..... Aerometric Information Retrieval System Facility Subsystem

## EXECUTIVE SUMMARY

US MINES.....	Mines Master Index File
FINDS.....	Facility Index System/Facility Registry System
COAL ASH.....	Coal Ash Disposal Sites
DRYCLEANERS.....	Drycleaning Sites
Financial Assurance.....	Financial Assurance Information Listing
NPDES.....	NPDES Facility Location Listing
UIC.....	Underground Injection Wells Listing
ECHO.....	Enforcement & Compliance History Information
FUELS PROGRAM.....	EPA Fuels Program Registered Listing

### EDR HIGH RISK HISTORICAL RECORDS

#### ***EDR Exclusive Records***

EDR MGP.....	EDR Proprietary Manufactured Gas Plants
EDR Hist Auto.....	EDR Exclusive Historic Gas Stations
EDR Hist Cleaner.....	EDR Exclusive Historic Dry Cleaners

### EDR RECOVERED GOVERNMENT ARCHIVES

#### ***Exclusive Recovered Govt. Archives***

RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List
RGA LF.....	Recovered Government Archive Solid Waste Facilities List
RGA LUST.....	Recovered Government Archive Leaking Underground Storage Tank

### SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were not identified.

Unmappable (orphan) sites are not considered in the foregoing analysis.

## EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.

Site Name


MARSHBURN DEMO LANDFILL

Database(s)

SWF/LF, HIST LF



# OVERVIEW MAP - 4603012.10S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites

- ☒ Indian Reservations BIA
- ☒ 100-year flood zone
- ☒ 500-year flood zone
- ☒ National Wetland Inventory
- ☒ State Wetlands
- ☒ Hazardous Substance Disposal Sites



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Edwards-Johnson Mitigation Project  
 ADDRESS: Lake Wendell Road  
 Wendell NC 27591  
 LAT/LONG: 35.725122 / 78.356261

CLIENT: Water & Land Solutions  
 CONTACT: William Scott Hunt, III  
 INQUIRY #: 4603012.10s  
 DATE: April 27, 2016 8:58 am


# DETAIL MAP - 4603012.10S



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚙ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites

- ☐ Indian Reservations BIA
- ☐ 100-year flood zone
- ☐ 500-year flood zone
- ☐ National Wetland Inventory
- ☐ State Wetlands

- ☐ Hazardous Substance Disposal Sites



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: Edwards-Johnson Mitigation Project  
 ADDRESS: Lake Wendell Road  
 Wendell NC 27591  
 LAT/LONG: 35.725122 / 78.356261

CLIENT: Water & Land Solutions  
 CONTACT: William Scott Hunt, III  
 INQUIRY #: 4603012.10s  
 DATE: April 27, 2016 8:59 am

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<b>STANDARD ENVIRONMENTAL RECORDS</b>								
<b><i>Federal NPL site list</i></b>								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<b><i>Federal Delisted NPL site list</i></b>								
Delisted NPL	1.000		0	0	0	0	NR	0
<b><i>Federal CERCLIS list</i></b>								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
<b><i>Federal CERCLIS NFRAP site list</i></b>								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
<b><i>Federal RCRA CORRACTS facilities list</i></b>								
CORRACTS	1.000		0	0	0	0	NR	0
<b><i>Federal RCRA non-CORRACTS TSD facilities list</i></b>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<b><i>Federal RCRA generators list</i></b>								
RCRA-LQG	0.250		0	0	NR	NR	NR	0
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
<b><i>Federal institutional controls / engineering controls registries</i></b>								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
<b><i>Federal ERNS list</i></b>								
ERNS	TP		NR	NR	NR	NR	NR	0
<b><i>State- and tribal - equivalent NPL</i></b>								
NC HSDS	1.000		0	0	0	0	NR	0
<b><i>State- and tribal - equivalent CERCLIS</i></b>								
SHWS	1.000		0	0	0	0	NR	0
<b><i>State and tribal landfill and/or solid waste disposal site lists</i></b>								
SWF/LF	0.500		0	0	0	NR	NR	0
OLI	0.500		0	0	0	NR	NR	0
<b><i>State and tribal leaking storage tank lists</i></b>								
LAST	0.500		0	0	0	NR	NR	0

## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
LUST	0.500		0	0	0	NR	NR	0
INDIAN LUST	0.500		0	0	0	NR	NR	0
LUST TRUST	0.500		0	0	0	NR	NR	0
<b><i>State and tribal registered storage tank lists</i></b>								
FEMA UST	0.250		0	0	NR	NR	NR	0
UST	0.250		0	0	NR	NR	NR	0
AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
<b><i>State and tribal institutional control / engineering control registries</i></b>								
INST CONTROL	0.500		0	0	0	NR	NR	0
<b><i>State and tribal voluntary cleanup sites</i></b>								
INDIAN VCP	0.500		0	0	0	NR	NR	0
VCP	0.500		0	0	0	NR	NR	0
<b><i>State and tribal Brownfields sites</i></b>								
BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><u>ADDITIONAL ENVIRONMENTAL RECORDS</u></b>								
<b><i>Local Brownfield lists</i></b>								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Landfill / Solid Waste Disposal Sites</i></b>								
HIST LF	0.500		0	0	0	NR	NR	0
SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
<b><i>Local Lists of Hazardous waste / Contaminated Sites</i></b>								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
<b><i>Local Land Records</i></b>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
<b><i>Records of Emergency Release Reports</i></b>								
HMIRS	TP		NR	NR	NR	NR	NR	0
SPILLS	TP		NR	NR	NR	NR	NR	0
IMD	0.500		0	0	0	NR	NR	0
SPILLS 90	TP		NR	NR	NR	NR	NR	0
SPILLS 80	TP		NR	NR	NR	NR	NR	0
<b><i>Other Ascertainable Records</i></b>								
RCRA NonGen / NLR	0.250		0	0	NR	NR	NR	0



## MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
COAL ASH	0.500		0	0	0	NR	NR	0
DRYCLEANERS	0.250		0	0	NR	NR	NR	0
Financial Assurance	TP		NR	NR	NR	NR	NR	0
NPDES	TP		NR	NR	NR	NR	NR	0
UIC	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0

### EDR HIGH RISK HISTORICAL RECORDS

#### *EDR Exclusive Records*

EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0

### EDR RECOVERED GOVERNMENT ARCHIVES

#### *Exclusive Recovered Govt. Archives*

RGA HWS	TP		NR	NR	NR	NR	NR	0
---------	----	--	----	----	----	----	----	---

## MAP FINDINGS SUMMARY

<u>Database</u>	<u>Search Distance (Miles)</u>	<u>Target Property</u>	<u>&lt; 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>&gt; 1</u>	<u>Total Plotted</u>
RGA LF	TP		NR	NR	NR	NR	NR	0
RGA LUST	TP		NR	NR	NR	NR	NR	0
- Totals --		0	0	0	0	0	0	0

**NOTES:**

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID  
Direction  
Distance  
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number  
EPA ID Number

NO SITES FOUND

Count: 1 records.

ORPHAN SUMMARY

<u>City</u>	<u>EDR ID</u>	<u>Site Name</u>	<u>Site Address</u>	<u>Zip</u>	<u>Database(s)</u>
WENDELL	S105163914	MARSHBURN DEMO LANDFILL	LAKE MYRA RD/SR 2505		SWF/LF, HIST LF



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

**Number of Days to Update:** Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

## STANDARD ENVIRONMENTAL RECORDS

### ***Federal NPL site list***

#### **NPL: National Priority List**

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

#### **NPL Site Boundaries**

##### **Sources:**

EPA's Environmental Photographic Interpretation Center (EPIC)  
Telephone: 202-564-7333

EPA Region 1  
Telephone 617-918-1143

EPA Region 6  
Telephone: 214-655-6659

EPA Region 3  
Telephone 215-814-5418

EPA Region 7  
Telephone: 913-551-7247

EPA Region 4  
Telephone 404-562-8033

EPA Region 8  
Telephone: 303-312-6774

EPA Region 5  
Telephone 312-886-6686

EPA Region 9  
Telephone: 415-947-4246

EPA Region 10  
Telephone 206-553-8665

#### **Proposed NPL: Proposed National Priority List Sites**

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

#### **NPL LIENS: Federal Superfund Liens**

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***Federal Delisted NPL site list***

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: N/A
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 04/18/2016
	Data Release Frequency: Quarterly

## ***Federal CERCLIS list***

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/08/2015	Telephone: 703-603-8704
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Quarterly

## ***Federal CERCLIS NFRAP site list***

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/07/2016	Source: EPA
Date Data Arrived at EDR: 04/05/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 04/05/2016
Number of Days to Update: 10	Next Scheduled EDR Contact: 08/01/2016
	Data Release Frequency: Quarterly

## ***Federal RCRA CORRACTS facilities list***

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/09/2015	Source: EPA
Date Data Arrived at EDR: 03/02/2016	Telephone: 800-424-9346
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

## ***Federal RCRA non-CORRACTS TSD facilities list***

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (404) 562-8651
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

## ***Federal RCRA generators list***

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (404) 562-8651
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (404) 562-8651
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

## RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (404) 562-8651
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

## ***Federal institutional controls / engineering controls registries***

### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015	Source: Department of the Navy
Date Data Arrived at EDR: 05/29/2015	Telephone: 843-820-7326
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 02/16/2016
Number of Days to Update: 13	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Varies

### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

### US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **Federal ERNS list**

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/22/2015

Date Data Arrived at EDR: 06/26/2015

Date Made Active in Reports: 09/16/2015

Number of Days to Update: 82

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180

Last EDR Contact: 03/30/2016

Next Scheduled EDR Contact: 07/11/2016

Data Release Frequency: Annually

## **State- and tribal - equivalent NPL**

HSDS: Hazardous Substance Disposal Site

Locations of uncontrolled and unregulated hazardous waste sites. The file includes sites on the National Priority List as well as those on the state priority list.

Date of Government Version: 08/09/2011

Date Data Arrived at EDR: 11/08/2011

Date Made Active in Reports: 12/05/2011

Number of Days to Update: 27

Source: North Carolina Center for Geographic Information and Analysis

Telephone: 919-754-6580

Last EDR Contact: 02/01/2016

Next Scheduled EDR Contact: 05/16/2016

Data Release Frequency: Biennially

## **State- and tribal - equivalent CERCLIS**

SHWS: Inactive Hazardous Sites Inventory

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 02/15/2016

Date Data Arrived at EDR: 03/17/2016

Date Made Active in Reports: 04/11/2016

Number of Days to Update: 25

Source: Department of Environment, Health and Natural Resources

Telephone: 919-508-8400

Last EDR Contact: 03/17/2016

Next Scheduled EDR Contact: 06/27/2016

Data Release Frequency: Quarterly

## **State and tribal landfill and/or solid waste disposal site lists**

SWF/LF: List of Solid Waste Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/28/2015

Date Data Arrived at EDR: 12/30/2015

Date Made Active in Reports: 02/08/2016

Number of Days to Update: 40

Source: Department of Environment and Natural Resources

Telephone: 919-733-0692

Last EDR Contact: 03/31/2016

Next Scheduled EDR Contact: 07/11/2016

Data Release Frequency: Semi-Annually

OLI: Old Landfill Inventory

Old landfill inventory location information. (Does not include no further action sites and other agency lead sites).

Date of Government Version: 03/27/2015

Date Data Arrived at EDR: 04/17/2015

Date Made Active in Reports: 04/30/2015

Number of Days to Update: 13

Source: Department of Environment & Natural Resources

Telephone: 919-733-4996

Last EDR Contact: 04/15/2016

Next Scheduled EDR Contact: 07/25/2016

Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## ***State and tribal leaking storage tank lists***

### **LAST: Leaking Aboveground Storage Tanks**

A listing of leaking aboveground storage tank site locations.

Date of Government Version: 02/05/2016	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 02/11/2016	Telephone: 877-623-6748
Date Made Active in Reports: 04/11/2016	Last EDR Contact: 02/11/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

### **LUST: Regional UST Database**

This database contains information obtained from the Regional Offices. It provides a more detailed explanation of current and historic activity for individual sites, as well as what was previously found in the Incident Management Database. Sites in this database with Incident Numbers are considered LUSTs.

Date of Government Version: 02/05/2016	Source: Department of Environment and Natural Resources
Date Data Arrived at EDR: 02/11/2016	Telephone: 919-733-1308
Date Made Active in Reports: 04/11/2016	Last EDR Contact: 02/11/2016
Number of Days to Update: 60	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

### **INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land**

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/04/2015	Source: EPA, Region 5
Date Data Arrived at EDR: 11/13/2015	Telephone: 312-886-7439
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 52	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

### **INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/24/2015	Source: EPA Region 4
Date Data Arrived at EDR: 12/01/2015	Telephone: 404-562-8677
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Semi-Annually

### **INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 08/20/2015	Source: EPA Region 6
Date Data Arrived at EDR: 10/30/2015	Telephone: 214-665-6597
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 111	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

### **INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 01/07/2016	Source: EPA Region 10
Date Data Arrived at EDR: 01/08/2016	Telephone: 206-553-2857
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 01/25/2016
Number of Days to Update: 41	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Quarterly

### **INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land**

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/08/2015  
Date Data Arrived at EDR: 01/08/2015  
Date Made Active in Reports: 02/09/2015  
Number of Days to Update: 32

Source: Environmental Protection Agency  
Telephone: 415-972-3372  
Last EDR Contact: 01/27/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Quarterly

## INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/13/2015  
Date Data Arrived at EDR: 10/23/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 118

Source: EPA Region 8  
Telephone: 303-312-6271  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Quarterly

## INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/30/2015  
Date Data Arrived at EDR: 04/28/2015  
Date Made Active in Reports: 06/22/2015  
Number of Days to Update: 55

Source: EPA Region 7  
Telephone: 913-551-7003  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land

A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015  
Date Data Arrived at EDR: 10/29/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 67

Source: EPA Region 1  
Telephone: 617-918-1313  
Last EDR Contact: 02/22/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## LUST TRUST: State Trust Fund Database

This database contains information about claims against the State Trust Funds for reimbursements for expenses incurred while remediating Leaking USTs.

Date of Government Version: 01/08/2016  
Date Data Arrived at EDR: 01/13/2016  
Date Made Active in Reports: 02/08/2016  
Number of Days to Update: 26

Source: Department of Environment and Natural Resources  
Telephone: 919-733-1315  
Last EDR Contact: 04/13/2016  
Next Scheduled EDR Contact: 07/25/2016  
Data Release Frequency: Semi-Annually

## **State and tribal registered storage tank lists**

### FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010  
Date Data Arrived at EDR: 02/16/2010  
Date Made Active in Reports: 04/12/2010  
Number of Days to Update: 55

Source: FEMA  
Telephone: 202-646-5797  
Last EDR Contact: 04/11/2016  
Next Scheduled EDR Contact: 07/25/2016  
Data Release Frequency: Varies

### UST: Petroleum Underground Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 02/05/2016  
Date Data Arrived at EDR: 02/11/2016  
Date Made Active in Reports: 04/11/2016  
Number of Days to Update: 60

Source: Department of Environment and Natural Resources  
Telephone: 919-733-1308  
Last EDR Contact: 02/11/2016  
Next Scheduled EDR Contact: 05/23/2016  
Data Release Frequency: Quarterly

## AST: AST Database

Facilities with aboveground storage tanks that have a capacity greater than 21,000 gallons.

Date of Government Version: 04/14/2015  
Date Data Arrived at EDR: 06/23/2015  
Date Made Active in Reports: 07/17/2015  
Number of Days to Update: 24

Source: Department of Environment and Natural Resources  
Telephone: 919-715-6183  
Last EDR Contact: 03/21/2016  
Next Scheduled EDR Contact: 07/04/2016  
Data Release Frequency: Semi-Annually

## INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015  
Date Data Arrived at EDR: 11/13/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 52

Source: EPA Region 5  
Telephone: 312-886-6136  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 08/20/2015  
Date Data Arrived at EDR: 10/30/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 111

Source: EPA Region 6  
Telephone: 214-665-7591  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Semi-Annually

## INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014  
Date Data Arrived at EDR: 11/25/2014  
Date Made Active in Reports: 01/29/2015  
Number of Days to Update: 65

Source: EPA Region 7  
Telephone: 913-551-7003  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/13/2015  
Date Data Arrived at EDR: 10/23/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 118

Source: EPA Region 8  
Telephone: 303-312-6137  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Quarterly

## INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/20/2015  
Date Data Arrived at EDR: 10/29/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 67

Source: EPA, Region 1  
Telephone: 617-918-1313  
Last EDR Contact: 02/22/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 01/07/2016  
Date Data Arrived at EDR: 01/08/2016  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 41

Source: EPA Region 10  
Telephone: 206-553-2857  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Quarterly

## INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/24/2015  
Date Data Arrived at EDR: 12/01/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 34

Source: EPA Region 4  
Telephone: 404-562-9424  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Semi-Annually

## INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 12/14/2014  
Date Data Arrived at EDR: 02/13/2015  
Date Made Active in Reports: 03/13/2015  
Number of Days to Update: 28

Source: EPA Region 9  
Telephone: 415-972-3368  
Last EDR Contact: 01/27/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Quarterly

## ***State and tribal institutional control / engineering control registries***

### INST CONTROL: No Further Action Sites With Land Use Restrictions Monitoring

A land use restricted site is a property where there are limits or requirements on future use of the property due to varying levels of cleanup possible, practical, or necessary at the site.

Date of Government Version: 02/15/2016  
Date Data Arrived at EDR: 03/17/2016  
Date Made Active in Reports: 04/11/2016  
Number of Days to Update: 25

Source: Department of Environment, Health and Natural Resources  
Telephone: 919-508-8400  
Last EDR Contact: 03/17/2016  
Next Scheduled EDR Contact: 06/27/2016  
Data Release Frequency: Quarterly

## ***State and tribal voluntary cleanup sites***

### VCP: Responsible Party Voluntary Action Sites

Responsible Party Voluntary Action site locations.

Date of Government Version: 02/15/2016  
Date Data Arrived at EDR: 03/17/2016  
Date Made Active in Reports: 04/11/2016  
Number of Days to Update: 25

Source: Department of Environment and Natural Resources  
Telephone: 919-508-8400  
Last EDR Contact: 03/17/2016  
Next Scheduled EDR Contact: 06/27/2016  
Data Release Frequency: Semi-Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015	Source: EPA, Region 1
Date Data Arrived at EDR: 09/29/2015	Telephone: 617-918-1102
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 04/01/2016
Number of Days to Update: 142	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

## INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

### ***State and tribal Brownfields sites***

#### BROWNFIELDS: Brownfields Projects Inventory

A brownfield site is an abandoned, idled, or underused property where the threat of environmental contamination has hindered its redevelopment. All of the sites in the inventory are working toward a brownfield agreement for cleanup and liability control.

Date of Government Version: 01/04/2016	Source: Department of Environment and Natural Resources
Date Data Arrived at EDR: 01/07/2016	Telephone: 919-733-4996
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 04/07/2016
Number of Days to Update: 32	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Varies

### **ADDITIONAL ENVIRONMENTAL RECORDS**

#### ***Local Brownfield lists***

#### US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/22/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/23/2015	Telephone: 202-566-2777
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 03/22/2016
Number of Days to Update: 57	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Semi-Annually

#### ***Local Lists of Landfill / Solid Waste Disposal Sites***

#### SWRCY: Recycling Center Listing

A listing of recycling center locations.

Date of Government Version: 02/23/2016	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 02/25/2016	Telephone: 919-707-8137
Date Made Active in Reports: 04/11/2016	Last EDR Contact: 02/02/2016
Number of Days to Update: 46	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST LF: Solid Waste Facility Listing  
A listing of solid waste facilities.

Date of Government Version: 11/06/2006  
Date Data Arrived at EDR: 02/13/2007  
Date Made Active in Reports: 03/02/2007  
Number of Days to Update: 17

Source: Department of Environment & Natural Resources  
Telephone: 919-733-0692  
Last EDR Contact: 01/19/2009  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands  
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998  
Date Data Arrived at EDR: 12/03/2007  
Date Made Active in Reports: 01/24/2008  
Number of Days to Update: 52

Source: Environmental Protection Agency  
Telephone: 703-308-8245  
Last EDR Contact: 02/01/2016  
Next Scheduled EDR Contact: 05/16/2016  
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009  
Date Data Arrived at EDR: 05/07/2009  
Date Made Active in Reports: 09/21/2009  
Number of Days to Update: 137

Source: EPA, Region 9  
Telephone: 415-947-4219  
Last EDR Contact: 04/21/2016  
Next Scheduled EDR Contact: 08/08/2016  
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985  
Date Data Arrived at EDR: 08/09/2004  
Date Made Active in Reports: 09/17/2004  
Number of Days to Update: 39

Source: Environmental Protection Agency  
Telephone: 800-424-9346  
Last EDR Contact: 06/09/2004  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## **Local Lists of Hazardous waste / Contaminated Sites**

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 09/17/2015  
Date Data Arrived at EDR: 12/04/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 76

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 03/01/2016  
Next Scheduled EDR Contact: 06/13/2016  
Data Release Frequency: No Update Planned

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/17/2015  
Date Data Arrived at EDR: 12/04/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 76

Source: Drug Enforcement Administration  
Telephone: 202-307-1000  
Last EDR Contact: 03/01/2016  
Next Scheduled EDR Contact: 06/13/2016  
Data Release Frequency: Quarterly

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## **Local Land Records**

### **LIENS 2: CERCLA Lien Information**

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/18/2014	Telephone: 202-564-6023
Date Made Active in Reports: 04/24/2014	Last EDR Contact: 03/11/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

## **Records of Emergency Release Reports**

### **HMIRS: Hazardous Materials Information Reporting System**

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2015	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 06/26/2015	Telephone: 202-366-4555
Date Made Active in Reports: 09/02/2015	Last EDR Contact: 03/30/2016
Number of Days to Update: 68	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Annually

### **SPILLS: Spills Incident Listing**

A listing spills, hazardous material releases, sanitary sewer overflows, wastewater treatment plant bypasses and upsets, citizen complaints, and any other environmental emergency calls reported to the agency.

Date of Government Version: 03/15/2016	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 03/18/2016	Telephone: 919-807-6308
Date Made Active in Reports: 04/11/2016	Last EDR Contact: 03/14/2016
Number of Days to Update: 24	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Varies

### **IMD: Incident Management Database**

Groundwater and/or soil contamination incidents

Date of Government Version: 07/21/2006	Source: Department of Environment and Natural Resources
Date Data Arrived at EDR: 08/01/2006	Telephone: 919-733-3221
Date Made Active in Reports: 08/23/2006	Last EDR Contact: 07/01/2011
Number of Days to Update: 22	Next Scheduled EDR Contact: 10/17/2011
	Data Release Frequency: No Update Planned

### **SPILLS 90: SPILLS90 data from FirstSearch**

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 09/27/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 03/06/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 62	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

### **SPILLS 80: SPILLS80 data from FirstSearch**

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 06/14/2001  
Date Data Arrived at EDR: 01/03/2013  
Date Made Active in Reports: 03/06/2013  
Number of Days to Update: 62

Source: FirstSearch  
Telephone: N/A  
Last EDR Contact: 01/03/2013  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## **Other Ascertainable Records**

### **RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated**

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2015  
Date Data Arrived at EDR: 03/02/2016  
Date Made Active in Reports: 04/05/2016  
Number of Days to Update: 34

Source: Environmental Protection Agency  
Telephone: (404) 562-8651  
Last EDR Contact: 03/30/2016  
Next Scheduled EDR Contact: 07/11/2016  
Data Release Frequency: Varies

### **FUDS: Formerly Used Defense Sites**

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015  
Date Data Arrived at EDR: 07/08/2015  
Date Made Active in Reports: 10/13/2015  
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers  
Telephone: 202-528-4285  
Last EDR Contact: 03/11/2016  
Next Scheduled EDR Contact: 06/20/2016  
Data Release Frequency: Varies

### **DOD: Department of Defense Sites**

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 11/10/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 62

Source: USGS  
Telephone: 888-275-8747  
Last EDR Contact: 04/15/2016  
Next Scheduled EDR Contact: 07/25/2016  
Data Release Frequency: Semi-Annually

### **FEDLAND: Federal and Indian Lands**

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 02/06/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 339

Source: U.S. Geological Survey  
Telephone: 888-275-8747  
Last EDR Contact: 04/15/2016  
Next Scheduled EDR Contact: 07/25/2016  
Data Release Frequency: N/A

### **SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing**

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/07/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/09/2011	Telephone: 615-532-8599
Date Made Active in Reports: 05/02/2011	Last EDR Contact: 02/19/2016
Number of Days to Update: 54	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Varies

## US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/01/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/03/2015	Telephone: 202-566-1917
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/16/2016
Number of Days to Update: 61	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: Quarterly

## EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/21/2014	Telephone: 617-520-3000
Date Made Active in Reports: 06/17/2014	Last EDR Contact: 02/09/2016
Number of Days to Update: 88	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

## 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/03/2015	Telephone: 703-308-4044
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 02/12/2016
Number of Days to Update: 6	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Varies

## TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012	Source: EPA
Date Data Arrived at EDR: 01/15/2015	Telephone: 202-260-5521
Date Made Active in Reports: 01/29/2015	Last EDR Contact: 03/24/2016
Number of Days to Update: 14	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Every 4 Years

## TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 11/24/2015  
Date Made Active in Reports: 04/05/2016  
Number of Days to Update: 133

Source: EPA  
Telephone: 202-566-0250  
Last EDR Contact: 02/24/2016  
Next Scheduled EDR Contact: 06/06/2016  
Data Release Frequency: Annually

## SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009  
Date Data Arrived at EDR: 12/10/2010  
Date Made Active in Reports: 02/25/2011  
Number of Days to Update: 77

Source: EPA  
Telephone: 202-564-4203  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Annually

## ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013  
Date Data Arrived at EDR: 12/12/2013  
Date Made Active in Reports: 02/24/2014  
Number of Days to Update: 74

Source: EPA  
Telephone: 703-416-0223  
Last EDR Contact: 03/08/2016  
Next Scheduled EDR Contact: 06/20/2016  
Data Release Frequency: Annually

## RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2015  
Date Data Arrived at EDR: 08/26/2015  
Date Made Active in Reports: 11/03/2015  
Number of Days to Update: 69

Source: Environmental Protection Agency  
Telephone: 202-564-8600  
Last EDR Contact: 01/25/2016  
Next Scheduled EDR Contact: 05/09/2016  
Data Release Frequency: Varies

## RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995  
Date Data Arrived at EDR: 07/03/1995  
Date Made Active in Reports: 08/07/1995  
Number of Days to Update: 35

Source: EPA  
Telephone: 202-564-4104  
Last EDR Contact: 06/02/2008  
Next Scheduled EDR Contact: 09/01/2008  
Data Release Frequency: No Update Planned

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 10/17/2014	Telephone: 202-564-6023
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 02/12/2016
Number of Days to Update: 3	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly

## PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014	Source: EPA
Date Data Arrived at EDR: 10/15/2014	Telephone: 202-566-0500
Date Made Active in Reports: 11/17/2014	Last EDR Contact: 04/12/2016
Number of Days to Update: 33	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Annually

## ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 02/06/2015	Telephone: 202-564-5088
Date Made Active in Reports: 03/09/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 31	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Quarterly

## FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/22/2016
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

## FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/22/2016
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

## MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/07/2016	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 03/18/2016	Telephone: 301-415-7169
Date Made Active in Reports: 04/15/2016	Last EDR Contact: 02/08/2016
Number of Days to Update: 28	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Quarterly



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## COAL ASH DOE: Steam-Electric Plant Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005	Source: Department of Energy
Date Data Arrived at EDR: 08/07/2009	Telephone: 202-586-8719
Date Made Active in Reports: 10/22/2009	Last EDR Contact: 04/15/2016
Number of Days to Update: 76	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Varies

## COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/10/2014	Telephone: N/A
Date Made Active in Reports: 10/20/2014	Last EDR Contact: 03/11/2016
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/20/2016
	Data Release Frequency: Varies

## PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/19/2011	Telephone: 202-566-0517
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 01/29/2016
Number of Days to Update: 83	Next Scheduled EDR Contact: 05/09/2016
	Data Release Frequency: Varies

## RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/07/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/09/2015	Telephone: 202-343-9775
Date Made Active in Reports: 09/16/2015	Last EDR Contact: 04/08/2016
Number of Days to Update: 69	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Quarterly

## HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

## HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 10/19/2006  
Date Data Arrived at EDR: 03/01/2007  
Date Made Active in Reports: 04/10/2007  
Number of Days to Update: 40

Source: Environmental Protection Agency  
Telephone: 202-564-2501  
Last EDR Contact: 12/17/2008  
Next Scheduled EDR Contact: 03/17/2008  
Data Release Frequency: No Update Planned

## DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012  
Date Data Arrived at EDR: 08/07/2012  
Date Made Active in Reports: 09/18/2012  
Number of Days to Update: 42

Source: Department of Transportation, Office of Pipeline Safety  
Telephone: 202-366-4595  
Last EDR Contact: 02/03/2016  
Next Scheduled EDR Contact: 05/16/2016  
Data Release Frequency: Varies

## CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 04/17/2015  
Date Made Active in Reports: 06/02/2015  
Number of Days to Update: 46

Source: Department of Justice, Consent Decree Library  
Telephone: Varies  
Last EDR Contact: 03/24/2016  
Next Scheduled EDR Contact: 07/11/2016  
Data Release Frequency: Varies

## BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013  
Date Data Arrived at EDR: 02/24/2015  
Date Made Active in Reports: 09/30/2015  
Number of Days to Update: 218

Source: EPA/NTIS  
Telephone: 800-424-9346  
Last EDR Contact: 02/26/2016  
Next Scheduled EDR Contact: 06/06/2016  
Data Release Frequency: Biennially

## INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005  
Date Data Arrived at EDR: 12/08/2006  
Date Made Active in Reports: 01/11/2007  
Number of Days to Update: 34

Source: USGS  
Telephone: 202-208-3710  
Last EDR Contact: 04/15/2016  
Next Scheduled EDR Contact: 07/25/2016  
Data Release Frequency: Semi-Annually

## FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 11/23/2015  
Date Data Arrived at EDR: 11/24/2015  
Date Made Active in Reports: 02/18/2016  
Number of Days to Update: 86

Source: Department of Energy  
Telephone: 202-586-3559  
Last EDR Contact: 02/08/2016  
Next Scheduled EDR Contact: 05/23/2016  
Data Release Frequency: Varies

## UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/14/2010  
Date Data Arrived at EDR: 10/07/2011  
Date Made Active in Reports: 03/01/2012  
Number of Days to Update: 146

Source: Department of Energy  
Telephone: 505-845-0011  
Last EDR Contact: 03/28/2016  
Next Scheduled EDR Contact: 06/06/2016  
Data Release Frequency: Varies

## LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014  
Date Data Arrived at EDR: 11/26/2014  
Date Made Active in Reports: 01/29/2015  
Number of Days to Update: 64

Source: Environmental Protection Agency  
Telephone: 703-603-8787  
Last EDR Contact: 04/07/2016  
Next Scheduled EDR Contact: 07/18/2016  
Data Release Frequency: Varies

## LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001  
Date Data Arrived at EDR: 10/27/2010  
Date Made Active in Reports: 12/02/2010  
Number of Days to Update: 36

Source: American Journal of Public Health  
Telephone: 703-305-6451  
Last EDR Contact: 12/02/2009  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015  
Date Data Arrived at EDR: 10/27/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 69

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 03/24/2016  
Next Scheduled EDR Contact: 07/11/2016  
Data Release Frequency: Annually

## US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/20/2015  
Date Data Arrived at EDR: 10/27/2015  
Date Made Active in Reports: 01/04/2016  
Number of Days to Update: 69

Source: EPA  
Telephone: 202-564-2496  
Last EDR Contact: 03/24/2016  
Next Scheduled EDR Contact: 07/11/2016  
Data Release Frequency: Annually

## US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2016  
Date Data Arrived at EDR: 03/02/2016  
Date Made Active in Reports: 04/15/2016  
Number of Days to Update: 44

Source: Department of Labor, Mine Safety and Health Administration  
Telephone: 303-231-5959  
Last EDR Contact: 03/02/2016  
Next Scheduled EDR Contact: 06/13/2016  
Data Release Frequency: Semi-Annually

## US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/05/2005  
Date Data Arrived at EDR: 02/29/2008  
Date Made Active in Reports: 04/18/2008  
Number of Days to Update: 49

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 03/04/2016  
Next Scheduled EDR Contact: 06/13/2016  
Data Release Frequency: Varies

## US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011  
Date Data Arrived at EDR: 06/08/2011  
Date Made Active in Reports: 09/13/2011  
Number of Days to Update: 97

Source: USGS  
Telephone: 703-648-7709  
Last EDR Contact: 03/04/2016  
Next Scheduled EDR Contact: 06/13/2016  
Data Release Frequency: Varies

## FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/20/2015  
Date Data Arrived at EDR: 09/09/2015  
Date Made Active in Reports: 11/03/2015  
Number of Days to Update: 55

Source: EPA  
Telephone: (404) 562-9900  
Last EDR Contact: 03/08/2016  
Next Scheduled EDR Contact: 06/20/2016  
Data Release Frequency: Quarterly

## COAL ASH: Coal Ash Disposal Sites

A listing of coal combustion products distribution permits issued by the Division for the treatment, storage, transportation, use and disposal of coal combustion products.

Date of Government Version: 04/22/2015  
Date Data Arrived at EDR: 08/04/2015  
Date Made Active in Reports: 09/15/2015  
Number of Days to Update: 42

Source: Department of Environment & Natural Resources  
Telephone: 919-807-6359  
Last EDR Contact: 02/17/2016  
Next Scheduled EDR Contact: 05/16/2016  
Data Release Frequency: Varies

## DRYCLEANERS: Drycleaning Sites

Potential and known drycleaning sites, active and abandoned, that the Drycleaning Solvent Cleanup Program has knowledge of and entered into this database.

Date of Government Version: 03/02/2015  
Date Data Arrived at EDR: 06/25/2015  
Date Made Active in Reports: 09/08/2015  
Number of Days to Update: 75

Source: Department of Environment & Natural Resources  
Telephone: 919-508-8400  
Last EDR Contact: 03/23/2016  
Next Scheduled EDR Contact: 07/04/2016  
Data Release Frequency: Varies

## Financial Assurance 1: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tank facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 02/10/2016  
Date Data Arrived at EDR: 02/12/2016  
Date Made Active in Reports: 04/11/2016  
Number of Days to Update: 59

Source: Department of Environment & Natural Resources  
Telephone: 919-733-1322  
Last EDR Contact: 02/08/2016  
Next Scheduled EDR Contact: 05/23/2016  
Data Release Frequency: Quarterly



# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## Financial Assurance 2: Financial Assurance Information Listing

Information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/02/2012	Source: Department of Environmental & Natural Resources
Date Data Arrived at EDR: 10/03/2012	Telephone: 919-508-8496
Date Made Active in Reports: 10/26/2012	Last EDR Contact: 04/11/2016
Number of Days to Update: 23	Next Scheduled EDR Contact: 04/11/2016
	Data Release Frequency: Varies

## Financial Assurance 3: Financial Assurance Information

Hazardous waste financial assurance information.

Date of Government Version: 09/14/2015	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 09/15/2015	Telephone: 919-707-8222
Date Made Active in Reports: 10/22/2015	Last EDR Contact: 03/14/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 06/27/2016
	Data Release Frequency: Varies

## NPDES: NPDES Facility Location Listing

General information regarding NPDES(National Pollutant Discharge Elimination System) permits.

Date of Government Version: 12/02/2015	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 12/17/2015	Telephone: 919-733-7015
Date Made Active in Reports: 02/08/2016	Last EDR Contact: 02/16/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Varies

## UIC: Underground Injection Wells Listing

A listing of uncerground injection wells locations.

Date of Government Version: 02/12/2016	Source: Department of Environment & Natural Resources
Date Data Arrived at EDR: 02/16/2016	Telephone: 919-807-6412
Date Made Active in Reports: 04/11/2016	Last EDR Contact: 02/03/2016
Number of Days to Update: 55	Next Scheduled EDR Contact: 05/23/2016
	Data Release Frequency: Varies

## FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/23/2015	Source: EPA
Date Data Arrived at EDR: 11/24/2015	Telephone: 800-385-6164
Date Made Active in Reports: 02/18/2016	Last EDR Contact: 02/24/2016
Number of Days to Update: 86	Next Scheduled EDR Contact: 06/06/2016
	Data Release Frequency: Quarterly

## ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/20/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/23/2015	Telephone: 202-564-2280
Date Made Active in Reports: 01/04/2016	Last EDR Contact: 03/23/2016
Number of Days to Update: 103	Next Scheduled EDR Contact: 07/04/2016
	Data Release Frequency: Quarterly

## **EDR HIGH RISK HISTORICAL RECORDS**

### ***EDR Exclusive Records***

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: No Update Planned

## EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A  
Date Data Arrived at EDR: N/A  
Date Made Active in Reports: N/A  
Number of Days to Update: N/A

Source: EDR, Inc.  
Telephone: N/A  
Last EDR Contact: N/A  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

## EDR RECOVERED GOVERNMENT ARCHIVES

### ***Exclusive Recovered Govt. Archives***

#### RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environment, Health and Natural Resources in North Carolina.

Date of Government Version: N/A  
Date Data Arrived at EDR: 07/01/2013  
Date Made Active in Reports: 12/24/2013  
Number of Days to Update: 176

Source: Department of Environment, Health and Natural Resources  
Telephone: N/A  
Last EDR Contact: 06/01/2012  
Next Scheduled EDR Contact: N/A  
Data Release Frequency: Varies

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environment, Health and Natural Resources in North Carolina.

Date of Government Version: N/A	Source: Department of Environment, Health and Natural Resources
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/13/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 196	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

## RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environment, Health and Natural Resources in North Carolina.

Date of Government Version: N/A	Source: Department of Environment, Health and Natural Resources
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/20/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 172	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

## OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

## CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 08/19/2013	Telephone: 860-424-3375
Date Made Active in Reports: 10/03/2013	Last EDR Contact: 02/18/2016
Number of Days to Update: 45	Next Scheduled EDR Contact: 05/30/2016
	Data Release Frequency: No Update Planned

## NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/17/2015	Telephone: N/A
Date Made Active in Reports: 08/12/2015	Last EDR Contact: 04/12/2016
Number of Days to Update: 26	Next Scheduled EDR Contact: 07/25/2016
	Data Release Frequency: Annually

## NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 02/01/2016	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 02/03/2016	Telephone: 518-402-8651
Date Made Active in Reports: 03/22/2016	Last EDR Contact: 02/03/2016
Number of Days to Update: 48	Next Scheduled EDR Contact: 05/16/2016
	Data Release Frequency: Annually

# GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

## PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 07/24/2015  
Date Made Active in Reports: 08/18/2015  
Number of Days to Update: 25

Source: Department of Environmental Protection  
Telephone: 717-783-8990  
Last EDR Contact: 04/18/2016  
Next Scheduled EDR Contact: 08/01/2016  
Data Release Frequency: Annually

## RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2013  
Date Data Arrived at EDR: 06/19/2015  
Date Made Active in Reports: 07/15/2015  
Number of Days to Update: 26

Source: Department of Environmental Management  
Telephone: 401-222-2797  
Last EDR Contact: 03/21/2016  
Next Scheduled EDR Contact: 06/06/2016  
Data Release Frequency: Annually

## WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2014  
Date Data Arrived at EDR: 03/19/2015  
Date Made Active in Reports: 04/07/2015  
Number of Days to Update: 19

Source: Department of Natural Resources  
Telephone: N/A  
Last EDR Contact: 03/14/2016  
Next Scheduled EDR Contact: 06/27/2016  
Data Release Frequency: Annually

## Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

## Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

**Sensitive Receptors:** There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

## Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

## Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

## Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.



## GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

### Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

### Daycare Centers: Child Care Facility List

Source: Department of Health & Human Services

Telephone: 919-662-4499

**Flood Zone Data:** This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

**NWI:** National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: US Fish & Wildlife Service

Telephone: 703-358-2171

### Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

### **STREET AND ADDRESS INFORMATION**

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

# GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE ADDENDUM

## TARGET PROPERTY ADDRESS

EDWARDS-JOHNSON MITIGATION PROJECT  
LAKE WENDELL ROAD  
WENDELL, NC 27591

## TARGET PROPERTY COORDINATES

Latitude (North):	35.725122 - 35° 43' 30.44"
Longitude (West):	78.356261 - 78° 21' 22.54"
Universal Transverse Mercator:	Zone 17
UTM X (Meters):	739130.9
UTM Y (Meters):	3956484.2
Elevation:	239 ft. above sea level

## USGS TOPOGRAPHIC MAP

Target Property Map:	5948586 FLOWERS, NC
Version Date:	2013
Southwest Map:	5947400 CLAYTON, NC
Version Date:	2013

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

## SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## **HYDROLOGIC INFORMATION**

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

## **FEMA FLOOD ZONE**

<u>Target Property County</u> JOHNSTON, NC	<u>FEMA Flood Electronic Data</u> YES - refer to the Overview Map and Detail Map
---	---

Flood Plain Panel at Target Property: 37101C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

## **NATIONAL WETLAND INVENTORY**

<u>NWI Quad at Target Property</u> FLOWERS	<u>NWI Electronic Data Coverage</u> YES - refer to the Overview Map and Detail Map
---	---

## **HYDROGEOLOGIC INFORMATION**

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

## **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION FROM TP</u>	<u>GENERAL DIRECTION GROUNDWATER FLOW</u>
Not Reported		



## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

### GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**


Era: Paleozoic  
System: Pennsylvanian  
Series: Felsic paragneiss and schist  
Code: mm1 (*decoded above as Era, System & Series*)

#### **GEOLOGIC AGE IDENTIFICATION**

Category: Metamorphic Rocks

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

# SSURGO SOIL MAP - 4603012.10s



- ★ Target Property
- SSURGO Soil
- Water

0 1/16 1/8 1/4 Miles

SITE NAME: Edwards-Johnson Mitigation Project  
ADDRESS: Lake Wendell Road  
Wendell NC 27591  
LAT/LONG: 35.725122 / 78.356261

CLIENT: Water & Land Solutions  
CONTACT: William Scott Hunt, III  
INQUIRY #: 4603012.10s  
DATE: April 27, 2016 9:00 am

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

### DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

#### Soil Map ID: 1

Soil Component Name: Wehadkee

Soil Surface Texture: loam

Hydrologic Group: Class D - Very slow infiltration rates. Soils are clayey, have a high water table, or are shallow to an impervious layer.

Soil Drainage Class: Poorly drained

Hydric Status: All hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 15 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42 Min: 14	Max: 6.5 Min: 4.5
2	7 inches	57 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 6.5 Min: 4.5
3	57 inches	83 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Clean gravels, Poorly Graded Gravel.	Max: 14 Min: 4	Max: 6.5 Min: 4.5

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**Soil Map ID: 2**

Soil Component Name: Gilead

Soil Surface Texture: sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	5 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 5.5 Min: 4.5
2	5 inches	9 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 4	Max: 5.5 Min: 4.5
3	9 inches	29 inches	clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 4 Min: 0.01	Max: 5.5 Min: 4.5
4	29 inches	37 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 4 Min: 1.4	Max: 5.5 Min: 4.5
5	37 inches	74 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 4 Min: 0.01	Max: 5.5 Min: 4.5



## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**Soil Map ID: 3**

Soil Component Name: Dogue

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Moderately well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: High

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 69 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	7 inches	9 inches	fine sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42 Min: 14	Max: 5.5 Min: 3.5
2	9 inches	55 inches	clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 4 Min: 1.4	Max: 5.5 Min: 3.5
3	55 inches	74 inches	clay loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42 Min: 4	Max: 5.5 Min: 3.5
4	0 inches	7 inches	fine sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 42 Min: 14	Max: 5.5 Min: 3.5

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

**Soil Map ID: 4**

Soil Component Name: Uchee

Soil Surface Texture: loamy coarse sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 130 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	29 inches	loamy coarse sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 5.5 Min: 4.5
2	29 inches	40 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 4 Min: 1.4	Max: 5.5 Min: 4.5
3	40 inches	59 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 1.4	Max: 5.5 Min: 4.5

**Soil Map ID: 5**

Soil Component Name: Norfolk

Soil Surface Texture: loamy sand

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 122 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	9 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6 Min: 3.5
2	9 inches	14 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6 Min: 3.5
3	14 inches	70 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 4	Max: 5.5 Min: 3.5
4	70 inches	100 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 3.5

### Soil Map ID: 6

Soil Component Name: Goldsboro

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Moderately well drained

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 76 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 6 Min: 3.5
2	7 inches	14 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 5.5 Min: 3.5
3	14 inches	44 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 3.5
4	44 inches	75 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay	Max: 14 Min: 4	Max: 5.5 Min: 3.5

### Soil Map ID: 7

Soil Component Name: Uchee

Soil Surface Texture: loamy coarse sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Well drained



## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 130 inches

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	29 inches	loamy coarse sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 5.5 Min: 4.5
2	29 inches	53 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay Soils.	Max: 4 Min: 1.4	Max: 5.5 Min: 4.5
3	53 inches	59 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 1.4	Max: 5.5 Min: 4.5

### Soil Map ID: 8

Soil Component Name: Wedowee

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 5.5 Min: 3.6
2	7 inches	11 inches		Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 3.6
3	11 inches	27 inches		Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 3.6
4	27 inches	59 inches		Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 4	Max: 5.5 Min: 3.6

### Soil Map ID: 9

Soil Component Name: Wedowee

Soil Surface Texture: sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

## GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	11 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 5.5 Min: 3.6
2	11 inches	14 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 4.5
3	14 inches	27 inches	sandy clay	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 5.5 Min: 4.5
4	27 inches	59 inches	sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 4	Max: 5.5 Min: 3.6

### LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

### WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

### FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

# GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

## FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
<u>                    </u>	<u>                    </u>	<u>                    </u>
No PWS System Found		

Note: PWS System location is not always the same as well location.

## STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
<u>                    </u>	<u>                    </u>	<u>                    </u>
No Wells Found		


## OTHER STATE DATABASE INFORMATION

### NORTH CAROLINA SIGNIFICANT NATURAL HERITAGE AREAS DATABASE:

ID	Name
<u>                    </u>	<u>                    </u>
NC10001874	WENDELL LAKE



# PHYSICAL SETTING SOURCE MAP - 4603012.10s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Wildlife Areas
- Natural Areas
- Rare & Endangered Species



<p><b>SITE NAME:</b> Edwards-Johnson Mitigation Project  <b>ADDRESS:</b> Lake Wendell Road                  Wendell NC 27591  <b>LAT/LONG:</b> 35.725122 / 78.356261</p>	<p><b>CLIENT:</b> Water &amp; Land Solutions  <b>CONTACT:</b> William Scott Hunt, III  <b>INQUIRY #:</b> 4603012.10s  <b>DATE:</b> April 27, 2016 8:59 am</p>
--	---

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID  
Direction  
Distance

Database EDR ID Number

---

Site Name:  
Quality:  
Acres per Polygon:

WENDELL LAKE  
Not Reported  
152.65

NC\_SNHA NC10001874

# GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

## AREA RADON INFORMATION

State Database: NC Radon

### Radon Test Results

Num Results	Avg pCi/L	Min pCi/L	Max pCi/L
33	1.72	0.3	7.6
3	0.77	0.3	1.3

Federal EPA Radon Zone for JOHNSTON County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.  
 : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.  
 : Zone 3 indoor average level < 2 pCi/L.

---

Federal Area Radon Information for Zip Code: 27591

Number of sites tested: 1

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	-0.400 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## TOPOGRAPHIC INFORMATION

### USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

### Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

## HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

### State Wetlands Data: Wetland Inventory

Source: US Fish & Wildlife Service

Telephone: 703-358-2171

## HYDROGEOLOGIC INFORMATION

### AQUIFLOW<sup>R</sup> Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

## GEOLOGIC INFORMATION

### Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

### STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

### SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

### FEDERAL WATER WELLS

#### PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

#### PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

#### USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

### STATE RECORDS

#### North Carolina Public Water Supply Wells

Source: Department of Environmental Health

Telephone: 919-715-3243

## OTHER STATE DATABASE INFORMATION

#### NC Natural Areas: Significant Natural Heritage Areas

Source: Center for Geographic Information and Analysis

Telephone: 919-733-2090

A polygon coverage identifying sites (terrestrial or aquatic that have particular biodiversity significance.

A site's significance may be due to the presence of rare species, rare or high quality natural communities, or other important ecological features.

#### NC Game Lands: Wildlife Resources Commission Game Lands

Source: Center for Geographic Information and Analysis

Telephone: 919-733-2090

All publicly owned game lands managed by the North Carolina Wildlife Resources Commission and as listed in Hunting and Fishing Maps.

#### NC Natural Heritage Sites: Natural Heritage Element Occurrence Sites

Source: Center for Geographic Information and Analysis

Telephone: 919-733-2090

A point coverage identifying locations of rare and endangered species, occurrences of exemplary or unique natural ecosystems (terrestrial or aquatic), and special animal habitats (e.g., colonial waterbird nesting sites).

### RADON

#### State Database: NC Radon

Source: Department of Environment & Natural Resources

Telephone: 919-733-4984

Radon Statistical and Non Statistical Data

#### Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.



## PHYSICAL SETTING SOURCE RECORDS SEARCHED

### EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

### OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.



# United States Department of the Interior

FISH AND WILDLIFE SERVICE  
Raleigh ES Field Office  
Post Office Box 33726  
Raleigh, North Carolina 27636-3726

May 17, 2016

Mr. William "Scott" Hunt  
Water & Land Solutions, LLC  
11030 Raven Ridge Road, Suite 119  
Raleigh, North Carolina 27614

Subject: Edwards-Johnson Mitigation Project/ Johnston County/ North Carolina

Dear Mr. Hunt:

The U.S. Fish and Wildlife Service (Service) has reviewed the information concerning the above referenced project. The project, based on the description in your letter, project plans, and other information is expected to have minimal adverse impacts to fish and wildlife resources.

The proposed Edwards-Johnson Mitigation project area occurs on the south side of Lake Wendell Road just west of Wendell Road, adjacent to Wendell Lake and on two unnamed tributaries that flow immediately into Buffalo Creek. This site is approximately located between the Town of Wendell and the Community of Archer Lodge, in Johnston County, North Carolina. The project proposes to put 10.3 acres of currently degraded streams and buffers on the property into a permanent conservation easement. Proposed stream enhancement and restoration within this easement will consist of approximately 3,015 Stream Mitigation Units (SMU's) when completed.

We do not have any major concerns with the Edwards-Johnson site or plans as currently proposed, and think this project could benefit the downstream water quality, especially since this particular site joins Buffalo Creek just below the Wendell Lake dam. Downstream water quality in this watershed is particularly important to the Service since there are various rare species records downstream near the confluence of Buffalo Creek and Little River. Recent records of the Neuse River waterdog (*Necturus lewisi*) have been located near this confluence, in addition to older records indicating presence of the yellow lance (*Elliptio lanceolata*) and dwarf wedgemussel (*Alasmidonta heterodon*). The Service encourages mitigation efforts in priority watersheds, or areas that drain to priority watersheds, which will benefit federal and state listed species. If you decide to move forward with this project, the Service will continue to be involved through discussions with the IRT, and will provide additional comments in the future if warranted.

The Service has reviewed available information on federally-threatened or endangered species known to occur in Johnston County, specifically within the proposed mitigation work area, and downstream from the unnamed tributary of Buffalo Creek. Federally listed species in Johnston County, North Carolina include: Red-cockaded woodpecker (*Picoides borealis*), Tar River

spiny mussel (*Eliptio steinstansana*), dwarf wedgemussel (*Alasmidonta heterodon*), and Michaux's sumac (*Rhus michauxii*), in addition to many other federal species of concern. The Service is not aware of any Bald Eagle nests near the project area at this time. Large trees within 660-feet of the project area should be visually inspected for potential nests prior to any on the ground work. If a nest is found within 660-feet of the project area please contact the Service for time of year potential restrictions. We have also reviewed information from the North Carolina Natural Heritage Program (NCNHP) database which contains excellent data on the special status species, both federal and state, which can be found here: <https://ncnhde.natureserve.org/>. Our review indicates that no federally listed species under Service jurisdiction are likely to occur in the project area. Therefore, the Service would concur with a determination that the action is not likely to adversely affect species designated as threatened, endangered, or their designated critical habitat.

In accordance with the Endangered Species Act of 1973, as amended, (ESA) and based on the information provided, and other available information, it appears the actions described in the project are not likely to adversely affect federally listed species or their critical habitat as defined by the ESA. We believe that the requirements of Section 7 (a)(2) of the ESA have been satisfied for this project. Please remember that obligations under the ESA must be reconsidered if: (1) new information identifies impacts of this action that may affect listed species or critical habitat in a manner not previously considered; (2) this action is modified in a manner that was not considered in this review; or, (3) a new species is listed or critical habitat determined that may be affected by the identified action.

The Service appreciates the opportunity to comment on this proposed Edward-Johnson Mitigation Project. If you have questions regarding these comments, please contact Emily Wells at 919-856-4520, ext. 25 or by e-mail at <emily\_wells@fws.gov>.

Sincerely,



Peter Benjamin  
Field Office Supervisor



## ⊠ North Carolina Wildlife Resources Commission ⊠

---

Gordon Myers, Executive Director

May 5, 2016

Mr. Scott Hunt  
Water & Land Solutions, LLC  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614

Subject: Request for Environmental Information for the Edwards-Johnson Mitigation Project, Project ID Number 97080, Johnston County, North Carolina.

Dear Mr. Hunt,

Biologists with the North Carolina Wildlife Resources Commission (NCWRC) have reviewed the proposed project description. Comments are provided in accordance with certain provisions of the Clean Water Act of 1977 (as amended), Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661-667e) and North Carolina General Statutes (G.S. 113-131 et seq.).

Water & Land Solutions, LLC proposes to complete a stream restoration project for the North Carolina Division of Mitigation Services. The subject site, referred to as the Edwards-Johnson Mitigation Project, is located southwest of the intersection of Lake Wendell and Wendell Roads, in the North Carolina Department of Environmental Quality Sub-basin 03-04-06 and Lower Buffalo Creek Priority Sub-watershed 030202011504, within the Neuse River basin. The proposed work will involve the restoration, preservation and permanent protection of four stream reaches, totaling 3,186 linear feet of existing streams. The adjacent riparian wetlands and riparian buffers will be restored and protected by a permanent conservation easement.

Stream restoration projects often improve water quality and aquatic habitat. Establishing native, forested buffers in riparian areas will help protect water quality, improve aquatic and terrestrial habitats and provide a travel corridor for wildlife species. The NCWRC recommends the use of biodegradable and wildlife-friendly sediment and erosion control devices. Silt fencing, fiber rolls and/or other products should have loose-weave netting that is made of natural fiber materials with movable joints between the vertical and horizontal twines. Silt fencing and similar products that have been reinforced with plastic or metal mesh should be avoided as they impede the movement of terrestrial wildlife species. Excessive silt and sediment loads can have detrimental effects on aquatic resources including destruction of spawning habitat, suffocation of eggs and clogging of gills. Any invasive plant species that are found onsite should be removed.


Page 2

May 5, 2016

Scoping – Edwards-Johnson Mitigation Project


Thank you for the opportunity to review and comment on this project. If I can be of further assistance, please contact me at (910) 409-7350 or [gabriela.garrison@ncwildlife.org](mailto:gabriela.garrison@ncwildlife.org).

Sincerely,

A handwritten signature in cursive script that reads "Gabriela Garrison".

Gabriela Garrison  
Eastern Piedmont Habitat Conservation Coordinator  
Habitat Conservation Program





**North Carolina Department of Natural and Cultural Resources**  
**State Historic Preservation Office**

Ramona M. Bartos, Administrator

Governor Pat McCrory  
Secretary Susan Kluttz

Office of Archives and History  
Deputy Secretary Kevin Cherry

May 23, 2016

Scott Hunt  
Water & Land Solutions  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614

Re: Edwards-Johnson Mitigation Site, Johnston County, ER 16-0796

Dear Mr. Hunt:

Thank you for your letter of May 2, 2016, concerning the above project.

We have conducted a review of the project and are aware of no historic resources which would be affected by the project. Therefore, we have no comment on the project as proposed.


The above comments are made pursuant to Section 106 of the National Historic Preservation Act and the Advisory Council on Historic Preservation's Regulations for Compliance with Section 106 codified at 36 CFR Part 800.

Thank you for your cooperation and consideration. If you have questions concerning the above comment, contact Renee Gledhill-Earley, environmental review coordinator, at 919-807-6579 or [environmental.review@ncdcr.gov](mailto:environmental.review@ncdcr.gov). In all future communication concerning this project, please cite the above referenced tracking number.

Sincerely,

A handwritten signature in blue ink that reads "Renee Gledhill-Earley".

*for* Ramona M. Bartos



# Edwards-Johnson Mitigation Project

JT0918 Bertie C. Richards on House

JT0709 (former) Clyde's Chapel Church

JT0843 Lee's Crossroad Baptist Church

JT0670 Batten-Boyette-Keyes House 2005

JT0935 Salem Primitive Baptist Church

JT0650 Anderson House

JT0999 Whitley-Atkins on House

JT0881 Moody Tenant House

JT0770 Jesse Hinnant House

JT0947 Scott-Hardy House

Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), MapmyIndia, © OpenStreetMap contributors, and the GIS User Community



Natural Resources  
Conservation Service

May 23, 2016

North Carolina  
State Office

4407 Bland Road  
Suite 117  
Raleigh, NC 27609  
Voice 919-873-2171  
Fax 844-325-6833

Mr. Kayne M. Van Stell  
Water & Land Solutions  
11030 Raven Ridge Rd, Suite 119  
Raleigh, North Carolina 27614

Dear Mr. Kayne M. Van Stell

Thank you for your letter dated May 2, 2016, Subject: AD1006 Form Edwards-Johnson Mitigation Project, Johnston Co., NC. The following guidance is provided for your information.

Projects are subject to the Farmland Protection Policy Act (FPPA) requirements if they may irreversibly convert farmland (directly or indirectly) to non-agricultural use and are completed by a federal agency or with assistance from a federal agency. Farmland means prime or unique farmlands as defined in section 1540(c)(1) of the FPPA or farmland that is determined by the appropriate state or unit of local government agency or agencies with concurrence of the Secretary of Agriculture to be farmland of statewide local importance.

For the purpose of FPPA, farmland includes prime farmland, unique farmland, and land of statewide or local importance. Farmland subject to FPPA requirements does not have to be currently used for cropland. It can be forestland, pastureland, cropland, or other land, but not water or urban built-up land.

*Farmland* does not include land already in or committed to urban development or water storage. Farmland *already in* urban development or water storage includes all such land with a density of 30 structures per 40-acre area. Farmland already in urban development also includes lands identified as *urbanized area* (UA) on the Census Bureau Map, or as urban area mapped with a *tint overprint* on the United States Geological Survey (USGS) topographical maps, or as *urban-built-up* on the United States Department of Agriculture (USDA) Important Farmland Maps.

The area in question meets one or more of the above criteria for Farmland. Farmland area will be affected or converted. Enclosed is the Farmland Conversion Impact Rating form AD1006 with PARTS II, IV and V completed by NRCS. The corresponding agency will need to complete the evaluation, according to the Code of Federal Regulation 7CFR 658, Farmland Protection Policy Act.

The Natural Resources Conservation Service  
is an agency of the Department of Agriculture's  
Natural Resources mission.

An Equal Opportunity Provider and Employer

Mr. Kayne M. Van

Page 2

If you have any questions, please contact Milton Cortes, Assistant State Soil Scientist at 919-873-2171 or by email: [milton.cortes@nc.usda.gov](mailto:milton.cortes@nc.usda.gov).

Again, thank you for inquiry. If we can be of further assistance, please do not hesitate to contact us.

Sincerely,

MILTON CORTES

Digitally signed by MILTON CORTES  
DN: c=US, o=U.S. Government, ou=Department of  
Agriculture, cn=MILTON CORTES,  
0.9.2342.19200300.100.1.1=12001000080173  
Date: 2016.05.22 17:43:42 -0400

Milton Cortes  
Assistant State Soil Scientist

cc:

Kent Clary, State Soil Scientist, NRCS, Raleigh, NC

**FARMLAND CONVERSION IMPACT RATING**

<b>PART I</b> <i>(To be completed by Federal Agency)</i>		Date Of Land Evaluation Request			
Name of Project		Federal Agency Involved			
Proposed Land Use		County and State			
<b>PART II</b> <i>(To be completed by NRCS)</i>		Date Request Received By NRCS		Person Completing Form:	
Does the site contain Prime, Unique, Statewide or Local Important Farmland? <i>(If no, the FPPA does not apply - do not complete additional parts of this form)</i>		YES <input type="checkbox"/>	NO <input type="checkbox"/>	Acres Irrigated	Average Farm Size
Major Crop(s)	Farmable Land In Govt. Jurisdiction Acres:            %		Amount of Farmland As Defined in FPPA Acres:            %		
Name of Land Evaluation System Used	Name of State or Local Site Assessment System		Date Land Evaluation Returned by NRCS		
<b>PART III</b> <i>(To be completed by Federal Agency)</i>		Alternative Site Rating			
		Site A	Site B	Site C	Site D
A. Total Acres To Be Converted Directly					
B. Total Acres To Be Converted Indirectly					
C. Total Acres In Site					
<b>PART IV</b> <i>(To be completed by NRCS)</i> Land Evaluation Information					
A. Total Acres Prime And Unique Farmland					
B. Total Acres Statewide Important or Local Important Farmland					
C. Percentage Of Farmland in County Or Local Govt. Unit To Be Converted					
D. Percentage Of Farmland in Govt. Jurisdiction With Same Or Higher Relative Value					
<b>PART V</b> <i>(To be completed by NRCS)</i> Land Evaluation Criterion Relative Value of Farmland To Be Converted (Scale of 0 to 100 Points)					
<b>PART VI</b> <i>(To be completed by Federal Agency)</i> Site Assessment Criteria <i>(Criteria are explained in 7 CFR 658.5 b. For Corridor project use form NRCS-CPA-106)</i>		<b>Maximum Points</b>	Site A	Site B	Site C
1. Area In Non-urban Use		(15)			
2. Perimeter In Non-urban Use		(10)			
3. Percent Of Site Being Farmed		(20)			
4. Protection Provided By State and Local Government		(20)			
5. Distance From Urban Built-up Area		(15)			
6. Distance To Urban Support Services		(15)			
7. Size Of Present Farm Unit Compared To Average		(10)			
8. Creation Of Non-farmable Farmland		(10)			
9. Availability Of Farm Support Services		(5)			
10. On-Farm Investments		(20)			
11. Effects Of Conversion On Farm Support Services		(10)			
12. Compatibility With Existing Agricultural Use		(10)			
TOTAL SITE ASSESSMENT POINTS		160			
<b>PART VII</b> <i>(To be completed by Federal Agency)</i>					
Relative Value Of Farmland <i>(From Part V)</i>		100			
Total Site Assessment <i>(From Part VI above or local site assessment)</i>		160			
<b>TOTAL POINTS</b> <i>(Total of above 2 lines)</i>		260			
Site Selected:		Date Of Selection		Was A Local Site Assessment Used? YES <input type="checkbox"/> NO <input type="checkbox"/>	
Reason For Selection:					
Name of Federal agency representative completing this form:					Date:

*(See Instructions on reverse side)*



## STEPS IN THE PROCESSING THE FARMLAND AND CONVERSION IMPACT RATING FORM

- Step 1 - Federal agencies (or Federally funded projects) involved in proposed projects that may convert farmland, as defined in the Farmland Protection Policy Act (FPPA) to nonagricultural uses, will initially complete Parts I and III of the form. For Corridor type projects, the Federal agency shall use form NRCS-CPA-106 in place of form AD-1006. The Land Evaluation and Site Assessment (LESA) process may also be accessed by visiting the FPPA website, <http://fppa.nrcs.usda.gov/lesa/>.
- Step 2 - Originator (Federal Agency) will send one original copy of the form together with appropriate scaled maps indicating location(s) of project site(s), to the Natural Resources Conservation Service (NRCS) local Field Office or USDA Service Center and retain a copy for their files. (NRCS has offices in most counties in the U.S. The USDA Office Information Locator may be found at [http://offices.usda.gov/scripts/ndISAPI.dll/oip\\_public/USA\\_map](http://offices.usda.gov/scripts/ndISAPI.dll/oip_public/USA_map), or the offices can usually be found in the Phone Book under U.S. Government, Department of Agriculture. A list of field offices is available from the NRCS State Conservationist and State Office in each State.)
- Step 3 - NRCS will, within 10 working days after receipt of the completed form, make a determination as to whether the site(s) of the proposed project contains prime, unique, statewide or local important farmland. (When a site visit or land evaluation system design is needed, NRCS will respond within 30 working days.
- Step 4 - For sites where farmland covered by the FPPA will be converted by the proposed project, NRCS will complete Parts II, IV and V of the form.
- Step 5 - NRCS will return the original copy of the form to the Federal agency involved in the project, and retain a file copy for NRCS records.
- Step 6 - The Federal agency involved in the proposed project will complete Parts VI and VII of the form and return the form with the final selected site to the servicing NRCS office.
- Step 7 - The Federal agency providing financial or technical assistance to the proposed project will make a determination as to whether the proposed conversion is consistent with the FPPA.

## INSTRUCTIONS FOR COMPLETING THE FARMLAND CONVERSION IMPACT RATING FORM

*(For Federal Agency)*

**Part I:** When completing the "County and State" questions, list all the local governments that are responsible for local land use controls where site(s) are to be evaluated.

**Part III:** When completing item B (Total Acres To Be Converted Indirectly), include the following:

1. Acres not being directly converted but that would no longer be capable of being farmed after the conversion, because the conversion would restrict access to them or other major change in the ability to use the land for agriculture.
2. Acres planned to receive services from an infrastructure project as indicated in the project justification (e.g. highways, utilities planned build out capacity) that will cause a direct conversion.

**Part VI:** Do not complete Part VI using the standard format if a State or Local site assessment is used. With local and NRCS assistance, use the local Land Evaluation and Site Assessment (LESA).

1. Assign the maximum points for each site assessment criterion as shown in § 658.5(b) of CFR. In cases of corridor-type project such as transportation, power line and flood control, criteria #5 and #6 will not apply and will, be weighted zero, however, criterion #8 will be weighed a maximum of 25 points and criterion #11 a maximum of 25 points.
2. Federal agencies may assign relative weights among the 12 site assessment criteria other than those shown on the FPPA rule after submitting individual agency FPPA policy for review and comment to NRCS. In all cases where other weights are assigned, relative adjustments must be made to maintain the maximum total points at 160. For project sites where the total points equal or exceed 160, consider alternative actions, as appropriate, that could reduce adverse impacts (e.g. Alternative Sites, Modifications or Mitigation).

**Part VII:** In computing the "Total Site Assessment Points" where a State or local site assessment is used and the total maximum number of points is other than 160, convert the site assessment points to a base of 160.

Example: if the Site Assessment maximum is 200 points, and the alternative Site "A" is rated 180 points:

$$\frac{\text{Total points assigned Site A}}{\text{Maximum points possible}} = \frac{180}{200} \times 160 = 144 \text{ points for Site A}$$

For assistance in completing this form or FPPA process, contact the local NRCS Field Office or USDA Service Center.

NRCS employees, consult the FPPA Manual and/or policy for additional instructions to complete the AD-1006 form.



**WATER & LAND  
SOLUTIONS**

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

**May 27, 2016**

**Annie Laura G. Johnson  
489 Old Johnson Road  
Wendell, NC 27591**

**RE: Landowner Notification Required Under Uniform Act, Edwards-Johnson Mitigation Project, NCDEQ DMS Full-Delivery Project ID #97080, Contract #6825, Neuse River Basin, Cataloging Unit 03020201, Johnston County, NC**

Dear Ms. Johnson:

Water & Land Solutions, LLC (WLS) is preparing the Categorical Exclusion (CE) for the Edwards-Johnson Mitigation Project to fulfill the environmental screening and documentation requirements mandated under the National Environmental Policy Act (NEPA; 40 CFR Parts 1500-1508).

The Edwards-Johnson Mitigation Project Site is located on your property (Parcel PIN: 179100-19-2336, containing 17.75 acres, more or less) in Johnston County, North Carolina. The Edwards-Johnson Mitigation Project is a full-delivery project for the North Carolina Department of Environmental Quality (NCDEQ) Division of Mitigation Services (DMS) contracted to provide stream mitigation credits for permitted, unavoidable impacts in the Neuse River Basin, Cataloging Unit 03020201. The project will involve the restoration, enhancement, preservation, and permanent protection of streams, riparian wetlands, and riparian buffers and the entire project boundary will be secured by a recorded conservation easement, to be held by the State of North Carolina.

**As required under the Categorical Exclusion process, by the Uniform Relocation Assistance and Real Property Acquisition Policies Act (Uniform Act), WLS is providing you, as the landowner, prior to the acquisition of the conservation easement, written notification and reminder that:**

- **WLS, as the acquiring entity, does not have condemnation authority with regards to the purchase of the conservation easement.**
- **WLS discussed with you the fair market value of the property, as referenced above, to be purchased from you, for the conservation easement.**

Please contact me if you have any further questions or comments.

Sincerely,

**Water & Land Solutions, LLC**

William "Scott" Hunt, III, PE  
Senior Water Resources Engineer  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)



**WATER & LAND  
SOLUTIONS**

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

**May 27, 2016**

**William Odell Edwards  
100 Salem Church Road  
Wendell, NC 27591**

**RE: Landowner Notification Required Under Uniform Act, Edwards-Johnson Mitigation Project, NCDEQ DMS Full-Delivery Project ID #97080, Contract #6825, Neuse River Basin, Cataloging Unit 03020201, Johnston County, NC**

Dear Mr. Edwards:

Water & Land Solutions, LLC (WLS) is preparing the Categorical Exclusion (CE) for the Edwards-Johnson Mitigation Project to fulfill the environmental screening and documentation requirements mandated under the National Environmental Policy Act (NEPA; 40 CFR Parts 1500-1508).

The Edwards-Johnson Mitigation Project Site is located on your property (Parcel PIN: 179100-09-9826, containing 58.68 acres, more or less) in Johnston County, North Carolina. The Edwards-Johnson Mitigation Project is a full-delivery project for the North Carolina Department of Environmental Quality (NCDEQ) Division of Mitigation Services (DMS) contracted to provide stream mitigation credits for permitted, unavoidable impacts in the Neuse River Basin, Cataloging Unit 03020201. The project will involve the restoration, enhancement, preservation, and permanent protection of streams, riparian wetlands, and riparian buffers and the entire restored project boundary will be secured by a recorded conservation easement, to be held by the State of North Carolina.

**As required under the Categorical Exclusion process, by the Uniform Relocation Assistance and Real Property Acquisition Policies Act (Uniform Act), WLS is providing you, as the landowner, prior to the acquisition of the conservation easement, written notification and reminder that:**

- **WLS, as the acquiring entity, does not have condemnation authority with regards to the purchase of the conservation easement.**
- **WLS discussed with you the fair market value of the property, as referenced above, to be purchased from you, for the conservation easement.**

Please contact me if you have any further questions or comments.

Sincerely,

**Water & Land Solutions, LLC**

William "Scott" Hunt, III, PE  
Senior Water Resources Engineer  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)



## **Appendix 12 – DMS Floodplain Requirements Checklist**

---

The topography of the site supports a design without creating the potential for hydrologic trespass. The downstream portion of the site (Reach R3 lower) is located in a FEMA mapped Special Flood Hazard Area (Zone 'AE'), however, minimal work activities are proposed that will modify the existing floodplain elevation and/or channel profile and therefore a hydraulic analysis will not likely be required to obtain a "No-Rise/No-Impact" certification.

Per request, the proposed design information, including plan sheets and the NCEEP Floodplain Checklist, was provided to Berry Gray, Johnston County Planning Director. WLS will submit a floodplain development permit application, including a hydraulic analysis, to the Johnston County Floodplain Manager in the event the project requires a "No-Rise/No-Impact" certification and Letter of Map Revision (LOMR) following construction in order to document any changes (reductions) to Base Flood Elevations (BFEs).



## EEP Floodplain Requirements Checklist

This form was developed by the National Flood Insurance program, NC Floodplain Mapping program and Ecosystem Enhancement Program to be filled for all EEP projects. The form is intended to summarize the floodplain requirements during the design phase of the projects. The form should be submitted to the Local Floodplain Administrator with three copies submitted to NFIP (attn. State NFIP Engineer), NC Floodplain Mapping Unit (attn. State NFIP Coordinator) and NC Ecosystem Enhancement Program.

### Project Location

Name of project:	Edwards-Johnson Mitigation Project
Name if stream or feature:	Unnamed Tributary to Buffalo Creek
County:	Johnston
Name of river basin:	Neuse
Is project urban or rural?	Rural
Name of Jurisdictional municipality/county:	Wilders Township, Johnston County
DFIRM panel number for entire site:	1780
Consultant name:	Kayne Van Stell, Water and Land Solutions, LLC
Phone number:	919-614-5111
Address:	11030 Raven Ridge Rd, Suite 119 Raleigh, NC 27614



## Design Information

Water and Land Solutions, LLC proposes to restore 2,949 linear feet (LF) and preserve 896 LF of stream along an unnamed tributary (UT) to Buffalo Creek. The project site is located in Johnston County between the Community of Archer Lodge and the Town of Wendell (see Figure 1). The project site is located in the NCDEQ (formerly NCDENR) Sub-basin 03-04-06, in the Upper Buffalo Creek Sub-watershed 030202011502 study area for the Neuse 01 Regional Watershed Plan (RWP), in the Wake-Johnston Collaborative Local Watershed Plan, and in the Targeted Local Watershed 03020201180050, all of the Neuse River Basin. The purpose of the project is to restore preserve and/or enhance stream and riparian buffer functions and improve area water quality to impaired channels that flow through the site. The project will provide numerous water quality and ecological benefits within the Buffalo Creek watershed and the Neuse River Basin. A recorded conservation easement consisting of approximately 11.0 acres will protect all stream reaches and riparian buffers in perpetuity.

<b>Reach</b>	<b>Length</b>	<b>Priority Level / Mitigation Type</b>
<i>R1</i>	<i>611</i>	<i>Preservation</i>
<i>R2</i>	<i>1,183</i>	<i>PI Restoration</i>
<i>R3 (upper)</i>	<i>815</i>	<i>PI Restoration</i>
<i>R3 (lower)</i>	<i>285</i>	<i>Preservation</i>
<i>R4</i>	<i>951</i>	<i>PI Restoration</i>

## Floodplain Information

Is project located in a Special Flood Hazard Area (SFHA)? <input checked="" type="radio"/> Yes <input type="radio"/> No
If project is located in a SFHA, check how it was determined: <input type="checkbox"/> Redelineation <input type="checkbox"/> Detailed Study <input checked="" type="checkbox"/> Limited Detail Study <input type="checkbox"/> Approximate Study <input type="checkbox"/> Don't know
List flood zone designation:
Check if applies: <input checked="" type="checkbox"/> AE Zone <input type="radio"/> Floodway <input type="radio"/> Non-Encroachment

<input checked="" type="radio"/> None <input type="checkbox"/> A Zone <input type="radio"/> Local Setbacks Required <input type="radio"/> No Local Setbacks Required
<p>If local setbacks are required, list how many feet:</p>
<p>Does proposed channel boundary encroach outside floodway/non-encroachment/setbacks?</p> <p><input type="radio"/> Yes                      <input checked="" type="radio"/> No</p>
<p>Land Acquisition (Check)</p> <input type="checkbox"/> State owned (fee simple) <input type="checkbox"/> Conservation easment (Design Bid Build) <input checked="" type="checkbox"/> Conservation Easement (Full Delivery Project) <p>Note: if the project property is state-owned, then all requirements should be addressed to the Department of Administration, State Construction Office (attn: Herbert Neily, (919) 807-4101)</p>
<p>Is community/county participating in the NFIP program?</p> <p><input checked="" type="radio"/> Yes                      <input type="radio"/> No</p> <p>Note: if community is not participating, then all requirements should be addressed to NFIP (attn: State NFIP Engineer, (919) 715-8000)</p>
<p>Name of Local Floodplain Administrator: Berry Gray, Johnston County Planning Director  Phone Number: 919-989-5150</p>

### Floodplain Requirements

This section to be filled by designer/applicant following verification with the LFPA

- No Action
- No Rise
- Letter of Map Revision
- Conditional Letter of Map Revision (CLMR)
- Other Requirements

<p>List other requirements:</p>
---------------------------------

[Empty rectangular box]

Comments:

[Empty rectangular box for comments]

Name: KAYNE VAN STELL

Signature: Kayne Van Stell

Title: PROJECT MANAGER

Date: 6/13/17



This digital Flood Insurance Rate Map (FIRM) was produced through a unique cooperative partnership between the State of North Carolina and the Federal Emergency Management Agency (FEMA). The State of North Carolina has implemented a long-term program to floodplain management to decrease the costs associated with flooding. This is demonstrated by the State's commitment to map flood hazard areas at the local level. As a part of this effort, the State of North Carolina has entered into a Cooperative Technical State agreement with FEMA to produce and maintain this digital FIRM.

**FLOOD HAZARD INFORMATION**

**SEE FIS REPORT FOR ZONE DESCRIPTIONS AND INDEX MAP**  
**THE INFORMATION DEPICTED ON THIS MAP AND SUPPORTING DOCUMENTATION ARE ALSO AVAILABLE IN DIGITAL FORMAT AT**  
[HTTP://FRIS.NC.GOV/FRIS](http://FRIS.NC.GOV/FRIS)

**SPECIAL FLOOD HAZARD AREAS**

- Without Base Flood Elevation (BFE) Zone A, V, AE, AH, VE, AR
- With BFE or Depth Zone AE, AO, AH, VE, AR
- Regulatory Floodway
- 0.2% Annual Chance Flood Hazard. Areas of 1% Annual Chance Flood with Average Depth Less Than One Foot or With Drainage Areas of Less Than One Square Mile Zone X
- Future Conditions 1% Annual Chance Flood Hazard Zone X
- Area with Reduced Flood Risk due to Levee See Notes Zone X
- Areas Determined to be Outside the 0.2% Annual Chance Floodplain Zone X

**OTHER AREAS OF FLOOD HAZARD**

- Channel, Culvert, or Storm Sewer Accredited or Provisionally Accredited Levee, Dike, or Floodwall
- Non-accredited Levee, Dike, or Floodwall
- North Carolina Geodetic Survey bench mark
- National Geodetic Survey bench mark
- Cross Sections with 1% Annual Chance Water Surface Elevation (BFE)
- Coastal Transact
- Coastal Transact Baseline
- Profile Baseline
- Hydrographic Feature
- Limit of Study
- Jurisdiction Boundary

**GENERAL STRUCTURES**

- Limit of Moderate Wave Action (LIMWA)
- CBRS Area
- Otherwise Protected Area

**OTHER FEATURES**

**NOTES TO USERS**

For information and questions about this map, available products associated with this FIRM including historic versions of this FIRM, how to order products of the National Flood Insurance Program in general, please call the FEMA Map Information Exchange at 1-877-FEMA-MAP (1-877-362-6272) or visit the FEMA Map Service Center at <http://msc.fema.gov>. An accompanying Flood Insurance Study report, Letter of Map Revision (LDMR) or Letter of Map Amendment (LOMA) revising portions of this panel, and digital versions of this FIRM may be available. Visit the North Carolina Floodplain Mapping Program website at <http://www.ncfloodmaps.com> or contact the FEMA Map Service Center.

Communities annexing land on adjacent FIRM panels must obtain a current copy of the adjacent panel as well as the current FIRM index. These may be obtained directly from the Map Service Center at the number listed above.

For community and countywide map data refer to the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in the community, contact your insurance agent or call the National Flood Insurance Program at 1-800-439-8482.

Base map information shown on this FIRM was provided in digital format by the North Carolina Floodplain Mapping Program (NCFMP). The source of this information can be determined from the metadata available in the digital FLOOD datasets and the Technical Support Data Notebook (TSDN).

**ACCREDITED LEVEE NOTES TO USERS:** If an accredited levee note appears on this panel check with your local community to obtain more information, such as the estimated level of protection provided (which may exceed the 1 percent annual chance level and Emergency Action Plan), on the levee system(s) shown as providing protection. To mitigate flood risk in residual risk areas, property owners and residents are encouraged to consider flood insurance and floodproofing or other protective measures. For more information on flood insurance, interested parties should visit the FIS website at <http://www.fema.gov/nationalfloodinsurancemap>.


**PROVISIONALLY ACCREDITED LEVEE NOTES TO USERS:** If a Provisionally Accredited Levee (PAL) note appears on this panel, check with your local community to obtain more information, such as the estimated level of protection provided (which may exceed the 1 percent annual chance level and Emergency Action Plan), on the levee system(s) shown as providing protection. To maintain accreditation, the levee owner or community is required to submit the data and documentation necessary to comply with Section 65.03 of the NFIP regulations. If the community or owner does not provide the necessary data and documentation or if the data and documentation provided indicates the levee system does not comply with Section 65.03 requirements, FEMA will revise the flood hazard and risk information for this area to reflect de-accreditation of the levee system. To mitigate flood risk in residual risk areas, property owners and residents are encouraged to consider flood insurance and floodproofing or other protective measures. For more information on flood insurance, interested parties should visit the FEMA Website at <http://www.fema.gov/nationalfloodinsurancemap>.

**LIMIT OF MODERATE WAVE ACTION NOTES TO USERS:** For some coastal flooding zones the AE Zone category has been divided by a Limit of Moderate Wave Action (LIMWA). The LIMWA represents the approximate level of the 1.5-foot flooding wave. The effect of wave hazards between the VE Zone and the LIMWA (or between the LIMWA and the VE Zone for areas where VE Zones are not identified) will be similar to, but less severe than those in the VE Zone.


**COASTAL RESOURCES SYSTEM (CBRS) NOTE**

This map may include approximate boundaries of the CBRS for informational purposes only. Flood insurance is not available within CBRS areas for structures that are newly built or substantially damaged after the date(s) indicated on the map. For more information see [http://www.fema.gov/floodinsurance/coastal\\_barrier.html](http://www.fema.gov/floodinsurance/coastal_barrier.html), the FIS Report, or visit the FIS and Website Service Customer Service Center at 1-800-364-WILD.

**SCALE**



**PANEL LOCATOR**



**NORTH CAROLINA FLOODPLAIN MAPPING PROGRAM**  
**NATIONAL FLOOD INSURANCE PROGRAM**  
**FLOOD INSURANCE RATE MAP**  
**NORTH CAROLINA**

**FEMA**  
**National Flood Insurance Program**

PANEL 1780

Panel Contains:  
 COMMUNITY JOHNSTON COUNTY CID 370138 PANEL SUFFIX 1780 J

MAP NUMBER 372017S000J  
 MAP REVISION 12/02/05



**June 30, 2017**



**WATER & LAND  
SOLUTIONS**

Berry Gray, Director  
Johnston County Planning Department  
309 E. Market Street  
Smithfield, NC 27577

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

Subject: NCDEQ Division of Mitigation Services (formerly NCEEP) Floodplain Requirements Checklist: Edwards-Johnson Mitigation Project in Johnston County. NCDEQ DMS Project Number 97080.

Dear Mr. Gray,

Please find enclosed one copy of the NCDEQ DMS Floodplain Requirements Checklist and supporting information for the Edwards-Johnson Mitigation Project in Johnston County, North Carolina. The project site is located in Johnston County between the Community of Archer Lodge and the Town of Wendell (see Figure 1). The project site is located in the NCDEQ Sub-basin 03-04-06, in the Upper Buffalo Creek Sub-watershed 030202011502.

Currently, the project reaches are impacted by on-going agricultural use and excess sedimentation from bank erosion. Water and Land Solutions, LLC proposes to restore 2,949 linear feet (LF), and preserve 896 LF of stream along an unnamed tributary (UT) to Buffalo Creek for the purpose of restoring and/or enhancing stream and riparian buffer functions and improve area water quality. We have enclosed maps of the project area that include the site boundary and approximate limits of disturbance. A topographic map of the project area is shown in Figure 2, the soils in the project area are shown in Figure 3, LiDAR mapping in Figure 4, and FEMA floodplain in Figure 5. The proposed restoration plan for the site is shown in Figure 10 and design plans are included herein.

As per our phone conversation regarding the project, WLS has prepared the following checklist to summarize the overall restoration approach. The topography of the site supports a design without creating the potential for hydrologic trespass. The downstream portion of the site (lower Reach R3) is located in a FEMA mapped Special Flood Hazard Area (Zone 'AE') as shown on DFIRM Map number 3720179200J (Panel 1780), however, minimal work activities are proposed that will modify the existing floodplain elevation and/or channel profile, therefore no FEMA floodplain impacts are anticipated as a result of the project.


The proposed work activities will be conducted mostly outside and upstream of the FEMA mapped floodplain and will involve a new channel relocation and floodplain bench grading to establish a natural stream morphology, floodplain reconnection, and planting a native buffer vegetation. No structures are located within the proposed work areas (see attached figures) and no architectural



structures, archeological artifacts, or threatened and endangered species have been documented in the project area.

We ask that you review this the attached information to determine if the project requires additional information or a “No-Rise/No-Impact” certification. Thank you in advance for your response and cooperation. Please feel free to contact us with any questions that you may have concerning the work activities associated with this project.

Sincerely,

A handwritten signature in black ink that reads "Kayne Van Stell". The signature is written in a cursive style with a large initial 'K' and 'V'.

Kayne Van Stell, Project Manager  
Water & Land Solutions, LLC  
11030 Raven Ridge Rd, Suite 119  
Raleigh, North Carolina 27614  
Office (919) 614-5111  
Mobile (919) 818-8481  
Email: [kayne@waterlandsolutions.com](mailto:kayne@waterlandsolutions.com)

Enclosures

Cc: Lindsay Crocker, NCDEQ Division of Mitigation Services



**Appendix 13 – NCIRT Mitigation Plan Review Comment Letters, NCIRT Mitigation Plan Approval Letter, and WLS Mitigation Plan Review Comment Response Letters**

---

## Scott Hunt

---

**From:** Browning, Kimberly D CIV USARMY CESAW (US) <Kimberly.D.Browning@usace.army.mil>  
**Sent:** Friday, November 03, 2017 10:16 AM  
**To:** Hughes, Andrea W CIV USARMY CESAW (US); amy.chapman@ncdenr.gov; bowers.todd@epa.gov; dolores.hall@ncdcr.gov; emily\_wells@fws.gov; kathryn\_matthews@fws.gov; ken.riley@noaa.gov; Travis Wilson (travis.wilson@ncwildlife.org); Haupt, Mac; jeff.poupart@ncdenr.gov; karen.higgins@ncdenr.gov; McLendon, C S CIV USARMY CESAW (US); Wicker, Henry M Jr CIV USARMY CESAW (US); renee.gledhill-earley@ncdcr.gov; Matthews, Monte K CIV USARMY CESAW (US); Steffens, Thomas A CIV USARMY CESAW (US); Sullivan, Roscoe L III CIV (US)  
**Cc:** Baumgartner, Tim; 'Schaffer, Jeff'; Tugwell, Todd J CIV USARMY CESAW (US); Scott Hunt; Crocker, Lindsay  
**Subject:** Notice of Intent to Approve/Edwards-Johnson Mitigation Site/Johnston County/SAW-2016-00883  
**Attachments:** Draft Mit Plan Comment Memo Edwards Johnson Mitigation Site\_SAW-2016-00883.pdf

All,

The 30-day comment review period for Edwards-Johnson Mitigation Site (USACE AID SAW-2016-00883, DMS Project # 97080) closed on November 2, 2017. All comments that were posted on the Mitigation Plan Review Portal during the review process are attached for your records. Additionally, comments can be reviewed on the Mitigation Plan Review Portal (utilizing the excel option).

We have evaluated the comments generated during the review period, and determined that the concerns raised are generally minor and can be addressed in the final mitigation plan. Accordingly, it is our intent to approve this Draft Mitigation Plan unless a member of the NCIRT initiates the Dispute Resolution Process, as described in the Final Mitigation Rule (33 CFR Section 332.8(e)). Please note that initiation of this process requires that a senior official of the agency objecting to the approval of the mitigation plan (instrument amendment) notify the District Engineer by letter within 15 days of this email (by COB on November 18, 2017). Please notify me if you intend to initiate the Dispute Resolution Process.

Provided that we do not receive any objections, we will provide an approval letter to NCDMS at the conclusion of the 15-day Dispute Resolution window. This approval will also transmit all comments generated during the review process to NCDMS, and indicate comments that must be addressed in the Final Mitigation Plan. All NCIRT members will receive a copy of this letter and all comments for your records.

Thank you for your participation,

Kim Browning  
Mitigation Specialist  
U.S. Army Corps of Engineers  
3331 Heritage Trade Drive, Suite 105  
Wake Forest, NC 27587  
(919) 554-4884 ext. 60



REPLY TO  
ATTENTION OF:

**DEPARTMENT OF THE ARMY**  
WILMINGTON DISTRICT, CORPS OF ENGINEERS  
69 DARLINGTON AVENUE  
WILMINGTON, NORTH CAROLINA 28403-1343

CESAW-RG/Browning

November 3, 2017

MEMORANDUM FOR RECORD

SUBJECT: Edwards-Johnson Mitigation Site - NCIRT Comments during 30-day Mitigation Plan Review

PURPOSE: The comments listed below were posted to the NCDMS Mitigation Plan Review Portal during the 30-day comment period in accordance with Section 332.8(g) of the 2008 Mitigation Rule.

NCDMS Project Name: Edwards-Johnson Mitigation Site, Johnston County, NC

USACE AID#: SAW-2016-00883

NCDMS #: 97080

30-Day Comment Deadline: November 2, 2017

Mac Haupt, NCDWR, October 30, 2017:

1. DWR likes the fact that WLS did some pre-construction macrobenthic monitoring. DWR did not see mention of post construction macrobenthic monitoring. Does WLS intend to monitor for macrobenthos post construction through monitoring year 7?
2. DWR notes that you ran a SVAP, and found in the Appendices that you also ran NCSAM but did not really discuss or compare the results.
3. DWR appreciates the fact that WLS ran the quantification tool to consider functional uplift for the project.
4. DWR recommends that where possible WLS incorporate the most recent monitoring guidelines (NCIRT Mitigation Update-October 2016). There are several references (Section 7 and 8) to the DMS Monitoring Guidance of 2014 and there are several aspects that monitoring guidance that are not acceptable to the IRT. In addition, in the first paragraph of Section 8.4 states, "...to determine if these criteria are successfully achieved..." and references both the CVS guidance and the DMS 2014 guidelines, which are somewhat mutually exclusive on this issue. DWR wants to see the most recent monitoring guidance utilized as the standard for determining vegetative success.

However, it is noted that WLS intends (Section 8.4) to conduct five years of monitoring, for years 1, 2, 3, 5 and 7, and conduct visual monitoring in years 4 and 6.

5. Similar to the Pen Dell Mitigation Plan, Section 8.3 states that there are not wetland mitigation credits contracted or proposed for the project. DWR would like to see gauges installed along the restoration reaches to document that the channel construction does not negatively affect wetland hydrology.  
DWR recommends the following station areas to locate a gauge: 33+25 (stream-floodplain left), 35+50 (stream-floodplain left) and 37+00 (stream-floodplain right).  
DWR recommends that you install 3 gauges. In addition, Section 6.4 has some discussion of a wetland design approach, and how the project will likely enhance floodplain riparian wetlands. This would be a good way (installation of gauges) to document the functional uplift for the wetland/floodplain.
6. DWR recommends placing the in-stream gauge on R4 midway down the reach and not toward the bottom of the reach.
7. DWR likes the water quality treatment features.
8. For maintenance of instream transducers DWR recommends at least quarterly intervals for inspection.

Kim Browning, USACE, November 1, 2017:

1. Section 4 Functional Uplift Potential, pages 21-23: The functional pyramid is cited to show existing conditions for each category, and was used to describe the functional uplift potential of the project, which is appreciated. It is interesting to compare the results of the QT Tool assessment and the NCSAM results for each project reach, and it would be beneficial to have a summary of the findings of all the assessment methods used, through monitoring year 7.
2. Removal of existing Farm Pond, page 44: The removal of an existing dam is discussed as “The dam material will be eventually removed prior to the completion of all stream restoration activities...” It is recommended that all core material from the dam be removed to allow the stream to access the floodplain. Also, please specify where the sand/muck layer will be relocated, after removing it from the pond bottom.
3. Table 20, page 39: Red Maple (*Acer rubrum*) is listed in the proposed planted species. This is only proposed to make up 5% of the species. However, since the existing canopy vegetation lists Red maple as already being established on the site, USACE does not recommend the inclusion of *Acer rubrum* in the planting plan. It is noted that the Vegetation Performance Standard on page 46 states “For all the monitoring years (years 1-7), the number of Red maple (*Acer rubrum*) stems cannot exceed 20% of the total stems in any of the vegetation monitoring plots.”
4. It is recommended that existing wetlands be monitored to ensure the hydrology is not negatively affected by stream restoration activities.



Todd Bowers, USEPA, October 27, 2017:

1. Section 3.4.5/Page 20: Due to the significant amount of hydrologic manipulation across the site (Priority I/II restoration) it may be pertinent to monitor the water table in the vicinity of on-site wetlands. Although wetland hydrology is likely to be improved, this claim cannot be verified without some baseline and monitoring data to confirm. The IRT will certainly be concerned with this as the site enters the closeout release period at the end of monitoring. Annual monitoring reports should probably have some report on the status of on-site wetlands as well.
2. Section 4.1.1/Page 21: The reference for Harmon and Jones, 2016 is not in the references section. See Section 4.1.2 also for same comment.
3. Table 9/Page 22: The ECS and PCS values for R1 are identical and does not reflect a functional lift of 0.02 or 4% from baseline. Please correct.
4. Section 5/Page 24: Recommend including programmatic goals (providing credits to the NCDMS In-Lieu Fee program) as part of the goals and objectives of the project.
5. Section 6.5/Page 38 and Sheets 14-16: The revegetation plan illustrates three planting zones based on restoration, enhancement or preservation of the riparian buffer. It appears that much of the zones around R2, R3 and R4, with the exception of the dam and pond area, is classified as "Preservation (Buffer Group 3)". Due to the amount of channel relocation and riparian disturbance along these reaches, the amount of preservation of the 30-40-year-old forested stands is overestimated and will likely need to be replanted in many areas. Recommend the site sponsor provide the IRT with a more accurate assessment of the planting zones around the relocated and filled stream segments.
6. Section 6.5.1/Page 39: I appreciate and commend the sponsor's willingness and ability to propose a natural vegetated community that includes the appropriate strata and species mix for the riparian buffer zones to be planted.
7. Section 6.7/Page 42: The water quality treatment features that are outside the conservation easement are described as being fenced out. These features do not appear to be fenced out for cattle exclusion in the Plan and Profile Sheets (8-16).
8. Section 8.3/Page 50: See comment above about monitoring wetlands to prevent a potential or significant loss due to hydrologic manipulation across the site.

Kim Browning  
Mitigation Specialist  
Regulatory Division



**WATER & LAND  
SOLUTIONS**

11030 Raven Ridge Rd  
Suite 119  
Raleigh, NC 27614  
waterlandsolutions.com  
919-614-5111

**November 20, 2017**

**US Army Corps of Engineers  
Regulatory Division, Wilmington District  
Attn: Kim Browning  
3331 Heritage Trade Drive, Suite 105  
Wake Forest, NC 27587**

**RE: WLS Responses to NCIRT 30-day Review Comments Regarding Task 3 Submittal, Final Mitigation Plan Approval for Edwards-Johnson Mitigation Project, NCDEQ DMS Full-Delivery Project ID #97080, Contract #6825, Neuse River Basin, Cataloging Unit 03020201, Johnston County, NC**

Dear Ms. Browning:

Water & Land Solutions, LLC (WLS) is pleased to provide our written responses to the North Carolina Interagency Review Team (NCIRT) review comments dated November 3<sup>rd</sup>, 2017 regarding the Final Draft Mitigation Plan for the Edwards-Johnson Mitigation Project. We are providing our written responses to the NCIRT's review comments below, which includes editing and updating the Final Draft Mitigation Plan and associated deliverables accordingly. Each of the NCIRT review comments is copied below in **bold** text, followed by the appropriate response from WLS in regular text:

**Mac Haupt, NCDWR, October 30, 2017:**

**1. DWR likes the fact that WLS did some pre-construction macrobenthic monitoring. DWR did not see mention of post construction macrobenthic monitoring. Does WLS intend to monitor for macrobenthos post construction through monitoring year 7?** Response: Yes, WLS intends to monitor macroinvertebrate communities and aquatic health post-construction through MY7 as mentioned in Table 22 'Proposed Monitoring Plan Summary'. For consistency and comparison to pre-restoration conditions, the sample collection methods and protocols will follow those outlined in Section 3.1.4 of the mitigation plan. The proposed sample locations are shown on Figure 10 and will be taken at a restored reach and compared to downstream preservation reach(es). Also, the footnote under Table 22 states "*Level 4 and 5 project parameters and monitoring activities will not be tied to performance standards nor required to demonstrate success for credit release.*". To provide further emphasis, the following language is also included under Section 4.1.3-Restoration Potential of the mitigation plan, "Not all functional categories and parameters, such as water quality (Physicochemical - Level 4) and performance standards listed in the SQT will be compared or required to determine project success and stream mitigation credit and debit scenarios."

**2. DWR notes that you ran a SVAP, and found in the Appendices that you also ran NCSAM but did not really discuss or compare the results.** Response: WLS has revised the Mitigation Plan Section 3.4.2 to include a summary of the NC SAM results for comparison.

**3. DWR appreciates the fact that WLS ran the quantification tool to consider functional uplift for the project.** Response: WLS appreciates DWR's comment regarding our use of the stream quantification tool (SQT) to consider functional lift for the project. We believe that the SQT will help us determine the highest level of restoration potential and associated lift that can be achieved for the project, considering site constraints and existing conditions.

**4. DWR recommends that where possible WLS incorporate the most recent monitoring guidelines (NCIRT Mitigation Update-October 2016). There are several references (Section 7 and 8) to the DMS Monitoring Guidance of 2014 and there are several aspects that monitoring guidance that are not acceptable to the IRT. In addition, in the first paragraph of Section 8.4 states, "...to determine if these criteria are successfully achieved..." and references both the CVS guidance and the DMS 2014 guidelines, which are somewhat mutually exclusive on this issue. DWR wants to see the most recent monitoring guidance utilized as the standard for determining vegetative success. However, it is noted that WLS intends (Section 8.4) to conduct five years of monitoring, for years 1, 2, 3, 5 and 7, and conduct visual monitoring in years 4 and 6.** Response: The North Carolina Department of Environmental Quality (NCDEQ) Division of Mitigation Services (DMS) project contract award and RFP requirements predate the referenced October 2016 NCIRT Monitoring Guidance. Sections 7 and 8 of the mitigation plan describe the specific monitoring methods and practices, along with reference to the applicable guidelines and rules regarding project monitoring. WLS will adhere to what is specifically required under the project contract.

**5. Similar to the Pen Dell Mitigation Plan, Section 8.3 states that there are not wetland mitigation credits contracted or proposed for the project. DWR would like to see gauges installed along the restoration reaches to document that the channel construction does not negatively affect wetland hydrology. DWR recommends the following station areas to locate a gauge: 33+25 (streamfloodplain left), 35+50 (stream-floodplain left) and 37+00 (stream-floodplain right). DWR recommends that you install 3 gauges. In addition, Section 6.4 has some discussion of a wetland design approach, and how the project will likely enhance floodplain riparian wetlands. This would be a good way (installation of gauges) to document the functional uplift for the wetland/floodplain.** Response: WLS appreciates the comment and understands the rationale for installing multiple gauges for the purpose of monitoring groundwater hydrology. We expect the restoration activities and proposed approaches to improve overall wetland hydrology and function as compared to the current conditions. Since we are not modifying the existing stream elevation, nor raising the stream bed profile along preservation R1, we do not expect to negatively affect wetland hydrology in this area. As such, we propose installing a total of two (2) automated groundwater wells, one (1) within the wetland/floodplain area along upper R3 (restored reach) and one (1) within lower R3 (preservation reach). These gauges will be used to document and compare reference groundwater hydrology to the restored condition. As mentioned in the DWR comment, the North Carolina Department of Environmental Quality (NCDEQ) Division of Mitigation Services (DMS) project contract award and RFP requirements are for stream mitigation only. Sections 7 and 8 of the mitigation plan describe the specific monitoring methods and practices, along with reference to the applicable guidelines and rules regarding project monitoring. Installing three (3) additional gauges to monitor groundwater hydrology was not an anticipated project requirement and is cost prohibitive. Any expected permanent impacts to existing wetlands as shown on Figure 11 will be documented in the PCN permit application. WLS will adhere to what is specifically required under the project contract and respectfully requests the number of suggested wells be reduced from three (3) to two (2) total.

**6. DWR recommends placing the in-stream gauge on R4 midway down the reach and not toward the bottom of the reach.** Response: WLS will install the in-stream flow gauge midway down the reach and update Figure 10 accordingly.

**7. DWR likes the water quality treatment features.** Response: WLS appreciates DWR's comment regarding our proposed implementation of the water quality treatment features. We believe that these features will provide a project benefit as they will increase infiltration and groundwater recharge, diffuse flow energies, and allow nutrient uptake within the extended riparian buffer area.

**8. For maintenance of instream transducers DWR recommends at least quarterly intervals for inspection.** Response: WLS concurs and the Mitigation Plan states flow duration monitoring will occur on a quarterly basis in Section 8.2.3.

**Kim Browning, USACE, November 1, 2017:**

**1. Section 4 Functional Uplift Potential, pages 21-23: The functional pyramid is cited to show existing conditions for each category, and was used to describe the functional uplift potential of the project, which is appreciated. It is interesting to compare the results of the QT Tool assessment and the NCSAM results for each project reach, and it would be beneficial to have a summary of the findings of all the assessment methods used, through monitoring year 7.** Response: WLS appreciates the USACE comment and agrees comparing the individual assessment results for each reach would be beneficial during the monitoring period. WLS will coordinate w/ DMS and IRT to include an appropriate summary table into the annual monitoring reports.

**2. Removal of existing Farm Pond, page 44: The removal of an existing dam is discussed as “The dam material will be eventually removed prior to the completion of all stream restoration activities...” It is recommended that all core material from the dam be removed to allow the stream to access the floodplain. Also, please specify where the sand/muck layer will be relocated, after removing it from the pond bottom.** Response: The paragraph under Section 6.8.3 of the mitigation plan, which includes a description of draining and drying the pond bottom, removal of sand/muck layer and amending soil prior to new channel construction, and removal of the dam, has been edited as follows to provide the requested clarification: *“The existing pond bottom along R4 currently consists of mostly fine sand and muck. After the pond is drained down and sufficiently dried, the sand/muck layer will be removed (approximately 8” to 12” in depth) and organic material and topsoil from the adjacent field areas will be mixed across the restored floodplain (approximately 12” to 18” depth) to create a more suitable soil base to insure successful vegetation planting, growth, and establishment. The removed sand/muck layer soil material will be stockpiled and sufficiently dried for use in filling the lower depths of abandoned stream channel between the proposed stream plugs. Any unsuitable soil material will be excavated and spread across adjacent agricultural field areas outside of the conservation easement area. Soils across the remnant pond bottom and new floodplain, will be prepared by sufficiently disking and/or loosened prior to new channel excavation, in-stream structure installation and vegetation planting. Finally, the pond dam/embankment will be lowered and removed to the proposed design elevations and a new culverted stream crossing will be installed after the upstream restoration activities, including new channel and floodplain excavation, are completed and stabilized. The pond dam/embankment will be completely removed to restore the natural valley cross-section, such that the restored stream channel can access the floodplain. WLS will adhere to all applicable NCDEQ DEMLR erosion and sedimentation guidelines and exercise extreme caution to ensure that the pond does not drain too quickly to prevent excess erosion, sedimentation, turbidity, and sloughing due to saturated embankments.”.* The pond has not been drained as of early November 2017. WLS intends on draining the pond in late November/Early December and drying out the pond bottom/relic floodplain area prior to channel construction activities along that project reach (expected January 2018). As such, the opening paragraph of under Section 6.8.3 of the mitigation plan has been updated to read as follows: *“The existing farm pond along Reach R4 will be first drained in Winter 2017.”.*

**3. Table 20, page 39: Red Maple (*Acer rubrum*) is listed in the proposed planted species. This is only proposed to make up 5% of the species. However, since the existing canopy vegetation lists Red maple as already being established on the site, USACE does not recommend the inclusion of *Acer rubrum* in the planting plan. It is noted that the Vegetation Performance Standard on page 46 states “For all the monitoring years (years 1-7), the number of Red maple (*Acer rubrum*) stems cannot exceed 20% of the total stems in any of the vegetation monitoring plots.”** Response: WLS has developed a highly-successful riparian buffer planting strategy, as demonstrated on successful mitigation project implementation and regulatory closeout. This strategy was largely developed with significant input and data from industry experts and our personal experiences with riparian buffer revegetation monitoring results over the past 15 years. We understand Red maple distribution is abundant and that the species can propagate aggressively, however we believe it provides a functional benefit to a riparian buffer and important to include it with our planting strategy. Please note that it is proposed at a lower planting rate (reduced to 5% in response to previous comments on the mitigation plan for the Lake Wendell Mitigation Project from NCDEQ DWR and the NCIRT) as compared to other proposed species.

**4. It is recommended that existing wetlands be monitored to ensure the hydrology is not negatively affected by stream restoration activities.** Response: Please see WLS response to DWR Comment #5 above regarding proposed groundwater monitoring gauges in existing wetland areas.

**Todd Bowers, USEPA, October 27, 2017:**

**1. Section 3.4.5/Page 20: Due to the significant amount of hydrologic manipulation across the site (Priority I/II restoration) it may be pertinent to monitor the water table in the vicinity of on-site wetlands. Although wetland hydrology is likely to be improved, this claim cannot be verified without some baseline and monitoring data to confirm. The IRT will certainly be concerned with this as the site enters the closeout release period at the end of monitoring. Annual monitoring reports should probably have some report on the status of on-site wetlands as well.** Response: Please see WLS response to DWR Comment # above regarding proposed groundwater monitoring gauges in existing wetland areas.

**2. Section 4.1.1/Page 21: The reference for Harman and Jones, 2016 is not in the references section. See Section 4.1.2 also for same comment.** Response: The appropriate citation has been added to the References Section 11 in the Mitigation Plan.

**3. Table 9/Page 22: The ECS and PCS values for R1 are identical and does not reflect a functional lift of 0.02 or 4% from baseline. Please correct.** Response: WLS reviewed the SQT form for Reach R1 and the ECS value should be 0.55 and not 0.57. We have corrected Table 9 in the Mitigation Plan.

**4. Section 5/Page 24: Recommend including programmatic goals (providing credits to the NCDMS In-Lieu Fee program) as part of the goals and objectives of the project.** Response: Revised the first sentence in Section 5 that states: *"WLS set mitigation project goals and objectives to provide compensatory mitigation credits to DMS based on the resource condition, functional capacity and restoration potential of the watershed to improve and protect diverse aquatic resources comparable to stable headwater stream systems within the Piedmont Physiographic Province."*

**5. Section 6.5/Page 38 and Sheets 14-16: The revegetation plan illustrates three planting zones based on restoration, enhancement or preservation of the riparian buffer. It appears that much of the zones around R2, R3 and R4, with the exception of the dam and pond area, is classified as "Preservation (Buffer Group 3)". Due to the amount of channel relocation and riparian disturbance along these reaches, the amount of preservation of the 30-40-year-old forested stands is overestimated and will likely need to be replanted in many areas. Recommend the site sponsor provide the IRT with a more accurate assessment of the planting zones around the relocated and filled stream segments.** Response: WLS agrees with this comment and appreciates the concern regarding the riparian disturbance in these areas. Per the recommendation of the April 28, 2016 DWR viability letter concerning riparian buffer mitigation, these riparian areas or zones containing native hardwoods were classified as 'preservation' and the planting zones/buffer groups were surveyed and illustrated on the revegetation plans for consistency for all three adjacent DMS projects (Lake Wendell Mitigation Project, Pen Dell Mitigation and Edwards-Johnson Mitigation Project). Any potential impacts to existing riparian vegetation will be minimized and avoided whenever possible during construction. Any mature trees or significant native vegetation that cannot be protected will be incorporated back into the system as in-stream structures or habitat features.

**6. Section 6.5.1/Page 39: I appreciate and commend the sponsor's willingness and ability to propose a natural vegetated community that includes the appropriate strata and species mix for the riparian buffer zones to be planted.** Response: WLS appreciates USEPA's comment regarding our proposed revegetation plan for the project. We believe that this approach will aid in the establishment of native riparian vegetation species within the riparian buffer areas.

**7. Section 6.7/Page 42: The water quality treatment features that are outside the conservation easement are described as being fenced out. These features do not appear to be fenced out for cattle exclusion in the Plan and Profile Sheets (8-16).** Response: The referenced paragraph under Section 6.7 of



the mitigation plan was erroneous, as the project property is use only for row crop agriculture, and not livestock production. The reference paragraph has been edited as follows: *“Water quality treatment features in the form of small basins or impoundments designed to capture and treat runoff from the surrounding active agricultural fields are proposed in multiple locations adjacent to the restored riparian buffer corridor. These basins will increase infiltration and groundwater recharge, diffuse flow energies, and allow nutrient uptake within the extended riparian buffer area. The water quality treatment features are sized to treat storage volumes, which have been calculated by comparing the SCS Curve Number Method and Simple Method. The features are intended to function most similar to a stormwater wetland to temporarily store surface runoff in shallow pools that support emergent and native riparian vegetation. They will be designed and constructed such that they do not require any long-term maintenance and will be sited immediately outside of the conservation easement boundary to allow for modifications should that be desired.”.*

**8. Section 8.3/Page 50: See comment above about monitoring wetlands to prevent a potential or significant loss due to hydrologic manipulation across the site.** Response: See WLS response to DWR Comment #5 above regarding proposed groundwater monitoring gauges in existing wetland areas.

This letter serves as the formal response to NCIRT comments and shall be submitted in conjunction with the Preconstruction Notification (PCN) for Nationwide permit (NWP) approval. We look forward to the Final Mitigation Plan approval and anticipate NWP authorization by the middle of December 2017.

Sincerely,

**Water & Land Solutions, LLC**



William “Scott” Hunt, III, PE  
Vice President of Operations  
11030 Raven Ridge Road, Suite 119  
Raleigh, NC 27614  
Office Phone: (919) 614-5111  
Mobile Phone: (919) 270-4646  
Email: [scott@waterlandsolutions.com](mailto:scott@waterlandsolutions.com)

## Scott Hunt

---

**From:** Hughes, Andrea W CIV USARMY CESAW (US) <Andrea.W.Hughes@usace.army.mil>  
**Sent:** Tuesday, November 21, 2017 8:21 AM  
**To:** Baumgartner, Tim  
**Cc:** amy.chapman@ncdenr.gov; Bowers, Todd; dolores.hall@ncdcr.gov; Emily\_Wells@fws.gov; Matthews, Kathryn; ken.riley@noaa.gov; Wilson, Travis W.; Haupt, Mac; jeff.poupart@ncdenr.gov; karen.higgins@ncdenr.gov; Dailey, Samantha J CIV USARMY CESAW (US); McLendon, C S CIV USARMY CESAW (US); Wicker, Henry M Jr CIV USARMY CESAW (US); renee.gledhill-earley@ncdcr.gov; Steffens, Thomas A CIV USARMY CESAW (US); Matthews, Monte K CIV USARMY CESAW (US); Merritt, Katie; Crocker, Lindsay; Schaffer, Jeff; Tugwell, Todd J CIV USARMY CESAW (US); Browning, Kimberly D CIV USARMY CESAW (US); Scott Hunt  
**Subject:** NCDMS Draft Mitigation Plan Approval with comments/Edwards Johnson Mitigation Site/Johnston County/SAW2016-00883  
**Attachments:** Approval Letter\_Edwards Johnson Mitigation Site Draft Mitigation Plan\_SAW-2016-00883\_Johnston County.pdf

Mr. Baumgartner,

Attached is the Edwards Johnson Draft Mitigation Plan approval letter and copies of all comments generated during the project review. Please note that this letter approves the Draft Mitigation Plan provided that the Final Mitigation Plan adequately addresses all comments on the attached memos. Please provide a copy of the Final Mitigation Plan when you submit the Preconstruction Notice for the NWP 27. If no permit is required to construct the project, please submit a copy of the Final Mitigation Plan to our office at least 30 days prior to beginning construction. Also, please ensure that a copy of the Final Mitigation Plan is posted to the NCDMS project documents so that all members of the IRT have access to the Final plan.

Please let me know if you have any questions about the process or the attached letter.

Andrea W. Hughes  
Mitigation Project Manager  
Regulatory Division, Wilmington District  
3331 Heritage Trade Drive, Suite 107  
Wake Forest, North Carolina 27587  
Phone: (919) 554-4884 x 59



**DEPARTMENT OF THE ARMY**  
WILMINGTON DISTRICT, CORPS OF ENGINEERS  
69 DARLINGTON AVENUE  
WILMINGTON, NORTH CAROLINA 28403-1343

November 21, 2017

Regulatory Division

Re: NCIRT Review and USACE Approval of the Edwards Johnson Mitigation Site Draft Mitigation Plan; SAW-2016-00883; DMS Project #97080

Mr. Tim Baumgartner  
North Carolina Division of Mitigation Services  
1652 Mail Service Center  
Raleigh, NC 27699-1652

Dear Mr. Baumgartner:

The purpose of this letter is to provide the North Carolina Division of Mitigation Services (NCDMS) with all comments generated by the North Carolina Interagency Review Team (NCIRT) during the 30-day review for the Edwards Johnson Mitigation Site Draft Mitigation Plan, which closed on November 2, 2017. These comments are attached for your review.

Based on our review of these comments and the provider's response, we have determined that no significant concerns have been identified with the Draft Mitigation Plan, which is considered approved with this correspondence. However, several issues were identified, as described in the attached revised comment memo, which must be appropriately addressed in the Final Mitigation Plan.

The Final Mitigation Plan is to be submitted with the Preconstruction Notification (PCN) application for Nationwide permit (NWP) approval of the project along with a copy of this letter. Issues identified in the attached memos must be appropriately addressed in the Final Mitigation Plan. All changes made to the Final Mitigation Plan should be summarized in an errata sheet included at the beginning of the document. If it is determined that the project does not require a Department of the Army permit, you must still provide a copy of the Final Mitigation Plan, along with a copy of this letter, to the appropriate USACE field office at least 30 days in advance of beginning construction of the project. **Please note that this approval does not preclude the inclusion of permit conditions in the permit authorization for the project, particularly if issues mentioned above are not satisfactorily addressed.** Additionally, this letter provides initial approval for the Mitigation Plan, but this does not guarantee that the project will generate the requested amount of mitigation credit. As you are aware, unforeseen issues may arise during construction or monitoring of the project that may require maintenance or reconstruction that may lead to reduced credit.

Thank you for your prompt attention to this matter, and if you have questions regarding this letter, the mitigation plan review process, or the requirements of the Mitigation Rule, please contact Andrea Hughes at (919) 554-4884 extension 59.

Sincerely,

HUGHES.ANDREA.WADE.1258339165

Digitally signed by HUGHES.ANDREA.WADE.1258339165  
DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USA,  
cn=HUGHES.ANDREA.WADE.1258339165  
Date: 2017.11.21 08:08:15 -05'00'

*for*

Henry M. Wicker, Jr.  
Deputy Chief, Regulatory

Enclosures

Electronic Copies Furnished:

NCIRT Distribution List

Lindsay Crocker, NCDMS



REPLY TO  
ATTENTION OF:

**DEPARTMENT OF THE ARMY**  
WILMINGTON DISTRICT, CORPS OF ENGINEERS  
69 DARLINGTON AVENUE  
WILMINGTON, NORTH CAROLINA 28403-1343

CESAW-RG/Browning

November 3, 2017

MEMORANDUM FOR RECORD

SUBJECT: Edwards-Johnson Mitigation Site - NCIRT Comments during 30-day Mitigation Plan Review

PURPOSE: The comments listed below were posted to the NCDMS Mitigation Plan Review Portal during the 30-day comment period in accordance with Section 332.8(g) of the 2008 Mitigation Rule.

NCDMS Project Name: Edwards-Johnson Mitigation Site, Johnston County, NC

USACE AID#: SAW-2016-00883

NCDMS #: 97080

30-Day Comment Deadline: November 2, 2017

Mac Haupt, NCDWR, October 30, 2017:

1. DWR likes the fact that WLS did some pre-construction macrobenthic monitoring. DWR did not see mention of post construction macrobenthic monitoring. Does WLS intend to monitor for macrobenthos post construction through monitoring year 7?
2. DWR notes that you ran a SVAP, and found in the Appendices that you also ran NCSAM but did not really discuss or compare the results.
3. DWR appreciates the fact that WLS ran the quantification tool to consider functional uplift for the project.
4. DWR recommends that where possible WLS incorporate the most recent monitoring guidelines (NCIRT Mitigation Update-October 2016). There are several references (Section 7 and 8) to the DMS Monitoring Guidance of 2014 and there are several aspects that monitoring guidance that are not acceptable to the IRT. In addition, in the first paragraph of Section 8.4 states, "...to determine if these criteria are successfully achieved..." and references both the CVS guidance and the DMS 2014 guidelines, which are somewhat mutually exclusive on this issue. DWR wants to see the most recent monitoring guidance utilized as the standard for determining vegetative success.



However, it is noted that WLS intends (Section 8.4) to conduct five years of monitoring, for years 1, 2, 3, 5 and 7, and conduct visual monitoring in years 4 and 6.

5. Similar to the Pen Dell Mitigation Plan, Section 8.3 states that there are not wetland mitigation credits contracted or proposed for the project. DWR would like to see gauges installed along the restoration reaches to document that the channel construction does not negatively affect wetland hydrology.  
DWR recommends the following station areas to locate a gauge: 33+25 (stream-floodplain left), 35+50 (stream-floodplain left) and 37+00 (stream-floodplain right). DWR recommends that you install 3 gauges. In addition, Section 6.4 has some discussion of a wetland design approach, and how the project will likely enhance floodplain riparian wetlands. This would be a good way (installation of gauges) to document the functional uplift for the wetland/floodplain.
6. DWR recommends placing the in-stream gauge on R4 midway down the reach and not toward the bottom of the reach.
7. DWR likes the water quality treatment features.
8. For maintenance of instream transducers DWR recommends at least quarterly intervals for inspection.

Kim Browning, USACE, November 1, 2017:

1. Section 4 Functional Uplift Potential, pages 21-23: The functional pyramid is cited to show existing conditions for each category, and was used to describe the functional uplift potential of the project, which is appreciated. It is interesting to compare the results of the QT Tool assessment and the NCSAM results for each project reach, and it would be beneficial to have a summary of the findings of all the assessment methods used, through monitoring year 7.
2. Removal of existing Farm Pond, page 44: The removal of an existing dam is discussed as “The dam material will be eventually removed prior to the completion of all stream restoration activities...” It is recommended that all core material from the dam be removed to allow the stream to access the floodplain. Also, please specify where the sand/muck layer will be relocated, after removing it from the pond bottom.
3. Table 20, page 39: Red Maple (*Acer rubrum*) is listed in the proposed planted species. This is only proposed to make up 5% of the species. However, since the existing canopy vegetation lists Red maple as already being established on the site, USACE does not recommend the inclusion of *Acer rubrum* in the planting plan. It is noted that the Vegetation Performance Standard on page 46 states “For all the monitoring years (years 1-7), the number of Red maple (*Acer rubrum*) stems cannot exceed 20% of the total stems in any of the vegetation monitoring plots.”
4. It is recommended that existing wetlands be monitored to ensure the hydrology is not negatively affected by stream restoration activities.

Todd Bowers, USEPA, October 27, 2017:

1. Section 3.4.5/Page 20: Due to the significant amount of hydrologic manipulation across the site (Priority I/II restoration) it may be pertinent to monitor the water table in the vicinity of on-site wetlands. Although wetland hydrology is likely to be improved, this claim cannot be verified without some baseline and monitoring data to confirm. The IRT will certainly be concerned with this as the site enters the closeout release period at the end of monitoring. Annual monitoring reports should probably have some report on the status of on-site wetlands as well.
2. Section 4.1.1/Page 21: The reference for Harmon and Jones, 2016 is not in the references section. See Section 4.1.2 also for same comment.
3. Table 9/Page 22: The ECS and PCS values for R1 are identical and does not reflect a functional lift of 0.02 or 4% from baseline. Please correct.
4. Section 5/Page 24: Recommend including programmatic goals (providing credits to the NCDMS In-Lieu Fee program) as part of the goals and objectives of the project.
5. Section 6.5/Page 38 and Sheets 14-16: The revegetation plan illustrates three planting zones based on restoration, enhancement or preservation of the riparian buffer. It appears that much of the zones around R2, R3 and R4, with the exception of the dam and pond area, is classified as "Preservation (Buffer Group 3)". Due to the amount of channel relocation and riparian disturbance along these reaches, the amount of preservation of the 30-40-year-old forested stands is overestimated and will likely need to be replanted in many areas. Recommend the site sponsor provide the IRT with a more accurate assessment of the planting zones around the relocated and filled stream segments.
6. Section 6.5.1/Page 39: I appreciate and commend the sponsor's willingness and ability to propose a natural vegetated community that includes the appropriate strata and species mix for the riparian buffer zones to be planted.
7. Section 6.7/Page 42: The water quality treatment features that are outside the conservation easement are described as being fenced out. These features do not appear to be fenced out for cattle exclusion in the Plan and Profile Sheets (8-16).
8. Section 8.3/Page 50: See comment above about monitoring wetlands to prevent a potential or significant loss due to hydrologic manipulation across the site.

**BROWNING.KIMBERLY.  
DANIELLE.1527683510**

Digitally signed by  
BROWNING.KIMBERLY.DANIELLE.1527683510  
DN: c=US, o=U.S. Government, ou=DoD, ou=PKI,  
ou=USA,  
cn=BROWNING.KIMBERLY.DANIELLE.1527683510  
Date: 2017.11.03 09:50:17 -04'00'

Kim Browning  
Mitigation Specialist  
Regulatory Division