

**Glen Raven Stream Restoration  
Monitoring Report – MY04  
Alamance County, NC  
Basin 03030002 - Contract # D05011-1**



Submitted to:



NCEEP, 1652 Mail Service Center, Raleigh, NC 27699-1652

**2010**





**Landmark Center II, Suite 220  
4601 Six Forks Road  
Raleigh, NC 27609  
Phone: (919) 278-2500  
Fax: (919) 783-9266**

**Project Manager: Joseph J. Pfeiffer, P.W.S.  
Email: [joe.pfeiffer@kci.com](mailto:joe.pfeiffer@kci.com)**

**Design Engineer: Gary M. Mryncza, P.H., P.E.  
Email: [gary.mryncza@kci.com](mailto:gary.mryncza@kci.com)  
KCI Project No: 12054253**



## TABLE OF CONTENTS

<b>1.0</b>	<b>PROJECT BACKGROUND .....</b>	<b>1</b>
1.1	Project Goals and Objectives .....	1
1.2	Project Structure, Restoration Type, and Approach .....	1
1.3	Location and Setting .....	1
1.4	Project History and Background .....	3
<b>2.0</b>	<b>PROJECT CONDITIONS AND MONITORING RESULTS .....</b>	<b>11</b>
2.1	Vegetation Assessment .....	11
2.2	Stream Assessment .....	11
2.2.1	Bankfull Events.....	12
2.2.2	Quantitative Measures Summary Tables .....	13

## LIST OF TABLES

Table I.	Project Restoration Components.....	3
Table II.	Project Activity and Reporting History .....	3
Table III.	Project Contact Table.....	4
Table IV.	Project Background Table.....	5
Table V.	Verification of Bankfull Events .....	12
Table VI.	Baseline Morphology and Hydraulic Summary .....	13
Table VII.	Morphology and Hydraulic Monitoring Summary .....	16

## LIST OF FIGURES

Figure 1.	Vicinity Map .....	2
Figure 2.	Current Condition Plan View.....	6

## APPENDIX A – VEGETATION DATA

A1.	Vegetation Data Tables and Monitoring Data Sheets.....	21
-----	--	----

**APPENDIX B – GEOMORPHOLOGIC DATA**

B1. Stream Photo Station Photos.....41  
B2. Cross-Section Plots.....45  
B3. Longitudinal Plots.....53  
B4. Pebble Count Plots.....58  
B5. Stream Hydrograph.....66

## EXECUTIVE SUMMARY

The Glen Raven Stream Restoration Site is a full-delivery project that was developed for the North Carolina Ecosystem Enhancement Program (EEP). Construction was completed in March 2007 on an unnamed tributary to the Haw River (UTHR) and two of its tributaries (UT1 and UT2). The 697-acre project watershed is located within the USGS 14-digit HUC 03030002030010 and the NCDWQ Sub-basin 03-06-02 in the Cape Fear River Basin. The project restored approximately 3,317 linear feet of channel using a combination of Priority 2 and 3 approaches, and enhanced 450 linear feet using a Priority 2 approach, generating 3,405 stream mitigation units. The design addressed vertical instability problems and a lack of bed variability by stabilizing stream banks, installing in-stream structures, adjusting stream planform, and clearing and replanting the riparian areas with native vegetation. This report describes the results from the findings of the fourth year of monitoring that took place in 2010.

The riparian buffer was planted with fifteen different species of bare root trees and shrubs and four different species of live stakes. Eight vegetation monitoring plots were established during the as-built survey. Riparian vegetation must meet a minimum survival success rate of 320 stems/acre after five years. The fourth year of monitoring counted an average of 525 stems per acre. Some invasive species were noted in the restored stream buffer and will continue to be monitored to determine if corrective action is necessary. The fourth year of monitoring found the vegetation component of the project on track to meeting the vegetative success criteria.

The stream assessment completed during fourth-year monitoring found the stream to be stable and functioning properly. Channel dimensions have not changed significantly from third-year monitoring conditions. Small portions of localized floodplain erosion noted during previous monitoring have begun to stabilize with vegetation and are not actively eroding. The beaver dams reported during the second year of monitoring have been removed. These areas have been documented in the Current Conditions Plan View. The on-site stream gauges have recorded nineteen bankfull events since the beginning of 2008.

## **1.0 PROJECT BACKGROUND**

### **1.1 Project Goals and Objectives**

- Restore a stable channel morphology that is capable of moving the flows and sediment provided by its watershed.
- Improve water quality and reduce land and riparian vegetation loss resulting from lateral erosion and bed degradation through the establishment of bank and riparian vegetation.
- Enhance aquatic and terrestrial habitat through the improvements to the stream water quality and the riparian corridor.
- Establish a stable C4 stream channel on the UTHR and a B4c stream channel on UT1 and UT2.
- Create a heterogeneous stream bed with distinct pool and riffle features.
- Plant a riparian buffer with site-appropriate native trees and shrubs.

### **1.2 Project Structure, Restoration Type, and Approach**


The project site became degraded as a result of agricultural activities (poor grazing management) and human disturbances (removal of riparian vegetation and development in the watershed). As a result, the ecological diversity and water quality of the site were adversely affected. The project restored 3,317 linear feet of channel using a combination of Priority 2 and 3 approaches, and enhanced 450 linear feet using a Priority 2 approach. UTHR was restored to a Rosgen stream type C4, and UT1 and UT2 were restored to stream type B4c. The riparian buffer was planted with native trees and shrubs.

### **1.3 Location and Setting**

The Glen Raven Stream Restoration Site is located 1.5 miles northwest of Burlington, North Carolina in Alamance County. The land use of the 697-acre project watershed is comprised of suburban residential development, forest, and agriculture. The watershed has a high potential for future development.







From Raleigh, proceed west on Interstate 40 (I-40). Continue on I-40 West/ I-85 South after they merge near Hillsborough. Take Exit 148 and turn right towards Burlington. Proceed to the split of NC-54/49 and NC-87/100. Turn right heading northwest on NC-87/100. Proceed to the split of NC-87 and NC-100 in Glen Raven. Turn right and travel north 0.15 mile on NC-87. Make a left onto Power Line Road and proceed 0.7 mile. The project site begins just downstream of the Power Line Road culvert (Figure 1).







Alamance County, North Carolina

**Figure 1. Vicinity Map**

-  Project Site Location
-  Roads
-  Major Rivers
-  Cities and Towns
-  County Boundaries
-  Alamance County



1:63,360  
1 inch equals 1 miles





## 1.4 Project History and Background

Table I. Project Restoration Components								
Project Name: Glen Raven								
Project Segment / Reach ID	Pre-Restoration Linear Footage	Type	Approach	As-Built Linear Footage	Eligible Footage	Mitigation Ratio	Mitigation Units	Stationing
Reach I	300	R	P2	275 lf	275 lf	1.0	275	10+00 - 12+75
Reach II	483	EI	P2	450 lf	446 lf	1.5	297	12+75 - 17+25
Reach III	1,028	R	P2	1,071 lf	1,014 lf	1.0	1,014	17+25 - 27+96
Reach IV	1,045	R	P2	1,059 lf	1,000 lf	1.0	1,000	27+97 - 38+56
UT 1	524	R	P3	542 lf	501 lf	1.0	501	40+00 - 45+42
UT 2	315	R	P3	370 lf	318 lf	1.0	318	50+00 - 53+70
Mitigation Unit Summations								
Stream (lf)	Riparian Wetland	Nonriparian				Total Wetland	Buffer (Ac)	
3,405	0	0				0	0	


R = Restoration  
 EI = Enhancement I  
 P2 = Priority 2  
 P3 = Priority 3

Table II. Project Activity and Reporting History		
Project Name: Glen Raven		
Activity or Report	Data Collection Complete	Completion or Delivery
Restoration Plan	Jan 06	Aug 06
Final Design - Construction Plans	N/A	Oct 06
Construction	N/A	Apr 07
Temporary seed mix applied to entire project area	N/A	Mar 07
Permanent seed mix applied to entire project area	N/A	Apr 07
Tree plantings completed	N/A	Apr 07
Mitigation Plan / As-Built (Year 0 Monitoring - Baseline)	May 07	May 07
Year 1 Monitoring	Oct 07	Nov 07
Year 2 Monitoring	Sep 08	Oct 08
Year 3 Monitoring	Nov 09	Dec 09
Year 4 Monitoring	Dec 10	Dec 10

<b>Table III. Project Contact Table</b>	
<b>Project Name: Glen Raven</b>	
<b>Design Firm</b>	KCI Associates of NC, P.A. Landmark Center II, Suite 220 4601 Six Forks Rd. Raleigh, NC 27609 Contact: Mr. Adam Spiller Phone: (919) 278-2514 Fax: (919) 783-9266
<b>Construction Contractor</b>	Environmental Technologies and Construction (ETC) Landmark Center II, Suite 220 4601 Six Forks Rd. Raleigh, NC 27609 Contact: Mr. Ryan McDavitt Phone: (919) 783-9214 Fax: (919) 783-9266
<b>Planting Contractor</b>	H & J Forest Services PO Box 458 Holly Ridge, NC 28445 Contact: Mr. Brian Jarvenin Phone: (910) 512-6754
<b>Seeding Contractor</b>	N/A
<b>Seed Mix Sources</b>	Evergreen Seed
<b>Nursery Stock Suppliers</b>	International Paper and Cure Nursery
<b>Monitoring Performers</b>	
<b>MY-0 - MY-5</b>	KCI Associates of NC, P.A. Landmark Center, II Suite 220 4601 Six Forks Rd. Raleigh, NC 27609 Contact: Mr. Adam Spiller Phone: (919) 278-2514 Fax: (919) 783-9266


<b>Table IV. Project Background Table</b>		
<b>Project Name: Glen Raven</b>		
Project County	Alamance County	
Physiographic Region	Piedmont	
Ecoregion	Southern Outer Piedmont	
Project River Basin	Cape Fear	
USGS HUC for Project and Reference	03030002030010 (Cape Fear) UTHR	
	03030002060110 (Cape Fear) Long Branch - Reference	
	03030002050100 (Cape Fear) UT to Wilkinson - Reference	
NCDWQ Sub-basin for Project and Reference	03-06-02 (Cape Fear) UTHR	
	03-06-05 (Cape Fear) Long Branch - Reference	
	03-06-04 (Cape Fear) UT to Wilkinson - Reference	
Drainage Area	697 Acres	
Stream Order	Second Order - UTHR; First Order - UTI & UT2	
Watershed Type (Rural, Urban, Developing, etc.)	Developing	
Watershed LULC Distribution	Urban	43%
	Agriculture-Row Crop	9%
	Agriculture-Livestock	7%
	Forest	37%
	Water/Wetlands	4%
Watershed impervious cover (%)	43%	
Rosgen Classification of As-built	C4 (UTHR); B4c (UT1, UT2)	
Reference Site ID	Long Branch Creek, UT to Wilkinson Creek	
NCDWQ Classification for Project	Class C, NSW	
Within EEP Watershed Plan?	Yes, Travis, Tickle, and Little Alamance WP	
Total project acreage of easement	9.6 Acres	
Total vegetated acreage within easement	0 Acres	
Total planted acreage	9.0 Acres	
Dominant Soil Types	Worsham Sandy Loam	
Project soil characteristics	Poorly drained soils	
% of Project Easement Fenced	0%	





### LEGEND

AS-BUILT STREAM THALWEG	—
MINOR CONTOUR LINE	- - - - -
MAJOR CONTOUR LINE	—— 620 ———
EASEMENT BOUNDARY	- - - - -
AS-BUILT STRUCTURE	⌒
ROCK STABILIZATION	⊞
OVERHEAD UTILITY LINE	— P —
FENCE	- X -
PHOTO REFERENCE POINT	○ PP 1
CROSS-SECTION	⦿
VEGETATION PLOT	▭
CONTROL POINT	△ KCI #3



S/N	DESCRIPTION	DATE	APPROVED





**KCI TECHNOLOGIES**  
 ENGINEERS\*PLANNERS\*ECOLOGISTS  
 SUITE 220 LANDMARK CENTER II  
 460 SIX FORKS RD., RALEIGH, NC

**GLEN RAVEN - UT TO HAW RIVER  
 STREAM RESTORATION PROJECT**  
 BURLINGTON, ALAMANCE COUNTY, NORTH CAROLINA  
 STATION 10+00 TO STATION 19+62

DATE: DECEMBER 2010  
 SCALE: 1"=60'  
**CURRENT  
 CONDITION  
 PLAN VIEW**  
 SHEET 1 OF 5








LEGEND	
AS-BUILT STREAM THALWEG	
MINOR CONTOUR LINE	
MAJOR CONTOUR LINE	
EASEMENT BOUNDARY	
AS-BUILT STRUCTURE	
ROCK STABILIZATION	
OVERHEAD UTILITY LINE	
FENCE	
PHOTO REFERENCE POINT	
CROSS-SECTION	
VEGETATION PLOT	
CONTROL POINT	

SYMBOL	DESCRIPTION	DATE	APPROVED





**KCI**  
 TECHNOLOGIES  
 ENGINEERS • PLANNERS • ECOLOGISTS  
 SUITE 220 LANDMARK CENTER II  
 460 SIX FORKS RD., RALEIGH, NC

**GLEN RAVEN - UT TO HAW RIVER  
 STREAM RESTORATION PROJECT**  
 BURLINGTON, ALAMANCE COUNTY, NORTH CAROLINA  
 STATION 19+62 TO STATION 28+75


DATE: DECEMBER 2010  
 SCALE: 1"=60'  
 CURRENT  
 CONDITION  
 PLAN VIEW  
 SHEET 2 OF 5





LEGEND	
AS-BUILT STREAM THALWEG	—
MINOR CONTOUR LINE	.....
MAJOR CONTOUR LINE	— 620 —
EASEMENT BOUNDARY	- - - - -
AS-BUILT STRUCTURE	⌋
ROCK STABILIZATION	⊞
OVERHEAD UTILITY LINE	- P -
FENCE	- X -
PHOTO REFERENCE POINT	PP 1
CROSS-SECTION	⊙
VEGETATION PLOT	□
CONTROL POINT	KCI #3


SYL	DESCRIPTION	DATE	APPROVED




**GLEN RAVEN - UT TO HAW RIVER  
STREAM RESTORATION PROJECT**  
BURLINGTON, ALAMANCE COUNTY, NORTH CAROLINA  
STATION 28+75 TO STATION 38+52

DATE: DECEMBER 2010  
SCALE: 1"=60'  
**CURRENT  
CONDITION  
PLAN VIEW**  
SHEET 3 OF 5





LEGEND	
AS-BUILT STREAM THALWEG	—
MINOR CONTOUR LINE	—
MAJOR CONTOUR LINE	— 620 —
EASEMENT BOUNDARY	- - - - -
AS-BUILT STRUCTURE	⌋
ROCK STABILIZATION	⊞
OVERHEAD UTILITY LINE	- P -
FENCE	- X -
PHOTO REFERENCE POINT	PP 1
CROSS-SECTION	⊙
VEGETATION PLOT	□
CONTROL POINT	KCI #3



SEE SHEET 3

SEE SHEET 2

SYMBOL	DESCRIPTION	DATE	APPROVED




**KCI**  
 TECHNOLOGIES  
 ENGINEERS • PLANNERS • ECOLOGISTS  
 SUITE 220 LANDMARK CENTER II  
 460 SIX FORKS RD., RALEIGH, NC


**GLEN RAVEN - UT TO HAW RIVER  
 STREAM RESTORATION PROJECT**  
 BURLINGTON, ALAMANCE COUNTY, NORTH CAROLINA  
 STATION 40+00 TO STATION 45+56

DATE: DECEMBER 2010  
 SCALE: 1"=60'  
**CURRENT  
 CONDITION  
 PLAN VIEW**  
 SHEET 4 OF 5






LEGEND	
AS-BUILT STREAM THALWEG	
MINOR CONTOUR LINE	
MAJOR CONTOUR LINE	
EASEMENT BOUNDARY	
AS-BUILT STRUCTURE	
ROCK STABILIZATION	
OVERHEAD UTILITY LINE	
FENCE	
PHOTO REFERENCE POINT	
CROSS-SECTION	
VEGETATION PLOT	
CONTROL POINT	



SYL	DESCRIPTION	DATE	APPROVED



**GLEN RAVEN - UT TO HAW RIVER  
STREAM RESTORATION PROJECT**  
BURLINGTON, ALAMANCE COUNTY, NORTH CAROLINA  
STATION 50+00 TO STATION 53+70

DATE: DECEMBER 2010  
SCALE: 1"=60'  
**CURRENT  
CONDITION  
PLAN VIEW**  
SHEET 5 OF 5





## **2.0 PROJECT CONDITIONS AND MONITORING RESULTS**

### **2.1 Vegetation Assessment**

The planted vegetation on the site is growing well with high rates of survival. Volunteers have also started to populate the site. Upstream of Gerringer Road, there are many sweetgum (*Liquidambar styraciflua*) volunteer seedlings and downstream of Gerringer Road river birch (*Betula nigra*) seedlings are prevalent. Appendix A contains tables that show the survivability of the planted trees and summarize the data from the permanent monitoring plots. Survival rates of planted stems have stabilized with only eight stems dying from the previous year. Most of the floodplain and stream banks have established vegetation. Invasive species identified on the site include Chinese lespedeza (*Lespedeza cuneata*), multiflora rose (*Rosa multiflora*), Chinese privet (*Ligustrum sinense*), and Japanese honeysuckle (*Lonicera japonica*). Due to the suburban setting of the project site, most of these exotic plants are likely introduced from properties adjacent to the project. The exotic vegetation is not widespread across the project, but these populations will be monitored to determine if control measures will be required in the future. In December 2010 KCI discovered that a portion of the easement had been encroached upon. From the utility easement at the upstream end of the site to UT1, portions of the buffer on the right side of UTHR and the left side of UT1 have been mowed. It is anticipated that the herbaceous growth will fully recover. This area will be planted with trees this winter. Three vegetation monitoring plots, plots 1, 3, and 7, were partially impacted by the encroachment. The vegetation monitoring data in this report does not reflect these impacts. Next year's monitoring will document which trees were damaged and if any new trees were planted in the plots. For vegetation monitoring data see, Appendix A and the CCPV.

### **2.2 Stream Assessment**

The fourth year of monitoring found the physical components of the stream to be stable. The morphological monitoring revealed that the cross-sections and the longitudinal profile have changed only minimally since the third-year monitoring. The changes that have occurred do not indicate a trend toward an unstable condition. A small portion of bank erosion has been labeled in the CCPV at the downstream limits of the project. This area will continue to be monitored. The beaver dams that were found during the previous year's monitoring have been removed, and as of December 2010 there were no beaver dams on the Glen Raven site. For more information on the monitored cross-sections and the longitudinal profile, see Appendix B.

## 2.2.1 Bankfull Events

<b>Table V. Verification of Bankfull Events</b>		
<b>Project Name: Glen Raven</b>		
<b>Date of Occurrence</b>	<b>Method</b>	<b>Photo Number</b>
3/4/2008	Automatic Recording Gauge	N/A
4/4/2008	Automatic Recording Gauge	N/A
6/22/2008	Automatic Recording Gauge	N/A
6/30/2008	Automatic Recording Gauge	N/A
7/6/2008	Automatic Recording Gauge	N/A
8/27/2008	Automatic Recording Gauge	N/A
9/6/2008	Automatic Recording Gauge	N/A
9/16/2008	Automatic Recording Gauge	N/A
9/26/2008	Automatic Recording Gauge	N/A
1/7/2009	Automatic Recording Gauge	N/A
6/5/2009	Automatic Recording Gauge	N/A
9/26/2009	Automatic Recording Gauge	N/A
11/13/2009	Evaluation of Rainfall Data	N/A
5/17/2010	Automatic Recording Gauge	N/A
6/1/2010	Automatic Recording Gauge	N/A
7/13/2010	Automatic Recording Gauge	N/A
7/17/2010	Automatic Recording Gauge	N/A
7/27/2010	Automatic Recording Gauge	N/A
8/18/2010	Automatic Recording Gauge	N/A

## 2.2.2 Quantitative Measures Summary Tables

<b>Table VIa. Baseline UTHR</b>											
<b>Project Name: Glen Raven</b>											
<b>Parameter</b>	<b>Pre-existing Conditions</b>			<b>Project Reference</b>			<b>Design</b>		<b>As-built</b>		
<b>Dimension</b>	Min	Mean	Max	Min	Mean	Max	Min	Max	Min	Mean	Max
Bankfull Width (ft)	9.5		15.4	14.8		18.8	15.9		15.0	15.8	16.6
Floodprone Width (ft)	>70		>90		>50		>40			>62	
Bankfull Cross-Sectional Area (ft <sup>2</sup> )	14.7		23.6		25.0		21.0		21.2	24.7	28.0
Bankfull Mean Depth (ft)	1.3		1.7	1.3		1.8	1.3		1.4	1.6	1.7
Bankfull Max Depth (ft)	1.9		3.0	1.9		2.4	2.4		2.5	2.6	2.7
Width/Depth Ratio	6.1		11.5	9.0		14.0	12.0		9.8	10.2	10.6
Entrenchment Ratio	>5.0		>7.5		>2.5		>2.5			>3.6	
Bank Height Ratio	1.0		1.1				1.0		1.0	1.0	1.0
<b>Pattern</b>											
Channel Beltwidth (ft)	32		58		60		64	80	40		59
Radius of Curvature (ft)	16		43	16		87	48	80	26		84
Meander Wavelength (ft)	86		205	66		191	80	239	93		199
Meander Width Ratio	3.3		6.1		4.1		5	15	6		13
<b>Profile</b>											
Riffle Length (ft)									3.0	20	51
Riffle Slope (ft/ft)	0.004		0.050	0.013		0.035	0.010	0.019	0.001	0.017	0.041
Pool Length (ft)	10		47	14		33	24	40	5	18	45
Pool Spacing (ft)	20		80	50		105	40	119	17	76	241
<b>Substrate</b>											
d50 (mm)										12.1	
d84 (mm)										38.5	
<b>Additional Reach Parameters</b>											
Channel Length (ft)	1,811			N/A			1,779		1,796		
Sinuosity	1.2			1.3			1.3		1.1		
Water Surface Slope (ft/ft)	0.0043			0.005			0.0038		0.0048		
Rosgen Classification	E4/C4			C4			C4		C4		

<b>Table VII. Baseline UTHR Downstream Summary (27+97 - 38+56)</b>											
<b>Project Name: Glen Raven</b>											
<b>Parameter</b>	<b>Pre-existing Conditions</b>			<b>Project Reference</b>			<b>Design</b>		<b>As-built</b>		
<b>Dimension</b>	Min	Mean	Max	Min	Mean	Max	Min	Max	Min	Mean	Max
Bankfull Width (ft)	14.6		18.3	14.8		18.8	17.3			20.9	
Floodprone Width (ft)	25		43		>50		>43			>71	
Bankfull Cross-Sectional Area (ft <sup>2</sup> )	20.8		27.2		25.0		25.0			28.0	
Bankfull Mean Depth (ft)	1.4		1.5	1.3		1.8	1.4			1.3	
Bankfull Max Depth (ft)	1.8		2.5	1.9		2.4	2.7			2.5	
Width/Depth Ratio	10.3		12.3	9.0		14.0	12.0			15.6	
Entrenchment Ratio	1.4		2.9		>2.5		>2.5			>2.5	
Bank Height Ratio	1.0		2.4				1.0			1.0	
<b>Pattern</b>											
Channel Beltwidth (ft)	34		53		60		69	87	31		64
Radius of Curvature (ft)	24		43	16		87	52	87	25		84
Meander Wavelength (ft)	75		112	66		191	87	260	73		136
Meander Width Ratio	2.3		3.6		4.1		4.0	5.0	3.5		6.5
<b>Profile</b>											
Riffle Length (ft)									7	21	44
Riffle Slope (ft/ft)	0.003		0.01	0.013		0.035	0.010	0.019	0.001	0.009	0.029
Pool Length (ft)	6		87	14		33	26	43	6	11	20
Pool Spacing (ft)	20		110	50		105	43	130	32	65	152
<b>Substrate</b>											
d50 (mm)										0.5	
d84 (mm)										28	
<b>Additional Reach Parameters</b>											
Channel length (ft)	1,045						1,073		1,059		
Sinuosity	1.25			1.3			1.3		1.1		
Water Surface Slope (ft/ft)	0.0043			0.005			0.0038		0.0032		
Rosgen Classification	E4/C4/F4			C4			C4		C4		

<b>Table VIc. Baseline UT1</b>											
<b>Project Name: Glen Raven</b>											
<b>Parameter</b>	<b>Pre-existing Conditions</b>			<b>Project Reference</b>			<b>Design</b>		<b>As-built</b>		
<b>Dimension</b>	<b>Min</b>	<b>Mean</b>	<b>Max</b>	<b>Min</b>	<b>Mean</b>	<b>Max</b>	<b>Min</b>	<b>Max</b>	<b>Min</b>	<b>Mean</b>	<b>Max</b>
Bankfull Width (ft)	2.1		5.5	7.7		10.8	8.4			10.0	
Floodprone Width (ft)	4.0		18.0	13.0		16.0	16.0			24.5	
Bankfull Cross-Sectional Area (ft <sup>2</sup> )	0.9		4.9	6.1		8.8	0.8			0.9	
Bankfull Mean Depth (ft)	0.2		0.9	0.7		0.9	1.7			1.6	
Bankfull Max Depth (ft)	0.4		1.8	1.1		1.4	7.0			8.7	
Width/Depth Ratio	4.9		26.7	8.5		11.4	10.0			11.5	
Entrenchment Ratio	1.9		3.5	1.6		2.1	1.9			2.5	
Bank Height Ratio										1.0	
<b>Pattern</b>											
Channel Beltwidth (ft)	8		25		22		17	24	14		22
Radius of Curvature (ft)	28		138	11		23	8	25	12		32
Meander Wavelength (ft)	50		107	49		59	38	65	49		95
Meander Width Ratio	1.5		11.9	2.0		2.9	4.5	7.7	4.9		9.5
<b>Substrate</b>											
d50 (mm)										14	
d84 (mm)										45	
<b>Additional Reach Parameters</b>											
Channel length (ft)		524						556		542	
Sinuosity		1.1			1.2			1.2		1.1	
Water Surface Slope (ft/ft)		0.005			0.012			0.009		0.018	
Rosgen Classification		C4/G4			B4c			B4c		B4c	

Table VIIa. Morphology and Hydraulic Monitoring Summary																		
Project Name: Glen Raven																		
Parameter	Cross-Section 1						Cross-Section 2						Cross-Section 3					
	Pool						Riffle						Pool					
Reach	UTHR (Upstream)						UTHR (Upstream)						UTHR (Upstream)					
Dimension	MY0	MY1	MY2	MY3	MY4	MY5	MY0	MY1	MY2	MY3	MY4	MY5	MY0	MY1	MY2	MY3	MY4	MY5
Bankfull Width (ft)	22.7	25.2	21.8	22.0	21.1		16.6	16.4	18.6	16.4	17.0		20.0	19.7	21.3	20.5	19.1	
Floodprone Width (ft)	-	-	-	-	-		>64	>64	>64	>64	>64		-	-	-	-	-	
Bankfull Cross-Sectional Area (ft <sup>2</sup> )	44.2	45.2	42.9	43.6	39.8		28.0	27.4	27.2	26.2	24.7		29.6	27.1	27.0	29.0	24.7	
Bankfull Mean Depth (ft)	1.9	1.8	2.0	2.0	1.9		1.7	1.7	1.5	1.6	1.5		1.5	1.4	1.3	1.4	1.3	
Bankfull Max Depth (ft)	3.7	3.6	3.7	3.7	3.4		2.7	2.7	2.7	2.7	2.5		2.9	2.4	2.4	3.0	3.1	
Width/Depth Ratio	-	-	-	-	-		9.8	9.8	12.7	10.3	11.6		-	-	-	-	-	
Entrenchment Ratio	-	-	-	-	-		>3.6	>3.6	>3.5	>3.5	>2.8		-	-	-	-	-	
Bank Height Ratio	-	-	-	-	-		1.0	1.0	1.0	1.0	1.0		-	-	-	-	-	
Wetted Perimeter (ft)	-	-	-	-	-		18.1	17.6	19.8	17.7	18.0		-	-	-	-	-	
Hydraulic Radius (ft)	-	-	-	-	-		1.5	1.6	1.4	1.5	1.4		-	-	-	-	-	
<b>Substrate</b>																		
d50 (mm)	0.4	1.1	1.2	2.3	1.3		17	18	16	11	6.9		0.6	3.4	6.5	2.0	1.0	
d84 (mm)	0.7	5.4	6.6	38	53		31	32	34	40	56		12	18	19	11	1.6	

Table VIIb. Morphology and Hydraulic Monitoring Summary continued																		
Project Name: Glen Raven																		
Parameter	Cross-Section 4						Cross-Section 5						Cross-Section 6					
	Riffle						Riffle						Pool					
Reach	UTHR (Upstream)						UTHR (Downstream)						UTHR (Downstream)					
Dimension	MY0	MY1	MY2	MY3	MY4	MY5	MY0	MY1	MY2	MY3	MY4	MY5	MY0	MY1	MY2	MY3	MY4	MY5
Bankfull Width (ft)	15.0	15.4	15.7	13.3	17.9		20.9	20.0	21.0	18.9	20.0		20.6	22.2	19.7	20.4	20.1	
Floodprone Width (ft)	>62	>62	>62	>62	>62		>71	>71	>71	>71	>71		-	-	-	-	-	
Bankfull Cross-Sectional Area (ft <sup>2</sup> )	21.2	20.7	20.0	17.0	20.4		28.0	27.0	26.7	26.1	24.9		27.3	26.4	25.5	26.2	27.3	
Bankfull Mean Depth (ft)	1.4	1.3	1.3	1.3	1.1		1.3	1.4	1.3	1.4	1.2		1.3	1.2	1.3	1.3	1.4	
Bankfull Max Depth (ft)	2.5	2.5	2.5	2.4	2.4		2.5	2.6	2.7	2.7	2.6		2.9	2.9	2.8	3.0	3.0	
Width/Depth Ratio	10.6	11.5	12.3	10.4	15.7		15.6	14.8	16.5	13.7	16.1		-	-	-	-	-	
Entrenchment Ratio	>4	>4	>4	>4	>4		>3	>3	>3	>3	>3		-	-	-	-	-	
Bank Height Ratio	1.0	1.0	1.0	1.0	1		1.0	1.0	1.0	1.0	1.0		-	-	-	-	-	
Wetted Perimeter (ft)	-	-	16.7	14.4	19.1		21.7	20.8	21.8	19.8	21.1		-	-	-	-	-	
Hydraulic Radius (ft)	-	-	1.2	1.2	1.1		1.3	1.3	1.2	1.3	1.2		-	-	-	-	-	
<b>Substrate</b>																		
d50 (mm)	7.1	18	27	2.8	0.8		14	5.1	5.1	19	8.6		0.6	3.0	2.1	4.3	8	
d84 (mm)	46	54	64	40	56		45	45	45	45	31		18	13	22	26	29	

Parameter	Cross-Section 7						Cross-Section 8					
	Riffle						Pool					
Reach	UT1						UT1					
Dimension	MY0	MY1	MY2	MY3	MY4	MY5	MY0	MY1	MY2	MY3	MY4	MY5
Bankfull Width (ft)	10.0	9.7	9.7	10.4	10.3		14.9	14.6	14.7	13.6	13.9	
Floodprone Width (ft)	25	25	23	25	26		-	-	-	-	-	
Bankfull Cross-Sectional Area	8.7	9.2	9.2	9.1	9.2		14.1	12.7	14.4	12.7	14.0	
Bankfull Mean Depth (ft)	0.9	0.9	0.9	0.9	0.9		0.9	0.9	1.0	0.9	1.0	
Bankfull Max Depth (ft)	1.6	1.6	1.5	1.6	1.7		2.0	1.9	2.1	1.9	2.0	
Width/Depth Ratio	11.5	10.2	10.2	11.9	11.7		-	-	-	-	-	
Entrenchment Ratio	2.5	2.5	2.6	2.4	2.5		-	-	-	-	-	
Bank Height Ratio	1.0	1.0	1.0	1.0	1.0		-	-	-	-	-	
Wetted Perimeter (ft)	10.6	10.3	9.9	10.9	11.0		-	-	-	-	-	
Hydraulic Radius (ft)	0.8	0.9	0.8	0.8	0.8		-	-	-	-	-	
<b>Substrate</b>												
d50 (mm)	0.5	16	7.8	13	0.2		0.49	6.1	14	6.4	0.1	
d84 (mm)	28	50	53	52	28		20	25	41	48	17	

<b>Table VIIId. Morphology and Hydraulic Monitoring Summary cont</b>															
<b>Project Name: Glen Raven</b>															
<b>UTHR Upstream</b>															
<b>Parameter</b>	<b>MY - 01 (2007)</b>			<b>MY - 02 (2008)</b>			<b>MY - 03 (2009)</b>			<b>MY - 04 (2010)</b>			<b>MY - 05 (2011)</b>		
<b>Pattern*</b>	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Channel Beltwidth (ft)	40		59												
Radius of Curvature (ft)	26		84												
Meander Wavelength (ft)	93		199												
Meander Width Ratio	6		13												
<b>Profile</b>															
Riffle Length (ft)	3	49	15	3	73	27	7	72	21	5	47	12			
Riffle Slope (ft/ft)	0.0052	0.0417	0.0154	0.0001	0.1143	0.0079	0.0014	0.0432	0.0127	0.0004	0.1328	0.0163			
Pool Length (ft)	4	41	18	3	74	18	5	81	24	8	109	21			
Pool Spacing (ft)	23	199	74	15	232	81	20	181	76	19	313	85			
<b>Additional Reach Parameters</b>															
Channel Length (ft)	1,796			1,796			1,796			1,796					
Sinuosity	1.1			1.1			1.1			1.1					
Water Surface Slope (ft/ft)	0.0048			0.0050			0.0045			0.0043					
Rosgen Classification	C4			C4			C4			C4					

\* Pattern measurements will only be taken after MY-01 if it is visually apparent that the pattern has changed.

<b>Table VIIe. Morphology and Hydraulic Monitoring Summary cont</b>															
<b>Project Name: Glen Raven</b>															
<b>UTHR Downstream</b>															
<b>Parameter</b>	<b>MY - 01 (2007)</b>			<b>MY - 02 (2008)</b>			<b>MY - 03 (2009)</b>			<b>MY - 04 (2010)</b>			<b>MY - 05 (2011)</b>		
<b>Pattern*</b>	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Channel Beltwidth (ft)	31		64												
Radius of Curvature (ft)	25		84												
Meander Wavelength (ft)	73		136												
Meander Width Ratio	3.5		6.5												
<b>Profile</b>															
Riffle Length (ft)	3	35	15	7	72	12	4	46	14	3	22	8			
Riffle Slope (ft/ft)	0.0010	0.0710	0.0130	0.0036	0.0277	0.0118	0.0000	0.0345	0.0117	0.0006	0.0227	0.0110			
Pool Length (ft)	7	28	14	8	22	15	3	34	17	8	50	18			
Pool Spacing (ft)	29	195	51	29	237	46	28	215	44	23	287	43			
<b>Additional Reach Parameters</b>															
Channel Length (ft)	1,059			1,059			1,059			1,059					
Sinuosity	1.1			1.1			1.1			1.1					
Water Surface Slope (ft/ft)	0.0032			0.0033			0.0034			0.0040					
Rosgen Classification	C4			C4			C4			C4					

\* Pattern measurements will only be taken after MY-01 if it is visually apparent that the pattern has changed.



**Table VIII. Morphology and Hydraulic Monitoring Summary cont**

**Project Name: Glen Raven**

<b>UT1</b>															
<b>Parameter</b>	<b>MY - 01 (2007)</b>			<b>MY - 02 (2008)</b>			<b>MY - 03 (2009)</b>			<b>MY - 04 (2010)</b>			<b>MY - 05 (2011)</b>		
	<b>Min</b>	<b>Max</b>	<b>Med</b>	<b>Min</b>	<b>Max</b>	<b>Med</b>	<b>Min</b>	<b>Max</b>	<b>Med</b>	<b>Min</b>	<b>Max</b>	<b>Med</b>	<b>Min</b>	<b>Max</b>	<b>Med</b>
<b>Pattern*</b>															
Channel Beltwidth (ft)	14		22												
Radius of Curvature (ft)	12		32												
Meander Wavelength (ft)	49		95												
Meander Width Ratio	4.9		9.5												
<b>Profile</b>															
Riffle Length (ft)	**	**	**	8	28	14	7	28	10	**	**	**			
Riffle Slope (ft/ft)	**	**	**	0.0083	0.0601	0.0285	0.0000	0.0803	0.0104	**	**	**			
Pool Length (ft)	2	15	6	3	10	5	4	9	5	4	17	10.5			
Pool Spacing (ft)	29	56	47	39	98	49	38	198	73	34	127	100			
<b>Additional Reach Parameters</b>															
Channel Length (ft)	542			542			542			542					
Sinuosity	1.1			1.1			1.1			1.1					
Water Surface Slope (ft/ft)	**			0.016			0.017			**					
Rosgen Classification	B4c			B4c			B4c			B4c					

\* Pattern measurements will only be taken after MY-01 if it is visually apparent that the pattern has changed.

\*\*No riffle measurements or water surface slope due to no stream flow.



# **Appendix A**

## **Vegetation Data**



<b>Table A1. Stem counts arranged by plot.</b>															
<b>Project Name: Glen Raven</b>															
Species	Plots								Initial Totals	Year 1 Totals	Year 2 Totals	Year 3 Totals	Year 4 Totals	Survival %	
	1	2	3	4	5	6	7	8							
<b>Shrubs</b>															
<i>Callicarpa americana</i>	2								5	4	2	2	2	40%	
<i>Cephalanthus occidentalis</i>					1				4	4	1	1	1	25%	
<i>Ilex verticillata</i>	1			2					6	6	4	4	3	50%	
<i>Lindera benzoin</i>									5	5	3	3	0	0%	
<i>Symphoricarpos orbiculatas</i>	1	1	1	2		1			6	6	6	6	6	100%	
<b>Trees</b>															
<i>Betula nigra</i>	1			1		2			4	4	4	4	4	100%	
<i>Celtis laevigata</i>			1	2					4	4	2	2	3	75%	
<i>Carya ovata</i>							3		4	4	3	3	3	75%	
<i>Cornus amomum</i>			1		1	3	2		10	10	9	8	7	70%	
<i>Diospyros virginiana*</i>	4	1	1		1			1	10	10	11	11	8	80%	
<i>Fraxinus pennsylvanica</i>	1	2	1		6				10	9	9	9	10	100%	
<i>Juglans nigra</i>							6	2	13	13	12	11	8	62%	
<i>Platanus occidentalis</i>			2						4	3	1	1	2	50%	
<i>Quercus falcata</i>								2	2	2	2	2	2	100%	
<i>Quercus michauxii</i>		5	1	2	4	9			23	22	22	21	21	91%	
<i>Quercus pagoda</i>							2		4	4	3	2	2	50%	
<i>Quercus phellos</i>			1	2	3	1			8	8	7	7	7	88%	
<i>Salix nigra</i>			3	2	3				10	10	8	8	8	80%	
<i>Salix sericea</i>			2	1		4	1		8	8	8	8	8	100%	
Unknown									23	12	0	0	0	0%	

\* This increase is attributed to a change in identification of a few planted stems and new stems not previously identified in MY-01.

\*Plots 4-8 have been renumbered to match the vegetation sampling data to the depiction in the Current Condition Plan View.

<b>Table A2. Vegetation History (stems/acre)</b>						
<b>Project Name: Glen Raven</b>						
Plot Number*	MY-00	MY-01	MY-02	MY-03	MY-04	MY-05
1	840	720	480	480	400	
2	720	440	360	320	360	
3	1,120	920	520	520	560	
4	920	720	560	560	560	
5	880	840	840	840	760	
6	840	840	800	800	800	
7	920	920	920	840	560	
8	600	520	320	280	200	
<b>Site Average</b>	855	740	600	580	525	

\*Plots 4-8 have been renumbered to match the vegetation sampling data to the monitoring plan view.



## **Vegetation Monitoring Data Sheets**






## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 1 Date: 5/25/2010

**Plot Map**



ID	Species	Height (m)	Vigor	Comment
1	<i>Quercus sp.</i>			Dead
2	Persimmon ( <i>Diospyros virginiana</i> )			Dead
3	Unknown			Dead
4	Beautyberry ( <i>Callicarpa americana</i> )			Dead
5	Coralberry ( <i>Symphoricarpos obiculatas</i> )	0.65	4	Browsed
6	Persimmon ( <i>Diospyros virginiana</i> )	0.49	3	
7	Winterberry ( <i>Ilex verticillata</i> )			Missing
8	Persimmon ( <i>Diospyros virginiana</i> )	0.88	3	
9	River Birch ( <i>Betula nigra</i> )	1.72	4	
10	Green Ash ( <i>Fraxinus pennsylvanica</i> )			Dead
11	Beautyberry ( <i>Callicarpa americana</i> )	0.79	3	
12	Winterberry ( <i>Ilex verticillata</i> )	0.45	4	
13	Unknown			Dead
14	Persimmon ( <i>Diospyros virginiana</i> )	0.99	3	
15	Beautyberry ( <i>Callicarpa americana</i> )			Dead
16	Beautyberry ( <i>Callicarpa americana</i> )	0.55	3	
17	Persimmon ( <i>Diospyros virginiana</i> )			Dead
18	Winterberry ( <i>Ilex verticillata</i> )			Dead
19	Persimmon ( <i>Diospyros virginiana</i> )	0.72	3	
20	Green Ash ( <i>Fraxinus pennsylvanica</i> )	0.60	3	

Black willow (*Salix nigra*), hickory (*Carya sp.*), and willow oak (*Quercus phellos*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
Coralberry ( <i>Symphoricarpos obiculatas</i> )	10.0%
River Birch ( <i>Betula nigra</i> )	10.0%
Green Ash ( <i>Fraxinus pennsylvanica</i> )	10.0%
Beautyberry ( <i>Callicarpa americana</i> )	20.0%
Winterberry ( <i>Ilex verticillata</i> )	10.0%
Persimmon ( <i>Diospyros virginiana</i> )	40.0%

**Density:**

Total Number of Trees 10 / 0.025 acres = 400 trees / acre

**Survivability:**

Total Number of Trees 10 / 20 trees x 100 = 50 % survivability



**Previous**




**Current**

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 2 Date: 5/25/2010

**Plot Map**



ID	Species	Height (m)	Vigor	Comment
1	Winterberry ( <i>Ilex verticillata</i> )			Missing
2	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.36	3	Resprout from base
3	Persimmon ( <i>Diospyros virginiana</i> )	0.95	3	
4	Coralberry ( <i>Symphoricarpos obiculatas</i> )	1.40	4	
5	<i>Quercus sp.</i>			Dead
6	<i>Quercus sp.</i>			Dead
7	<i>Quercus sp.</i>			Dead
8	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )			Dead
9	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.92	3	
10	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )			Dead
11	Unknown			Dead
12	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )			Dead
13	Green Ash ( <i>Fraxinus pennsylvanica</i> )	1.10	4	
14	Green Ash ( <i>Fraxinus pennsylvanica</i> )	1.17	4	Some Insect Damage
15	Unknown			Dead
16	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.36	4	
17	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.11	3	
18	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.99	3	

Sweet gum (*Liquidambar styraciflua*) and coralberry (*Symphoricarpos orbiculatas*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
Green Ash ( <i>Fraxinus pennsylvanica</i> )	22.2%
Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	55.6%
Coralberry ( <i>Symphoricarpos obiculatas</i> )	11.1%
Persimmon ( <i>Diospyros virginiana</i> )	11.1%

**Density:**

Total Number of Trees 9 / 0.025 acres = 360 trees / acre

**Survivability:**

Total Number of Trees 9 / 18 trees x 100 = 50 % survivability



Previous




Current

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 3 Date: 5/25/2010

**Plot Map**



ID	Species	Height (m)	Vigor	Comment
1	Sugarberry ( <i>Celtis laevigata</i> )			Dead
2	Sugarberry ( <i>Celtis laevigata</i> )			Dead
3	Sugarberry ( <i>Celtis laevigata</i> )	0.97	3	
4	Unknown			Dead
5	Persimmon ( <i>Diospyros virginiana</i> )			Dead
6	Persimmon ( <i>Diospyros virginiana</i> )	1.02	3	
7	Unknown			Dead
8	Unknown			Dead
9	Willow Oak ( <i>Quercus phellos</i> )			Dead
10	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.49	4	
11	Unknown			Dead
12	Unknown			Dead
13	Willow Oak ( <i>Quercus phellos</i> )	1.12	3	
14	Spicebush ( <i>Lindera benzoin</i> )			Dead
15	Sycamore ( <i>Platanus occidentalis</i> )	3.20*	4	
16	Sycamore ( <i>Platanus occidentalis</i> )	4.00*	4	
17	Coralberry ( <i>Symphoricarpos orbiculatas</i> )	1.24	4	
18	Sycamore ( <i>Platanus occidentalis</i> )			Dead
19	Green Ash ( <i>Fraxinus pennsylvanica</i> )	2.70*	4	
20	Black Willow ( <i>Salix nigra</i> )	2.50*	4	Live Stake
21	Black Willow ( <i>Salix nigra</i> )	1.92	4	Live Stake
22	Black Willow ( <i>Salix nigra</i> )	3.00*	4	Live Stake
23	Unknown			Dead
24	Silky Dogwood ( <i>Cornus amomum</i> )	1.88	4	Live Stake
25	Black Willow ( <i>Salix nigra</i> )			Dead
26	Silky Willow ( <i>Salix sericea</i> )	2.05	4	Live Stake
27	Silky Willow ( <i>Salix sericea</i> )	400*	4	Live Stake
28	Unknown			Dead

Many silky willow (*Salix sericea*) and black willow (*Salix nigra*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year  
\* = height estimated

Species	Percent of Total
Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	7.1%
Sycamore ( <i>Platanus occidentalis</i> )	14.3%
Coralberry ( <i>Symphoricarpos orbiculatas</i> )	7.1%
Green Ash ( <i>Fraxinus pennsylvanica</i> )	7.1%
Black Willow ( <i>Salix nigra</i> )	21.4%
Silky Willow ( <i>Salix sericea</i> )	14.3%
Persimmon ( <i>Diospyros virginiana</i> )	7.1%
Silky Dogwood ( <i>Cornus amomum</i> )	7.1%
Willow Oak ( <i>Quercus phellos</i> )	7.1%
Sugarberry ( <i>Celtis laevigata</i> )	7.1%

**Density:**

Total Number of Trees 14 / 0.025 acres = 560 trees / acre

**Survivability:**

Total Number of Trees 14 / 28 trees x 100 = 50 % survivability



Previous




Current

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 4 Date: 5/25/2010

**Plot Map**



ID	Species	Height (m)	Vigor	Comment
1	Willow Oak ( <i>Quercus phellos</i> )	1.35	4	
2	River Birch ( <i>Betula nigra</i> )	0.95	3	
3	Unknown			Dead
4	Unknown			Dead
5	Unknown			Dead
6	Unknown			Dead
7	Coralberry ( <i>Symphoricarpos orbiculatas</i> )	1.20	4	
8	Unknown			Dead
9	Coralberry ( <i>Symphoricarpos orbiculatas</i> )	0.90	4	Browsed
10	Unknown			Dead
11	Unknown			Dead
12	Sugarberry ( <i>Celtis laevigata</i> )	0.60	2	
13	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.83	2	
14	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.96	2	Sprayed
15	Sugarberry ( <i>Celtis laevigata</i> )	0.72	3	Resprout from base
16	Willow Oak ( <i>Quercus phellos</i> )	1.81	4	
17	Unknown			Dead
18	Black Willow ( <i>Salix nigra</i> )	2.00	4	Live stake
19	Winterberry ( <i>Ilex verticillata</i> )	1.30	4	
20	Silky Willow ( <i>Salix sericea</i> )	1.60	3	Live stake
21	Spicebush ( <i>Lindera benzoin</i> )			Dead
22	Black Willow ( <i>Salix nigra</i> )	1.85	2	Live stake
23	Winterberry ( <i>Ilex verticillata</i> )	0.63	3	Live stake

Box elder (*Acer negundo*), American elm (*Ulmus americana*), coralberry (*Symphoricarpos orbiculatas*), hickory (*Carya* sp.), sweetgum (*Liquidambar styraciflua*), and willow oak (*Quercus phellos*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
River Birch ( <i>Betula nigra</i> )	7.1%
Coralberry ( <i>Symphoricarpos orbiculatas</i> )	14.3%
Black Willow ( <i>Salix nigra</i> )	14.3%
Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	14.3%
Winterberry ( <i>Ilex verticillata</i> )	14.3%
Silky Willow ( <i>Salix sericea</i> )	7.1%
Willow Oak ( <i>Quercus phellos</i> )	14.3%
Sugarberry ( <i>Celtis laevigata</i> )	14.3%

**Density:**

Total Number of Trees 14 / 0.025 acres = 560 trees / acre

**Survivability:**

Total Number of Trees 14 / 23 trees x 100 = 61 % survivability



**Previous**



**Current**



## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 5 Date: 5/25/2010

**Plot Map**




  
Photo Point

  
PVC Marker

\*Previously Plot 7 in MY-01

ID	Species	Height (m)	Vigor	Comment
1	Willow Oak ( <i>Quercus phellos</i> )	1.89	4	
2	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.65	3	
3	Black Willow ( <i>Salix nigra</i> )	1.50	4	Live stake
4	Black Willow ( <i>Salix nigra</i> )	0.76	3	Live stake
5	Black Willow ( <i>Salix nigra</i> )	1.23	3	Live stake
6	Black Willow ( <i>Salix nigra</i> )	1.37	3	Live stake
7	Silky Dogwood ( <i>Cornus amomum</i> )	1.30	3	Live stake
8	Winterberry ( <i>Ilex verticillata</i> )			Missing
9	Green Ash ( <i>Fraxinus pennsylvanica</i> )	2.03	4	
10	Green Ash ( <i>Fraxinus pennsylvanica</i> )	1.09	3	Browsed
11	Green Ash ( <i>Fraxinus pennsylvanica</i> )	0.41	3	Browsed
12	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.78	3	
13	Green Ash ( <i>Fraxinus pennsylvanica</i> )	0.89	3	Browsed
14	Willow Oak ( <i>Quercus phellos</i> )	1.53	4	Browsed
15	Green Ash ( <i>Fraxinus pennsylvanica</i> )	0.55	2	
16	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.55	3	
17	Green Ash ( <i>Fraxinus pennsylvanica</i> )			Dead
18	Willow Oak ( <i>Quercus phellos</i> )	1.45	3	
19	Spicebush ( <i>Lindera benzoin</i> )			Missing
20	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	2.35	4	
21	Persimmon ( <i>Diospyros virginiana</i> )	0.80	3	
22	Green Ash ( <i>Fraxinus pennsylvanica</i> )	1.92	4	

River Birch (*Betula nigra*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
Willow Oak ( <i>Quercus phellos</i> )	15.8%
Green Ash ( <i>Fraxinus pennsylvanica</i> )	31.6%
Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	21.1%
Black Willow ( <i>Salix nigra</i> )	15.8%
Silky Dogwood ( <i>Cornus amomum</i> )	5.3%
Buttonbush ( <i>Cephalanthus occidentalis</i> )	5.3%
Persimmon ( <i>Diospyros virginiana</i> )	5.3%

**Density:**

Total Number of Trees 19 / 0.025 acres = 760 trees / acre

**Survivability:**

Total Number of Trees 19 / 22 trees x 100 = 86 % survivability



**Previous**






**Current**

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 6 Date: 5/25/2010

**Plot Map**



 Photo Point  
 PVC Marker

\*Previously Plot 8 in MY-01

ID	Species	Height (m)	Vigor	Comment
1	River Birch ( <i>Betula nigra</i> )	4.00*	4	
2	Willow Oak ( <i>Quercus phellos</i> )	1.95	3	
3	River Birch ( <i>Betula nigra</i> )	3.00*	4	
4	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.80	3	
5	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.60	4	
6	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.20	4	
7	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	1.55	4	
8	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.68	3	
9	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.60	3	
10	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.90	3	
11	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.40	2	Resprout
12	Silky Willow ( <i>Salix sericea</i> )	2.00	4	Live stake
13	Silky Dogwood ( <i>Cornus amomum</i> )	0.95	3	Live stake
14	Silky Dogwood ( <i>Cornus amomum</i> )			Dead
15	Silky Dogwood ( <i>Cornus amomum</i> )	1.25	3	Live stake
16	Silky Willow ( <i>Salix sericea</i> )	1.60	4	Live stake
17	Silky Dogwood ( <i>Cornus amomum</i> )	1.42	3	Live stake
18	Silky Willow ( <i>Salix sericea</i> )	1.75	3	Live stake
19	Silky Willow ( <i>Salix sericea</i> )	1.60	3	Live stake
20	Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	0.66	3	Browsed
21	Coralberry ( <i>Symphoricarpos orbiculatas</i> )	0.36	2	Top has died back

Persimmon (*Diospyros virginiana*), river birch (*Betula nigra*), sweetgum (*Liquidambar styraciflua*), red maple (*Acer rubrum*), and american elm (*Ulmus americana*) volunteers present in plot.

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year  
 \* = height estimated

Species	Percent of Total
River Birch ( <i>Betula nigra</i> )	10.0%
Swamp Chestnut Oak ( <i>Quercus michauxii</i> )	45.0%
Silky Dogwood ( <i>Cornus amomum</i> )	15.0%
Silky Willow ( <i>Salix sericea</i> )	20.0%
Willow Oak ( <i>Quercus phellos</i> )	5.0%
Coralberry ( <i>Symphoricarpos orbiculatas</i> )	5.0%

**Density:**

Total Number of Trees 20 / 0.025 acres = 800 trees / acre

**Survivability:**

Total Number of Trees 20 / 21 trees x 100 = 95 % survivability



**Previous**




**Current**

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 7 Date: 5/25/2010

### Plot Map



ID	Species	Height (m)	Vigor	Comment
1	Cherrybark Oak ( <i>Quercus pagoda</i> )			Dead
2	Black Walnut ( <i>Juglans nigra</i> )	0.65	4	
3	Black Walnut ( <i>Juglans nigra</i> )			Missing
4	Cherrybark Oak ( <i>Quercus pagoda</i> )			Missing
5	Cherrybark Oak ( <i>Quercus pagoda</i> )	0.32	2	
6	Black Walnut ( <i>Juglans nigra</i> )	0.50	3	
7	Black Walnut ( <i>Juglans nigra</i> )	0.97	4	
8	Black Walnut ( <i>Juglans nigra</i> )	0.72	1	Sprayed
9	Shagbark Hickory ( <i>Carya ovata</i> )	0.45	3	
10	Shagbark Hickory ( <i>Carya ovata</i> )	0.52	1	Sprayed
11	Persimmon ( <i>Diospyros virginiana</i> )	1.10	3	
12	Shagbark Hickory ( <i>Carya ovata</i> )	0.49	3	
13	Persimmon ( <i>Diospyros virginiana</i> )			Dead
14	Unknown			Dead
15	Cherrybark Oak ( <i>Quercus pagoda</i> )	0.62	3	Resprout
16	Black Walnut ( <i>Juglans nigra</i> )	0.62	1	Sprayed
17	Black Walnut ( <i>Juglans nigra</i> )	0.45	3	Resprout
18	Black Walnut ( <i>Juglans nigra</i> )	0.49	3	Browsed
19	Silky Dogwood ( <i>Cornus amomum</i> )	0.79	3	Live stake
20	Silky Dogwood ( <i>Cornus amomum</i> )	0.69	3	Live stake
21	Silky Willow ( <i>Salix sericea</i> )	1.10	3	Live stake
22	Black Willow ( <i>Salix nigra</i> )			Missing
23	Silky Dogwood ( <i>Cornus amomum</i> )			Dead

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
Black Walnut ( <i>Juglans nigra</i> )	42.9%
Shagbark Hickory ( <i>Carya ovata</i> )	21.4%
Silky Willow ( <i>Salix sericea</i> )	7.1%
Cherrybark Oak ( <i>Quercus pagoda</i> )	14.3%
Silky Dogwood ( <i>Cornus amomum</i> )	14.3%

**Density:**

Total Number of Trees 14 / 0.025 acres = 560 trees / acre

**Survivability:**

Total Number of Trees 14 / 23 trees x 100 = 61 % survivability



**Previous**




**Current**

## Vegetation Monitoring Worksheet

Site: Glen Raven Plot: 8 Date: 5/25/2010

**Plot Map**



ID	Species	Height (m)	Vigor	Comment
1	Buttonbush ( <i>Cephalanthus occidentalis</i> )			Dead
2	Black Walnut ( <i>Juglans nigra</i> )	1.30	4	
3	Persimmon ( <i>Diospyros virginiana</i> )	1.89	4	
4	Black Walnut ( <i>Juglans nigra</i> )	0.62	3	Top has died back
5	Black Walnut ( <i>Juglans nigra</i> )			Dead
6	Southern Red Oak ( <i>Quercus falcata</i> )	0.60	1	Sprayed; Top has died back
7	Shagbark Hickory ( <i>Carya ovata</i> )			Dead
8	Unknown			Dead
9	Black Walnut ( <i>Juglans nigra</i> )			Dead
10	Unknown			Dead
11	Unknown			Dead
12	Black Walnut ( <i>Juglans nigra</i> )			Missing
13	Unknown			Dead
14	Persimmon ( <i>Diospyros virginiana</i> )			Dead
15	Southern Red Oak ( <i>Quercus falcata</i> )	0.56	3	

Vigor: 4=excellent, 3=good, 2=weak, 1=unlikely to survive year

Species	Percent of Total
Black Walnut ( <i>Juglans nigra</i> )	40.0%
Southern Red Oak ( <i>Quercus falcata</i> )	40.0%
Persimmon ( <i>Diospyros virginiana</i> )	20.0%

**Density:**

Total Number of Trees 5 / 0.025 acres = 200 trees / acre

**Survivability:**

Total Number of Trees 5 / 15 trees x 100 = 33 % survivability



**Previous**



**Current**



# **Appendix B**

## **Geomorphologic Data**



## Appendix B1 –Stream Photo Station Photos



Photo Point 1: View looking north from Power Line Road. 12/10/10 – MY-04



Photo Point 2a: View looking south near Station 13+25. 12/10/10 – MY-04



Photo Point 2b: View looking north near Station 13+25. 12/10/10 – MY-04



Photo Point 3a: View looking south near Station 16+75. 12/10/10 – MY-04



Photo Point 3b: View looking north toward Vegetation Plot #2. 12/10/10 – MY-04



Photo Point 4a: View looking south near Station 22+75. 12/10/10 – MY-04



Photo Point 4b: View looking north toward Vegetation Plot #3. 12/10/10 – MY-04



Photo Point 5: View looking south from Gerring Road culvert. 12/10/10 – MY-04



Photo Point 6: View looking north from Gerring Road culvert. 12/10/10 – MY-04



Point 7a: View looking south at confluence of UT2 and UTHR. 12/10/10 – MY-04



Photo Point 7b: View looking north near Station 31+15. 12/10/10 – MY-04



Photo Point 8: View looking south towards plot #7. 12/10/10 – MY-04



Photo Point 9a: View looking north toward vegetation plot #8. 12/10/10 – MY-04



Photo Point 9b: View looking north toward end of project. 12/10/10 – MY-04



Photo Point 10a: View looking upstream on UT1 near Station 41+25. 11/16/07 – MY-04



Photo Point 10b: View looking downstream on UT1 Station 41+25. 12/10/10 – MY-04



Photo Point 11a: View looking east on UT1 with vegetation plot #4 on right. 11/16/07 – MY-04



Photo Point 11b: View looking downstream UT1 before enters UTHR. 12/10/10 – MY-04



Photo Point 12a: View looking upstream on UT2.  
11/16/07 – MY-04



Photo Point 12b: View looking downstream  
UT2 before it enters UTHR.12/10/10 – MY-04

## Appendix B2: Cross-Section Plots

<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 1, Pool
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/8/2010
<b>Field Crew:</b>	A. French, L. Lord




<b>Stream Type</b>	C4
--------------------	----

Station	Elevation
0.0	619.95
0.9	619.72
9.4	619.55
17.2	619.26
24.0	618.98
26.7	618.99
28.4	618.51
30.6	617.78
33.1	617.28
35.6	616.97
36.6	615.78
37.5	615.61
38.3	615.52
39.2	615.55
40.5	615.46
41.8	615.59
43.1	615.73
43.7	615.86
44.2	616.87
44.9	617.74
47.0	618.51
48.8	619.12
55.8	619.54
64.3	619.65
71.0	620.40

SUMMARY DATA	
<b>Bankfull Elevation:</b>	618.9
<b>Bankfull Cross-Sectional Area:</b>	39.8
<b>Bankfull Width:</b>	21.1
<b>Flood Prone Area Elevation:</b>	-
<b>Flood Prone Width:</b>	-
<b>Max Depth at Bankfull:</b>	3.4
<b>Mean Depth at Bankfull:</b>	1.9
<b>W / D Ratio:</b>	-
<b>Entrenchment Ratio:</b>	-
<b>Bank Height Ratio:</b>	1.0

**Cape Fear River Basin, Glen Raven, MY-04, UTHR, XS - 1, Pool**




<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 2, Riffle
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/8/2010
<b>Field Crew:</b>	A. French, L. Lord



Station	Elevation
0.0	619.59
1.5	619.25
5.9	619.09
12.9	618.95
19.1	618.87
20.8	618.65
22.4	618.34
23.8	617.85
25.0	617.29
26.6	616.81
27.9	616.02
29.3	616.13
29.9	616.08
30.7	616.03
31.5	616.06
32.0	616.26
33.3	616.31
35.5	617.47
38.6	618.53
45.0	618.61
52.9	618.79
60.2	619.11
64.8	619.48

SUMMARY DATA	
<b>Bankfull Elevation:</b>	618.5
<b>Bankfull Cross-Sectional Area:</b>	24.7
<b>Bankfull Width:</b>	17.0
<b>Flood Prone Area Elevation:</b>	621.0
<b>Flood Prone Width:</b>	>64
<b>Max Depth at Bankfull:</b>	2.5
<b>Mean Depth at Bankfull:</b>	1.5
<b>W / D Ratio:</b>	11.6
<b>Entrenchment Ratio:</b>	>2.8
<b>Bank Height Ratio:</b>	1.0

<b>Stream Type</b>	C4
--------------------	----






<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 3, Pool
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/9/2010
<b>Field Crew:</b>	A. French, L. Lord



<b>Stream Type</b>	C4
--------------------	----

Station	Elevation
0.0	618.20
3.6	617.84
12.4	617.37
20.6	616.97
22.1	616.44
23.7	615.95
25.2	615.16
25.9	614.22
27.3	613.33
28.2	613.46
29.1	613.81
31.2	614.00
31.4	614.19
32.0	615.26
33.8	615.56
37.2	615.58
41.5	616.41
50.7	616.58
58.4	616.79
64.4	616.75
65.2	616.99

SUMMARY DATA	
<b>Bankfull Elevation:</b>	616.4
<b>Bankfull Cross-Sectional Area:</b>	24.7
<b>Bankfull Width:</b>	19.1
<b>Flood Prone Area Elevation:</b>	-
<b>Flood Prone Width:</b>	-
<b>Max Depth at Bankfull:</b>	3.1
<b>Mean Depth at Bankfull:</b>	1.3
<b>W / D Ratio:</b>	-
<b>Entrenchment Ratio:</b>	-
<b>Bank Height Ratio:</b>	1.0



<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 4, Riffle
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/9/2010
<b>Field Crew:</b>	A. French, L. Lord




Station	Elevation
0.0	617.40
3.7	616.91
7.8	616.97
18.3	616.46
26.6	616.25
28.8	615.90
30.1	615.08
30.7	614.71
32.0	613.70
33.1	613.63
33.5	613.56
34.2	613.58
35.2	613.80
36.8	614.03
37.4	614.74
40.0	615.26
46.9	616.10
55.4	616.12
62.2	616.49
62.8	616.82

SUMMARY DATA	
<b>Bankfull Elevation:</b>	616.0
<b>Bankfull Cross-Sectional Area:</b>	20.4
<b>Bankfull Width:</b>	17.9
<b>Flood Prone Area Elevation:</b>	618.4
<b>Flood Prone Width:</b>	>63
<b>Max Depth at Bankfull:</b>	2.4
<b>Mean Depth at Bankfull:</b>	1.1
<b>W / D Ratio:</b>	15.7
<b>Entrenchment Ratio:</b>	>3.5
<b>Bank Height Ratio:</b>	1.0

<b>Stream Type</b>	C4
--------------------	----

Cape Fear River Basin, Glen Raven, MY-04, UTHR, XS - 4, Riffle




<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 5, Riffle
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/14/2010
<b>Field Crew:</b>	A. French, L. Lord



Station	Elevation
0.0	611.33
1.0	611.15
4.1	610.62
7.6	609.69
13.1	608.95
19.5	608.89
23.5	608.74
24.8	608.36
26.5	607.89
28.3	607.51
28.9	607.38
29.8	607.01
30.5	606.79
30.6	606.67
31.4	606.64
31.6	606.20
32.0	606.22
32.8	606.10
33.6	606.14
34.5	606.63
35.6	606.56
37.2	607.22
39.5	607.89
41.1	608.32
42.7	608.63
48.9	609.06
57.7	608.91
63.2	608.93
66.4	609.55

SUMMARY DATA	
<b>Bankfull Elevation:</b>	608.7
<b>Bankfull Cross-Sectional Area:</b>	24.9
<b>Bankfull Width:</b>	20.0
<b>Flood Prone Area Elevation:</b>	611.3
<b>Flood Prone Width:</b>	>71
<b>Max Depth at Bankfull:</b>	2.6
<b>Mean Depth at Bankfull:</b>	1.2
<b>W / D Ratio:</b>	16.1
<b>Entrenchment Ratio:</b>	>2.3
<b>Bank Height Ratio:</b>	1.0

<b>Stream Type</b>	C4
--------------------	----




<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UTHR
<b>XS ID</b>	XS - 6, Pool
<b>Drainage Area (sq mi):</b>	1.09
<b>Date:</b>	6/14/2010
<b>Field Crew:</b>	A. French, L. Lord



Station	Elevation
0.0	611.72
1.8	611.27
7.0	610.23
9.9	609.80
13.5	609.14
16.8	608.75
21.8	608.77
27.8	608.87
30.1	608.81
31.8	608.51
33.5	608.00
35.6	607.67
36.8	607.28
38.1	606.75
38.9	606.70
39.6	606.19
40.6	606.00
42.0	605.71
42.9	605.63
44.4	606.26
44.8	606.63
45.3	607.06
46.2	607.54
49.1	608.10
52.2	608.78
56.5	608.73
60.1	608.91
63.5	608.99
66.3	609.72
69.7	610.91
70.2	611.26

SUMMARY DATA	
<b>Bankfull Elevation:</b>	608.6
<b>Bankfull Cross-Sectional Area:</b>	27.3
<b>Bankfull Width:</b>	20.1
<b>Flood Prone Area Elevation:</b>	-
<b>Flood Prone Width:</b>	-
<b>Max Depth at Bankfull:</b>	3.0
<b>Mean Depth at Bankfull:</b>	1.4
<b>W / D Ratio:</b>	-
<b>Entrenchment Ratio:</b>	-
<b>Bank Height Ratio:</b>	1.0

Stream Type C4




<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UT1
<b>XS ID</b>	XS - 7, Riffle
<b>Drainage Area (sq mi):</b>	0.10
<b>Date:</b>	6/10/2010
<b>Field Crew:</b>	A. French, L. Lord



Station	Elevation
0.0	624.30
1.0	624.07
6.5	624.17
12.1	623.80
16.3	623.13
18.1	622.44
22.7	621.62
25.6	621.01
28.8	620.54
30.1	620.41
31.4	620.10
33.1	619.19
34.2	618.48
35.3	618.53
35.8	618.28
36.2	618.04
36.6	617.98
37.2	618.01
38.3	618.43
39.3	618.70
40.8	619.17
42.3	619.56
45.5	620.19
48.1	620.86
52.1	621.57
56.8	622.64
65.6	623.87
73.2	624.48
77.9	625.14
78.3	625.54

SUMMARY DATA	
<b>Bankfull Elevation:</b>	619.6
<b>Bankfull Cross-Sectional Area:</b>	9.2
<b>Bankfull Width:</b>	10.3
<b>Flood Prone Area Elevation:</b>	621.3
<b>Flood Prone Width:</b>	26
<b>Max Depth at Bankfull:</b>	1.7
<b>Mean Depth at Bankfull:</b>	0.9
<b>W / D Ratio:</b>	11.7
<b>Entrenchment Ratio:</b>	2.5
<b>Bank Height Ratio:</b>	1.0

Stream Type B4c




<b>River Basin:</b>	Cape Fear
<b>Watershed:</b>	Glen Raven, MY-04, UT1
<b>XS ID</b>	XS - 8, Pool
<b>Drainage Area (sq mi):</b>	0.10
<b>Date:</b>	6/10/2010
<b>Field Crew:</b>	A. French, L. Lord

Station	Elevation
6.5	619.43
14.0	619.27
20.8	618.93
24.8	618.82
29.1	618.20
32.9	617.55
37.5	616.63
38.6	616.40
40.7	615.87
42.1	615.78
42.8	615.54
43.4	615.11
44.1	615.01
44.8	614.93
45.7	614.87
46.3	615.10
46.8	615.52
48.0	616.13
49.4	616.63
52.7	618.04
57.8	619.69
62.2	620.17
68.1	620.78
73.4	621.08
77.0	621.64
77.6	621.87

SUMMARY DATA	
<b>Bankfull Elevation:</b>	616.9
<b>Bankfull Cross-Sectional Area:</b>	14.0
<b>Bankfull Width:</b>	13.9
<b>Flood Prone Area Elevation:</b>	-
<b>Flood Prone Width:</b>	-
<b>Max Depth at Bankfull:</b>	2.0
<b>Mean Depth at Bankfull:</b>	1.0
<b>W / D Ratio:</b>	-
<b>Entrenchment Ratio:</b>	-
<b>Bank Height Ratio:</b>	1.0





<b>Stream Type</b>	B4c
--------------------	-----



# Appendix B3: Longitudinal Profile



## Longitudinal Profile UTHR MY-04 Stations 10+00 - 20+00









# Longitudinal Profile UTHR MY-04 Stations 20+00 - 30+00







**Longitudinal Profile  
 UTHR MY-04  
 Stations 30+00 - 40+00**







**Longitudinal Profile  
UT1 MY-04  
Stations 40+00 - 46+00**



Due to no flowing water in the channel, water surface and water surface slope were not recorded.



**Longitudinal Profile  
UT2 MY-04  
Stations 50+00 - 53+75**




\*No survey data taken during MY-01. Due to no flowing water in the channel, water surface and water surface slope were not recorded.





## Appendix B4: Pebble Count Plots

Cross-Section 1 Pool - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	
Very Fine	.062 - .125	S	
Fine	.125 - .25	A	3
Medium	.25 - .50	N	
Coarse	.50 - 1	D	43
Very Coarse	1 - 2	S	10
Very Fine	2 - 4		
Fine	4 - 5.7	G	1
Fine	5.7 - 8	R	1
Medium	8 - 11.3	A	1
Medium	11.3 - 16	V	
Coarse	16 - 22.6	E	6
Coarse	22.6 - 32	L	11
Very Coarse	32 - 45	S	1
Very Coarse	45 - 64		15
Small	64 - 90	C	4
Small	90 - 128	O	2
Large	128 - 180	B	1
Large	180 - 256	L	1
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	1
		<b>Total</b>	<b>101</b>
Note:			




Size (mm)	
D16	0.62
D35	0.84
D50	1.3
D65	22
D84	53
D95	83

Size Distribution	
mean	5.7
dispersion	21.4
skewness	0.46

Type	
silt/clay	0%
sand	55%
gravel	36%
cobble	8%
boulder	0%
bedrock	1%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 2 Riffle - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	
Very Fine	.062 - .125	S	
Fine	.125 - .25	A	2
Medium	.25 - .50	N	
Coarse	.50 - 1	D	22
Very Coarse	1 - 2	S	25
Very Fine	2 - 4		1
Fine	4 - 5.7	G	
Fine	5.7 - 8	R	3
Medium	8 - 11.3	A	4
Medium	11.3 - 16	V	5
Coarse	16 - 22.6	E	9
Coarse	22.6 - 32	L	10
Very Coarse	32 - 45	S	3
Very Coarse	45 - 64		4
Small	64 - 90	C	5
Small	90 - 128	O	6
Large	128 - 180	B	3
Large	180 - 256	L	1
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	1
		<b>Total</b>	104
Note:			




Size (mm)	
D16	0.79
D35	1.4
D50	6.9
D65	19
D84	56
D95	120

Size Distribution	
mean	6.7
dispersion	8.4
skewness	-0.01

Type	
silt/clay	0%
sand	47%
gravel	38%
cobble	14%
boulder	0%
bedrock	1%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 3 Pool - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	
Very Fine	.062 - .125	S	
Fine	.125 - .25	A	5
Medium	.25 - .50	N	
Coarse	.50 - 1	D	50
Very Coarse	1 - 2	S	50
Very Fine	2 - 4		
Fine	4 - 5.7	G	1
Fine	5.7 - 8	R	
Medium	8 - 11.3	A	
Medium	11.3 - 16	V	
Coarse	16 - 22.6	E	
Coarse	22.6 - 32	L	
Very Coarse	32 - 45	S	
Very Coarse	45 - 64		
Small	64 - 90	C	
Small	90 - 128	O	
Large	128 - 180	B	
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	
		<b>Total</b>	106
Note:			




Size (mm)	
D16	0.59
D35	0.78
D50	0.97
D65	1.2
D84	1.6
D95	1.9

Size Distribution	
mean	1.0
dispersion	1.6
skewness	0.00

Type	
silt/clay	0%
sand	99%
gravel	1%
cobble	0%
boulder	0%
bedrock	0%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 4 Riffle - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	10
Very Fine	.062 - .125	S	3
Fine	.125 - .25	A	
Medium	.25 - .50	N	22
Coarse	.50 - 1	D	20
Very Coarse	1 - 2	S	1
Very Fine	2 - 4		
Fine	4 - 5.7	G	
Fine	5.7 - 8	R	
Medium	8 - 11.3	A	9
Medium	11.3 - 16	V	3
Coarse	16 - 22.6	E	5
Coarse	22.6 - 32	L	4
Very Coarse	32 - 45	S	4
Very Coarse	45 - 64		5
Small	64 - 90	C	9
Small	90 - 128	O	2
Large	128 - 180	B	3
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	5
		<b>Total</b>	105
Note:			




Size (mm)	
D16	0.27
D35	0.5
D50	0.84
D65	11
D84	56
D95	90

Size Distribution	
mean	3.9
dispersion	34.9
skewness	0.44

Type	
silt/clay	10%
sand	44%
gravel	29%
cobble	13%
boulder	0%
bedrock	5%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 5 Riffle - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	
Very Fine	.062 - .125	S	1
Fine	.125 - .25	A	15
Medium	.25 - .50	N	
Coarse	.50 - 1	D	12
Very Coarse	1 - 2	S	19
Very Fine	2 - 4		2
Fine	4 - 5.7	G	2
Fine	5.7 - 8	R	2
Medium	8 - 11.3	A	7
Medium	11.3 - 16	V	7
Coarse	16 - 22.6	E	13
Coarse	22.6 - 32	L	13
Very Coarse	32 - 45	S	6
Very Coarse	45 - 64		5
Small	64 - 90	C	1
Small	90 - 128	O	3
Large	128 - 180	B	1
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	1
		<b>Total</b>	110
Note:			




Size (mm)	
D16	0.54
D35	1.4
D50	8.6
D65	18
D84	31
D95	62

Size Distribution	
mean	4.1
dispersion	9.8
skewness	-0.24

Type	
silt/clay	0%
sand	43%
gravel	52%
cobble	5%
boulder	0%
bedrock	1%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 6 Pool - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	1
Very Fine	.062 - .125	S	
Fine	.125 - .25	A	7
Medium	.25 - .50	N	
Coarse	.50 - 1	D	25
Very Coarse	1 - 2	S	9
Very Fine	2 - 4		3
Fine	4 - 5.7	G	2
Fine	5.7 - 8	R	3
Medium	8 - 11.3	A	3
Medium	11.3 - 16	V	5
Coarse	16 - 22.6	E	10
Coarse	22.6 - 32	L	21
Very Coarse	32 - 45	S	3
Very Coarse	45 - 64		3
Small	64 - 90	C	2
Small	90 - 128	O	2
Large	128 - 180	B	1
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	2
		<b>Total</b>	102
Note:			




Size (mm)	
D16	0.62
D35	1.2
D50	8
D65	20
D84	29
D95	64

Size Distribution	
mean	4.2
dispersion	8.3
skewness	-0.21

Type	
silt/clay	1%
sand	40%
gravel	52%
cobble	5%
boulder	0%
bedrock	2%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 7 Riffle - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	40
Very Fine	.062 - .125	S	10
Fine	.125 - .25	A	2
Medium	.25 - .50	N	
Coarse	.50 - 1	D	5
Very Coarse	1 - 2	S	5
Very Fine	2 - 4		
Fine	4 - 5.7	G	3
Fine	5.7 - 8	R	
Medium	8 - 11.3	A	2
Medium	11.3 - 16	V	7
Coarse	16 - 22.6	E	10
Coarse	22.6 - 32	L	4
Very Coarse	32 - 45	S	6
Very Coarse	45 - 64		3
Small	64 - 90	C	4
Small	90 - 128	O	1
Large	128 - 180	B	1
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	6
		<b>Total</b>	109
Note:			




Size (mm)	
D16	0.062
D35	0.062
D50	0.21
D65	11
D84	28
D95	69

Size Distribution	
mean	1.3
dispersion	68.4
skewness	0.49

Type	
silt/clay	37%
sand	20%
gravel	32%
cobble	6%
boulder	0%
bedrock	6%
hardpan	0%
wood/det	0%
artificial	0%

Cross-Section 8 Pool - MY04			
Particle	Millimeter		Count
Silt/Clay	< 0.062	S/C	63
Very Fine	.062 - .125	S	2
Fine	.125 - .25	A	1
Medium	.25 - .50	N	
Coarse	.50 - 1	D	7
Very Coarse	1 - 2	S	2
Very Fine	2 - 4		2
Fine	4 - 5.7	G	2
Fine	5.7 - 8	R	1
Medium	8 - 11.3	A	1
Medium	11.3 - 16	V	4
Coarse	16 - 22.6	E	5
Coarse	22.6 - 32	L	5
Very Coarse	32 - 45	S	7
Very Coarse	45 - 64		
Small	64 - 90	C	
Small	90 - 128	O	
Large	128 - 180	B	
Large	180 - 256	L	
Small	256 - 362	B	
Small	362 - 512	L	
Medium	512 - 1024	D	
Lrg- Very Lrg	1024 - 2048	R	
Bedrock	>2048	BDRK	
		<b>Total</b>	102
Note:			



Size (mm)	
D16	0.062
D35	0.062
D50	0.062
D65	0.52
D84	17
D95	35

Size Distribution	
mean	1.0
dispersion	137.6
skewness	0.78


Type	
silt/clay	62%
sand	12%
gravel	26%
cobble	0%
boulder	0%
bedrock	0%
hardpan	0%
wood/det	0%
artificial	0%



# Appendix B5 - Stream Hydrographs

## Glen Raven Gauge 1 Stream Hydrograph

1/1/10 to 9/21/10



# Glen Raven Gauge 2 Stream Hydrograph

1/1/10 to 9/21/10

