

North Muddy Creek Stream and Wetland Restoration

Year 4 Final Monitoring Report

Project ID Number: 16-D06115

EEP Project # 92611



Prepared for:

Environmental Banc and Exchange



909 Capability Drive, Suite 3100
Raleigh, NC 27606

Prepared by:

Equinox Environmental Consultation and Design, Inc.



37 Haywood Street, Suite 100
Asheville, NC 28801

Submitted to

NCDENR - Ecosystem Enhancement Program



1619 Mail Service Center
Raleigh, NC 27699

TABLE OF CONTENTS

| | | |
|--------------|---|-----------|
| 1.0 | SUMMARY | 1 |
| 2.0 | INTRODUCTION..... | 2 |
| 2.1 | Project Description | 2 |
| 2.2 | Project Purpose | 10 |
| 2.3 | Project History and Schedule | 11 |
| 3.0 | STREAM MONITORING..... | 12 |
| 3.1 | Stream Success Criteria | 12 |
| 3.2 | Stream Morphology Monitoring Plan..... | 12 |
| 3.2.1 | Cross-Sections | 12 |
| 3.2.2 | Longitudinal Profile..... | 12 |
| 3.2.3 | Substrate | 13 |
| 3.2.4 | Hydrology | 13 |
| 3.2.5 | Photo Reference Stations..... | 13 |
| 3.3 | Stream Morphology Monitoring Results | 13 |
| 3.3.1 | Cross-Sections | 13 |
| 3.3.2 | Longitudinal Profile..... | 13 |
| 3.3.3 | Substrate | 14 |
| 3.3.4 | Hydrology | 14 |
| 3.3.5 | Photo Reference Stations..... | 14 |
| 3.4 | Stream Conclusions | 15 |
| 4.0 | HYDROLOGY | 17 |
| 4.1 | Hydrologic Success Criteria..... | 17 |
| 4.2 | Description of Hydrology Monitoring Efforts..... | 17 |
| 4.3 | Results of Hydrology Monitoring..... | 18 |
| 4.3.1 | Site Data..... | 20 |
| 4.3.2 | Climate Data..... | 20 |
| 5.0 | VEGETATION | 22 |
| 5.1 | Vegetation Success Criteria | 22 |
| 5.2 | Description of Species and Vegetation Monitoring | 22 |
| 5.3 | Results of Vegetation Monitoring..... | 22 |
| 5.4 | Vegetation Observations and Conclusions | 25 |

| | | |
|------------|---|-----------|
| 6.0 | CONCLUSIONS AND RECOMENDATIONS | 27 |
| 7.0 | REFERENCES..... | 28 |

LIST OF FIGURES

| | | |
|------------------|--|-----------|
| Figure 1. | Vicinity Map | 3 |
| Figure 2. | USGS Map | 4 |
| Figure 3. | Monitoring Plan View | 5 |
| Figure 4. | 2012 Precipitation for North Muddy Creek Site | 23 |

LIST OF TABLES

| | | |
|------------------|---|-----------|
| Table 1. | Project Mitigation Structure and Objectives | 10 |
| Table 2. | Project Activity and Reporting History | 11 |
| Table 3. | Project Contacts | 11 |
| Table 4. | Crest Gauge Data | 14 |
| Table 5. | Stream Areas Requiring Observation | 15 |
| Table 6. | Summary of Morphologic Monitoring Parameters | 15 |
| Table 7. | Hydrologic Monitoring Results | 19 |
| Table 8. | Comparison of Normal Rainfall to Observed Rainfall | 20 |
| Table 9. | Planted Tree Species | 22 |
| Table 10. | Results of 2012 Vegetation Monitoring by Plot | 23 |
| Table 11. | Summary of Vegetation Monitoring Results | 23 |
| Table 12. | Estimated Herbaceous Total Percent Cover | 24 |
| Table 13. | Volunteer Tree Species | 25 |

APPENDICES

| | |
|--------------------|--|
| Appendix A. | Current Condition Plan View |
| Appendix B. | 2012 Profile, Cross-Section, and Substrate Data |
| Appendix C. | Morphologic Monitoring Parameters |
| Appendix D. | 2012 Site Photos |
| Appendix E. | 2012 Gauge Data |
| Appendix F. | Invasive Exotic Vegetation Control at North Muddy Creek Stream Restoration Site Progress Report |

1.0 SUMMARY

This annual monitoring report details the activities completed during the 2012 (Year 4) growing season on the North Muddy Creek Mitigation Site. Construction of the site, including planting of trees, was completed in December 2008. The 2012 data represents results from the fourth year of hydrology and vegetation monitoring for both streams and wetlands.

The stream design for the North Muddy Site involved restoration, enhancement, and preservation associated with five separate stream reaches. Wetland components included riparian and non-riparian wetland restoration, enhancement, and preservation. After construction, it was determined that the project was comprised of generated 3,974 linear feet of stream restoration, 673 linear feet of stream enhancement, and 3,313 linear feet of stream preservation. Wetlands included 11.4 acres of riparian restoration, 3.7 acres of riparian enhancement, 2.5 acres of riparian preservation, and 2.6 acres of non-riparian restoration.

This annual report presents the data from 9 cross sections, 3,112 linear feet of longitudinal profile, 3 crest gauges, 8 automated groundwater monitoring stations, 3 automated rain gauges, 11 vegetation monitoring plots, and photographic reference locations; as specified in the approved Mitigation Plan (EBX 2009).

The Year 4 stream channel data continues to indicate that the restored stream is generally stable and is providing the intended habitat and hydrologic functions. With the exception of some isolated areas of stream bed aggradation and degradation, stream bank erosion, grade control degradation, and thalweg migration; the longitudinal profiles, cross sections, and visual assessments indicate little adjustment in stream dimension when compared to the as-built conditions. Since project completion at least two bankfull events have occurred at the project site; however no bankfull events were recorded during Year 4 monitoring.

Data from the groundwater monitoring stations revealed the upper soil surfaces were saturated for more than seven percent of the growing season at all stations. Burke County weather station data in conjunction with on-site rain gauges documented precipitation and was used to validate groundwater monitoring station data. On-site rainfall was, on average, above normal during the majority of the growing season.

Vegetation plot (VP) monitoring during Year 4 indicates planted stem densities were between 445 and 931 stems per acre with an average of 659 planted stems per acre for the entire restoration site. These data substantiate that the site is on track to achieve the final success criterion of 260 planted stems per acre. The increase in percent survival for (VP4 at UT6) since the Year 3 monitoring is the result of a supplemental planting effort in the spring of 2012. When planted and natural stems are combined the average stem density for the entire restoration site is approximately 1,751 stems per acre, which is well above the final success criterion of 260 stems per acre to be achieved by the end of the Year 5 monitoring period. With respect to each restoration area, UT1 has an average of 649 planted stems per acre, UT5 has 870, and UT 6 has 583. Additionally, an intensive exotic invasive plant control effort was initiated in the summer of 2011 with follow up treatments administered in 2012.

2.0 INTRODUCTION

2.1 Project Description

The North Muddy Creek Stream and Wetland Mitigation Site was identified and developed through the North Carolina Ecosystem Enhancement Program (NCEEP) full delivery process. The site is located along the McDowell/Burke County line approximately nine miles east of Marion, North Carolina (Figure 1). The project streams lie within the Catawba River Basin (Hydrologic Unit Code 03050101040020) and the North Carolina Division of Water Quality (NCDWQ) sub-basin 03-08-30.

The mitigation site consists of five distinct stream systems totaling 7,960 linear feet and three adjacent wetland areas encompassing 20.2 acres. The five distinct unnamed tributaries (UT) are identified as UT1, UT2, UT4, UT5, and UT6. Unnamed Tributary 1 (UT1) is located just north of Interstate 40 on the McDowell/Burke County line, whereas UT2, UT4, UT5, and UT6 are located south of Interstate 40 on the McDowell/Burke County line. The USGS Marion East and Glen Alpine topographic quadrangles (Figure 2) shows UT1 drains to Muddy Creek, UT2 drains to North Muddy, and the remaining streams drain to South Muddy Creek. All five reaches drain watersheds consisting of predominately forested and agricultural land. On-site topography, soils, and existing wetlands demonstrated that the site historically supported wetlands. The site is defined by conservation easements surrounding the streams and adjacent riparian buffers that total approximately 34.8 acres.

Channel restoration (improved pattern, dimension, and longitudinal profile) was completed on UT1, UT6, and the lower portion of UT5. Stream enhancement activities (improved dimension and longitudinal profile) were limited to the middle reach of UT5. The headwater reaches of UT2, UT4, and UT5 were protected under preservation criteria.

Prior to restoration UT1 and adjacent wetlands were highly disturbed due to the presence of livestock, channelization, and ditching. The lower reach of UT5 had been channelized and portions of the riparian wetland had been impaired due to row cropping. Channelization, ditching, and riparian disturbances associated with historical agricultural practices had severely degraded UT6 and the associated wetlands.

The 2012 monitoring season represents Year 4 of the monitoring period. Monitoring during 2012 included stream, wetland, and vegetation monitoring stations (Figure 3) as approved in the Mitigation Plan (EBX, 2009).





Figure 1
North Muddy Mitigation Site
Project Vicinity Map














Figure 2
North Muddy Mitigation Site
USGS Map






LEGEND

| | |
|--|--------------------------------|
| | Vegetation Monitoring Plots |
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Crest Gauge |
| | Wetland Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Riffle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Sill |
| | Root Wad |

North Muddy Creek


Burke & McDowell County, NC



Monitoring Plan FIGURE 3



LEGEND


| | |
|--|--------------------------------|
| | Vegetation Monitoring Plots |
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Wetland Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Riffle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Sill |
| | Root Wad |





LEGEND

| | |
|--|--------------------------------|
| | Vegetation Monitoring Plots |
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Crest Gauge |
| | Wetland Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Riffle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Sill |
| | Root Wad |



LONGITUDINAL PROFILE REACH
UT-6


XS1-RIFFLE
STA: 601+87.17




XS2-POOL
STA: 606+25.85

XS3-RIFFLE
STA: 606+56.85




LEGEND

| | |
|--|--------------------------------|
| | Vegetation Monitoring Plots |
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Wetland Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Riffle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Sill |
| | Root Wad |





LEGEND

| | |
|---|---------------------|
|  | Easement Boundary |
|  | Preservation Stream |
|  | Photo Point |

2.2 Project Purpose

The objective of the project was to provide 5,014 stream mitigation units (SMU's), 12.0 acres of riparian wetland mitigation units (WMU's), and 2.4 acres of non-riparian WMU's for the NC EEP full delivery process in the Catawba 03-08-30 Basin. In conjunction with providing mitigation credits; riparian habitat, aquatic habitat, and water quality improvements are expected as a result of the ecological restoration and enhancement practices.

The North Muddy Creek Mitigation Report (EBX 2009) documented 3,974 linear feet of stream restoration, 337 linear feet of stream enhancement Level I, 336 linear feet of stream enhancement Level II, and 3,313 linear feet of stream preservation resulting in 4,996 SMU's (Table 1). Wetland mitigation components stated within the Mitigation Report documented 11.4 riparian restoration acres, 3.7 riparian enhancement acres, 2.5 riparian preservation acres, and 2.6 non-riparian restoration acres resulting in 16.4 WMU's (Table 1).

Table 1. Project Mitigation Structure and Objectives

| Reach Name | As-Built Length (feet) | Riparian Wetland (acres) | Non-Riparian Wetland (acres) | Total Wetland (acres) | Restoration Approach |
|------------------------|------------------------|--------------------------|------------------------------|-----------------------|----------------------|
| UT1 | 2,257 | | | | Restoration |
| UT2 | 1,172 | | | | Preservation |
| UT4 | 1,421 | | | | Preservation |
| UT5 | 550 | | | | Restoration |
| UT5 | 337 | | | | Enhancement I |
| UT5 | 336 | | | | Enhancement II |
| UT5 | 720 | | | | Preservation |
| UT6 | 1,167 | | | | Restoration |
| UT1 - Wetland | | 3.3 | | 6.6 | Restoration |
| UT1 – Wetland | | 3.0 | | | Enhancement |
| UT1 – Wetland | | 0.3 | | | Preservation |
| UT5 – Wetland | | 0.7 | | 2.9 | Enhancement |
| UT5 – Wetland | | 2.2 | | | Preservation |
| UT6 - Wetland | | 8.1 | 2.6 | 10.7 | Restoration |
| Total Site | 7,960 | 17.6 | 2.6 | 20.2 | |
| Total Mitigation Units | 4,996 | 13.8 | 2.6 | | |

Annual monitoring of the site is required to demonstrate successful mitigation based on criteria established in the Restoration Plan (EBX, 2007) and through a comparison to as-built and reference conditions. The success criteria components adhere to guidance provided by the United States Army Corps of Engineers (USACE) – Wilmington District (USACE, 2003) and recommendations from the NC EEP. Stream, hydrology, and vegetation monitoring are conducted annually for five years or until success criteria have been met. This Annual Monitoring Report details the results of the monitoring efforts for Year 4 at the North Muddy

Creek Stream and Wetland Mitigation Site. Results from the Year 4 monitoring efforts are included within the following sections and in the current condition plan view Appendix A.

2.3 Project History and Schedule

The project was constructed in the summer and fall of 2008 and the five year monitoring is expected to be completed in the winter of 2013 (Table 2). Service providers and primary contacts are listed in Table 3.

Table 2. Project Activity and Reporting History

| Month / Year | Activity |
|-----------------------|---|
| September 2007 | Restoration Plan |
| September 2008 | Construction Completed |
| December 2008 | Planting Completed |
| March 2009 | Supplemental Planting |
| April 2009 | Mitigation Plan / As-Built Report |
| December 2009 | Year 1 Annual Monitoring Report |
| December 2010 | Year 2 Annual Monitoring Report |
| April 2011 | Supplemental Planting |
| June – July 2011 | Exotic Invasive Plant Control |
| December 2011 | Year 3 Annual Monitoring Report |
| January and July 2012 | Exotic Invasive Plant Control |
| December 2012 | Year 4 Annual Monitoring Report |
| December 2013 | Year 5 Annual Monitoring Report (Scheduled) |

Table 3. Project Contacts

| Contact | Provider Information |
|--|--|
| Full Delivery Service Contractor Norton Webster | Environmental Banc & Exchange 909 Capability Drive Suite 3100 Raleigh, North Carolina 27606 (919) 829-9909 |
| Designer William Wilhelm | Kimley-Horn and Associates, Inc. 4651 Charlotte Park Drive, Suite 300 Charlotte, North Carolina 28217 (704) 333-5131 |
| Construction/Seeding Contractor Robert Grady | RFG Construction Inc. 1907 Cambridge Drive Kinston, North Carolina 28504 (252) 523-2405 |
| Planting Contractor Robert Cato | Superior Wildlife Services 2105 Sparre Drive Kinston, North Carolina 28504 (252) 939-0465 |
| Monitoring Contractor Steve Melton | Equinox Environmental Consultation & Design, Inc. 37 Haywood Street, Suite 100 Asheville, North Carolina 28801 (828) 253-6856 |

3.0 STREAM MONITORING

3.1 Stream Success Criteria

As stated in the Mitigation Plan, the stream geometry will be considered successful if the cross-section geometry, profile, and sinuosity are stable or reach a dynamic equilibrium. While the channels may not adhere to the design or reference ratios of stream geometry, the streams will be considered stable if the following key indicators are present:

- *Stream Type*: Maintenance of the design stream type or progression toward or conversion to a stable stream type such as B, C, or E will indicate stability.
- *Bank Height Ratio*: Bank height ratio between 1.0 and 1.2 will indicate that flood flows have access to the active floodplain and that higher flows do not apply excessive stresses to stream banks.

A minimum of two bankfull events is required during the 5-year monitoring period. If two bankfull events do not occur the monitoring period may be extended at the discretion of the UACOE.

3.2 Stream Morphology Monitoring Plan

The stream monitoring program will document annual system development and progress towards achieving the success criteria. Monitoring will occur annually for 5-years or until the final success criteria are achieved, whichever is longer. The locations of the individual stream monitoring components described below are shown in Figures 3-7.

3.2.1 Cross-Sections

A total of nine cross-sections were installed during the as-built data collection effort. Cross-sections for UT1 include one riffle and one pool for each of the two monitored reaches. The UT5 restoration reach includes one riffle and one pool cross-section, while UT6 includes two riffles and one pool cross-section. Each cross-section was marked on both banks with permanent iron pins to establish known elevations and stationing for comparisons between annual data collection efforts. Annual cross-sectional survey points include all present breaks in slope; including top of bank, bankfull, inner berm, and thalweg. Cross-sectional photos are collected annually to visually document left and right bank conditions.

3.2.2 Longitudinal Profile

Four permanent longitudinal profile reaches were established during the as-built data collection effort. Two reaches are in UT1, an upper (UT1-Upper) and lower reach (UT1-Lower), whereas UT5 and UT6 include the entire lengths of the restoration reaches. The beginning and end of each longitudinal profile reach was marked on both banks with permanent iron pins to establish elevation benchmarks for annual data comparison and analysis. Longitudinal profile measurements include thalweg, water surface, bankfull, and top of low bank. Annual thalweg and water surface measurements are collected at the head and tail of each bedform type.

3.2.3 Substrate

Bed substrate assessment sites were established at each permanent cross-section. Annual pebble counts are collected utilizing methods adapted from Harrelson et al. (1994). A minimum of 100 particles are selected and measured from each channel feature type sampled. Sampled materials are placed into size classes using the traditional Wentworth scale classes subdivided based on phi scale. These classes are grouped into broader sediment size categories (e.g. sand, gravel or cobble) and are utilized to compare substrate changes from as-built conditions.

3.2.4 Hydrology

Crest gauges installed on each restoration reach tributary are utilized to document bankfull events during the monitoring period. Crest gauges are checked during each site visit to document the highest flow between visits. Gauge height readings are recorded and digital images of floodplain debris lines and sediment deposition are collected to document annual bankfull events.

3.2.5 Photo Reference Stations

A total of 23 photo stations were established throughout the site to subjectively evaluate overall trends in project progression and general site conditions over the duration of the monitoring effort. Additionally, the entire site is visually assessed annually to document any other areas of concern. These areas of concern were photo-documented.

3.3 Stream Morphology Monitoring Results

The Year 4 annual stream morphology data were collected between February and November 2012. Reference station photos were collected in January 2012 prior to leaf out to document the general conditions of the site. The Year 4 cross-section, longitudinal profile, and substrate data collection efforts occurred in February 2012. Visual assessments and bankfull documentation was noted during each site visit during the annual monitoring effort. A final quantitative site assessment and data collection effort occurred in November 2012.

3.3.1 Cross-Sections

Cross-sectional data collected during the Year 4 monitoring effort have been compared with the previous data sets (Appendices B and C). The Year 4 channel cross-sectional data shows minimal differences between years indicating that the overall stream dimensions have remained stable.

3.3.2 Longitudinal Profile

Longitudinal profile surveys were conducted along the four separate reaches of the restoration project, totaling approximately 3,112 linear feet. The surveys conducted included reach UT1-Upper from STA 100+10 to STA 103+97 (387 linear feet), reach UT1-Lower from STA 109+95 to STA 120+59 (1,064 linear feet), reach UT5 from STA 510+59 to STA 516+40 (581 linear

feet), and reach UT6 from STA 600+05 to STA 610+85 (1,080 linear feet). The longitudinal profiles documented bed elevations, stream features, and in-stream grade control structures as compared to the as-built profiles (Appendices B and C). With the exception of some isolated and minor areas of stream bed aggradation and degradation, stream bank erosion, grade control degradation, and thalweg migration; stream profiles between monitoring years indicate little adjustment.

3.3.3 Substrate

Pebble count data collected during Year 4 indicates little change in substrate size composition between years. Substrate composition within the stream channels is primarily silt/clay and fine sand particles within both the riffle and pool habitat types. The Year 4 pebble count data summary plots are included in Appendix B.

3.3.4 Hydrology

Since project completion at least two bankfull events have occurred within the project site. An initial bankfull event occurred in May 2009 which registered 0.05 feet above bankfull at UT6 (Table 4). A significant bankfull event occurred on all reaches in January 2010. No bankfull events occurred during the Year 4 monitoring period.

Table 4. Crest Gauge Data

| Month/Year Recorded | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) |
|---------------------|-----------------------|-----------------------|-----------------------|
| May 2009 | 0.00 | 0.00 | 0.05 |
| January 2010 | >4.00 | 3.50 | >4.00 |

3.3.5 Photo Reference Stations

The Year 4 reference station photos are included in Appendix D. Stream areas of concern (SPA) identified through the morphological monitoring and visual assessments include isolated areas of stream bed aggradation and degradation, stream bank erosion, and grade control degradation (Table 5). Representative photos of these areas taken during the Year 4 monitoring effort are included in Appendix D.

Table 5. Stream Areas Requiring Observation

| SPA | Feature | Reach | STA | Description | Recommendation |
|-----|-------------|-------|--------|---------------------------------------|---------------------|
| 1 | Riffle | UT1 | 105+00 | Riffle down cutting | Continue to monitor |
| 2 | Pool | UT1 | 105+25 | Reduced pool depth due to aggradation | Continue to monitor |
| 3 | Riffle | UT1 | 105+70 | Riffle down cutting | Continue to monitor |
| 4 | Riffle | UT1 | 107+90 | Riffle down cutting | Continue to monitor |
| 5 | Riffle | UT1 | 110+40 | Riffle down cutting | Continue to monitor |
| 6 | Pool | UT5 | 510+75 | Reduced pool depth due to aggradation | Continue to monitor |
| 7 | Stream Bank | UT5 | 515+10 | Bank scour | Continue to monitor |
| 8 | Stream Bank | UT5 | 515+50 | Bank scour | Continue to monitor |
| 9 | Rock Vane | UT5 | 515+80 | Grade control structure piping | Continue to monitor |
| 10 | Pool | UT6 | 601+00 | Reduced pool depth due to aggradation | Continue to monitor |
| 11 | Riffle | UT6 | 601+30 | Riffle down cutting | Continue to monitor |
| 12 | Pool | UT6 | 601+60 | Reduced pool depth due to aggradation | Continue to monitor |
| 13 | Pool | UT6 | 602+25 | Reduced pool depth due to aggradation | Continue to monitor |
| 14 | Riffle | UT6 | 603+75 | Riffle down cutting | Continue to monitor |

3.4 Stream Conclusions

The Year 4 morphological monitoring and visual assessments primarily indicate a stable system when compared to the as-built conditions. While the majority of pools and riffles were of appropriate depth, stream areas of concern identified during Year 4 were primarily associated with isolated cases of pool aggradation and riffle degradation. These areas will continue to be monitored during subsequent monitoring years and recommendations will be made if these areas become problematic to project success. Table 6 summarizes the riffle morphologic parameters between monitoring years; details of the morphologic parameters are provided in Appendices B and C.

Table 6. Summary of Morphologic Monitoring Parameters

| Unnamed Tributary 1 – Upper Reach | | | | | |
|---|----------|--------|--------|--------|--------|
| Parameter | As-Built | Year 1 | Year 2 | Year 3 | Year 4 |
| Bankfull Cross-Section Area Abkf (sq ft) | 4.2 | 4.2 | 3.9 | 3.5 | 3.6 |
| Bankfull Width Wbkf (ft) | 6.0 | 5.8 | 5.8 | 5.6 | 5.8 |
| Bankfull Width/Depth Ratio | 8.6 | 8.0 | 8.5 | 8.9 | 9.3 |
| Bankfull Mean Depth Dbkf (ft) | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 |
| Bankfull Max Depth Dmax (ft) | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 |

Table 6 Continued. Summary of Morphologic Monitoring Parameters

| Unnamed Tributary 1 – Lower Reach | | | | | |
|---|-----------------|---------------|---------------|---------------|---------------|
| Parameter | As-Built | Year 1 | Year 2 | Year 3 | Year 4 |
| Bankfull Cross-Section Area Abkf (sq ft) | 3.1 | 3.1 | 3.1 | 3.0 | 3.0 |
| Bankfull Width Wbkf (ft) | 5.5 | 6.2 | 6.4 | 6.5 | 6.0 |
| Bankfull Width/Depth Ratio | 9.9 | 12.2 | 12.9 | 14.3 | 12.0 |
| Bankfull Mean Depth Dbkf (ft) | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 |
| Bankfull Max Depth Dmax (ft) | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 |

| Unnamed Tributary 5 | | | | | |
|---|-----------------|---------------|---------------|---------------|---------------|
| Parameter | As-Built | Year 1 | Year 2 | Year 3 | Year 4 |
| Bankfull Cross-Section Area Abkf (sq ft) | 5.4 | 5.0 | 5.0 | 5.1 | 5.1 |
| Bankfull Width Wbkf (ft) | 7.2 | 7.2 | 7.6 | 8.5 | 8.2 |
| Bankfull Width/Depth Ratio | 9.7 | 10.3 | 11.6 | 14.0 | 13.3 |
| Bankfull Mean Depth Dbkf (ft) | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 |
| Bankfull Max Depth Dmax (ft) | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 |

| Unnamed Tributary 6 | | | | | |
|---|-----------------|---------------|---------------|---------------|---------------|
| Parameter | As-Built | Year 1 | Year 2 | Year 3 | Year 4 |
| Average Bankfull Cross-Section Area Abkf (sq ft) | 6.1 | 7.7 | 7.7 | 7.6 | 7.7 |
| Average Bankfull Width Wbkf (ft) | 10.5 | 10.5 | 10.8 | 10.9 | 10.9 |
| Average Bankfull Width/Depth Ratio | 14.5 | 14.7 | 15.2 | 15.7 | 15.5 |
| Average Bankfull Mean Depth Dbkf (ft) | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 |
| Average Bankfull Max Depth Dmax (ft) | 1.3 | 1.4 | 1.6 | 1.6 | 1.7 |

4.0 HYDROLOGY

4.1 Hydrologic Success Criteria

As stated in the Restoration Plan, the hydrology success criteria for the site is based on improvements to the frequency and duration of soil saturation of the restored wetlands as compared to reference wetlands (EBX 2007). The groundwater hydrological characteristics of the existing reference wetlands serve as the target for the restored wetlands. The restored wetlands are in similar landscape positions and should have hydrological responses similar to the reference wetlands. The minimum requirement for the restoration of wetland hydrology will also be based on the USACE guidelines (USACE, 1987) including saturation of the upper 12 inches of surface soils for 7 percent of the growing season. The growing season for McDowell County extends from March 28 to November 4 (222 days). The growing season is based on the fifty percent probability of a 28°F or greater minimum temperature between these dates (NRCS, 2012).

4.2 Description of Hydrology Monitoring Efforts

Prior to the 2009 growing season, eight automated groundwater gauges were installed within the restored wetland areas (Figure 3). The UT1 wetland area includes two gauges within the restoration sites and one reference gauge within a fully functional wetland immediately adjacent to the restored area. The UT5 wetland area contains one gauge within the enhancement wetland and one within the preservation wetland. Finally, three gauges were installed within the UT6 wetland restoration area. As part of the monitoring program an Ecotone automated rain gauge was installed at each project area prior to the start of the growing season. The monitoring protocol for the site specified that automated monitoring station data be downloaded bi-monthly and checked for malfunctions at the same time. During the 2012 growing season, the UT1-01, UT6-02, and UT6-03 groundwater gauges malfunctioned during a portion of the growing season. Additionally, rain gauge malfunctions at UT1 and UT5 resulted in data gaps for rainfall events occurring during the growing season.

Automated Gauges

Groundwater gauges were installed at a minimum depth of 23 inches below the ground surface. Automated gauges compensate for changes in atmospheric pressure and were set to record water elevation above the bottom of the sensor daily at 08:00 and 20:00 hours.

Automated rain gauges were installed in open areas to prevent inaccurate readings due to overhead vegetation. Gauges automatically record rainfall with a tipping bucket calculated to record to 0.01 of an inch.

Data Interpretation

Unless erroneous readings were observed between the two daily groundwater readings, the 08:00 daily reading was utilized for the daily hydrology level. For days in which a significant difference between the 08:00 and 20:00 reading was observed (N = 0), the data were compared to water level readings immediately before and after the data in question as the method to determine erroneous readings. Daily rainfall readings were summed to obtain monthly totals.

During monitoring years in which below normal precipitation resulted in groundwater levels not meeting hydrologic requirements, the groundwater hydrology from the reference gauges was compared to the restoration and enhancement data to determine the level of correlation between the data.

4.3 Results of Hydrology Monitoring

The following Year 4 hydroperiod statistics were calculated for each monitoring station following the third growing season: 1) most consecutive days and percent of the growing season that the water table was within 12 inches of the soil surface; 2) cumulative number of days and percent of growing season that the water table was within 12 inches of the soil surface; and 3) number of times the water table rose to within 12 inches of the soil surface (Table 7). Individual groundwater graphs and raw hydrograph data collected from the monitoring gauges are provided in Appendix E.

During Year 4, all groundwater gauges met the success criteria as stated in the Restoration Plan (Table 7) (EBX 2007). Gauge data results for the UT1 wetland area ranged from approximately 8.1 to 100.0 percent hydroperiod attainment during the growing season with the reference gauge (UT1 – 1) meeting criteria for 29.3 percent of the season. Gauge data for the UT5 wetland area, including the reference gauge (UT5 – 1), resulted in a consecutive hydroperiod range between 27.9 and 52.7 percent during the growing season. The consecutive hydroperiod ranged from 41.4 to 100.0 percent for the UT6 wetland area gauges.

Table 7. Hydrologic Monitoring Results

| 2012 Maximum Hydroperiod (Growing Season March 28 – November 4, 222 Days) | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---------------------------|-------------|---------------------------|-------------|---------------------------|-------------|---------------------------|------------|---------------------------|------------|---------------------------|------------|---------------------------|------------|---------------------------|-------------|--------|--------|--------|
| Gauge ID | Year 4 | | Year 3 | | Year 2 | | Year 1 | | Year 4 | | Year 3 | | Year 2 | | Year 1 | | Year 4 | Year 3 | Year 2 | Year 1 |
| | Consecutive | | Consecutive | | Consecutive | | Consecutive | | Cumulative | | Cumulative | | Cumulative | | Cumulative | | | | | |
| | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Days | Percent of Growing Season | Occurrences | | | |
| UT1 - 1 | 65 | 29.3 | 67 | 30.2 | 42 | 18.9 | 51 | 23.0 | 157 | 70.7 | 136 | 61.3 | 129 | 58.1 | 150 | 67.6 | 6 | 7 | 11 | 8 |
| UT1 - 2 | 222 | 100.0 | 71 | 32.0 | 41 | 18.5 | 88 | 39.6 | 222 | 100.0 | 149 | 67.1 | 95 | 42.8 | 155 | 69.8 | 1 | 5 | 11 | 5 |
| UT1 - 3 | 18 | 8.1 | 35 | 15.8 | 14 | 6.3 | 22 | 9.9 | 76 | 34.2 | 48 | 21.6 | 34 | 15.3 | 86 | 38.7 | 7 | 5 | 6 | 17 |
| UT5 - 1 | 117 | 52.7 | 74 | 33.3 | 74 | 33.3 | 96 | 43.2 | 219 | 98.6 | 176 | 79.3 | 182 | 82.0 | 178 | 80.2 | 2 | 5 | 3 | 3 |
| UT5 - 2 | 62 | 27.9 | 66 | 29.7 | 82 | 36.9 | 89 | 40.1 | 161 | 72.5 | 108 | 48.6 | 129 | 58.1 | 136 | 61.3 | 9 | 8 | 7 | 5 |
| UT6 - 1 | 222 | 100.0 | 153 | 68.9 | 222 | 100.0 | 112 | 50.5 | 222 | 100.0 | 213 | 95.9 | 222 | 100.0 | 192 | 86.5 | 1 | 2 | 1 | 2 |
| UT6 - 2 | 92 | 41.4 | 157 | 70.7 | 222 | 100.0 | 115 | 51.8 | 161 | 72.5 | 183 | 82.4 | 222 | 100.0 | 197 | 88.7 | 2 | 3 | 1 | 3 |
| UT6 - 3 | 115 | 51.8 | 136 | 61.3 | 222 | 100.0 | 111 | 50.0 | 184 | 82.9 | 201 | 90.5 | 222 | 100.0 | 191 | 86.0 | 2 | 4 | 1 | 2 |

4.3.1 Site Data

Groundwater depths and daily precipitation for individual monitoring gauges are graphed in (Appendix E). This representation of the hydrography demonstrates the reaction of groundwater levels to specific rainfall events at each monitoring location.

4.3.2 Climate Data

On-site monthly rainfall for 2012 was compared to historical and observed precipitation records for Burke County (Table 8 and Figure 4). Historical and observed precipitation data reported herein is from the Burke County Bridgewater hydro station (NRCS 2002; NCCRONOS 2012). The Bridgewater station recorded rainfall amounts during 2012 that exceeded the historical averages in April, May, and September, whereas rainfall amounts during January, February, March, June, July, August, and October were below average. The on-site gauge at UT6 recorded more total rainfall (43.91 inches) than that recorded at the Bridgewater station (33.95 inches). Monthly differences were noted in particular during July and August where above average rainfall was recorded on-site.

Table 8. Comparison of Normal Rainfall to 2012 Observed Rainfall


| Month | Average (inches) | Normal Limits (inches) | | Burke Precipitation (inches) | UT1 Precipitation (inches) | UT5 Precipitation (inches) | UT6 Precipitation (inches) |
|-----------|------------------|------------------------|------------|------------------------------|----------------------------|----------------------------|----------------------------|
| | | 30 Percent | 70 Percent | | | | |
| January | 4.22 | 3.03 | 5.54 | 2.5 | 3.90 | 4.23 | 4.50 |
| February | 3.95 | 2.32 | 5.37 | 1.57 | 1.99 | 1.72 | 1.73 |
| March | 4.96 | 3.41 | 6.20 | 2.88 | 0.79** | 3.77 | 2.29 |
| April | 4.08 | 2.20 | 5.52 | 4.69 | * | 5.20 | 5.45 |
| May | 4.86 | 3.26 | 5.96 | 5.73 | * | 5.36 | 5.72 |
| June | 4.52 | 2.90 | 5.80 | 2.86 | 0.74** | 3.50 | 2.53 |
| July | 4.82 | 2.99 | 6.27 | 4.48 | 6.69 | 4.65** | 8.42 |
| August | 4.17 | 2.60 | 5.17 | 2.07 | 3.20 | 1.73** | 3.96 |
| September | 4.24 | 2.34 | 5.13 | 5.09 | 6.00 | 5.75 | 5.37 |
| October | 3.88 | 1.90 | 5.34 | 1.87 | 3.33 | 3.56 | 3.67 |
| November | 3.85 | 2.74 | 4.59 | 0.21 *** | 0.26 *** | 0.02 *** | 0.29 *** |
| December | 3.67 | 2.33 | 4.55 | --- | --- | --- | --- |
| Annual | --- | 45.23 | 56.10 | --- | --- | --- | --- |
| Total | 51.23 | --- | --- | 33.95 | 26.88 | 39.49 | 43.91 |

*Gauge malfunction no data collected.

**Gauge malfunction for portion of the month.

***Data from November 1st to November 14th.

Figure 4. 2012 Precipitation for North Muddy Creek Site



4.4 Hydrologic Conclusions

Data collected from the groundwater monitoring gauges in 2012 indicate that all of the hydrologic monitoring stations recorded saturation of the upper 12 inches of surface soils for at least 7 percent of the growing season. Saturation of the upper surface soils ranged from 18 (8.1%) to 222 (100.0%) consecutive days during the growing season for the UT1 wetland area. Groundwater levels were recorded within or above 12 inches of the soil surface for between 76 to 222 cumulative days at UT1. Upper surface soil saturation for UT5 occurred for 62 (27.9) to 117 (52.7%) consecutive days and 161 to 219 cumulative days during the growing season. Wetland hydrology attainment was greatest for the UT6 project with soil saturation occurring for 92 (41.4%) to 222 (100.0%) consecutive days and 161 to 222 cumulative days during the growing season.

The Bridgewater weather station and on-site rainfall data indicated that the 2012 growing season rainfall amounts were slightly below normal for most of the growing season.

5.0 VEGETATION

5.1 Vegetation Success Criteria

Successful establishment of vegetation for the North Muddy Creek Stream and Wetland Restoration Project is the survival of 320 planted stems per acre by the end of Year 3 such that the site will achieve the final requirement of 260 planted stems per acre by Year 5 (USACE 2003).

5.2 Description of Species and Vegetation Monitoring

Eleven plots, or approximately 1% of all three restoration areas combined, were established within the project easement area: ten standard (10 m x 10 m) plots and one non-standard (5 m x 20 m) plot (Figure 3). Four plots were established on UT1, two on UT5, and five on UT6. Vegetation monitoring plots at UT1 comprise 1% of the restoration area for this tributary, 2.5% for UT5, and 1% for UT6, respectively. These plots were established within the planted restoration areas in accordance with the CVS-EEP Level II monitoring protocol (Lee et al. 2008). Approximately 0.025 acre in size, vegetation plots were monitored to determine the success of planted vegetation and the overall trajectory of woody plant restoration and regeneration at the project site. Plots were placed within the applicable planting zones to capture the heterogeneity of the designed vegetative communities. However, given that several planting zones were too narrow to accommodate the standard or non-standard plots, all vegetation plots included vegetation within riparian, wetland, and upland planting zones. An additional supplemental planting effort occurred in April 2011 within areas previously noted as having low stem densities. A total of 10 tree species were planted on the site (Table 9). Taxonomic nomenclature follows Weakley (2008).

Table 9. Planted Tree Species

| Common Name | Scientific Name | FAC Status |
|--------------------|---|------------|
| Willow Oak | <i>Quercus phellos</i> | FACW- |
| Water Oak | <i>Quercus nigra</i> | FAC |
| Swamp Chestnut Oak | <i>Quercus michauxii</i> | FACW- |
| Cherrybark Oak | <i>Quercus pagoda</i> | FAC+ |
| Shagbark Hickory | <i>Carya ovata</i> | FACU |
| River Birch | <i>Betula nigra</i> | FACW |
| Common Pawpaw | <i>Asimina triloba</i> | FAC |
| American Sycamore | <i>Platanus occidentalis</i> var. <i>occidentalis</i> | FACW- |
| Green Ash | <i>Fraxinus pennsylvanica</i> | FACW |
| Buttonbush | <i>Cepalanthus occidentalis</i> | OBL |

5.3 Results of Vegetation Monitoring

Planted stem counts for each of the 11 vegetation monitoring plots were recorded by species (Table 10). Year 4 monitoring documented densities ranging from 445 to 931 planted stems per

acre across all vegetation plots. The average planted stem density for the entire restoration site is 659 stems per acre. With respect to each restoration reach, UT1 had an average of 649 planted stems per acre, UT5 had 870 stems per acre, and UT6 had 583 planted stems per acre (Table 11).

Table 10. Results of 2012 Vegetation Monitoring by Plot

| Species | UT1 | | | | UT5 | | UT6 | | | | |
|---|---------|-----|-----|-----|---------|-----|---------|-----|-----|-----|-----|
| | Plot ID | | | | Plot ID | | Plot ID | | | | |
| | VP1 | VP2 | VP3 | VP4 | VP1 | VP2 | VP1 | VP2 | VP3 | VP4 | VP5 |
| <i>Asimina triloba</i> | | | | | 3 | | | | 3 | | |
| <i>Betula nigra</i> | 2 | | | | | | 2 | 3 | 2 | 2 | 3 |
| <i>Carya ovata</i> | | | | | | | | | 4 | | |
| <i>Cephalanthus occidentalis</i> | 6 | 10 | 1 | 6 | 8 | 1 | | 9 | | 1 | 8 |
| <i>Fraxinus pennsylvanica</i> | | | 2 | | 1 | 2 | 7 | 2 | | 6 | 1 |
| <i>Platanus occidentalis</i> var. <i>occidentalis</i> | 2 | 5 | | | | 2 | 1 | | 1 | 1 | |
| <i>Quercus michauxii</i> | 4 | 4 | 2 | | 6 | 3 | | 1 | 5 | 1 | |
| <i>Quercus nigra</i> | 1 | | 4 | 2 | | | | | 2 | | |
| <i>Quercus pagoda</i> | 1 | | | | | 4 | | | | | |
| <i>Quercus phellos</i> | 5 | | 2 | 5 | 2 | 11 | 2 | 2 | 3 | | |

Table 11. Summary of Vegetation Monitoring Results

| Reach ID | Plot ID | Stems Planted | 2012 Stems | Percent Survival | Stems per Acre | | | | | |
|----------|---------|---------------|------------|------------------|-----------------|--------|--------|--------|--------|--------|
| | | | | | Stems Planted | 2009 | 2010 | 2011* | 2012 | 2013 |
| | | | | | | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 |
| UT1 | VP1 | 26 | 21 | 81% | 1,053 | 890 | 890 | 931 | 850 | |
| | VP2 | 20 | 19 | 95% | 810 | 809 | 809 | 769 | 769 | |
| | VP3 | 15 | 11 | 73% | 607 | 405 | 405 | 445 | 445 | |
| | VP4 | 16 | 13 | 81% | 648 | 567 | 607 | 607 | 526 | |
| UT5 | VP1 | 26 | 20 | 77% | 1,053 | 891 | 850 | 890 | 809 | |
| | VP2 | 35 | 23 | 66% | 1,417 | 1,215 | 1,255 | 1,214 | 931 | |
| UT6 | VP1 | 16 | 12 | 75% | 648 | 567 | 567 | 526 | 486 | |
| | VP2 | 14 | 17 | 121% | 567 | 567 | 486 | 769 | 688 | |
| | VP3 | 23 | 20 | 87% | 931 | 729 | 769 | 809 | 809 | |
| | VP4 | 17 | 11 | 65% | 688 | 243 | 121 | 283 | 445** | |
| | VP5 | 30 | 12 | 40% | 1,215 | 688 | 486 | 607 | 486 | |
| | | | | | Average Density | 688 | 659 | 713 | 659 | |

Average stems per acre: 659

Range of stems per acre: 445-931

*Increases between Year 2 and Year 3 are the result of a supplemental planting effort in April 2011.

**Increases for (UT6 VP4) between Year 3 and Year 4 are the result of an additional supplemental planting effort in April 2012.

A visual estimate of herbaceous vegetation cover within the monitoring plots was conducted to assess the overall stability of the restoration site (Table 12). On average, herbaceous vegetation

covered 95% of the monitored plots. Observations of herbaceous cover throughout the project area were noted during the visual assessment and are documented in Appendix A; fixed station and vegetation plot photos are included in Appendix D. While the herbaceous cover in some areas was thin, it is expected to increase as a result of natural recruitment from adjacent wooded areas and no remedial action is recommended at this time. Herbaceous cover typically consists of annual ragweed (*Ambrosia artemisiifolia*), orchard grass (*Dactylis glomerata*), dogfennel (*Eupatorium capillifolium*), daisy fleabane (*Erigeron annuus*), Queen Anne’s lace (*Daucus carota*), arrowleaf tearthumb (*Polygonum sagittatum*), hollow-stem Joe-pyeweed (*Eutrochium fistulosum*), rush species (*Juncus sp*), blackberry (*Rubus sp*), American hog-peanut (*Amphicarpaea bracteata*), narrow-leaved sunflower (*Helianthus angustifolius*), and goldenrod (*Solidago sp.*).

Table 12. Estimated Herbaceous Total Percent Cover

| Reach ID | Plot ID | Estimated Herbaceous Cover (%) |
|----------|---------|--------------------------------|
| UT1 | VP1 | 100% |
| | VP2 | 100% |
| | VP3 | 100% |
| | VP4 | 97% |
| UT5 | VP1 | 90% |
| | VP2 | 100% |
| UT6 | VP1 | 60% |
| | VP2 | 100% |
| | VP3 | 99% |
| | VP4 | 100% |
| | VP5 | 100% |

Commonly encountered woody volunteer species have also been documented throughout the five-year monitoring period (Table 13). Volunteer plant recruitment was highest at UT 1 with an average of 1,629 stems per acre followed by UT5 with an average of 1,315 stems per acre. Some of the most common recruits include American sycamore, green ash, Eastern box elder, red maple, and yellow poplar.

Table 13. Volunteer Tree Species

| Reach ID | Common Name | Scientific Name | FAC Status |
|----------|--------------------|--|------------|
| UT1 | Eastern Box Elder | <i>Acer negundo var. negundo</i> | FACW |
| | Eastern Red Maple | <i>Acer rubrum var. rubrum</i> | FAC |
| | Buttonbush | <i>Cephalanthus occidentalis</i> | OBL |
| | American Persimmon | <i>Diospyros virginiana</i> | FAC |
| | Green Ash | <i>Fraxinus pennsylvanica</i> | FACW |
| | Yellow Poplar | <i>Liriodendron tulipifera var. tulipifera</i> | FACU |
| | American Sycamore | <i>Platanus occidentalis var. occidentalis</i> | FACW- |
| | Black Cherry | <i>Prunus serotina var. serotina</i> | FACU |
| | Willow Oak | <i>Quercus phellos</i> | FACW- |
| | Smooth Sumac | <i>Rhus glabra</i> | UPL |
| | Common Elderberry | <i>Sambucus canadensis</i> | FACW- |
| UT5 | Tag Alder | <i>Alnus serrulata</i> | FACW |
| | River Birch | <i>Betula nigra</i> | FACW |
| | Sweet Gum | <i>Liquidambar styraciflua</i> | FAC+ |
| | Yellow Poplar | <i>Liriodendron tulipifera var. tulipifera</i> | FACU |
| | American Sycamore | <i>Platanus occidentalis var. occidentalis</i> | FACW- |
| | Swamp Chestnut Oak | <i>Quercus michauxii</i> | FACW- |
| | Eastern Red Maple | <i>Acer rubrum var. rubrum</i> | FACW |
| | American hornbeam | <i>Carpinus caroliniana</i> | FAC |
| UT6 | Eastern Red Maple | <i>Acer rubrum var. rubrum</i> | FAC |
| | Tag Alder | <i>Alnus serrulata</i> | FACW |
| | Buttonbush | <i>Cephalanthus occidentalis</i> | OBL |
| | Yellow Poplar | <i>Liriodendron tulipifera var. tulipifera</i> | FACU |
| | Pine | <i>Pinus sp.</i> | FACU |
| | American Sycamore | <i>Platanus occidentalis var. occidentalis</i> | FACW- |
| | Willow Oak | <i>Quercus phellos</i> | FACW- |
| | Smooth Sumac | <i>Rhus glabra</i> | UPL |
| | Swamp rose | <i>Rosa palustris</i> | OBL |
| | Black willow | <i>Salix nigra</i> | OBL |
| | Silky Dogwood | <i>Cornus amomum</i> | FACW+ |
| | Black Cherry | <i>Prunus serotina var. serotina</i> | FACU |

5.4 Vegetation Observations and Conclusions

Overall, planted stems are surviving well at the North Muddy Creek Stream and Wetland Restoration Site. Approximately 74 percent of planted stems for the entire restoration site had

good or excellent vigor scores, with only 6% of planted stems identified as dead or missing. Buttonbush and sycamore were the main species found to be damaged during Year 4. A considerable amount of the damage was attributed to insects and vine strangulation.

All of the vegetation monitoring plots are on target to meet the final success criterion of 260 stems per acre (Appendix A).

Intensive control efforts were initiated in Year 3 to control invasive non-native plants such as multiflora rose (*Rosa multiflora*), Japanese honeysuckle (*Lonicera japonica*), sericea lespedeza (*Lespedeza cuneata*), privet (*Ligustrum sp.*), and kudzu (*Pueraria montana var. lobata*) within the easement boundary (Appendix A). Follow up treatments were also administered during 2012 and are scheduled throughout the remainder of the monitoring period. Appendix A shows the areas in which invasive exotic plants were treated during Year 4. Appendix F contains the progress report that provides a summary of the invasive exotic management activities conducted during this period.

6.0 CONCLUSIONS AND RECOMENDATIONS

- Morphologic data and observations of stream conditions at the site indicate generally stable conditions between as-built year and Year 4 monitoring. Areas of concern identified within the stream reaches will be monitored during subsequent years and recommendations made if these areas prevent criteria attainment for the site as a whole as specified in the Restoration Plan (EBX 2007).
- Data collected from the groundwater monitoring gauges in 2012 indicate that all of the wetland project components are currently meeting the wetland hydrology minimum thresholds. Overall, the Bridgewater hydro station and on-site rain gauges indicated that the 2012 rainfall amounts were on average below normal for the majority of the growing season. The Bridgewater station data exceeded historical limits in April, May, and September, whereas rainfall amounts during January, February, March, June, July, August, and October were below average. On-site rain gauges documented above average rainfall in January, April, May, July, and September with below average amounts in February, March, June, August, and October.
- Average density of planted stems for the entire restoration site for 2012 was found to be 659 stems per acre. UT1 had an average of 649 planted stems per acre, UT5 had 870, and UT6 had 583 planted stems per acre. Due to the additional supplemental planting of UT6 in April 2012, vegetation plot 4 indicates an increase in survivability between years. All of the vegetation monitoring plots are on track to meet the final success criteria of 260 planted stems per acre. The average stem density across the whole site for planted and volunteers combined is approximately 1,751 stems per acre. Lastly, the invasive exotic plant control efforts will be monitored with follow up control efforts planned during subsequent monitoring years. No remedial action is recommended at this time.
- Stream, hydrologic, and vegetation monitoring are scheduled to continue through 2013.

7.0 REFERENCES


- EBX (Environmental Banc & Exchange). 2007. Restoration Plan – North Muddy Creek Site. McDowell and Burke Counties, North Carolina. Project ID No. 16-D06115.
- EBX (Environmental Banc & Exchange). 2009. North Muddy Creek Mitigation Report. McDowell and Burke Counties, North Carolina. Project ID No. 16-D06115.
- Harrelson, Cheryl, C. Rawlins and J. Potyondy. 1994. Stream Channel Reference Sites: An Illustrated Guide to Field Technique. Gen. Tech. Rep. RM-245. Rocky Mountain Forest and Range Experiment Station. USDA Forest Service. Fort Collins, CO.
- Lee, M.T., Peet, R.K., Roberts, S.D. and T.R. Wentworth. 2008. CVS-EEP Protocol for Recording Vegetation. Version 4.2. <http://cvs.bio.unc.edu/methods.htm>
- NCCRONOS (North Carolina Climate Retrieval and Observations Network of the Southeast Database). State Climate Office of North Carolina. Version 2.7.2. Bridgewater Hydro (311081). <http://www.nc-climate.ncsu.edu/cronos/> Accessed November 2012.
- NRCS (Natural Resources Conservation Service). Accessed October 2012. Climate Analysis for Wetlands by County. <http://www.wcc.nrcs.usda.gov/climate/wetlands.html>
- NRCS (Natural Resource Conservation Service). 2002 National Climate and Water Center. Bridgewater WETS Station at Burke County – NC 5340 (1971-2000). FIPS/County (FIPS). <http://www.wcc.nrcs.usda.gov/ftpref/support/climate/wetlands/nc/37023.txt> Accessed October 2012.
- USACE (U.S. Army Corps of Engineers). 1987. Corps of Engineers Wetlands Delineation Manual. Tech report Y-87-1. AD/A176.
- USACE (U.S. Army Corps of Engineers). 2003. Stream Mitigation Guidelines. U.S. Army Corps of Engineers – Wilmington District, U.S. Environmental Protection Agency, North Carolina Wildlife Resources Commission, and North Carolina Department of Environment and Natural Resources Division of Water Quality. Wilmington, North Carolina.
- Weakley, A.S. 2008. Flora of the Carolinas, Virginia, Georgia, northern Florida, and surrounding areas. Working draft of 7 April 2008. University of North Carolina Herbarium (NCU). North Carolina Botanical Garden. University of North Carolina at Chapel Hill.

APPENDIX A


Current Condition Plan View



Prepared for:



Prepared by:



SHEET 3 (UT5)

SHEET 4 (UT6)

SHEET 5 (UT2 & UT4)


SHEET 2 (UT1)

UT1-LOWER

UT1-UPPER

UT2

UT4



| LEGEND | |
|--------|--------------------------------|
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Crest Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Rifle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Still |
| | Root Wad |
| | Control Point |



- Notes:
1. Coordinate System is State Plane Feet NAD 83
 2. Base map information provided by Kimley Horn.
Dwg title: ACAD-018336001-BASE3.dwg
 3. Aerial photography is McDowell County 2010

North Muddy Creek

Burke & McDowell Counties, NC

Current Condition Plan View
Final
Year 4 Monitoring-2012
OVERVIEW

Date: November 2012
Sheet: 1 of 5



| YEAR 4 CONDITIONS | |
|-------------------|-----------------------------|
| | Failed |
| | Stressed |
| | Bank/Bed Conditions |
| | Bank Stressed |
| | Bed Aggradation |
| | Bed Scour |
| | Vegetation Plots |
| | Criteria Met MY3 |
| | Criteria Unmet MY3 |
| | Wetland Gauges |
| | Hydrology Met MY3 |
| | Vegetation Problem Areas |
| | Invasive Population |
| | Invasive Population Treated |
| | Bare Bench |

| LEGEND | |
|--------|--------------------------------|
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Crest Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Rifle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Sill |
| | Root Wad |
| | Control Point |

Notes:
 1. Coordinate System is State Plane Feet NAD 83
 2. Base map information including stationing provided by Kimley Horn.
 Dwg title: ACAD-018336001-BASE3.dwg
 3. Aerial photography is McDowell County 2010


Current Condition Plan View
 Final
 Year 4 Monitoring-2012
 UT1

North Muddy Creek



Burke & McDowell Counties, NC



Prepared for:



Prepared by:



YEAR 4 CONDITIONS

In-Stream Structure Conditions

- Failed
- Stressed

Bank/Bed Conditions

- Bank Stressed
- Bank Aggradation
- Bed Scour

Vegetation Plots

- Criteria Met MY3
- Criteria Unmet MY3

Wetland Gauges

- Hydrology Met MY3
- Vegetation Problem Areas
- Invasive Population
- Invasive Population Treated
- Bare Bench

LEGEND

- Easement Boundary
- Stream
- Longitudinal Profile Reach
- Longitudinal Profile Begin/End
- Cross Section
- Crest Gauge
- Rain Gauge
- Photo Point
- Constructed Riffle
- A-Vane
- Cross Vane
- J-Hook
- Log Sill
- Root Wad
- Control Point

Current Condition Plan View
Final
Year 4 Monitoring-2012
UT5

North Muddy Creek


Burke & McDowell Counties, NC

Notes:


- Coordinate System is State Plane Feet NAD 83
- Base map information including stationing provided by Kimley Horn.
Dwg title: ACAD-018336001-BASE3.dwg
- Aerial photography is McDowell County 2010



Prepared for:



Prepared by:



YEAR 4 CONDITIONS

| | |
|--|-----------------------------|
| | Failed |
| | Stressed |
| | Bank/Bed Conditions |
| | Bank Stressed |
| | Bed Aggradation |
| | Bed Scour |
| | Vegetation Plots |
| | Criteria Met MY3 |
| | Criteria Unmet MY3 |
| | Wetland Gauges |
| | Hydrology Met MY3 |
| | Vegetation Problem Areas |
| | Invasive Population |
| | Invasive Population Treated |
| | Bare Bench |

LEGEND

| | |
|--|--------------------------------|
| | Easement Boundary |
| | Stream |
| | Longitudinal Profile Reach |
| | Longitudinal Profile Begin/End |
| | Cross Section |
| | Crest Gauge |
| | Rain Gauge |
| | Photo Point |
| | Constructed Riffle |
| | A-Vane |
| | Cross Vane |
| | J-Hook |
| | Log Still |
| | Root Wad |
| | Control Point |

Notes:

- Coordinate System is State Plane Feet NAD 83
- Base map information including stationing provided by Kimley Horn.
Dwg title: ACAD-018336001-BASE3.dwg
- Aerial photography is McDowell County 2010

Current Condition Plan View
Final
Year 4 Monitoring-2012
UT6

North Muddy Creek
 Burke & McDowell Counties, NC


Date: November 2012
 Sheet: 4 of 5



Prepared for:



Prepared by:



| LEGEND | |
|--------|-----------------------------|
| | Easement Boundary |
| | Preservation Stream |
| | Photo Point |
| | Invasive Population Treated |

Sheet: **5**
of 5
Date: November 2012

Current Condition Plan View
Final
Year 4 Monitoring-2012
UT2 & UT4

North Muddy Creek


Burke & McDowell Counties, NC

| Notes: | |
|--------|--|
| 1. | Coordinate System is State Plane Feet NAD 83 |
| 2. | Base map information provided by Kimley Horn. Dwg title: ACAD-018336001-BASE3.dwg |
| 3. | Aerial photography is McDowell County 2010 |
| | |
| | |


APPENDIX B

2012 Longitudinal Profile, Cross-Section, and Substrate Data


North Muddy Creek UT1-Upper Longitudinal Profile




North Muddy Creek UT1-Lower Longitudinal Profile



North Muddy Creek UT5 Longitudinal Profile



North Muddy Creek UT6 Longitudinal Profile



UT1 Upper – Cross-Section 1 – Pool




Looking at Left Bank



Looking at Right Bank

**North Muddy UT1 - Upper
Cross-Section 1 - Pool**



UT1 Upper – Cross-Section 2 – Riffle




Looking at Left Bank



Looking at Right Bank

**North Muddy UT1 - Upper
Cross-Section 2 - Riffle**



UT1 Lower – Cross-Section 1 – Riffle




Looking at Left Bank



Looking at Right Bank

**North Muddy UT1 - Lower
Cross-Section 1 - Riffle**



UT1 Lower – Cross-Section 2 – Pool




Looking at Left Bank



Looking at Right Bank

**North Muddy UT1 - Lower
Cross-Section 2 - Pool**



UT5 – Cross-Section 1 – Pool




Looking at Left Bank



Looking at Right Bank

**North Muddy UT5
Cross-Section 1 - Pool**



UT5 – Cross-Section 2 – Riffle




Looking at Left Bank



Looking at Right Bank

**North Muddy UT5
Cross-Section 2 - Riffle**



UT6 – Cross-Section 1 – Riffle




Looking at Left Bank



Looking at Right Bank

**North Muddy UT6
Cross-Section 1 - Riffle**



UT6 – Cross-Section 2 – Pool




Looking at Left Bank



Looking at Right Bank

**North Muddy UT6
Cross-Section 2 - Pool**



UT6 – Cross-Section 3 – Riffle




Looking at Left Bank




Looking at Right Bank


**North Muddy UT6
Cross-Section 3 - Riffle**




UT1 Upper – Cross Section 1 – Pool Pebble Count




UT1 Upper – Cross Section 2 – Riffle Pebble Count




UT1 Lower – Cross Section 1 – Riffle Pebble Count




UT1 Lower – Cross Section 2 – Pool Pebble Count




UT5 – Cross Section 1 – Pool Pebble Count




UT5 – Cross Section 2 – Riffle Pebble Count




UT6 – Cross Section 1 – Riffle Pebble Count



UT6 – Cross Section 2 – Pool Pebble Count



UT6 – Cross Section 3 – Riffle Pebble Count



APPENDIX C

2012 Morphologic Monitoring Parameters

| Unnamed Tributary 1 – Upper Reach | | | | | | | | | | | | |
|--|-------------------------|------|------|------|------|-----|---------------------------|------|------|------|------|-----|
| Parameter | Cross Section 1 Pool | | | | | | Cross Section 2 Riffle | | | | | |
| | Base | MY1 | MY2 | MY3 | MY4 | MY5 | Base | MY1 | MY2 | MY3 | MY4 | MY5 |
| Dimension | | | | | | | | | | | | |
| BF Width (ft) | 9.2 | 9.3 | 9.5 | 9.6 | 9.2 | | 6.0 | 5.8 | 5.8 | 5.6 | 5.8 | |
| Floodprone Width (ft) | 23.4 | 24.1 | 23.7 | 23.8 | 23.8 | | 21.0 | 21.5 | 20.5 | 20.3 | 20.6 | |
| BF Cross Sectional Area (ft ²) | 9.0 | 8.7 | 8.8 | 9.0 | 8.7 | | 4.2 | 4.2 | 3.9 | 3.5 | 3.6 | |
| BF Mean Depth (ft) | 1.0 | 0.9 | 0.9 | 0.9 | 0.9 | | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 | |
| BF Max Depth (ft) | 2.0 | 1.7 | 1.9 | 1.9 | 1.7 | | 1.2 | 1.2 | 1.2 | 1.1 | 1.1 | |
| Width/Depth Ratio | 9.3 | 9.9 | 10.3 | 10.3 | 9.9 | | 8.6 | 8.0 | 8.5 | 8.9 | 9.3 | |
| Entrenchment Ratio | 2.5 | 2.6 | 2.5 | 2.5 | 2.6 | | 3.5 | 3.7 | 3.6 | 3.6 | 3.5 | |
| Wetted Perimeter (ft) | 10.3 | 10.2 | 10.5 | 10.8 | 10.2 | | 6.6 | 6.4 | 6.3 | 6.1 | 6.3 | |
| Hydraulic Radius (ft) | 0.9 | 0.9 | 0.8 | 0.8 | 0.8 | | 0.6 | 0.7 | 0.6 | 0.6 | 0.6 | |

| Unnamed Tributary 1 – Lower Reach | | | | | | | | | | | | |
|--|---------------------------|-------|-------|-------|-------|-----|-------------------------|-------|-------|-------|-------|-----|
| Parameter | Cross Section 1 Riffle | | | | | | Cross Section 2 Pool | | | | | |
| | Base | MY1 | MY2 | MY3 | MY4 | MY5 | Base | MY1 | MY2 | MY3 | MY4 | MY5 |
| Dimension | | | | | | | | | | | | |
| BF Width (ft) | 5.5 | 6.2 | 6.4 | 6.5 | 6.0 | | 15.7 | 15.0 | 16.7 | 17.2 | 17.3 | |
| Floodprone Width (ft) | >50.0 | >50.0 | >50.0 | >50.0 | >50.0 | | >50.0 | >50.0 | >50.0 | >50.0 | >50.0 | |
| BF Cross Sectional Area (ft ²) | 3.1 | 3.1 | 3.1 | 3.0 | 3.0 | | 13.2 | 13.2 | 13.3 | 12.9 | 13.0 | |
| BF Mean Depth (ft) | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | | 0.8 | 0.9 | 0.8 | 0.8 | 0.8 | |
| BF Max Depth (ft) | 1.0 | 1.0 | 0.9 | 0.9 | 0.9 | | 2.2 | 2.1 | 2.0 | 1.9 | 1.9 | |
| Width/Depth Ratio | 9.9 | 12.2 | 12.9 | 14.3 | 12.0 | | 18.7 | 17.0 | 21.0 | 22.8 | 23.0 | |
| Entrenchment Ratio | >9.0 | >8.1 | >7.9 | >7.6 | >8.3 | | >3.2 | >3.3 | >3.0 | >2.9 | >2.9 | |
| Wetted Perimeter (ft) | 5.9 | 6.6 | 6.7 | 6.9 | 6.3 | | 16.6 | 15.9 | 17.6 | 18.0 | 18.0 | |
| Hydraulic Radius (ft) | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | | 0.8 | 0.8 | 0.8 | 0.7 | 0.7 | |

| Unnamed Tributary 5 | | | | | | | | | | | | |
|--|-------------------------|-------|-------|-------|-------|-----|---------------------------|-------|-------|-------|-------|-----|
| Parameter | Cross Section 1 Pool | | | | | | Cross Section 2 Riffle | | | | | |
| | Base | MY1 | MY2 | MY3 | MY4 | MY5 | Base | MY1 | MY2 | MY3 | MY4 | MY5 |
| BF Width (ft) | 15.4 | 15.7 | 15.6 | 15.9 | 15.8 | | 7.2 | 7.2 | 7.6 | 8.5 | 8.2 | |
| Floodprone Width (ft) | >50.0 | >50.0 | >50.0 | >50.0 | >50.0 | | >60.0 | >60.0 | >60.0 | >60.0 | >60.0 | |
| BF Cross Sectional Area (ft ²) | 13.4 | 13.1 | 11.2 | 11.8 | 11.8 | | 5.4 | 5.0 | 5.0 | 5.1 | 5.1 | |
| BF Mean Depth (ft) | 0.9 | 0.8 | 0.7 | 0.7 | 0.7 | | 0.7 | 0.7 | 0.7 | 0.6 | 0.6 | |
| BF Max Depth (ft) | 2.1 | 2.1 | 1.7 | 1.7 | 1.7 | | 1.2 | 1.2 | 1.2 | 1.2 | 1.2 | |
| Width/Depth Ratio | 17.6 | 18.8 | 21.7 | 21.4 | 21.2 | | 9.7 | 10.3 | 11.6 | 14.0 | 13.3 | |
| Entrenchment Ratio | >3.3 | >3.2 | >3.2 | >3.1 | >3.2 | | >8.3 | >8.4 | >7.9 | >7.1 | >7.3 | |
| Wetted Perimeter (ft) | 16.2 | 16.5 | 16.3 | 16.6 | 16.7 | | 7.6 | 7.6 | 8.1 | 8.9 | 8.6 | |
| Hydraulic Radius (ft) | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | | 0.7 | 0.7 | 0.6 | 0.6 | 0.6 | |

| Unnamed Tributary 6 | | | | | | | | | | | | | | | | | | |
|--|---------------------------|-------|-------|------|------|-----|-------------------------|------|------|------|------|-----|---------------------------|------|------|------|------|-----|
| Parameter | Cross Section 1 Riffle | | | | | | Cross Section 2 Pool | | | | | | Cross Section 3 Riffle | | | | | |
| | Dimension | Base | MY1 | MY2 | MY3 | MY4 | MY5 | Base | MY1 | MY2 | MY3 | MY4 | MY5 | Base | MY1 | MY2 | MY3 | MY4 |
| BF Width (ft) | 9.3 | 9.8 | 9.8 | 10.5 | 10.6 | | 17.6 | 17.6 | 17.3 | 17.9 | 17.6 | | 11.6 | 11.1 | 11.7 | 11.2 | 11.1 | |
| Floodprone Width (ft) | >100 | >100 | >100 | >100 | >100 | | >100 | >100 | >100 | >100 | >100 | | >100 | >100 | >100 | >100 | >100 | |
| BF Cross Sectional Area (ft ²) | 6.5 | 6.1 | 6.3 | 6.3 | 6.6 | | 20.9 | 19.5 | 18.8 | 17.8 | 17.5 | | 5.6 | 9.2 | 9.0 | 8.9 | 8.8 | |
| BF Mean Depth (ft) | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | | 1.2 | 1.1 | 1.1 | 1.0 | 1.0 | | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | |
| BF Max Depth (ft) | 1.2 | 1.2 | 1.4 | 1.5 | 1.5 | | 3.0 | 2.5 | 2.4 | 2.2 | 2.2 | | 1.4 | 1.6 | 1.7 | 1.7 | 1.8 | |
| Width/Depth Ratio | 13.3 | 15.9 | 15.3 | 17.3 | 16.9 | | 14.8 | 15.9 | 15.9 | 18.1 | 17.7 | | 15.7 | 13.5 | 15.1 | 14.1 | 14.0 | |
| Entrenchment Ratio | >10.7 | >10.2 | >10.2 | >9.6 | >9.5 | | >5.7 | >5.7 | >5.8 | >5.6 | >5.7 | | >8.6 | >9.0 | >8.6 | >8.9 | >9.0 | |
| Wetted Perimeter (ft) | 9.7 | 10.3 | 10.4 | 11.1 | 11.2 | | 19.0 | 18.8 | 18.5 | 19.1 | 19.1 | | 12.1 | 11.6 | 12.2 | 11.8 | 11.8 | |
| Hydraulic Radius (ft) | 0.7 | 0.6 | 0.6 | 0.6 | 0.6 | | 1.1 | 1.0 | 1.0 | 0.9 | 0.9 | | 0.7 | 0.8 | 0.7 | 0.8 | 0.7 | |

Unnamed Tributary 1 – Upper Reach

| Parameter | Baseline | | | MY1 | | | MY2 | | | MY3 | | | MY4 | | | MY5 | | |
|------------------------------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|-----|-----|
| | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med |
| Channel Beltwidth (ft) | 18.2 | 31.2 | 21.4 | 18.2 | 31.2 | 21.4 | 18.2 | 31.2 | 21.4 | 18.2 | 31.2 | 21.4 | 18.2 | 31.2 | 21.4 | | | |
| Radius of Curvature (ft) | 27.8 | 89.4 | 36.9 | 27.8 | 89.4 | 36.9 | 27.8 | 89.4 | 36.9 | 27.8 | 89.4 | 36.9 | 27.8 | 89.4 | 36.9 | | | |
| Meander Wavelength (ft) | 30 | 54 | 38 | 30 | 54 | 38 | 30 | 54 | 38 | 30 | 54 | 38 | 30 | 54 | 38 | | | |
| Meander Width Ratio | 3.57 | | | 3.69 | | | 3.69 | | | 3.82 | | | 3.69 | | | | | |
| Profile | | | | | | | | | | | | | | | | | | |
| Riffle Length (ft) | 7.82 | 33.04 | 17.06 | 4.68 | 20.84 | 10.08 | 7.37 | 43.77 | 19.01 | 7.66 | 43.23 | 16.90 | 9.92 | 39.68 | 18.35 | | | |
| Riffle Slope (ft/ft) | 0.0134 | 0.0735 | 0.0317 | 0.0146 | 0.1044 | 0.0290 | 0.0176 | 0.1060 | 0.0331 | 0.0186 | 0.1002 | 0.0276 | 0.0151 | 0.0988 | 0.0287 | | | |
| Pool Length (ft) | 3.36 | 32.88 | 9.54 | 3.63 | 18.90 | 8.94 | 4.46 | 31.87 | 8.19 | 3.65 | 31.86 | 8.02 | 3.67 | 29.90 | 7.81 | | | |
| Pool Spacing (ft) | 8.98 | 44.60 | 18.26 | 8.16 | 34.83 | 16.33 | 10.03 | 60.52 | 29.81 | 6.96 | 60.84 | 22.57 | 8.89 | 58.86 | 24.17 | | | |
| Additional Reach Parameters | | | | | | | | | | | | | | | | | | |
| Valley Length (ft) | 369 | | | 369 | | | 369 | | | 369 | | | 369 | | | | | |
| Channel Length (ft) | 386 | | | 388 | | | 389 | | | 392 | | | 393 | | | | | |
| Sinuosity | 1.05 | | | 1.05 | | | 1.05 | | | 1.06 | | | 1.07 | | | | | |
| Water Surface Slope (ft/ft) | 0.0322 | | | 0.0328 | | | 0.0332 | | | 0.0328 | | | 0.0323 | | | | | |
| BF Slope (ft/ft) | 0.0341 | | | 0.0340 | | | 0.0319 | | | 0.0326 | | | 0.0315 | | | | | |
| Rosgen Classification | B/C5 | | | B/C6 | | | B/C6 | | | B/C5 | | | B/C5 | | | | | |

Unnamed Tributary 1 – Lower Reach

| Parameter | Baseline | | | MY1 | | | MY2 | | | MY3 | | | MY4 | | | MY5 | | |
|------------------------------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----|-----|-----|
| | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med |
| Channel Beltwidth (ft) | 28.5 | 82.1 | 55.7 | 28.5 | 82.1 | 55.7 | 28.5 | 82.1 | 55.7 | 28.5 | 82.1 | 55.7 | 28.5 | 82.1 | 55.7 | | | |
| Radius of Curvature (ft) | 18.2 | 26.3 | 21.9 | 18.2 | 26.3 | 21.9 | 18.2 | 26.3 | 21.9 | 18.2 | 26.3 | 21.9 | 18.2 | 26.3 | 21.9 | | | |
| Meander Wavelength (ft) | 86 | 113 | 101 | 86 | 113 | 101 | 86 | 113 | 101 | 86 | 113 | 101 | 86 | 113 | 101 | | | |
| Meander Width Ratio | 10.13 | | | 8.98 | | | 8.70 | | | 8.57 | | | 9.28 | | | | | |
| Profile | | | | | | | | | | | | | | | | | | |
| Riffle Length (ft) | 15.35 | 31.11 | 22.27 | 9.78 | 36.29 | 22.37 | 6.77 | 33.11 | 23.29 | 10.67 | 31.44 | 25.36 | 9.69 | 29.41 | 20.24 | | | |
| Riffle Slope (ft/ft) | 0.0000 | 0.0350 | 0.0053 | 0.0003 | 0.0241 | 0.0050 | 0.0004 | 0.0311 | 0.0070 | 0.0002 | 0.0365 | 0.0061 | 0.0002 | 0.0321 | 0.0073 | | | |
| Pool Length (ft) | 8.19 | 41.82 | 31.80 | 4.17 | 36.32 | 25.79 | 6.40 | 40.79 | 26.21 | 5.83 | 40.07 | 26.10 | 6.18 | 37.87 | 25.95 | | | |
| Pool Spacing (ft) | 27.09 | 70.09 | 57.33 | 28.99 | 78.41 | 58.27 | 26.48 | 69.18 | 56.72 | 27.39 | 67.83 | 55.71 | 23.13 | 70.98 | 56.18 | | | |
| Additional Reach Parameters | | | | | | | | | | | | | | | | | | |
| Valley Length (ft) | 833 | | | 833 | | | 833 | | | 833 | | | 833 | | | | | |
| Channel Length (ft) | 1062 | | | 1063 | | | 1064 | | | 1067 | | | 1066 | | | | | |
| Sinuosity | 1.27 | | | 1.28 | | | 1.28 | | | 1.28 | | | 1.28 | | | | | |
| Water Surface Slope (ft/ft) | 0.0062 | | | 0.0062 | | | 0.0060 | | | 0.0064 | | | 0.0060 | | | | | |
| BF Slope (ft/ft) | 0.0067 | | | 0.0070 | | | 0.0061 | | | 0.0061 | | | 0.0061 | | | | | |
| Rosgen Classification | C6 | | | C6 | | | C6 | | | C6 | | | C6 | | | | | |

| Unnamed Tributary 5 | | | | | | | | | | | | | | | | | | |
|------------------------------------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----|-----|-----|
| Parameter | Baseline | | | MY1 | | | MY2 | | | MY3 | | | MY4 | | | MY5 | | |
| Pattern | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med |
| Channel Beltwidth (ft) | 28.3 | 55.5 | 41.4 | 28.3 | 55.5 | 41.4 | 28.3 | 55.5 | 41.4 | 28.3 | 55.5 | 41.4 | 28.3 | 55.5 | 41.4 | | | |
| Radius of Curvature (ft) | 14.7 | 25.5 | 22.2 | 14.7 | 25.5 | 22.2 | 14.7 | 25.5 | 22.2 | 14.7 | 25.5 | 22.2 | 14.7 | 25.5 | 22.2 | | | |
| Meander Wavelength (ft) | 77 | 105 | 88 | 77 | 105 | 88 | 77 | 105 | 88 | 77 | 105 | 88 | 77 | 105 | 88 | | | |
| Meander Width Ratio | 5.75 | | | 5.75 | | | 5.45 | | | 4.87 | | | 5.05 | | | | | |
| Profile | | | | | | | | | | | | | | | | | | |
| Riffle Length (ft) | 13.64 | 22.74 | 17.96 | 16.19 | 24.41 | 21.24 | 9.29 | 25.23 | 18.17 | 7.57 | 27.26 | 17.11 | 7.98 | 25.70 | 16.85 | | | |
| Riffle Slope (ft/ft) | 0.0005 | 0.0105 | 0.0058 | 0.0054 | 0.0129 | 0.0065 | 0.0015 | 0.0129 | 0.0063 | 0.0040 | 0.0078 | 0.0046 | 0.0022 | 0.0102 | 0.0060 | | | |
| Pool Length (ft) | 7.57 | 30.38 | 21.59 | 5.16 | 26.03 | 20.24 | 6.71 | 36.46 | 18.50 | 6.63 | 30.05 | 14.69 | 6.64 | 29.72 | 16.93 | | | |
| Pool Spacing (ft) | 34.70 | 53.09 | 45.90 | 27.25 | 51.85 | 45.48 | 23.39 | 56.50 | 44.70 | 25.35 | 52.73 | 47.06 | 29.26 | 54.50 | 44.45 | | | |
| Additional Reach Parameters | | | | | | | | | | | | | | | | | | |
| Valley Length (ft) | 507 | | | 507 | | | 507 | | | 507 | | | 507 | | | | | |
| Channel Length (ft) | 578 | | | 583 | | | 581 | | | 584 | | | 583 | | | | | |
| Sinuosity | 1.14 | | | 1.15 | | | 1.15 | | | 1.15 | | | 1.15 | | | | | |
| Water Surface Slope (ft/ft) | 0.0027 – 0.0331 | | | 0.0031 – 0.0321 | | | 0.0034 – 0.0209 | | | 0.0043 – 0.0321 | | | 0.0042 – 0.0328 | | | | | |
| BF Slope (ft/ft) | 0.0019 | | | 0.0025 | | | 0.0023 | | | 0.0028 | | | 0.0027 | | | | | |
| Rosgen Classification | *C6 | | | *C6 | | | C5 | | | C5 | | | C5 | | | | | |

*Low width/depth ratio C stream type.

| Unnamed Tributary 6 | | | | | | | | | | | | | | | | | | |
|------------------------------------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----------------|--------|--------|-----|-----|-----|
| Parameter | Baseline | | | MY1 | | | MY2 | | | MY3 | | | MY4 | | | MY5 | | |
| Pattern | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med | Min | Max | Med |
| Channel Beltwidth (ft) | 30.6 | 60.7 | 48.1 | 31.8 | 60.9 | 48.4 | 29.5 | 60.0 | 47.3 | 29.5 | 60.0 | 47.3 | 29.5 | 60.0 | 47.3 | | | |
| Radius of Curvature (ft) | 20.2 | 38.1 | 30.1 | 16.7 | 31.8 | 27.0 | 12.4 | 30.2 | 25.5 | 12.4 | 30.2 | 25.5 | 12.4 | 30.2 | 25.5 | | | |
| Meander Wavelength (ft) | 111 | 126 | 117 | 109 | 127 | 116 | 105 | 138 | 117 | 105 | 138 | 117 | 105 | 138 | 117 | | | |
| Meander Width Ratio | 4.15 | 5.17 | 4.66 | 4.36 | 4.93 | 4.65 | 4.04 | 4.83 | 4.43 | 4.22 | 4.50 | 4.36 | 4.26 | 4.46 | 4.36 | | | |
| Profile | | | | | | | | | | | | | | | | | | |
| Riffle Length (ft) | 22.91 | 35.94 | 28.92 | 12.59 | 34.27 | 28.14 | 21.80 | 41.70 | 28.80 | 18.38 | 45.77 | 26.64 | 19.64 | 52.17 | 27.53 | | | |
| Riffle Slope (ft/ft) | 0.0001 | 0.0173 | 0.0085 | 0.0006 | 0.0380 | 0.0030 | 0.0003 | 0.0153 | 0.0054 | 0.0003 | 0.0150 | 0.0039 | 0.0007 | 0.0111 | 0.0039 | | | |
| Pool Length (ft) | 3.84 | 38.32 | 26.58 | 3.19 | 36.78 | 25.57 | 5.92 | 35.10 | 16.56 | 3.97 | 31.99 | 14.46 | 3.29 | 30.23 | 9.58 | | | |
| Pool Spacing (ft) | 8.24 | 74.02 | 59.15 | 11.70 | 77.07 | 61.97 | 6.80 | 76.16 | 55.53 | 5.84 | 85.65 | 50.87 | 6.61 | 87.53 | 48.73 | | | |
| Additional Reach Parameters | | | | | | | | | | | | | | | | | | |
| Valley Length (ft) | 955 | | | 955 | | | 955 | | | 955 | | | 955 | | | | | |
| Channel Length (ft) | 1072 | | | 1094 | | | 1110 | | | 1117 | | | 1108 | | | | | |
| Sinuosity | 1.12 | | | 1.15 | | | 1.16 | | | 1.17 | | | 1.16 | | | | | |
| Water Surface Slope (ft/ft) | 0.0066 – 0.0436 | | | 0.0070 – 0.0395 | | | 0.0072 – 0.0390 | | | 0.0065 – 0.0448 | | | 0.0066 – 0.0438 | | | | | |
| BF Slope (ft/ft) | 0.0089 | | | 0.0086 | | | 0.0066 | | | 0.0066 | | | 0.0067 | | | | | |
| Rosgen Classification | C6 | | | C6 | | | C6 | | | C5 | | | C5 | | | | | |

APPENDIX D

2012 Site Photos

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 1
Looking Downstream
January 20, 2012



Unnamed Tributary 1 – Permanent Photo Point 2
Looking Upstream
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 3
Looking Upstream
January 20, 2012



Unnamed Tributary 1 – Permanent Photo Point 3
Looking Downstream
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Jan-20-2012

Unnamed Tributary 1 – Permanent Photo Point 4
Looking Upstream
January 20, 2012



Jan-20-2012

Unnamed Tributary 1 – Permanent Photo Point 5
Looking Upstream
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 5
Looking Downstream
January 20, 2012



Unnamed Tributary 1 – Permanent Photo Point 6
Looking 80 Degrees
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 6
Looking 300 Degrees
January 20, 2012



Unnamed Tributary 1 – Permanent Photo Point 7
Looking Upstream
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 8
Looking Upstream
January 20, 2012



Unnamed Tributary 1 – Permanent Photo Point 8
Looking Downstream
January 20, 2012

Unnamed Tributary 1 Permanent Photo Points



Unnamed Tributary 1 – Permanent Photo Point 9
Looking 220 Degrees
January 20, 2012

Unnamed Tributary 2 Permanent Photo Points



Unnamed Tributary 2 – Permanent Photo Point 1
Looking Downstream
January 25, 2012



Unnamed Tributary 2 – Permanent Photo Point 2
Looking Upstream
January 25, 2012

Unnamed Tributary 4 Permanent Photo Points



Unnamed Tributary 4 – Permanent Photo Point 1
Looking Downstream
January 25, 2012



Unnamed Tributary 4 – Permanent Photo Point 2
Looking Upstream
January 25, 2012

Unnamed Tributary 5 Permanent Photo Points



Unnamed Tributary 5 – Permanent Photo Point 1
Looking Upstream
January 25, 2012



Unnamed Tributary 5 – Permanent Photo Point 1
Looking Downstream
January 25, 2012

Unnamed Tributary 5 Permanent Photo Points



Unnamed Tributary 5 – Permanent Photo Point 2
Looking Upstream
January 25, 2012



Unnamed Tributary 5 – Permanent Photo Point 2
Looking Downstream
January 25, 2012

Unnamed Tributary 5 Permanent Photo Points



Unnamed Tributary 5 – Permanent Photo Point 3
Looking Upstream
January 25, 2012



Unnamed Tributary 5 – Permanent Photo Point 4
Looking Upstream
January 25, 2012

Unnamed Tributary 5 Permanent Photo Points



Unnamed Tributary 5 – Permanent Photo Point 4
Looking Downstream
January 25, 2012



Unnamed Tributary 5 – Permanent Photo Point 5
Looking 180 Degrees
January 25, 2012

Unnamed Tributary 5 Permanent Photo Points



Unnamed Tributary 5 – Permanent Photo Point 5
Looking 305 Degrees
January 25, 2012

Unnamed Tributary 6 Permanent Photo Points



Unnamed Tributary 6 – Permanent Photo Point 1
Looking 35 Degrees
January 25, 2012



Unnamed Tributary 6 – Permanent Photo Point 1
Looking Downstream
January 25, 2012

Unnamed Tributary 6 Permanent Photo Points



Unnamed Tributary 6 – Permanent Photo Point 2
Looking Upstream
January 25, 2012



Unnamed Tributary 6 – Permanent Photo Point 3
Looking Upstream
January 25, 2012

Unnamed Tributary 6 Permanent Photo Points



Unnamed Tributary 6 – Permanent Photo Point 4
Looking Downstream
January 25, 2012



Unnamed Tributary 6 – Permanent Photo Point 5
Looking Upstream
January 25, 2012

Unnamed Tributary 6 Permanent Photo Points



Unnamed Tributary 6 – Permanent Photo Point 5
Looking 310 Degrees
January 25, 2012

Unnamed Tributary 1 Vegetation Plots



UT1 – Vegetation Plot 1



UT1 – Vegetation Plot 2

Unnamed Tributary 1 Vegetation Plots



UT1 – Vegetation Plot 3



UT1 – Vegetation Plot 4

Unnamed Tributary 5 Vegetation Plots



UT5 – Vegetation Plot 1



UT5 – Vegetation Plot 2

Unnamed Tributary 6 Vegetation Plots



UT6 – Vegetation Plot 1



UT6 – Vegetation Plot 2

Unnamed Tributary 6 Vegetation Plots



UT6 – Vegetation Plot 3



UT6 – Vegetation Plot 4

Unnamed Tributary 6 Vegetation Plots



UT6 – Vegetation Plot 5

Unnamed Tributary 1 Representative Photos of Stream and Vegetation Areas Requiring Observation



SPA2 UT1 Sta. 105+50 – Pool Aggradation



UT1 – Isolated Area of Chinese privet *Ligustrum sinense* post initial treatment

Unnamed Tributary 1 Representative Photos of Stream and Vegetation Areas Requiring Observation



UT1 – Isolated Area of Chinese privet *Ligustrum sinense* post initial treatment



UT1 – Isolated Area of Chinese privet *Ligustrum sinense* to be treated

Unnamed Tributary 5 Representative Photos of Stream and Vegetation Areas Requiring Observation



SPA7 UT5 Sta. 515+10 – Bank Scour



SPA8 UT5 Sta. 515+50 – Bank Scour

Unnamed Tributary 5 Representative Photos of Stream and Vegetation Areas Requiring Observation



SPA9 UT5 Sta. 515+80 – Grade Control Degradation



UT5 – Isolated Area of Japanese honeysuckle *Lonicera japonica* to be treated

Unnamed Tributary 6 Representative Photos of Stream and Vegetation Areas Requiring Observation



SPA11 UT6 Sta. 601+30 – Riffle Bed Scour and Low Stem Density



SPA12 UT6 Sta. 601+60 – Pool Aggradation and Low Stem Density

Unnamed Tributary 6 Representative Photos of Stream and Vegetation Areas Requiring Observation




UT6 – Isolated Area of Chinese privet *Ligustrum sinense* to be treated


APPENDIX E

2012 Wetland Gauge Data


Unnamed Tributary 1 – Wetland Gauge 01




Unnamed Tributary 1 – Wetland Gauge 02




Unnamed Tributary 1 – Wetland Gauge 03




Unnamed Tributary 5 – Wetland Gauge 01




Unnamed Tributary 5 – Wetland Gauge 02




Unnamed Tributary 6 – Wetland Gauge 01



Unnamed Tributary 6 – Wetland Gauge 02



Unnamed Tributary 6 – Wetland Gauge 03



| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 01-Jan-2012 | 08:00:00 | -0.76 | -6.48 | Data Gap | -0.27 | 5.58 | 3.02 | Data Gap | 1.32 |
| 01-Jan-2012 | 20:00:00 | -0.64 | -6.01 | Data Gap | -0.32 | 5.48 | 2.97 | Data Gap | 1.26 |
| 02-Jan-2012 | 08:00:00 | -0.78 | -6.39 | Data Gap | -0.38 | 5.46 | 2.94 | Data Gap | 1.26 |
| 02-Jan-2012 | 20:00:00 | 3.21 | -6.61 | Data Gap | -0.48 | 5.39 | 2.86 | Data Gap | 1.18 |
| 03-Jan-2012 | 08:00:00 | 0.77 | -7.05 | Data Gap | -0.6 | 5.2 | 2.79 | Data Gap | 1.12 |
| 03-Jan-2012 | 20:00:00 | 1.37 | -7.05 | Data Gap | -0.77 | 5.15 | 2.77 | Data Gap | 1.11 |
| 04-Jan-2012 | 08:00:00 | 1.44 | -7.9 | Data Gap | -0.89 | 4.81 | 2.74 | Data Gap | 1.12 |
| 04-Jan-2012 | 20:00:00 | 2.91 | -6.57 | Data Gap | -0.74 | 5.18 | 2.84 | Data Gap | 1.13 |
| 05-Jan-2012 | 08:00:00 | -1.92 | -7.58 | Data Gap | -0.86 | 4.92 | 2.77 | Data Gap | 1.11 |
| 05-Jan-2012 | 20:00:00 | 5.22 | -6.4 | Data Gap | -0.72 | 5.22 | 2.77 | Data Gap | 1.11 |
| 06-Jan-2012 | 08:00:00 | 4.59 | -7.33 | Data Gap | -0.84 | 4.94 | 2.76 | Data Gap | 1.13 |
| 06-Jan-2012 | 20:00:00 | -1.45 | -6.33 | Data Gap | -0.73 | 5.15 | 2.78 | Data Gap | 1.08 |
| 07-Jan-2012 | 08:00:00 | 1.9 | -7.05 | Data Gap | -0.84 | 4.92 | 2.71 | Data Gap | 1.1 |
| 07-Jan-2012 | 20:00:00 | Data Gap | -6.55 | Data Gap | -0.82 | 5.06 | 2.75 | Data Gap | 1.09 |
| 08-Jan-2012 | 08:00:00 | Data Gap | -7.08 | Data Gap | -0.83 | 4.96 | 2.7 | Data Gap | 1.07 |
| 08-Jan-2012 | 20:00:00 | Data Gap | -6.74 | Data Gap | -0.84 | 4.97 | 2.71 | Data Gap | 1.11 |
| 09-Jan-2012 | 08:00:00 | Data Gap | -6.72 | Data Gap | -0.83 | 5.01 | 2.72 | Data Gap | 1.09 |
| 09-Jan-2012 | 20:00:00 | Data Gap | -5.92 | Data Gap | -0.58 | 5.29 | 2.88 | Data Gap | 1.21 |
| 10-Jan-2012 | 08:00:00 | Data Gap | -6.33 | Data Gap | -0.61 | 5.2 | 2.82 | Data Gap | 1.22 |
| 10-Jan-2012 | 20:00:00 | Data Gap | -6.48 | Data Gap | -0.66 | 5.15 | 2.81 | Data Gap | 1.2 |
| 11-Jan-2012 | 08:00:00 | Data Gap | -5.16 | Data Gap | 0.36 | 6.05 | 3.74 | Data Gap | 1.77 |
| 11-Jan-2012 | 20:00:00 | Data Gap | -4.34 | Data Gap | 1.45 | 7.58 | 4.53 | Data Gap | 2.89 |
| 12-Jan-2012 | 08:00:00 | Data Gap | -5.37 | Data Gap | 0.71 | 7.07 | 3.91 | Data Gap | 2.26 |
| 12-Jan-2012 | 20:00:00 | Data Gap | -5.26 | Data Gap | 0.45 | 6.52 | 3.73 | Data Gap | 1.99 |
| 13-Jan-2012 | 08:00:00 | Data Gap | -6 | Data Gap | 0.17 | 5.83 | 3.52 | Data Gap | 1.76 |
| 13-Jan-2012 | 20:00:00 | Data Gap | -6.06 | Data Gap | 0.01 | 5.6 | 3.42 | Data Gap | 1.69 |
| 14-Jan-2012 | 08:00:00 | Data Gap | -6.54 | Data Gap | -0.15 | 5.4 | 3.28 | Data Gap | 1.55 |
| 14-Jan-2012 | 20:00:00 | Data Gap | -6.15 | Data Gap | -0.14 | 5.42 | 3.3 | Data Gap | 1.55 |
| 15-Jan-2012 | 08:00:00 | Data Gap | -6.53 | Data Gap | -0.28 | 5.21 | 3.2 | Data Gap | 1.47 |
| 15-Jan-2012 | 20:00:00 | Data Gap | -6.54 | Data Gap | -0.32 | 5.09 | 3.12 | Data Gap | 1.44 |
| 16-Jan-2012 | 08:00:00 | Data Gap | -6.99 | Data Gap | -0.43 | 4.97 | 3.07 | Data Gap | 1.37 |
| 16-Jan-2012 | 20:00:00 | Data Gap | -6.4 | Data Gap | -0.38 | 5.08 | 3.13 | Data Gap | 1.43 |
| 17-Jan-2012 | 08:00:00 | Data Gap | -6.76 | Data Gap | -0.38 | 5.12 | 3.14 | Data Gap | 1.39 |
| 17-Jan-2012 | 20:00:00 | Data Gap | -6.16 | Data Gap | -0.26 | 5.42 | 3.37 | Data Gap | 1.48 |
| 18-Jan-2012 | 08:00:00 | Data Gap | -5.85 | Data Gap | -0.16 | 5.26 | 3.14 | Data Gap | 1.47 |
| 18-Jan-2012 | 20:00:00 | Data Gap | -6.3 | Data Gap | -0.33 | 5.08 | 3.06 | Data Gap | 1.34 |
| 19-Jan-2012 | 08:00:00 | Data Gap | -6.89 | Data Gap | -0.46 | 4.9 | 2.97 | Data Gap | 1.38 |
| 19-Jan-2012 | 20:00:00 | Data Gap | -6.43 | Data Gap | -0.46 | 4.94 | 3.02 | Data Gap | 1.32 |
| 20-Jan-2012 | 08:00:00 | Data Gap | -6.83 | Data Gap | -0.54 | 4.83 | 2.92 | Data Gap | 1.27 |
| 20-Jan-2012 | 20:00:00 | Data Gap | -6.45 | Data Gap | -0.5 | 4.88 | 3.05 | Data Gap | 1.31 |
| 21-Jan-2012 | 08:00:00 | Data Gap | -5.42 | Data Gap | 0.05 | 5.27 | 3.22 | Data Gap | 1.51 |
| 21-Jan-2012 | 20:00:00 | Data Gap | -5.17 | Data Gap | 0.29 | 5.3 | 3.32 | Data Gap | 1.69 |
| 22-Jan-2012 | 08:00:00 | Data Gap | -5.64 | Data Gap | -0.01 | 5.01 | 3.22 | Data Gap | 1.57 |
| 22-Jan-2012 | 20:00:00 | Data Gap | -5.91 | Data Gap | -0.15 | 4.88 | 3.14 | Data Gap | 1.53 |
| 23-Jan-2012 | 08:00:00 | Data Gap | -5.48 | Data Gap | 0.18 | 5.21 | 3.47 | Data Gap | 1.62 |
| 23-Jan-2012 | 20:00:00 | Data Gap | -5.15 | Data Gap | 0.55 | 5.39 | 3.51 | Data Gap | 1.85 |
| 24-Jan-2012 | 08:00:00 | Data Gap | -5.6 | Data Gap | 0.22 | 5.14 | 3.31 | Data Gap | 1.69 |
| 24-Jan-2012 | 20:00:00 | Data Gap | -5.98 | Data Gap | 0.05 | 4.97 | 3.21 | Data Gap | 1.59 |
| 25-Jan-2012 | 08:00:00 | Data Gap | 3.29 | Data Gap | -0.1 | 4.86 | 3.16 | Data Gap | 1.51 |
| 25-Jan-2012 | 20:00:00 | Data Gap | 3.24 | 0.37 | Data Gap | 5.58 | 3.16 | 7.04 | 1.48 |
| 26-Jan-2012 | 20:00:00 | Data Gap | 3.26 | 0.05 | Data Gap | 5.58 | 3.16 | 6.98 | 1.49 |
| 26-Jan-2012 | 08:00:00 | Data Gap | 5.07 | -0.04 | Data Gap | 5.7 | 3.26 | 7.01 | 1.49 |
| 27-Jan-2012 | 20:00:00 | Data Gap | 4.5 | 3.62 | Data Gap | 6.45 | 4.01 | 7.95 | 2.33 |
| 27-Jan-2012 | 08:00:00 | Data Gap | 4.13 | 3.1 | Data Gap | 6.04 | 3.62 | 7.44 | 1.96 |
| 28-Jan-2012 | 20:00:00 | Data Gap | 3.81 | 2.67 | Data Gap | 5.87 | 3.51 | 7.23 | 1.87 |
| 28-Jan-2012 | 08:00:00 | Data Gap | 3.49 | 2.35 | Data Gap | 5.74 | 3.38 | 7.07 | 1.71 |
| 29-Jan-2012 | 20:00:00 | Data Gap | 3.35 | 1.75 | Data Gap | 5.64 | 3.29 | 6.89 | 1.63 |
| 29-Jan-2012 | 08:00:00 | Data Gap | 3.01 | 1.47 | Data Gap | 5.61 | 3.24 | 6.84 | 1.59 |
| 30-Jan-2012 | 08:00:00 | Data Gap | 3.07 | 0.72 | Data Gap | 5.51 | 3.18 | 6.67 | 1.5 |
| 30-Jan-2012 | 20:00:00 | Data Gap | 2.84 | 0.54 | Data Gap | 5.5 | 3.14 | 6.64 | 1.48 |
| 31-Jan-2012 | 08:00:00 | Data Gap | 2.95 | -0.1 | Data Gap | 5.44 | 3.08 | 6.5 | 1.43 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 31-Jan-2012 | 20:00:00 | Data Gap | 2.95 | -0.16 | Data Gap | 5.44 | 3.08 | 6.55 | 1.4 |
| 01-Feb-2012 | 08:00:00 | Data Gap | 2.93 | -0.6 | Data Gap | 5.42 | 3.08 | 6.48 | 1.79 |
| 01-Feb-2012 | 20:00:00 | Data Gap | 4.7 | 1.32 | Data Gap | 6.03 | 3.63 | 6.91 | 1.72 |
| 02-Feb-2012 | 08:00:00 | Data Gap | 4.19 | 1.02 | Data Gap | 5.79 | 3.36 | 6.81 | 1.59 |
| 02-Feb-2012 | 20:00:00 | Data Gap | 3.74 | 0.72 | Data Gap | 5.6 | 3.22 | 6.53 | 1.54 |
| 03-Feb-2012 | 08:00:00 | Data Gap | 3.34 | -0.05 | Data Gap | 5.49 | 3.15 | 6.35 | 1.45 |
| 03-Feb-2012 | 20:00:00 | Data Gap | 3.26 | -0.29 | Data Gap | 5.44 | 3.07 | 6.33 | 1.46 |
| 04-Feb-2012 | 08:00:00 | Data Gap | 3.24 | -0.73 | Data Gap | 5.42 | 3.14 | 6.33 | 1.55 |
| 04-Feb-2012 | 20:00:00 | Data Gap | 3.74 | -0.6 | Data Gap | 5.61 | 3.25 | 6.45 | 1.56 |
| 05-Feb-2012 | 08:00:00 | Data Gap | 4.02 | -0.43 | Data Gap | 5.7 | 3.29 | 6.56 | 1.49 |
| 05-Feb-2012 | 20:00:00 | Data Gap | 3.61 | -0.7 | Data Gap | 5.52 | 3.09 | 6.33 | 1.46 |
| 06-Feb-2012 | 08:00:00 | Data Gap | 3.35 | -1.12 | Data Gap | 5.41 | 3.08 | 6.21 | 1.43 |
| 06-Feb-2012 | 20:00:00 | Data Gap | 3.25 | -1.57 | Data Gap | 5.37 | 3.05 | 6.24 | 1.35 |
| 07-Feb-2012 | 08:00:00 | Data Gap | 3.05 | -2.18 | Data Gap | 5.28 | 3.02 | 6.13 | 1.32 |
| 07-Feb-2012 | 20:00:00 | Data Gap | 3.06 | -2.67 | Data Gap | 5.27 | 2.94 | 6.1 | 1.28 |
| 08-Feb-2012 | 08:00:00 | Data Gap | 3.1 | -3.08 | Data Gap | 5.2 | 2.92 | 6.03 | 1.28 |
| 08-Feb-2012 | 20:00:00 | Data Gap | 3.01 | -3.29 | Data Gap | 5.16 | 2.88 | 6.04 | 1.25 |
| 09-Feb-2012 | 08:00:00 | Data Gap | 2.92 | -3.89 | Data Gap | 5.09 | 2.87 | 5.89 | 1.2 |
| 09-Feb-2012 | 20:00:00 | Data Gap | 2.89 | -4.35 | Data Gap | 5.06 | 2.86 | 5.93 | 1.18 |
| 10-Feb-2012 | 08:00:00 | Data Gap | 2.83 | -5.1 | Data Gap | 5 | 2.84 | 5.89 | 1.2 |
| 10-Feb-2012 | 20:00:00 | Data Gap | 3.2 | -5.17 | Data Gap | 5.1 | 2.95 | 6.04 | 1.16 |
| 11-Feb-2012 | 08:00:00 | Data Gap | 3.24 | -5.57 | Data Gap | 5.07 | 2.91 | 6.09 | 1.08 |
| 11-Feb-2012 | 20:00:00 | Data Gap | 2.77 | -6.24 | Data Gap | 4.94 | 2.73 | 5.84 | 1.08 |
| 12-Feb-2012 | 08:00:00 | Data Gap | 2.2 | -7.77 | Data Gap | 4.48 | 2.66 | 5.66 | 1.07 |
| 12-Feb-2012 | 20:00:00 | Data Gap | 2.86 | -7.63 | Data Gap | 4.63 | 2.7 | 5.69 | 1.11 |
| 13-Feb-2012 | 08:00:00 | Data Gap | 2.34 | -8.3 | Data Gap | 4.38 | 2.66 | 5.69 | 1.05 |
| 13-Feb-2012 | 20:00:00 | Data Gap | 3.03 | -8.07 | Data Gap | 4.65 | 2.73 | 5.68 | 1.07 |
| 14-Feb-2012 | 08:00:00 | Data Gap | 2.99 | -8.19 | Data Gap | 4.66 | 2.72 | 5.73 | 1.08 |
| 14-Feb-2012 | 20:00:00 | Data Gap | 2.89 | -8.34 | Data Gap | 4.7 | 2.66 | 5.66 | 1.04 |
| 15-Feb-2012 | 08:00:00 | Data Gap | 2.56 | -8.72 | Data Gap | 4.44 | 2.63 | 5.54 | 1.06 |
| 15-Feb-2012 | 20:00:00 | Data Gap | 2.77 | -8.74 | Data Gap | 4.55 | 2.62 | 5.6 | 1.03 |
| 16-Feb-2012 | 08:00:00 | Data Gap | 2.91 | -8.82 | Data Gap | 4.53 | 2.7 | 5.62 | 1.1 |
| 16-Feb-2012 | 20:00:00 | Data Gap | 3.12 | -8.76 | Data Gap | 4.77 | 2.72 | 5.71 | 1.13 |
| 17-Feb-2012 | 08:00:00 | Data Gap | 2.94 | -9.03 | Data Gap | 4.71 | 2.71 | 5.62 | 1.06 |
| 17-Feb-2012 | 20:00:00 | Data Gap | 2.87 | -9.15 | Data Gap | 4.72 | 2.64 | 5.62 | 1.07 |
| 18-Feb-2012 | 08:00:00 | Data Gap | 2.81 | -9.39 | Data Gap | 4.58 | 2.66 | 5.57 | 1.02 |
| 18-Feb-2012 | 20:00:00 | Data Gap | 2.82 | -9.47 | Data Gap | 4.68 | 2.64 | 5.65 | 1.2 |
| 19-Feb-2012 | 08:00:00 | Data Gap | 3.98 | -7.71 | Data Gap | 5.1 | 2.91 | 5.81 | 1.87 |
| 19-Feb-2012 | 20:00:00 | Data Gap | 4.8 | -1.95 | Data Gap | 5.87 | 3.39 | 6.46 | 1.71 |
| 20-Feb-2012 | 08:00:00 | Data Gap | 4.42 | -1.13 | Data Gap | 5.59 | 3.2 | 6.17 | 1.56 |
| 20-Feb-2012 | 20:00:00 | Data Gap | 4.06 | -1.05 | Data Gap | 5.42 | 3.08 | 6 | 1.49 |
| 21-Feb-2012 | 08:00:00 | Data Gap | 3.73 | -1.39 | Data Gap | 5.3 | 3.06 | 5.94 | 1.41 |
| 21-Feb-2012 | 20:00:00 | Data Gap | 3.61 | -1.47 | Data Gap | 5.31 | 3.05 | 6.01 | 1.39 |
| 22-Feb-2012 | 08:00:00 | Data Gap | 3.36 | -2.05 | Data Gap | 5.27 | 3.05 | 6 | 1.35 |
| 22-Feb-2012 | 20:00:00 | Data Gap | 3.34 | -2.22 | Data Gap | 5.3 | 3.05 | 6.16 | 1.6 |
| 23-Feb-2012 | 08:00:00 | Data Gap | 4.31 | -1.07 | Data Gap | 5.69 | 3.27 | 6.31 | 1.53 |
| 23-Feb-2012 | 20:00:00 | Data Gap | 3.93 | -1.32 | Data Gap | 5.55 | 3.16 | 6.25 | 1.49 |
| 24-Feb-2012 | 08:00:00 | Data Gap | 3.69 | -1.96 | Data Gap | 5.43 | 3.09 | 6.15 | 1.44 |
| 24-Feb-2012 | 20:00:00 | Data Gap | 4.12 | -1.53 | Data Gap | 5.41 | 3.02 | 5.99 | 1.42 |
| 25-Feb-2012 | 20:00:00 | Data Gap | 3.55 | -2.2 | Data Gap | 5.24 | 2.97 | 5.86 | 1.3 |
| 25-Feb-2012 | 08:00:00 | Data Gap | 3.16 | -2.9 | Data Gap | 5.09 | 2.85 | 5.73 | 1.28 |
| 26-Feb-2012 | 20:00:00 | Data Gap | 2.92 | -3.8 | Data Gap | 4.97 | 2.81 | 5.64 | 1.24 |
| 26-Feb-2012 | 08:00:00 | Data Gap | 2.93 | -4.67 | Data Gap | 4.94 | 2.75 | 5.62 | 1.22 |
| 27-Feb-2012 | 20:00:00 | Data Gap | 2.98 | -5.6 | Data Gap | 4.9 | 2.75 | 5.62 | 1.2 |
| 27-Feb-2012 | 08:00:00 | Data Gap | 2.92 | -6.21 | Data Gap | 4.9 | 2.68 | 5.63 | 1.18 |
| 28-Feb-2012 | 20:00:00 | Data Gap | 2.79 | -7.15 | Data Gap | 4.84 | 2.69 | 5.65 | 1.13 |
| 28-Feb-2012 | 08:00:00 | Data Gap | 2.87 | -7.51 | Data Gap | 4.84 | 2.64 | 5.75 | 1.15 |
| 29-Feb-2012 | 20:00:00 | Data Gap | 3.06 | -7.85 | Data Gap | 4.86 | 2.76 | 5.85 | 1.08 |
| 29-Feb-2012 | 08:00:00 | Data Gap | 3.08 | -8.03 | Data Gap | 4.97 | 2.82 | 5.78 | 1.79 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 01-Mar-2012 | 08:00:00 | Data Gap | 3.16 | -8.23 | Data Gap | 4.91 | 2.76 | 5.86 | 1.16 |
| 01-Mar-2012 | 20:00:00 | Data Gap | 2.82 | -8.63 | Data Gap | 4.76 | 2.6 | 5.73 | 1.06 |
| 02-Mar-2012 | 08:00:00 | Data Gap | 2.83 | -9.06 | Data Gap | 4.52 | 2.57 | 5.71 | 0.9 |
| 02-Mar-2012 | 20:00:00 | Data Gap | 3.05 | -9.17 | Data Gap | 4.7 | 2.79 | 5.83 | 1.14 |
| 03-Mar-2012 | 08:00:00 | Data Gap | 4.73 | -2.59 | Data Gap | 5.97 | 3.49 | 6.74 | 2.02 |
| 03-Mar-2012 | 20:00:00 | Data Gap | 4.3 | -2.59 | Data Gap | 5.66 | 3.22 | 6.47 | 1.85 |
| 04-Mar-2012 | 08:00:00 | Data Gap | 3.92 | -2.39 | Data Gap | 5.53 | 3.12 | 6.3 | 1.64 |
| 04-Mar-2012 | 20:00:00 | Data Gap | 3.49 | -2.77 | Data Gap | 5.33 | 2.96 | 6.01 | 1.51 |
| 05-Mar-2012 | 08:00:00 | Data Gap | 3.25 | -3.02 | Data Gap | 5.25 | 2.98 | 5.95 | 1.41 |
| 05-Mar-2012 | 20:00:00 | Data Gap | 2.71 | -3.71 | Data Gap | 5.05 | 2.81 | 5.66 | 1.34 |
| 06-Mar-2012 | 08:00:00 | Data Gap | 2.51 | -4.59 | Data Gap | 4.92 | 2.82 | 5.46 | 1.31 |
| 06-Mar-2012 | 20:00:00 | Data Gap | 2.53 | -5.51 | Data Gap | 4.88 | 2.73 | 5.4 | 1.28 |
| 07-Mar-2012 | 08:00:00 | Data Gap | 2.58 | -6.51 | Data Gap | 4.78 | 2.78 | 5.34 | 1.3 |
| 07-Mar-2012 | 20:00:00 | Data Gap | 2.6 | -7.19 | Data Gap | 4.78 | 2.78 | 5.53 | 1.26 |
| 08-Mar-2012 | 08:00:00 | Data Gap | 2.73 | -7.72 | Data Gap | 4.73 | 2.82 | 5.48 | 1.29 |
| 08-Mar-2012 | 20:00:00 | Data Gap | 2.72 | -7.86 | Data Gap | 4.77 | 2.85 | 5.66 | 1.29 |
| 09-Mar-2012 | 08:00:00 | Data Gap | 4.06 | -5.59 | Data Gap | 5.31 | 3.06 | 5.66 | 1.52 |
| 09-Mar-2012 | 20:00:00 | Data Gap | 3.31 | -5.92 | Data Gap | 5.12 | 2.83 | 5.55 | 1.42 |
| 10-Mar-2012 | 08:00:00 | Data Gap | 2.87 | -6.48 | Data Gap | 4.97 | 2.8 | 5.45 | 1.38 |
| 10-Mar-2012 | 20:00:00 | Data Gap | 2.52 | -7.36 | Data Gap | 4.82 | 2.69 | 5.31 | 1.26 |
| 11-Mar-2012 | 08:00:00 | 7.72 | 2.33 | -8.32 | Data Gap | 4.63 | 2.7 | 5.27 | 1.27 |
| 11-Mar-2012 | 20:00:00 | 5.01 | 2.22 | -8.6 | Data Gap | 4.6 | 2.67 | 5.3 | 1.19 |
| 12-Mar-2012 | 08:00:00 | -1.47 | 2.39 | -9.09 | Data Gap | 4.48 | 2.7 | 5.26 | 1.22 |
| 12-Mar-2012 | 20:00:00 | -1.17 | 2.48 | -9.07 | Data Gap | 4.59 | 2.71 | 5.33 | 1.2 |
| 13-Mar-2012 | 08:00:00 | -4.36 | 3.02 | -9.12 | Data Gap | 4.76 | 2.76 | 5.31 | 1.28 |
| 13-Mar-2012 | 20:00:00 | 5.49 | 2.69 | -9.46 | Data Gap | 4.75 | 2.71 | 5.33 | 1.22 |
| 14-Mar-2012 | 08:00:00 | -5.32 | 2.5 | -9.91 | Data Gap | 4.52 | 2.75 | 5.22 | 1.2 |
| 14-Mar-2012 | 20:00:00 | 4.76 | 2.31 | -10.23 | Data Gap | 4.45 | 2.57 | 5.19 | 1.11 |
| 15-Mar-2012 | 08:00:00 | -3.1 | 2.31 | -10.67 | Data Gap | 4.16 | 2.57 | 5.17 | 1.15 |
| 15-Mar-2012 | 20:00:00 | 0.34 | 2.74 | -10.49 | Data Gap | 4.32 | 2.61 | 5.23 | 1.18 |
| 16-Mar-2012 | 08:00:00 | -7.85 | 2.59 | -10.88 | Data Gap | 4.23 | 2.59 | 5.15 | 1.18 |
| 16-Mar-2012 | 20:00:00 | 2.69 | 2.36 | -11.07 | Data Gap | 4.67 | 3.4 | 5.09 | 1.13 |
| 17-Mar-2012 | 08:00:00 | -0.13 | 3.59 | -9.45 | Data Gap | 5.23 | 3.14 | 5.76 | 1.77 |
| 17-Mar-2012 | 20:00:00 | -1.59 | 3.16 | -9.81 | Data Gap | 5.07 | 3.06 | 5.65 | 1.68 |
| 18-Mar-2012 | 08:00:00 | 0.19 | 3 | -10 | Data Gap | 5.03 | 3.11 | 5.52 | 1.6 |
| 18-Mar-2012 | 20:00:00 | -1.6 | 3.54 | -8.85 | Data Gap | 5.17 | 3.13 | 5.68 | 1.64 |
| 19-Mar-2012 | 08:00:00 | -1.24 | 3.14 | -9.68 | Data Gap | 5.02 | 3.06 | 5.55 | 1.57 |
| 19-Mar-2012 | 20:00:00 | -1.68 | 2.66 | -9.78 | Data Gap | 4.9 | 2.98 | 5.52 | 1.47 |
| 20-Mar-2012 | 08:00:00 | 7.72 | 2.56 | -10.19 | -0.09 | 4.77 | 2.95 | 5.34 | 1.41 |
| 20-Mar-2012 | 20:00:00 | -1.25 | 3.16 | -10.13 | -0.32 | 5.19 | 3.04 | 5.86 | 1.57 |
| 21-Mar-2012 | 08:00:00 | -1.72 | 2.54 | -10.78 | -0.43 | 5.03 | 3 | 5.41 | 1.54 |
| 21-Mar-2012 | 20:00:00 | -2.01 | 2.15 | -11.12 | -0.53 | 4.88 | 2.88 | 5.4 | 1.46 |
| 22-Mar-2012 | 08:00:00 | -2.24 | 2.24 | -11.63 | -0.58 | 4.75 | 2.86 | 5.28 | 1.44 |
| 22-Mar-2012 | 20:00:00 | -2.75 | 1.83 | -12.14 | -0.65 | 4.63 | 2.81 | 5.31 | 1.36 |
| 23-Mar-2012 | 08:00:00 | -2.9 | 2.01 | -12.47 | 0.67 | 4.47 | 2.81 | 5.32 | 1.33 |
| 23-Mar-2012 | 20:00:00 | 1.19 | 4.06 | -6.42 | 1.21 | 5.6 | 3.42 | 6.01 | 1.99 |
| 24-Mar-2012 | 08:00:00 | 2.26 | 4.69 | 0.84 | 0.54 | 6.04 | 3.99 | 6.76 | 2.7 |
| 24-Mar-2012 | 20:00:00 | 0.96 | 3.98 | 0.03 | 0.47 | 5.69 | 3.67 | 6.3 | 2.21 |
| 25-Mar-2012 | 08:00:00 | 0.4 | 3.66 | -0.53 | 0.54 | 5.64 | 3.74 | 5.96 | 2.1 |
| 25-Mar-2012 | 20:00:00 | 0.22 | 3.54 | -0.46 | 0.33 | 5.58 | 3.6 | 5.92 | 2.1 |
| 26-Mar-2012 | 08:00:00 | -0.29 | 3.24 | -1.35 | 0.2 | 5.45 | 3.53 | 5.75 | 2 |
| 26-Mar-2012 | 20:00:00 | Data Gap | 2.72 | -2.16 | 0.01 | 5.3 | 3.34 | 5.53 | 1.79 |
| 27-Mar-2012 | 20:00:00 | Data Gap | 2.52 | -2.83 | -0.08 | 5.19 | 3.38 | 5.44 | 1.8 |
| 27-Mar-2012 | 08:00:00 | Data Gap | 1.85 | -3.08 | -0.17 | 5.12 | 3.33 | 5.39 | 1.65 |
| 28-Mar-2012 | 20:00:00 | Data Gap | 2 | -3.6 | -0.19 | 5.06 | 3.29 | 5.4 | 1.61 |
| 28-Mar-2012 | 08:00:00 | Data Gap | 1.46 | -3.66 | -0.27 | 5.08 | 3.19 | 5.38 | 1.49 |
| 29-Mar-2012 | 20:00:00 | Data Gap | 1.73 | -4.75 | -0.4 | 4.98 | 3.09 | 5.32 | 1.46 |
| 29-Mar-2012 | 08:00:00 | Data Gap | 0.65 | -5.21 | -0.55 | 4.82 | 2.82 | 5.15 | 1.31 |
| 30-Mar-2012 | 20:00:00 | Data Gap | 1.07 | -5.84 | -0.09 | 4.47 | 2.76 | 5 | 1.32 |
| 30-Mar-2012 | 08:00:00 | Data Gap | 1.44 | -5.75 | -0.46 | 4.3 | 2.79 | 5.16 | 1.33 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 31-Mar-2012 | 08:00:00 | Data Gap | 2.81 | -5.27 | 0.04 | 5.14 | 3.11 | 5.42 | 1.57 |
| 31-Mar-2012 | 20:00:00 | Data Gap | 1.47 | -5.87 | -0.21 | 4.94 | 2.88 | 5.32 | 1.41 |
| 01-Apr-2012 | 08:00:00 | Data Gap | 1.04 | -6.74 | -0.38 | 4.72 | 2.86 | 5.14 | 1.41 |
| 01-Apr-2012 | 20:00:00 | Data Gap | 1 | -7.14 | -0.37 | 4.47 | 2.86 | 5.28 | 1.36 |
| 02-Apr-2012 | 08:00:00 | Data Gap | 0.71 | -7.61 | -0.5 | 4.08 | 2.93 | 5.2 | 1.31 |
| 02-Apr-2012 | 20:00:00 | Data Gap | 0.98 | -7.54 | -0.39 | 4.42 | 2.84 | 5.24 | 1.38 |
| 03-Apr-2012 | 08:00:00 | Data Gap | 1 | -8.18 | -0.53 | 3.86 | 2.82 | 5.21 | 1.41 |
| 03-Apr-2012 | 20:00:00 | Data Gap | 0.36 | -8.59 | -0.6 | 3.82 | 2.86 | 5.31 | 1.36 |
| 04-Apr-2012 | 08:00:00 | Data Gap | 0.64 | -9.14 | -0.67 | 3.72 | 2.96 | 5.51 | 1.43 |
| 04-Apr-2012 | 20:00:00 | Data Gap | -0.55 | -10.05 | -0.86 | 3.61 | 2.81 | 5.46 | 1.26 |
| 05-Apr-2012 | 08:00:00 | Data Gap | 0.23 | -10.74 | -0.94 | 3.35 | 2.76 | 5.35 | 1.25 |
| 05-Apr-2012 | 20:00:00 | Data Gap | 4.78 | 0.5 | 1.01 | 6.04 | 3.97 | 6.35 | 2.52 |
| 06-Apr-2012 | 08:00:00 | Data Gap | 4.18 | 0.1 | 0.9 | 5.71 | 3.64 | 5.99 | 2.12 |
| 06-Apr-2012 | 20:00:00 | Data Gap | 3.55 | -0.93 | 0.36 | 5.4 | 3.4 | 5.7 | 1.76 |
| 07-Apr-2012 | 08:00:00 | Data Gap | 3.15 | -1.67 | 0.23 | 5.3 | 3.35 | 5.62 | 1.74 |
| 07-Apr-2012 | 20:00:00 | Data Gap | 2.35 | -2.26 | 0.14 | 5.17 | 3.25 | 5.54 | 1.53 |
| 08-Apr-2012 | 08:00:00 | Data Gap | 2.25 | -2.58 | 0.08 | 5.17 | 3.26 | 5.58 | 1.56 |
| 08-Apr-2012 | 20:00:00 | Data Gap | 1.28 | -2.73 | -0.06 | 5.05 | 3.13 | 5.53 | 1.41 |
| 09-Apr-2012 | 08:00:00 | Data Gap | 1.55 | -3.21 | -0.19 | 4.96 | 3.11 | 5.53 | 1.42 |
| 09-Apr-2012 | 20:00:00 | Data Gap | 0.5 | -3.74 | -0.38 | 4.73 | 2.98 | 5.53 | 1.24 |
| 10-Apr-2012 | 08:00:00 | Data Gap | 1.14 | -4.49 | -0.48 | 4.38 | 2.95 | 5.53 | 1.27 |
| 10-Apr-2012 | 20:00:00 | Data Gap | -0.11 | -5.72 | -0.68 | 3.91 | 2.81 | 5.52 | 1.13 |
| 11-Apr-2012 | 08:00:00 | Data Gap | 0.69 | -7.03 | -0.83 | 3.5 | 2.81 | 5.5 | 1.12 |
| 11-Apr-2012 | 20:00:00 | Data Gap | -0.28 | -7.98 | -1.06 | 3.17 | 2.61 | 5.39 | 0.94 |
| 12-Apr-2012 | 08:00:00 | Data Gap | 0.84 | -8.55 | -1.14 | 2.71 | 2.66 | 5.43 | 1 |
| 12-Apr-2012 | 20:00:00 | Data Gap | 0.08 | -8.9 | -1.19 | 2.46 | 2.54 | 5.56 | 0.89 |
| 13-Apr-2012 | 08:00:00 | Data Gap | 0.98 | -9.46 | -1.26 | 1.87 | 2.58 | 6.01 | 0.89 |
| 13-Apr-2012 | 20:00:00 | Data Gap | 0.06 | -10.22 | -1.41 | 1.47 | 2.4 | 5.89 | 0.77 |
| 14-Apr-2012 | 08:00:00 | Data Gap | 1.05 | -11.34 | -1.41 | 0.92 | 2.49 | 5.94 | 0.81 |
| 14-Apr-2012 | 20:00:00 | Data Gap | 0.1 | -13.5 | -1.55 | 0.88 | 2.36 | 5.83 | 0.7 |
| 15-Apr-2012 | 08:00:00 | Data Gap | 1.08 | -13.68 | -1.53 | 0.59 | 2.36 | 5.84 | 0.75 |
| 15-Apr-2012 | 20:00:00 | Data Gap | -0.59 | -14.5 | -1.78 | 0.71 | 2.17 | 5.69 | 0.61 |
| 16-Apr-2012 | 08:00:00 | Data Gap | 1.07 | -14.56 | -1.73 | 0.53 | 2.2 | 5.73 | 0.61 |
| 16-Apr-2012 | 20:00:00 | Data Gap | -0.41 | -15.7 | -2.12 | 0.59 | 2.01 | 5.54 | 0.45 |
| 17-Apr-2012 | 08:00:00 | Data Gap | 0.8 | -15.66 | -2.06 | -0.05 | 2.03 | 5.58 | 0.47 |
| 17-Apr-2012 | 20:00:00 | Data Gap | 1.78 | -14.04 | -2.45 | 1.28 | 2.57 | 5.65 | 0.71 |
| 18-Apr-2012 | 08:00:00 | Data Gap | 5.27 | 0.81 | 1.53 | 6.33 | 4.4 | 7.85 | 2.79 |
| 18-Apr-2012 | 20:00:00 | Data Gap | 3.68 | -0.09 | 0.65 | 6.07 | 3.52 | 7.07 | 1.94 |
| 19-Apr-2012 | 08:00:00 | Data Gap | 3.63 | -0.19 | 0.26 | 5.45 | 3.34 | 6.76 | 1.69 |
| 19-Apr-2012 | 20:00:00 | Data Gap | 3.16 | -0.06 | 0.07 | 5.19 | 3.19 | 6.61 | 1.49 |
| 20-Apr-2012 | 08:00:00 | Data Gap | 2.99 | 0.02 | 0.05 | 5.15 | 3.16 | 6.55 | 1.45 |
| 20-Apr-2012 | 20:00:00 | Data Gap | 2.4 | -0.48 | -0.15 | 5.04 | 3.08 | 6.51 | 1.34 |
| 21-Apr-2012 | 08:00:00 | Data Gap | 2.61 | -0.8 | -0.16 | 5.18 | 3.11 | 6.5 | 1.36 |
| 21-Apr-2012 | 20:00:00 | Data Gap | 2.11 | -1.15 | -0.42 | 5.04 | 3.6 | 6.36 | 1.24 |
| 22-Apr-2012 | 08:00:00 | Data Gap | 3.35 | -0.13 | 0.4 | 5.62 | 3.32 | 6.89 | 1.66 |
| 22-Apr-2012 | 20:00:00 | Data Gap | 2.21 | -1.04 | 0.09 | 5.42 | 3.14 | 6.57 | 1.49 |
| 23-Apr-2012 | 08:00:00 | Data Gap | 2.47 | -1.98 | -0.06 | 5.37 | 3.07 | 6.62 | 1.43 |
| 23-Apr-2012 | 20:00:00 | Data Gap | 2.07 | -2.58 | -0.37 | 5.2 | 3 | 6.07 | 1.28 |
| 24-Apr-2012 | 08:00:00 | Data Gap | 2.24 | -3.11 | -0.45 | 5.1 | 3 | 5.98 | 1.23 |
| 24-Apr-2012 | 20:00:00 | Data Gap | 1.71 | -3.36 | -0.69 | 4.78 | 2.84 | 5.82 | 1.12 |
| 25-Apr-2012 | 08:00:00 | Data Gap | 3.19 | -3.3 | -0.45 | 5.03 | 3.09 | 6.11 | 1.28 |
| 25-Apr-2012 | 20:00:00 | Data Gap | 2.52 | -3.52 | -0.48 | 5.15 | 2.98 | 6.39 | 1.32 |
| 26-Apr-2012 | 08:00:00 | Data Gap | 2.64 | -4.46 | -0.45 | 5.64 | 3.39 | 6.25 | 1.6 |
| 26-Apr-2012 | 20:00:00 | Data Gap | 3.9 | -0.18 | 0.27 | 5.76 | 3.22 | 6.67 | 1.59 |
| 27-Apr-2012 | 08:00:00 | Data Gap | 3.5 | -0.71 | -0.01 | 5.56 | 3.12 | 6.53 | 1.5 |
| 27-Apr-2012 | 20:00:00 | Data Gap | 2.99 | -1.75 | -0.34 | 5.3 | 2.97 | 6.39 | 1.32 |
| 28-Apr-2012 | 08:00:00 | Data Gap | 2.95 | -2.35 | -0.39 | 5.18 | 2.94 | 6.39 | 1.33 |
| 28-Apr-2012 | 20:00:00 | Data Gap | 2.57 | -2.84 | -0.65 | 4.76 | 2.84 | 6.28 | 1.23 |
| 29-Apr-2012 | 08:00:00 | Data Gap | 2.77 | -3.49 | -0.65 | 4.3 | 2.84 | 6.26 | 1.23 |
| 29-Apr-2012 | 20:00:00 | Data Gap | 2.02 | -4.02 | -1.02 | 4.06 | 2.66 | 6.12 | 1.06 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 30-Apr-2012 | 08:00:00 | Data Gap | 2.53 | -4.92 | -1.01 | 4.06 | 2.72 | 6.14 | 1.1 |
| 30-Apr-2012 | 20:00:00 | Data Gap | 1.93 | -5.48 | -1.33 | 3.98 | 2.58 | 6.09 | 0.98 |
| 01-May-2012 | 08:00:00 | Data Gap | 2.35 | -6.23 | -1.27 | 3.89 | 2.58 | 6.11 | 1 |
| 01-May-2012 | 20:00:00 | Data Gap | 1.83 | -6.9 | -1.64 | 3.72 | 2.5 | 6.02 | 0.9 |
| 02-May-2012 | 08:00:00 | Data Gap | 2.05 | -7.77 | -1.61 | 3.42 | 2.52 | 5.99 | 0.94 |
| 02-May-2012 | 20:00:00 | Data Gap | 0.91 | -8.75 | -2.16 | 3.04 | 2.29 | 5.86 | 0.74 |
| 03-May-2012 | 08:00:00 | Data Gap | 1.36 | -10.03 | -2.11 | 2.35 | 2.32 | 5.84 | 0.78 |
| 03-May-2012 | 20:00:00 | Data Gap | 0.08 | -11.7 | -2.74 | 1.61 | 2.13 | 5.71 | 0.58 |
| 04-May-2012 | 08:00:00 | Data Gap | 0.84 | -13.17 | -2.56 | 0.88 | 2.14 | 5.68 | 0.62 |
| 04-May-2012 | 20:00:00 | Data Gap | -0.88 | -15.7 | -3.26 | -0.5 | 1.98 | 5.58 | 0.43 |
| 05-May-2012 | 08:00:00 | Data Gap | 0.12 | -15.6 | -3.04 | -5.21 | 1.98 | 5.56 | 0.34 |
| 05-May-2012 | 20:00:00 | Data Gap | -1.15 | -16.53 | -3.38 | -8.48 | 1.88 | 5.52 | 0.34 |
| 06-May-2012 | 08:00:00 | Data Gap | -0.18 | -16.45 | -3.16 | -9.33 | 1.94 | 5.42 | 0.32 |
| 06-May-2012 | 20:00:00 | Data Gap | -2 | -17.65 | -3.85 | -9.96 | 1.73 | 5.29 | 0.14 |
| 07-May-2012 | 08:00:00 | Data Gap | -0.78 | -17.27 | -3.56 | -10.92 | 1.74 | 5.3 | 0.16 |
| 07-May-2012 | 20:00:00 | Data Gap | -1.99 | -18.21 | -4.1 | -11.13 | 1.61 | 5.22 | 0.01 |
| 08-May-2012 | 08:00:00 | Data Gap | 3.65 | -5.09 | -2.19 | -11.72 | 2.61 | 5.83 | 0.82 |
| 08-May-2012 | 20:00:00 | Data Gap | 3.77 | -2.65 | 0.3 | 0 | 3.18 | 6.74 | 1.58 |
| 09-May-2012 | 08:00:00 | Data Gap | 3.11 | -2.11 | -0.32 | 5.35 | 2.95 | 6.46 | 1.3 |
| 09-May-2012 | 20:00:00 | Data Gap | 3.63 | 0.43 | 0.34 | 5.05 | 3.35 | 6.94 | 1.74 |
| 10-May-2012 | 08:00:00 | Data Gap | 3.1 | -0.28 | -0.14 | 5.75 | 3.12 | 6.54 | 1.44 |
| 10-May-2012 | 20:00:00 | Data Gap | 2.3 | -1.13 | -0.56 | 5.44 | 2.88 | 6.3 | 1.13 |
| 11-May-2012 | 08:00:00 | Data Gap | 2.13 | -1.91 | -0.59 | 5.15 | 2.83 | 6.27 | 1.08 |
| 11-May-2012 | 20:00:00 | Data Gap | 1.15 | -2.73 | -0.96 | 5.05 | 2.61 | 6.06 | 0.91 |
| 12-May-2012 | 08:00:00 | Data Gap | 1.63 | -4.39 | -0.95 | 4.81 | 2.64 | 6.08 | 0.9 |
| 12-May-2012 | 20:00:00 | Data Gap | 1.17 | -5.93 | -1.17 | 4.6 | 2.52 | 6.04 | 0.8 |
| 13-May-2012 | 08:00:00 | Data Gap | 1.74 | -6.88 | -1.07 | 4.17 | 2.56 | 6.03 | 0.82 |
| 13-May-2012 | 20:00:00 | Data Gap | 3.52 | -4.59 | 0.26 | 3.72 | 3.2 | 6.58 | 1.39 |
| 14-May-2012 | 08:00:00 | Data Gap | 5.25 | 1.62 | 1.96 | 5.57 | 4.18 | 8.02 | 2.7 |
| 14-May-2012 | 20:00:00 | Data Gap | 4.18 | 0.52 | 1.69 | 8.33 | 3.86 | 7.52 | 2.27 |
| 15-May-2012 | 08:00:00 | Data Gap | 3.49 | 0.27 | 0.92 | 8.29 | 3.44 | 6.99 | 1.72 |
| 15-May-2012 | 20:00:00 | Data Gap | 3.32 | -0.49 | 0.46 | 7.6 | 3.28 | 6.76 | 1.54 |
| 16-May-2012 | 08:00:00 | Data Gap | 3.31 | -0.78 | 0.36 | 6.85 | 3.26 | 6.73 | 1.5 |
| 16-May-2012 | 20:00:00 | Data Gap | 3.18 | -1.64 | 0.02 | 6.16 | 3.11 | 6.55 | 1.25 |
| 17-May-2012 | 08:00:00 | Data Gap | 3.09 | -2.1 | 0.04 | 5.7 | 3.13 | 6.53 | 1.3 |
| 17-May-2012 | 20:00:00 | Data Gap | 2.29 | -3.25 | -0.35 | 5.73 | 2.94 | 6.38 | 1.12 |
| 18-May-2012 | 08:00:00 | Data Gap | 2.62 | -4.05 | -0.25 | 5.57 | 3 | 6.39 | 1.14 |
| 18-May-2012 | 20:00:00 | -4.91 | 1.88 | -4.92 | -0.58 | 5.54 | 2.88 | 6.31 | 1.04 |
| 19-May-2012 | 08:00:00 | -3.98 | 2.24 | -4.95 | -0.51 | 5.41 | 2.89 | 6.31 | 1.07 |
| 19-May-2012 | 20:00:00 | -5.45 | 1.65 | -5.86 | -0.89 | 5.26 | 2.78 | 6.23 | 0.96 |
| 20-May-2012 | 08:00:00 | -4.47 | 2.22 | -6.84 | -0.8 | 5.06 | 2.82 | 6.28 | 0.98 |
| 20-May-2012 | 20:00:00 | -6.53 | 0.82 | -7.94 | -1.31 | 4.61 | 2.52 | 6.14 | 0.81 |
| 21-May-2012 | 08:00:00 | -5.21 | 1.83 | -8.75 | -1.24 | 4.17 | 2.63 | 6.13 | 0.84 |
| 21-May-2012 | 20:00:00 | -6.72 | 1.02 | -8.93 | -1.63 | 3.71 | 2.4 | 6.04 | 0.71 |
| 22-May-2012 | 08:00:00 | -5.48 | 1.74 | -10.42 | -1.51 | 3.37 | 2.43 | 6.05 | 0.74 |
| 22-May-2012 | 20:00:00 | -6.62 | 1.31 | -11.23 | -1.86 | 3.05 | 2.37 | 6.06 | 0.67 |
| 23-May-2012 | 08:00:00 | -5.58 | 1.83 | -12.3 | -1.66 | 2.81 | 2.43 | 6.03 | 0.72 |
| 23-May-2012 | 20:00:00 | -6.54 | 1.23 | -12.25 | -1.78 | 2.72 | 2.44 | 6.02 | 0.72 |
| 24-May-2012 | 08:00:00 | -5.57 | 1.72 | -13.08 | -1.68 | 2.51 | 2.4 | 6.03 | 0.74 |
| 24-May-2012 | 20:00:00 | -8.01 | 0.13 | -13.44 | -2.36 | 1.93 | 2.11 | 5.86 | 0.55 |
| 25-May-2012 | 20:00:00 | -6.43 | 1.19 | -14.97 | -2.22 | 1.02 | 2.1 | 5.88 | 0.56 |
| 25-May-2012 | 08:00:00 | -8.99 | -0.56 | -15.28 | -3.02 | -1.21 | 1.84 | 5.69 | 0.36 |
| 26-May-2012 | 20:00:00 | -7.28 | 0.66 | -17.18 | -2.79 | -7.04 | 1.85 | 5.68 | 0.35 |
| 26-May-2012 | 08:00:00 | -9.79 | -1.1 | -16.95 | -3.69 | -9.32 | 1.61 | 5.51 | 0.14 |
| 27-May-2012 | 20:00:00 | -8.03 | 0.18 | -18.54 | -3.36 | -10.05 | 1.62 | 5.5 | 0.14 |
| 27-May-2012 | 08:00:00 | -10.71 | -2.03 | -18.07 | -4.44 | -11.33 | 1.38 | 5.34 | -0.08 |
| 28-May-2012 | 20:00:00 | -9 | -0.42 | -19.88 | -4.01 | -11.99 | 1.38 | 5.28 | -0.13 |
| 28-May-2012 | 08:00:00 | -11.13 | -1.95 | -19.22 | -4.66 | -12.66 | 1.21 | 5.14 | -0.29 |
| 29-May-2012 | 20:00:00 | -8.4 | 0.39 | -20.4 | -3.89 | -13.03 | 1.36 | 5.21 | -0.18 |
| 29-May-2012 | 08:00:00 | -10.03 | -0.6 | -19.21 | -4.58 | -14.13 | 1.28 | 5.14 | -0.28 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 30-May-2012 | 08:00:00 | -7.65 | 0.43 | -19.04 | -3.68 | -13.62 | 1.38 | 5.24 | -0.16 |
| 30-May-2012 | 20:00:00 | -11.33 | -2.3 | -21.98 | -5.21 | -15 | 1.03 | 4.98 | -0.48 |
| 31-May-2012 | 08:00:00 | -9.63 | -0.93 | -21.27 | -4.75 | -15.18 | 0.97 | 4.94 | -0.49 |
| 31-May-2012 | 20:00:00 | -12.32 | -3.27 | -23.35 | -6.18 | -16.1 | 0.74 | 4.76 | -0.72 |
| 01-Jun-2012 | 08:00:00 | -10.58 | -1.85 | -22.63 | -5.42 | -16.04 | 0.72 | 4.72 | -0.75 |
| 01-Jun-2012 | 20:00:00 | -10.88 | -1.53 | -22.21 | -5.49 | -15.74 | 0.65 | 4.64 | -0.76 |
| 02-Jun-2012 | 08:00:00 | -9.88 | -1.41 | -22.37 | -5.27 | -16.21 | 0.62 | 4.55 | -0.86 |
| 02-Jun-2012 | 20:00:00 | -12.91 | -4.47 | -24.92 | -6.98 | -17.2 | 0.38 | 4.33 | -1.08 |
| 03-Jun-2012 | 08:00:00 | -11.44 | -2.91 | -24.31 | -6.3 | -17.26 | 0.33 | 4.3 | -1.12 |
| 03-Jun-2012 | 20:00:00 | -13.54 | -5.47 | -26.07 | -7.68 | -17.73 | 0.16 | 4.13 | -1.35 |
| 04-Jun-2012 | 08:00:00 | -11.85 | -3.55 | -25.28 | -6.83 | -17.48 | 0.18 | 4.21 | -1.37 |
| 04-Jun-2012 | 20:00:00 | -14.08 | -6.42 | -27.16 | -8.37 | -18.46 | -0.08 | 4.03 | -1.57 |
| 05-Jun-2012 | 08:00:00 | -12.61 | -4.35 | -26.78 | -7.54 | -18.12 | -0.09 | 3.88 | -1.57 |
| 05-Jun-2012 | 20:00:00 | -14.34 | -6.23 | -28.25 | -8.99 | -18.93 | 0.01 | 3.66 | -1.75 |
| 06-Jun-2012 | 08:00:00 | -1.23 | 3.29 | -14.36 | -1.24 | -1.3 | 2.06 | 5.27 | -0.03 |
| 06-Jun-2012 | 20:00:00 | -3.48 | 2.37 | -16.77 | -1.37 | 0.79 | 1.86 | 5.46 | 0.15 |
| 07-Jun-2012 | 08:00:00 | -4.05 | 1.83 | -17.08 | -1.56 | 1.65 | 1.72 | 5.53 | 0.18 |
| 07-Jun-2012 | 20:00:00 | -6.41 | 0.13 | -18.31 | -2.29 | 1.34 | 1.41 | 5.38 | -0.01 |
| 08-Jun-2012 | 08:00:00 | -5.68 | 0.41 | -17.92 | -2.36 | 0.84 | 1.38 | 5.39 | 0 |
| 08-Jun-2012 | 20:00:00 | -8.41 | -1.5 | -19.86 | -3.27 | -0.65 | 1.1 | 5.16 | -0.26 |
| 09-Jun-2012 | 08:00:00 | -7.24 | -0.42 | -19.29 | -3.24 | -7.89 | 1.06 | 5.13 | -0.27 |
| 09-Jun-2012 | 20:00:00 | -9.86 | -2.13 | -21.35 | -4.18 | -10.78 | 0.83 | 4.93 | -0.49 |
| 10-Jun-2012 | 08:00:00 | -8.36 | -0.68 | -20.76 | -4 | -11.77 | 0.84 | 4.92 | -0.49 |
| 10-Jun-2012 | 20:00:00 | -8.64 | -0.7 | -21.24 | -4.24 | -12.62 | 0.79 | 4.89 | -0.54 |
| 11-Jun-2012 | 08:00:00 | -7.46 | 0.36 | -20.43 | -3.75 | -12.09 | 1.2 | 4.98 | -0.44 |
| 11-Jun-2012 | 20:00:00 | -4.51 | 1.93 | -17.89 | -2.18 | -9.43 | 1.45 | 5.33 | -0.11 |
| 12-Jun-2012 | 08:00:00 | -4.29 | 1.77 | -17.73 | -1.94 | -5.44 | 1.54 | 5.47 | 0 |
| 12-Jun-2012 | 20:00:00 | -3.62 | 2.06 | -16.69 | -0.69 | 2.98 | 2.35 | 6.12 | 0.73 |
| 13-Jun-2012 | 08:00:00 | -3.89 | 1.88 | -17.33 | -0.92 | 3.58 | 2.15 | 6.11 | 0.69 |
| 13-Jun-2012 | 20:00:00 | -3.39 | 2.5 | -16.54 | -0.57 | 4.55 | 3.06 | 6.26 | 0.85 |
| 14-Jun-2012 | 08:00:00 | -0.35 | 3.35 | -4.26 | 0.02 | 5.17 | 2.58 | 6.55 | 1.12 |
| 14-Jun-2012 | 20:00:00 | -2.96 | 2.45 | -4.58 | -0.74 | 4.68 | 2.22 | 6.25 | 0.81 |
| 15-Jun-2012 | 08:00:00 | -3.07 | 2.15 | -5.02 | -0.86 | 4.38 | 2.24 | 6.18 | 0.74 |
| 15-Jun-2012 | 20:00:00 | -5.14 | 0.92 | -6.15 | -1.45 | 3.72 | 2.13 | 5.97 | 0.54 |
| 16-Jun-2012 | 08:00:00 | -4.45 | 1.28 | -8.37 | -1.57 | 3.43 | 2.06 | 5.97 | 0.54 |
| 16-Jun-2012 | 20:00:00 | -6.69 | -0.08 | -13.54 | -2.25 | 2.93 | 1.84 | 5.81 | 0.35 |
| 17-Jun-2012 | 08:00:00 | -5.46 | 0.73 | -15.03 | -2.27 | 2.23 | 1.77 | 5.76 | 0.35 |
| 17-Jun-2012 | 20:00:00 | -7.86 | -0.79 | -16.85 | -3.04 | 0.16 | 1.55 | 5.6 | 0.13 |
| 18-Jun-2012 | 08:00:00 | -6.45 | 0.28 | -16.73 | -2.94 | -6.52 | 1.47 | 5.58 | 0.12 |
| 18-Jun-2012 | 20:00:00 | -9.2 | -1.57 | -18.63 | -3.97 | -9.8 | 1.25 | 5.38 | -0.1 |
| 19-Jun-2012 | 08:00:00 | -7.66 | -0.46 | -18.16 | -3.8 | -10.85 | 1.2 | 5.33 | -0.15 |
| 19-Jun-2012 | 20:00:00 | -10.44 | -2.56 | -20.13 | -5.01 | -12.72 | 0.94 | 5.12 | -0.38 |
| 20-Jun-2012 | 08:00:00 | -8.88 | -1.21 | -19.62 | -4.71 | -13.78 | 0.89 | 5.07 | -0.42 |
| 20-Jun-2012 | 20:00:00 | -12.14 | -4.36 | -22.53 | -6.44 | -15.69 | 0.64 | 4.82 | -0.68 |
| 21-Jun-2012 | 08:00:00 | -10.39 | -2.56 | -21.78 | -5.83 | -16.05 | 0.57 | 4.77 | -0.68 |
| 21-Jun-2012 | 20:00:00 | -13.26 | -5.8 | -24.33 | -7.87 | -17.53 | 0.31 | 4.56 | -0.97 |
| 22-Jun-2012 | 08:00:00 | -11.69 | -3.81 | -23.55 | -7.01 | -17.72 | 0.25 | 4.51 | -1.01 |
| 22-Jun-2012 | 20:00:00 | -13.44 | -5.48 | -25.09 | -8.39 | -18.34 | 0.11 | 4.37 | -1.2 |
| 23-Jun-2012 | 08:00:00 | -12.15 | -4.37 | -24.53 | -7.76 | -18.55 | 0.08 | 4.3 | -1.25 |
| 23-Jun-2012 | 20:00:00 | -6.71 | 2.05 | -19.75 | -2.53 | -6.99 | 1.59 | 5.31 | -0.11 |
| 24-Jun-2012 | 08:00:00 | -6.21 | 0.9 | -19.47 | -2.74 | -12.55 | 1.54 | 5.42 | -0.01 |
| 24-Jun-2012 | 20:00:00 | -5.92 | 1.67 | -19.58 | -2.63 | -11.22 | 1.54 | 5.43 | 0.06 |
| 25-Jun-2012 | 08:00:00 | -5.4 | 0.91 | -19.47 | -2.67 | -11.52 | 1.51 | 5.58 | 0.12 |
| 25-Jun-2012 | 20:00:00 | -8.98 | -1.75 | -22.81 | -3.84 | -12.69 | 1.28 | 5.32 | -0.17 |
| 26-Jun-2012 | 08:00:00 | -7.69 | -0.89 | -22.22 | -3.86 | -13.33 | 1.14 | 5.26 | -0.2 |
| 26-Jun-2012 | 20:00:00 | -11.2 | -3.81 | -25.48 | -5.25 | -15.19 | 0.82 | 5.02 | -0.53 |
| 27-Jun-2012 | 08:00:00 | -9.87 | -2.3 | -24.82 | -5.21 | -15.85 | 0.75 | 4.91 | -0.54 |
| 27-Jun-2012 | 20:00:00 | -13.12 | -5.64 | -27.86 | -6.92 | -17.2 | 0.49 | 4.66 | -0.83 |
| 28-Jun-2012 | 08:00:00 | -11.71 | -3.67 | -27.26 | -6.5 | -17.33 | 0.46 | Data Gap | -0.84 |
| 28-Jun-2012 | 20:00:00 | -14.96 | -7.32 | -29.47 | -8.92 | -18.57 | 0.14 | Data Gap | -1.13 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 29-Jun-2012 | 08:00:00 | -13.6 | -5.61 | -29.54 | -8.17 | -18.95 | -0.01 | Data Gap | -1.24 |
| 29-Jun-2012 | 20:00:00 | -16.5 | -8.57 | -30.63 | -10.49 | -19.89 | -0.15 | Data Gap | -1.51 |
| 30-Jun-2012 | 08:00:00 | -15.1 | -6.53 | -30.54 | -9.35 | -20.06 | -0.22 | Data Gap | -1.58 |
| 30-Jun-2012 | 20:00:00 | -17.8 | -10.12 | -31.52 | -11.92 | -21.47 | -0.58 | Data Gap | -1.95 |
| 01-Jul-2012 | 08:00:00 | -16.6 | -8.13 | -31.59 | -10.65 | -21.7 | -0.67 | Data Gap | -2 |
| 01-Jul-2012 | 20:00:00 | -19.01 | -11.31 | -32.51 | -13.01 | -23.01 | -1.04 | Data Gap | -2.38 |
| 02-Jul-2012 | 08:00:00 | -9.51 | 0.91 | -27.96 | -6.18 | -16.85 | 0.23 | Data Gap | -1.42 |
| 02-Jul-2012 | 20:00:00 | -12.62 | -3.65 | -28.94 | -9.12 | -19.79 | -0.08 | Data Gap | -1.66 |
| 03-Jul-2012 | 08:00:00 | -11.36 | -3.17 | -28.82 | -8.72 | -19.98 | -0.14 | Data Gap | -1.66 |
| 03-Jul-2012 | 20:00:00 | -14.57 | -6.66 | -30.36 | -11 | -21.3 | -0.5 | Data Gap | -2.02 |
| 04-Jul-2012 | 08:00:00 | -13.26 | -5.22 | -30.29 | -10.01 | -21.42 | -0.58 | Data Gap | -2.06 |
| 04-Jul-2012 | 20:00:00 | -16.16 | -8.69 | -32 | -12.35 | -22.61 | -0.89 | Data Gap | -2.45 |
| 05-Jul-2012 | 08:00:00 | -14.96 | -6.99 | -32.14 | -11.15 | -22.76 | -0.99 | Data Gap | -2.49 |
| 05-Jul-2012 | 20:00:00 | -13.56 | -3.36 | -30.59 | -10.03 | -22 | -0.5 | Data Gap | -2.39 |
| 06-Jul-2012 | 08:00:00 | -12.59 | -4.34 | -30.48 | -10.26 | -22.23 | -0.69 | Data Gap | -2.4 |
| 06-Jul-2012 | 20:00:00 | -16.16 | -8.8 | -32.32 | -13.19 | -23.74 | -1.29 | Data Gap | -2.84 |
| 07-Jul-2012 | 08:00:00 | -14.85 | -7.36 | -32.32 | -11.9 | -23.93 | -1.32 | Data Gap | -2.91 |
| 07-Jul-2012 | 20:00:00 | -18.19 | -11.37 | -33.2 | -14.57 | -23.66 | -2.05 | Data Gap | -3.48 |
| 08-Jul-2012 | 08:00:00 | -16.88 | -9.95 | -33.17 | -13.04 | -23.68 | -1.94 | Data Gap | -3.48 |
| 08-Jul-2012 | 20:00:00 | -19.58 | -12.7 | -33.68 | -15.43 | -23.69 | -2.7 | Data Gap | -4.15 |
| 09-Jul-2012 | 08:00:00 | -18.46 | -11.22 | -33.66 | -14.17 | -23.7 | -2.57 | Data Gap | -4.22 |
| 09-Jul-2012 | 20:00:00 | -20.45 | -13.95 | -34.05 | -15.92 | -23.6 | -3.23 | Data Gap | -5.01 |
| 10-Jul-2012 | 08:00:00 | -16 | -8.18 | -32.36 | -12.88 | -23.62 | -1.35 | Data Gap | -3.62 |
| 10-Jul-2012 | 20:00:00 | -15.33 | -7.22 | -31.96 | -12.83 | 0.26 | 1.7 | Data Gap | -1.15 |
| 11-Jul-2012 | 08:00:00 | -3.57 | 1.94 | -24.78 | -1.23 | -10.79 | 1.92 | Data Gap | -0.39 |
| 11-Jul-2012 | 20:00:00 | 0.27 | 2.72 | -11.67 | 1.06 | 5.55 | 3.07 | Data Gap | 1.82 |
| 12-Jul-2012 | 08:00:00 | -1.09 | 2.79 | -15.04 | -0.11 | 5.13 | 2.45 | Data Gap | 1.13 |
| 12-Jul-2012 | 20:00:00 | -1.41 | 2.52 | -14.97 | -0.27 | 5.01 | 2.33 | Data Gap | 0.99 |
| 13-Jul-2012 | 08:00:00 | -1.42 | 2.52 | -14.9 | -0.19 | 5.09 | 2.34 | Data Gap | 0.96 |
| 13-Jul-2012 | 20:00:00 | 0.3 | 3.27 | -6.49 | 0.3 | 5.42 | 2.64 | Data Gap | 1.19 |
| 14-Jul-2012 | 08:00:00 | 0.35 | 3.38 | -4.48 | 0.43 | 5.61 | 2.69 | Data Gap | 1.3 |
| 14-Jul-2012 | 20:00:00 | -1.63 | 2.76 | -6.23 | -0.27 | 5.34 | 2.41 | Data Gap | 1.04 |
| 15-Jul-2012 | 08:00:00 | -1.88 | 2.29 | -7.28 | -0.46 | 5.31 | 2.27 | Data Gap | 0.99 |
| 15-Jul-2012 | 20:00:00 | -4.22 | 0.7 | -10.5 | -0.99 | 5 | 2.13 | Data Gap | 0.81 |
| 16-Jul-2012 | 08:00:00 | -3.73 | 0.69 | -13.27 | -1.1 | 4.68 | 2.06 | Data Gap | 0.78 |
| 16-Jul-2012 | 20:00:00 | -6.02 | -0.72 | -15.81 | -1.77 | 3.89 | 1.85 | Data Gap | 0.64 |
| 17-Jul-2012 | 08:00:00 | -5.04 | -0.22 | -16.38 | -1.87 | 3.35 | 1.82 | Data Gap | 0.63 |
| 17-Jul-2012 | 20:00:00 | -8.55 | -2.69 | -18.83 | -2.82 | 2.2 | 1.56 | Data Gap | 0.35 |
| 18-Jul-2012 | 08:00:00 | -6.95 | -1.3 | -18.32 | -2.86 | 0.4 | 1.53 | Data Gap | 0.34 |
| 18-Jul-2012 | 20:00:00 | -9.53 | -3.29 | -20.12 | -3.84 | -7.36 | 1.3 | Data Gap | 0.12 |
| 19-Jul-2012 | 08:00:00 | -8.11 | -2.07 | -19.68 | -3.75 | -10.49 | 1.24 | Data Gap | 0.12 |
| 19-Jul-2012 | 20:00:00 | -11.03 | -4.52 | -21.65 | -4.92 | -12.86 | 0.99 | Data Gap | -0.17 |
| 20-Jul-2012 | 08:00:00 | -8.36 | -1.92 | -20.55 | -3.48 | -11.53 | 1.35 | Data Gap | 0.16 |
| 20-Jul-2012 | 20:00:00 | -10.28 | -3.57 | -22.35 | -4.25 | -13.04 | 1.18 | Data Gap | Data Gap |
| 21-Jul-2012 | 08:00:00 | -8.9 | -2.63 | -21.95 | -4.1 | -13.72 | 1.13 | Data Gap | Data Gap |
| 21-Jul-2012 | 20:00:00 | -5.91 | 1.24 | -20.85 | -0.05 | 3.07 | 2.89 | Data Gap | Data Gap |
| 22-Jul-2012 | 08:00:00 | -5.34 | 0.31 | -20.34 | -0.51 | 4.73 | 2.48 | Data Gap | Data Gap |
| 22-Jul-2012 | 20:00:00 | -6.79 | -0.83 | -21.81 | -0.9 | 4.42 | 2.41 | Data Gap | Data Gap |
| 23-Jul-2012 | 08:00:00 | -5.98 | -0.49 | -21.41 | -1.05 | 4.08 | 2.39 | Data Gap | Data Gap |
| 23-Jul-2012 | 20:00:00 | -4.03 | 1.62 | -19.54 | -0.15 | 5.31 | 2.8 | Data Gap | Data Gap |
| 24-Jul-2012 | 08:00:00 | -4.24 | 1.02 | -19.52 | -0.38 | 5.21 | 2.61 | Data Gap | Data Gap |
| 24-Jul-2012 | 20:00:00 | -13.6 | -0.57 | -21.65 | -0.96 | 4.72 | 2.37 | Data Gap | Data Gap |
| 25-Jul-2012 | 08:00:00 | -16.5 | 1.98 | -19.8 | -0.59 | 4.74 | 2.7 | Data Gap | Data Gap |
| 25-Jul-2012 | 20:00:00 | -15.1 | -0.14 | -21.33 | -1.18 | 4.23 | 2.38 | Data Gap | Data Gap |
| 26-Jul-2012 | 08:00:00 | -17.8 | 0.05 | -20.86 | -1.29 | 3.63 | 2.31 | Data Gap | Data Gap |
| 26-Jul-2012 | 20:00:00 | -16.6 | -3.04 | -24 | -2.22 | 2.58 | 2.02 | Data Gap | Data Gap |
| 27-Jul-2012 | 08:00:00 | -19.01 | -1.77 | -23.22 | -2.25 | 0.99 | 1.96 | Data Gap | Data Gap |
| 27-Jul-2012 | 20:00:00 | -9.51 | 2.79 | -16.61 | 0.64 | 5.85 | 3.06 | Data Gap | Data Gap |
| 28-Jul-2012 | 08:00:00 | -12.62 | 2.07 | -17.54 | -0.01 | 5.52 | 2.96 | Data Gap | Data Gap |
| 28-Jul-2012 | 20:00:00 | -11.36 | 2.47 | -16.42 | -0.26 | 5.47 | 2.65 | Data Gap | Data Gap |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 29-Jul-2012 | 08:00:00 | -2.65 | 1.79 | -17.31 | -0.43 | 5.34 | 2.48 | Data Gap | Data Gap |
| 29-Jul-2012 | 20:00:00 | -5.97 | -0.48 | -19.53 | -1.21 | 4.56 | 2.19 | Data Gap | Data Gap |
| 30-Jul-2012 | 08:00:00 | -4.82 | -0.07 | -19.04 | -1.32 | 3.81 | 2.15 | Data Gap | Data Gap |
| 30-Jul-2012 | 20:00:00 | -7.65 | -2.56 | -21.24 | -2.19 | 2.75 | 1.89 | Data Gap | Data Gap |
| 31-Jul-2012 | 08:00:00 | -6.1 | -1.06 | -20.55 | -2.24 | 1.38 | 1.86 | Data Gap | Data Gap |
| 31-Jul-2012 | 20:00:00 | -5.62 | -0.13 | -20.15 | -1.88 | 1.12 | 2.03 | Data Gap | Data Gap |
| 01-Aug-2012 | 08:00:00 | -4.99 | 0.09 | -19.76 | -1.85 | 0.91 | 2.02 | Data Gap | Data Gap |
| 01-Aug-2012 | 20:00:00 | -8.15 | -2.13 | -22.18 | -2.74 | -0.05 | 1.74 | Data Gap | Data Gap |
| 02-Aug-2012 | 08:00:00 | -6.66 | -1.27 | -21.4 | -2.69 | -7.52 | 1.69 | Data Gap | Data Gap |
| 02-Aug-2012 | 20:00:00 | -9.06 | -3.14 | -23.28 | -2.06 | -3.63 | 1.94 | Data Gap | Data Gap |
| 03-Aug-2012 | 08:00:00 | -7.56 | -1.88 | -22.57 | -2.11 | -7.34 | 1.92 | Data Gap | Data Gap |
| 03-Aug-2012 | 20:00:00 | -8.89 | -2.95 | -23.83 | -2.46 | -9.07 | 1.75 | Data Gap | Data Gap |
| 04-Aug-2012 | 08:00:00 | -4.66 | 1.18 | -20.39 | -1.37 | -3.53 | 2.13 | Data Gap | Data Gap |
| 04-Aug-2012 | 20:00:00 | -5.8 | 0.62 | -21.09 | -1.31 | -2.62 | 2.13 | Data Gap | Data Gap |
| 05-Aug-2012 | 08:00:00 | -5.01 | 0.33 | -20.57 | -1.42 | -1.09 | 2.07 | Data Gap | Data Gap |
| 05-Aug-2012 | 20:00:00 | -7.8 | -1.8 | -23.03 | -2.15 | -2.19 | 1.86 | Data Gap | Data Gap |
| 06-Aug-2012 | 08:00:00 | -6.38 | -0.77 | -22.27 | -2.05 | -3.65 | 1.8 | Data Gap | Data Gap |
| 06-Aug-2012 | 20:00:00 | -3.82 | 1.64 | -19.87 | -2.07 | -5.02 | 1.88 | Data Gap | Data Gap |
| 07-Aug-2012 | 08:00:00 | -4.05 | 1.09 | -19.77 | -1.99 | -6.59 | 1.88 | Data Gap | Data Gap |
| 07-Aug-2012 | 20:00:00 | -5.48 | -0.16 | -21 | -2.41 | -9.41 | 1.76 | Data Gap | Data Gap |
| 08-Aug-2012 | 08:00:00 | -4.91 | 0.1 | -20.66 | -2.38 | -10.32 | 1.74 | Data Gap | Data Gap |
| 08-Aug-2012 | 20:00:00 | -3.04 | 2.08 | -18.35 | -1.51 | -7.86 | 2.15 | Data Gap | Data Gap |
| 09-Aug-2012 | 08:00:00 | -3.58 | 1.43 | -18.72 | -1.56 | -9.32 | 2.15 | Data Gap | Data Gap |
| 09-Aug-2012 | 20:00:00 | -2.88 | 2.45 | -17.6 | -0.89 | -2.06 | 2.34 | Data Gap | Data Gap |
| 10-Aug-2012 | 08:00:00 | -2.78 | 1.94 | -17.63 | -0.86 | 0.06 | 2.44 | Data Gap | Data Gap |
| 10-Aug-2012 | 20:00:00 | -4.85 | 0.64 | -19.45 | -1.38 | -0.05 | 2.31 | Data Gap | Data Gap |
| 11-Aug-2012 | 08:00:00 | -3.71 | 1.25 | -18.49 | -1.12 | 0.41 | 2.36 | Data Gap | Data Gap |
| 11-Aug-2012 | 20:00:00 | -5.65 | -0.11 | -20.07 | -1.67 | 0.22 | 2.19 | Data Gap | Data Gap |
| 12-Aug-2012 | 08:00:00 | -4.89 | -0.03 | -19.64 | -1.69 | -0.14 | 2.09 | Data Gap | Data Gap |
| 12-Aug-2012 | 20:00:00 | -7.71 | -2.24 | -22.06 | -2.66 | -7.75 | 1.85 | Data Gap | Data Gap |
| 13-Aug-2012 | 08:00:00 | -6.36 | -1.26 | -21.2 | -2.66 | -10.88 | 1.78 | Data Gap | Data Gap |
| 13-Aug-2012 | 20:00:00 | -8.8 | -3.29 | -23.36 | -3.54 | -12.61 | 1.55 | Data Gap | Data Gap |
| 14-Aug-2012 | 08:00:00 | -7.35 | -1.88 | -22.6 | -3.41 | -13.41 | 1.53 | Data Gap | Data Gap |
| 14-Aug-2012 | 20:00:00 | -9.5 | -7.11 | -24.63 | -4.3 | -14.72 | 1.33 | Data Gap | Data Gap |
| 15-Aug-2012 | 08:00:00 | -8.28 | -3.81 | -24.01 | -4.1 | -15.09 | 1.34 | Data Gap | Data Gap |
| 15-Aug-2012 | 20:00:00 | -10.68 | -4.59 | -26.15 | -5.12 | -16.48 | 1.13 | Data Gap | Data Gap |
| 16-Aug-2012 | 08:00:00 | -9.56 | -3.23 | -25.78 | -5 | -17.09 | 1.08 | Data Gap | Data Gap |
| 16-Aug-2012 | 20:00:00 | -12.37 | -6.04 | -28.29 | -6.54 | -18.26 | 0.84 | Data Gap | Data Gap |
| 17-Aug-2012 | 08:00:00 | -11.1 | -4.27 | -28.02 | -6.05 | -18.38 | 0.79 | Data Gap | Data Gap |
| 17-Aug-2012 | 20:00:00 | -12.44 | -5.47 | -28.93 | -6.86 | -18.86 | 0.73 | Data Gap | Data Gap |
| 18-Aug-2012 | 08:00:00 | -11.34 | -4.59 | -28.8 | -6.42 | -18.92 | 0.73 | Data Gap | Data Gap |
| 18-Aug-2012 | 20:00:00 | -12.91 | -6.16 | -29.26 | -7.56 | -19.4 | 0.59 | Data Gap | Data Gap |
| 19-Aug-2012 | 08:00:00 | -11.05 | -3.84 | -28.83 | -6.02 | -18.44 | 0.91 | Data Gap | Data Gap |
| 19-Aug-2012 | 20:00:00 | -11.43 | 2.92 | -18.25 | -6.57 | 1.63 | 3.11 | Data Gap | Data Gap |
| 20-Aug-2012 | 08:00:00 | -0.59 | 3.05 | -14.66 | -0.01 | 4.52 | 2.35 | Data Gap | Data Gap |
| 20-Aug-2012 | 20:00:00 | -0.84 | 2.91 | -15.19 | -0.23 | 4.53 | 2.26 | Data Gap | Data Gap |
| 21-Aug-2012 | 08:00:00 | -2.2 | 2.26 | -15.89 | -0.6 | 4.23 | 2.12 | Data Gap | Data Gap |
| 21-Aug-2012 | 20:00:00 | -4.28 | 0.61 | -17.28 | -1.22 | 3.35 | 1.92 | Data Gap | Data Gap |
| 22-Aug-2012 | 08:00:00 | -4.08 | 0.51 | -17.35 | -1.4 | 2.56 | 1.91 | Data Gap | Data Gap |
| 22-Aug-2012 | 20:00:00 | -5.93 | -0.87 | -18.68 | -1.99 | 1.86 | 1.87 | Data Gap | Data Gap |
| 23-Aug-2012 | 08:00:00 | -5.01 | -0.27 | -18.39 | -2.05 | 0.7 | 1.91 | Data Gap | Data Gap |
| 23-Aug-2012 | 20:00:00 | -6.88 | -1.7 | -19.91 | -2.78 | -4.72 | 1.63 | Data Gap | Data Gap |
| 24-Aug-2012 | 08:00:00 | -5.77 | -0.84 | -19.68 | -2.81 | -10.62 | 1.53 | Data Gap | Data Gap |
| 24-Aug-2012 | 20:00:00 | -7.75 | -2.55 | -21.45 | -3.62 | -12.83 | 1.31 | Data Gap | Data Gap |
| 25-Aug-2012 | 08:00:00 | -6.65 | -1.34 | -20.9 | -3.58 | -13.72 | 1.25 | Data Gap | Data Gap |
| 25-Aug-2012 | 20:00:00 | -9.13 | -5.24 | -22.86 | -4.65 | -15.45 | 1.03 | Data Gap | Data Gap |
| 26-Aug-2012 | 08:00:00 | -7.9 | -2.26 | -22.2 | -4.6 | -16.03 | 0.96 | Data Gap | Data Gap |
| 26-Aug-2012 | 20:00:00 | -10.41 | -4.32 | -24.25 | -5.8 | -17.42 | 0.76 | Data Gap | Data Gap |
| 27-Aug-2012 | 08:00:00 | -9.24 | -2.79 | -23.7 | -5.65 | -17.74 | 0.74 | Data Gap | Data Gap |
| 27-Aug-2012 | 20:00:00 | -11.89 | -5.37 | -26.07 | -7.24 | -18.86 | 0.51 | 5.68 | Data Gap |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 28-Aug-2012 | 08:00:00 | -10.75 | -3.78 | -25.48 | -0.01 | -19.11 | 0.49 | 5.31 | 3.67 |
| 28-Aug-2012 | 20:00:00 | -12.86 | -5.87 | -27.69 | -0.26 | -19.86 | 0.32 | 5.17 | 3.53 |
| 29-Aug-2012 | 08:00:00 | -11.74 | -4.5 | -27.28 | -0.43 | -19.96 | 0.29 | 5.04 | 3.47 |
| 29-Aug-2012 | 20:00:00 | -13.24 | -6.1 | -28.68 | -1.21 | -20.56 | 0.3 | 4.97 | 3.8 |
| 30-Aug-2012 | 08:00:00 | -12.34 | -5.14 | -28.4 | -1.32 | -20.68 | 0.31 | 4.91 | 3.75 |
| 30-Aug-2012 | 20:00:00 | -13.83 | -6.78 | -29.22 | -2.19 | -21.22 | 0.18 | 4.88 | 3.74 |
| 31-Aug-2012 | 08:00:00 | -12.79 | -5.69 | -29.12 | -2.24 | -21.28 | 0.14 | 4.76 | 3.61 |
| 31-Aug-2012 | 20:00:00 | -12.52 | -4.95 | -29.04 | -1.88 | -17.77 | 1.15 | 4.69 | 3.51 |
| 01-Sep-2012 | 08:00:00 | -11.65 | -4.85 | -28.95 | -1.85 | -18.88 | 1.15 | 5.27 | 3.93 |
| 01-Sep-2012 | 20:00:00 | -11.35 | -3.81 | -28.91 | -2.74 | -19.05 | 0.97 | 5.29 | 4.07 |
| 02-Sep-2012 | 08:00:00 | -10.39 | -4.18 | -28.8 | -2.69 | -19.11 | 0.92 | 5.23 | 3.61 |
| 02-Sep-2012 | 20:00:00 | -12.23 | -6.39 | -29.6 | -2.06 | -19.7 | 0.74 | 5.18 | 3.46 |
| 03-Sep-2012 | 08:00:00 | -11.14 | -5.38 | -29.48 | -2.11 | -19.77 | 0.72 | 5.08 | 3.65 |
| 03-Sep-2012 | 20:00:00 | -11.38 | -5.14 | -29.38 | -2.46 | -20.06 | 0.71 | 5.05 | 3.63 |
| 04-Sep-2012 | 08:00:00 | -10.27 | -4.3 | -29.13 | -1.37 | -19.82 | 0.72 | 5.02 | 3.58 |
| 04-Sep-2012 | 20:00:00 | -9.23 | -3.39 | -28.8 | -1.31 | -19.35 | 0.81 | 5.05 | 3.6 |
| 05-Sep-2012 | 08:00:00 | -8.75 | -3.42 | -28.74 | -1.42 | -19.28 | 0.86 | 5.15 | 3.63 |
| 05-Sep-2012 | 20:00:00 | -9.14 | -3.17 | -28.44 | -2.15 | -19.38 | 0.94 | 5 | 3.6 |
| 06-Sep-2012 | 08:00:00 | -8.46 | -3.1 | -28.42 | -2.05 | -19.29 | 0.95 | 5.04 | 3.64 |
| 06-Sep-2012 | 20:00:00 | -10.55 | -5.57 | -29.24 | -2.07 | -19.75 | 0.8 | 5.07 | 3.59 |
| 07-Sep-2012 | 08:00:00 | -9.44 | -4.77 | -29.27 | -1.99 | -19.82 | 0.74 | 4.99 | 3.44 |
| 07-Sep-2012 | 20:00:00 | -11.95 | -7.21 | -30.34 | -2.41 | -20.69 | 0.5 | 4.91 | 3.4 |
| 08-Sep-2012 | 08:00:00 | -10.74 | -5.39 | -30.48 | -2.38 | -20.8 | 0.45 | 4.8 | 3.22 |
| 08-Sep-2012 | 20:00:00 | -1.97 | 2.59 | -22.2 | -1.51 | -11.62 | 1.85 | 4.76 | 3.15 |
| 09-Sep-2012 | 08:00:00 | -3.58 | 1.77 | -21.77 | -1.56 | -12.49 | 1.67 | 5.93 | 4.45 |
| 09-Sep-2012 | 20:00:00 | -6.11 | -0.46 | -24.19 | -0.89 | -12.28 | 1.5 | 6 | 4.48 |
| 10-Sep-2012 | 08:00:00 | -5.86 | -0.74 | -24.15 | -0.86 | -12.5 | 1.44 | 5.89 | 4.26 |
| 10-Sep-2012 | 20:00:00 | -7.74 | -2.12 | -26.31 | -1.38 | -13.48 | 1.22 | 5.83 | 4.25 |
| 11-Sep-2012 | 08:00:00 | -7.01 | -1.69 | -26.2 | -1.12 | -14.39 | 1.14 | 5.68 | 4.06 |
| 11-Sep-2012 | 20:00:00 | -8.65 | -3.01 | -27.77 | -1.67 | -15.68 | 0.93 | 5.6 | 4.06 |
| 12-Sep-2012 | 08:00:00 | -7.7 | -2.01 | -27.66 | -1.69 | -16.47 | 0.92 | 5.5 | 3.91 |
| 12-Sep-2012 | 20:00:00 | -9.68 | -3.69 | -28.98 | -2.66 | -17.78 | 0.68 | 5.48 | 3.92 |
| 13-Sep-2012 | 08:00:00 | -8.73 | -2.72 | -28.99 | -2.66 | -18.13 | 0.66 | 5.31 | 3.7 |
| 13-Sep-2012 | 20:00:00 | -10.69 | -4.38 | -29.72 | -3.54 | -19.07 | 0.48 | 5.27 | 3.7 |
| 14-Sep-2012 | 08:00:00 | -9.69 | -3 | -29.63 | -3.41 | -19.2 | 0.51 | 5.11 | 3.53 |
| 14-Sep-2012 | 20:00:00 | -11.6 | -4.75 | -30.61 | -4.3 | -19.86 | 0.28 | 5.07 | 3.54 |
| 15-Sep-2012 | 08:00:00 | -10.65 | -3.77 | -30.73 | -4.1 | -20.02 | 0.25 | 4.93 | 3.3 |
| 15-Sep-2012 | 20:00:00 | -12.89 | -5.94 | -31.57 | -5.12 | -20.65 | 0.14 | 4.85 | 3.29 |
| 16-Sep-2012 | 08:00:00 | -2.61 | 2.86 | -24.79 | -5 | -16.05 | 0.95 | 4.84 | 3.25 |
| 16-Sep-2012 | 20:00:00 | -0.06 | 3.51 | -15.67 | -6.54 | -6.35 | 2.04 | 5.26 | 3.78 |
| 17-Sep-2012 | 08:00:00 | -1.94 | 2.76 | -17.22 | -6.05 | -0.52 | 1.98 | 6.08 | 4.76 |
| 17-Sep-2012 | 20:00:00 | 1.49 | 4.62 | -4.48 | -6.86 | 5.65 | 3.36 | 6.47 | 5.19 |
| 18-Sep-2012 | 08:00:00 | 0.9 | 4.26 | -1.96 | -6.42 | 5.71 | 2.85 | 7.53 | 6.25 |
| 18-Sep-2012 | 20:00:00 | 0.58 | 3.87 | 1.3 | -7.56 | 5.92 | 2.93 | 8.42 | 7.19 |
| 19-Sep-2012 | 08:00:00 | -0.08 | 3.27 | 0.64 | -6.02 | 5.53 | 2.58 | 7.13 | 5.75 |
| 19-Sep-2012 | 20:00:00 | -1.75 | 2.48 | 0 | -6.57 | 5.28 | 2.36 | 6.83 | 5.5 |
| 20-Sep-2012 | 08:00:00 | -2.02 | 0.78 | -0.55 | -0.01 | 5.26 | 2.36 | 6.6 | 5.23 |
| 20-Sep-2012 | 20:00:00 | -3.37 | 0.93 | -1.18 | -0.23 | 5.08 | 2.19 | 6.55 | 5.26 |
| 21-Sep-2012 | 08:00:00 | -3.38 | 0.92 | -2.08 | -0.6 | 4.91 | 2.32 | 6.43 | 5.11 |
| 21-Sep-2012 | 20:00:00 | -4.83 | -0.15 | -3.01 | -1.22 | 4.58 | 2.25 | 6.4 | 5.12 |
| 22-Sep-2012 | 08:00:00 | -4.3 | 0.23 | -3.96 | -1.4 | 4.22 | 2.19 | 6.31 | 4.97 |
| 22-Sep-2012 | 20:00:00 | -5.88 | -0.92 | -5.13 | -1.99 | 3.8 | 1.91 | 6.29 | 5.02 |
| 23-Sep-2012 | 08:00:00 | -5.48 | -0.64 | -6.92 | -2.05 | 3.25 | 1.9 | 6.15 | 4.82 |
| 23-Sep-2012 | 20:00:00 | -7.31 | -2.03 | -11.28 | -2.78 | 2.33 | 1.65 | 6.11 | 4.81 |
| 24-Sep-2012 | 08:00:00 | -6.47 | -1.3 | -12.51 | -2.81 | 1.19 | 1.65 | 6 | 4.69 |
| 24-Sep-2012 | 20:00:00 | -7.95 | -2.41 | -13.91 | -2.32 | -0.02 | 1.5 | 5.95 | 4.65 |
| 25-Sep-2012 | 08:00:00 | -7.08 | -1.55 | -14.42 | -2.34 | -2.86 | 1.5 | 5.32 | 4.52 |
| 25-Sep-2012 | 20:00:00 | -8.49 | -2.42 | -15.35 | -2.64 | -8.87 | 1.34 | 5.46 | 4.5 |
| 26-Sep-2012 | 08:00:00 | -7.41 | -1.43 | -15.37 | -2.61 | -10.2 | 1.35 | 5.39 | 4.43 |
| 26-Sep-2012 | 20:00:00 | -9.02 | -2.66 | -16.57 | -2.99 | -11.34 | 1.2 | 5.27 | 4.52 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 27-Sep-2012 | 08:00:00 | -7.08 | -1.66 | -16.48 | -2.92 | -11.83 | 1.21 | 5.07 | 4.26 |
| 27-Sep-2012 | 20:00:00 | -8.49 | -3.53 | -17.76 | -3.36 | -12.58 | 1.04 | 5.07 | 4.38 |
| 28-Sep-2012 | 08:00:00 | -7.41 | -1.85 | -17.64 | -3.23 | -13 | 1.05 | 4.95 | 4.2 |
| 28-Sep-2012 | 20:00:00 | -9.02 | 0.9 | -15.93 | -2.85 | -12.7 | 1.16 | 4.94 | 4.23 |
| 29-Sep-2012 | 08:00:00 | -7.91 | 0.54 | -16.44 | -2.74 | -13.18 | 1.18 | 5.03 | 4.31 |
| 29-Sep-2012 | 20:00:00 | -9.59 | 2.7 | -14.14 | -1.61 | -10.67 | 1.4 | 5.05 | 4.39 |
| 30-Sep-2012 | 08:00:00 | -8.42 | 2.01 | -15.21 | -1.63 | -11.33 | 1.45 | 5.25 | 4.56 |
| 30-Sep-2012 | 20:00:00 | -5.88 | 0.85 | -16.22 | -1.93 | -11.5 | 1.34 | 5.31 | 4.57 |
| 01-Oct-2012 | 08:00:00 | -5.38 | 2.24 | -15.29 | -1.51 | -9.63 | 1.69 | 5.22 | 4.52 |
| 01-Oct-2012 | 20:00:00 | -2.49 | 3.04 | -13.66 | -0.45 | 1.1 | 2.28 | 5.59 | 4.85 |
| 02-Oct-2012 | 08:00:00 | -3.34 | 4.25 | 1.5 | 1.61 | 6.26 | 3.43 | 6.83 | 6.13 |
| 02-Oct-2012 | 20:00:00 | -4.63 | 3.75 | 1.58 | 0.85 | 5.76 | 2.58 | 7.13 | 6.36 |
| 03-Oct-2012 | 08:00:00 | -4.05 | 3.29 | 1.08 | 0.55 | 5.51 | 2.43 | 6.41 | 5.62 |
| 03-Oct-2012 | 20:00:00 | -1.7 | 2.62 | 0.48 | 0.39 | 5.32 | 2.32 | 6.24 | 5.43 |
| 04-Oct-2012 | 08:00:00 | 0.77 | 2.29 | -0.12 | 0.39 | 5.24 | 2.41 | 6.12 | 5.28 |
| 04-Oct-2012 | 20:00:00 | 0.02 | 1.38 | -0.85 | 0.06 | 5.07 | 2.31 | 6.09 | 5.31 |
| 05-Oct-2012 | 08:00:00 | -0.59 | 1.35 | -1.41 | -0.1 | 4.99 | 2.26 | 5.98 | 5.19 |
| 05-Oct-2012 | 20:00:00 | -1.63 | 0.56 | -2.05 | -0.37 | 4.89 | 2.2 | 6 | 5.26 |
| 06-Oct-2012 | 08:00:00 | -2.07 | 0.8 | -2.91 | -0.44 | 4.76 | 2.24 | 5.96 | 5.13 |
| 06-Oct-2012 | 20:00:00 | -3.56 | 0.02 | -3.91 | -0.66 | 4.61 | 2.13 | 5.97 | 5.13 |
| 07-Oct-2012 | 08:00:00 | -3.48 | 3.56 | -1.55 | 0.94 | 5.78 | 2.51 | 5.9 | 5.1 |
| 07-Oct-2012 | 20:00:00 | -4.53 | 2.77 | -2.59 | 0.34 | 5.52 | 2.31 | 6.43 | 5.66 |
| 08-Oct-2012 | 08:00:00 | -4.15 | 2.26 | -2.81 | 0.15 | 5.37 | 2.25 | 6.28 | 5.5 |
| 08-Oct-2012 | 20:00:00 | -5.07 | 1.85 | -3.41 | 0.01 | 5.23 | 2.25 | 6.19 | 5.36 |
| 09-Oct-2012 | 08:00:00 | -0.14 | 1.51 | -3.97 | -0.09 | 5.09 | 2.16 | 6.18 | 5.37 |
| 09-Oct-2012 | 20:00:00 | -1.81 | 1.33 | -4.75 | -0.23 | 4.81 | 2.12 | 6.15 | 5.4 |
| 10-Oct-2012 | 08:00:00 | -2.41 | 1.3 | -5.21 | -0.32 | 4.58 | 2.13 | 6.14 | 5.33 |
| 10-Oct-2012 | 20:00:00 | -2.95 | 0.74 | -5.78 | -0.62 | 4.2 | 1.98 | 6.1 | 5.28 |
| 11-Oct-2012 | 08:00:00 | -3.15 | 0.81 | -6.37 | -0.81 | 3.75 | 1.94 | 6.02 | 5.16 |
| 11-Oct-2012 | 20:00:00 | -3.6 | 0.21 | -7.14 | -1.02 | 3.16 | 1.88 | 6.04 | 5.22 |
| 12-Oct-2012 | 08:00:00 | -3.64 | 0.45 | -8.01 | -1.1 | 2.57 | 1.82 | 5.97 | 5.14 |
| 12-Oct-2012 | 20:00:00 | -4.59 | -0.07 | -9.9 | -1.26 | 1.88 | 1.79 | 6 | 5.13 |
| 13-Oct-2012 | 08:00:00 | -4.61 | 0.4 | -10.83 | -1.35 | 1.45 | 1.91 | 5.98 | 5.03 |
| 13-Oct-2012 | 20:00:00 | -5.32 | -0.15 | -11.65 | -1.5 | 1.13 | 1.98 | 5.94 | 5.12 |
| 14-Oct-2012 | 08:00:00 | -4.81 | 0.4 | -11.88 | -1.46 | 0.72 | 1.92 | 5.89 | 5.04 |
| 14-Oct-2012 | 20:00:00 | -5.58 | 0.3 | -12.41 | -1.44 | 0.63 | 1.92 | 5.95 | 5.12 |
| 15-Oct-2012 | 08:00:00 | -5.15 | 3.77 | -7.04 | 0.56 | 2.23 | 2.62 | 5.97 | 5.08 |
| 15-Oct-2012 | 20:00:00 | -5.87 | 2.77 | -8.5 | -0.16 | 3.64 | 2.37 | 6.52 | 5.73 |
| 16-Oct-2012 | 08:00:00 | -5.17 | 2.1 | -8.39 | -0.45 | 2.46 | 2.3 | 6.36 | 5.44 |
| 16-Oct-2012 | 20:00:00 | -5.26 | 1.37 | -10.29 | -0.64 | 1.85 | 2.25 | 6.24 | 5.43 |
| 17-Oct-2012 | 08:00:00 | -0.51 | 1.36 | -10.94 | -0.76 | 1.69 | 2.23 | 6.17 | 5.3 |
| 17-Oct-2012 | 20:00:00 | -2.95 | 0.89 | -12.22 | -0.88 | 1.76 | 2.12 | 6.16 | 5.32 |
| 18-Oct-2012 | 08:00:00 | -3.46 | 1.21 | -12.56 | -0.88 | 1.64 | 2.14 | 6.1 | 5.25 |
| 18-Oct-2012 | 20:00:00 | -4.3 | 1.14 | -12.91 | -0.92 | 1.71 | 2.1 | 6.09 | 5.2 |
| 19-Oct-2012 | 08:00:00 | -4.18 | 1.38 | -13.21 | -1.01 | 1.78 | 2.12 | 6.12 | 5.19 |
| 19-Oct-2012 | 20:00:00 | -4.79 | 0.58 | -13.88 | -1.16 | 1.72 | 2 | 6.1 | 5.2 |
| 20-Oct-2012 | 08:00:00 | -4.5 | 0.83 | -14.09 | -1.29 | 1.41 | 1.99 | 6.02 | 5.13 |
| 20-Oct-2012 | 20:00:00 | -4.58 | 0.34 | -14.61 | -1.4 | 1.13 | 1.92 | 5.96 | 5.12 |
| 21-Oct-2012 | 08:00:00 | -4.41 | 0.55 | -14.9 | -1.55 | 0.15 | 1.9 | 5.87 | 4.98 |
| 21-Oct-2012 | 20:00:00 | -5.27 | 0.17 | -15.28 | -1.56 | -1.17 | 1.85 | 5.82 | 5.04 |
| 22-Oct-2012 | 08:00:00 | -5 | 0.32 | -15.48 | -1.61 | -4.14 | 1.83 | 5.76 | 4.94 |
| 22-Oct-2012 | 20:00:00 | -5.52 | -0.32 | -15.83 | -1.62 | -6.43 | 1.77 | 5.75 | 4.98 |
| 23-Oct-2012 | 08:00:00 | -5.29 | 0.28 | -15.92 | -1.67 | -7.51 | 1.77 | 5.71 | 4.9 |
| 23-Oct-2012 | 20:00:00 | -5.66 | -0.11 | -16.24 | -1.64 | -7.9 | 1.71 | 5.73 | 4.97 |
| 24-Oct-2012 | 08:00:00 | -5.34 | 0.23 | -16.34 | -1.72 | -8.39 | 1.69 | 5.66 | 4.85 |
| 24-Oct-2012 | 20:00:00 | -5.71 | -0.09 | -16.66 | -1.66 | -8.59 | 1.63 | 5.69 | 4.9 |
| 25-Oct-2012 | 08:00:00 | -5.3 | 0.15 | -16.75 | -1.69 | -8.99 | 1.62 | 5.64 | 4.8 |
| 25-Oct-2012 | 20:00:00 | -5.68 | -0.02 | -16.92 | -1.66 | -9.2 | 1.59 | 5.61 | 4.83 |
| 26-Oct-2012 | 08:00:00 | -5.35 | 0.51 | -16.97 | -1.63 | -9.26 | 1.6 | 5.6 | 4.82 |
| 26-Oct-2012 | 20:00:00 | -5.63 | 0.1 | -17.29 | -1.62 | -9.31 | 1.54 | 5.59 | 4.88 |

| Date | Time | Wetland Gauge Number and Water Level (inches) | | | | | | | |
|-------------|----------|---|----------|----------|----------|----------|----------|----------|----------|
| | | UT1 - 01 | UT1 - 02 | UT1 - 03 | UT5 - 01 | UT5 - 02 | UT6 - 01 | UT6 - 02 | UT6 - 03 |
| 27-Oct-2012 | 08:00:00 | -5.01 | 0.62 | -17.2 | -1.54 | -9.19 | 1.54 | 5.57 | 4.75 |
| 27-Oct-2012 | 20:00:00 | -5.16 | 0.35 | -17.48 | -1.53 | -9.29 | 1.52 | 5.62 | 4.89 |
| 28-Oct-2012 | 08:00:00 | -5.02 | 0.59 | -17.44 | -1.53 | -9.29 | 1.51 | 5.58 | 4.74 |
| 28-Oct-2012 | 20:00:00 | -5.24 | 0.18 | -17.64 | -1.54 | -9.48 | 1.44 | 5.57 | 4.79 |
| 29-Oct-2012 | 08:00:00 | -5.25 | 0.27 | -17.73 | -1.58 | -9.68 | 1.43 | 5.54 | 4.72 |
| 29-Oct-2012 | 20:00:00 | -5.41 | -0.06 | -17.91 | -1.56 | -9.83 | 1.39 | 5.51 | 4.58 |
| 30-Oct-2012 | 08:00:00 | -5.43 | -0.01 | -17.99 | -1.61 | -10.03 | 1.34 | 5.47 | 4.68 |
| 30-Oct-2012 | 20:00:00 | -5.58 | -0.13 | -18.13 | -1.71 | -10.32 | 1.30 | 5.42 | 4.54 |
| 31-Oct-2012 | 08:00:00 | -5.44 | 0.1 | -18.14 | -1.7 | -10.58 | 1.30 | 5.36 | 4.63 |
| 31-Oct-2012 | 20:00:00 | -5.47 | -0.14 | -18.24 | -1.72 | -10.72 | 1.23 | 5.35 | 4.51 |
| 01-Nov-2012 | 08:00:00 | -5.37 | -0.19 | -18.21 | -1.73 | -10.88 | 1.23 | 5.30 | 4.48 |
| 01-Nov-2012 | 20:00:00 | -5.53 | -0.49 | -18.38 | -1.75 | -11.07 | 1.16 | 5.25 | 4.45 |
| 02-Nov-2012 | 08:00:00 | -5.34 | 0.34 | -18.24 | -1.78 | -11.15 | 1.16 | 5.19 | 4.39 |
| 02-Nov-2012 | 20:00:00 | -5.36 | 0.11 | -18.46 | -1.78 | -11.34 | 1.12 | 5.22 | 4.45 |
| 03-Nov-2012 | 08:00:00 | -5.31 | 0.43 | -18.42 | -1.85 | -11.55 | 1.11 | 5.09 | 4.28 |
| 03-Nov-2012 | 20:00:00 | -5.15 | 0.45 | -18.45 | -1.74 | -11.58 | 1.08 | 5.12 | 4.39 |
| 04-Nov-2012 | 08:00:00 | -5.04 | 0.72 | -18.34 | -1.75 | -11.58 | 1.07 | 5.13 | 4.37 |
| 04-Nov-2012 | 20:00:00 | -5.02 | 0.74 | -18.44 | -1.67 | -11.57 | 1.03 | 5.09 | 4.37 |
| 05-Nov-2012 | 08:00:00 | -5.01 | 0.86 | -18.46 | -1.69 | -11.63 | 1.06 | 5.06 | 4.31 |
| 05-Nov-2012 | 20:00:00 | -5.08 | 0.44 | -18.64 | -1.65 | -11.73 | 0.96 | 5.06 | 4.31 |
| 06-Nov-2012 | 08:00:00 | -5.04 | 0.67 | -18.57 | -1.62 | -11.76 | 1.01 | 5.02 | 4.26 |
| 06-Nov-2012 | 20:00:00 | -4.27 | 1.79 | -17.74 | -1.31 | -11.3 | 1.12 | 5.14 | 4.36 |
| 07-Nov-2012 | 08:00:00 | -4.27 | 1.66 | -17.95 | -1.29 | -11.51 | 1.17 | 5.23 | 4.49 |
| 07-Nov-2012 | 20:00:00 | -4.29 | 1.56 | -18 | -1.23 | -11.48 | 1.14 | 5.26 | 4.47 |
| 08-Nov-2012 | 08:00:00 | -4.42 | 1.43 | -18.11 | -1.25 | -11.48 | 1.14 | 5.28 | 4.45 |
| 08-Nov-2012 | 20:00:00 | -4.59 | 1.25 | -18.25 | -1.24 | -11.45 | 1.07 | 5.25 | 4.45 |
| 09-Nov-2012 | 08:00:00 | -4.7 | 1.03 | -18.34 | -1.3 | Data Gap | 1.05 | 5.24 | 4.4 |
| 09-Nov-2012 | 20:00:00 | -4.66 | 1.24 | -18.34 | -1.22 | Data Gap | 1.02 | 5.24 | 4.47 |
| 10-Nov-2012 | 08:00:00 | -4.77 | 1.28 | -18.39 | -1.25 | Data Gap | 1.01 | 5.22 | 4.37 |
| 10-Nov-2012 | 20:00:00 | -4.74 | 1.28 | -18.43 | -1.21 | Data Gap | 0.98 | 5.15 | 4.42 |
| 11-Nov-2012 | 08:00:00 | -4.79 | 1.32 | -18.46 | -1.23 | Data Gap | 0.99 | 5.11 | 4.34 |
| 11-Nov-2012 | 20:00:00 | -4.62 | 1.46 | -18.38 | -1.14 | Data Gap | 0.95 | 5.08 | 4.44 |
| 12-Nov-2012 | 08:00:00 | -4.39 | 1.8 | -18.22 | -1.05 | Data Gap | 0.99 | 5.14 | 4.39 |
| 12-Nov-2012 | 20:00:00 | -4.19 | 1.91 | -18.02 | -0.99 | Data Gap | 1.03 | 5.18 | 4.4 |
| 13-Nov-2012 | 08:00:00 | -3.22 | 3.09 | -16.97 | -0.54 | Data Gap | 1.27 | 5.31 | 4.42 |
| 13-Nov-2012 | 20:00:00 | -3.7 | 2.41 | -17.46 | -0.68 | Data Gap | 1.23 | 5.42 | 4.72 |
| 14-Nov-2012 | 08:00:00 | -4.02 | 2.08 | -17.66 | -0.8 | Data Gap | 1.22 | 5.42 | 4.69 |
| 14-Nov-2012 | 12:00:00 | -4.62 | 1.46 | -18.38 | -1.14 | Data Gap | 0.95 | 5.44 | 4.75 |

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Jan-12 | | | | | | 0.01 | |
| 2-Jan-12 | | | | | | | |
| 3-Jan-12 | | | | | | | 0.02 |
| 4-Jan-12 | | | | | | | |
| 5-Jan-12 | | | | | | | |
| 6-Jan-12 | | | | | | | |
| 7-Jan-12 | | | | 0.02 | 0.02 | 0.01 | |
| 8-Jan-12 | | | | 0.07 | 0.02 | 0.03 | 0.01 |
| 9-Jan-12 | | | | 0.05 | 0.11 | 0.11 | 0.03 |
| 10-Jan-12 | | | | 0.81 | 0.02 | | 0.08 |
| 11-Jan-12 | | | | 0.81 | 1.96 | 2.11 | 0.26 |
| 12-Jan-12 | | | | 0.01 | 0.01 | 0.02 | 1.49 |
| 13-Jan-12 | | | | | | | |
| 14-Jan-12 | | | | | | 0.01 | |
| 15-Jan-12 | | | | | | | |
| 16-Jan-12 | | | | 0.01 | | | |
| 17-Jan-12 | | | | 0.13 | 0.15 | 0.16 | |
| 18-Jan-12 | | | | | | | 0.11 |
| 19-Jan-12 | | | | | | | |
| 20-Jan-12 | | | | 0.31 | 0.22 | 0.18 | |
| 21-Jan-12 | | | | 0.20 | 0.23 | 0.27 | 0.14 |
| 22-Jan-12 | | | | 0.38 | 0.01 | | 0.22 |
| 23-Jan-12 | | | | 0.14 | 0.46 | 0.48 | 0.08 |
| 24-Jan-12 | | | | 0.01 | | | |
| 25-Jan-12 | | | | | 0.01 | 0.01 | |
| 26-Jan-12 | | | | 0.92 | 0.98 | 0.35 | 0.02 |
| 27-Jan-12 | | | | 0.01 | 0.02 | 0.72 | 0.04 |
| 28-Jan-12 | | | | | 0.01 | 0.01 | |
| 29-Jan-12 | | | | | | | |
| 30-Jan-12 | | | | | | | |
| 31-Jan-12 | | | | | | | |

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Feb-12 | | | | 0.40 | 0.37 | 0.4 | 0.45 |
| 2-Feb-12 | | | | 0.01 | | | |
| 3-Feb-12 | | | | 0.05 | | 0.01 | |
| 4-Feb-12 | | | | 0.15 | 0.19 | 0.17 | |
| 5-Feb-12 | | | | 0.01 | 0.01 | 0.01 | |
| 6-Feb-12 | | | | 0.01 | | 0.01 | 0.01 |
| 7-Feb-12 | | | | 0.01 | 0.01 | | |
| 8-Feb-12 | | | | | 0.01 | 0.02 | |
| 9-Feb-12 | | | | | | | 0.01 |
| 10-Feb-12 | | | | | | | |
| 11-Feb-12 | | | | | | | 0.1 |
| 12-Feb-12 | | | | | | | |
| 13-Feb-12 | | | | | | | |
| 14-Feb-12 | | | | | | | |
| 15-Feb-12 | | | | 0.01 | | | |
| 16-Feb-12 | | | | 0.03 | 0.03 | 0.04 | 0.01 |
| 17-Feb-12 | | | | | 0.01 | | |
| 18-Feb-12 | | | | 0.25 | 0.02 | 0.02 | |
| 19-Feb-12 | | | | 0.57 | 0.67 | 0.71 | 0.68 |
| 20-Feb-12 | | | | | 0.01 | 0.02 | |
| 21-Feb-12 | | | | 0.01 | | | |
| 22-Feb-12 | | | | 0.29 | 0.27 | 0.27 | |
| 23-Feb-12 | | | | | 0.01 | 0.01 | 0.19 |
| 24-Feb-12 | | | | 0.15 | 0.08 | 0.02 | |
| 25-Feb-12 | | | | | | | |
| 26-Feb-12 | | | | | | | |
| 27-Feb-12 | | | | | | | |
| 28-Feb-12 | | | | | | | |
| 29-Feb-12 | | | | 0.04 | 0.03 | 0.02 | 0.12 |

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Mar-12 | | | | | | | |
| 2-Mar-12 | | | | 0.09 | 0.62 | 0.01 | 0.12 |
| 3-Mar-12 | | | | 0.13 | 0.13 | | 0.38 |
| 4-Mar-12 | | | | 0.08 | | | |
| 5-Mar-12 | | | | 0.14 | | | 0.03 |
| 6-Mar-12 | | | | 0.01 | | | |
| 7-Mar-12 | | | | | | | |
| 8-Mar-12 | | | | 0.08 | 0.23 | | 0.09 |
| 9-Mar-12 | | | | 0.06 | | | 0.13 |
| 10-Mar-12 | | | | 0.05 | | | |
| 11-Mar-12 | | | | | | | |
| 12-Mar-12 | | | | 0.07 | 0.05 | | 0.06 |
| 13-Mar-12 | | | | 0.01 | 0.02 | | 0.04 |
| 14-Mar-12 | | | | | | | 0 |
| 15-Mar-12 | | | | 0.04 | 0.05 | | 0.07 |
| 16-Mar-12 | | | | | 0.49 | 0.01 | 0.5 |
| 17-Mar-12 | | | | 0.02 | 0.01 | 0.02 | 0.09 |
| 18-Mar-12 | | | | | 0.15 | | 0.15 |
| 19-Mar-12 | | | | 0.01 | | | |
| 20-Mar-12 | | | | * | 0.15 | 0.13 | |
| 21-Mar-12 | | | | * | | | |
| 22-Mar-12 | | | | * | | | 0.01 |
| 23-Mar-12 | | | | * | 1.47 | 1.21 | 0.4 |
| 24-Mar-12 | | | | * | 0.01 | 0.48 | 0.47 |
| 25-Mar-12 | | | | * | 0.15 | 0.16 | 0.16 |
| 26-Mar-12 | | | | * | | | 0.01 |
| 27-Mar-12 | | | | * | | | |
| 28-Mar-12 | | | | * | | | |
| 29-Mar-12 | | | | * | | | |
| 30-Mar-12 | | | | * | 0.22 | 0.08 | |
| 31-Mar-12 | | | | * | 0.02 | 0.19 | |

*Rain gauge malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Apr-12 | | | | * | 0.03 | 0.04 | |
| 2-Apr-12 | | | | * | 0.09 | 0.08 | 0.07 |
| 3-Apr-12 | | | | * | 0.03 | 0.07 | 0.01 |
| 4-Apr-12 | | | | * | | | |
| 5-Apr-12 | | | | * | 1.66 | 1.69 | 1.21 |
| 6-Apr-12 | | | | * | | 0.05 | 0.23 |
| 7-Apr-12 | | | | * | | | |
| 8-Apr-12 | | | | * | | | |
| 9-Apr-12 | | | | * | | | |
| 10-Apr-12 | | | | * | | | |
| 11-Apr-12 | | | | * | | | |
| 12-Apr-12 | | | | * | | | |
| 13-Apr-12 | | | | * | | | |
| 14-Apr-12 | | | | * | | | |
| 15-Apr-12 | | | | * | | | |
| 16-Apr-12 | | | | * | | | |
| 17-Apr-12 | | | | * | 1.36 | 0.68 | 0.43 |
| 18-Apr-12 | | | | * | 1.02 | 1.94 | 1.9 |
| 19-Apr-12 | | | | * | | | |
| 20-Apr-12 | | | | * | | | |
| 21-Apr-12 | | | | * | 0.42 | 0.41 | 0.29 |
| 22-Apr-12 | | | | * | 0.02 | 0.02 | 0.01 |
| 23-Apr-12 | | | | * | | | 0.02 |
| 24-Apr-12 | | | | * | 0.03 | 0.01 | |
| 25-Apr-12 | | | | * | 0.14 | 0.13 | 0.14 |
| 26-Apr-12 | | | | * | 0.4 | 0.33 | 0.38 |
| 27-Apr-12 | | | | * | | | |
| 28-Apr-12 | | | | * | | | |
| 29-Apr-12 | | | | * | | | |
| 30-Apr-12 | | | | * | | | |

*Rain gauges malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-May-12 | | | | * | 0.02 | 0.04 | 1.42 |
| 2-May-12 | | | | * | | | |
| 3-May-12 | | | | * | | | |
| 4-May-12 | | | | * | | | 0.01 |
| 5-May-12 | | | | * | 0.02 | 0.03 | 0.04 |
| 6-May-12 | | | | * | | | |
| 7-May-12 | | | | * | 0.02 | | |
| 8-May-12 | | | | * | 1.2 | 1.3 | 1.23 |
| 9-May-12 | | | | * | 0.83 | 1.18 | 0.53 |
| 10-May-12 | | | | * | | | 0.01 |
| 11-May-12 | | | | * | | | |
| 12-May-12 | | | | * | | | |
| 13-May-12 | | | | * | 1.73 | 0.91 | 0.55 |
| 14-May-12 | | | | * | 1.15 | 2.06 | 1.69 |
| 15-May-12 | | | | * | | | |
| 16-May-12 | | | | * | 0.02 | 0.01 | 0.07 |
| 17-May-12 | | | | * | 0.01 | | |
| 18-May-12 | | | | * | 0.01 | | 0.02 |
| 19-May-12 | | | | * | | | |
| 20-May-12 | | | | * | | | |
| 21-May-12 | | | | * | 0.05 | 0.01 | |
| 22-May-12 | | | | * | 0.04 | 0.04 | 0.02 |
| 23-May-12 | | | | * | 0.05 | 0.07 | 0.03 |
| 24-May-12 | | | | * | | | |
| 25-May-12 | | | | * | | | |
| 26-May-12 | | | | * | | | |
| 27-May-12 | | | | * | | | |
| 28-May-12 | | | | * | 0.12 | 0.03 | |
| 29-May-12 | | | | * | 0.09 | 0.04 | 0.09 |
| 30-May-12 | | | | * | | | 0.02 |
| 31-May-12 | | | | * | | | |

*Rain gauges malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Jun-12 | | | | * | 0.08 | 0.02 | 0.21 |
| 2-Jun-12 | | | | * | | | |
| 3-Jun-12 | | | | * | | | |
| 4-Jun-12 | | | | * | 0.02 | | |
| 5-Jun-12 | | | | * | 0.9 | 0.06 | 0.07 |
| 6-Jun-12 | | | | * | 0.08 | 0.04 | 0.64 |
| 7-Jun-12 | | | | * | | | |
| 8-Jun-12 | | | | * | | | |
| 9-Jun-12 | | | | * | | | |
| 10-Jun-12 | | | | * | 0.04 | | |
| 11-Jun-12 | | | | * | 0.34 | 0.02 | 0.3 |
| 12-Jun-12 | | | | * | 0.43 | 0.73 | 0.95 |
| 13-Jun-12 | | | | * | 0.77 | 0.74 | 0.59 |
| 14-Jun-12 | | | | * | | | |
| 15-Jun-12 | | | | * | | | |
| 16-Jun-12 | | | | * | | | |
| 17-Jun-12 | | | | * | | | |
| 18-Jun-12 | | | | * | | | |
| 19-Jun-12 | | | | * | | | |
| 20-Jun-12 | | | | * | | | |
| 21-Jun-12 | | | | * | | | |
| 22-Jun-12 | | | | 0.03 | 0.02 | 0.01 | 0.04 |
| 23-Jun-12 | | | | 0.50 | 0.62 | 0.78 | |
| 24-Jun-12 | | | | 0.21 | 0.2 | 0.13 | 0.06 |
| 25-Jun-12 | | | | | | | |
| 26-Jun-12 | | | | | | | |
| 27-Jun-12 | | | | | | | |
| 28-Jun-12 | | | | | | | |
| 29-Jun-12 | | | | | | | |
| 30-Jun-12 | | | | | | | |

*Rain gauges malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Jul-12 | | | | | 0.51 | 0.14 | |
| 2-Jul-12 | | | | 0.61 | | 0.35 | 0.42 |
| 3-Jul-12 | | | | | | | |
| 4-Jul-12 | | | | | | | |
| 5-Jul-12 | | | | 0.26 | 0.23 | 0.15 | |
| 6-Jul-12 | | | | 0.01 | | | 0.67 |
| 7-Jul-12 | | | | | | | |
| 8-Jul-12 | | | | | | | |
| 9-Jul-12 | | | | | 0.22 | 0.15 | |
| 10-Jul-12 | | | | 1.20 | 1.26 | 1.32 | 0.79 |
| 11-Jul-12 | | | | 1.29 | 1.73 | 1.89 | 0.41 |
| 12-Jul-12 | | | | 0.15 | 0.15 | 0.16 | 0.33 |
| 13-Jul-12 | | | | 0.56 | 0.49 | 0.36 | 0.19 |
| 14-Jul-12 | | | | 0.26 | 0.03 | 0.13 | 0.47 |
| 15-Jul-12 | | | | | 0.03 | 0.01 | 0.03 |
| 16-Jul-12 | | | | | * | 0.01 | |
| 17-Jul-12 | | | | | * | | 0.05 |
| 18-Jul-12 | | | | | * | | |
| 19-Jul-12 | | | | 0.12 | * | 0.19 | 0.38 |
| 20-Jul-12 | | | | 0.01 | * | | |
| 21-Jul-12 | | | | 0.40 | * | 1.34 | |
| 22-Jul-12 | | | | 0.04 | * | 0.14 | |
| 23-Jul-12 | | | | 0.34 | * | 0.48 | 0.31 |
| 24-Jul-12 | | | | 0.01 | * | 0.01 | |
| 25-Jul-12 | | | | 0.20 | * | 0.26 | 0.27 |
| 26-Jul-12 | | | | | * | | |
| 27-Jul-12 | | | | 0.68 | * | 1.18 | |
| 28-Jul-12 | | | | 0.37 | * | 0.01 | 0.10 |
| 29-Jul-12 | | | | | * | | |
| 30-Jul-12 | | | | | * | | |
| 31-Jul-12 | | | | 0.18 | * | 0.14 | .06 |

*Rain gauges malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Aug-12 | | | | | * | 0.01 | |
| 2-Aug-12 | | | | 0.03 | * | 0.23 | 0.09 |
| 3-Aug-12 | | | | 0.08 | * | 0.03 | |
| 4-Aug-12 | | | | 0.28 | * | 0.29 | 0.31 |
| 5-Aug-12 | | | | 0.03 | * | 0.01 | |
| 6-Aug-12 | | | | 0.28 | * | 0.16 | 0.01 |
| 7-Aug-12 | | | | | * | | |
| 8-Aug-12 | | | | 0.31 | * | 0.4 | 0.26 |
| 9-Aug-12 | | | | 0.27 | * | 0.26 | 0.32 |
| 10-Aug-12 | | | | 0.10 | * | 0.15 | 0.13 |
| 11-Aug-12 | | | | 0.01 | * | | |
| 12-Aug-12 | | | | | * | | |
| 13-Aug-12 | | | | 0.01 | * | 0.01 | |
| 14-Aug-12 | | | | 0.01 | * | 0.01 | 0.01 |
| 15-Aug-12 | | | | | * | | |
| 16-Aug-12 | | | | | * | | |
| 17-Aug-12 | | | | 0.02 | 0.02 | 0.02 | 0.03 |
| 18-Aug-12 | | | | 0.07 | 0.15 | 0.09 | 0.18 |
| 19-Aug-12 | | | | 1.33 | 1.05 | 1.38 | 0.70 |
| 20-Aug-12 | | | | 0.20 | 0.16 | 0.17 | 0.03 |
| 21-Aug-12 | | | | | | | |
| 22-Aug-12 | | | | | | | |
| 23-Aug-12 | | | | | | | |
| 24-Aug-12 | | | | | | | |
| 25-Aug-12 | | | | | | | |
| 26-Aug-12 | | | | | | | |
| 27-Aug-12 | | | | | | | |
| 28-Aug-12 | | | | | | | |
| 29-Aug-12 | | | | 0.01 | 0.04 | 0.1 | |
| 30-Aug-12 | | | | | | 0.01 | |
| 31-Aug-12 | | | | 0.16 | 0.31 | 0.63 | |

*Rain gauges malfunctioned and no data was recorded during rain events.

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Sep-12 | | | | 0.18 | 0.09 | 0.01 | |
| 2-Sep-12 | | | | 0.01 | | | 0.01 |
| 3-Sep-12 | | | | 0.12 | 0.06 | 0.07 | 0.09 |
| 4-Sep-12 | | | | 0.06 | 0.04 | 0.06 | 0.22 |
| 5-Sep-12 | | | | 0.09 | 0.04 | 0.08 | |
| 6-Sep-12 | | | | | | | |
| 7-Sep-12 | | | | | | | |
| 8-Sep-12 | | | | 0.81 | 0.78 | 0.82 | 0.21 |
| 9-Sep-12 | | | | | | | |
| 10-Sep-12 | | | | | | | |
| 11-Sep-12 | | | | | | | |
| 12-Sep-12 | | | | | | | |
| 13-Sep-12 | | | | | | 0.01 | |
| 14-Sep-12 | | | | | | | |
| 15-Sep-12 | | | | 0.18 | 0.47 | 0.19 | 0.50 |
| 16-Sep-12 | | | | 1.02 | 0.81 | 0.95 | 0.51 |
| 17-Sep-12 | | | | 1.49 | 2.52 | 1.48 | 1.21 |
| 18-Sep-12 | | | | 1.45 | 0.34 | 1.35 | 1.82 |
| 19-Sep-12 | | | | | | 0.01 | |
| 20-Sep-12 | | | | | | | |
| 21-Sep-12 | | | | | | | |
| 22-Sep-12 | | | | | | | |
| 23-Sep-12 | | | | | | | |
| 24-Sep-12 | | | | | | 0.01 | |
| 25-Sep-12 | | | | | | | |
| 26-Sep-12 | | | | | | | |
| 27-Sep-12 | | | | | | | |
| 28-Sep-12 | | | | 0.27 | 0.13 | 0.14 | 0.38 |
| 29-Sep-12 | | | | 0.31 | 0.23 | 0.18 | 0.14 |
| 30-Sep-12 | | | | 0.01 | 0.24 | 0.01 | |

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|--------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Bridgewater Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Oct-12 | | | | 1.94 | 2.5 | 1.87 | 1.07 |
| 2-Oct-12 | | | | 0.46 | 0.01 | 0.73 | |
| 3-Oct-12 | | | | 0.01 | | | |
| 4-Oct-12 | | | | | | 0.01 | |
| 5-Oct-12 | | | | | | | 0.04 |
| 6-Oct-12 | | | | 0.03 | 0.53 | 0.03 | 0.43 |
| 7-Oct-12 | | | | 0.45 | | 0.5 | |
| 8-Oct-12 | | | | | | | |
| 9-Oct-12 | | | | | | | |
| 10-Oct-12 | | | | | | | |
| 11-Oct-12 | | | | | | | |
| 12-Oct-12 | | | | | | | |
| 13-Oct-12 | | | | | | | |
| 14-Oct-12 | | | | | 0.5 | | 0.32 |
| 15-Oct-12 | | | | 0.42 | | 0.5 | |
| 16-Oct-12 | | | | | | | |
| 17-Oct-12 | | | | | | | |
| 18-Oct-12 | | | | | | | |
| 19-Oct-12 | | | | | | 0.01 | |
| 20-Oct-12 | | | | | | | |
| 21-Oct-12 | | | | | | | |
| 22-Oct-12 | | | | | | | |
| 23-Oct-12 | | | | | | | |
| 24-Oct-12 | | | | | | | |
| 25-Oct-12 | | | | | | | |
| 26-Oct-12 | | | | | | | |
| 27-Oct-12 | | | | | | | 0.01 |
| 28-Oct-12 | | | | 0.02 | 0.02 | 0.02 | |
| 29-Oct-12 | | | | | | | |
| 30-Oct-12 | | | | | | | |
| 31-Oct-12 | | | | | | | |

| Rainfall and Crest Gauge Data | | | | | | | |
|-------------------------------|-----------------------|-----------------------|-----------------------|--------------------------|-------------|-------------|---------------------------------|
| Date (dd-mmm-yyyy) | Crest Gauges | | | On-Site Auto Rain Gauges | | | Burke County Weather Station |
| | UT1 (ft above bkf) | UT5 (ft above bkf) | UT6 (ft above bkf) | UT1 (in) | UT5 (in) | UT6 (in) | Rainfall (in) |
| 1-Nov-12 | | | | | | | |
| 2-Nov-12 | | | | | | | |
| 3-Nov-12 | | | | | | | |
| 4-Nov-12 | | | | | | | |
| 5-Nov-12 | | | | | 0.01 | | |
| 6-Nov-12 | | | | 0.08 | | 0.08 | |
| 7-Nov-12 | | | | 0.01 | | 0.01 | 0.04 |
| 8-Nov-12 | | | | | | | |
| 9-Nov-12 | | | | | | | |
| 10-Nov-12 | | | | | | | |
| 11-Nov-12 | | | | | | | |
| 12-Nov-12 | | | | 0.17 | 0.01 | 0.19 | |
| 13-Nov-12 | | | | | | | 0.17 |
| 14-Nov-12 | | | | | | 0.01 | |

APPENDIX F

Invasive Exotic Vegetation Control at North Muddy Creek Stream Restoration Site Progress Report

Invasive Exotic Vegetation Control at the North Muddy Creek Stream Restoration Site
IPO NC-02-2011
Year 2, September 2012
Progress Report

Purpose

The North Muddy Creek Stream Restoration Site was treated for invasive exotic plants to eliminate competition of non-native plants within riparian easement areas. Initial treatments occurred in the summer of 2011 with follow-up treatments occurring in January and July 2012. This Progress Report provides a summary of management activities occurring in 2012 as well as the status of invasive exotic plant populations on-site.

Site Conditions

Approximately 3.3 acres of invasive exotic plant infestations were inventoried at North Muddy Creek. In 2011, approximately 3.2 acres were treated across all project areas. In 2012, follow-up treatments occurred along UT-1 and UT-6, totaling 2.0 acres. Target species included:

- Privet (*Ligustrum sinense*)
- Multiflora Rose (*Rosa multiflora*)
- Japanese Honeysuckle (*Lonicera japonica*)
- Kudzu (*Pueraria Montana*)

Summary of Control Activities

In 2012, two separate control events were held at the North Muddy Creek Site. The first, occurring on January 24, targeted semi-evergreen species such as Privet, Multiflora rose, and Japanese honeysuckle with foliar applications of 3% triclopyr (Garlon 3A) solution at UT-1 and UT-6. This winter treatment allows for reduced non-target damage of non-target species.

A second control event was held on July 6 occurred only at UT-6. This treatment consisted of a basal bark application using a 30% solution of triclopyr (Remedy) with methylated seed oil (Cygnet Enterprises® SunWet™ MSO). The methylated seed oil is derived from soybean oil and contains no hydrocarbons. During this control event, tall stands and large-diameter stems of privet were treated with the basal bark method. In addition to basal bark treatments, cut stump treatments were performed on Japanese honeysuckle vines and remaining large stems of privet that were not treated with the basal method. Throughout the control efforts, observations were made as to the efficacy of treatments and the persistence of existing and proliferation of new invasive exotic plant infestations.

All herbicide applications were applied and/or supervised by certified NCDA&CS Pesticide Applicators, License #026-26135 and #026-29539. Table 1 summarizes the reaches treated, application method employed, herbicide volume used, herbicide concentrations used, and other relevant information occurring in 2012.

Seed banking, root propagation, recruitment, and other means of reproduction may occur even though treatment occurred prior to the production of viable seeds. Because of this, re-treatment will be necessary.

Table 1: Treatment Records

| Date | Reaches | Target Species | Type of Treatment | Herbicide | Concentration (%) | Volume Herbicide Concentrate Used* (oz) | Volume Mixture Used (gal) | Weather | Temperature (°F) | Wind Speed (mph) | Notes |
|-----------|------------|---|-------------------|---------------------|-------------------|---|---------------------------|----------------------------|------------------|------------------|--|
| 1/24/2012 | UT-1, UT-6 | Privet, Japanese honeysuckle, Multiflora rose | Foliar | Garlon 3A | 3% | 58 | 15 | Slightly overcast to sunny | 50 | 0 | sprayed outlying stems and dense monocultures of privet and honeysuckle within the easement; |
| 7/6/2012 | UT-6 | Privet, Japanese honeysuckle | Basal bark | Remedy + SunWet MSO | 30% | 84 | 2 | Sunny | 91 | 2 | Used SunWet Methylated Seed Oil as basal bark carrier (non-petroleum) |
| | | | Cut stump | Garlon 3A | 25% | 2.5 | 0.08 | Sunny | 91 | 2 | Used 10 oz. of 25% solution Garlon 3A |

**North Muddy Creek Stream Restoration Site
Photos of Invasive Plant Control
2012**



UT-1, looking north/northeast at edge of wetland
January 24, 2012



UT-1, looking southwest toward I-40
January 24, 2012



UT-6, looking east along southern easement boundary
January 24, 2012



UT-6, looking west along southern easement boundary
January 24, 2012



UT-6, looking east across easement
January 24, 2012



UT-6, looking north/northwest
January 24, 2012