Water Permits Division

OMB No. 2040-0004 Expires 07/31/2026



SEPA Application Form 2D

New Manufacturing, Commercial, Mining, and **Silvicultural Operations That Have Not Yet Commenced Discharge of Process Wastewater**

NPDES Permitting Program

Paperwork Reduction Act Notice

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. on July 31, 2023 and expires on July 31, 2026 (OMB Control No. 2040-0004). Responses to this collection of information are mandatory (40 CFR 122.21). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for Form 2D is estimated to average 31.5 hours for some minor facilities and 45.5 hours for some major facilities, with a weighted average for major and minor facilities of 32.7 hours per response. This estimate includes time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the collection of information. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

General Instructions

Who Must Complete Form 2D?

You must complete Form 2D if you answered "Yes" to Item 1.2.3 on Form 1—that is, if you are a new manufacturing, commercial, mining, or silvicultural facility that has yet to commence discharge of process wastewater.

Where to File Your Completed Forms?

Submit your completed application package (Forms 1 and 2D) to your National Pollutant Discharge Elimination System (NPDES) permitting authority. Consult Exhibit 1–1 of Form 1's "General Instructions" to identify your NPDES permitting authority.

Public Availability of Submitted Information

The U.S. Environmental Protection Agency (EPA) will make information from NPDES permit application forms available to the public for inspection and copying upon request. You may not claim any information on Form 2D (or related attachments) as confidential.

You may make a claim of confidentiality for any information that you submit to EPA that goes beyond the information required by Form 2D. Note that NPDES permitting authorities will deny claims for treating any effluent data (estimated or actual) as confidential. If you do not assert a claim of confidentiality at the time you submit your information to the NPDES permitting authority, EPA may make the information available to the public without further notice to you. EPA will handle claims of confidentiality in accordance with its business confidentiality regulations at Part 2 of Title 40 of the Code of Federal Regulations (CFR).

Completion of Forms

Print or type in the specified areas only. If you do not have enough space on the form to answer a question, you may continue on additional sheets, as necessary, using a format consistent with the form.

Do not leave any response areas blank unless the form directs you to skip them. If the form directs you to respond to an item that does not apply to your facility or activity, enter "NA" for "not applicable" to show that you considered the item and determined a response was not necessary for your facility.

The NPDES permitting authority will consider your application complete when it and any supplementary material are received and completed according to the authority's satisfaction. The NPDES permitting authority will judge the completeness of any application independently of the status of any other permit application or permit for the same facility or activity.

Follow-up Requirements

Form 2D requires that you submit estimated data on your effluent. Note that no later than 24 months after you commence discharging from the proposed facility, you must complete and

submit Section 7 of NPDES Application Form 2C; see requirements at 40 CFR 122.21(g)(7). However, you need not complete those portions of Section 7 that require tests you have already performed under the discharge monitoring requirements of your NPDES permit.

Definitions

The legal definitions of all key terms used in these instructions and Form 2D are in the "Glossary" at the end of the "General Instructions" in Form 1.

Line-by-Line Instructions

EPA Identification Number, Facility Name, and Outfall Number

Provide your EPA Identification Number from the Facility Registry Service and facility name at the top of each page of Form 2D and any attachments. If you do not know your EPA Identification Number, contact your NPDES permitting authority. See Exhibit 1–1 of Form 1's "General Instructions" for contact information. Additionally, for Tables A through E, provide the applicable outfall number at the top of each page.

Section 1. Expected Outfall Location

Item 1.1. Identify each of the facility's outfall structures by number. For each outfall, specify the latitude and longitude to the nearest 15 seconds or equivalent decimal degrees (e.g., 38.893829, -77.029289) and name of the receiving water. The application form provides reporting space for three outfalls. If your facility has more than this number, attach additional sheets as necessary. The location of each outfall (i.e., where the coordinates are collected) shall be the point where the discharge is released into a water of the United States. Latitude and longitude coordinates may be obtained in a variety of ways, including use of hand held devices (e.g., a GPS enabled smartphone), internet mapping tools (e.g.,

https://mynasadata.larc.nasa.gov/latitudelongitude-finder/), geographic information systems (e.g., ArcView), or paper maps from trusted sources (e.g., U.S. Geological Survey or USGS). For further guidance, refer to

http://www.epa.gov/geospatial/latitudelongitude-data-standard.

Section 2. Expected Discharge Date

Item 2.1. Report the expected date the facility will commence discharging (month, day, and year).

Section 3. Average Flows and Treatment

Item 3.1. For each outfall, report the operations expected to contribute wastewater to the effluent and an estimated average flow from each. Briefly describe the planned wastewater treatment for each operation or list the applicable treatment code(s) from Exhibit 2D–1, located at the end of these instructions. Finally, for each operation, note the ultimate disposal of any solid or liquid wastes not expected to be discharged.

Section 4. Line Drawing

Item 4.1. Attach a line drawing showing the expected water flow through your facility, from intake to discharge. Indicate the sources of intake water (e.g., city, well, stream, other); all sources of wastewater contributing to the effluent, including process and production areas, sanitary flows, cooling water, and stormwater runoff; and labeled treatment units. You may group similar operations into a single unit.

Construct a water balance on the line drawing by showing average flows (specify units) between intakes, operations, treatment units, and outfalls. Show all significant losses of water to products, the atmosphere, and discharge. You should use your best estimate. If you cannot determine a water balance for your activities (such as mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection and treatment measures. An example of an acceptable line drawing is provided in Exhibit 2D–2 at the end of these instructions.

Section 5. Intermittent or Seasonal Flows

Item 5.1. Specify whether any of the expected discharges described in Sections 1 and 3 will be intermittent or seasonal. If yes, continue to Item 5.2. If no, skip to Section 6.

Item 5.2. List applicable outfalls that will have intermittent or seasonal flows. For each, indicate the operations that will contribute to the flow. For each operation, indicate the average days per week and average months per year the discharge will occur, the maximum daily flow rate, the maximum total volume, and the duration of the discharge in days. The estimated flow rate and volume should not include stormwater runoff, spillage, or leaks. A discharge is intermittent if it occurs with interruptions during the operating hours of the facility. Discharges caused by routine maintenance shutdowns, process changes, or other similar activities are not considered to be intermittent. A discharge is seasonal if it occurs only during certain parts of the year. The frequency is the average recurrence rate of the discharge (in days per week and months per year). The duration is the average value of the time duration during which the discharge occurs (in days).

The maximum daily flow rate is the highest daily value and should be reported in million gallons per day (mgd). Maximum total volume means the total volume of any one discharge within 24 hours and is measured in units such as gallons.

Section 6. Production

Item 6.1. Indicate whether any effluent limitation guidelines (ELGs) promulgated under Section 304 of the Clean Water Act (CWA) apply to your facility. All ELGs promulgated by EPA appear in the *Federal Register* and are published annually in 40 CFR Subchapter N. See also www.epa.gov/eg. An ELG applies if you have any operations contributing process wastewater in any subcategory covered by New Source Performance Standards (NSPS). If you are unsure whether you are covered by a promulgated ELG, consult your NPDES permitting authority (see Exhibit 1–1 of Form 1's "General Instructions"). You must check "Yes" if an applicable ELG has been promulgated, even if the ELG is being contested in court. If you believe that a

promulgated ELG has been remanded for reconsideration by a court and does not apply to your operations, you may answer "No" to item 6.1 and skip to Section 7.

Item 6.2. Complete Item 6.2 by indicating the applicable ELG category, ELG subcategory, and corresponding regulatory citation. See the example below.

		ELG Category	ELG Subcategory	Regulatory Citation
e e		Pulp, Paper,	Secondary	40 CFR
cak Gs	6.2	and	Fiber Non-	430,
Applicable ELGs		Paperboard	Deink	Subpart J
Αp		Point	Subcategory	
		Source		
		Category		

Item 6.3. Indicate whether the limitations in the applicable ELGs are expressed in terms of production (or other measure of operation). An ELG is expressed in terms of production (or another measure of operation) if the limitation is expressed as mass of pollutant per operational parameter (e.g., "pounds of biological oxygen demand per cubic foot of logs from which bark is removed" or "pounds of total suspended solids per megawatt hour of electrical energy consumed by smelting furnace"). An example of an ELG not expressed in terms of a measure of operation is one that limits the concentration of pollutants. If you answer "No" to this item, skip to Section 7.

Item 6.4. For each applicable outfall to which an applicable production-based ELG applies, list the estimated level of production (projection of actual production level, not design), for each of the first three years of operation. The estimated production level must be a long-term average estimate (e.g., average production on an annual basis). If production will vary depending on long-term shifts in operating schedule or capacity, you may report alternative production estimates, but you must provide the basis for such alternatives. If known, report quantities in units of measurements used in the applicable ELG. If an ELG specifies a method for estimating production, you must follow that method.

Section 7. Effluent Characteristics and Tables A through E

General Information. Section 7 requires you to report estimated flow data for the parameters and pollutants listed in Tables A through E, located at the end of Form 2D. You are not required to conduct actual sampling and analysis at this time. If, however, data from such analyses are available, you must report those data. Note that no later than 24 months after you begin discharging from the proposed facility, you must complete and submit quantitative data for the pollutants and parameters in Tables A through E. However, you need not report results for tests you have already performed and reported under the discharge monitoring requirements of your NPDES permit.

Complete a set of tables (Tables A through E) for each outfall at your facility. Be sure to note the EPA Identification Number, facility name, and outfall number at the top of each table page and any associated attachments.

Tables A through D require you to report estimated effluent data, with some exceptions, as discussed further below. Base your estimates on available in-house or contractor engineering reports or any other studies performed on the proposed facility. Table E requires you to report quantitative data for the pollutants listed, but only if it is already available.

Several tables require you to provide estimates for pollutants you believe will be present in your discharge or will be limited directly by an ELG or indirectly through promulgated limitations on an indicator pollutant. Base your determination of whether a pollutant will be present in your discharge on your knowledge of the proposed facility's raw materials, maintenance chemicals, intermediate and final products, byproducts, and any analyses of any pollutant (you are required to report it).

For those pollutants you believe will be present in the discharge, provide the maximum daily and average daily concentration *and* total mass and the source of the information. Use the following codes to report your source information:

Data Source	Code
Engineering report	1
Actual data from pilot plants	1
Estimates from other engineering reports	2
Data from other similar plants	3
Best professional estimates	4
Others	5 and specify
Officis	on the table

You may report some or all of your estimates (or actual data when available) by attaching separate sheets of paper instead of completing Tables A through E for each of your outfalls, so long as the sheets contain all of the required information and are similar in format to Tables A through E.

Reporting of Intake Data

If you expect a pollutant to be present solely because of its presence in your intake water, you must mark "Yes" under the "Intake Water" column of Tables A through D. If you wish to obtain credits for pollutants or parameters present in your intake water, insert a separate sheet with a short statement of why you believe you are eligible (see 40 CFR 122.45(g)).

Reporting of Effluent Data

Report all estimated pollutant or parameter levels as concentration *and* as total mass, with the exception of discharge flow, temperature, and pH.

Use the following abbreviations in the columns requiring "units" in Tables A through E.

Concentration	Mass
ppm = parts per million	lbs. = pounds
mg/L = milligrams per liter	ton = tons (English tons)
ppb = parts per billion	mg = milligrams
μg/L = micrograms per liter	g = grams
MPN = most probable	kg = kilograms
number per 100 milliliters	T = tonnes (metric tons)

Conventional and Non-Conventional Parameters

Item 7.1 and Table A. All applicants are required to complete Table A for each outfall, including outfalls discharging only noncontact cooling water or nonprocess water *unless* a waiver has been received or requested from the NPDES permitting authority. For each parameter listed in Table A, indicate whether a waiver has been requested. If you have requested a waiver for *all* pollutants for a given outfall, check the box indicating this at the top of Table A.

To request a waiver, submit a written request to the NPDES permitting authority in advance or with the permit application. The written request should specify the parameters that should be waived and for what outfall(s) and why. The NPDES permitting authority may waive Table A requirements upon a determination that less stringent reporting requirements are adequate to support issuance of an NPDES permit. Attach a copy of any waiver approval notice(s) received, if applicable, to this application.

Answer Item 7.1 by indicating if you are requesting a waiver for any of your outfalls. If yes, continue to Item 7.2. Otherwise, complete Table A by estimating your maximum daily and average daily discharge. Provide the source(s) of your information. Also in Table A, indicate whether you believe each of the parameters will be present in the facility's intake water. See "Reporting of Intake Data" above for further information. Skip to Item 7.3.

Item 7.2. Indicate the outfalls for which you have requested a waiver or check the appropriate box to indicate that you are requesting a waiver for some or all pollutants at all outfalls.

Item 7.3. Indicate if you have provided estimates or actual data for all Table A parameters for each of your outfalls for which a waiver has not been requested and attach the results to your application package.

Certain Conventional and Non-Conventional Pollutants Items 7.4, 7.5 and 7.6 and Table B. Complete one table for each outfall, including outfalls discharging only noncontact

cooling water or nonprocess wastewater. Check the box at the top of Table B if you believe all pollutants listed will be absent in the discharge. If so, you do not need to complete Table B for the noted outfall. (You still need to complete Items 7.4 through 7.6.) Otherwise, for each pollutant listed in Table B, indicate whether you expect it will be present or absent in the discharge or whether the pollutant is limited directly by an ELG or indirectly through promulgated limitations or an indicator pollutant. (For example, total suspended solids is used as an indicator to control the discharge of iron and aluminum.) Next, provide an estimated maximum daily and average daily value, including the source of the information. If you have quantitative data available, report it. Also in Table B, indicate whether you believe the listed pollutants will be present in the facility's intake water. See "Reporting of Intake Data" above for further information. Answer "Yes" to Items 7.4 through 7.6 once you have completed the above tasks.

Toxic Metals, Total Cyanide, and Total Phenols

Items 7.7 and 7.8 and Table C. Complete one table for each outfall, including outfalls discharging only noncontact cooling water or nonprocess wastewater. Check the box at the top of Table C if you believe all pollutants listed will be absent in the discharge. If so, you do not need to complete Table C for the noted outfall (unless you have quantitative data available). You still need to respond to Items 7.7 and 7.8, however. Otherwise, indicate whether you believe each pollutant in Table C will be present or absent in your discharge for each applicable outfall. For those pollutants you believe will be present, provide an estimated maximum daily and average daily value and source of the information. (Provide quantitative data if you have them available.) Also, in Table C, indicate whether you believe the pollutant is or will be present in your facility's intake water. See "Reporting of Intake Data" above for more information. Answer "Yes" to Items 7.7 and 7.8 when you have completed the above

Organic Toxic Pollutants (Gas Chromatography/Mass Spectrometry or GC/MS Fractions)

Item 7.9. Applicants are exempt from the reporting requirements associated with Table D if they expect to have gross sales of less than \$100,000 per year for the next three years; also exempt are coal mines with expected average production of less than 100,000 tons of coal per year. If you believe you meet one of these criteria, answer "Yes" to Item 7.9, check the small business box at the top of Table D, and attach projected sales or production figures. Skip to Item 7.12.

The sales or production figures must be for the facility that will be the source of the discharge. The data should not be limited only to production or sales for the process or processes that will contribute to the discharge, unless those are the only processes at the facility.

For sales data, where intra-corporate transfers of goods and services will be involved, the transfer price per unit should approximate market process for those goods and services as closely as possible. If necessary, you may index your sales figures to the second quarter of 1980 to demonstrate your eligibility for a small business exemption. You may accomplish this by using the gross national product price deflator (second quarter of 1980 = 100). This index is available online from the U.S. Department of Commerce, Bureau of Economic Analysis, at https://apps.bea.gov/national/pdf/SNTables.pdf.

Items 7.10 and 7.11 and Table D. Complete one table for each outfall, including outfalls discharging only noncontact cooling water or nonprocess wastewater. Check the box at the top of Table D if you believe *all* pollutants listed will be absent in the discharge from the outfall. If so, you do not need to complete Table D for the noted outfall (unless you have quantitative data available). Otherwise, for *each* pollutant listed, indicate whether you believe it will be present or absent in the discharge. For those you believe will be present, provide an estimated maximum daily and average daily value and the source of the information. Also, in Table D, indicate whether you believe the pollutant is or will be present in your facility's intake water. See "Reporting of Intake Data" above for further information. Finally,

answer "Yes" to Items 7.10 and 7.11 when you have completed the above tasks.

2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD)

Item 7.12. Answer whether the facility uses or manufactures one or more of the 2,3,7,8-TCDD congeners listed below or if you know or have reason to believe that TCDD is or may be present in effluent from any of your outfalls:

- 2,4,5-trichlorophenoxy acetic acid (2,4,5-T) (CAS # 93-765).
- 2-(2,4,5-trichlorophenoxy) propanoic acid (Silvex, 2,4,5-TP) (CAS # 93-72-1).
- 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon) (CAS # 136-25-4).
- 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate (Ronnel) (CAS # 299-84-3).
- 2,4,5-trichlorophenol (TCP) (CAS # 95-95-4).
- Hexachlorophene (HCP) (CAS # 70-30-4).

Certain Hazardous Substances and Asbestos

Table E. Complete Table E for each outfall. Check the box at the top of Table E if you believe *all* pollutants listed will be absent in the discharge. Otherwise, for *each* pollutant listed in Table E, indicate whether you believe it will be present or absent in the discharge. If you have quantitative estimates available for any of the pollutants listed, provide the maximum daily and average daily average value and the source of the information. Also, in Table E, if you believe the pollutant is or will be present in your facility's intake water, state so in the "Reason Pollutant Believed Present in Discharge" column.

Item 7.13. Indicate whether, for each of your outfalls, you have indicated whether you know or have reason to believe that any pollutants listed in Table E are discharged.

Item 7.14. Indicate whether, for each of your outfalls, you have completed and attached Table E to the application describing the reasons the applicable pollutants are expected to be discharged and providing quantitative data if available.

Under 40 CFR 117.12(a)(2), certain discharges of hazardous substances (listed in Exhibit 2D–3 at the end of these instructions) may be exempted from the requirements of Section 311 of the CWA, which establishes reporting requirements, civil penalties, and liability for cleanup costs for spills of oil and hazardous substances. A discharge of a particular substance can be exempted if the origin, source, and amount of the discharged substances are identified in the NPDES permit application or in the permit, if the permit contains a requirement for treatment of the discharge, and if the treatment is in place.

Exemptions are allowed from the requirements of CWA Section 311. Applications for exemptions must set forth the following information:

1. The substance and the amount of each substance that may be discharged.

- 2. The origin and source of the discharge of the substance.
- 3. The treatment to be provided for the discharge by:
 - a. An onsite treatment system separate from any treatment system treating your normal discharge;
 - A treatment system designed to treat your normal discharge and that is additionally capable of treating the amount of the substance identified under paragraph 1 above; or
 - c. Any combination of the above.

See 40 CFR 117.12(a)(2) and (c) or contact your NPDES permitting authority for further information on exclusions from CWA Section 311.

Intake Credits

Item 7.15. Answer whether you are seeking to obtain credits for any of the pollutants or parameters listed in Section 7 (Tables A through E) in your intake water for any of the facility's outfalls.

Section 8. Engineering Report

Item 8.1. Indicate if any technical evaluations have been conducted of your wastewater treatment, including engineering reports or pilot plant studies. If yes, continue to Item 8.2. If no, skip to Item 8.3.

Item 8.2. Attach the technical evaluation(s) you considered when responding to Item 8.1 and any related documentation, then answer "Yes" to Item 8.2. The NPDES permit writer will use this information to determine appropriate treatment methods and associated permit conditions and limits.

Item 8.3. Answer "Yes" if you are aware of any existing plant(s) that resemble your production processes, wastewater constituents, or wastewater treatment. If you are unaware of such plants, answer "No" and skip to Section 9.

Item 8.4. Provide the names and locations of any existing plants that resemble your production facility. You do not need to conduct any studies to respond to this item.

Section 9. Other Information

Item 9.1. Indicate whether you have attached to the application any optional information that you would like considered as part of the application review process. These should be items beyond those you have already noted as being included in the package. Skip to Section 10 if you do not have further information to provide.

Item 9.2. List the additional materials attached and note why you think the NPDES permitting authority should consider them when reviewing your application and developing your permit.

Section 10. Checklist and Certification Statement

Item 10.1. Review the checklist provided. In column 1, mark the sections of Form 2D that you have completed and are submitting with your application. For each section, indicate in column 2 whether you are submitting attachments.

Item 10.2. The CWA provides for severe penalties for submitting false information on this application form. Section 309(c)(2) of

the CWA provides that "Any person who knowingly makes any false statement, representation, or certification in any application, ...shall upon conviction, be punished by a fine of no more than \$10,000 or by imprisonment for not more than six months or both."

FEDERAL REGULATIONS AT 40 CFR 122.22 REQUIRE THIS APPLICATION TO BE SIGNED AS FOLLOWS:

- For a corporation, by a responsible corporate officer. For the purpose of this section, a responsible corporate officer means: (1) a president, secretary, treasurer, or vicepresident of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation, or (2) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- B For a partnership or sole proprietorship, by a general partner or the proprietor, respectively.
- C. For a municipality, state, federal, or other public facility, by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a federal agency includes: (1) the chief executive officer of the agency or (2) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of EPA).

END

Submit your completed Form 1, Form 2D, and all associated attachments (and any other required NPDES application forms) to your NPDES permitting authority.

Exhibit 2D-1. Codes for Treatment Units and Disposal of Wastes Not Discharged

1. PHYSICAL TREATMENT PROCESSES

1. THI GOAL TREATMEN	11 1 NOOLOOLO
1–A	1-M
2. CHEMICAL TREATMEN	NT PROCESSES
2–A	2–GDisinfection (ozone) 2–HDisinfection (other) 2–IElectrochemical treatment 2–Jlon exchange 2–KNeutralization 2–LReduction
3. BIOLOGICAL TREATME	INT PROCESSES
3-A	3–EPre-aeration 3–FSpray irrigation/land application 3–GStabilization ponds 3–HTrickling filtration
4. OTHER PROC	ESSES
4–A Discharge to surface water 4–B Ocean discharge through outfall	4–CReuse/recycle of treated effluent 4–DUnderground injection
5. SLUDGE TREATMENT AND D	ISPOSAL PROCESSES
5-A Aerobic digestion 5-B Anaerobic digestion 5-C Belt filtration 5-D Centrifugation 5-E Chlorine treatment 5-G Composting 5-H Drying beds 5-I Elutriation 5-J Flotation thickening 5-K Freezing 5-L Gravity thickening	5-M

Exhibit 2D-2. Example Line Drawing




Exhibit 2D-3. Hazardous Substances

1. Acetaldehyde 72. Calcium hypochlorite 143. Ferrous chloride 2. Acetic acid 73. Captan 144. Ferrous sulfate 3. Acetic anhydride 74. Carbaryl 145. Formaldehyde 4. Acetone cyanohydrin 75. Carbofuran 146. Formic acid 5. Acetyl bromide 76 Carbon disulfide 147 Fumaric acid 6. Acetyl chloride 77. Carbon tetrachloride 148. Furfural 7. Acrolein 78. Chlordane 149. Guthion 8. Acrylonitrile 79. Chlorine 150. Heptachlor 9. Adipic acid 80. Chlorobenzene 151. Hexachlorocyclopentadiene 10. Aldrin 81. Chloroform 152. Hydrochloric acid 11. Allyl alcohol 82. Chloropyrifos 153. Hydrofluoric acid 154. Hydrogen cyanide 12. Allyl chloride 83. Chlorosulfonic acid 13. Aluminum sulfate 84. Chromic acetate 155. Hydrogen sulfide 156. Isoprene 14 Ammonia 85 Chromic acid 15. Ammonium acetate 86. Chromic sulfate 157. Isopropanolamine dodecylbenzenesulfonate 16. Ammonium benzoate 158. Kelthane 87. Chromous chloride 17. Ammonium bicarbonate 88. Cobaltous bromide 159. Kepone 160. Lead acetate 18. Ammonium bichromate 89. Cobaltous formate 19. Ammonium bifluoride 90. Cobaltous sulfamate 161. Lead arsenate 20 Ammonium hisulfite 91. Coumaphos 162 Lead chloride 163. Lead fluoborate 21. Ammonium carbamate 92. Cresol 93. Crotonaldehyde 164. Lead fluorite 22 Ammonium carbonate 23. Ammonium chloride 94. Cupric acetate 165. Lead iodide 24. Ammonium chromate 95. Cupric acetoarsenite 166. Lead nitrate 25. Ammonium citrate 96. Cupric chloride 167. Lead stearate 97. Cupric nitrate 26. Ammonium fluoroborate 168. Lead sulfate 27. Ammonium fluoride 98. Cupric oxalate 169. Lead sulfide 99. Cupric sulfate 170. Lead thiocyanate 28. Ammonium hydroxide 29. Ammonium oxalate 100. Cupric sulfate ammoniated 171. Lindane 30 Ammonium silicofluoride 101. Cupric tartrate 172 Lithium chromate 31. Ammonium sulfamate 102. Cyanogen chloride 173. Malathion 32. Ammonium sulfide 103. Cyclohexane 174. Maleic acid 104. 2,4-D acid (2,4-dichlorophenoxyacetic acid) 33. Ammonium sulfite 175. Maleic anhydride 105. 2,4-D esters (2,4-dichlorophenoxyacetic acid esters) 34. Ammonium tartrate 176. Mercaptodimethur 35. Ammonium thiocyanate 106. DDT (dichlorodiphenyltrichloroethane) 177. Mercuric cyanide 36. Ammonium thiosulfate 107. Diazinon 178. Mercuric nitrate 37. Amyl acetate 108. Dicamba 179. Mercuric sulfate 109. Dichlobenil 180. Mercuric thiocvanate 38. Aniline 39. Antimony pentachloricle 110 Dichlone 181. Mercurous nitrate 40. Antimony potassium tartrate 111. Dichlorobenzene 182. Methoxychlor 41. Antimony tribromide 183. Methyl mercaptan 112. Dichloropropane 42. Antimony trichloride 113. Dichloropropene 184. Methyl methacrylate 43. Antimony trifluoride 114. Dichloropropene-dichloproropane mix 185. Methyl parathion 44. Antimony trioxide 115. 2,2-dichloropropionic acid 186. Mevinphos 187. Mexacarbate 45. Arsenic disulfide 116. Dichlorvos 46. Arsenic pentoxide 117. Dieldrin 188. Monoethylamine 47. Arsenic trichloride 118. Diethylamine 189. Monomethylamine 48. Arsenic trioxide 119. Dimethylamine 190. Naled 120. Dinitrobenzene 191. Naphthalene 49. Arsenic trisulfide 50. Barium cyanide 121. Dinitrophenol 192. Naphthenic acid 122. Dinitrotoluene 193 Nickel ammonium sulfate 51 Benzene 52. Benzoic acid 123. Diquat 194. Nickel chloride 53. Benzonitrile 124. Disulfoton 195. Nickel hydroxide 54. Benzoyl chloride 125. Diuron 196. Nickel nitrate 126. Dodecylbenzesulfonic acid 55. Benzyl chloride 197. Nickel sulfate 56. Beryllium chloride 127. Endosulfan 198. Nitric acid 199. Nitrobenzene 57. Beryllium fluoride 128. Endrin 58. Beryllium nitrate 129. Epichlorohydrin 200. Nitrogen dioxide 59. Butylacetate 130. Ethion 201. Nitrophenol 202. Nitrotoluene 60. n-butylphthalate 131. Ethylbenzene 203. Paraformaldehyde 61. Butylamine 132. Ethylenediamine 133. Ethylene dibromide 204. Parathion 62. Butyric acid 63. Cadmium acetate 205. Pentachlorophenol 134. Ethylene dichloride 64. Cadmium bromide 135. EDTA (ethylene diaminetetracetic acid) 206. Phenol 65. Cadmium chloride 136. Ferric ammonium citrate 207. Phosgene 208. Phosphoric acid 66. Calcium arsenate 137. Ferric ammonium oxalate 67. Calcium arsenite 138. Ferric chloride 209. Phosphorus 210. Phosphorus oxychloride 68. Calcium carbide 139. Ferric fluoride 69. Calcium chromate 140. Ferric nitrate 211. Phosphorus pentasulfide 212. Phosphorus trichloride 141. Ferric sulfate 70. Calcium cyanide 71. Calcium dodecylbenzenesulfonate 142. Ferrous ammonium sulfate 213. PCBs (polychlorinated biphenyls)

Exhibit 2D-3. Hazardous Substances

- 214. Potassium arsenate
- 215. Potassium arsenite
- 216. Potassium bichromate
- 217. Potassium chromate
- 218. Potassium cyanide
- 219. Potassium hydroxide 220. Potassium permanganate
- 221. Propargite
- 222. Propionic acid
- 223. Propionic anhydride
- 224. Propylene oxide
- 225. Pyrethrins
- 226. Quinoline
- 227. Resorcinol
- 228. Selenium oxide
- 229. Silver nitrate
- 230. Sodium
- 231. Sodium arsenate
- 232. Sodium arsenite
- 233. Sodium bichromate
- 234. Sodium bifluoride
- 235. Sodium bisulfite
- 236. Sodium chromate
- 237. Sodium cyanide
- 238. Sodium dodecylbenzenesulfonate
- 239. Sodium fluoride
- 240. Sodium hydrosulfide
- 241. Sodium hydroxide
- 242. Sodium hypochlorite
- 243. Sodium methylate
- 244. Sodium nitrite

- 245. Sodium phosphate (dibasic)
- 246. Sodium phosphate (tribasic)
- 247. Sodium selenite
- 248. Strontium chromate
- 249. Strychnine
- 250. Styrene
- 251. Sulfuric acid
- 252. Sulfur monochloride
- 253. 2,4,5-T acid (2,4,5-trichlorophenoxyacetic acid) 254. 2,4,5-T amines (2,4,5-trichlorophenoxy acetic acid
- amines) 255. 2,4,5-T esters (2,4,5-trichlorophenoxy acetic acid
- esters)
- 256. 2,4,5-T salts (2,4,5-trichlorophenoxy acetic acid
- 257. 2,4,5-TP acid (2,4,5-trichlorophenoxy propanoic
- 258. 2,4,5-TP acid esters (2,4,5-trichlorophenoxy propanoic acid esters)
- 259. TDE (tetrachlorodiphenyl ethane)
- 260. Tetraethyl lead
- 261. Tetraethyl pyrophosphate
- 262. Thallium sulfate
- 263. Toluene
- 264. Toxaphene
- 265. Trichlorofon 266. Trichloroethylene
- 267. Trichlorophenol
- 268. Triethanolamine dodecylbenzenesulfonate
- 269. Triethylamine
- 270. Trimethylamine

- 271. Uranyl acetate
- 272. Uranyl nitrate
- 273. Vanadium penoxide
- 274. Vanadyl sulfate
- 275. Vinyl acetate
- 276. Vinylidene chloride
- 277. Xylene
- 278. Xylenol
- 279. Zinc acetate
- 280. Zinc ammonium chloride
- 281. Zinc borate
- 282. Zinc bromide
- 283. Zinc carbonate
- 284. Zinc chloride
- 285. Zinc cvanide
- 286. Zinc fluoride
- 287. Zinc formate
- 288. Zinc hydrosulfite
- 289. Zinc nitrate 290. Zinc phenolsulfonate
- 291. Zinc phosphide
- 292. Zinc silicofluoride
- 293. Zinc sulfate
- 294. Zirconium nitrate
- 295. Zirconium potassium fluoride
- 296. Zirconium sulfate
- 297. Zirconium tetrachloride

This page intentionally left blank.

Form 2D



U.S. Environmental Protection Agency **Application for NPDES Permit to Discharge Wastewater**

NPDES						ND SILVICULTURAL OPERATIONS E OF PROCESS WASTEWATER					
SECTIO			FALL LOCATION (40 CF								
	<u>1.1</u>	Provide infor Outfall	mation on each of the fac	ility's outfalls in th	e table below.						
tion		Number	Name	La	titude	Longitude					
-oca											
Outfall Location											
Out											
		PECTED DISC	CHARGE DATE (40 CFR	122.21(K)(2))							
cted arge te	<u>2.1</u>		Month		Day	Year					
Expected Discharge Date											
	N 3. AVI	RAGE FLOW	VS AND TREATMENT (40) CFR 122.21(K)(3)(1))						
<u> </u>	<u>3.1</u>					information. Add additional sheets as					
		necessary.									
		Outfall Number Operations Contributing to Flow									
			Oper		ontributing to Flow	Average Flow					
						mgd					
						mgd					
ment						mgd					
Treat				mgd							
and						mgd					
lows				Treat	ment Units						
Average Flows and Treatment		(include siz	Description te, flow rate through each retention time, etc.)	treatment unit,	Code from Exhibit 2D–1	Final Disposal of Solid or Liquid Wastes Other Than by Discharge					

EPA Identification Number	Facility Name
	T

	<u>3.1</u>	**Outfall Number**									
	Cont.	Operations Contributing to Flow									
		Operation		Average Flow							
				mgd							
				mgd							
				mgd							
				mgd							
				mgd							
		Treat	tment Units								
		Description (include size, flow rate through each treatment unit, retention time, etc.)	Code from Exhibit 2D–1	Final Disposal of Solid or Liquid Wastes Other Than by Discharge							
70											
tinue											
nt Cor											
atme											
Average Flows and Treatment Continued											
NS a		**Outfall Number** Operations Contributing to Flow									
Η		Operations C Operation	contributing to Flow	Average Flow							
erage				mgd							
₹				mgd							
				mgd							
				mgd							
				mgd							
		Treatment Units									
		Description (include size, flow rate through each treatment unit, retention time, etc.)	Code from Exhibit 2D–1	Final Disposal of Solid or Liquid Wastes Other Than by Discharge							

EPA Identification Number				Facility Name				OMB No. 2040-0004 Expires 07/31/2026
Line Drawing OILOTE	N 4. LINI 4.1	Have you		drawing to this		shows the water flow the Exhibit 2D–2 at end o		
SECTIO	N 5. INTI	ERMITTEN	T OR SEASON	AL FLOWS (40	O CFR 122.21(K)	(3)(III))		
<u>5.1</u> Except for stormwater runoff, leaks, or spills, are any expected discharges described in Section or seasonal?								nd 3 intermittent
		Ц	Yes		 -	lo → SKIP to Section		
	<u>5.2</u>	Provide in necessary				each applicable outfall.		ges, if
		Outfall	Operations		uency	Rate and		DC.
		Number	(list)	Average Days/Week	Average Months/Year	Maximum Daily Discharge	Maximum Total Volume	Duration
				days/week	months/year	mgd	gallons	days
Flows				days/week	months/year	mgd	gallons	days
onal				days/week	months/year	mgd	gallons	days
eas		Outfall	Operations		uency	Rate and		
nt or S		Number	(list)	Average Days/Week	Average Months/Year	Maximum Daily Discharge	Maximum Total Volume	Duration
=								days
mitte				days/week	months/year	mgd	gallons	
Intermittent or Seasonal Flows				days/week days/week	months/year months/year	mgd mgd	gallons	days
Intermitte				,	-	mgd mgd	gallons	
Intermitte		Outfall	Operations	days/week days/week	months/year months/year	mgd mgd Rate and	gallons gallons Volume	days
Intermitte		Outfall Number	Operations (list)	days/week	months/year	mgd mgd	gallons	days
Intermitte				days/week days/week Freq Average	months/year months/year uency Average	mgd Rate and Maximum Daily	gallons gallons Volume Maximum Total	days
Intermitte				days/week days/week Freq Average Days/Week	months/year months/year uency Average Months/Year	mgd Rate and Maximum Daily Discharge	gallons gallons Volume Maximum Total Volume	days days Duration
		Number	(list)	days/week days/week Freq Average Days/Week days/week days/week days/week	months/year months/year uency Average Months/Year months/year	mgd mgd Rate and Maximum Daily Discharge mgd	gallons gallons Volume Maximum Total Volume gallons	days days Duration days
	N 6. PRO	Number		days/week days/week Freq Average Days/Week days/week days/week days/week	months/year months/year uency Average Months/Year months/year	mgd mgd Rate and Maximum Daily Discharge mgd	gallons gallons Volume Maximum Total Volume gallons gallons	days days Duration days days
	N 6. PRO 6.1	Number	(list) (40 CFR 122.2	days/week days/week Freq Average Days/Week days/week days/week days/week	months/year months/year uency Average Months/Year months/year months/year	mgd mgd Rate and Maximum Daily Discharge mgd	gallons gallons Volume Maximum Total Volume gallons gallons gallons	days days Duration days days days
	<u>6.1</u>	Number DDUCTION Do any eff Yes	(list) (40 CFR 122.2) fluent limitation	days/week days/week Freq Average Days/Week days/week days/week days/week 1(K)(4)) guidelines (EL	months/year months/year uency Average Months/Year months/year months/year months/year months/year months/year	mgd mgd Rate and Maximum Daily Discharge mgd mgd	gallons yolume Maximum Total Yolume gallons gallons gallons gallons	days days Duration days days days
SECTIO		Number DDUCTION Do any eff Yes Provide th	(40 CFR 122.2 fluent limitation	days/week days/week Freq Average Days/Week days/week days/week days/week	months/year months/year uency Average Months/Year months/year months/year months/year months/year included Image: Average Months/year months/year months/year months/year included Image: Average Months/year months/year months/year	mgd mgd Rate and Maximum Daily Discharge mgd mgd mgd by EPA under CWA Se No → SKIP to Section	gallons gallons Volume Maximum Total Volume gallons gallons gallons ection 304 apply to youn 7.	days days Duration days days days days days
SECTIO	<u>6.1</u>	Number DDUCTION Do any eff Yes Provide th	(list) (40 CFR 122.2) fluent limitation	days/week days/week Freq Average Days/Week days/week days/week days/week 1(K)(4)) guidelines (EL	months/year months/year uency Average Months/Year months/year months/year months/year months/year months/year	mgd mgd Rate and Maximum Daily Discharge mgd mgd mgd by EPA under CWA Se No → SKIP to Section	gallons yolume Maximum Total Yolume gallons gallons gallons gallons	days days Duration days days days days days
	<u>6.1</u>	Number DDUCTION Do any eff Yes Provide th	(40 CFR 122.2 fluent limitation	days/week days/week Freq Average Days/Week days/week days/week days/week 1(K)(4)) guidelines (EL	months/year months/year uency Average Months/Year months/year months/year months/year months/year included Image: Average Months/year months/year months/year months/year included Image: Average Months/year months/year months/year	mgd mgd Rate and Maximum Daily Discharge mgd mgd mgd by EPA under CWA Se No → SKIP to Section	gallons gallons Volume Maximum Total Volume gallons gallons gallons ection 304 apply to youn 7.	days days Duration days days days days days

E	PA Identific	ation Number		Facility Name				OMB No. 2040-0004 Expires 07/31/2026			
	<u>6.3</u>	Are the lim	nitations i	n the applicable ELGs expres	sed in terms of	produ	uction (or other measure	of operation)?			
		☐ Yes ☐ No → SKIP to Section 7.									
	<u>6.4</u>	Provide an expected measure of average daily production expressed in terms and units of applicable ELGs.									
		Expected Actual Average Daily Production for First Three Years									
		Outfall Number	Year	Operation, Product, or	Material	(1	Quantity per Day (note basis if applicable)	Unit of Measure			
			Year 1								
pen			Year 2								
Production Continued			Year 3								
duction			Year 1								
Pro			Year 2								
			Year 3								
			Year 1								
			Year 2								
			Year 3								
SECTIO	N 7. EFF	LUENT CH	ARACTE	RISTICS (40 CFR 122.21(K))	(5))						
				mine the parameters and poll pplicants need to complete ea		requir	red to monitor and, in tur	n, the tables you must			
	Table A			Non-Conventional Parame							
	<u>7.1</u>	Are you re outfalls?	equesting	a waiver from your NPDES p	ermitting autho	rity for	r any Table A parameter	rs for any of your			
		☐ Yes				l Na	o → SKIP to Item 7.3.				
	7.2			applicable outfalls below or ob	ook the approx			are requesting a waiver			
tics	1.2	If yes, indicate the applicable outfalls below or check the appropriate box to indicate that you are required for all outfalls. Attach waiver request and other required information to the application.									
teris		Outfal	Outfall number Outfall number Outfall number								
araci			I am requesting a waiver for some pollutants at all outfalls.								
ຮຶ			Tam requesting a warver for all politicality at an outralis 2 ordin to item 7.4.								
rent	<u>7.3</u>			vided estimates or actual data				outfalls for which a			
for all outfalls. Attach waiver request and other required information to Outfall number Outfall number I am requesting a waiver for some pollutants at all outfalls. I am requesting a waiver for all pollutants at all outfalls. The second of the required information to outfall number I am requesting a waiver for some pollutants at all outfalls. The second of the required information to outfall number I am requesting a waiver for all pollutants at all outfalls. The second of the required information to outfall number I am requesting a waiver for all pollutants at all outfalls. The second of the required information to outfall number I am requesting a waiver for all pollutants at all outfalls. The second outfall number I am requesting a waiver for all pollutants at all outfalls. The second outfall number Yes							ation package?				
	Tahla F			onal and Non-Conventional	Dollutante						
	7.4			"Believed Present" for all pollu		Table	B that are limited directl	y or indirectly by an			
	_	applicable	ELG?	·		_					
			Yes				Not applicable				
	<u>7.5</u>	Have you	checked	"Believed Present" or "Believe	ed Absent" for a	all rem	naining pollutants listed i	n Table B?			
			Voc								

Ef	EPA Identification Number			Facility Name			OMB No. 2040-0004				
							Expires 07/31/2026				
	<u>7.6</u>			estimated data for those Tabl	e B pollutant	s for wh	nich you have indicated are "Believed Present"				
		in your disch	•								
	Yes										
	Table C	Table C. Toxic Metals, Total Cyanide, and Total Phenols									
	7.7 Have you indicated whether pollutants are "Believed Present" or "Believed Absent" for all pollutants listed in Table C										
		for all outfalls									
	Yes 7.8 Have you completed Table C by providing estimated data for pollutants you indicated are "Policyced Present"										
	<u>7.8</u>	Have you completed Table C by providing estimated data for pollutants you indicated are "Believed Present," including the source of the information, for each applicable outfall?									
		_	res		.pp.iioabio oc						
	Tahle D			Ilutants (GC/MS Fractions)							
	7.9			a small business exemption ur	der the crite	ria spec	cified in the Instructions?				
			•	Note that you qualify at the to		'					
			165 🖚	Table D, then SKIP to Item 7			No				
-	<u>7.10</u>	Have you inc	dicated	whether pollutants are "Belie	/ed Present"	or "Bel	ieved Absent" for all pollutants listed in Table D				
Janc		for all outfall	ls?								
ontii			⁄es								
လွ	<u>7.11</u>						nts you indicated are "Believed Present,"				
istic		•		e of the information, for each a	applicable ou	ittall?					
cteri	225		res	DI 1 (TODD)							
ara				p-p-Dioxin (TCDD)	. (1) . 0 0 7	0. TOD!	December 11 State 12 the Leaf and the second as				
Effluent Characteristics Continued	<u>7.12</u>	Does the facility use or manufacture one or more of the 2,3,7,8-TCDD congeners listed in the Instructions, or do you know or have reason to believe that TCDD is or may be present in effluent from any of your outfalls?									
lnen			⁄es		, , , ,		No				
#	Toble E			a Substances and Ashastas							
	7.13	able E. Certain Hazardous Substances and Asbestos 7.13 Have you indicated whether pollutants are "Believed Present" or "Believed Absent" for all pollutants listed in Table E									
	<u> </u>	for all outfalls?									
		☐ Yes									
	7.14										
	<u> </u>			r pollutants you indicated are							
		□ Y	⁄es								
	Intake (Credits, Table	es A th	rough F							
	7.15				of any of the	pollutai	nts in Tables A through E for any of your				
		outfalls?									
			res →	Consult with your NPDES p authority.	ermitting		No				
SECTIO	N 8 FNG	INFFRING R	REPOR	T (40 CFR 122.21(K)(6))							
0_01.0	<u>8.1</u>				astewater tre	eatment	t, including engineering reports or pilot plant				
		studies?	,	•							
Engineering Report		□ Y	⁄es				No → SKIP to Item 8.3.				
g Re	8.2	Have you pr	rovided	I the technical evaluation and	all related do	cument	ts to this application package?				
ərin		l □ Ý	⁄es			П	No				
jine	8.3			any existing plant(s) whose pro	duction proc	200000	wastewater constituents, or wastewater				
Enç	0.0			e those at your facility?	νααστίστι μι υ	,cooco,	wasicwater constituents, or wastewater				
		□ Y	⁄es	•			No → SKIP to Section 9.				

EF	A Identifica	ation Numbe	nber Facility Name			OMB No. 2040-0004 Expires 07/31/2026					
	8.4	Provide	the name	s and locations of the	similar plants.						
port	<u> </u>	1100100		me of Similar Plant	on mar p	Turno.	Loca	tion of Similar Plant			
Engineering Report Continued											
neering Re Continued											
gine Cc											
핍											
SECTION	N 9. OTH	ER INFO	RMATION	I (40 CFR 122.21(K)(7	"))						
	<u>9.1</u>	Have you attached any optional information that you would like considered as part of the application review process (i.e., material beyond that which you have already noted in the application as being attached)?									
		(i.e., ma	-	ond that which you hav	e airea	ay noted in the app					
_		<u> </u>	Yes					P to Section 10.			
atio	9.2		additional	items and briefly note	why you	u have included th	em.				
or m		1.									
Înf		2.									
Other Information		3.									
0		4.									
		4.									
		5.									
SECTION				RTIFICATION STATE							
	<u>10.1</u>							d are submitting with your application. to alert the permitting authority. Note			
			all applica	ants are required to con		e attachments.					
				umn 1 1: Expected Outfall				umn 2			
		Ц	Location	1		w/ attachments (e	e.g., respons	ses for additional outfalls)			
			Dischar			w/ attachments					
ent			Section and Tre	3: Average Flows atment		w/ attachments					
itatem				4: Line Drawing		w/ line drawing		w/ additional attachments			
ation S			Section Season	5: Intermittent or al Flows		w/ attachments					
tifica			Section	6: Production		w/ attachments					
Checklist and Certification Statement						w/ Table A waive request or approval	r 🔲	Table A			
ecklis			Section Charact	7: Effluent		Table B		Table C			
Ö			Charact	GIISLICS		Table D		Table E			
			0. "	0. 5		w/ other attachments					
			Section Report	8: Engineering		w/ technical evalu	uations and r	related attachments			
			Section	9: Other Information		w/ optional inform	nation				
				10: Checklist and tion Statement		w/ attachments					

EF	PA Identific	cation Number	Facility Name		OMB No. 2040-0004 Expires 07/31/2026
Checklist and Certification Statement Continued	10.2	Provide the following certification. (See instruction Certification Statement I certify under penalty of law that this document as in accordance with a system designed to assure information submitted. Based on my inquiry of the directly responsible for gathering the information, belief, true, accurate, and complete. I am aware to		and all attachments were prepared that qualified personnel properly of the person or persons who manage on, the information submitted is, to the	I under my direction or supervision gather and evaluate the the system, or those persons ne best of my knowledge and
cklist and		Name (print or typ	e first and last name)		Official title
Chec		Signature			Date signed

This page intentionally left blank.

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	•		Expires 07/31/2026

	N E A CONVENTIONAL AND	D NON CONVENT	FIGNIAL BABANE	TED EATH	1ATEQ / 40 OED 400	2.04/16//5//0/4				
IAE	BLE A. CONVENTIONAL AN	D NON CONVEN	IIONAL PARAME	IER ESIII	MATES (40 CFR 122 	2.21(K)(5)(I))¹ Effluen	t Data	Intake V	Vater	
	Pollutant	Waiver Requested (if applicable)	Units		Maximum Daily Discharge (required)	Average Daily Discharge (if available)	Source of Information (use codes in instructions)	Believed P	Believed Present? heck only one response per parameter)	
	Check here if you have app	olied to your NPDE	S authority for a wa	aiver for <i>all</i>	of the pollutants list	ed on this table for	the noted outfall.			
,	Biochemical oxygen		Concentration					П	П.,	
1.	1. demand (BOD₅)		Mass					☐ Yes	□ No	
2.	Chemical oxygen demand		Concentration					П		
2.	(COD)		Mass					☐ Yes	☐ No	
2	Total organic carbon	rbon	Concentration					☐ Yes	Г.:	
3.	(TOC)		Mass						□ No	
4.	Total suspended solids	ids	Concentration					☐ Yes	_	
4.	(TSS)		Mass						□ No	
5.	Ammonia (as N)		Concentration						□ No	
5.	Ammonia (as N)		Mass					☐ Yes	□ No	
6.	Flow		Rate					☐ Yes	□ No	
7.	Temperature (winter)		°C	°C					; _	
1.	Temperature (summer)		°C	°C				☐ Yes	□ No	
8.	pH (minimum)		Standard units	S.U.						
0.	pH (maximum)		Standard units	S.U.				☐ Yes	□ No	

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

PA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	,		Expires 07/31/2026

TADI	E D. CEDTAIN CONV	ENTIONAL A	ND NON CO	NIVENTIONAL DOL	LUTANTO /4	0.050.400.04////5	VIIVA							
TABL	E B. CERTAIN CONV	Presence of	or Absence k one)	NVENTIONAL POL	VENTIONAL POLLUTANTS (40 CFR 122.21(K)(5)(II)) Estimated Data for Pollutants Expected to Be Present or Limited by an ELG (provide both concentration and mass estimates for each pollutant)									
	Pollutant	,				Efflu	uent	··· ··· · · · · · · · · · · · · · · ·	Intake	Water				
	Foliutalit	Believed Present	Believed Absent	Units		Maximum Daily Discharge (required)	Average Daily Discharge (if available)	Source of Information (use codes in instructions)	Believed Present? (check only one response per item)					
	Check (✓) here if yo	u believe all p	ollutants liste	d to be absent from the discharge		You need not complete Table B for t		the noted outfall <i>unless</i> you have	quantitative data available					
1.	Bromide			Concentration					☐ Yes	□ No				
	(24959-67-9)			Mass					L les	L 140				
2.	Chlorine, total			Concentration					☐ Yes	□ No				
	residual	_	_	Mass					<u> </u>					
3.	Color			Concentration					☐ Yes	□ No				
		_	_	Mass										
4.	Fecal coliform		Concentration					☐ Yes	□ No					
		_	_	Mass										
5.	Fluoride (16984-48-8)			Concentration					☐ Yes	□ No				
	(10904-40-0)			Mass										
6.	Nitrate-nitrite			Concentration					☐ Yes	□ No				
				Mass										
7.	Nitrogen, total organic (as N)			Concentration					☐ Yes	□ No				
	organic (as iv)			Mass										
8.	Oil and grease			Concentration					☐ Yes	□ No				
				Mass										
9.	Phosphorus (as P), total (7723-14-0)			Concentration					☐ Yes	□ No				
	,			Mass										
10.	Sulfate (as SO ₄) (14808-79-8)			Concentration Mass					☐ Yes	□ No				
	(.1000 10 0)													
11.	11. Sulfide (as S)							Concentration					☐ Yes	□ No
								Mass						

PA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
			Eynirgs 07/31/2026

TABL	E D. CEDTAIN CONV	ENTIONAL A	ND NON CO	NIVENTIONAL DOL	LUTANTO /A	0 CED 422 24/K)/E	/11//4				
TABL	E B. CERTAIN CONV	Presence	or Absence k one)	NVENTIONAL POL	VENTIONAL POLLUTANTS (40 CFR 122.21(K)(5)(II)) Estimated Data for Pollutants Expected to Be Present or Limited by an ELG (provide both concentration and mass estimates for each pollutant)						
	5 !! (((circon circ)				Efflu		estimates for each politicant)	Intake	Water	
	Pollutant	Believed Present	Believed Absent	Units	S	Maximum Daily Discharge (required)	Average Daily Discharge (if available)	Source of Information (use codes in instructions)		Present?	
40	Sulfite (as SO ₃)			Concentration						п	
12.	(14265-45-3)			Mass					☐ Yes	□ No	
40	0 feetests			Concentration						_	
13.	Surfactants			Mass					☐ Yes	□ No	
4.4	Aluminum, total			Concentration						п	
14.	(7429-90-5)			Mass					☐ Yes	□ No	
45	Barium, total			Concentration							
15.	(7440-39-3)			Mass					☐ Yes	□ No	
40	Boron, total			Concentration							
16.	(7440-42-8)	Ц	\sqcap \sqcap \vdash	Mass					☐ Yes	☐ No	
47	Cobalt, total			Concentration						□ No	
17.	(7440-48-4)			Mass					☐ Yes		
40	Iron, total			Concentration						п	
18.	(7439-89-6)			Mass					☐ Yes	□ No	
19.	Magnesium, total			Concentration							
19.	(7439-95-4)	Ш	Ц	Mass					☐ Yes	□ No	
20.	Molybdenum, total			Concentration					☐ Yes		
20.	(7439-98-7)			Mass					☐ Yes	□ No	
21.	Manganese, total			Concentration					☐ Yes	□ No	
۷۱.	(7439-96-5)			Mass					LI Yes	□ No	
22.	Tin, total			Concentration					☐ Yes	□ No	
۲۲.	22. (7440-31-5)			Mass					l ies	□ NO	

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	·		Expires 07/31/2026

TADI	E D. CEDTAIN CONV	ENTIONAL A	ND NON CO	NVENTIONAL DOL	LUTANTO (4	OED 400 04/K//EV	/II\\\1				
IABL	E B. CERTAIN CONV	Presence of	or Absence k one)	NVENTIONAL POL	VENTIONAL POLLUTANTS (40 CFR 122.21(K)(5)(II))¹ Estimated Data for Pollutants Expected to Be Present or Limited by an ELG (provide both concentration and mass estimates for each pollutant)						
	Pollutant	(0.000,000)				Efflu		, , , , , , , , , , , , , , , , , , ,	Intake Water	Intake Water	
Pollutant		Believed Present	Believed Absent	Units		Maximum Daily Discharge (required)	Average Daily Discharge (if available)	Source of Information (use codes in instructions)	Believed Present? (check only one response per item)		
00	Titanium, total			Concentration							
23.	(7440-32-6)			Mass					☐ ☐ Yes ☐ N	No	
24.	Radioactivity										
24.1	Alpha, total]			Concentration					☐ Yes ☐ N	
24.1	Aiplia, total		_ _	Mass					☐ Yes ☐ N	No	
24.2	Beta, total			Concentration							
24.2	Dela, Iolai	Ш		Mass					☐ Yes ☐ N	No	
24.3.	Radium, total			Concentration					☐ Yes ☐ N	.1.	
24.3.	Radium, total	Ш	Ш	Mass					☐ Yes ☐ N	No	
24.4	Padium 226 total	lium 226, total			Concentration						
24.4	Naululli 220, lolai			Mass					│	No	

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

ΓAΒL	E C. TOXIC METALS		NIDE, AND TO or Absence	OTAL PHENOLS (4			r Pollutants E	xpected to Be Present in I	Discharge	
			k one)		(Provide both concentration and mass estimates for each pollutan					
	Pollutant					Effluer	nt			Intake Water
(CAS Number, if available)		Believed Present	Believed Absent	Units		Maximum Daily Discharge (required)	Average Daily Discharge (if available)	Source of Information (Use codes in Instructions.)	Believed Present? (Check only one response per pollutant.)	
]	available.	ou believe all po	ollutants listed		the discharge. \	You need not co	omplete Table	C for the noted outfall <i>unles</i>	s you have o	quantitative data
1.	Antimony, Total (7440-36-0)			Concentration Mass					☐ Yes	□ No
2.	Arsenic, Total (7440-38-2)			Concentration Mass					☐ Yes	□ No
3.	Beryllium, Total (7440-41-7)			Concentration Mass					☐ Yes	□ No
4.	Cadmium, Total (7440-43-9)			Concentration Mass					☐ Yes	□ No
5.	Chromium, Total (7440-47-3)			Concentration Mass					☐ Yes	□ No
6.	Copper, Total (7440-50-8)			Concentration Mass					☐ Yes	□ No
· .	Lead, Total (7439-92-1)			Concentration Mass					☐ Yes	□ No
· .	Mercury, Total (7439-97-6)			Concentration Mass					☐ Yes	□ No
).	Nickel, Total (7440-02-0)			Concentration Mass					☐ Yes	□ No
0.	Selenium, Total (7782-49-2)			Concentration Mass					☐ Yes	□ No
1.	Silver, Total (7440-22-4)			Concentration Mass					☐ Yes	□ No
2.	Thallium, Total (7440-28-0)			Concentration Mass					☐ Yes	□ No
3.	Zinc, Total (7440-66-6)			Concentration Mass					☐ Yes	□ No
4.	Cyanide, Total (57-12-5)			Concentration Mass					☐ Yes	□ No
15.	Phenols, Total			Concentration Mass					☐ Yes	□ No

Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See Instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	·		Expires 07/31/2026

TABL	E D. OBOANIO TOVIO BOLLITA	NTO (OAO OUDO	MATOODADU	V/MAGO ODEGE	OMETRY OR	00/M0 ED 40	FIGNOV (40 OF	D 400 04/1/\/E\/III\//D\\4			
IABL	E D. ORGANIC TOXIC POLLUTA	Presence or	Absence	Y/MASS SPECTS	Estimated	Data for Pollu	tants Expecte	ed to Be Present in Disc estimates for each pollutant)	charge		
	Pollutant	(1)			"		Efflue		Intake	Water	
	(CAS Number, if available)	Believed Present	Believed Absent	Units		Maximum Daily Discharge	Average Daily Discharge	Source of Information (use codes in instructions)	Believed (check only one pollui	e response per	
	Check here if all pollutants listed	in Table D are ex	pected to be a	bsent from your fa	cility's discharg	e.					
	Check here if the facility believes of materials you must attach to the		Table D report	ting requirements l	because it is a	qualified small	business. See	the instructions for exem	nption criteria a	ind for a list	
Note:	lote: If you check either of the above boxes, you do not need to complete Table D for the noted outfall unless you have quantitative data available.										
1. Org	anic Toxic Pollutants (GC/MS Fr	action—Volatile	Compounds)								
1.1	Acrolein (107-02-8)			Concentration Mass					☐ Yes	□ No	
1.2	Acrylonitrile			Concentration							
	(107-13-1)			Mass					☐ Yes	☐ No	
1.3	Benzene (71-43-2)			Concentration Mass					☐ Yes	□ No	
1.4	Bromoform			Concentration							
	(75-25-2)			Mass					☐ Yes	☐ No	
1.5	Carbon tetrachloride			Concentration					☐ Yes	□ No	
4.0	(56-23-5)			Mass					L Tes		
1.6	Chlorobenzene (108-90-7)			Concentration Mass					☐ Yes	□ No	
1.7	Chlorodibromomethane			Concentration							
	(124-48-1)			Mass					☐ Yes	☐ No	
1.8	Chloroethane			Concentration					☐ Yes	□ No	
	(75-00-3)			Mass					Li res	LI NO	
1.9	2-chloroethylvinyl ether (110-75-8)			Concentration Mass					☐ Yes	□ No	
1.10	Chloroform (67-66-3)			Concentration							
	55.6.6 (5. 66 6)			Mass					☐ Yes	☐ No	
1.11	Dichlorobromomethane			Concentration					☐ Yes	□ No	
	(75-27-4)			Mass					i i es	☐ N0	

TABL	E D. ORGANIC TOXIC POLLUTAI	NTS (GAS CHRO	MATOGRAPH	Y/MASS SPECTROME	ETRY OR G	C/MS FRACT	IONS) (40 CF	R 122.21(K)(5)(III)(B)) ¹		
		Presence or	Absence	Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant)						
	Pollutant	(cricck)				vide both concent	Efflue		Intake V	Vater
	(CAS Number, if available)	Believed Believed Present Absent		Units		Maximum Daily Discharge	Average Daily Discharge	Source of Information (use codes in instructions)	Believed Present? (check only one response per pollutant)	
1.12	1,1-dichloroethane (75-34-3)			Concentration						
	(10-34-3)			Mass					☐ Yes	☐ No
1.13	1,2-dichloroethane	П		Concentration						
	(107-06-2)			Mass					☐ Yes	☐ No
1.14	1,1-dichloroethylene			Concentration						
	(75-35-4)			Mass					☐ Yes	☐ No
1.15	1,2-dichloropropane			Concentration					☐ Yes	□ No
	(78-87-5)		Ш	Mass					L res	□ NO
1.16	1,3-dichloropropylene (542-75-6)			Concentration					☐ Yes	□ No
4.47	,			Mass					103	
1.17	Ethylbenzene (100-41-4)			Concentration					☐ Yes	□ No
1.18	Methyl bromide			Mass Concentration						
1.10	(74-83-9)			Mass					☐ Yes	☐ No
1.19	Methyl chloride			Concentration						
	(74-87-3)			Mass					☐ Yes	☐ No
1.20	Methylene chloride			Concentration					☐ Yes	□ No
	(75-09-2)	Ш	Ш	Mass					L res	LI INO
1.21	1,1,2,2-tetrachloroethane (79-34-5)			Concentration					☐ Yes	□ No
4.00	,		_	Mass					103	
1.22	Tetrachloroethylene (127-18-4)			Concentration Mass					☐ Yes	☐ No
1.23	Toluene			Concentration						
20	(108-88-3)			Mass					☐ Yes	☐ No
1.24	1,2-trans-dichloroethylene			Concentration						
	(156-60-5)			Mass					☐ Yes	☐ No

EPA Identification Number	Facility Name	Outfall Number

TABLE D. ORGANIC TOXIC POLLUTANTS (GAS CHROMATOGRAPHY/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))1 Presence or Absence Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant) (check one) **Effluent** Intake Water Pollutant **Believed Believed** (CAS Number, if available) Maximum Average Source of **Believed Present?** Units Present Absent Daily Daily Information (check only one response per pollutant) Discharge Discharge (use codes in instructions) 1,1,1-trichloroethane 1.25 Concentration П П ☐ Yes □ No (71-55-6)Mass 1,1,2-trichloroethane 1.26 Concentration ☐ Yes □ No (79-00-5)Mass 1.27 Trichloroethylene Concentration □ No ☐ Yes (79-01-6)Mass 1.28 Vinyl chloride Concentration П П ☐ Yes □ No (75-01-4)Mass 2. Organic Toxic Pollutants (GC/MS Fraction—Acid Compounds) 2-chlorophenol 2.1 Concentration ☐ Yes □ No (95-57-8)Mass 2.2 2,4-dichlorophenol Concentration ☐ No ☐ Yes (120-83-2)Mass 2.3 2,4-dimethylphenol Concentration П ☐ Yes ☐ No (105-67-9) Mass 2.4 4.6-dinitro-o-cresol Concentration ☐ Yes □ No (534-52-1)Mass 2.5 2,4-dinitrophenol Concentration П ☐ No ☐ Yes (51-28-5)Mass 2.6 2-nitrophenol Concentration П ☐ Yes □ No (88-75-5)Mass 2.7 4-nitrophenol Concentration ☐ No ☐ Yes (100-02-7)Mass 2.8 p-chloro-m-cresol Concentration П ☐ Yes □ No (59-50-7)Mass 2.9 Pentachlorophenol Concentration П ☐ No ☐ Yes (87-86-5)Mass

EPA Identification Number Facility Name Outfall Number
--

TABLE D. ORGANIC TOXIC POLLUTANTS (GAS CHROMATOGRAPHY/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))1 Presence or Absence Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant) (check one) **Effluent** Intake Water Pollutant **Believed Believed** (CAS Number, if available) Maximum Average Source of **Believed Present?** Units Present Absent Daily Daily Information (check only one response per pollutant) Discharge Discharge (use codes in instructions) 2.10 Phenol Concentration П П ☐ Yes □ No (108-95-2)Mass 2,4,6-trichlorophenol Concentration ☐ Yes □ No (88-05-2)Mass 3. Organic Toxic Pollutants (GC/MS Fraction—Base /Neutral Compounds) Acenaphthene Concentration ☐ Yes □ No (83-32-9)Mass 3.2 Acenaphthylene Concentration П ☐ Yes ☐ No (208-96-8)Mass 3.3 Anthracene Concentration ☐ Yes □ No (120-12-7)Mass 3.4 Benzidine Concentration ☐ No ☐ Yes (92-87-5)Mass 3.5 Benzo (a) anthracene Concentration П ☐ Yes ☐ No (56-55-3)Mass Benzo (a) pyrene 3.6 Concentration ☐ Yes □ No (50-32-8)Mass 3.4-benzofluoranthene 3.7 Concentration ☐ Yes □ No (205-99-2) Mass Benzo (ghi) perylene 3.8 Concentration П ☐ Yes □ No (191-24-2)Mass Benzo (k) fluoranthene 3.9 Concentration ☐ No ☐ Yes (207-08-9)Mass 3.10 Bis (2-chloroethoxy) methane Concentration П ☐ Yes □ No (111-91-1)Mass 3.11 Bis (2-chloroethyl) ether Concentration ☐ No ☐ Yes (111-44-4)Mass

TABL	TABLE D. ORGANIC TOXIC POLLUTANTS (GAS CHROMATOGRAPHY/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B)) ¹									
Presence or Absence			Estimated Data for Pollutants Expected to Be Present in Discharge							
Pollutant (CAS Number, if available)		(cneck	one)		(provide both concentration and mass estimates for each pollutant) Effluent Intake Water					Water
		Believed Present	Believed Absent	Unit	s	Maximum Daily Discharge	Average Daily Discharge	Source of Information (use codes in instructions)	Believed (check only one pollu	Present? e response per
3.12	Bis (2-chloroisopropyl) ether (102-80-1)			Concentration Mass					☐ Yes	□ No
3.13	Bis (2-ethylhexyl) phthalate (117-81-7)			Concentration Mass					☐ Yes	□ No
3.14	4-bromophenyl phenyl ether (101-55-3)			Concentration Mass					☐ Yes	□ No
3.15	Butyl benzyl phthalate (85-68-7)			Concentration Mass					☐ Yes	□ No
3.16	2-chloronaphthalene (91-58-7)			Concentration Mass					☐ Yes	□ No
3.17	4-chlorophenyl phenyl ether (7005-72-3)			Concentration Mass					☐ Yes	□ No
3.18	Chrysene (218-01-9)			Concentration Mass					☐ Yes	□ No
3.19	Dibenzo (a,h) anthracene (53-70-3)			Concentration Mass					☐ Yes	□ No
3.20	1,2-dichlorobenzene (95-50-1)			Concentration Mass					☐ Yes	□ No
3.21	1,3-dichlorobenzene (541-73-1)			Concentration Mass					☐ Yes	□ No
3.22	1,4-dichlorobenzene (106-46-7)			Concentration Mass					☐ Yes	□ No
3.23	3,3-dichlorobenzidine (91-94-1)			Concentration Mass					☐ Yes	□ No
3.24	Diethyl phthalate (84-66-2)			Concentration Mass					☐ Yes	□ No
3.25	Dimethyl phthalate (131-11-3)			Concentration Mass					☐ Yes	□ No

TABLE D. ORGANIC TOXIC POLLUTANTS (GAS CHROMATOGRAPHY/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))1 Estimated Data for Pollutants Expected to Be Present in Discharge Presence or Absence (provide both concentration and mass estimates for each pollutant) (check one) **Effluent** Intake Water Pollutant **Believed Believed** (CAS Number, if available) Maximum Average Source of **Believed Present?** Units Present Absent Daily Daily Information (check only one response per pollutant) Discharge Discharge (use codes in instructions) 3.26 Di-n-butyl phthalate Concentration П П ☐ Yes □ No (84-74-2) Mass 3.27 2,4-dinitrotoluene Concentration ☐ Yes □ No (121-14-2)Mass 3.28 2.6-dinitrotoluene Concentration ☐ Yes □ No (606-20-2) Mass 3.29 Di-n-octyl phthalate Concentration П П ☐ Yes □ No (117-84-0) Mass 1,2-diphenylhydrazine 3.30 Concentration П П ☐ Yes □ No (as azobenzene) (122-66-7) Mass 3.31 Fluoranthene Concentration ☐ Yes □ No (206-44-0)Mass 3.32 Fluorene Concentration П П ☐ Yes □ No (86-73-7)Mass 3.33 Hexachlorobenzene Concentration П П □ No ☐ Yes (118-74-1)Mass 3.34 Hexachlorobutadiene Concentration ☐ Yes □ No (87-68-3)Mass 3.35 Hexachlorocyclopentadiene Concentration П □ No ☐ Yes (77-47-4)Mass 3.36 Hexachloroethane Concentration ☐ Yes ☐ No (67-72-1)Mass 3.37. Indeno (1,2,3-cd) pyrene Concentration ☐ No ☐ Yes (193-39-5)Mass 3.38 Isophorone Concentration ☐ Yes □ No (78-59-1) Mass 3.39 Naphthalene Concentration ☐ Yes □ No (91-20-3) Mass

TABLE D. ORGANIC TOXIC POLLUTANTS (GAS CHROMATOGRAPHY/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))1 Presence or Absence Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant) (check one) **Effluent** Intake Water Pollutant **Believed Believed** (CAS Number, if available) Maximum Average Source of **Believed Present?** Units Present Absent Daily Daily Information (check only one response per pollutant) Discharge Discharge (use codes in instructions) 3.40 Nitrobenzene Concentration П П ☐ Yes □ No (98-95-3)Mass 3.41 N-nitrosodimethylamine Concentration П ☐ Yes □ No (62-75-9)Mass N-nitrosodi-n-propylamine 3.42 Concentration □ No ☐ Yes (621-64-7) Mass 3.43 N-nitrosodiphenylamine Concentration П ☐ Yes □ No (86-30-6)Mass 3.44 Phenanthrene Concentration П П ☐ Yes □ No (85-01-8)Mass 3.45 Pyrene Concentration □ No ☐ Yes (129-00-0)Mass 3.46 1.2.4-trichlorobenzene Concentration П ☐ Yes □ No (120-82-1) Mass 4. Organic Toxic Pollutants (GC/MS Fraction—Pesticides) Aldrin 4.1. Concentration ☐ Yes □ No (309-00-2)Mass 4.2 α-BHC Concentration П ☐ No ☐ Yes (319-84-6)Mass 4.3 β-ВНС Concentration П ☐ Yes □ No (319-85-7)Mass 4.4 v-BHC Concentration ☐ No ☐ Yes (58-89-9)Mass 4.5 δ-BHC Concentration П ☐ Yes □ No (319-86-8)Mass 4.6 Chlordane Concentration ☐ No ☐ Yes (57-74-9)Mass

PA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	•		Expires 07/31/2026

TADI	D OPCANIC TOYIC POLLUTA	NTS (GAS CUPO	MATOGRADL	IV/MASS SDECTDO	METRY OR	CC/MS EDAC	TIONS) (40 CE	D 122 24/K\/5\/III\/D\\1		
IADLI	Presence or Absence (check one)		Absence	Y/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))¹ Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant)						
	Pollutant	,	,		,,		Efflue	nt	Intake	Water
(CAS Number, if available)		Believed Present	Believed Absent	Units		Maximum Daily Discharge	Average Daily Discharge	Source of Information (use codes in instructions)	Believed I (check only one pollut	e response per
4.7	4,4'-DDT (50-29-3)			Concentration					☐ Yes	□ No
	,			Mass					L 163	
4.8	4,4'-DDE (72-55-9)			Concentration					☐ Yes	□ No
4.0	` '	_	_	Mass						
4.9	4,4'-DDD (72-54-8)			Concentration					☐ Yes	□ No
4.10	Dieldrin			Mass						
4.10	(60-57-1)			Concentration					☐ Yes	□ No
4.11	α-endosulfan			Mass						
4.11	(115-29-7)			Concentration					☐ Yes	□ No
	,	_	_	Mass					100	
4.12	β-endosulfan			Concentration						П.,
	(115-29-7)			Mass					☐ Yes	☐ No
4.13	Endosulfan sulfate	_	_	Concentration						
	(1031-07-8)			Mass					☐ Yes	☐ No
4.14	Endrin			Concentration					☐ Yes	
	(72-20-8)			Mass				─ □		☐ No
4.15	Endrin aldehyde			Concentration						
	(7421-93-4)								☐ Yes	☐ No
				Mass						

PA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	, , , , , , , , , , , , , , , , , , ,		Expires 07/31/2026

				V/III		00/140 5040		D 400 04((4)(E)((U)(D))(4		
Presence or Absence (check one)		Y/MASS SPECTROMETRY OR GC/MS FRACTIONS) (40 CFR 122.21(K)(5)(III)(B))¹ Estimated Data for Pollutants Expected to Be Present in Discharge (provide both concentration and mass estimates for each pollutant)								
	Pollutant	(CHECK			(μ	Tovide both concen	Efflue		Intake	Water
(CAS Number, if available)		Believed Present	Believed Absent	Units	i	Maximum Daily Discharge	Average Daily Discharge	Source of Information (use codes in instructions)	Believed (check only one pollu	Present? e response per
4.16	Heptachlor			Concentration					☐ Yes	□ No
	(76-44-8)	Ш		Mass					LI TES	LI NO
4.17	Heptachlor epoxide			Concentration					☐ Yes	□ No
	(1024-57-3)			Mass				<u> </u>	☐ res	☐ NO
4.18	PCB-1242			Concentration					☐ Yes	□ No
	(53469-21-9)		Ш	Mass					L res	□ NO
4.19	PCB-1254			Concentration					│	□ No
	(11097-69-1)			Mass					☐ Yes	LI INO
4.20	PCB-1221			Concentration					☐ Yes	□ No
	(11104-28-2)			Mass					☐ Yes	☐ No
4.21	PCB-1232			Concentration					ПУ	П.,,
	(11141-16-5)			Mass					☐ Yes	☐ No
4.22	PCB-1248			Concentration					Пу	п
	(12672-29-6)			Mass					☐ Yes	☐ No
4.23	PCB-1260			Concentration					Пу	п
	(11096-82-5)			Mass					☐ Yes	☐ No
4.24	PCB-1016			Concentration						п
	(12674-11-2)			Mass					☐ Yes	☐ No
4.25	Toxaphene			Concentration						
	(8001-35-2)			Mass					☐ Yes	☐ No

¹ Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).

This page intentionally left blank.

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
			Expires 07/31/2026

TABLE E. CERTAIN HAZARDOUS SUBSTAN		CES AND ASBEST Presence of		2.21(K)(5)(V)) ¹	
Pollutant		(check one)		Reason Pollutant Believed Present in Discharge	Available Quantitative Data
		Believed Present	Believed Absent	Reason Fondant Believed Flesent in Discharge	(specify units)
	Check (✓) here if you believe all pollutants	s listed to be absen	t from the discha	rge. You need not complete Table E for the noted outfall unless yo	u have quantitative data available.
1.	Asbestos				
2.	Acetaldehyde				
3.	Allyl alcohol				
4.	Allyl chloride				
5.	Amyl acetate				
6.	Aniline				
7.	Benzonitrile				
8.	Benzyl chloride				
9.	Butyl acetate				
10.	Butylamine				
11.	Captan				
12.	Carbaryl				
13.	Carbofuran				
14.	Carbon disulfide				
15.	Chlorpyrifos				
16.	Coumaphos				
17.	Cresol				
18.	Crotonaldehyde				

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
			Expires 07/31/2026

TAE	TABLE E. CERTAIN HAZARDOUS SUBSTANCES AND ASBESTOS (40 CFR 122.21(K)(5)(V)) ¹							
	Pollutant	Presence of (check			Available Quantitative Data			
Pollutant		Believed Present	Believed Absent	Reason Pollutant Believed Present in Discharge	(specify units)			
19.	Cyclohexane							
20.	2,4-D (2,4-dichlorophenoxyacetic acid)							
21.	Diazinon							
22.	Dicamba							
23.	Dichlobenil							
24.	Dichlone							
25.	2,2-dichloropropionic acid							
26.	Dichlorvos							
27.	Diethyl amine							
28.	Dimethyl amine							
29.	Dintrobenzene							
30.	Diquat							
31.	Disulfoton							
32.	Diuron							
33.	Epichlorohydrin							
34.	Ethion							
35.	Ethylene diamine							
36.	Ethylene dibromide							
37.	Formaldehyde							

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
· · · · · · · · · · · · · · · · · · ·			Expires 07/31/2026

TAB	TABLE E. CERTAIN HAZARDOUS SUBSTANCES AND ASBESTOS (40 CFR 122.21(K)(5)(V)) ¹						
Pollutant		Presence or Absence (check one)		Reason Pollutant Believed Present in Discharge	Available Quantitative Data		
		Believed Present	Believed Absent	• • • • • • • • • • • • • • • • • • •	(specify units)		
38.	Furfural						
39.	Guthion						
40.	Isoprene						
41.	Isopropanolamine						
42.	Kelthane						
43.	Kepone						
44.	Malathion						
45.	Mercaptodimethur						
46.	Methoxychlor						
47.	Methyl mercaptan						
48.	Methyl methacrylate						
49.	Methyl parathion						
50.	Mevinphos						
51.	Mexacarbate						
52.	Monoethyl amine						
53.	Monomethyl amine						
54.	Naled						
55.	Naphthenic acid						
56.	Nitrotoluene						

EPA Identification Number	Facility Name	Outfall Number	OMB No. 2040-0004
	·		Expires 07/31/2026

TAE	TABLE E. CERTAIN HAZARDOUS SUBSTANCES AND ASBESTOS (40 CFR 122.21(K)(5)(V)) ¹					
Pollutant		Presence or Absence		Reason Pollutant Believed Present in Discharge	Available Quantitative Data (specify units)	
57.	Parathion					
58.	Phenolsulfonate					
59.	Phosgene					
60.	Propargite					
61.	Propylene oxide					
62.	Pyrethrins					
63.	Quinoline					
64.	Resorcinol					
65.	Strontium					
66.	Strychnine					
67.						
68.	2,4,5-T (2,4,5-trichlorophenoxyacetic acid)					
69.	,					
70.	2,4,5-TP [2-(2,4,5-trichlorophenoxy) propanoic acid]					
71.	Trichlorofon					
72.	Triethanolamine					
73.	Triethylamine					
74.	Trimethylamine					
75.	Uranium					

EPA Identification Number		Facility Name			Outfall Number	OMB No. 2040-000 Expires 07/31/202	
TABLE E. CERTAIN HAZARDOUS SUBSTANCES AND ASBESTOS (40 CFR 122.21(K)(5)(V)) ¹							
Pollutant		Presence or Absence		Reason Pollutant Believed Present in Discharge			Available Quantitative Data (specify units)
76.	Vanadium						
77.	Vinyl acetate						
78.	Xylene						
79.	Xylenol						
80.	Zirconium						

OMB No. 2040-0004

Sampling shall be conducted according to sufficiently sensitive test procedures (i.e., methods) approved under 40 CFR 136 for the analysis of pollutants or pollutant parameters or required under 40 CFR Chapter I, Subchapter N or O. See instructions and 40 CFR 122.21(e)(3).