

List of Hazardous Constituents Above Standards at DuPont-Cedar Mountain Facility

Groundwater (2L Standard)

Constituent	2L Standard (ug/l)	Where Detected Above Standard
Ammonia	1500	SWMU 4
Antimony	1	SWMU 12
Barium	700	SWMU 4
Benzene	1	SWMU 4, 11, 14
Benzo(a)anthracene	0.05	SWMU 13
Benzo(b)flouranthene	0.05	SWMU 13
Benzo(k)flouranthene	0.5	SWMU 13
Benzo(g,h,i)perylene	200	SWMU 13
Benzo(a)pyrene	0.005	SWMU 12, 13
1,1-Biphenyl	400	SWMU 4, 11, 13, 16
Bis(2)ethylhexylphthalate	3	SWMU 4, 18, AOC C
Cadmium	2	SWMU 4, 12
Carbon Tetrachloride	0.3	SWMU 4, 18
Chloroform	70	SWMU 17
Chromium	10	SWMU 16
Chrysene	5	SWMU 13
Cobalt	1	SWMU 4, 11, 12, 19
DiBenzo(a,h)anthracene	.005	SWMU 12, 13
1,2-Dichloroethane	0.4	SWMU 11, 13, 16
cis-1,2-Dichloroethene	70	SWMU 13, 16
1,4-Dioxane	3	SWMU 4, 11, 15
Diphenyl Ether	None	SWMU 4, 11, 13, 15, 16, 19, AOC A
Indeno(1,2,3-c,d) pyrene	.05	SWMU 13
Lead	15	SWMU 13, 16, 17
Chloromethane (Methyl Chloride)	3	SWMU 11, 13
Dibromomethane (Methylene Bromide)	70	SWMU 11

Methyl Methacrylate	25	SWMU 13
Silver	20	SWMU 4
Sulfate	250,000	SWMU 4
1,1,2,2-Tetrachloroethane	0.2	SWMU 13, 16, 17, 18
Tetrachloroethene	0.7	SWMU 13 (8.8 ppb), 16, 17, 18, 19
Thallium	0.2	SWMU 4, 11, 13, 16, 17
1,1,2-Trichloroethane	0.6	SWMU 13, 16
Trichloroethene	3	SWMU 12, 13, 16, 17, 18, 19, AOC C
Triethylene Glycol	None	SWMU 13
Vanadium	0.3	SWMU 4, 11, 12, 13, 16, 17, 18
Vinyl Chloride	0.03	SWMU 4, 11, 12, 13, 14, 15, 16, 18, 19