

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
							TOTAL	\$ 5,161,075	\$39,826,199					
1	Robersonville, Town of	Martin	VUR Water and Sewer Asset Inventory and Assessment	Distressed	3	\$400,000	\$400,000	\$0	\$400,000	11	6	3	2	includes \$30,000 for rate study; one application for water and wastewater AIA: if funded will split between a water AIA and a sewer AIA
2	Edenton, Town of	Chowan	AIA - Water Phase 2	Distressed	14	\$175,000	\$175,000	\$0	\$175,000	20	8	9	3	
3	Edenton, Town of	Chowan	Sewer AIA	Distressed	14	\$203,000	\$200,000	\$0	\$200,000	9	0	6	3	reconsideration
4	Gibson, Town of	Scotland	WW Sys AIA	Distressed	13	\$157,000	\$150,000	\$0	\$150,000	18	8	8	2	reconsideration
5	Pikeville, Town of	Wayne	Sewer AIA	Distressed	13	\$506,025	\$506,025	\$506,025		14	7	3	4	
6	Pikeville, Town of	Wayne	Water AIA	Distressed	13	\$74,500	\$74,500	\$0	\$74,500	14	7	3	4	includes \$10,000 for rate study
7	Pollocksville, Town of	Jones	Pollocksville - AIA Study - SEWER	Distressed	13	\$519,000	\$519,000	\$519,000		13	6	3	4	includes \$10,000 for rate study
8	Pollocksville, Town of	Jones	Pollocksville - AIA Study - WATER	Distressed	13	\$187,000	\$187,000	\$0	\$187,000	13	6	3	4	includes \$10,000 for rate study
9	Walstonburg, Town of	Greene	AIA Water and Wastewater	Distressed	12	\$90,000	\$90,000	\$90,000		0	0	0	0	reconsideration; VUR only; Single AIA for both water and sewer so not eligible for SRP
10	Tryon, Town of	Polk	Sewer AIA	Distressed	11	\$261,500	\$261,500	\$0	\$261,500	20	8	11	1	includes \$20,000 for rate study, \$2,000 for training
11	Tryon, Town of	Polk	Water System AIA	Distressed	11	\$254,500	\$254,500	\$254,500		20	8	11	1	includes \$20,000 for rate study, \$2,000 for training
12	Autryville, Town of	Sampson	Water System AIA and Rate Study	Distressed	11	\$165,000	\$150,000	\$0	\$150,000	13	6	4	3	reconsideration
13	Fountain, Town of	Pitt	Sanitary Sewer AIA 1	Distressed	10	\$354,400	\$354,400	\$354,400		0	0	0	0	reconsideration; VUR only; recommend considering one application per DW or WW sys using PRS score AND higher request amount
14	Fountain, Town of	Pitt	Sanitary Sewer AIA 2	Distressed	10	\$131,400	\$125,100			18	6	8	4	reconsideration; recommend considering one application per DW or WW sys using PRS score AND higher request amount
15	Fountain, Town of	Pitt	Water Sys AIA 1	Distressed	10	\$126,725	\$120,600			18	6	8	4	reconsideration; recommend considering one application per DW or WW sys using PRS score AND higher request amount
16	Fountain, Town of	Pitt	Water Sys AIA 2	Distressed	10	\$211,325	\$211,325	\$211,325		0	0	0	0	reconsideration; VUR only; recommend considering one application per DW or WW sys using PRS score AND higher request amount
17	Stanly County	Stanly	Comprehensive Sewer Master Plan	Distressed	10	\$150,000	\$150,000	\$0	\$150,000	12	5	5	2	-
18	Williamston, Town of	Martin	Sewer AIA	Distressed	10	\$890,000	\$890,000	\$890,000		0	0	0	0	reconsideration; VUR only
19	Central Nash County WSD	Nash	CNWSW Drinking Water AIA	Distressed	10	\$150,000	\$150,000	\$0	\$150,000	22	8	10	4	includes \$5,000 for rate study
20	Northern Nash County WSD	Nash	NNWSW Wastewater AIA	Distressed	10	\$150,000	\$150,000	\$0	\$150,000	22	8	10	4	includes \$5,000 for rate study
21	Bertie County Water District IV	Bertie	Lewiston Woodville Community Asset Inventory and Assessment	Distressed	9	\$247,000	\$247,000	\$0	\$247,000	20	7	9	4	\$2,000 for training ; includes \$45,000 for rate study
22	Madison, Town of	Rockingham	Water Sys AIA	Distressed	9	\$157,500	\$150,000	\$0	\$150,000	17	6	8	3	reconsideration
23	Trenton, Town of	Jones	Sewer AIA	Distressed	9	\$389,000	\$389,000	\$0	\$389,000	14	8	3	3	includes \$10,000 for rate study

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
24	Gamewell, Town of	Caldwell	Gamewell Sewer System Viability Project	Distressed	9	\$82,000	\$82,000	\$0	\$82,000	10	6	4	0	includes \$15,000 for rate study, \$2,000 for training
25	St. Pauls, Town of	Robeson	St. Pauls Water System Asset Inventory Assessment and Rate Study	Distressed	8	\$150,000	\$150,000	\$0	\$150,000	19	8	9	2	includes rate study but no cost provided
26	Yadkin County	Yadkin	Water and Sewer Asset Inventory and Assessment	Distressed	8	\$150,000	\$150,000	\$0	\$150,000	14	8	5	1	-
27	Washington County	Washington	Washington County AIA/Rate Study	Distressed	8	\$237,000	\$237,000	\$237,000		0	0	0	0	reconsideration; VUR only
28	Pilot Mountain, Town of	Surry	Water System AIA	Distressed	7	\$252,000	\$252,000	\$0	\$252,000	22	8	12	2	includes \$40,000 for rate study and \$2,000 for training
29	Dover, Town of	Craven	Sanitary Sewer AIA 1	Distressed	7	\$100,150	\$93,530			16	7	5	4	reconsideration; SRP Request of \$93,530; VU request of \$310,775; recommend considering one application per DW or WW sys using PRS score AND higher request amount
30	Dover, Town of	Craven	Sanitary Sewer AIA 2	Distressed	7	\$310,775	\$310,775	\$310,775		0	0	0	0	reconsideration; VUR only; SRP Request of \$93,530; VU request of \$310,775; recommend considering one application per DW or WW sys using PRS score AND higher request amount
31	Dover, Town of	Craven	Water Sys AIA 1	Distressed	7	\$134,600	\$128,150			16	7	5	4	reconsideration; SRP request of \$128,150; VU request of \$189,500; recommend considering one application per DW or WW sys using PRS score AND higher request amount
32	Dover, Town of	Craven	Water Sys AIA 2	Distressed	7	\$189,500	\$189,500	\$189,500		0	0	0	0	reconsideration; VUR only; SRP request of \$128,150; VU request of \$189,500; recommend considering one application per DW or WW sys using PRS score AND higher request amount
33	Pinetops, Town of	Edgecombe	Sanitary Sewer System AIA	Distressed	7	\$150,000	\$150,000	\$0	\$150,000	15	8	5	2	-
34	Pinetops, Town of	Edgecombe	Water System AIA	Distressed	7	\$150,000	\$150,000	\$0	\$150,000	14	7	5	2	-
35	Taylortown, Town of	Moore	Water Sys AIA	Distressed	7	\$125,000	\$125,000	\$0	\$125,000	15	7	7	1	reconsideration
36	Taylortown, Town of	Moore	WW Sys AIA	Distressed	7	\$125,000	\$125,000	\$0	\$125,000	14	6	7	1	reconsideration
37	Plymouth, Town of	Washington	2021 Town of Plymouth Sewer VUR Project	Distressed	7	\$160,000	\$160,000	\$160,000		0	0	0	0	reconsideration; VUR only
38	Macclesfield, Town of	Edgecombe	Sanitary Sewer AIA 1	Distressed	6	\$136,800	\$130,200			18	8	7	3	reconsideration; recommend considering one application per DW or WW sys using PRS score AND higher request amount
39	Macclesfield, Town of	Edgecombe	Sanitary Sewer AIA 2	Distressed	6	\$392,250	\$392,250	\$392,250		0	0	0	0	reconsideration; VUR only; recommend considering one application per DW or WW sys using PRS score AND higher request amount

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
40	Macclesfield, Town of	Edgecombe	Water AIA 1	Distressed	6	\$124,700	\$118,700			16	6	7	3	reconsideration; Did not check SRP box on application; ; recommend considering one application per DW or WW sys using PRS score AND higher request amount
41	Macclesfield, Town of	Edgecombe	Water AIA 2	Distressed	6	\$203,900	\$203,900	\$203,900		0	0	0	0	reconsideration; VUR only; Did not check SRP box on application;; recommend considering one application per DW or WW sys using PRS score AND higher request amount
42	Franklinville, Town of	Randolph	WW Sys AIA	Distressed	6	\$161,000	\$140,000			13	6	5	2	reconsideration; recommend considering one application per DW or WW sys using PRS score AND higher request amount
43	Franklinville, Town of	Randolph	WW Sys AIA	Distressed	6	\$161,000	\$161,000	\$161,000		0	0	0	0	reconsideration; VUR only; SRP request of \$140,000; VU request of \$161,000; recommend considering one application per DW or WW sys using PRS score AND higher request amount
44	Franklinville, Town of	Randolph	Water Sys AIA	Distressed	6	\$161,000	\$140,000			12	5	5	2	reconsideration; recommend considering one application per DW or WW sys using PRS score AND higher request amount
45	Franklinville, Town of	Randolph	Water Sys AIA	Distressed	6	\$161,000	\$161,000	\$161,000		0	0	0	0	reconsideration; VUR only; SRP request of \$140,000; VU request of \$161,000; recommend considering one application per DW or WW sys using PRS score AND higher request amount
46	East Arcadia, Town of	Bladen	AIA Water System	Distressed	6	\$154,400	\$154,400	\$154,400		0	0	0	0	reconsideration; VUR only
47	Vanceboro, Town of	Craven	Water Sys AIA	Distressed	5	\$150,000	\$150,000		\$150,000	17	7	8	2	reconsideration
48	East Bend, Town of	Yadkin	Water AIA	Distressed	5	\$121,440	\$96,000		\$96,000	16	8	6	2	reconsideration
49	East Bend, Town of	Yadkin	Sewer AIA	Distressed	5	\$63,250	\$50,000		\$50,000	12	4	6	2	reconsideration
50	Ramseur, Town of	Randolph	Water System Asset Inventory Assessment	Distressed	4	\$189,584	\$189,584		\$189,584	16	8	7	1	includes \$5,000 for rate study
51	Middlesex, Town of	Nash	AIA Wastewater	Distressed	4	\$150,000	\$150,000		\$150,000	16	6	7	3	includes \$5,000 for rate study
52	Middlesex, Town of	Nash	VUR AIA Drinking Water Study	Distressed	4	\$150,000	\$150,000		\$150,000	16	6	7	3	includes \$5,000 for rate study
53	Star, Town of	Montgomery	WW Sys AIA	Distressed	4	\$140,000	\$140,000		\$140,000	14	8	4	2	reconsideration
54	Ramseur, Town of	Randolph	Sewer AIA	Distressed	4	\$194,660	\$194,660		\$194,660	14	6	7	1	includes \$22,500 for "rate study and AMP"
55	Engelhard Sanitary District	Hyde	ESD AIA Sewer	Distressed	4	\$250,000	\$250,000		\$250,000	14	6	5	3	-
56	Star, Town of	Montgomery	Water Sys AIA	Distressed	4	\$140,000	\$140,000		\$140,000	13	7	4	2	reconsideration
57	Hookerton, Town of	Greene	AIA Wastewater Study	Distressed	4	\$226,500	\$226,500	\$226,500		0	0	0	0	reconsideration; VUR only
58	Hamilton, Town of	Martin	Wastewater Sys AIA	Distressed	3	\$225,000	\$150,000		\$150,000	17	8	6	3	reconsideration
59	Ronda, Town of	Wilkes	Water Asset Inventory and Assessment Components	Distressed	3	\$165,000	\$150,000		\$150,000	13	7	4	2	reconsideration
60	Micro, Town of	Johnston	Micro Sanitary Sewer Asset Inventory Assessment	Distressed	3	\$150,000	\$150,000		\$150,000	10	3	7	0	reconsideration

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
61	Micro, Town of	Johnston	Micro Water Asset Inventory Assessment	Distressed	3	\$150,000	\$150,000		\$150,000	10	3	7	0	reconsideration
62	Bay River Metropolitan Sewage District	Pamlico	Gravity Sewer CCTV Assessment Study and Report	Distressed	3	\$139,500	\$139,500	\$139,500		0	0	0	0	reconsideration; VUR only
63	Roxboro, City of	Person	Sewer I&I AIA	Distressed	2	\$400,000	\$400,000		\$400,000	17	7	8	2	-
64	Newport, Town of	Carteret	Wastewater System Asset Inventory and Assessment	Distressed	1	\$120,000	\$120,000		\$120,000	14	8	5	1	-
65	Newport, Town of	Carteret	Water System Asset Inventory and Assessment	Distressed	1	\$110,000	\$110,000		\$110,000	14	8	5	1	-
66	Edgecombe County	Edgecombe	2022 VUR Sewer System AIA Study		8	\$561,000	\$561,000		\$200,000	22	8	10	4	includes \$30,000 for rate study
67	Edgecombe County	Edgecombe	2022 Water Asset Management Plan		8	\$307,255	\$307,255		\$200,000	22	8	10	4	includes \$30,000 for rate study
68	Wilson, City of	Wilson	Sewer Asset Inventory Assessment 2022/2023		1	\$400,000	\$400,000		\$400,000	22	7	12	3	-
69	Mount Airy, City of	Surry	Sewer AIA		3	\$100,000	\$100,000		\$100,000	21	8	12	1	includes \$25,000 for rate study
70	Anson County	Anson	Wastewater AIA		6	\$100,000	\$100,000		\$100,000	21	8	11	2	includes \$25,000 for rate study
71	Anson County	Anson	Water AIA		6	\$300,000	\$300,000		\$300,000	21	8	11	2	includes \$25,000 for rate study
72	Henderson, City of	Vance	AIA Wastewater		6	\$200,000	\$200,000		\$200,000	21	8	11	2	includes \$25,000 for rate study
73	Henderson, City of	Vance	AIA Water		6	\$200,000	\$200,000		\$200,000	21	8	11	2	no rate study
74	Beech Mountain, Town of	Watauga	Grassy Gap WWTP Sewershed Study		4	\$400,000	\$400,000		\$400,000	21	8	11	2	-
75	Fayetteville PWC	Cumberland	Water Sys AIA		2	\$400,000	\$400,000		\$400,000	21	8	11	2	Confirmed rates
76	Roanoke Rapids Sanitary District	Halifax	Sewer AIA		1	\$200,000	\$200,000		\$200,000	21	8	11	2	includes \$25,000 for rate study
77	Apex, Town of	Wake	Evaluation of the Current State of the Collection System		1	\$400,000	\$400,000		\$400,000	20	8	12	0	-
78	Lake Lure, Town of	Rutherford	Subaqueous Sanitary Sewer AIA		9	\$200,000	\$200,000		\$200,000	20	8	10	2	-
79	Spindale, Town of	Rutherford	Sewer AIA (Pipe Condition Assessment Project)		3	\$400,000	\$400,000		\$400,000	20	8	10	2	description includes rate study but no budget item
80	Roanoke Rapids Sanitary District	Halifax	Water AIA		1	\$200,000	\$200,000		\$200,000	20	8	10	2	includes \$25,000 for rate study
81	Mount Airy, City of	Surry	Water AIA		3	\$100,000	\$100,000		\$100,000	20	7	12	1	includes \$25,000 for rate study
82	Pittsboro, Town of	Chatham	Wastewater Master Plan		11	\$250,000	\$250,000		\$250,000	20	7	11	2	includes \$50,000 for rate study
83	Rocky Mount, City of	Nash/Edgecombe	Sewer AIA		3	\$400,000	\$400,000		\$400,000	20	7	11	2	includes \$2,000 for training
84	Greensboro, City of	Guilford	Sewer AIA		2	\$400,000	\$400,000		\$400,000	20	7	11	2	
85	Selma, Town of	Johnston	Water System AIA		5	\$248,500	\$248,500		\$248,500	20	6	12	2	includes \$2,000 for training
86	Yadkin Valley Sewer Authority	Surry	2022 Additional Sewer Priority Areas Assessment		4	\$360,520	\$360,520		\$360,520	19	8	9	2	-
87	Southern Pines, Town of	Moore	Water System AIA		2	\$272,000	\$272,000		\$200,000	19	7	12	0	includes \$40,000 for rate study and \$2,000 for training; also LCRR compliance
88	Southern Pines, Town of	Moore	Sewer System AIA		2	\$292,000	\$292,000		\$200,000	19	7	12	0	includes \$40,000 for rate study and \$2,000 for training
89	Holly Springs, Town of	Wake	Holly Springs Water AIA		1	\$200,000	\$200,000		\$200,000	19	7	12	0	-
90	Clarkton, Town of	Bladen	Sewer AIA		8	\$240,000	\$240,000		\$240,000	19	7	11	1	includes \$40,000 for rate study
91	Winston-Salem, City of	Forsyth	Lead and Copper Rule Compliance Program		2	\$2,516,355	\$400,000		\$400,000	19	7	11	1	

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
92	Lumberton, City of	Robeson	2022 Main Sewer Interceptor Study		7	\$214,010	\$214,010		\$214,010	19	7	10	2	-
93	Biscoe, Town of	Montgomery	Biscoe Wastewater System Asset Inventory & Assessment		5	\$150,000	\$150,000		\$150,000	19	7	10	2	-
94	Fuquay-Varina, Town of	Wake	Collection System Master Plan and Asset Inventory		1	\$475,000	\$400,000		\$400,000	19	6	12	1	-
95	Hobgood, Town of	Halifax	AIA Drinking Water		12	\$150,000	\$150,000		\$150,000	19	5	10	4	includes \$5,000 for rate study
96	Hobgood, Town of	Halifax	AIA Wastewater Collection		12	\$150,000	\$150,000		\$150,000	19	5	10	4	includes \$5,000 for rate study
97	Brunswick Regional WS H2GO	Brunswick	2022 Wastewater Asset Inventory & Assessment		0	\$200,000	\$200,000		\$200,000	18	7	11	0	-
98	Brunswick Regional WS H2GO	Brunswick	2022 Water Asset & Inventory		0	\$200,000	\$200,000		\$200,000	18	7	11	0	-
99	Carolina Beach, Town of	New Hanover	Sewer System Resiliency Assessment Project		1	\$200,000	\$200,000		\$200,000	18	7	10	1	-
100	Shelby, City of	Cleveland	Major Outfall Survey and modeling and WWTP Asset Management and Modeling		4	\$340,000	\$340,000		\$300,000	18	7	9	2	-
101	Woodland, Town of	Northampton	Water System Asset Inventory Assessment		8	\$150,000	\$150,000		\$150,000	18	7	8	3	includes \$20,000 for rate study
102	Holly Springs, Town of	Wake	Holly Springs Sewer AIA		1	\$200,000	\$200,000		\$200,000	18	6	12	0	-
103	Raleigh, City of	Wake	Wastewater AIA		1	\$200,000	\$200,000		\$200,000	18	6	12	0	-
104	Raleigh, City of	Wake	Water AIA		1	\$200,000	\$200,000		\$200,000	18	6	12	0	-
105	Archdale, City of	Randolph/Guilford	Water Sys AIA		1	\$242,000	\$242,000		\$242,000	18	6	11	1	includes \$40,000 for rate study
106	Bermuda Run, Town of	Davie	Sewer AIA Application		1	\$400,000	\$400,000		\$400,000	18	6	11	1	-
107	Clayton, Town of	Johnston	Collection System Master Plan		0	\$250,000	\$250,000		\$250,000	18	6	11	1	-
108	Clayton, Town of	Johnston	Water System Master Plan		0	\$150,000	\$150,000		\$150,000	18	6	11	1	-
109	Baton Water Corporation	Caldwell	Water System AIA		No Score	\$233,000	\$233,000		\$233,000	18	6	9	3	includes \$40,000 for rate study
110	Columbus County Water District IV	Columbus	Water Sys AIA		6	\$150,000	\$150,000		\$150,000	18	4	10	4	-
111	Kure Beach, Town of	New Hanover	Water Sys AMP		1	\$180,000	\$150,000		\$150,000	18	0	0	0	reconsideration
112	Mocksville, Town of	Davie	Sewer AIA Application		6	\$200,000	\$200,000		\$200,000	17	7	10	0	includes \$25,000 for rate study
113	Mocksville, Town of	Davie	Water AIA		6	\$200,000	\$200,000		\$200,000	17	7	10	0	includes \$25,000 for rate study
114	White Lake, Town of	Bladen	AIA Water System		3	\$240,500	\$240,500		\$240,500	17	7	9	1	includes \$2,000 for training
115	Wadesboro, Town of	Anson	Water AIA		7	\$200,000	\$200,000		\$200,000	17	7	8	2	-
116	Hendersonville, City of	Henderson	Water Treatment AIA (Master Plan)		4	\$400,000	\$400,000		\$400,000	17	6	11	0	-
117	Lake Junaluska Assembly	Haywood	Lake Junaluska Assembly Water AIA Project		No Score	\$150,000	\$150,000		\$150,000	17	6	10	1	Includes \$2,000 for GIS training; resolution not dated
118	Carolina Beach, Town of	New Hanover	Water System Resiliency Assessment Project		1	\$200,000	\$200,000		\$200,000	17	6	10	1	-
119	Shelby, City of	Cleveland	WTP Asset Management and Modeling		4	\$125,000	\$125,000		\$100,000	17	6	9	2	No PSWID on application
120	Ocracoke Sanitary District	Hyde	OSD Water System AIA		11	\$150,000	\$150,000		\$150,000	17	6	8	3	includes \$15,000 for rate study
121	Columbus County Water District III	Columbus	Water Sys AIA		6	\$150,000	\$150,000		\$150,000	17	4	9	4	-

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
122	Pasquotank County	Pasquotank	Weeksville Water Meter System Inventory and Asset Assessment		7	\$157,500	\$150,000		\$150,000	17	0	0	0	reconsideration
123	Northampton County	Northampton	Sewer AIA		5	\$165,000	\$150,000		\$150,000	17	0	0	0	reconsideration
124	Clay County	Clay	Clay County Wastewater AIA Project		4	\$172,500	\$150,000		\$150,000	17	0	0	0	reconsideration
125	Clay County	Clay	Clay County Water AIA Project		4	\$172,500	\$150,000		\$150,000	17	0	0	0	reconsideration
126	Long View, Town of	Burke/Catawba	Long View Wastewater AIA Project		4	\$165,000	\$150,000		\$150,000	17	0	0	0	reconsideration
127	Long View, Town of	Burke/Catawba	Water AIA		4	\$165,000	\$150,000		\$150,000	17	0	0	0	reconsideration
217	Elkin, Town of	Wilkes & Surry	Water AIA		3	\$245,000	\$245,000		\$245,000	17	7	8	2	**INCOMPLETE** Res names Mayor as AR; app names and signed by TM. Includes \$40,000 for rate study
128	Granite Falls, Town of	Caldwell	Water System Asset Inventory & Assessment		6	\$172,500	\$150,000		\$150,000	16	8	8	0	
129	Troutman, Town of	Iredell	Clay Pipe Sewer System Inventory & Assessment Project		2	\$225,000	\$225,000		\$225,000	16	7	8	1	-
130	Brevard, City of	Transylvania	Wastewater Collection Sys AIA		8	\$200,000	\$200,000		\$200,000	16	7	7	2	-
131	Taylorsville, Town of	Alexander	Water Asset Inventory Assessment		10	\$248,250	\$248,250		\$155,000	16	6	10	0	includes \$40,000 for rate study and \$2,000 for training;
132	Davie County	Davie	Sewer AIA Application		5	\$400,000	\$400,000		\$400,000	16	6	10	0	-
133	Charlotte, City of	Mecklenburg	Lead and Copper Rule Revisions (LCRR) Support		1	\$2,491,260	\$400,000		\$400,000	16	6	10	0	
134	Harmony, Town of	Iredell	Sewer AIA		8	\$233,000	\$233,000		\$233,000	16	6	9	1	includes \$40,000 for rate study
135	Onslow Water and Sewer Authority	Onslow	Water System Master Plan		1	\$150,000	\$150,000		\$150,000	16	6	9	1	0
136	Pine Bluff, Town of	Moore	Water AIA		3	\$233,000	\$233,000		\$233,000	16	5	11	0	includes \$40,000 for rate study and \$2,000 for training
137	Hillsborough, Town of	Orange	Water Master Plan		4	\$100,000	\$100,000		\$100,000	16	5	9	2	-
138	Beulaville, Town of	Duplin	Sanitary Sewer System Asset Inventory and Assessment		9	\$205,000	\$205,000		\$205,000	16	5	7	4	includes \$10,000 for rate evaluation
139	Beulaville, Town of	Duplin	Water System Asset Inventory and Assessment		9	\$194,400	\$194,400		\$194,400	16	5	7	4	includes \$10,000 for rate evaluation
140	Ranlo, Town of	Gaston	Water System Asset Management Plan Components		9	\$172,500	\$150,000		\$150,000	16	0	0	0	reconsideration
141	Cherryville, City of	Gaston	Water System Asset Management Plan Components		8	\$157,500	\$150,000		\$150,000	16	0	0	0	reconsideration
142	Albemarle, Town of	Stanly	Sewer System AIA		9	\$200,000	\$200,000		\$200,000	15	7	7	1	
143	Nashville, Town of	Nash	AIA - Wastewater Collection System		2	\$150,000	\$150,000		\$150,000	15	7	7	1	-
144	Jefferson, Town of	Ashe	Sewer AIA		6	\$242,000	\$242,000		\$200,000	15	6	9	0	-
145	Jefferson, Town of	Ashe	Water AIA		6	\$242,000	\$242,000		\$200,000	15	6	9	0	includes \$40,000 for rate study and \$2,000 for training
146	Aberdeen, Town of	Moore	Aberdeen Drinking Water AIA		5	\$150,000	\$150,000		\$150,000	15	6	9	0	-

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
147	Troutman, Town of	Iredell	Water System Asset Inventory and Assessment Project		2	\$175,000	\$175,000		\$175,000	15	6	8	1	-
148	Brevard, City of	Transylvania	Water AIA		8	\$187,500	\$187,500		\$187,500	15	6	7	2	-
149	Contentnea Metropolitan Sanitary District	Pitt	2022 Sewer Asset Inventory and Assessment		0	\$400,000	\$400,000		\$400,000	15	6	6	3	includes \$30,000 for rate study
150	Piedmont Triad Regional Water Authority	Randolph	Ptrwa Inventory, PM and CIP Assessment		1	\$162,000	\$162,000		\$162,000	15	5	10	0	-
151	Wallace, Town of	Duplin	AIA - Water		6	\$150,000	\$150,000		\$150,000	15	5	9	1	-
152	Cherryville, City of	Gaston	Wastewater System Asset Management Plan Components		8	\$157,500	\$150,000		\$150,000	15	0	0	0	reconsideration
153	Clyde, Town of	Haywood	Clyde Sewer AIA Project		8	\$180,000	\$150,000		\$150,000	15	0	0	0	reconsideration
154	Magnolia, Town of	Duplin	Sanitary Sewer Sys AIA		8	\$157,500	\$150,000		\$150,000	15	0	0	0	reconsideration
155	River Bend, Town of	Craven	Wastewater System AIA		8	\$150,000	\$150,000		\$150,000	15	0	0	0	reconsideration
156	River Bend, Town of	Craven	Water System AIA		8	\$150,000	\$150,000		\$150,000	15	0	0	0	reconsideration
157	Kure Beach, Town of	New Hanover	Sewer Sys AMP		1	\$180,000	\$150,000		\$150,000	15	0	0	0	reconsideration
158	South Granville Water and Sewer Authority (SGWASA)	Granville	SGWASA Water Asset Inventory and Assessment Project		1	\$180,000	\$150,000		\$150,000	15	0	0	0	reconsideration
159	Nashville, Town of	Nash	AIA - Drinking Water		2	\$150,000	\$150,000		\$150,000	14	6	7	1	-
160	Laurinburg, City of	Scotland	Wastewater System Asset Inventory and Assessment Update with Rate Study		2	\$150,000	\$150,000		\$150,000	14	6	6	2	includes rate study but no cost provided
161	Laurinburg, City of	Scotland	Water System Asset Inventory and Assessment Update with Rate Study		2	\$150,000	\$150,000		\$150,000	14	6	6	2	includes rate study but no cost provided
162	Garland, Town of	Sampson	Water System Asset Inventory and Assessment		5	\$245,900	\$245,900		\$245,900	14	5	8	1	includes \$10,000 for rate study
163	Weldon, Town of	Halifax	Water System AIA		4	\$150,000	\$150,000		\$150,000	14	5	8	1	-
164	Mount Pleasant, Town of	Cabarrus	Drinking Water AIA		3	\$150,000	\$150,000		\$150,000	14	5	8	1	includes \$14,000 for rate study and budget review
165	Grimesland, Town of	Pitt	AIA - Sewer		4	\$195,000	\$195,000		\$195,000	14	5	6	3	-
166	Fork Township Sanitary District	Wayne	Water AIA		4	\$400,000	\$400,000		\$400,000	14	4	7	3	-
167	Belfast-Patetown Sanitary District	Wayne	Water AIA		0	\$360,000	\$360,000		\$360,000	14	4	7	3	-
168	Southeastern Wayne Sanitary District	Wayne	Water AIA		0	\$380,000	\$380,000		\$380,000	14	4	7	3	-
169	Southwestern Wayne Sanitary District	Wayne	Water AIA		0	\$120,000	\$120,000		\$120,000	14	4	7	3	-
170	Ranlo, Town of	Gaston	Wastewater System Asset Management Plan Components		9	\$172,500	\$150,000		\$150,000	14	0	0	0	reconsideration
171	Kenansville, Town of	Duplin	2021 Sewer AIA		8	\$150,000	\$150,000		\$150,000	14	0	0	0	reconsideration
172	Dallas, Town of	Gaston	Wastewater Asset Inventory & Assessment		7	\$157,500	\$150,000		\$150,000	14	0	0	0	reconsideration
173	Rosman, Town of	Transylvania	Sewer AIA		11	\$75,000	\$75,000		\$75,000	13	5	7	1	includes \$15,000 for rate study

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.

Funded in Viable Utility Reserve
Funded in State Reserve
Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
174	Rosman, Town of	Transylvania	Water AIA		11	\$75,000	\$75,000		\$75,000	13	5	7	1	includes \$15,000 for rate study
175	Pamlico County	Pamlico	Water System Asset Inventory and Assessment		4	\$130,000	\$130,000		\$130,000	13	5	7	1	-
176	Graham, City of	Alamance	Water AIA		2	\$400,000	\$400,000		\$400,000	13	5	7	1	
177	Harrisburg, Town of	Cabarrus	Town of Harrisburg Asset Inventory Assessment (Both)		0	\$500,000	\$500,000		\$400,000	13	4	9	0	budget is primarily for DW, but some challenges and needs are for WW (claim I/I with no supporting docs); if funded, will split funding between water and wastewater in separate projects
178	Weldon, Town of	Halifax	Wastewater AIA		4	\$150,000	\$150,000		\$150,000	13	4	8	1	-
179	Mount Pleasant, Town of	Cabarrus	Wastewater AIA		3	\$150,000	\$150,000		\$150,000	13	4	8	1	-
180	Johnston County	Johnston	CMMS Initiation at Existing CJCRWWTF		4	\$250,000	\$250,000		\$200,000	13	4	7	2	
181	Johnston County	Johnston	CMMS Initiation at Existing TGB WTP		4	\$250,000	\$250,000		\$200,000	13	4	7	2	-
182	Eastern Wayne Sanitary District	Wayne	Water AIA		No Score	\$400,000	\$400,000		\$400,000	13	4	6	3	-
183	Northwestern Wayne Sanitary District	Wayne	Water AIA		No Score	\$280,000	\$280,000		\$280,000	13	4	6	3	-
184	Teachey, Town of	Duplin	Sanitary Sewer System Asset Inventory and Assessment		8	\$211,975	\$211,975		\$211,975	13	4	6	3	includes \$10,000 for rate evaluation
185	Teachey, Town of	Duplin	Water System Asset Inventory and Assessment		8	\$188,000	\$188,000		\$188,000	13	4	6	3	includes \$10,000 for rate evaluation
186	Grimesland, Town of	Pitt	AIA - Water		4	\$175,000	\$175,000		\$175,000	13	4	6	3	
187	Kenansville, Town of	Duplin	2021 Water AIA		8	\$150,000	\$150,000		\$150,000	13	0	0	0	reconsideration
188	Boiling Springs, Town of	Cleveland	Wastewater System AIA		3	\$172,500	\$150,000		\$150,000	13	0	0	0	reconsideration
189	Boiling Springs, Town of	Cleveland	Water System AIA		3	\$172,500	\$150,000		\$150,000	13	0	0	0	reconsideration
190	Taylorsville, Town of	Alexander	2022 Sewer Collection System Assessment Project		10	\$293,000	\$293,000		\$155,000	12	5	7	0	
191	Bridgeton, Town of	Craven	Wastewater AIA		9	\$335,000	\$335,000		\$335,000	12	5	6	1	-
192	Topsail Beach, town of	Pender	Water Asset Inventory Assessment		4	\$180,000	\$180,000		\$180,000	12	5	5	2	-
193	Columbia, Town of	Tyrell	Sewer AIA		9	\$280,000	\$280,000		\$280,000	12	5	4	3	includes \$10,000 for rate evaluation
194	Columbia, Town of	Tyrell	Water AIA		9	\$120,000	\$120,000		\$120,000	12	5	4	3	-
195	Jones County	Jones	Water AIA		4	\$400,000	\$400,000		\$400,000	12	5	4	3	-
196	Albemarle, Town of	Stanly	Water System AIA		9	\$150,000	\$150,000		\$150,000	12	4	7	1	includes \$14,000 for "rate study and budget review";
197	Conway, Town of	Northampton	Drinking Water Distribution System AIA		8	\$150,000	\$150,000		\$150,000	12	4	6	2	includes \$5,000 for rate study
198	Conway, Town of	Northampton	Wastewater Collection System AIA		8	\$150,000	\$150,000		\$150,000	12	4	6	2	includes \$5,000 for rate study
199	Cleveland, Town of	Rowan	AIA Sewer		3	\$137,500	\$125,000		\$125,000	12	0	0	0	reconsideration
200	Cleveland, Town of	Rowan	AIA Water		3	\$110,000	\$100,000		\$100,000	12	0	0	0	reconsideration
201	Warsaw, Town of	Duplin	Sewer AIA		4	\$260,000	\$260,000		\$260,000	11	5	4	2	-
202	Gibsonville, Town of	Guilford	Water AIA		2	\$200,000	\$200,000		\$200,000	11	4	6	1	

**Agenda Item M-2.
State Reserve Asset Inventory and Assessment Grants
Spring 2022 Application Round**

The colors in this legend represent the example funding scenario described in the Staff Report.	Funded in Viable Utility Reserve
	Funded in State Reserve
	Not recommended for funding

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
203	Morehead City, Town of	Carteret	Water AIA		4	\$400,000	\$400,000		\$400,000	11	4	5	2	-
204	North Lenoir Water Corporation	Lenoir	Water System Asset Inventory and Assessment		No Score	\$400,000	\$400,000		\$400,000	11	4	4	3	includes \$10,000 for rate evaluation
205	Bunn, Town of	Franklin	Bunn Sanitary Sewer Asset Inventory Assessment		5	\$150,000	\$150,000		\$150,000	11	0	0	0	reconsideration
206	Bunn, Town of	Franklin	Bunn Water System Asset Inventory Assessment		5	\$150,000	\$150,000		\$150,000	11	0	0	0	reconsideration
207	Mebane, City of	Alamance/Orange	Water AIA		1	\$300,000	\$300,000		\$300,000	10	4	6	0	
208	Warsaw, Town of	Duplin	Water AIA		4	\$137,000	\$137,000		\$137,000	10	4	4	2	-
209	Maury Sanitary Land District	Greene	Sewer AIA		2	\$400,000	\$400,000		\$400,000	10	4	4	2	-
210	Gibsonville, Town of	Guilford	Sewer AIA		2	\$200,000	\$200,000		\$200,000	10	3	6	1	-
218	Yanceyville, Town of	Caswell	Water AIA		5	\$250,000	\$250,000		\$250,000	10	3	6	1	**INCOMPLETE** LCRR compliance; Mayor named as AR in res, TM signed app - LCRR compliance
211	Swepsonville, Town of	Alamance	Sewer System AIA		5	\$150,000	\$150,000		\$150,000	9	4	5	0	-
212	Junaluska Sanitary District	Haywood	GIS Mapping (both)			\$146,650	\$146,650		\$146,650	9	4	3	2	Project is for both water and sewer; budget does not separate water and sewer costs; if funded, will separate into two projects one for DW and one for WW. If funded, will only fund eligible expenses (e.g. salaries not permissible)
213	Elon, Town of	Alamance	Water AIA		1	\$300,000	\$300,000		\$300,000	9	3	5	1	LCRR compliance
219	Yanceyville, Town of	Caswell	Sewer AIA		5	\$150,000	\$150,000		\$150,000	9	2	6	1	**INCOMPLETE** Mayor named as AR in res, TM signed app
214	Swepsonville, Town of	Alamance	Water System AIA		5	\$250,000	\$250,000		\$250,000	8	3	5	0	LCRR compliance
215	Haw River, Town of	Alamance	Water AIA		8	\$250,000	\$250,000		\$250,000	8	3	4	1	LCRR compliance
216	Haw River, Town of	Alamance	Sewer AIA		8	\$150,000	\$150,000		\$150,000	7	2	4	1	-

Ineligible (incomplete applications)

Project Number	Applicant Name	County	Project Name	Designated as Distressed?	Distressed Score	Total Project Amount	Funding Requested	Grant from VUR (ARPA)	Grant from State Reserve (ARPA "Study Grants")	Points Verified (Total all Categories)	Project Benefits	System Management	Affordability	Notes
	Lake Junaluska Assembly	Haywood	Lake Junaluska Assembly Sewer AIA Project		No Score	\$ 150,000				15	4	10	1	resolution mentions DW only and is not dated